VITAL STATISTICS OF THE UNITED STATES

1981

VOLUME II—MORTALITY

PART B

U.S. DEPARTMENT OF
HEALTH AND HUMAN SERVICES
PUBLIC HEALTH SERVICE
NATIONAL CENTER FOR HEALTH STATISTICS

READEX
FICHE

981/v.2/pt. B

NEWARK PUBLIC LIBRARY
AUG 4 1986
U. S. GOVT. PUBS.
DEPOSITORY 328

E 20.6210:

VITAL STATISTICS OF THE UNITED STATES

1981

VOLUME II—MORTALITY

PART B

U.S. DEPARTMENT OF
HEALTH AND HUMAN SERVICES
PUBLIC HEALTH SERVICE
NATIONAL CENTER FOR HEALTH STATISTICS

Hyattsville, Maryland: 1986

NEWARK PUBLIC LIBRARY

NATIONAL CENTER FOR HEALTH STATISTICS

MANNING FEINLEIB, M.D., Dr. P.H., *Director*

ROBERT A. ISRAEL, *Deputy Director*
JACOB J. FELDMAN, Ph.D., *Associate Director for Analysis and Epidemiology*
GARRIE J. LOSEE, *Associate Director for Data Processing and Services*
ALVAN O. ZARATE, Ph.D., *Assistant Director for International Statistics*
E. EARL BRYANT, *Associate Director for Interview and Examination Statistics*
STEPHEN E. NIEBERDING, *Associate Director for Management*
GAIL F. FISHER, Ph.D., *Associate Director for Program Planning, Evaluation, and Coordination*
MONROE G. SIRKEN, Ph.D., *Associate Director for Research and Methodology*
PETER L. HURLEY, *Associate Director for Vital and Health Care Statistics*
ALICE HAYWOOD, *Information Officer*

VITAL AND HEALTH CARE STATISTICS PROGRAM

PETER L. HURLEY, *Associate Director*
GLORIA KAPANTAIS, *Assistant to the Director for Data Policy, Planning, and Analysis*

DIVISION OF VITAL STATISTICS

JOHN E. PATTERSON, *Director*
JAMES A. WEED, Ph.D., *Deputy Director*
ROBERT BILGRAD, *Special Assistant to the Director*
ROBERT J. ARMSTRONG, *Actuarial Adviser*
HARRY M. ROSENBERG, Ph.D., *Chief, Mortality Statistics Branch*
ROBERT L. HEUSER, *Chief, Natality Statistics Branch*
ROBERT L. HEUSER, *Acting Chief, Marriage and Divorce Statistics Branch*
GEORGE A. GAY, *Chief, Registration Methods Branch*
WILLIAM F. PRATT, Ph.D., *Chief, Family Growth Survey Branch*
RONALD CHAMBLEE, *Chief, Technical Services Branch*
MABEL G. SMITH, *Chief, Statistical Resources Branch*
JOSEPH D. FARRELL, *Chief, Computer Applications Staff*

COPYRIGHT INFORMATION

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

SUGGESTED CITATION

National Center for Health Statistics: *Vital Statistics of the United States, 1981,* Vol. II, Mortality, Part B. DHHS Pub. No. (PHS) 86-1102. Public Health Service, Washington. U.S. Government Printing Office, 1986.

DHHS Publication No. (PHS) **86-1102**

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C. 20402

VITAL STATISTICS OF THE UNITED STATES, 1981

VOLUME II—MORTALITY

A brief summary of the contents for sections 8 and 9 is listed below for the convenience of the reader. A complete contents page is at the beginning of each section and is identified by a narrow black edge, which can be located easily by fanning the pages. Each section is paged independently, beginning with page 1. Sections 1 through 7, which show data on General Mortality, Infant Mortality, Fetal Mortality, Perinatal Deaths, Accident Mortality, Life Tables, and the Technical Appendix, are in Part A of Volume II of *Vital Statistics of the United States, 1981*. Section 7, the Technical Appendix, discusses the factors affecting the collection, classification, and interpretation of the mortality statistics.

PART B

Section 8.	Geographic Detail for Mortality Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.
Section 9.	Puerto Rico, Virgin Islands (U.S.), and Guam Trend of the crude death rate. Frequency tabulations for most of the characteristics shown in other sections of Volume II.

Guide to tables in Section 8

[All data are for deaths occurring in the United States during 1981. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

TABLE 8	-1	-2	-3	-4	-5	-6	-7	-8	-9
PAGE:	1	71	80	98	130	156	445	450	488
Geographic area:									
Counties	1[1]								9
Metropolitan and nonmetropolitan counties		2	3						9
Population-size groups		2							9
Specified urban places	1								9
Standard metropolitan statistical areas				4				8	
States	1[1]	2	3			6	7[2]		9
United States	1	2	3		5		7		9
Type of entry:									
Fetal-deaths ratios (per 1,000 live births)		2							
Infant mortality rates (per 1,000 live births)		2							
Neonatal mortality rates (per 1,000 live births)		2							
Number of deaths	1	2	3	4	5	6	7	8	9
Number of fetal deaths	1	2							
Number of infant deaths	1	2	3	4	5	6			
Number of neonatal deaths	1	2							
Characteristics:									
Age:									
5-year age groups					5				
10-year age groups			3	4		6			
Cause of death:									
34 selected causes									9
72 selected causes					5	6	7	8	
Race	1	2	3	4	5	6			
Sex			3	4	5	6			

[1] Deaths by place of occurrence and place of residence.
[2] Deaths by place of occurrence.

Guide to tables in Section 9

[All data are for deaths occurring in Puerto Rico, Virgin Islands, and Guam. Data are by place of residence unless otherwise noted]

TABLE: 9	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13
PAGE:	1	2	3	4	8	15	19	20	21	22	23	24	26
Geographic area:													
Guam	1	2	3			6	7	8		[1]10	11	12	13
Puerto Rico	1	2		4			7	8	[1]9		11	12	13
Municipios									[1]9				
Virgin Islands	1	2	3		5		7	8		[1]10	11	12	13
Islands										[1]10			
Specified urban place										[1]10			
Years:													
1940–81	1												
1981 only		2	3	4	5	6	7	8	9	10	11	12	13
Type of entry:													
Death rates	1												
Number of deaths	1	2	3	4	5	6	7	8	9	10			
Number of fetal deaths									9				
Number of infant deaths			3	4	5	6			9	10	11	12	13
Number of neonatal deaths									9	10	11		13
Number of postneonatal deaths													13
Characteristics:													
Age:													
10-year age groups			3	4	5	6							
Detailed age groups (under 1 day–11 months)												12	
Cause of death:													
61 selected causes of infant mortality													13
72 selected causes				4	5								
Motor vehicle accidents							7						
Nontransport accidents								8					
Person injured							7						
Month		2									11		
Place of accident								8					
Race[2]		2	3		5		7	8		10	11	12	13
Sex		2	3	4	5	6	7	8				12	

[1] Deaths by place of occurrence and place of residence.

[2] Puerto Rico does not report race.

SYMBOLS USED IN TABLES

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Quantity more than zero but less than 500 where numbers are rounded to thousands	Z
Figure does not meet standards of reliability or precision	*

Section 8. Geographic Detail for Mortality

Table		Page
8–1.	Total, infant, and neonatal deaths, and fetal deaths, by race: United States, each State and county, and specified urban places of 10,000 or more, 1981	1
8–2.	Total deaths, infant and neonatal deaths and rates, fetal deaths and ratios, by race, for population-size groups in metropolitan and nonmetropolitan counties: United States and each State, 1981	71
8–3.	Deaths by 10-year age groups, race, and sex, for metropolitan and nonmetropolitan counties: United States and each State, 1981	80
8–4.	Deaths by 10-year age groups, race, and sex, for standard metropolitan statistical areas of the United States, 1981	98
8–5.	Deaths from 72 selected causes, by age, race, and sex: United States, 1981	130
8–6.	Deaths from 72 selected causes, by 10-year age groups, race, and sex: Each State, 1981	156
8–7.	Deaths from 72 selected causes, by State of occurrence: United States and each State, 1981	445
8–8.	Deaths from 72 selected causes, for standard metropolitan statistical areas of the United States: 1981	450
8–9.	Deaths from 34 selected causes: United States, each State and county, population-size groups, metropolitan and nonmetropolitan counties, and specified urban places, 1981	488

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
United States	1,981,309	1,977,981	43,305	29,121	32,596
White	1,734,157	1,731,233	30,478	20,592	23,364
All other	247,152	246,748	12,827	8,529	9,232
Black	228,682	228,580	11,757	7,900	8,225
Alabama	35,163	35,412	799	519	737
White	25,351	25,536	404	271	357
All other	9,812	9,876	395	248	380
Black	9,791	9,857	392	247	378
Autauga	108	221	3	1	5
White	79	163	3	1	4
All other	29	58	-	-	1
Black	29	58	-	-	1
Prattville	---	117	3	1	2
White	---	100	3	1	2
All other	---	17	-	-	-
Black	---	17	-	-	-
Balance of county	---	104	-	-	3
White	---	63	-	-	2
All other	---	41	-	-	1
Black	---	41	-	-	1
Baldwin	667	753	10	6	12
White	555	645	7	5	8
All other	112	108	3	1	4
Black	110	107	3	1	4
Barbour	241	297	8	3	4
White	110	149	1	-	1
All other	131	148	7	3	3
Black	131	148	7	3	3
Bibb	103	154	-	-	4
White	72	109	-	-	3
All other	31	45	-	-	1
Black	31	45	-	-	1
Blount	181	305	4	2	6
Bullock	74	114	6	3	5
White	33	39	1	-	-
All other	41	75	5	3	5
Black	41	75	5	3	4
Butler	228	251	5	3	8
White	162	174	1	-	4
All other	66	77	4	3	4
Black	66	77	4	3	4
Calhoun	949	955	22	16	15
White	768	781	14	11	9
All other	181	174	8	5	6
Black	181	173	8	5	6
Anniston	---	454	13	9	10
White	---	321	6	4	6
All other	---	133	7	5	4
Black	---	133	7	5	4
Balance of county	---	501	9	7	5
Chambers	362	413	15	7	13
White	255	292	6	3	6
All other	107	121	9	4	7
Black	107	121	9	4	7
Cherokee	131	190	7	4	2
Chilton	229	330	3	2	5
White	201	293	1	1	4
All other	28	37	2	1	1
Black	28	37	2	1	1
Choctaw	79	155	2	1	2
White	42	96	1	1	-
All other	37	59	1	-	2
Black	37	59	1	-	2
Clarke	297	320	7	4	9
White	160	174	1	1	4
All other	137	146	6	3	5
Black	137	146	6	3	5
Clay	129	148	1	-	1
White	116	134	1	-	1
All other	13	14	-	-	-
Black	13	14	-	-	-
Cleburne	66	118	2	1	-
Coffee	270	339	12	11	5
White	223	286	10	9	3
All other	47	53	2	2	2
Black	47	53	2	2	1
Enterprise	---	115	1	1	3
White	---	82	1	1	2
All other	---	33	-	-	1
Black	---	33	-	-	-
Balance of county	---	224	11	10	2
White	---	204	9	8	1
All other	---	20	2	2	1
Black	---	20	2	2	1
Colbert	439	477	12	10	7
White	342	372	6	6	5
All other	97	105	6	4	2
Black	96	104	6	4	2
Sheffield	---	151	1	1	1
White	---	116	-	-	1
All other	---	35	1	1	-
Black	---	35	1	1	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama-Con.					
Balance of county	---	326	11	9	6
White	---	256	6	6	4
All other	---	70	5	3	2
Black	---	69	5	3	2
Conecuh	104	157	-	-	3
White	66	96	-	-	3
All other	38	61	-	-	-
Black	38	61	-	-	-
Coosa	48	128	1	-	2
White	31	85	1	-	-
All other	17	43	-	-	2
Black	17	43	-	-	2
Covington	385	434	6	5	4
White	331	381	4	4	1
All other	54	53	2	1	3
Black	53	53	2	1	3
Andalusia	---	109	2	1	1
White	---	86	-	-	1
All other	---	23	2	1	-
Black	---	23	2	1	-
Balance of county	---	325	4	4	3
White	---	295	4	4	-
All other	---	30	-	-	3
Black	---	30	-	-	3
Crenshaw	149	172	2	1	2
White	105	136	-	-	1
All other	44	36	2	1	1
Black	44	36	2	1	1
Cullman	483	555	4	2	7
Cullman	---	150	1	1	4
Balance of county	---	405	3	1	3
Dale	244	312	9	6	12
White	188	248	7	4	7
All other	56	64	2	2	5
Black	55	62	1	1	5
Ozark	---	117	-	-	3
White	---	77	-	-	1
All other	---	40	-	-	2
Black	---	39	-	-	2
Balance of county	---	195	9	6	9
White	---	171	7	4	6
All other	---	24	2	2	3
Black	---	23	1	1	3
Dallas	679	597	21	13	20
White	302	259	4	3	3
All other	377	338	17	10	17
Black	377	337	16	10	17
Selma	---	360	13	10	14
White	---	158	3	3	3
All other	---	202	10	7	11
Black	---	201	9	7	11
Balance of county	---	237	8	3	6
White	---	101	1	-	-
All other	---	136	7	3	6
Black	---	136	7	3	6
De Kalb	353	480	8	5	6
Elmore	266	361	7	3	6
White	204	277	5	2	5
All other	62	84	2	1	1
Black	62	84	2	1	1
Escambia	337	367	10	4	3
White	242	269	5	3	2
All other	95	98	5	1	1
Black	94	97	5	1	1
Etowah	1,014	994	20	13	20
White	853	824	14	9	12
All other	161	170	6	4	8
Black	161	170	6	4	8
Gadsden	---	604	6	3	15
White	---	460	3	2	7
All other	---	144	3	1	8
Black	---	144	3	1	8
Balance of county	---	390	14	10	5
Fayette	147	205	6	3	3
White	122	174	5	3	2
All other	25	31	1	-	1
Black	25	31	1	-	1
Franklin	257	277	6	6	6
Geneva	150	259	7	3	2
White	134	220	4	2	2
All other	16	39	3	1	-
Black	16	39	3	1	-
Greene	93	127	3	1	5
White	33	41	-	-	1
All other	60	86	3	1	4
Black	60	86	3	1	4
Hale	110	168	1	1	9
White	33	58	-	-	-
All other	77	110	1	1	9
Black	77	110	1	1	9
Henry	90	190	6	3	2
White	50	115	2	1	-
All other	40	75	4	2	2
Black	40	75	4	2	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama-Con					
Houston	868	590	9	7	15
White	674	444	1	1	6
All other	194	146	8	6	9
Black	193	146	8	6	9
Dothan	---	384	7	6	13
White	---	267	1	1	5
All other	---	117	6	5	8
Black	---	117	6	5	8
Balance of county	---	206	2	1	2
White	---	177	-	-	1
All other	---	29	2	1	1
Black	---	29	2	1	1
Jackson	323	447	11	10	5
Jefferson	8,118	6,625	136	92	100
White	5,472	4,205	64	45	42
All other	2,646	2,420	71	47	58
Black	2,641	2,418	71	47	58
Bessemer	---	388	8	4	2
White	---	176	1	-	-
All other	---	212	7	4	2
Black	---	212	7	4	2
Birmingham	---	3,384	79	57	59
White	---	1,684	27	22	12
All other	---	1,700	52	35	47
Black	---	1,699	52	35	47
Fairfield	---	177	3	2	2
White	---	79	1	-	-
All other	---	98	2	2	2
Black	---	98	2	2	2
Homewood	---	196	3	2	3
Mountain Brook	---	150	2	-	2
Balance of county	---	2,321	40	27	32
White	---	1,933	30	21	25
All other	---	388	10	6	7
Black	---	387	10	6	7
Lamar	143	161	2	1	-
White	122	136	2	1	-
All other	21	25	-	-	-
Black	21	25	-	-	-
Lauderdale	748	669	9	7	9
White	662	583	6	5	8
All other	86	86	2	2	1
Black	86	86	2	2	1
Florence	---	385	7	6	2
White	---	325	6	5	1
All other	---	60	1	1	1
Black	---	60	1	1	1
Balance of county	---	284	1	1	7
Lawrence	201	293	6	5	3
White	170	239	4	4	3
All other	31	54	2	1	-
Black	31	54	2	1	-
Lee	465	484	23	17	15
White	295	317	12	8	6
All other	170	167	11	9	9
Black	170	166	10	9	9
Auburn	---	103	4	3	4
White	---	56	1	-	1
All other	---	47	3	3	3
Black	---	47	3	3	3
Opelika	---	220	12	10	6
White	---	150	6	5	4
All other	---	70	6	5	2
Black	---	69	5	5	2
Balance of county	---	161	7	4	5
White	---	111	5	3	1
All other	---	50	2	1	4
Black	---	50	2	1	4
Limestone	329	427	12	8	12
White	275	351	10	7	9
All other	54	76	2	1	3
Black	52	76	2	1	3
Athens	---	175	2	1	5
White	---	142	1	-	3
All other	---	33	1	1	2
Black	---	33	1	1	2
Balance of county	---	252	10	7	7
White	---	209	9	7	6
All other	---	43	1	-	1
Black	---	43	1	-	1
Lowndes	51	123	5	1	8
White	8	31	-	-	-
All other	43	92	5	1	8
Black	43	92	5	1	8
Macon	423	261	9	9	7
White	120	45	-	-	-
All other	303	216	9	9	7
Black	303	216	9	9	7
Tuskegee	---	112	5	5	4
White	---	10	-	-	-
All other	---	102	5	5	4
Black	---	102	5	5	4
Alabama-Con					
Balance of county	---	149	4	4	3
White	---	35	-	-	-
All other	---	114	4	4	3
Black	---	114	4	4	3
Madison	1,612	1,323	37	24	28
White	1,321	1,065	19	11	17
All other	291	258	18	13	11
Black	291	258	18	13	11
Huntsville	---	1,000	34	22	21
White	---	809	18	10	13
All other	---	191	16	12	8
Black	---	191	16	12	8
Balance of county	---	323	3	2	7
White	---	256	1	1	4
All other	---	67	2	1	3
Black	---	67	2	1	3
Marengo	240	272	7	3	16
White	95	108	1	1	3
All other	145	164	6	2	13
Black	145	164	6	2	13
Marion	226	287	5	2	7
Marshall	577	611	9	5	12
Mobile	3,341	3,090	75	49	95
White	2,229	2,048	38	22	39
All other	1,112	1,042	37	27	56
Black	1,110	1,039	37	27	56
Mobile	---	2,000	39	30	49
White	---	1,286	16	11	15
All other	---	715	23	19	34
Black	---	712	23	19	34
Prichard	---	341	14	6	13
White	---	124	2	-	3
All other	---	217	12	6	10
Black	---	217	12	6	10
Balance of county	---	740	22	13	33
White	---	630	20	11	21
All other	---	110	2	2	12
Black	---	110	2	2	12
Monroe	181	213	8	6	3
White	121	133	1	1	-
All other	60	80	7	5	3
Black	60	80	7	5	3
Montgomery	2,289	1,714	53	31	53
White	1,413	1,031	15	11	15
All other	876	683	38	20	38
Black	876	683	38	20	38
Montgomery	---	1,545	50	29	47
White	---	950	15	11	14
All other	---	595	35	18	33
Black	---	595	35	18	33
Balance of county	---	169	3	2	6
White	---	81	-	-	1
All other	---	88	3	2	5
Black	---	88	3	2	5
Morgan	692	719	15	9	7
Decatur	---	354	6	4	4
White	---	272	4	3	2
All other	---	82	2	1	2
Black	---	82	2	1	2
Balance of county	---	365	9	5	3
Perry	94	151	3	3	5
White	31	54	-	-	-
All other	63	97	3	3	5
Black	63	97	3	3	5
Pickens	150	223	8	5	7
White	77	136	1	1	1
All other	73	87	7	4	6
Black	73	87	7	4	6
Pike	220	289	8	5	4
White	144	178	2	1	2
All other	76	111	6	4	2
Black	76	111	6	4	2
Troy	---	133	3	2	2
White	---	77	1	1	1
All other	---	56	2	1	1
Black	---	56	2	1	1
Balance of county	---	156	5	3	2
White	---	101	1	-	1
All other	---	55	4	3	1
Black	---	55	4	3	1
Randolph	164	223	-	-	5
White	116	164	-	-	2
All other	48	59	-	-	3
Black	48	59	-	-	3
Russell	443	492	13	8	11
White	272	295	6	4	5
All other	171	197	7	4	6
Black	171	197	7	4	6
Phenix City	---	320	9	6	4
White	---	206	5	3	3
All other	---	114	4	3	1
Black	---	114	4	3	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alabama-Con.					
Balance of county	---	172	4	2	7
White	---	89	1	1	2
All other	---	83	3	1	5
Black	---	83	3	1	5
St. Clair	275	370	10	7	11
White	231	324	7	6	9
All other	44	46	3	1	2
Black	44	46	3	1	2
Shelby	309	431	10	7	10
White	261	369	7	4	7
All other	48	62	3	3	3
Black	48	61	3	3	3
Sumter	123	191	4	3	4
White	37	59	1	1	2
All other	86	132	3	2	2
Black	86	132	3	2	2
Talladega	598	708	26	15	9
White	431	495	11	6	4
All other	167	213	15	9	5
Black	164	211	15	9	5
Sylacauga	---	211	7	5	3
White	---	148	3	2	2
All other	---	63	4	3	1
Black	---	63	4	3	1
Talladega	---	198	8	4	1
White	---	125	4	1	-
All other	---	73	4	3	1
Black	---	72	4	3	1
Balance of county	---	299	11	6	5
White	---	222	4	3	2
All other	---	77	7	3	3
Black	---	76	7	3	3
Tallapoosa	349	390	5	5	11
White	256	289	3	3	6
All other	93	101	2	2	5
Black	93	101	2	2	5
Alexander City	---	143	2	2	8
White	---	109	1	1	3
All other	---	34	1	1	5
Black	---	34	1	1	5
Balance of county	---	247	3	3	3
White	---	180	2	2	3
All other	---	67	1	1	-
Black	---	67	1	1	-
Tuscaloosa	1,284	1,086	22	13	26
White	889	768	11	7	11
All other	395	318	11	6	15
Black	394	316	11	6	15
Tuscaloosa	---	628	17	11	17
White	---	400	7	5	6
All other	---	228	10	6	11
Black	---	227	10	6	11
Balance of county	---	458	5	2	9
White	---	368	4	2	5
All other	---	90	1	-	4
Black	---	89	1	-	4
Walker	514	684	5	4	10
Jasper	---	111	3	3	5
White	---	86	3	3	5
All other	---	25	-	-	-
Black	---	25	-	-	-
Balance of county	---	573	2	1	5
Washington	70	148	9	6	3
White	49	100	5	3	1
All other	21	48	4	3	2
Black	21	48	4	3	2
Wilcox	112	181	6	5	8
White	39	60	-	-	-
All other	73	121	6	5	8
Black	73	121	6	5	8
Winston	189	215	5	4	3
Alaska[1]	1,794	1,723	128	81	58
White	1,233	1,167	79	51	35
All other	561	556	49	30	23
Black	46	44	11	9	6
Dist. 1, Prince of Wales	3	6	-	-	1
White	2	2	-	-	1
All other	1	4	-	-	-
Black	-	-	-	-	-
Dist. 2, Ketchikan	79	76	3	1	2
White	53	50	1	1	2
All other	26	26	2	-	-
Black	-	-	-	-	-
Dist. 3, Wrangell-Petersburg	31	33	-	-	1
White	20	19	-	-	-
All other	11	14	-	-	1
Black	-	-	-	-	-
Dist. 4, Sitka	64	42	4	4	1
White	41	28	2	2	-
All other	23	14	2	2	1
Black	1	-	-	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Alaska-Con.					
Dist. 5, Juneau	89	99	7	5	3
White	52	62	2	2	-
All other	37	37	5	3	3
Black	4	3	2	2	-
Dist. 6, Lynn Canal-Icy Straits	30	28	2	1	-
White	21	11	1	-	-
All other	9	17	1	1	-
Black	-	1	-	-	-
Dist. 7, Cordova-McCarthy	25	19	2	1	-
White	23	16	2	1	-
All other	2	3	-	-	-
Black	-	-	-	-	-
Dist. 8, Valdez-Chitina-Whittier	26	33	2	2	-
White	19	24	1	1	-
All other	7	9	1	1	-
Black	-	1	1	1	-
Dist. 9, Palmer-Wasilla-Talkeetna	80	103	3	2	1
Dist. 10, Anchorage	678	599	49	29	28
White	527	498	39	24	19
All other	151	101	10	5	9
Black	27	27	6	4	4
Anchorage	---	537	43	27	20
White	---	447	35	23	13
All other	---	90	8	4	7
Black	---	23	4	3	4
Balance of district	---	62	6	2	8
Dist. 11, Seward	35	24	1	1	-
White	31	22	1	1	-
All other	4	2	-	-	-
Black	-	-	-	-	-
Dist. 12, Kenai-Cook Inlet	84	87	8	5	3
Dist. 13, Kodiak	50	52	6	5	2
White	31	32	3	2	1
All other	19	20	3	3	1
Black	2	-	-	-	-
Dist. 14, Aleutian Islands	52	29	5	3	1
White	31	8	3	2	-
All other	21	21	2	1	1
Black	1	1	1	1	1
Dist. 15, Bristol Bay	38	27	2	1	1
White	19	6	-	-	-
All other	19	21	2	1	1
Black	1	1	-	-	-
Dist. 16, Bethel	39	43	5	3	-
White	2	2	-	-	-
All other	37	41	5	3	-
Black	-	-	-	-	-
Dist. 17, Kuskokwim	14	19	-	-	1
White	1	1	-	-	-
All other	13	18	-	-	1
Black	-	-	-	-	-
Dist. 18, Yukon-Koyukuk	25	30	1	1	2
White	5	7	1	1	2
All other	20	23	-	-	-
Black	2	1	-	-	-
Dist. 19, Fairbanks	230	223	19	11	9
Fairbanks	---	190	16	9	8
White	---	165	10	5	6
All other	---	25	6	4	2
Black	---	5	1	1	-
Balance of district	---	33	3	2	1
Dist. 20, Upper Yukon	11	20	-	-	-
White	2	2	-	-	-
All other	9	18	-	-	-
Black	-	-	-	-	-
Dist. 21, Barrow	21	20	2	1	-
White	6	4	-	-	-
All other	15	16	2	1	-
Black	1	1	-	-	-
Dist. 22, Kobuk	24	29	3	2	1
White	2	2	-	-	-
All other	22	27	3	2	1
Black	-	-	-	-	-
Dist. 23, Nome	53	63	3	2	1
White	9	7	-	-	-
All other	44	56	3	2	1
Black	1	1	-	-	-
Dist. 24, Wade Hampton	13	19	1	1	-
White	-	-	-	-	-
All other	13	19	1	1	-
Black	-	-	-	-	-
Arizona	21,900	21,358	606	383	381
White	20,445	19,814	479	319	298
All other	1,455	1,544	127	64	83
Black	566	552	47	35	32
Apache	200	310	24	11	22
White	61	73	2	2	7
All other	139	237	22	9	15
Black	-	2	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arizona-Con.					
Cochise	483	631	22	15	15
Douglas	---	103	3	2	4
Balance of county	---	528	19	13	11
Coconino	365	316	21	11	19
White	255	233	14	8	9
All other	110	83	7	3	10
Black	8	11	1	1	-
Flagstaff	---	130	14	9	4
White	---	114	11	7	4
All other	---	16	3	2	-
Black	---	7	-	-	-
Balance of county	---	186	7	2	15
White	---	119	3	1	5
All other	---	67	4	1	10
Black	---	4	1	1	-
Gila	301	342	6	3	9
White	272	300	4	3	6
All other	29	42	2	-	3
Black	1	1	-	-	-
Graham	136	184	15	10	3
White	127	163	13	9	3
All other	9	21	2	1	-
Black	1	1	-	-	-
Greenlee	40	52	1	-	1
Maricopa	12,716	11,930	331	228	180
White	12,063	11,400	281	194	156
All other	653	530	50	34	24
Black	367	354	37	28	18
Chandler	---	174	8	6	9
Glendale	---	630	27	17	11
Mesa	---	1,286	41	26	26
Phoenix	---	6,023	180	128	94
White	---	5,653	144	101	78
All other	---	370	36	27	16
Black	---	294	30	24	14
Scottsdale	---	859	12	9	6
Tempe	---	441	20	17	12
Balance of county	---	2,517	43	25	22
Mohave	438	553	8	4	7
Navajo	329	421	31	15	16
White	211	222	14	11	7
All other	118	199	17	4	9
Black	6	6	-	-	1
Pima	4,817	4,256	84	53	74
White	4,566	4,021	70	47	60
All other	251	235	14	6	14
Black	116	100	4	3	6
Tucson	---	3,241	61	40	50
White	---	3,113	56	36	38
All other	---	128	5	4	12
Black	---	89	2	1	6
Balance of county	---	1,015	23	13	24
Pinal	461	740	17	8	19
White	408	651	11	5	16
All other	53	89	6	3	3
Black	20	25	2	1	2
Casa Grande	---	135	6	2	4
Balance of county	---	605	11	6	15
White	---	527	6	3	13
All other	---	78	5	3	2
Black	---	16	1	1	1
Santa Cruz	88	128	5	2	2
Yavapai	787	813	18	8	3
Prescott	---	323	4	1	-
Balance of county	---	490	14	7	3
Yuma	739	682	23	15	11
Yuma	---	363	13	10	5
Balance of county	---	319	10	5	6
White	---	294	8	4	6
All other	---	25	2	1	-
Black	---	5	-	-	-
Arkansas	22,118	22,372	425	249	294
White	18,398	18,546	261	162	170
All other	3,720	3,826	164	87	124
Black	3,673	3,792	163	86	123
Arkansas	308	297	4	3	3
White	236	240	3	2	1
All other	72	57	1	1	2
Black	72	57	1	1	2
Stuttgart	---	130	2	2	1
White	---	97	1	1	-
All other	---	33	1	1	1
Black	---	33	1	1	1
Balance of county	---	167	2	1	2
White	---	143	2	1	1
All other	---	24	-	-	1
Black	---	24	-	-	1
Arkansas-Con.					
Ashley	177	270	6	4	3
White	113	163	3	3	-
All other	64	107	3	1	3
Black	64	107	3	1	3
Baxter	388	409	3	2	1
Benton	793	818	11	3	8
Rogers	---	208	3	2	3
Springdale, part	---	-	-	-	-
Balance of county	---	610	8	1	5
Boone	355	294	3	2	2
Bradley	171	195	2	1	4
White	124	135	1	1	3
All other	47	60	1	-	1
Black	46	59	1	-	1
Calhoun	31	67	-	-	-
White	22	41	-	-	-
All other	9	26	-	-	-
Black	9	26	-	-	-
Carroll	144	183	4	4	2
Chicot	197	186	6	1	5
White	82	74	1	-	-
All other	115	112	5	1	5
Black	115	112	5	1	5
Clark	168	215	2	2	3
White	127	164	1	1	-
All other	41	51	1	1	3
Black	41	51	1	1	3
Clay	176	287	1	1	1
Cleburne	136	174	-	-	1
Cleveland	18	91	2	1	1
White	16	82	-	-	-
All other	2	9	2	1	1
Black	2	9	2	1	1
Columbia	259	316	13	7	2
White	174	217	6	4	-
All other	85	99	7	3	2
Black	85	99	7	3	2
Magnolia	---	112	4	3	-
White	---	82	2	2	-
All other	---	30	2	1	-
Black	---	30	2	1	-
Balance of county	---	204	9	4	2
White	---	135	4	2	-
All other	---	69	5	2	2
Black	---	69	5	2	2
Conway	174	192	3	1	2
White	151	163	3	1	2
All other	23	29	-	-	-
Black	23	28	-	-	-
Craighead	638	518	10	7	7
Jonesboro	---	284	5	3	5
Balance of county	---	234	5	4	2
Crawford	234	346	7	3	9
Crittenden	394	451	16	15	17
White	192	210	5	4	7
All other	202	241	11	11	10
Black	201	241	11	11	10
West Memphis	---	249	6	5	10
White	---	139	1	-	3
All other	---	110	5	5	7
Black	---	110	5	5	7
Balance of county	---	202	10	10	7
White	---	71	4	4	4
All other	---	131	6	6	3
Black	---	131	6	6	3
Cross	171	204	6	4	8
White	128	157	3	2	5
All other	43	47	3	2	3
Black	43	47	3	2	3
Dallas	100	115	-	-	1
White	60	72	-	-	-
All other	40	43	-	-	1
Black	40	43	-	-	1
Desha	194	205	-	-	1
White	106	118	-	-	-
All other	88	87	-	-	1
Black	88	87	-	-	1
Drew	102	151	2	-	2
White	78	105	1	-	1
All other	24	46	1	-	1
Black	24	46	1	-	1
Faulkner	239	330	8	7	6
Conway	---	148	2	1	2
Balance of county	---	182	5	6	4
White	---	166	6	6	4
All other	---	16	-	-	-
Black	---	16	-	-	-
Franklin	123	156	1	-	-
Fulton	176	130	2	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Deaths by place of residence: Under 1 year	Deaths by place of residence: Under 28 days	Fetal deaths by place of residence
Arkansas-Con.					
Garland	873	882	9	8	6
Hot Springs	- - -	674	5	4	2
White	- - -	623	4	4	2
All other	- - -	51	1	-	-
Black	- - -	51	1	-	-
Balance of county	- - -	208	4	4	4
Grant	61	122	1	1	-
Greene	314	301	3	2	3
Paragould	- - -	183	3	2	1
Balance of county	- - -	118	-	-	2
Hempstead	200	261	6	3	3
White	146	188	2	1	2
All other	54	73	4	2	1
Black	54	73	4	2	1
Hot Spring	200	263	4	2	2
White	170	222	4	2	1
All other	30	41	-	-	1
Black	30	41	-	-	1
Howard	108	147	1	-	1
White	81	122	-	-	1
All other	27	25	1	-	-
Black	27	24	1	-	-
Independence	303	297	3	-	-
Izard	69	125	1	-	2
Jackson	206	237	1	-	1
White	181	207	1	-	1
All other	25	30	-	-	-
Black	24	29	-	-	-
Jefferson	843	849	19	10	8
White	501	491	4	1	2
All other	342	358	15	9	6
Black	342	358	15	9	6
Pine Bluff	- - -	669	16	10	7
White	- - -	392	3	1	2
All other	- - -	277	13	9	5
Black	- - -	277	13	9	5
Balance of county	- - -	180	3	-	1
White	- - -	99	1	-	-
All other	- - -	81	2	-	1
Black	- - -	81	2	-	1
Johnson	154	206	9	4	2
Lafayette	94	131	3	2	2
White	58	85	1	1	-
All other	36	46	2	1	2
Black	36	46	2	1	2
Lawrence	138	172	1	1	1
Lee	126	182	7	1	3
White	31	62	-	-	-
All other	95	120	7	1	3
Black	94	117	7	1	3
Lincoln	38	104	2	-	4
White	27	58	1	-	2
All other	11	46	1	-	2
Black	11	46	1	-	2
Little River	96	122	3	3	4
White	74	95	2	2	2
All other	22	27	1	1	2
Black	22	27	1	1	2
Logan	136	218	-	-	-
Lonoke	103	297	11	6	5
White	85	263	8	5	4
All other	18	34	3	1	1
Black	17	34	3	1	1
Madison	91	140	1	1	-
Marion	143	133	1	1	2
Miller	445	373	3	1	4
White	341	286	2	1	2
All other	104	87	1	-	2
Black	103	87	1	-	2
Texarkana ≡	- - -	244	2	-	4
White	- - -	184	1	-	2
All other	- - -	60	1	-	2
Black	- - -	60	1	-	2
Balance of county	- - -	129	1	1	-
White	- - -	102	1	1	-
All other	- - -	27	-	-	-
Black	- - -	27	-	-	-
Mississippi	458	537	22	12	7
White	334	389	12	7	3
All other	124	148	10	5	4
Black	124	148	10	5	4
Blytheville	- - -	209	9	6	-
White	- - -	144	5	3	-
All other	- - -	65	4	3	-
Black	- - -	65	4	3	-
Balance of county	- - -	328	13	6	7
White	- - -	245	7	4	3
All other	- - -	83	6	2	4
Black	- - -	83	6	2	4
Arkansas-Con.					
Monroe	101	168	4	1	2
White	60	99	2	1	1
All other	41	69	2	-	1
Black	40	68	2	-	1
Montgomery	34	82	-	-	2
Nevada	131	151	4	2	1
White	90	105	1	-	-
All other	41	46	3	2	1
Black	41	46	3	2	1
Newton	19	63	-	-	-
Ouachita	342	390	6	3	6
White	205	238	2	1	1
All other	137	152	4	2	5
Black	137	152	4	2	5
Camden	- - -	214	2	1	1
White	- - -	125	-	-	-
All other	- - -	89	2	1	1
Black	- - -	89	2	1	1
Balance of county	- - -	176	4	2	5
White	- - -	113	2	1	1
All other	- - -	63	2	1	4
Black	- - -	63	2	1	4
Perry	21	64	-	-	-
Phillips	360	387	13	12	19
White	159	180	4	4	1
All other	201	207	9	8	18
Black	201	207	9	8	18
Helena	- - -	141	5	4	7
White	- - -	57	-	-	-
All other	- - -	84	5	4	7
Black	- - -	84	5	4	7
West Helena	- - -	105	2	2	2
White	- - -	58	-	-	-
All other	- - -	47	2	2	2
Black	- - -	47	2	2	2
Balance of county	- - -	141	6	6	10
White	- - -	65	4	4	1
All other	- - -	76	2	2	9
Black	- - -	76	2	2	9
Pike	109	112	1	1	1
Poinsett	97	269	4	2	4
Polk	152	194	1	1	-
Pope	279	289	4	2	5
Russellville	- - -	128	2	1	2
Balance of county	- - -	161	2	1	3
Prairie	28	95	2	2	2
White	23	78	2	2	2
All other	5	17	-	-	-
Black	5	17	-	-	-
Pulaski	4,436	2,748	71	41	39
White	3,511	2,099	33	20	18
All other	925	649	38	21	21
Black	918	645	38	21	21
Jacksonville	- - -	136	11	6	3
Little Rock	- - -	1,565	40	26	14
White	- - -	1,148	15	11	4
All other	- - -	417	25	15	10
Black	- - -	415	25	15	10
North Little Rock	- - -	724	10	6	10
White	- - -	579	7	5	5
All other	- - -	145	3	1	5
Black	- - -	145	3	1	5
Balance of county	- - -	323	10	3	12
White	- - -	257	6	-	8
All other	- - -	66	4	3	4
Black	- - -	66	4	3	4
Randolph	138	180	1	1	1
St. Francis	233	331	14	9	17
White	124	187	5	3	4
All other	109	144	9	6	13
Black	109	142	9	6	13
Forrest City	- - -	167	9	6	7
White	- - -	98	4	2	1
All other	- - -	69	5	4	6
Black	- - -	69	5	4	6
Balance of county	- - -	164	5	3	10
White	- - -	89	1	1	3
All other	- - -	75	4	2	7
Black	- - -	73	4	2	7
Saline	249	332	7	3	3
Benton	- - -	177	5	2	1
Balance of county	- - -	155	2	1	2
Scott	59	106	2	2	2
Searcy	46	99	1	-	1
Sebastian	1,423	858	17	13	9
Fort Smith	- - -	672	12	9	8
Balance of county	- - -	186	5	4	1
Sevier	195	167	3	1	2
Sharp	90	171	1	1	-
Stone	77	102	-	-	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Arkansas-Con.					
Union	614	591	10	3	7
White	415	418	3	1	3
All other	199	173	7	2	4
Black	199	173	7	2	4
El Dorado	- - -	329	4	2	5
White	- - -	236	-	-	2
All other	- - -	93	4	2	3
Black	- - -	93	4	2	3
Balance of county	- - -	262	6	1	2
White	- - -	182	3	1	1
All other	- - -	80	3	-	1
Black	- - -	80	3	-	1
Van Buren	123	147	1	1	-
Washington	1,025	775	20	10	7
Fayetteville	- - -	241	8	5	3
Springdale, part	- - -	209	4	3	3
Springdale, total	- - -	209	4	3	3
Balance of county	- - -	325	8	2	1
White	438	471	7	4	9
Woodruff	79	138	5	4	1
White	57	99	2	2	1
All other	22	39	3	2	-
Black	22	39	3	2	-
Yell	155	193	3	3	3
California	185,676	184,987	4,297	2,741	3,286
White	167,369	166,664	3,389	2,164	2,547
All other	18,307	18,323	908	577	739
Black	13,589	13,630	897	448	496
Alameda	9,446	9,307	199	126	127
White	7,443	7,325	122	80	74
All other	2,003	1,982	77	46	53
Black	1,660	1,654	62	36	38
Alameda	- - -	596	16	10	7
Albany	- - -	138	1	1	1
White	- - -	132	1	1	1
All other	- - -	6	-	-	-
Black	- - -	4	-	-	-
Berkeley	- - -	769	12	7	10
White	- - -	508	8	4	6
All other	- - -	261	4	3	4
Black	- - -	224	4	3	2
Fremont	- - -	615	9	3	19
Hayward	- - -	1,009	24	16	9
Livermore	- - -	282	9	6	4
Newark	- - -	118	6	5	7
Oakland	- - -	3,774	80	46	48
White	- - -	2,275	23	16	12
All other	- - -	1,499	57	30	36
Black	- - -	1,325	52	27	29
Piedmont	- - -	105	-	-	1
Pleasanton	- - -	160	3	3	2
San Leandro	- - -	872	15	11	4
Union City	- - -	167	7	5	6
Balance of county	- - -	702	17	13	9
Alpine	10	3	-	-	1
White	10	3	-	-	1
All other	-	-	-	-	-
Black	-	-	-	-	-
Amador	189	224	2	1	3
Butte	1,509	1,482	23	12	16
Chico	- - -	415	5	2	7
Balance of county	- - -	1,067	18	10	9
Calaveras	181	232	1	1	4
Colusa	92	123	1	-	3
Contra Costa	4,552	4,688	96	71	80
White	4,082	4,184	62	46	55
All other	470	504	34	25	25
Black	411	432	25	19	17
Antioch	- - -	255	4	3	8
Concord	- - -	616	23	17	9
El Cerrito	- - -	220	4	4	1
White	- - -	189	2	2	-
All other	- - -	31	2	2	1
Black	- - -	17	1	1	-
Lafayette	- - -	157	3	3	2
Martinez	- - -	227	3	1	5
Pinole	- - -	56	-	-	3
Pittsburg	- - -	311	5	4	10
White	- - -	261	4	3	6
All other	- - -	50	1	1	4
Black	- - -	44	1	1	2
Pleasant Hill	- - -	143	-	-	3
Richmond	- - -	781	25	15	11
White	- - -	446	6	2	1
All other	- - -	335	19	13	10
Black	- - -	318	15	11	9
San Pablo	- - -	289	9	6	8
Walnut Creek	- - -	722	4	4	1
Balance of county	- - -	911	16	14	19
California-Con.					
Del Norte	183	190	4	2	9
El Dorado	529	574	13	4	12
South Lake Tahoe	- - -	109	6	2	3
Balance of county	- - -	465	7	2	9
Fresno	4,305	3,973	117	75	80
White	3,941	3,636	96	62	60
All other	364	337	21	13	20
Black	261	248	19	11	16
Clovis	- - -	229	5	4	7
Fresno	- - -	2,644	81	51	50
White	- - -	2,379	60	38	31
All other	- - -	265	21	13	19
Black	- - -	225	19	11	16
Sanger	- - -	137	-	-	4
Balance of county	- - -	963	31	20	19
White	- - -	900	31	20	18
All other	- - -	63	-	-	1
Black	- - -	21	-	-	-
Glenn	129	233	2	2	2
Humboldt	903	909	19	6	9
Eureka	- - -	403	5	1	3
Balance of county	- - -	506	14	5	6
Imperial	621	671	13	7	14
Brawley	- - -	130	3	3	5
Calexico	- - -	61	1	-	3
El Centro	- - -	199	3	1	3
Balance of county	- - -	281	6	3	3
Inyo	196	171	4	4	1
Kern	3,140	3,337	101	60	82
White	2,881	3,081	92	55	73
All other	259	256	9	5	9
Black	218	218	8	5	8
Bakersfield	- - -	1,974	53	28	42
White	- - -	1,801	47	24	37
All other	- - -	173	6	4	5
Black	- - -	161	6	4	5
Delano	- - -	149	4	4	5
White	- - -	106	4	4	5
All other	- - -	43	-	-	-
Black	- - -	24	-	-	-
Balance of county	- - -	1,214	44	28	35
White	- - -	1,174	41	27	31
All other	- - -	40	3	1	4
Black	- - -	33	2	1	3
Kings	485	552	17	12	13
Hanford	- - -	296	6	2	11
Balance of county	- - -	256	11	10	2
Lake	369	553	8	4	6
Lassen	128	154	5	2	1
Los Angeles	60,711	59,506	1,530	1,026	1,178
White	51,840	50,596	1,118	757	868
All other	8,871	8,910	412	269	310
Black	7,331	7,390	348	233	242
Alhambra	- - -	679	13	10	8
Arcadia	- - -	487	2	-	2
Artesia	- - -	114	4	2	3
Azusa	- - -	233	9	5	8
Baldwin Park	- - -	340	19	14	6
Bell	- - -	233	13	5	4
Bellflower	- - -	552	13	9	7
Bell Gardens	- - -	199	16	8	8
Beverly Hills	- - -	380	1	-	1
Burbank	- - -	851	11	6	9
Carson	- - -	426	16	9	9
White	- - -	299	6	3	3
All other	- - -	127	10	6	6
Black	- - -	83	8	6	2
Cerritos	- - -	151	7	4	2
Claremont	- - -	241	1	1	-
Commerce	- - -	49	3	2	1
Compton	- - -	727	43	29	28
White	- - -	186	12	7	6
All other	- - -	541	31	22	22
Black	- - -	532	30	22	22
Covina	- - -	409	4	2	5
Cudahy	- - -	91	6	5	1
Culver City	- - -	347	1	-	9
Downey	- - -	694	14	12	6
Duarte	- - -	204	4	4	8
El Monte	- - -	606	30	17	23
El Segundo	- - -	103	2	2	3
Gardena	- - -	542	14	11	13
White	- - -	421	5	4	5
All other	- - -	121	9	7	8
Black	- - -	54	8	6	7
Glendale	- - -	1,512	24	14	10
Glendora	- - -	322	7	5	7
Hawthorne	- - -	447	10	7	4
Hermosa Beach	- - -	118	2	2	1
Huntington Park	- - -	433	14	10	19

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Inglewood	- - -	794	34	22	30
White	- - -	560	15	8	12
All other	- - -	234	19	14	18
Black	- - -	229	19	14	16
Lakewood	- - -	510	13	7	7
La Mirada	- - -	191	5	3	2
La Puente	- - -	382	19	14	8
La Verne	- - -	197	3	2	2
Lawndale	- - -	150	6	4	1
Lomita	- - -	153	3	2	2
Long Beach	- - -	3,820	102	70	65
White	- - -	3,541	72	49	42
All other	- - -	279	30	21	23
Black	- - -	204	20	14	17
Los Angeles	- - -	26,738	684	470	566
White	- - -	20,450	452	321	403
All other	- - -	6,288	232	149	163
Black	- - -	5,489	205	131	136
Lynwood	- - -	301	14	11	16
Manhattan Beach	- - -	188	4	4	5
Maywood	- - -	145	6	5	1
Monrovia	- - -	299	8	4	4
White	- - -	260	3	1	3
All other	- - -	39	5	3	1
Black	- - -	35	5	3	1
Montebello	- - -	374	9	3	9
Monterey Park	- - -	355	3	3	5
White	- - -	282	2	2	3
All other	- - -	73	1	1	2
Black	- - -	-	-	-	-
Norwalk	- - -	500	22	11	14
Palos Verdes Estates	- - -	84	1	1	1
Paramount	- - -	282	10	7	8
Pasadena	- - -	1,359	19	10	22
White	- - -	1,148	8	3	13
All other	- - -	211	11	7	9
Black	- - -	197	11	7	9
Pico Rivera	- - -	342	11	8	6
Pomona	- - -	762	25	20	14
White	- - -	683	20	15	9
All other	- - -	79	5	5	5
Black	- - -	72	5	5	4
Redondo Beach	- - -	452	7	4	3
Rosemead	- - -	384	16	10	3
San Dimas	- - -	168	2	1	4
San Fernando	- - -	200	6	5	9
San Gabriel	- - -	491	8	5	4
San Marino	- - -	112	2	1	1
Santa Fe Springs	- - -	78	5	5	5
Santa Monica	- - -	961	4	3	11
Sierra Madre	- - -	89	-	-	-
South El Monte	- - -	92	6	1	4
South Gate	- - -	529	11	6	15
South Pasadena	- - -	177	3	2	2
Temple City	- - -	271	2	2	8
Torrance	- - -	1,079	22	16	18
West Covina	- - -	441	15	9	11
Whittier	- - -	1,097	18	13	20
Balance of county	- - -	3,489	99	67	67
White	- - -	3,249	80	55	58
All other	- - -	240	19	12	9
Black	- - -	172	13	9	5
Madera	412	531	12	7	12
Madera	- - -	279	11	7	9
White	- - -	254	11	7	9
All other	- - -	25	-	-	-
Black	- - -	23	-	-	-
Balance of county	- - -	252	1	-	3
Marin	1,597	1,565	15	9	22
Larkspur	- - -	36	1	1	1
Mill Valley	- - -	193	3	1	2
Novato	- - -	287	2	-	10
San Anselmo	- - -	114	1	1	-
San Rafael	- - -	472	3	2	7
Balance of county	- - -	463	5	4	2
Mariposa	94	105	3	3	1
Mendocino	631	648	16	10	12
Ukiah	- - -	245	6	3	4
Balance of county	- - -	403	10	7	8
Merced	754	918	29	17	29
Atwater	- - -	93	2	1	2
White	- - -	85	2	1	1
All other	- - -	8	-	-	1
Black	- - -	8	-	-	-
Merced	- - -	376	17	14	7
White	- - -	349	14	11	5
All other	- - -	27	3	3	2
Black	- - -	24	3	3	2
Balance of county	- - -	449	10	2	20
Modoc	67	88	3	3	-
Mono	41	38	2	-	2
California-Con.					
Monterey	1,887	1,920	61	30	54
White	1,717	1,742	50	27	45
All other	170	178	11	3	9
Black	85	86	10	3	4
Monterey	- - -	223	2	2	2
Pacific Grove	- - -	165	-	-	1
Salinas	- - -	690	26	14	24
Seaside	- - -	151	8	3	4
White	- - -	93	4	2	2
All other	- - -	58	4	1	2
Black	- - -	48	4	1	1
Balance of county	- - -	691	25	11	23
Napa	1,108	932	7	2	10
Napa	- - -	629	6	2	4
Balance of county	- - -	303	1	-	6
Nevada	481	486	10	7	6
Orange	11,409	11,970	286	184	209
White	11,166	11,721	269	173	188
All other	243	249	17	11	21
Black	84	79	5	4	1
Anaheim	- - -	1,549	32	26	23
Brea	- - -	155	3	2	4
Buena Park	- - -	351	9	6	6
Costa Mesa	- - -	567	11	7	14
Cypress	- - -	190	4	4	6
Fountain Valley	- - -	207	3	1	4
Fullerton	- - -	597	12	9	6
Garden Grove	- - -	818	22	12	13
Huntington Beach	- - -	836	25	14	14
Laguna Beach	- - -	160	-	-	4
La Habra	- - -	321	7	6	3
Los Alamitos	- - -	138	-	-	-
Newport Beach	- - -	484	1	-	4
Orange	- - -	598	21	13	11
Placentia	- - -	144	5	4	5
San Clemente	- - -	224	4	2	3
Santa Ana	- - -	1,306	56	33	34
White	- - -	1,240	48	29	31
All other	- - -	66	8	4	3
Black	- - -	42	4	3	-
Seal Beach	- - -	515	-	-	-
Stanton	- - -	162	4	3	6
Tustin	- - -	251	8	7	7
Westminster	- - -	407	4	2	10
Yorba Linda	- - -	109	3	2	2
Balance of county	- - -	1,881	52	31	28
Placer	1,037	985	9	7	4
Roseville	- - -	271	3	2	2
Balance of county	- - -	714	6	5	2
Plumas	128	139	4	2	2
Riverside	5,965	6,642	147	85	76
White	5,704	6,347	135	77	69
All other	261	295	12	8	7
Black	222	248	11	7	6
Banning	- - -	240	5	2	-
White	- - -	220	5	2	-
All other	- - -	20	-	-	-
Black	- - -	15	-	-	-
Corona	- - -	272	13	6	4
Hemet	- - -	1,000	6	4	6
Indio	- - -	200	10	7	11
Norco	- - -	88	-	-	2
Palm Springs	- - -	497	8	3	8
Riverside	- - -	1,622	51	34	18
Balance of county	- - -	2,723	54	29	27
White	- - -	2,586	51	27	26
All other	- - -	137	3	2	1
Black	- - -	121	3	2	-
Sacramento	6,298	6,101	126	84	80
White	5,735	5,518	93	60	58
All other	563	583	33	24	22
Black	362	376	27	19	14
Sacramento	- - -	4,215	84	54	54
White	- - -	3,685	55	33	33
All other	- - -	530	29	21	21
Black	- - -	341	23	16	14
Balance of county	- - -	1,886	42	30	26
White	- - -	1,833	38	27	25
All other	- - -	53	4	3	1
Black	- - -	35	4	3	-
San Benito	120	154	5	3	7
San Bernardino	7,884	7,154	211	145	142
White	7,461	6,797	176	119	117
All other	423	357	35	26	25
Black	364	309	32	24	20
Barstow	- - -	191	10	7	4
White	- - -	177	8	5	2
All other	- - -	14	2	2	2
Black	- - -	9	2	2	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Chino	---	222	19	16	7
Colton	---	233	13	9	4
Fontana	---	484	12	11	7
Montclair	---	147	4	4	3
Ontario	---	573	20	12	17
Redlands	---	396	4	2	8
Rialto	---	320	17	10	9
San Bernardino	---	1,399	40	24	23
White	---	1,236	28	17	18
All other	---	163	12	7	5
Black	---	156	12	7	5
Upland	---	314	8	6	4
Victorville	---	185	10	7	4
Balance of county	---	2,690	54	37	52
White	---	2,628	47	30	47
All other	---	62	7	7	5
Black	---	45	5	5	3
San Diego	14,124	13,669	296	193	238
White	13,370	12,924	227	144	171
All other	754	745	69	49	67
Black	531	523	47	31	37
Carlsbad	---	250	2	2	2
Chula Vista	---	858	15	7	20
Coronado	---	149	2	1	-
El Cajon	---	916	21	13	15
Escondido	---	749	21	13	11
Imperial Beach	---	116	6	4	5
La Mesa	---	556	8	6	6
National City	---	289	9	7	12
White	---	264	7	6	8
All other	---	25	2	1	4
Black	---	11	1	-	1
Oceanside	---	695	29	18	22
San Diego	---	6,152	132	85	109
White	---	5,585	91	55	66
All other	---	567	41	30	43
Black	---	427	27	19	23
Vista	---	465	7	3	4
Balance of county	---	2,474	44	34	32
White	---	2,420	40	32	32
All other	---	54	4	2	-
Black	---	24	2	1	-
San Francisco, coext. with San Francisco city	8,037	7,678	92	56	86
White	6,230	5,917	38	28	34
All other	1,807	1,761	54	28	52
Black	893	879	33	15	32
San Joaquin	2,946	3,073	56	32	51
White	2,627	2,728	48	27	44
All other	319	345	8	5	7
Black	187	202	4	2	5
Lodi	---	451	7	4	7
Manteca	---	234	3	2	3
Stockton	---	1,845	29	15	30
White	---	1,555	22	11	24
All other	---	290	7	4	6
Black	---	180	3	1	4
Tracy	---	212	7	3	3
Balance of county	---	331	10	8	8
White	---	301	9	7	8
All other	---	30	1	1	-
Black	---	14	1	1	-
San Luis Obispo	1,335	1,401	14	7	18
San Luis Obispo	---	235	2	1	5
Balance of county	---	1,166	12	6	13
San Mateo	4,177	4,376	71	41	61
White	3,941	4,064	51	33	42
All other	236	312	20	8	19
Black	119	184	9	3	10
Belmont	---	163	-	-	-
Burlingame	---	323	1	1	1
Daly City	---	507	14	4	13
White	---	427	5	2	6
All other	---	80	9	2	7
Black	---	28	2	-	1
Menlo Park	---	340	2	1	3
White	---	306	2	1	3
All other	---	34	-	-	-
Black	---	28	-	-	-
Millbrae	---	187	3	3	2
Pacifica	---	214	6	4	4
Redwood City	---	600	16	10	10
San Bruno	---	242	3	2	2
San Carlos	---	223	-	-	-
San Mateo	---	717	14	8	8
South San Francisco	---	336	4	4	2
Balance of county	---	524	8	4	16
White	---	443	3	2	9
All other	---	81	5	2	7
Black	---	69	5	2	6
California-Con.					
Santa Barbara	2,502	2,428	49	38	31
White	2,424	2,349	40	32	29
All other	78	79	9	6	2
Black	46	46	8	6	2
Lompoc	---	224	7	6	1
Santa Barbara	---	1,241	16	14	8
Santa Maria	---	449	13	6	8
Balance of county	---	514	13	12	14
Santa Clara	8,368	7,759	226	133	163
White	7,867	7,338	186	112	128
All other	501	421	40	21	35
Black	236	166	18	10	15
Campbell	---	249	3	3	3
Cupertino	---	222	7	2	4
Gilroy	---	132	5	4	8
Los Altos	---	279	2	2	2
Los Gatos	---	312	1	-	2
Milpitas	---	125	9	7	5
White	---	106	8	6	4
All other	---	19	1	1	1
Black	---	9	-	-	-
Mountain View	---	442	14	7	7
Palo Alto	---	518	7	5	3
San Jose	---	3,789	131	75	101
White	---	3,550	108	63	72
All other	---	239	23	12	29
Black	---	110	12	7	12
Santa Clara	---	547	14	11	8
Saratoga	---	235	4	3	2
Sunnyvale	---	651	15	6	10
Balance of county	---	258	14	8	8
Santa Cruz	1,569	1,635	24	17	24
Santa Cruz	---	720	11	8	4
Watsonville	---	338	7	5	11
White	---	316	6	4	11
All other	---	22	1	1	-
Black	---	1	1	1	-
Balance of county	---	569	6	4	9
Shasta	1,057	972	14	9	21
Redding	---	531	5	4	10
Balance of county	---	441	9	5	11
Sierra	21	26	-	-	-
Siskiyou	323	367	7	5	4
Solano	1,523	1,553	51	26	44
White	1,329	1,354	42	20	28
All other	194	199	9	6	16
Black	138	144	8	5	8
Fairfield	---	282	11	6	11
White	---	258	10	6	10
All other	---	24	1	-	1
Black	---	13	1	-	1
Vacaville	---	249	9	6	8
Vallejo	---	754	20	9	19
White	---	602	15	5	6
All other	---	152	5	4	13
Black	---	115	4	3	6
Balance of county	---	268	11	5	6
Sonoma	2,754	2,831	41	24	35
Petaluma	---	385	6	3	8
Santa Rosa	---	1,223	19	11	13
Balance of county	---	1,223	16	10	14
Stanislaus	2,453	2,316	63	33	38
Modesto	---	1,321	32	19	20
Turlock	---	319	10	5	1
Balance of county	---	676	21	9	17
Sutter	362	450	9	7	7
Yuba City	---	328	5	3	6
Balance of county	---	122	4	4	1
Tehama	315	392	6	1	4
Trinity	73	97	1	1	-
Tulare	1,805	1,981	42	21	54
White	1,759	1,921	42	21	53
All other	46	60	-	-	1
Black	34	38	-	-	-
Porterville	---	401	7	4	8
Tulare	---	299	6	5	9
White	---	281	6	5	9
All other	---	18	-	-	-
Black	---	18	-	-	-
Visalia	---	512	11	5	15
Balance of county	---	769	18	7	22
Tuolumne	255	275	4	1	-
Ventura	2,829	3,179	101	68	72
White	2,757	3,093	95	63	61
All other	72	86	6	5	11
Black	52	64	6	5	10
Camarillo	---	320	5	3	4
Oxnard	---	668	32	23	32
White	---	619	29	20	26
All other	---	49	3	3	6
Black	---	39	3	3	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
California-Con.					
Port Hueneme	---	107	4	2	5
Santa Paula	---	199	6	4	6
Simi Valley	---	318	16	11	9
Thousand Oaks	---	268	12	9	2
Ventura	---	719	15	9	9
Balance of county	---	580	11	7	5
Yolo	878	879	18	8	16
Davis	---	165	1	1	1
Woodland	---	295	9	5	7
Balance of county	---	419	8	2	8
Yuba	379	392	11	7	10
Colorado	20,039	19,388	519	340	541
White	19,270	18,676	480	311	481
All other	769	712	39	29	60
Black	606	584	29	23	41
Adams	1,057	1,262	49	31	50
Arvada, part	---	5	-	-	-
Aurora, part	---	152	8	3	9
Commerce City	---	152	2	1	10
North Glenn	---	120	2	2	4
Thornton	---	169	17	9	9
Westminster	---	158	5	4	5
Balance of county	---	506	15	12	13
Alamosa	80	77	1	1	1
Arapahoe	1,135	1,397	51	29	48
Aurora, part	---	559	25	15	26
Aurora, total	---	711	33	18	35
Englewood	---	336	9	6	10
Littleton	---	256	2	-	9
Balance of county	---	246	15	8	3
Archuleta	22	34	2	1	-
Baca	37	54	1	1	2
Bent	83	64	2	1	1
Boulder	909	1,004	28	19	15
Boulder	---	408	9	7	2
Longmont	---	311	8	6	7
Balance of county	---	285	11	6	6
Chaffee	94	105	3	3	5
Cheyenne	17	20	1	1	-
Clear Creek	29	35	2	2	3
Conejos	43	63	2	2	1
Costilla	12	31	1	1	1
Crowley	13	42	1	-	1
Custer	8	11	1	-	-
Delta	194	248	4	2	3
Denver, coext. with Denver city	6,466	4,623	76	50	100
White	5,976	4,163	61	37	77
All other	490	460	15	13	23
Black	419	409	13	11	17
Dolores	5	13	-	-	1
White	5	13	-	-	1
All other	-	-	-	-	-
Black	-	-	-	-	-
Douglas	57	83	8	5	1
Eagle	49	45	3	2	3
Elbert	18	36	-	-	2
El Paso	1,827	1,757	60	41	89
White	1,741	1,661	45	30	65
All other	86	96	15	11	24
Black	79	86	11	8	20
Colorado Springs	---	1,480	48	36	71
Balance of county	---	277	12	5	18
Fremont	325	350	1	1	5
Garfield	129	152	3	3	6
Gilpin	4	11	-	-	1
Grand	40	37	5	3	2
Gunnison	55	44	1	1	1
Hinsdale	4	1	-	-	1
Huerfano	50	69	1	1	2
Jackson	7	14	-	-	-
Jefferson	1,635	1,978	58	38	47
Arvada, part	---	380	20	13	12
Arvada, total	---	385	20	13	12
Lakewood	---	781	11	10	15
Wheat Ridge	---	271	3	1	4
Balance of county	---	546	24	14	16
Kiowa	20	27	-	-	-
Kit Carson	52	59	2	2	2
Lake	29	33	3	3	2
La Plata	238	197	4	2	7
Durango	---	102	1	-	1
Balance of county	---	95	3	2	6
Larimer	916	924	29	16	27
Fort Collins	---	381	11	7	15
Colorado-Con.					
Loveland	---	267	10	5	7
Balance of county	---	276	8	4	5
Las Animas	144	175	4	4	7
Lincoln	65	59	-	-	2
Logan	152	167	3	3	4
Sterling	---	117	3	3	2
Balance of county	---	50	-	-	2
Mesa	762	656	22	14	16
Grand Junction	---	373	10	4	6
Balance of county	---	283	12	10	10
Mineral	8	5	-	-	1
Moffat	65	77	2	1	2
Montezuma	115	120	3	2	4
Montrose	165	181	7	4	6
Morgan	209	212	7	4	5
Otero	250	249	5	4	4
Ouray	5	11	1	1	1
Park	31	27	1	1	1
Phillips	38	44	-	-	1
Pitkin	56	33	2	2	3
Prowers	99	122	-	-	3
Pueblo	1,115	1,050	24	16	15
Pueblo	---	938	23	15	13
Balance of county	---	112	1	1	2
Rio Blanco	50	41	4	3	2
Rio Grande	95	93	4	1	4
Routt	42	50	1	1	3
Saguache	9	27	1	-	2
San Juan	5	5	-	-	-
San Miguel	6	12	-	-	-
Sedgwick	29	34	-	-	1
Summit	30	28	4	3	-
Teller	20	43	3	2	3
Washington	45	66	1	1	-
Weld	670	780	16	10	19
Greeley	---	420	9	6	8
Balance of county	---	360	7	4	11
Yuma	100	121	1	1	2
Connecticut	26,844	26,768	482	378	325
White	25,367	25,311	363	286	274
All other	1,477	1,457	119	92	51
Black	1,432	1,417	111	87	48
Fairfield	6,544	6,994	109	90	87
White	6,123	6,529	76	63	65
All other	421	465	33	27	22
Black	410	452	29	24	21
Bridgeport	---	1,649	42	36	23
White	---	1,427	22	20	16
All other	---	222	20	16	7
Black	---	218	19	16	6
Danbury	---	508	14	10	5
Darien town #	---	133	2	1	2
Fairfield town #	---	526	4	3	4
Greenwich town #	---	495	3	2	7
Norwalk	---	679	12	11	8
White	---	606	8	7	6
All other	---	73	4	4	2
Black	---	71	3	3	2
Shelton	---	218	4	3	1
Stamford	---	859	11	10	12
White	---	763	7	7	5
All other	---	96	4	3	7
Black	---	94	4	3	7
Stratford town #	---	547	1	1	5
Trumbull town #	---	256	2	2	1
Westport town #	---	155	-	-	1
Balance of county	---	969	14	11	18
Hartford	7,067	6,823	135	108	92
White	6,612	6,380	94	75	81
All other	455	443	41	33	11
Black	440	434	40	32	10
Bristol	---	484	9	6	8
East Hartford town #	---	444	13	12	3
Enfield town #	---	266	3	2	6
Hartford	---	1,332	47	34	24
White	---	994	16	11	16
All other	---	338	31	23	8
Black	---	337	31	23	7
Manchester town #	---	451	6	5	9
New Britain	---	706	23	22	8
Newington town #	---	215	4	3	1
Plainville town #	---	128	1	1	1
Southington town #	---	267	3	3	-
West Hartford town #	---	745	-	-	5
Wethersfield town #	---	249	2	2	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Connecticut-Con.					
Windsor Locks town #	---	92	2	1	1
Balance of county	---	1,444	22	17	26
Litchfield	1,287	1,406	20	15	10
Torrington	---	328	5	4	3
Balance of county	---	1,078	15	11	7
Middlesex	1,119	1,100	20	16	21
Middletown	---	363	9	8	8
Balance of county	---	737	11	8	13
New Haven	7,684	6,969	129	94	77
White	7,204	6,536	95	70	65
All other	480	433	34	24	12
Black	469	426	33	24	11
Ansonia	---	189	2	1	-
Derby	---	130	3	3	2
East Haven town #	---	183	2	1	1
Hamdon town #	---	534	6	4	2
Meriden	---	502	7	5	5
Milford	---	408	7	5	4
Naugatuck	---	229	1	-	5
New Haven	---	1,327	38	27	17
White	---	1,050	17	12	10
All other	---	277	21	15	7
Black	---	275	21	15	6
Wallingford town #	---	320	3	1	6
Waterbury	---	1,141	30	25	11
White	---	1,065	24	20	8
All other	---	76	6	5	3
Black	---	74	6	5	3
West Haven town #	---	513	12	9	4
Balance of county	---	1,493	18	13	20
New London	1,862	1,983	44	34	22
New London	---	262	5	5	1
White	---	236	4	4	1
All other	---	26	1	1	-
Black	---	26	1	1	-
Norwich	---	446	6	2	4
Balance of county	---	1,275	33	27	17
Tolland	471	646	13	12	8
Vernon town #	---	209	5	5	2
Balance of county	---	437	8	7	6
Windham	810	847	12	9	8
Willimantic	---	181	4	4	2
Balance of county	---	666	8	5	6
Delaware	5,181	5,073	123	92	104
White	4,398	4,322	69	52	64
All other	783	751	54	40	40
Black	774	743	54	40	40
Kent	713	735	20	16	24
White	610	630	13	9	16
All other	103	105	7	7	8
Black	102	103	7	7	8
Dover	---	214	9	8	8
White	---	176	4	3	3
All other	---	38	5	5	5
Black	---	38	5	5	5
Balance of county	---	521	11	8	16
White	---	454	9	6	13
All other	---	67	2	2	3
Black	---	65	2	2	3
New Castle	3,426	3,219	85	65	52
White	2,889	2,730	48	37	34
All other	537	489	37	28	18
Black	533	488	37	28	18
Newark	---	214	7	6	4
Wilmington	---	1,346	44	33	18
White	---	964	15	11	5
All other	---	382	29	22	13
Black	---	382	29	22	13
Balance of county	---	1,659	34	26	30
White	---	1,570	27	20	26
All other	---	89	7	6	4
Black	---	89	7	6	4
Sussex	1,042	1,119	18	11	28
White	899	962	8	6	14
All other	143	157	10	5	14
Black	139	152	10	5	14
District of Columbia	8,688	6,954	231	179	134
White	3,362	1,981	27	25	14
All other	5,326	4,973	204	154	120
Black	5,266	4,941	202	152	120
Florida	110,833	109,127	1,846	1,234	1,396
White	98,608	97,025	1,053	715	884
All other	12,225	12,102	793	519	512
Black	12,102	11,985	789	516	497
Florida-Con.					
Alachua	1,823	923	29	18	19
White	1,450	673	13	10	9
All other	373	250	16	8	10
Black	373	250	16	8	10
Gainesville	---	515	17	11	12
White	---	373	8	6	5
All other	---	142	9	5	7
Black	---	142	9	5	7
Balance of county	---	408	12	7	7
White	---	300	5	4	4
All other	---	108	7	3	3
Black	---	108	7	3	3
Baker	146	112	2	-	1
White	123	95	2	-	1
All other	23	17	-	-	-
Black	23	17	-	-	-
Bay	938	813	22	17	25
White	800	709	17	12	18
All other	138	104	5	5	7
Black	135	101	5	5	7
Panama City	---	458	11	9	14
White	---	370	7	5	9
All other	---	88	4	4	5
Black	---	88	4	4	5
Balance of county	---	355	11	8	11
Bradford	125	170	4	2	3
White	94	135	2	1	1
All other	31	35	2	1	2
Black	31	35	2	1	2
Brevard	2,344	2,435	27	17	32
White	2,161	2,231	17	11	26
All other	183	204	10	6	6
Black	181	201	10	6	6
Cocoa	---	152	5	2	5
White	---	106	1	-	1
All other	---	46	4	2	4
Black	---	46	4	2	4
Melbourne	---	496	6	5	5
White	---	444	3	2	4
All other	---	52	3	3	1
Black	---	51	3	3	1
Rockledge	---	112	-	-	-
Titusville	---	305	4	2	3
Balance of county	---	1,370	12	8	19
Broward	11,710	12,427	166	122	128
White	10,861	11,597	78	58	66
All other	849	830	88	64	62
Black	837	819	88	64	61
Deerfield Beach	---	636	2	1	2
White	---	590	1	-	-
All other	---	46	1	1	2
Black	---	46	1	1	2
Fort Lauderdale	---	2,894	55	43	39
White	---	2,599	19	15	15
All other	---	295	36	28	24
Black	---	290	36	28	24
Hallandale	---	697	7	4	7
White	---	655	5	4	2
All other	---	42	2	-	5
Black	---	41	2	-	5
Hollywood	---	1,800	22	17	17
Lauderdale Lakes	---	347	2	1	2
Miramar	---	283	2	2	4
Oakland Park	---	176	3	-	1
Pembroke Pines	---	322	1	1	3
Plantation	---	388	4	3	4
Pompano Beach	---	990	20	16	10
White	---	869	3	2	6
All other	---	121	17	14	4
Black	---	121	17	14	4
Wilton Manor	---	158	-	-	-
Balance of county	---	3,736	48	34	39
White	---	3,455	24	20	19
All other	---	281	24	14	20
Black	---	277	24	14	20
Calhoun	101	89	-	-	-
White	90	79	-	-	-
All other	11	10	-	-	-
Black	11	10	-	-	-
Charlotte	1,071	996	7	7	6
Citrus	711	787	5	4	4
Clay	419	476	17	12	10
Collier	1,047	990	18	12	14
Naples	---	323	3	3	5
Balance of county	---	667	15	9	9
Columbia	583	342	10	10	3
White	437	256	7	7	2
All other	146	86	3	3	1
Black	146	86	3	3	1
Lake City	---	142	3	3	2
White	---	91	2	2	1
All other	---	51	1	1	1
Black	---	51	1	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
Balance of county	---	200	7	7	1
White	---	165	5	5	1
All other	---	35	2	2	-
Black	---	35	2	2	-
Dade	18,398	17,159	323	229	312
White	16,014	14,841	147	113	163
All other	2,384	2,318	176	116	149
Black	2,360	2,297	174	114	143
Coral Gables	---	406	2	2	1
Hialeah	---	1,129	24	21	19
Homestead	---	188	8	7	8
White	---	148	5	4	5
All other	---	40	3	3	3
Black	---	40	3	3	3
Miami	---	4,965	108	74	104
White	---	3,976	42	34	38
All other	---	989	66	40	66
Black	---	981	66	40	65
Miami Beach	---	2,736	9	5	9
Miami Springs	---	162	1	1	2
North Miami	---	710	5	4	5
North Miami Beach	---	1,162	3	3	5
Opa-Locka	---	169	8	7	5
White	---	74	-	-	3
All other	---	95	8	7	2
Black	---	95	8	7	2
South Miami	---	92	2	1	3
White	---	56	-	-	1
All other	---	36	2	1	2
Black	---	36	2	1	2
Balance of county	---	5,440	153	104	151
White	---	4,356	53	44	81
All other	---	1,084	90	60	70
Black	---	1,071	88	58	66
De Soto	288	236	2	1	4
White	256	201	2	1	1
All other	32	35	-	-	3
Black	32	35	-	-	3
Dixie	35	69	-	-	1
White	31	63	-	-	1
All other	4	6	-	-	-
Black	4	6	-	-	-
Duval, coext. with Jacksonville city	5,435	5,232	159	98	99
White	3,985	3,784	85	50	60
All other	1,450	1,448	74	48	39
Black	1,438	1,437	73	48	39
Escambia	2,234	1,821	43	29	32
White	1,784	1,410	28	16	17
All other	450	411	15	13	15
Black	447	410	15	13	12
Pensacola	---	698	8	7	18
White	---	449	4	3	8
All other	---	249	4	4	10
Black	---	249	4	4	8
Balance of county	---	1,123	35	22	14
White	---	961	24	13	9
All other	---	162	11	9	5
Black	---	161	11	9	4
Flagler	80	136	1	-	2
White	72	121	1	-	1
All other	8	15	-	-	1
Black	8	15	-	-	1
Franklin	57	93	3	3	-
White	42	73	1	1	-
All other	15	20	2	2	-
Black	15	20	2	2	-
Gadsden	262	367	23	16	12
White	129	172	2	1	2
All other	133	195	21	15	10
Black	133	195	21	15	10
Gilchrist	25	63	1	-	-
Glades	39	61	3	3	-
White	36	50	1	1	-
All other	3	11	2	2	-
Black	1	9	2	2	-
Gulf	51	87	-	-	1
White	43	69	-	-	1
All other	8	18	-	-	-
Black	8	18	-	-	-
Hamilton	74	111	5	4	6
White	46	67	3	2	4
All other	28	44	2	2	2
Black	27	43	2	2	2
Hardee	154	215	5	4	4
White	143	198	3	3	3
All other	11	17	2	1	1
Black	11	17	2	1	1
Hendry	178	173	7	4	6
White	127	129	3	2	6
All other	51	44	4	2	-
Black	47	39	4	2	-
Florida-Con.					
Hernando	553	658	3	3	3
White	532	634	1	1	3
All other	21	24	2	2	-
Black	21	24	2	2	-
Highlands	687	734	18	10	4
White	630	668	12	5	1
All other	57	66	6	5	3
Black	57	65	6	5	3
Hillsborough	6,414	5,849	139	89	76
White	5,574	5,066	101	64	50
All other	840	783	38	25	26
Black	829	773	38	25	26
Plant City	---	200	-	-	5
White	---	140	-	-	2
All other	---	60	-	-	3
Black	---	60	-	-	3
Tampa	---	3,279	76	48	40
White	---	2,630	39	22	19
All other	---	649	37	24	21
Black	---	642	37	24	21
Balance of county	---	2,370	63	43	31
Holmes	96	157	3	3	-
Indian River	696	700	11	6	9
White	623	641	5	3	5
All other	73	59	6	3	4
Black	73	59	6	3	4
Vero Beach	---	257	4	3	2
Balance of county	---	443	7	3	7
White	---	393	2	1	4
All other	---	50	5	2	3
Black	---	50	5	2	3
Jackson	306	416	6	4	4
White	243	310	5	4	3
All other	63	106	1	-	1
Black	63	106	1	-	1
Jefferson	39	115	3	2	4
White	18	63	-	-	-
All other	21	52	3	2	4
Black	21	52	3	2	4
Lafayette	16	39	1	1	1
White	15	36	-	-	-
All other	1	3	1	1	1
Black	1	3	1	1	1
Lake	1,551	1,536	19	12	17
White	1,395	1,376	13	8	14
All other	156	160	6	4	3
Black	156	160	6	4	3
Leesburg	---	244	4	3	1
White	---	197	3	2	1
All other	---	47	1	1	-
Black	---	47	1	1	-
Balance of county	---	1,292	15	9	16
White	---	1,179	10	6	13
All other	---	113	5	3	3
Black	---	113	5	3	3
Lee	2,538	2,572	31	20	26
White	2,402	2,431	23	17	18
All other	136	141	8	3	8
Black	132	139	8	3	8
Fort Myers	---	467	10	5	11
White	---	365	5	3	3
All other	---	102	5	2	8
Black	---	102	5	2	8
Balance of county	---	2,105	21	15	15
Leon	1,219	828	39	22	22
White	817	564	19	14	11
All other	402	264	20	8	11
Black	401	263	20	8	11
Tallahassee	---	552	29	16	17
White	---	362	16	12	8
All other	---	190	13	4	9
Black	---	189	13	4	9
Balance of county	---	276	10	6	5
White	---	202	3	2	3
All other	---	74	7	4	2
Black	---	74	7	4	2
Levy	179	220	5	2	3
White	153	189	3	-	3
All other	26	31	2	2	-
Black	26	31	2	2	-
Liberty	12	33	-	-	1
White	12	31	-	-	1
All other	-	2	-	-	-
Black	-	2	-	-	-
Madison	113	176	7	5	3
White	67	108	4	4	3
All other	46	68	3	1	-
Black	46	68	3	1	-
Manatee	2,352	2,300	29	12	20
White	2,243	2,174	21	8	16
All other	109	126	8	4	4
Black	109	126	8	4	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
Bradenton	---	589	7	3	6
White	---	531	5	2	3
All other	---	58	2	1	3
Black	---	58	2	1	3
Balance of county	---	1,711	22	9	14
Marion	1,308	1,363	19	14	22
White	1,103	1,145	11	7	10
All other	205	218	8	7	12
Black	205	218	8	7	12
Ocala	---	448	8	5	12
White	---	354	5	3	5
All other	---	94	3	2	7
Black	---	94	3	2	7
Balance of county	---	915	11	9	10
White	---	791	6	4	5
All other	---	124	5	5	5
Black	---	124	5	5	5
Martin	924	863	13	9	3
White	880	814	9	7	2
All other	44	49	4	2	1
Black	43	48	4	2	1
Monroe	521	595	10	6	9
Key West	---	244	5	3	3
White	---	211	5	3	2
All other	---	33	-	-	1
Black	---	32	-	-	1
Balance of county	---	351	5	3	6
Nassau	127	244	7	5	4
White	100	198	2	2	1
All other	27	46	5	3	3
Black	27	46	5	3	3
Okaloosa	580	616	24	19	14
Fort Walton Beach	---	129	8	7	6
Balance of county	---	487	16	12	8
Okeechobee	197	241	9	8	4
White	181	221	8	7	3
All other	16	20	1	1	1
Black	16	19	1	1	1
Orange	4,647	4,024	93	50	62
White	4,088	3,496	52	28	44
All other	559	528	41	22	18
Black	551	519	40	21	17
Orlando	---	1,546	28	13	26
White	---	1,221	8	6	17
All other	---	325	20	7	9
Black	---	323	20	7	8
Winter Park	---	386	4	3	3
White	---	352	2	2	3
All other	---	34	2	1	-
Black	---	34	2	1	-
Balance of county	---	2,092	61	34	33
White	---	1,923	42	20	24
All other	---	169	19	14	9
Black	---	162	18	13	9
Osceola	708	680	13	9	10
Palm Beach	7,545	7,576	112	74	91
White	6,777	6,775	52	34	61
All other	768	801	60	40	30
Black	763	796	60	40	30
Belle Glade	---	169	9	5	9
White	---	58	2	2	1
All other	---	111	7	3	8
Black	---	111	7	3	8
Boca Raton	---	643	3	2	3
Boynton Beach	---	605	8	7	8
White	---	562	3	3	5
All other	---	43	5	4	3
Black	---	43	5	4	3
Delray Beach	---	654	5	4	6
White	---	561	1	1	5
All other	---	93	4	3	1
Black	---	92	4	3	1
Lake Worth	---	630	5	4	6
Riviera Beach	---	314	8	5	5
White	---	154	-	-	-
All other	---	160	8	5	5
Black	---	160	8	5	5
West Palm Beach	---	1,117	23	16	16
White	---	908	10	7	9
All other	---	209	13	9	7
Black	---	209	13	9	7
Balance of county	---	3,444	51	31	38
White	---	3,285	33	19	32
All other	---	159	18	12	6
Black	---	158	18	12	6
Pasco	2,481	3,000	24	19	22
Pinellas	12,345	11,840	78	58	62
White	11,821	11,328	45	33	52
All other	524	512	33	25	10
Black	515	504	33	25	9
Florida-Con.					
Clearwater	---	1,478	13	10	10
White	---	1,411	5	3	7
All other	---	67	8	7	3
Black	---	67	8	7	3
Dunedin	---	533	4	4	1
Largo	---	837	5	4	6
Pinellas Park	---	417	3	2	2
St. Petersburg	---	4,686	41	29	23
White	---	4,290	17	12	16
All other	---	396	24	17	7
Black	---	389	24	17	6
Balance of county	---	3,889	12	9	20
Polk	3,508	3,389	95	58	60
White	3,068	2,942	58	37	45
All other	440	447	37	21	15
Black	439	446	37	21	14
Bartow	---	168	10	9	2
White	---	111	3	2	1
All other	---	57	7	7	1
Black	---	57	7	7	-
Lakeland	---	694	10	5	7
White	---	594	6	3	3
All other	---	100	4	2	4
Black	---	100	4	2	4
Winter Haven	---	294	10	8	7
White	---	249	4	4	4
All other	---	45	6	4	3
Black	---	45	6	4	3
Balance of county	---	2,233	65	36	44
White	---	1,988	45	28	37
All other	---	245	20	8	7
Black	---	244	20	8	7
Putnam	410	538	12	8	12
White	323	421	4	3	10
All other	87	117	8	5	2
Black	86	116	8	5	2
St. Johns	572	621	4	2	6
White	477	529	2	2	2
All other	95	92	2	-	4
Black	93	92	2	-	4
St. Augustine	---	223	2	1	1
White	---	189	1	1	1
All other	---	34	1	-	-
Black	---	34	1	-	-
Balance of county	---	398	2	1	5
White	---	340	1	1	1
All other	---	58	1	-	4
Black	---	58	1	-	4
St. Lucie	899	1,053	19	16	21
White	724	858	9	7	10
All other	175	195	10	9	11
Black	173	194	10	9	11
Fort Pierce	---	495	11	9	16
White	---	311	3	2	7
All other	---	184	8	7	9
Black	---	184	8	7	9
Balance of county	---	558	8	7	5
Santa Rosa	241	408	8	2	9
Sarasota	3,175	3,097	18	13	12
Sarasota	---	884	10	8	6
White	---	811	3	3	3
All other	---	73	7	5	3
Black	---	73	7	5	3
Balance of county	---	2,213	8	5	6
Seminole	1,222	1,294	24	19	19
White	1,070	1,127	20	16	13
All other	152	167	4	3	6
Black	150	165	4	3	6
Sanford	---	286	3	2	7
White	---	196	1	1	4
All other	---	90	2	1	3
Black	---	90	2	1	3
Balance of county	---	1,008	21	17	12
White	---	931	19	15	9
All other	---	77	2	2	3
Black	---	75	2	2	3
Sumter	87	271	11	3	4
White	67	232	6	2	2
All other	20	39	5	1	2
Black	20	39	5	1	2
Suwannee	165	245	4	3	7
White	131	194	2	1	4
All other	34	51	2	2	3
Black	34	51	2	2	3
Taylor	118	152	6	4	-
White	85	108	4	3	-
All other	33	44	2	1	-
Black	33	44	2	1	-
Union	58	86	1	1	1
White	37	65	1	1	1
All other	21	21	-	-	-
Black	21	21	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Florida-Con.					
Volusia	3,617	3,778	38	26	15
White	3,335	3,497	26	19	10
All other	282	281	12	7	5
Black	281	279	12	7	5
Daytona Beach	---	890	19	13	7
White	---	719	10	7	4
All other	---	171	9	6	3
Black	---	171	9	6	3
De Land	---	283	2	1	-
White	---	254	1	1	-
All other	---	29	1	-	-
Black	---	29	1	-	-
New Smyrna Beach	---	273	-	-	1
White	---	258	-	-	1
All other	---	15	-	-	-
Black	---	15	-	-	-
Ormond Beach	---	392	5	3	1
Balance of county	---	1,940	12	9	6
Wakulla	42	70	-	-	3
White	32	58	-	-	3
All other	10	12	-	-	-
Black	10	12	-	-	-
Walton	137	206	1	-	2
White	123	184	1	-	2
All other	14	22	-	-	-
Black	13	21	-	-	-
Washington	100	161	7	5	5
White	83	137	5	5	5
All other	17	24	2	-	-
Black	17	24	2	-	-
Georgia	45,462	44,892	1,238	790	1,356
White	32,248	31,794	583	373	687
All other	13,214	13,098	655	417	669
Black	13,159	13,047	649	413	659
Appling	78	124	4	1	6
White	68	104	1	-	5
All other	10	20	3	1	1
Black	10	20	3	1	1
Atkinson	15	57	1	1	2
White	11	45	1	1	1
All other	4	12	-	-	1
Black	4	12	-	-	-
Bacon	86	98	-	-	3
White	71	79	-	-	2
All other	15	19	-	-	1
Black	14	18	-	-	1
Baker	7	47	3	1	1
White	4	23	-	-	1
All other	3	24	3	1	-
Black	3	24	3	1	-
Baldwin	438	277	5	2	10
White	262	170	3	1	4
All other	176	107	2	1	6
Black	175	106	2	1	6
Milledgeville	---	132	2	1	7
White	---	66	-	-	1
All other	---	66	2	1	6
Black	---	66	2	1	6
Balance of county	---	145	3	1	3
White	---	104	3	1	3
All other	---	41	-	-	-
Black	---	40	-	-	-
Banks	5	52	-	-	1
Barrow	144	200	4	4	6
White	119	162	3	3	3
All other	25	38	1	1	3
Black	24	37	1	1	3
Bartow	223	309	10	7	11
White	190	263	7	5	10
All other	33	46	3	2	1
Black	33	46	3	2	1
Ben Hill	212	211	4	2	4
White	157	161	2	2	3
All other	55	50	2	-	1
Black	55	50	2	-	1
Berrien	97	133	3	1	2
White	83	118	2	-	-
All other	14	15	1	1	2
Black	14	15	1	1	2
Bibb	1,862	1,509	43	27	48
White	1,142	913	14	7	17
All other	720	596	29	20	31
Black	719	595	29	20	31
Macon	---	1,303	37	22	38
White	---	740	10	4	10
All other	---	563	27	18	28
Black	---	562	27	18	28
Georgia-Con.					
Balance of county	---	206	6	5	10
White	---	173	4	3	7
All other	---	33	2	2	3
Black	---	33	2	2	3
Bleckley	86	107	2	-	1
White	70	84	2	-	-
All other	16	23	-	-	1
Black	16	23	-	-	1
Brantley	21	70	2	1	2
White	18	63	1	1	2
All other	3	7	1	-	-
Black	3	7	1	-	-
Brooks	140	187	5	5	1
White	96	110	1	1	-
All other	44	77	4	4	1
Black	44	77	4	4	1
Bryan	14	77	1	1	4
White	11	58	-	-	4
All other	3	19	1	1	-
Black	3	19	1	1	-
Bulloch	279	291	2	-	9
White	197	207	-	-	4
All other	82	84	2	-	5
Black	82	84	2	-	5
Statesboro	---	133	1	-	1
White	---	94	-	-	1
All other	---	39	1	-	-
Black	---	39	1	-	-
Balance of county	---	158	1	-	8
White	---	113	-	-	3
All other	---	45	1	-	5
Black	---	45	1	-	5
Burke	145	203	3	2	6
White	72	96	-	-	1
All other	73	107	3	2	5
Black	73	107	3	2	5
Butts	98	113	6	4	5
White	73	81	3	1	2
All other	25	32	3	3	3
Black	25	32	3	3	3
Calhoun	60	64	-	-	1
White	25	31	-	-	-
All other	35	33	-	-	1
Black	35	33	-	-	1
Camden	75	106	2	2	4
White	48	68	-	-	2
All other	27	38	2	2	2
Black	27	38	2	2	2
Candler	179	107	-	-	1
White	108	75	-	-	1
All other	71	32	-	-	-
Black	70	32	-	-	-
Carroll	410	468	18	13	18
White	362	408	13	9	15
All other	48	60	5	4	3
Black	48	60	5	4	3
Carrollton	---	119	2	2	5
White	---	99	1	1	3
All other	---	20	1	1	2
Black	---	20	1	1	2
Balance of county	---	349	16	11	13
White	---	309	12	8	12
All other	---	40	4	3	1
Black	---	40	4	3	1
Catoosa	542	261	6	3	8
Charlton	58	71	2	1	4
White	41	50	1	-	1
All other	17	21	1	1	3
Black	17	21	1	1	3
Chatham	2,203	1,924	53	33	68
White	1,354	1,115	17	9	20
All other	849	809	36	24	48
Black	845	805	36	24	47
Savannah	---	1,570	43	28	56
White	---	823	11	7	13
All other	---	747	32	21	43
Black	---	743	32	21	43
Balance of county	---	354	10	5	12
White	---	292	6	2	7
All other	---	62	4	3	5
Black	---	62	4	3	4
Chattahoochee	149	29	3	2	4
White	108	15	3	2	2
All other	41	14	-	-	2
Black	39	14	-	-	2
Chattooga	132	222	5	2	3
Cherokee	226	350	13	6	10
Clarke	884	442	12	6	9
White	643	279	5	4	4
All other	241	163	7	2	5
Black	238	161	7	2	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Athens	---	319	9	4	4
White	---	191	3	3	-
All other	---	128	6	1	4
Black	---	127	6	1	4
Balance of county	---	123	3	2	5
White	---	88	2	1	4
All other	---	35	1	1	1
Black	---	34	1	1	1
Clay	66	50	1	-	3
White	27	18	-	-	2
All other	39	32	1	-	1
Black	39	32	1	-	1
Clayton	591	743	27	22	34
College Park, part	---	22	2	1	2
Forest Park	---	164	2	2	4
Balance of county	---	557	23	19	28
Clinch	59	72	1	1	1
White	42	54	1	1	-
All other	17	18	-	-	1
Black	17	18	-	-	1
Cobb	1,496	1,581	57	42	42
Marietta	---	336	11	11	16
White	---	273	10	10	13
All other	---	63	1	1	3
Black	---	61	1	1	3
Smyrna	---	173	8	7	2
Balance of county	---	1,072	38	24	24
Coffee	200	232	10	7	7
White	149	174	6	5	3
All other	51	58	4	2	4
Black	51	58	4	2	4
Douglas	---	95	3	3	1
White	---	68	3	3	-
All other	---	27	-	-	1
Black	---	27	-	-	1
Balance of county	---	137	7	4	6
White	---	106	3	2	3
All other	---	31	4	2	3
Black	---	31	4	2	3
Colquitt	268	329	11	6	13
White	209	250	4	3	7
All other	59	79	7	3	6
Black	59	79	7	3	6
Moultrie	---	174	5	3	5
White	---	115	2	2	1
All other	---	59	3	1	4
Black	---	59	3	1	4
Balance of county	---	155	6	3	8
White	---	135	2	1	6
All other	---	20	4	2	2
Black	---	20	4	2	2
Columbia	51	242	6	4	14
White	37	195	6	4	11
All other	14	47	-	-	3
Black	14	47	-	-	2
Cook	142	140	2	-	4
White	102	103	-	-	3
All other	40	37	2	-	1
Black	40	37	2	-	1
Coweta	386	379	7	6	17
White	293	270	2	2	11
All other	93	109	5	4	6
Black	93	109	5	4	6
Newnan	---	156	3	3	4
White	---	97	1	1	-
All other	---	59	2	2	4
Black	---	59	2	2	4
Balance of county	---	223	4	3	13
White	---	173	1	1	11
All other	---	50	3	2	2
Black	---	50	3	2	2
Crawford	30	62	-	-	2
White	18	33	-	-	-
All other	12	29	-	-	2
Black	12	29	-	-	2
Crisp	226	227	5	3	5
White	143	137	3	2	4
All other	83	90	2	1	1
Black	83	90	2	1	1
Cordele	---	153	4	2	2
White	---	78	2	1	1
All other	---	75	2	1	1
Black	---	75	2	1	1
Balance of county	---	74	1	1	3
White	---	59	1	1	3
All other	---	15	-	-	-
Black	---	15	-	-	-
Dade	32	98	1	-	3
Dawson	10	35	-	-	2
Georgia-Con.					
Decatur	203	255	5	3	11
White	134	166	3	2	7
All other	69	89	2	1	4
Black	69	89	2	1	4
Bainbridge	---	139	3	2	6
White	---	94	1	1	3
All other	---	45	2	1	3
Black	---	45	2	1	3
Balance of county	---	116	2	1	5
White	---	72	2	1	4
All other	---	44	-	-	1
Black	---	44	-	-	1
De Kalb	3,087	2,912	84	61	70
White	2,582	2,243	44	32	35
All other	505	669	40	29	35
Black	497	664	39	28	33
Atlanta, part	---	466	15	12	11
White	---	205	3	3	2
All other	---	261	12	9	9
Black	---	260	12	9	8
Decatur	---	437	16	12	13
White	---	223	2	2	3
All other	---	214	14	10	10
Black	---	213	14	10	10
Balance of county	---	2,009	53	37	46
White	---	1,815	39	27	30
All other	---	194	14	10	16
Black	---	191	13	9	15
Dodge	138	185	1	1	-
White	109	148	-	-	-
All other	29	37	1	1	-
Black	29	37	1	1	-
Dooly	87	136	2	1	-
White	49	81	1	1	-
All other	38	55	1	-	-
Black	37	54	1	-	-
Dougherty	988	742	37	27	38
White	530	393	10	9	10
All other	458	349	27	18	28
Black	458	349	27	18	28
Albany	---	656	30	23	35
White	---	329	9	8	8
All other	---	327	21	15	27
Black	---	327	21	15	27
Balance of county	---	86	7	4	3
White	---	64	1	1	2
All other	---	22	6	3	1
Black	---	22	6	3	1
Douglas	316	307	12	10	11
Early	103	139	9	7	4
White	54	74	2	1	2
All other	49	65	7	6	2
Black	49	65	7	6	2
Echols	13	27	1	1	1
White	11	25	1	1	-
All other	2	2	-	-	1
Black	2	2	-	-	1
Effingham	93	132	6	2	4
White	68	99	1	-	2
All other	25	33	5	2	2
Black	25	33	5	2	2
Elbert	152	221	5	5	4
White	117	160	1	1	2
All other	35	61	4	4	2
Black	35	61	4	4	2
Emanuel	170	222	6	3	12
White	120	166	1	-	1
All other	50	56	5	3	11
Black	50	56	5	3	11
Evans	101	87	-	-	2
White	79	62	-	-	-
All other	22	25	-	-	2
Black	22	25	-	-	2
Fannin	87	158	2	-	2
Fayette	51	164	1	-	5
White	48	157	-	-	5
All other	3	7	1	-	-
Black	3	7	1	-	-
Floyd	1,014	771	14	7	23
White	862	653	9	4	14
All other	152	118	5	3	9
Black	152	118	5	3	9
Rome	---	435	12	6	12
White	---	336	7	3	5
All other	---	99	5	3	7
Black	---	99	5	3	7
Balance of county	---	336	2	1	11
Forsyth	132	190	4	2	3
Franklin	133	140	4	3	5
White	117	121	3	2	4
All other	16	19	1	1	1
Black	16	19	1	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Fulton	7,417	5,747	178	128	166
White	4,241	2,964	40	30	42
All other	3,176	2,783	138	98	124
Black	3,171	2,777	138	98	122
Atlanta, part	---	4,348	136	98	117
White	---	1,763	19	14	13
All other	---	2,585	117	84	104
Black	---	2,581	117	84	102
Atlanta, total	---	4,814	151	110	128
White	---	1,968	22	17	15
All other	---	2,846	129	93	113
Black	---	2,841	129	93	110
College Park, part	---	206	12	8	10
White	---	140	6	6	1
All other	---	66	6	2	9
Black	---	66	6	2	9
College Park, total	---	228	14	9	12
White	---	158	7	7	3
All other	---	70	7	2	9
Black	---	70	7	2	9
East Point	---	336	16	11	11
Balance of county	---	857	14	11	28
Gilmer	51	79	1	1	3
Glascock	8	28	-	-	-
White	7	24	-	-	-
All other	1	4	-	-	-
Black	1	4	-	-	-
Glynn	606	548	17	9	15
White	425	389	6	3	11
All other	181	159	11	6	4
Black	180	159	11	6	4
Brunswick	---	254	12	5	6
White	---	135	3	1	3
All other	---	119	9	4	3
Black	---	119	9	4	3
Balance of county	---	294	5	4	9
White	---	254	3	2	8
All other	---	40	2	2	1
Black	---	40	2	2	1
Gordon	180	239	8	6	8
Grady	128	232	8	5	2
White	75	155	-	-	-
All other	53	77	8	5	2
Black	53	77	8	5	2
Greene	96	116	2	1	8
White	56	66	-	-	1
All other	40	50	2	1	7
Black	40	50	2	1	7
Gwinnett	502	748	25	20	31
Habersham	177	195	4	1	8
Hall	696	610	15	8	21
White	633	546	13	7	17
All other	63	64	2	1	4
Black	63	64	2	1	4
Gainesville	---	176	3	3	15
White	---	141	2	2	12
All other	---	35	1	1	3
Black	---	35	1	1	3
Balance of county	---	434	12	5	6
Hancock	47	108	3	3	3
White	19	39	-	-	-
All other	28	69	3	3	3
Black	28	69	3	3	3
Haralson	113	163	4	4	3
Harris	47	148	6	2	2
White	28	89	5	1	1
All other	19	59	1	1	1
Black	19	59	1	1	1
Hart	157	187	3	-	7
White	128	166	-	-	2
All other	29	21	3	-	5
Black	29	21	3	-	5
Heard	47	82	-	-	2
White	37	68	-	-	1
All other	10	14	-	-	1
Black	10	14	-	-	1
Henry	199	268	5	4	6
White	164	218	4	4	4
All other	35	50	1	-	2
Black	35	50	1	-	2
Houston	387	454	12	6	18
White	301	351	7	3	11
All other	86	103	5	3	7
Black	85	103	5	3	7
Warner Robins	---	232	7	5	9
Balance of county	---	222	5	1	9
White	---	150	4	1	5
All other	---	72	1	-	4
Black	---	72	1	-	4

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Irwin	69	91	-	-	3
White	48	73	-	-	-
All other	21	18	-	-	3
Black	21	18	-	-	3
Jackson	144	234	4	3	3
White	125	203	3	2	3
All other	19	31	1	1	-
Black	19	31	1	1	-
Jasper	51	68	2	1	5
White	34	41	1	1	1
All other	17	27	1	-	4
Black	17	27	1	-	4
Jeff Davis	74	93	1	-	3
White	58	81	1	-	2
All other	16	12	-	-	1
Black	16	12	-	-	1
Jefferson	152	177	3	2	5
White	75	94	-	-	1
All other	77	83	3	2	4
Black	77	83	3	2	4
Jenkins	72	89	2	-	1
White	44	54	-	-	1
All other	28	35	2	-	-
Black	28	35	2	-	-
Johnson	30	85	2	1	1
White	20	59	-	-	-
All other	10	26	2	1	1
Black	10	26	2	1	1
Jones	69	102	1	1	3
White	53	66	1	1	-
All other	16	36	-	-	3
Black	16	36	-	-	3
Lamar	77	138	-	-	4
White	54	95	-	-	2
All other	23	43	-	-	2
Black	23	43	-	-	2
Lanier	55	60	1	-	1
White	35	38	-	-	1
All other	20	22	1	-	-
Black	20	22	1	-	-
Laurens	556	389	10	2	7
White	375	262	5	-	4
All other	181	127	5	2	3
Black	181	127	5	2	3
Dublin	---	164	3	1	1
White	---	114	-	-	-
All other	---	50	3	1	1
Black	---	50	3	1	1
Balance of county	---	225	7	1	6
White	---	148	5	-	4
All other	---	77	2	1	2
Black	---	77	2	1	2
Lee	9	63	1	-	1
White	6	37	1	-	1
All other	3	26	-	-	-
Black	3	26	-	-	-
Liberty	145	147	16	9	21
White	74	82	9	5	11
All other	71	65	7	4	10
Black	69	64	7	4	10
Lincoln	18	62	3	-	2
White	10	46	1	-	-
All other	8	16	2	-	2
Black	8	16	2	-	2
Long	4	44	-	-	-
White	3	29	-	-	-
All other	1	15	-	-	-
Black	1	15	-	-	-
Lowndes	629	543	22	15	13
White	435	355	8	4	6
All other	194	188	14	11	7
Black	194	188	14	11	7
Valdosta	---	357	12	7	6
White	---	212	2	-	3
All other	---	145	10	7	3
Black	---	145	10	7	3
Balance of county	---	186	10	8	7
White	---	143	6	4	3
All other	---	43	4	4	4
Black	---	43	4	4	4
Lumpkin	71	82	2	2	-
McDuffie	151	173	2	2	8
White	88	111	-	-	2
All other	63	62	2	2	6
Black	63	62	2	2	6
McIntosh	27	73	3	3	2
White	16	41	2	2	2
All other	11	32	1	1	-
Black	11	32	1	1	-
Macon	90	150	4	2	5
White	44	71	1	1	1
All other	46	79	3	1	4
Black	46	79	3	1	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Madison	17	130	1	-	-
White	14	116	-	-	-
All other	3	14	1	-	-
Black	3	14	1	-	-
Marion	43	57	2	-	1
White	19	27	-	-	-
All other	24	30	2	-	1
Black	24	30	2	-	1
Meriwether	137	215	8	-	7
White	84	117	2	-	3
All other	53	98	6	-	4
Black	53	98	6	-	4
Miller	100	98	3	2	2
White	59	69	-	-	2
All other	41	29	3	2	-
Black	41	29	3	2	-
Mitchell	141	195	6	5	8
White	87	119	1	-	2
All other	54	76	5	5	6
Black	54	76	5	5	6
Monroe	142	127	-	-	3
White	90	75	-	-	1
All other	52	52	-	-	2
Black	52	52	-	-	2
Montgomery	9	63	2	2	-
White	9	50	2	2	-
All other	-	13	-	-	-
Black	-	13	-	-	-
Morgan	67	98	2	1	1
White	41	57	-	-	1
All other	26	41	2	1	-
Black	26	41	2	1	-
Murray	74	122	4	1	6
Muscogee	1,637	1,491	50	35	32
White	1,002	930	23	16	16
All other	635	561	27	19	16
Black	634	558	27	19	15
Columbus	---	1,426	44	31	27
White	---	885	18	13	13
All other	---	541	26	18	14
Black	---	538	26	18	14
Balance of county	---	65	6	4	5
White	---	45	5	3	3
All other	---	20	1	1	2
Black	---	20	1	1	1
Newton	198	259	7	4	5
White	154	200	5	3	2
All other	44	59	2	1	3
Black	44	59	2	1	3
Covington	---	111	5	2	2
White	---	71	4	2	-
All other	---	40	1	-	2
Black	---	40	1	-	2
Balance of county	---	148	2	2	3
White	---	129	1	1	2
All other	---	19	1	1	1
Black	---	19	1	1	1
Oconee	20	61	1	-	2
White	18	57	-	-	2
All other	2	4	1	-	-
Black	2	4	1	-	-
Oglethorpe	10	82	4	1	-
White	6	60	2	1	-
All other	4	22	2	-	-
Black	4	22	2	-	-
Paulding	133	180	3	3	2
Peach	131	170	3	2	2
White	68	90	1	1	-
All other	63	80	2	1	2
Black	63	80	2	1	2
Pickens	87	108	-	-	2
Pierce	90	129	1	-	2
White	70	99	1	-	1
All other	20	30	-	-	1
Black	20	30	-	-	1
Pike	8	82	2	-	2
White	7	66	1	-	-
All other	1	16	1	-	2
Black	1	16	1	-	2
Polk	236	347	2	1	9
White	208	308	1	1	4
All other	28	39	1	-	5
Black	27	39	1	-	5
Pulaski	114	98	2	1	-
White	71	48	-	-	-
All other	43	50	2	1	-
Black	43	50	2	1	-
Putnam	121	120	4	2	5
White	71	72	3	2	-
All other	50	48	1	-	5
Black	50	48	1	-	5
Georgia-Con.					
Quitman	10	32	1	1	-
White	5	18	-	-	-
All other	5	14	1	1	-
Black	5	14	1	1	-
Rabun	112	118	-	-	1
Randolph	97	114	1	-	2
White	46	51	-	-	-
All other	51	63	1	-	2
Black	50	62	1	-	2
Richmond	2,760	1,448	40	24	62
White	1,808	883	14	9	22
All other	952	565	26	15	40
Black	942	555	25	15	39
Augusta	---	813	16	10	32
White	---	410	6	4	8
All other	---	403	10	6	24
Black	---	398	10	6	24
Balance of county	---	635	24	14	30
White	---	473	8	5	14
All other	---	162	16	9	16
Black	---	157	15	9	15
Rockdale	219	227	5	5	9
White	199	202	5	5	6
All other	20	25	-	-	3
Black	20	25	-	-	3
Schley	9	35	-	-	-
White	5	21	-	-	-
All other	4	14	-	-	-
Black	4	14	-	-	-
Screven	130	163	6	4	7
White	72	95	-	-	1
All other	58	68	6	4	6
Black	58	68	6	4	6
Seminole	96	103	7	4	2
White	65	68	2	1	1
All other	31	35	5	3	1
Black	31	35	5	3	1
Spalding	454	466	11	9	15
White	332	328	5	4	8
All other	132	138	6	5	7
Black	132	138	6	5	7
Griffin	---	319	6	4	10
White	---	210	2	1	4
All other	---	109	4	3	6
Black	---	109	4	3	6
Balance of county	---	147	5	5	5
White	---	118	3	3	4
All other	---	29	2	2	1
Black	---	29	2	2	1
Stephens	226	201	4	3	6
White	201	175	3	3	2
All other	25	26	1	-	4
Black	25	26	1	-	4
Stewart	41	69	1	-	1
White	17	34	-	-	-
All other	24	35	1	-	1
Black	24	35	1	-	1
Sumter	377	304	10	7	9
White	203	152	4	3	2
All other	174	152	6	4	7
Black	174	151	5	3	6
Americus	---	183	5	4	4
White	---	91	1	1	-
All other	---	92	4	3	4
Black	---	92	4	3	4
Balance of county	---	121	5	3	5
White	---	61	3	2	2
All other	---	60	2	1	3
Black	---	59	1	-	2
Talbot	23	69	2	-	1
White	3	20	-	-	-
All other	20	49	2	-	1
Black	20	49	2	-	1
Taliaferro	1	42	-	-	1
White	-	20	-	-	-
All other	1	22	-	-	1
Black	1	22	-	-	1
Tattnall	110	170	5	3	5
White	79	133	4	2	2
All other	31	37	1	1	3
Black	31	37	1	1	3
Taylor	35	91	2	1	2
White	15	57	-	-	1
All other	20	34	2	1	1
Black	20	34	2	1	1
Telfair	132	159	5	-	7
White	92	104	1	-	3
All other	40	55	4	-	4
Black	40	55	4	-	4
Terrell	87	119	7	2	8
White	33	52	1	1	2
All other	54	67	6	1	6
Black	54	67	6	1	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Thomas	504	410	18	11	6
White	307	225	4	2	1
All other	197	185	14	9	5
Black	197	185	14	9	5
Thomasville	---	237	12	6	4
White	---	107	1	-	-
All other	---	130	11	6	4
Black	---	130	11	6	4
Balance of county	---	173	6	5	2
White	---	118	3	2	1
All other	---	55	3	3	1
Black	---	55	3	3	1
Tift	299	250	7	3	3
White	232	189	4	1	1
All other	67	61	3	2	2
Black	67	61	3	2	2
Tifton	---	121	2	-	3
White	---	102	2	-	1
All other	---	19	-	-	2
Black	---	19	-	-	2
Balance of county	---	129	5	3	-
White	---	87	2	1	-
All other	---	42	3	2	-
Black	---	42	3	2	-
Toombs	254	235	3	1	4
White	201	188	2	-	1
All other	53	47	1	1	3
Black	53	47	1	1	3
Towns	56	50	-	-	1
Treutlen	21	67	1	1	3
White	13	46	-	-	-
All other	8	21	1	1	3
Black	8	21	1	1	3
Troup	606	556	14	10	22
White	420	383	8	5	14
All other	186	173	6	5	8
Black	186	173	6	5	8
La Grange	---	312	8	5	13
White	---	202	4	2	7
All other	---	110	4	3	6
Black	---	110	4	3	6
Balance of county	---	244	6	5	9
White	---	181	4	3	7
All other	---	63	2	2	2
Black	---	63	2	2	2
Turner	59	74	2	2	3
White	47	56	-	-	1
All other	12	18	2	2	2
Black	12	18	2	2	2
Twiggs	41	77	3	2	5
White	26	42	2	1	2
All other	15	35	1	1	3
Black	15	35	1	1	3
Union	100	100	1	-	4
Upson	361	294	13	7	3
White	262	228	8	2	1
All other	99	66	5	5	2
Black	99	66	5	5	2
Thomaston	---	153	4	3	1
White	---	123	3	2	-
All other	---	30	1	1	1
Black	---	30	1	1	1
Balance of county	---	141	9	4	2
White	---	105	5	-	1
All other	---	36	4	4	1
Black	---	36	4	4	1
Walker	97	525	10	6	14
Walton	195	271	11	5	10
White	153	204	6	1	8
All other	42	67	5	4	2
Black	42	67	5	4	2
Ware	467	372	7	4	4
White	369	280	1	-	-
All other	98	92	6	4	4
Black	98	92	6	4	4
Waycross	---	239	6	4	4
White	---	148	-	-	-
All other	---	91	6	4	4
Black	---	91	6	4	4
Balance of county	---	133	1	-	-
Warren	25	65	1	1	1
White	13	27	-	-	-
All other	12	38	1	1	1
Black	12	38	1	1	1
Washington	168	189	2	-	9
White	96	102	-	-	2
All other	72	87	2	-	7
Black	72	87	2	-	7
Wayne	237	212	4	2	4
White	172	160	1	1	2
All other	65	52	3	1	2
Black	65	52	3	1	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Georgia-Con.					
Webster	5	25	-	-	-
White	1	11	-	-	-
All other	4	14	-	-	-
Black	4	14	-	-	-
Wheeler	47	56	-	-	2
White	23	41	-	-	1
All other	24	15	-	-	1
Black	24	15	-	-	1
White	44	82	1	1	2
Whitfield	524	482	12	8	25
Dalton	---	215	4	3	8
White	---	188	2	2	8
All other	---	27	2	1	-
Black	---	26	1	-	-
Balance of county	---	267	8	5	17
Wilcox	25	85	-	-	1
White	14	62	-	-	1
All other	11	23	-	-	-
Black	11	23	-	-	-
Wilkes	115	109	2	2	5
White	58	57	-	-	2
All other	57	52	2	2	3
Black	57	52	2	2	3
Wilkinson	27	87	3	2	4
White	18	47	2	1	2
All other	9	40	1	1	2
Black	9	40	1	1	2
Worth	97	155	6	5	7
White	61	113	2	2	1
All other	36	42	4	3	6
Black	36	42	4	3	6
Hawaii	5,269	4,991	178	131	197
White	1,828	1,637	39	33	54
All other	3,441	3,354	139	98	143
Black	43	35	6	4	6
Hawaii	588	619	20	16	16
White	215	208	4	4	5
All other	373	411	16	12	11
Black	2	2	1	1	-
Hilo [3]	---	249	6	4	12
White	---	76	-	-	5
All other	---	173	6	4	7
Black	---	-	-	-	-
Balance of county	---	370	14	12	4
White	---	132	4	4	-
All other	---	238	10	8	4
Black	---	2	1	1	-
Honolulu	4,083	3,701	130	95	158
White	1,402	1,232	28	23	42
All other	2,681	2,469	102	72	116
Black	38	31	5	3	6
Aiea	---	124	5	5	5
White	---	27	-	-	-
All other	---	97	5	5	5
Black	---	-	-	-	-
Honolulu [3]	---	2,182	44	30	65
White	---	742	9	6	8
All other	---	1,440	35	24	57
Black	---	16	2	1	2
Kailua	---	190	11	9	8
White	---	117	5	4	5
All other	---	73	6	5	3
Black	---	1	-	-	-
Kaneohe	---	209	11	8	14
White	---	79	2	2	2
All other	---	130	9	6	12
Black	---	-	-	-	1
Pearl City	---	113	5	3	4
White	---	22	1	1	-
All other	---	91	4	2	4
Black	---	2	-	-	-
Schofield Barracks	---	21	7	6	8
White	---	13	3	3	6
All other	---	8	4	3	2
Black	---	6	3	2	2
Wahiawa	---	140	6	4	6
White	---	34	2	2	3
All other	---	106	4	2	3
Black	---	2	-	-	-
Waipahu	---	136	9	5	8
White	---	21	-	-	3
All other	---	115	9	5	5
Black	---	-	-	-	-
Balance of county	---	586	32	25	40
White	---	177	6	5	15
All other	---	409	26	20	25
Black	---	4	-	-	1
Kauai	217	237	8	7	4
White	68	60	-	-	3
All other	149	177	8	7	1
Black	1	-	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Hawaii-Con.					
Maui	381	434	20	13	19
White	143	137	7	6	4
All other	236	297	13	7	15
Black	2	2	-	-	-
Idaho	6,611	6,929	181	104	149
White	6,509	6,814	178	104	146
All other	102	115	3	-	3
Black	20	19	1	-	2
Ada	1,388	1,185	35	21	13
Boise City	---	940	22	12	9
Balance of county	---	245	13	9	4
Adams	22	25	-	-	-
Bannock	438	413	14	8	20
Pocatello	---	326	9	6	12
Balance of county	---	87	5	2	8
Bear Lake	46	48	1	-	2
Benewah	43	60	1	-	2
Bingham	136	229	7	3	6
Blaine	46	50	4	1	2
Boise	23	16	-	-	-
Bonner	155	205	6	2	4
Bonneville	526	414	15	9	17
Idaho Falls	---	309	14	8	12
Balance of county	---	105	1	1	5
Boundary	53	67	-	-	-
Butte	30	23	-	-	1
Camas	1	2	-	-	-
Canyon	658	679	24	16	15
Caldwell	---	194	8	6	4
Nampa	---	250	9	5	2
Balance of county	---	235	7	5	9
Caribou	39	40	1	-	2
Cassia	112	107	3	2	4
Clark	3	10	-	-	-
Clearwater	56	77	1	1	-
Custer	15	34	-	-	-
Elmore	88	99	5	4	3
Franklin	58	87	4	4	1
Fremont	55	72	2	1	-
Gem	112	119	1	1	1
Gooding	96	131	2	2	-
Idaho	104	113	1	1	3
Jefferson	40	84	1	-	9
Jerome	83	105	2	1	2
Kootenai	429	462	6	2	8
Coeur d'Alene	---	263	1	1	4
Balance of county	---	199	5	1	4
Latah	193	206	4	3	1
Moscow	---	91	1	1	1
Balance of county	---	115	3	2	-
Lemhi	61	63	1	1	1
Lewis	16	44	3	2	-
Lincoln	18	35	-	-	-
Madison	51	62	5	3	3
Minidoka	107	141	2	1	3
Nez Perce	323	302	6	5	5
Lewiston	---	252	4	3	4
Balance of county	---	50	2	2	1
White	---	43	2	2	-
All other	---	7	-	-	1
Black	---	-	-	-	-
Oneida	29	31	1	1	-
Owyhee	39	78	2	1	4
Payette	79	154	4	1	5
Power	36	33	1	-	-
Shoshone	143	175	3	1	1
Teton	18	24	5	2	-
Twin Falls	491	472	6	2	10
Twin Falls	---	278	5	2	6
Balance of county	---	194	1	-	4
Valley	54	48	1	1	1
Washington	96	105	1	1	-
Illinois	99,155	101,819	2,573	1,806	1,692
White	85,263	87,756	1,586	1,153	1,116
All other	13,892	14,063	987	653	576
Black	13,551	13,722	964	635	544
Adams	996	844	18	13	7
Quincy	---	625	12	9	4
Balance of county	---	219	6	4	3
Illinois-Con.					
Alexander	92	174	5	4	5
White	54	121	2	2	3
All other	38	53	3	2	2
Black	38	53	3	2	2
Bond	149	169	-	-	-
Boone	180	208	7	7	1
Belvidere	---	133	4	4	1
Balance of county	---	75	3	3	-
Brown	27	71	1	-	-
Bureau	408	404	5	3	6
Calhoun	34	73	1	-	-
Carroll	115	188	3	1	1
Cass	149	199	2	2	2
Champaign	1,314	927	25	18	25
White	1,216	832	16	11	22
All other	98	95	9	7	3
Black	92	91	7	5	3
Champaign	---	336	12	9	8
White	---	274	7	5	6
All other	---	62	5	4	2
Black	---	62	5	4	2
Rantoul	---	66	4	3	5
Urbana	---	245	5	3	4
White	---	224	3	1	3
All other	---	21	2	2	1
Black	---	18	-	-	1
Balance of county	---	280	4	3	8
Christian	354	435	8	6	5
Taylorville	---	137	1	-	1
Balance of county	---	298	7	6	4
Clark	98	202	1	-	-
Clay	150	200	4	2	4
Clinton	207	283	3	1	2
Centralia, part	---	33	-	-	-
Balance of county	---	250	3	1	2
Coles	464	434	9	6	5
Charleston	---	120	2	2	1
Mattoon	---	223	5	3	-
Balance of county	---	91	2	1	4
Cook	48,312	48,723	1,448	1,004	893
White	36,643	37,044	651	475	441
All other	11,669	11,679	797	529	452
Black	11,415	11,424	782	518	432
Alsip	---	103	4	3	1
Arlington Heights, part	---	449	7	5	4
Arlington Heights, total	---	449	7	5	4
Bellwood	---	159	10	7	5
Bensenville, part	---	6	-	-	-
Berwyn	---	677	6	4	5
Blue Island	---	249	4	4	10
Bridge View	---	137	7	5	4
Brookfield	---	186	5	4	2
Buffalo Grove, part	---	53	1	1	-
Buffalo Grove, total	---	64	1	1	1
Calumet City	---	353	5	4	3
Calumet Park	---	73	2	2	2
Chicago, part	---	30,471	1,046	702	638
White	---	19,782	352	245	243
All other	---	10,689	694	457	395
Black	---	10,502	686	452	383
Chicago, total	---	30,471	1,046	702	638
White	---	19,782	352	245	243
All other	---	10,689	694	457	395
Black	---	10,502	686	452	383
Chicago Heights	---	361	21	17	8
White	---	271	10	8	5
All other	---	90	11	9	3
Black	---	88	10	8	2
Cicero	---	762	15	10	3
Deerfield, part	---	9	-	-	-
Des Plaines	---	573	5	4	7
Dolton	---	225	1	1	1
Elgin, part	---	40	1	-	1
Elk Grove Village, part	---	129	4	3	1
Elk Grove Village, total	---	129	4	3	1
Elmwood Park	---	277	3	2	2
Evanston	---	759	14	10	10
White	---	615	5	5	2
All other	---	144	9	5	8
Black	---	142	9	5	7
Evergreen Park	---	270	7	6	1
Forest Park	---	164	4	3	2
Franklin Park	---	172	3	2	-
Glencoe	---	52	1	1	-
Glenview	---	323	3	3	5
Hanover Park, part	---	65	7	3	4
Hanover Park, total	---	80	9	5	7
Harvey	---	281	19	11	6
White	---	151	3	-	-
All other	---	130	16	11	6
Black	---	130	16	11	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Hazel Crest	---	96	3	2	1
Hickory Hills	---	88	4	4	2
Hinsdale, part	---	23	1	1	-
Hoffman Estates	---	144	9	6	5
Homewood	---	198	3	2	2
La Grange	---	184	2	1	1
La Grange Park	---	153	3	3	-
Lansing	---	217	8	7	3
Lincolnwood	---	99	2	1	-
Lyons	---	115	2	2	4
Markham	---	92	6	5	-
White	---	26	-	-	-
All other	---	66	6	5	-
Black	---	66	6	5	-
Maywood	---	199	7	5	6
White	---	109	-	-	-
All other	---	90	7	5	6
Black	---	90	7	5	6
Melrose Park	---	248	9	9	1
Midlothian	---	125	1	1	-
Morton Grove	---	201	2	1	-
Mount Prospect	---	294	6	4	3
Niles	---	404	2	1	2
Norridge	---	196	2	1	1
Northbrook	---	244	5	3	6
Northlake, part	---	135	4	3	3
Northlake, total	---	136	4	3	3
Oak Forest	---	115	2	1	4
Oak Lawn	---	603	5	5	4
Oak Park	---	561	9	6	11
Palatine	---	233	10	9	11
Park Forest, part	---	138	6	6	6
Park Forest, total	---	144	6	6	6
Park Ridge	---	369	3	3	2
Riverdale	---	170	2	1	2
River Forest	---	114	1	-	-
River Grove	---	98	1	1	1
Riverside	---	84	2	2	2
Rolling Meadows	---	94	3	2	4
Schaumburg, part	---	251	5	3	8
Schaumburg, total	---	253	5	3	8
Schiller Park	---	58	2	1	5
Skokie	---	557	3	3	3
South Holland	---	216	-	-	2
Streamwood	---	55	4	3	1
Summit	---	80	1	-	-
White	---	68	-	-	-
All other	---	12	1	-	-
Black	---	12	1	-	-
Tinley Park, part	---	167	11	10	5
Tinley Park, total	---	167	11	10	5
Westchester	---	168	-	-	1
Western Springs	---	88	-	-	-
Wheeling	---	122	6	5	1
Wilmette	---	232	-	-	2
Winnetka	---	97	-	-	-
Worth	---	107	5	5	-
Balance of county	---	3,113	81	59	53
White	---	2,869	53	39	40
All other	---	244	28	20	13
Black	---	236	26	18	11
Crawford	186	239	5	4	1
Cumberland	48	120	2	2	-
De Kalb	532	535	11	7	9
De Kalb	---	136	2	2	3
Balance of county	---	399	9	5	6
De Witt	142	195	3	1	5
Douglas	125	188	4	3	2
Du Page	3,671	3,812	89	74	76
Addison	---	123	3	2	2
Bensenville, part	---	159	3	3	1
Bensenville, total	---	165	3	3	1
Chicago, part	---	-	-	-	-
Downers Grove	---	325	4	3	7
Elk Grove Village, part	---	-	-	-	-
Elmhurst	---	378	6	4	6
Glendale Heights	---	67	5	5	3
Glen Ellyn	---	158	2	2	4
Hanover Park, part	---	15	2	2	3
Hinsdale, part	---	125	-	-	1
Hinsdale, total	---	148	1	1	1
Lombard	---	223	1	1	1
Naperville	---	253	7	7	2
Northlake, part	---	1	-	-	-
Schaumburg, part	---	2	-	-	-
Villa Park	---	158	3	3	2
West Chicago	---	107	4	2	6
Wheaton	---	265	6	6	7
Woodridge	---	51	4	3	2
Balance of county	---	1,382	39	31	29
Edgar	230	271	2	2	5
Illinois-Con.					
Edwards	29	100	1	1	2
Effingham	350	287	7	7	8
Fayette	179	235	4	4	3
Ford	165	176	4	2	3
Franklin	446	577	6	4	8
Fulton	398	502	3	2	6
Canton	---	193	1	1	1
Balance of county	---	309	2	1	5
Gallatin	27	97	1	1	-
Greene	157	191	4	4	3
Grundy	199	250	4	4	2
Hamilton	92	126	1	1	4
Hancock	164	271	4	3	1
Hardin	74	83	1	-	-
Henderson	14	74	2	1	2
Henry	434	520	13	10	6
Kewanee	---	172	6	5	2
Balance of county	---	348	7	5	4
Iroquois	253	347	7	3	3
Jackson	531	471	5	4	6
Carbondale	---	136	2	2	3
White	---	112	1	1	3
All other	---	24	1	1	-
Black	---	23	-	-	-
Murphysboro	---	153	2	1	1
Balance of county	---	182	1	1	2
Jasper	44	123	1	-	2
Jefferson	383	400	4	4	6
Mount Vernon	---	228	4	4	5
Balance of county	---	172	-	-	1
Jersey	181	207	6	4	2
Jo Daviess	112	227	4	-	2
Johnson	25	87	-	-	-
Kane	2,348	2,110	61	40	37
Aurora	---	709	25	16	15
Carpentersville	---	97	9	6	5
Elgin, part	---	555	9	6	12
Elgin, total	---	595	10	6	13
St. Charles	---	131	2	2	-
Balance of county	---	618	16	10	6
Kankakee	859	860	27	22	14
White	751	745	17	15	9
All other	108	115	10	7	5
Black	107	114	10	7	5
Kankakee	---	336	6	3	5
White	---	294	2	1	3
All other	---	42	4	2	2
Black	---	41	4	2	2
Balance of county	---	524	21	19	9
White	---	451	15	14	6
All other	---	73	6	5	3
Black	---	73	6	5	3
Kendall	88	183	4	4	6
Knox	706	662	11	7	10
Galesburg	---	417	7	5	5
Balance of county	---	245	4	2	5
Lake	3,029	2,770	82	58	61
White	2,847	2,585	65	45	48
All other	182	185	17	13	13
Black	169	173	17	13	11
Arlington Heights, part	---	-	-	-	-
Buffalo Grove, part	---	11	-	-	1
Deerfield, part	---	123	1	-	2
Deerfield, total	---	132	1	-	2
Highland Park	---	192	5	5	1
Lake Forest	---	97	1	1	1
Libertyville	---	155	3	3	2
Mundelein	---	96	1	-	3
North Chicago	---	125	9	6	4
White	---	63	4	1	1
All other	---	62	5	5	3
Black	---	62	5	5	3
Waukegan	---	579	22	16	14
White	---	494	12	10	10
All other	---	85	10	6	4
Black	---	78	10	6	4
Zion	---	156	6	2	5
White	---	138	5	1	2
All other	---	18	1	1	3
Black	---	17	1	1	3
Balance of county	---	1,236	34	25	28
La Salle	1,064	1,137	11	7	12
La Salle	---	151	1	1	1
Ottawa	---	214	4	4	3
Peru	---	121	-	-	1
Streator, part	---	160	2	1	-
Streator, total	---	160	2	1	-
Balance of county	---	491	4	1	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Illinois-Con.					
Lawrence	194	262	1	1	5
Lee	346	369	10	6	3
Dixon	---	205	2	2	3
Balance of county	---	164	8	4	-
Livingston	313	388	8	6	2
Streator, part	---	-	-	-	-
Balance of county	---	388	8	6	2
Logan	313	370	5	2	3
Lincoln	---	209	4	1	1
Balance of county	---	161	1	1	2
McDonough	286	271	-	-	2
Macomb	---	132	-	-	-
Balance of county	---	139	-	-	2
McHenry	863	1,077	20	14	16
Crystal Lake	---	165	1	1	-
Woodstock	---	136	1	1	-
Balance of county	---	776	18	12	16
McLean	778	841	25	21	17
Bloomington	---	428	11	9	7
Normal	---	139	6	6	-
Balance of county	---	274	8	6	10
Macon	1,421	1,225	28	15	14
White	1,334	1,130	19	9	10
All other	87	95	9	6	4
Black	87	95	9	6	4
Decatur	---	1,035	23	12	10
White	---	941	14	8	6
All other	---	94	9	6	4
Black	---	94	9	6	4
Balance of county	---	190	5	3	4
Macoupin	361	558	9	7	7
Madison	2,083	2,356	41	30	25
White	1,956	2,220	35	25	20
All other	127	136	6	5	5
Black	126	135	6	5	5
Alton	---	420	10	7	6
White	---	357	7	5	4
All other	---	63	3	2	2
Black	---	63	3	2	2
Collinsville, part	---	226	2	1	5
Collinsville, total	---	240	2	1	5
Edwardsville	---	157	1	1	2
Granite City	---	440	6	6	1
Wood River	---	108	1	1	-
Balance of county	---	1,005	21	14	11
Marion	547	536	6	5	5
Centralia, part	---	208	3	2	1
White	---	184	3	2	1
All other	---	24	-	-	-
Black	---	24	-	-	-
Centralia, total	---	241	3	2	1
Balance of county	---	328	3	3	4
Marshall	64	132	2	-	2
Mason	87	178	-	-	3
Massac	175	185	1	-	1
Menard	58	115	1	1	1
Mercer	131	187	2	2	3
Monroe	94	198	4	4	3
Montgomery	378	351	2	2	7
Morgan	464	423	15	9	4
Jacksonville	---	314	12	6	2
Balance of county	---	109	3	3	2
Moultrie	103	164	1	-	2
Ogle	273	422	6	3	5
Peoria	2,265	1,691	42	32	26
White	2,146	1,570	28	24	17
All other	119	121	14	8	9
Black	116	120	14	8	9
Pekin, part	---	3	-	-	-
Peoria	---	1,131	29	22	17
White	---	1,016	16	15	9
All other	---	115	13	7	8
Black	---	114	13	7	8
Balance of county	---	557	13	10	9
Perry	213	257	1	1	4
Piatt	85	157	5	3	1
Pike	186	241	4	3	1
Pope	16	44	1	1	1
Pulaski	15	112	2	-	-
White	13	73	-	-	-
All other	2	39	2	-	-
Black	2	39	2	-	-
Putnam	13	45	-	-	2
Randolph	430	363	8	5	6
Richland	328	220	2	2	5
Rock Island	1,539	1,551	38	28	33
East Moline	---	196	4	4	7
Moline	---	448	9	5	5
Rock Island	---	564	16	12	9
White	---	504	9	7	4
All other	---	60	7	5	5
Black	---	59	7	5	5
Balance of county	---	343	9	7	12
St. Clair	2,625	2,699	59	42	37
White	2,065	2,038	25	18	20
All other	560	661	34	24	17
Black	559	660	34	24	17
Belleville	---	662	7	6	3
Cahokia	---	154	4	3	2
Centreville	---	61	2	2	-
White	---	11	-	-	-
All other	---	50	2	2	-
Black	---	50	2	2	-
Collinsville, part	---	14	-	-	-
East St. Louis	---	639	31	22	19
White	---	89	3	2	2
All other	---	550	28	20	17
Black	---	550	28	20	17
Balance of county	---	1,169	15	9	13
Saline	433	403	4	3	2
Sangamon	2,259	1,724	55	40	21
Springfield	---	1,186	41	28	16
Balance of county	---	538	14	12	5
Schuyler	143	103	-	-	-
Scott	27	78	-	-	2
Shelby	132	254	5	4	3
Stark	34	88	-	-	2
Stephenson	472	482	5	2	5
Freeport	---	293	5	2	2
Balance of county	---	189	-	-	3
Tazewell	636	908	33	26	19
East Peoria	---	161	6	6	2
Morton	---	86	1	1	4
Pekin, part	---	327	11	8	4
Pekin, total	---	330	11	8	4
Balance of county	---	334	15	11	9
Union	196	221	5	2	2
Vermilion	1,195	1,011	24	18	15
Danville	---	502	17	11	13
White	---	451	13	9	8
All other	---	51	4	2	5
Black	---	51	4	2	4
Balance of county	---	509	7	7	2
Wabash	163	177	1	-	5
Warren	224	233	2	2	4
Monmouth	---	133	2	2	2
Balance of county	---	100	-	-	2
Washington	173	216	2	1	2
Wayne	162	208	3	2	3
White	198	237	4	3	1
Whiteside	506	591	9	5	11
Rock Falls	---	100	-	-	-
Sterling	---	190	7	3	6
Balance of county	---	301	2	2	5
Will	1,723	2,020	66	44	48
White	1,603	1,883	50	33	38
All other	120	137	16	11	10
Black	119	135	16	11	9
Joliet	---	865	23	15	21
White	---	782	14	9	16
All other	---	83	9	6	5
Black	---	82	9	6	4
Park Forest, part	---	6	-	-	-
Romeoville	---	51	3	3	1
Tinley Park, part	---	-	-	-	-
Balance of county	---	1,098	40	26	26
Williamson	712	654	11	6	6
Marion	---	188	1	1	2
Balance of county	---	466	10	5	4
Winnebago	2,223	1,994	60	46	28
White	2,112	1,885	51	41	19
All other	111	109	9	5	9
Black	103	102	9	5	8
Loves Park	---	101	3	2	-
Rockford	---	1,380	38	29	21
White	---	1,290	30	24	13
All other	---	90	8	5	8
Black	---	84	8	5	7
Balance of county	---	513	19	15	7
Woodford	161	264	1	-	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Indiana	47,532	47,309	993	681	704
White	44,236	43,958	809	574	577
All other	3,296	3,351	184	107	127
Black	3,259	3,320	182	106	124
Adams	161	223	5	3	7
Allen	2,726	2,194	51	31	33
White	2,577	2,045	41	29	26
All other	149	149	10	2	7
Black	148	148	10	2	7
Fort Wayne	---	1,704	42	27	20
White	---	1,555	32	25	14
All other	---	149	10	2	6
Black	---	148	10	2	6
Balance of county	---	490	9	4	13
Bartholomew	492	456	13	10	5
Columbus	---	280	7	6	3
Balance of county	---	176	6	4	2
Benton	41	99	3	3	1
Blackford	100	164	3	1	2
Boone	265	339	6	6	6
Brown	40	82	1	-	1
Carroll	73	169	1	1	1
Cass	336	415	6	3	5
Logansport	---	250	5	2	2
Balance of county	---	165	1	1	3
Clark	610	703	15	11	13
Clarksville	---	145	5	4	3
Jeffersonville	---	278	5	3	5
White	---	253	4	2	5
All other	---	25	1	1	-
Black	---	25	1	1	-
Balance of county	---	260	5	4	5
Clay	224	294	5	4	6
Clinton	299	380	5	2	5
Frankfort	---	219	3	2	2
Balance of county	---	161	2	-	3
Crawford	33	108	2	1	3
Daviess	322	309	4	1	3
Washington	---	159	1	1	1
Balance of county	---	150	3	-	2
Dearborn	314	320	6	4	2
Decatur	184	220	1	1	2
De Kalb	224	295	3	2	2
Delaware	1,234	1,101	27	19	16
Muncie	---	806	21	16	11
Balance of county	---	295	6	3	5
Dubois	313	272	6	5	2
Elkhart	1,027	1,016	25	18	27
Elkhart	---	430	13	12	6
Goshen	---	208	4	3	5
Balance of county	---	378	8	3	16
Fayette	193	226	2	-	2
Connersville	---	174	1	-	-
Balance of county	---	52	1	-	2
Floyd	592	561	8	5	4
New Albany	---	455	7	5	1
Balance of county	---	106	1	-	3
Fountain	66	189	1	1	2
Franklin	48	154	6	6	3
Fulton	131	189	5	5	4
Gibson	273	335	7	7	1
Grant	753	691	15	11	12
Marion	---	419	10	6	6
White	---	379	9	6	6
All other	---	40	1	-	-
Black	---	40	1	-	-
Balance of county	---	272	5	5	6
Greene	301	378	5	2	7
Hamilton	365	507	3	1	8
Hancock	321	320	11	10	7
Harrison	167	204	1	1	2
Hendricks	359	453	9	8	4
Henry	386	481	4	3	1
New Castle	---	233	1	1	-
Balance of county	---	248	3	2	1
Howard	676	680	17	16	15
Kokomo	---	518	15	14	12
Balance of county	---	162	2	2	3
Huntington	255	343	6	3	2
Huntington	---	157	3	2	2
Balance of county	---	186	3	1	-
Jackson	335	376	6	4	5
Seymour	---	170	3	3	1
Indiana-Con.					
Balance of county	---	206	3	1	4
Jasper	142	202	5	3	4
Jay	160	233	7	3	1
Jefferson	320	277	3	2	2
Madison	---	160	2	1	2
Balance of county	---	117	1	1	-
Jennings	142	184	5	4	2
Johnson	572	596	13	11	4
Franklin	---	147	1	1	-
Greenwood	---	217	3	3	2
Balance of county	---	232	9	7	2
Knox	593	511	3	3	6
Vincennes	---	260	1	1	3
Balance of county	---	251	2	2	3
Kosciusko	321	484	9	5	6
Lagrange	152	172	5	5	5
Lake	4,581	4,301	138	91	120
White	3,594	3,244	65	45	70
All other	987	1,057	73	46	50
Black	979	1,051	73	46	50
Crown Point	---	209	4	4	3
East Chicago	---	400	8	5	6
White	---	272	2	1	1
All other	---	128	6	4	5
Black	---	128	6	4	5
Gary	---	1,446	73	44	54
White	---	571	11	7	13
All other	---	875	62	37	41
Black	---	875	62	37	41
Griffith	---	123	5	3	4
Hammond	---	798	18	11	20
Highland	---	137	4	3	5
Hobart	---	193	4	4	2
Munster	---	142	4	4	3
Balance of county	---	853	18	13	23
La Porte	1,039	1,033	21	14	12
La Porte	---	282	4	2	4
Michigan City	---	439	10	7	8
White	---	391	6	5	4
All other	---	48	4	2	4
Black	---	47	4	2	4
Balance of county	---	312	7	5	-
Lawrence	358	365	6	5	3
Bedford	---	169	1	1	2
Balance of county	---	196	5	4	1
Madison	1,069	1,233	15	8	18
Anderson	---	723	6	3	12
White	---	680	4	3	5
All other	---	43	2	-	7
Black	---	43	2	-	7
Elwood	---	122	-	-	-
Balance of county	---	388	9	5	6
White	---	385	9	5	6
All other	---	3	-	-	-
Black	---	3	-	-	-
Marion	8,554	6,897	191	126	93
White	7,173	5,561	131	89	61
All other	1,381	1,336	60	37	32
Black	1,372	1,331	60	37	32
Beech Grove	---	133	6	3	-
Indianapolis	---	6,617	181	120	88
White	---	5,285	121	83	56
All other	---	1,332	60	37	32
Black	---	1,327	60	37	32
Lawrence	---	23	-	-	-
Speedway	---	28	-	-	1
Balance of county	---	96	4	3	4
Marshall	338	380	3	3	3
Martin	28	86	-	-	-
Miami	205	294	11	9	4
Peru	---	172	7	6	1
Balance of county	---	122	4	3	3
Monroe	666	540	16	11	8
Bloomington	---	342	12	9	3
Balance of county	---	198	4	2	5
Montgomery	265	319	4	4	3
Crawfordsville	---	160	1	1	1
Balance of county	---	159	3	3	2
Morgan	296	403	7	3	7
Newton	83	142	1	1	2
Noble	224	287	2	2	7
Ohio	19	37	-	-	1
Orange	155	190	-	-	3
Owen	60	131	4	2	1
Parke	87	181	1	1	1
Perry	172	206	3	1	-
Pike	73	161	-	-	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Indiana-Con.					
Porter	738	715	25	18	13
Portage	- - -	150	2	-	2
Valparaiso	- - -	203	9	8	5
Balance of county	- - -	362	14	10	6
Posey	58	202	-	-	4
Pulaski	120	125	2	2	-
Putnam	216	260	1	-	7
Randolph	199	295	3	2	4
Ripley	196	243	3	2	4
Rush	154	214	5	4	2
St. Joseph	2,433	2,228	51	32	37
White	2,267	2,054	45	29	29
All other	166	174	6	3	8
Black	164	172	6	3	8
Mishawaka	- - -	402	9	3	6
South Bend	- - -	1,289	26	17	23
White	- - -	1,125	21	14	15
All other	- - -	164	5	3	8
Black	- - -	162	5	3	8
Balance of county	- - -	537	16	12	8
Scott	147	194	2	2	1
Shelby	288	348	9	4	6
Shelbyville	- - -	167	6	2	2
Balance of county	- - -	181	3	2	4
Spencer	80	180	4	3	1
Starke	185	228	7	5	3
Steuben	164	183	4	3	3
Sullivan	206	272	3	2	9
Switzerland	32	82	-	-	1
Tippecanoe	1,119	751	13	10	14
Lafayette	- - -	433	8	6	6
West Lafayette	- - -	102	1	-	5
Balance of county	- - -	216	4	4	3
Tipton	134	143	2	2	1
Union	24	61	3	3	-
Vanderburgh	2,423	1,753	26	19	12
White	2,307	1,633	20	18	10
All other	116	120	6	1	2
Black	113	119	6	1	2
Evansville	- - -	1,628	26	19	12
White	- - -	1,513	20	18	10
All other	- - -	115	6	1	2
Black	- - -	115	6	1	2
Balance of county	- - -	125	-	-	-
Vermillion	174	229	1	1	1
Vigo	1,378	1,168	18	12	12
Terre Haute	- - -	797	12	9	6
Balance of county	- - -	371	6	3	6
Wabash	311	354	7	2	1
Wabash	- - -	144	2	-	1
Balance of county	- - -	210	5	2	-
Warren	80	92	2	1	3
Warrick	159	281	3	3	2
Washington	175	195	8	5	1
Wayne	782	741	11	8	15
Richmond	- - -	518	7	4	9
Balance of county	- - -	223	4	4	6
Wells	273	191	2	2	2
White	140	256	5	5	2
Whitley	211	234	6	3	1
Iowa	26,772	26,949	459	297	328
White	26,387	26,588	434	284	315
All other	385	361	25	13	13
Black	324	306	21	10	10
Adair	77	110	-	-	1
Adams	74	67	1	1	-
Allamakee	163	169	2	2	1
Appanoose	150	198	1	1	-
Audubon	60	102	2	2	-
Benton	129	212	5	4	10
Black Hawk	1,190	1,041	26	18	16
Cedar Falls	- - -	213	5	3	4
Waterloo	- - -	670	15	10	12
Balance of county	- - -	158	6	5	-
Boone	248	281	5	3	3
Boone	- - -	178	3	3	1
Balance of county	- - -	103	2	-	2
Bremer	194	213	5	3	4
Buchanan	119	170	6	2	5
Buena Vista	216	240	2	2	1
Butler	86	161	4	4	2
Calhoun	155	164	3	1	1
Iowa-Con.					
Carroll	215	240	1	1	4
Cass	205	190	3	2	3
Cedar	107	176	5	3	3
Cerro Gordo	619	484	6	3	8
Mason City	- - -	324	5	3	3
Balance of county	- - -	160	1	-	5
Cherokee	164	172	1	-	1
Chickasaw	131	161	1	1	2
Clarke	79	101	2	-	-
Clay	181	171	3	2	3
Spencer	- - -	115	2	1	3
Balance of county	- - -	56	1	1	-
Clayton	131	218	2	-	4
Clinton	582	580	7	4	8
Clinton	- - -	382	2	1	5
Balance of county	- - -	198	5	3	3
Crawford	162	201	7	5	3
Dallas	156	259	-	-	6
Davis	143	118	2	1	1
Decatur	115	98	1	1	2
Delaware	153	169	8	5	3
Des Moines	477	407	9	5	3
Burlington	- - -	320	7	5	1
Balance of county	- - -	87	2	-	2
Dickinson	123	151	1	-	1
Dubuque	986	847	10	8	9
Dubuque	- - -	666	8	7	6
Balance of county	- - -	181	2	1	3
Emmet	120	135	3	2	1
Fayette	207	291	9	7	4
Floyd	205	198	2	2	1
Franklin	101	135	3	2	4
Fremont	108	122	1	-	1
Greene	156	165	4	2	-
Grundy	80	123	3	3	1
Guthrie	112	149	-	-	1
Hamilton	101	165	1	-	1
Hancock	122	146	3	3	3
Hardin	183	262	1	1	6
Harrison	138	198	-	-	2
Henry	158	180	1	1	2
Howard	114	140	2	1	1
Humboldt	77	113	-	-	-
Ida	86	99	-	-	1
Iowa	114	152	-	-	2
Jackson	164	226	4	3	3
Jasper	242	344	3	1	6
Newton	- - -	183	2	-	5
Balance of county	- - -	161	1	1	1
Jefferson	139	169	3	2	2
Johnson	1,543	392	13	9	9
Iowa City	- - -	231	9	6	7
Balance of county	- - -	161	4	3	2
Jones	147	209	2	2	2
Keokuk	100	189	1	1	1
Kossuth	118	210	1	-	2
Lee	455	457	7	4	4
Fort Madison	- - -	155	2	2	3
Keokuk	- - -	181	-	-	-
Balance of county	- - -	121	5	2	1
Linn	1,315	1,227	22	15	12
Cedar Rapids	- - -	864	14	10	7
Marion	- - -	122	2	2	2
Balance of county	- - -	241	6	3	3
Louisa	62	119	1	1	1
Lucas	92	130	-	-	1
Lyon	77	105	1	-	-
Madison	105	140	-	-	1
Mahaska	227	244	4	2	6
Oskaloosa	- - -	148	4	2	2
Balance of county	- - -	96	-	-	4
Marion	261	297	4	3	4
Marshall	428	413	4	1	3
Marshalltown	- - -	279	1	-	2
Balance of county	- - -	134	3	1	1
Mills	58	123	3	3	2
Mitchell	153	140	4	3	-
Monona	137	139	-	-	2
Monroe	94	139	2	2	2
Montgomery	147	150	1	-	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Iowa-Con.					
Muscatine	297	362	12	7	5
Muscatine	---	229	9	5	4
Balance of county	---	133	3	2	1
O'Brien	154	167	1	1	3
Osceola	82	94	-	-	1
Page	260	280	1	-	1
Palo Alto	123	147	4	3	2
Plymouth	159	207	3	1	1
Pocahontas	116	133	2	1	2
Polk	3,145	2,397	59	39	35
White	3,008	2,258	48	32	31
All other	137	139	11	7	4
Black	127	129	11	7	4
Des Moines	---	1,776	48	32	29
White	---	1,642	37	25	25
All other	---	134	11	7	4
Black	---	125	11	7	4
Urbandale	---	57	2	2	-
West Des Moines	---	156	1	1	-
Balance of county	---	408	8	4	6
Pottawattamie	673	770	21	12	9
Council Bluffs	---	574	16	10	8
Balance of county	---	196	5	2	1
Poweshiek	164	187	4	4	2
Ringgold	94	89	-	-	-
Sac	120	173	3	2	1
Scott	1,209	1,209	29	18	23
Bettendorf	---	147	3	3	5
Davenport	---	923	19	10	15
Balance of county	---	139	7	5	3
Shelby	144	158	2	-	1
Sioux	190	229	3	1	2
Story	453	362	8	7	3
Ames	---	156	5	5	2
Balance of county	---	206	3	2	1
Tama	133	234	2	2	2
Taylor	53	127	-	-	-
Union	157	174	-	-	6
Van Buren	61	99	4	2	-
Wapello	459	476	5	5	3
Ottumwa	---	373	3	3	1
Balance of county	---	103	2	2	2
Warren	131	215	4	2	6
Washington	174	203	1	-	2
Wayne	107	139	1	1	-
Webster	505	490	6	3	3
Fort Dodge	---	334	5	3	3
Balance of county	---	156	1	-	-
Winnebago	111	146	-	-	-
Winneshiek	147	190	3	2	1
Woodbury	1,298	972	30	20	10
Sioux City	---	806	20	12	6
Balance of county	---	166	10	8	4
Worth	50	105	3	1	-
Wright	167	209	4	3	-
Kansas	21,131	21,701	470	334	311
White	20,026	20,598	390	279	263
All other	1,105	1,103	80	55	48
Black	1,002	1,013	70	49	41
Allen	199	210	4	3	-
Anderson	120	131	2	2	-
Atchison	197	218	6	4	3
Atchison	---	162	3	2	3
Balance of county	---	56	3	2	-
Barber	83	106	4	4	1
Barton	365	331	7	3	6
Great Bend	---	179	4	2	2
Balance of county	---	152	3	1	4
Bourbon	271	231	1	-	1
Brown	142	172	2	-	3
Butler	328	400	3	2	5
El Dorado	---	159	1	-	2
Balance of county	---	241	2	2	3
Chase	23	41	-	-	1
Chautauqua	84	68	-	-	-
Cherokee	202	279	1	-	2
Cheyenne	25	40	3	3	-
Clark	37	30	1	1	-
Clay	111	134	3	3	-
Cloud	216	192	5	4	2
Coffey	76	119	-	-	1
Comanche	26	31	-	-	1
Kansas-Con.					
Cowley	395	438	5	-	-
Arkansas City	---	184	1	-	-
Winfield	---	147	4	-	-
Balance of county	---	107	-	-	-
Crawford	466	503	5	3	3
Pittsburg	---	249	4	2	3
Balance of county	---	254	1	1	-
Decatur	55	58	-	-	-
Dickinson	188	232	-	-	4
Doniphan	36	94	1	-	2
Douglas	351	358	10	6	13
Lawrence	---	256	7	4	10
Balance of county	---	102	3	2	3
Edwards	43	46	-	-	-
Elk	28	56	-	-	1
Ellis	250	170	3	2	8
Hays	---	102	2	2	5
Balance of county	---	68	1	-	3
Ellsworth	80	88	-	-	4
Finney	196	139	11	7	1
Garden City	---	120	9	6	-
Balance of county	---	19	2	1	1
Ford	238	205	10	8	1
Dodge City	---	139	8	7	1
Balance of county	---	66	2	1	-
Franklin	199	238	3	1	4
Ottawa	---	137	2	-	4
Balance of county	---	101	1	1	-
Geary	166	174	16	10	13
White	141	139	11	5	5
All other	25	35	5	5	8
Black	21	30	5	5	7
Junction City	---	127	7	4	10
White	---	99	5	2	3
All other	---	28	2	2	7
Black	---	23	2	2	6
Balance of county	---	47	9	6	3
White	---	40	6	3	2
All other	---	7	3	3	1
Black	---	7	3	3	1
Gove	36	37	-	-	2
Graham	33	42	1	-	-
Grant	47	46	4	3	3
Gray	29	49	1	-	2
Greeley	22	24	1	1	1
Greenwood	92	118	3	2	2
Hamilton	31	36	1	1	1
Harper	96	96	-	-	3
Harvey	415	284	3	2	4
Newton	---	172	3	2	4
Balance of county	---	112	-	-	-
Haskell	15	25	1	1	-
Hodgeman	22	34	-	-	-
Jackson	85	117	1	1	3
Jefferson	116	139	3	2	2
Jewell	44	92	-	-	1
Johnson	1,244	1,572	41	32	23
Leawood	---	86	1	1	2
Merriam	---	79	1	-	-
Olathe	---	178	13	10	7
Overland Park	---	435	14	10	3
Prairie Village	---	161	3	3	1
Shawnee	---	134	2	2	3
Balance of county	---	499	7	6	7
Kearny	9	20	3	3	1
Kingman	87	92	2	1	1
Kiowa	53	52	2	-	-
Labette	292	307	4	4	5
Parsons	---	173	4	4	4
Balance of county	---	134	-	-	1
Lane	16	33	-	-	-
Leavenworth	482	445	14	8	3
White	431	408	14	8	3
All other	51	37	-	-	-
Black	47	34	-	-	-
Leavenworth	---	313	7	6	3
White	---	279	7	6	3
All other	---	34	-	-	-
Black	---	32	-	-	-
Balance of county	---	132	7	2	-
Lincoln	52	63	1	1	-
Linn	62	123	1	-	1
Logan	35	43	1	-	1
Lyon	278	285	4	2	6
Emporia	---	229	4	2	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Deaths by place of residence: Under 1 year	Deaths by place of residence: Under 28 days	Fetal deaths by place of residence
Kansas-Con.					
Balance of county	---	56	-	-	1
McPherson	252	274	4	4	3
McPherson	---	109	2	2	3
Balance of county	---	165	2	2	-
Marion	133	159	4	3	-
Marshall	149	180	-	-	1
Meade	45	59	1	1	-
Miami	199	228	2	2	4
Mitchell	127	111	1	1	1
Montgomery	475	520	7	6	12
Coffeyville	---	183	-	-	4
White	---	160	-	-	3
All other	---	23	-	-	1
Black	---	23	-	-	1
Independence	---	159	3	3	4
White	---	144	3	3	4
All other	---	15	-	-	-
Black	---	15	-	-	-
Balance of county	---	178	4	3	4
Morris	77	99	2	1	-
Morton	21	21	1	1	1
Nemaha	102	134	1	1	4
Neosho	212	224	4	1	4
Chanute	---	150	4	1	3
Balance of county	---	74	-	-	1
Ness	52	58	-	-	-
Norton	79	91	-	-	2
Osage	120	163	7	7	1
Osborne	57	87	1	1	-
Ottawa	73	77	1	1	-
Pawnee	78	97	1	-	4
Phillips	74	90	1	1	-
Pottawatomie	108	126	3	3	1
Manhattan, part	---	-	-	-	-
Balance of county	---	126	3	3	1
Pratt	129	129	2	1	-
Rawlins	29	51	2	2	1
Reno	478	557	5	4	10
Hutchinson	---	376	4	3	8
Balance of county	---	181	1	1	2
Republic	129	127	-	-	-
Rice	110	146	3	2	2
Riley	230	249	10	9	6
Manhattan, part	---	183	7	6	3
Manhattan, total	---	183	7	6	3
Balance of county	---	66	3	3	3
White	---	65	3	3	3
All other	---	1	-	-	-
Black	---	1	-	-	-
Rooks	58	82	4	3	1
Rush	28	62	-	-	-
Russell	86	111	-	-	-
Saline	451	412	11	7	9
Salina	---	359	9	5	7
Balance of county	---	53	2	2	2
Scott	51	45	-	-	3
Sedgwick	3,367	2,826	99	77	38
White	3,099	2,559	71	56	27
All other	268	267	28	21	11
Black	247	250	27	20	10
Wichita	---	2,502	90	71	34
White	---	2,240	63	50	24
All other	---	262	27	21	10
Black	---	245	26	20	10
Balance of county	---	324	9	6	4
Seward	132	115	4	2	3
Liberal	---	109	3	2	3
Balance of county	---	6	1	-	-
Shawnee	1,665	1,302	21	16	18
White	1,552	1,195	12	9	11
All other	113	107	9	7	7
Black	102	98	8	6	6
Topeka	---	1,158	21	16	17
White	---	1,051	12	9	10
All other	---	107	9	7	7
Black	---	98	8	6	6
Balance of county	---	144	-	-	1
Sheridan	36	45	1	1	1
Sherman	69	83	4	4	1
Smith	87	102	-	-	-
Stafford	77	83	1	1	1
Stanton	17	17	-	-	1
Stevens	27	35	1	1	1
Sumner	271	290	6	5	1
Thomas	53	60	1	1	2
Trego	27	39	-	-	1
Wabaunsee	54	98	-	-	1
Wallace	10	25	-	-	-
Washington	70	109	2	2	1
Wichita	23	34	1	1	-
Wilson	149	160	2	1	1
Woodson	31	73	-	-	-
Wyandotte	1,885	1,730	51	30	25
White	1,501	1,345	27	18	14
All other	364	385	24	12	11
Black	356	381	22	12	10
Kansas City	---	1,622	49	28	24
White	---	1,251	26	17	13
All other	---	371	23	11	11
Black	---	368	21	11	10
Balance of county	---	108	2	2	1
Kentucky	32,965	33,283	697	458	543
White	30,386	30,710	604	390	462
All other	2,579	2,573	93	66	81
Black	2,569	2,564	92	67	78
Adair	113	139	2	1	4
Allen	106	154	2	-	-
Anderson	45	115	2	1	2
Ballard	37	123	1	1	2
Barren	428	334	2	1	7
Glasgow	---	7	-	-	2
Balance of county	---	327	2	1	5
Bath	37	113	4	3	1
Bell	329	350	9	6	4
Middlesborough	---	152	1	1	1
Balance of county	---	198	8	5	3
Boone	335	292	10	6	11
Florence	---	133	6	3	9
Balance of county	---	159	4	3	2
Bourbon	152	216	6	4	5
White	140	195	6	4	4
All other	12	21	-	-	1
Black	12	21	-	-	1
Boyd	605	569	11	8	4
Ashland	---	359	4	2	2
Balance of county	---	210	7	6	2
Boyle	265	245	6	6	-
White	239	211	5	5	-
All other	26	34	1	1	-
Black	26	34	1	1	-
Danville	---	159	3	3	-
White	---	127	3	3	-
All other	---	32	-	-	-
Black	---	32	-	-	-
Balance of county	---	86	3	3	-
Bracken	31	82	1	-	-
Breathitt	65	147	3	3	4
Breckinridge	136	172	5	4	1
Bullitt	91	238	8	6	5
Butler	69	132	2	1	1
Caldwell	139	152	2	-	1
Calloway	276	284	2	2	2
Murray	---	127	-	-	1
Balance of county	---	157	2	2	1
Campbell	899	844	18	11	12
Fort Thomas	---	173	-	-	2
Newport	---	242	9	5	3
Balance of county	---	429	9	6	7
Carlisle	13	60	-	-	2
Carroll	88	107	3	-	1
Carter	84	215	5	3	-
Casey	80	158	3	2	3
Christian	591	499	20	14	15
White	457	367	12	9	11
All other	134	132	8	5	4
Black	134	132	8	5	2
Hopkinsville	---	313	10	7	6
White	---	222	6	4	6
All other	---	91	4	3	-
Black	---	91	4	3	-
Balance of county	---	186	10	7	9
White	---	145	6	5	5
All other	---	41	4	2	4
Black	---	41	4	2	2
Clark	206	218	4	2	5
Winchester	---	155	3	1	5
White	---	128	2	-	4
All other	---	27	1	1	1
Black	---	27	1	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kentucky-Con.					
Balance of county	---	63	1	1	-
Clay	155	172	5	1	4
Clinton	78	102	1	1	1
Crittenden	97	142	3	2	2
Cumberland	62	75	-	-	-
Daviess	874	796	12	7	11
Owensboro	---	603	8	6	9
Balance of county	---	193	4	1	2
Edmonson	21	81	2	2	1
Elliott	24	66	2	2	2
Estill	93	141	3	1	1
Fayette	3,201	1,565	33	22	33
White	2,844	1,302	26	16	25
All other	357	263	7	6	8
Black	355	261	6	5	7
Lexington	---	1,489	31	21	32
White	---	1,233	24	15	24
All other	---	256	7	6	8
Black	---	254	6	5	7
Balance of county	---	76	2	1	1
Fleming	117	131	3	3	2
Floyd	381	391	10	4	9
Franklin	364	387	6	2	6
Frankfort	---	280	3	-	2
White	---	254	2	-	1
All other	---	26	1	-	1
Black	---	26	1	-	1
Balance of county	---	107	3	2	4
Fulton	141	135	1	-	6
White	127	116	1	-	5
All other	14	19	-	-	1
Black	13	19	-	-	1
Gallatin	14	37	-	-	1
Garrard	81	103	1	1	2
Grant	72	131	3	2	1
Graves	319	423	5	2	5
Mayfield	---	160	3	1	4
White	---	146	1	-	1
All other	---	14	2	1	3
Black	---	14	2	1	3
Balance of county	---	263	2	1	1
Grayson	167	223	4	3	4
Green	98	114	3	1	-
Greenup	247	330	5	4	5
Hancock	16	54	-	-	3
Hardin	504	449	30	22	15
Elizabethtown	---	133	6	3	1
Balance of county	---	316	24	19	14
Harlan	388	430	10	2	3
Harrison	226	224	6	4	1
Hart	83	161	4	3	2
Henderson	446	410	7	4	7
Henderson	---	303	6	3	3
White	---	275	5	2	3
All other	---	28	1	1	-
Black	---	27	1	1	-
Balance of county	---	107	1	1	4
Henry	49	144	1	-	3
Hickman	60	78	-	-	-
White	58	70	-	-	-
All other	2	8	-	-	-
Black	2	8	-	-	-
Hopkins	669	518	6	2	5
Madisonville	---	230	5	1	2
White	---	197	3	-	2
All other	---	33	2	1	-
Black	---	33	2	1	-
Balance of county	---	288	1	1	3
Jackson	39	120	2	2	2
Jefferson	7,571	6,426	135	101	118
White	6,428	5,351	94	72	80
All other	1,143	1,075	41	29	38
Black	1,140	1,073	41	29	38
Louisville	---	3,844	65	47	72
White	---	2,893	39	32	38
All other	---	951	26	15	34
Black	---	949	26	15	34
St. Matthews	---	168	2	2	-
Shively	---	189	4	4	-
Balance of county	---	2,225	64	48	46
White	---	2,109	50	35	42
All other	---	116	14	13	4
Black	---	116	14	13	4
Jessamine	64	177	8	6	11
Johnson	153	215	6	5	4
Kenton	1,129	1,345	36	23	11
Covington	---	667	21	11	5
Erlanger	---	98	2	1	1
Kentucky-Con.					
Balance of county	---	580	13	11	5
Knott	60	125	3	3	6
Knox	179	283	3	1	1
Larue	52	108	2	2	-
Laurel	283	318	10	5	4
Lawrence	215	137	2	2	-
Lee	31	77	2	2	1
Leslie	64	96	5	3	-
Letcher	201	248	8	3	2
Lewis	42	120	4	2	2
Lincoln	141	214	4	4	3
Livingston	83	87	-	-	-
Logan	202	250	4	3	4
White	183	222	3	2	4
All other	19	28	1	1	-
Black	19	28	1	1	-
Lyon	33	76	-	-	1
McCracken	1,126	711	5	1	3
White	1,034	644	5	1	2
All other	92	67	-	-	1
Black	92	67	-	-	1
Paducah	---	505	1	1	3
White	---	439	1	1	2
All other	---	66	-	-	1
Black	---	66	-	-	1
Balance of county	---	206	4	-	-
McCreary	62	143	4	3	1
McLean	81	124	2	2	3
Madison	364	352	3	3	5
Richmond	---	139	1	1	1
White	---	118	1	1	1
All other	---	21	-	-	-
Black	---	20	-	-	-
Balance of county	---	213	2	2	4
Magoffin	42	104	2	-	6
Marion	166	158	6	4	-
Marshall	166	231	3	1	4
Martin	33	88	8	3	1
Mason	195	158	1	1	2
Meade	56	129	2	2	4
Menifee	20	51	2	2	2
Mercer	164	186	3	2	2
Metcalfe	31	88	4	3	1
Monroe	117	145	2	1	1
Montgomery	174	153	3	1	2
Morgan	130	137	3	3	3
Muhlenberg	277	348	7	5	6
Nelson	160	209	5	3	6
Nicholas	57	78	1	-	1
Ohio	199	255	2	2	4
Oldham	68	119	6	4	3
Owen	61	90	-	-	5
Owsley	22	48	2	2	-
Pendleton	28	103	1	-	3
Perry	347	309	7	4	2
Pike	689	630	18	14	19
Powell	38	89	1	-	4
Pulaski	554	449	11	7	5
Somerset	---	141	2	-	1
Balance of county	---	308	9	7	4
Robertson	13	26	-	-	-
Rockcastle	98	146	-	-	-
Rowan	259	136	5	5	-
Russell	72	131	3	-	-
Scott	138	181	5	4	5
Shelby	247	234	6	6	4
White	231	212	6	6	3
All other	16	22	-	-	1
Black	16	22	-	-	1
Simpson	103	146	1	1	3
White	92	125	1	1	1
All other	11	21	-	-	2
Black	11	21	-	-	2
Spencer	17	56	-	-	-
Taylor	178	170	4	2	3
Todd	48	133	-	-	4
White	39	111	-	-	4
All other	9	22	-	-	-
Black	9	22	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Kentucky-Con.					
Trigg	71	103	-	-	-
White	59	87	-	-	-
All other	12	16	-	-	-
Black	12	16	-	-	-
Trimble	12	50	1	-	3
Union	122	170	-	-	2
White	115	158	-	-	2
All other	7	12	-	-	-
Black	7	12	-	-	-
Warren	735	559	11	8	10
Bowling Green	---	327	5	2	5
White	---	283	4	1	4
All other	---	44	1	1	1
Black	---	44	1	1	1
Balance of county	---	232	6	6	5
Washington	33	107	1	1	2
White	27	88	-	-	2
All other	6	19	1	1	-
Black	6	19	1	1	-
Wayne	75	161	3	2	-
Webster	62	205	2	2	3
Whitley	301	289	7	4	4
Wolfe	29	67	2	1	-
Woodford	116	133	1	-	5
White	103	110	1	-	5
All other	13	23	-	-	-
Black	13	23	-	-	-
Louisiana	36,374	36,024	1,130	761	787
White	24,775	24,465	515	351	371
All other	11,599	11,559	615	410	416
Black	11,518	11,481	608	407	412
Acadia	419	532	16	11	12
White	342	445	13	9	8
All other	77	87	3	2	4
Black	77	87	3	2	4
Crowley	---	166	5	4	2
White	---	133	3	3	1
All other	---	33	2	1	1
Black	---	33	2	1	1
Eunice, part	---	-	-	-	-
Balance of parish	---	366	11	7	10
White	---	312	10	6	7
All other	---	54	1	1	3
Black	---	54	1	1	3
Allen	191	231	3	1	4
White	153	176	2	-	3
All other	38	55	1	1	1
Black	38	53	1	1	1
Ascension	224	313	12	7	8
White	149	219	4	4	5
All other	75	94	8	3	3
Black	75	94	8	3	3
Assumption	91	166	7	2	7
White	55	108	5	2	4
All other	36	58	2	-	3
Black	35	58	2	-	3
Avoyelles	357	458	15	9	7
White	278	360	7	6	2
All other	79	98	8	3	5
Black	79	97	8	3	5
Beauregard	198	229	11	9	4
White	162	187	7	5	3
All other	36	42	4	4	1
Black	36	42	4	4	1
Bienville	80	189	1	-	3
White	50	115	-	-	-
All other	30	74	1	-	3
Black	30	74	1	-	3
Bossier	383	538	14	9	11
White	306	405	8	5	6
All other	77	133	6	4	5
Black	77	132	5	4	5
Bossier City	---	313	10	7	3
Shreveport, part	---	2	-	-	2
Balance of parish	---	223	4	2	6
White	---	144	1	-	4
All other	---	79	3	2	2
Black	---	78	2	2	2
Caddo	3,453	2,447	67	43	50
White	2,127	1,483	25	16	21
All other	1,326	964	42	27	29
Black	1,324	963	42	27	29
Shreveport, part	---	2,089	61	41	41
White	---	1,249	21	14	14
All other	---	840	40	27	27
Black	---	839	40	27	27

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Shreveport, total	---	2,091	61	41	43
White	---	1,251	21	14	14
All other	---	840	40	27	29
Black	---	839	40	27	29
Balance of parish	---	358	6	2	9
White	---	234	4	2	7
All other	---	124	2	-	2
Black	---	124	2	-	2
Calcasieu	1,441	1,314	26	22	33
White	1,128	1,015	17	14	23
All other	313	299	9	8	10
Black	309	296	9	8	10
Lake Charles	---	691	12	10	11
White	---	460	6	5	5
All other	---	231	6	5	6
Black	---	229	6	5	6
Sulphur	---	169	2	2	7
Balance of parish	---	454	12	10	15
White	---	393	9	7	13
All other	---	61	3	3	2
Black	---	60	3	3	2
Caldwell	100	117	3	2	-
White	80	96	1	-	-
All other	20	21	2	2	-
Black	20	21	2	2	-
Cameron	60	80	3	2	2
Catahoula	92	125	3	1	1
White	63	100	2	1	-
All other	29	25	1	-	1
Black	29	25	1	-	1
Claiborne	169	220	6	4	3
White	103	123	1	1	2
All other	66	97	5	3	1
Black	66	97	5	3	1
Concordia	154	207	14	11	5
White	79	105	7	6	-
All other	75	102	7	5	5
Black	75	102	7	5	5
De Soto	193	295	6	6	6
White	117	159	2	2	1
All other	76	136	4	4	5
Black	76	136	4	4	5
East Baton Rouge	2,989	2,469	108	84	60
White	1,904	1,501	37	28	31
All other	1,085	968	71	56	29
Black	1,081	963	71	56	29
Baton Rouge	---	2,021	88	68	52
White	---	1,160	22	15	24
All other	---	861	66	53	28
Black	---	857	66	53	28
Balance of parish	---	448	20	16	8
White	---	341	15	13	7
All other	---	107	5	3	1
Black	---	106	5	3	1
East Carroll	120	133	6	3	1
White	27	30	-	-	-
All other	93	103	6	3	1
Black	93	103	6	3	1
East Feliciana	216	165	3	2	5
White	112	93	-	-	2
All other	104	72	3	2	3
Black	103	72	3	2	3
Evangeline	329	369	6	2	11
White	257	303	3	1	7
All other	72	66	3	1	4
Black	72	66	3	1	4
Franklin	221	276	9	5	4
White	155	192	1	1	1
All other	66	84	8	4	3
Black	66	84	8	4	3
Grant	77	157	1	1	4
White	67	134	1	1	2
All other	10	23	-	-	2
Black	10	23	-	-	2
Iberia	488	576	27	17	13
White	329	378	14	9	7
All other	159	198	13	8	6
Black	159	198	13	8	6
New Iberia	---	334	14	8	8
White	---	227	7	4	5
All other	---	107	7	4	3
Black	---	107	7	4	3
Balance of parish	---	242	13	9	5
White	---	151	7	5	2
All other	---	91	6	4	3
Black	---	91	6	4	3
Iberville	222	314	7	3	4
White	111	164	4	2	-
All other	111	150	3	1	4
Black	111	150	3	1	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Jackson	133	175	5	2	2
White	93	129	4	1	-
All other	40	46	1	1	2
Black	40	46	1	1	2
Jefferson	2,895	3,023	107	71	63
White	2,453	2,544	60	42	38
All other	442	479	47	29	25
Black	435	466	47	29	23
Gretna	---	318	13	5	7
White	---	235	7	3	6
All other	---	83	6	2	1
Black	---	83	6	2	1
Harahan	---	80	2	2	-
Kenner	---	316	14	13	9
White	---	235	8	7	7
All other	---	81	6	6	2
Black	---	81	6	6	2
Westwego	---	148	10	7	5
White	---	124	4	3	2
All other	---	24	6	4	3
Black	---	24	6	4	3
Balance of parish	---	2,161	68	44	42
White	---	1,872	39	27	23
All other	---	289	29	17	19
Black	---	276	29	17	17
Jefferson Davis	279	304	5	5	11
White	235	250	4	4	4
All other	44	54	1	1	7
Black	43	54	1	1	7
Jennings	---	113	1	1	5
White	---	86	1	1	2
All other	---	27	-	-	3
Black	---	27	-	-	3
Balance of parish	---	191	4	4	6
White	---	164	3	3	2
All other	---	27	1	1	4
Black	---	27	1	1	4
Lafayette	1,323	911	43	32	33
White	964	697	32	22	21
All other	359	214	11	10	12
Black	356	210	11	10	12
Lafayette	---	600	24	19	17
White	---	434	14	10	7
All other	---	166	10	9	10
Black	---	163	10	9	10
Balance of parish	---	311	19	13	16
White	---	263	18	12	14
All other	---	48	1	1	2
Black	---	47	1	1	2
Lafourche	544	595	18	13	14
White	482	506	13	9	12
All other	62	89	5	4	2
Black	61	88	5	4	2
Thibodaux	---	151	6	5	5
White	---	104	3	3	5
All other	---	47	3	2	-
Black	---	47	3	2	-
Balance of parish	---	444	12	8	9
La Salle	149	192	2	1	-
White	130	169	2	1	-
All other	19	23	-	-	-
Black	19	23	-	-	-
Lincoln	262	269	7	5	5
White	182	167	2	-	1
All other	80	102	5	5	4
Black	80	102	5	5	4
Ruston	---	120	4	3	3
White	---	76	1	-	-
All other	---	44	3	3	3
Black	---	44	3	3	3
Balance of parish	---	149	3	2	2
White	---	91	1	-	1
All other	---	58	2	2	1
Black	---	58	2	2	1
Livingston	271	407	19	16	9
White	248	364	17	14	9
All other	23	43	2	2	-
Black	23	43	2	2	-
Madison	127	173	4	3	2
White	42	64	3	3	-
All other	85	109	1	-	2
Black	85	109	1	-	2
Morehouse	322	340	5	4	4
White	216	214	1	-	1
All other	106	126	4	4	3
Black	106	126	4	4	3
Bastrop	---	176	3	3	4
White	---	109	-	-	1
All other	---	67	3	3	3
Black	---	67	3	3	3
Louisiana-Con.					
Balance of parish	---	164	2	1	-
White	---	105	1	-	-
All other	---	59	1	1	-
Black	---	59	1	1	-
Natchitoches	306	378	5	4	9
White	190	228	2	2	5
All other	116	150	3	2	4
Black	116	150	3	2	4
Natchitoches	---	148	2	2	6
White	---	75	1	1	3
All other	---	73	1	1	3
Black	---	73	1	1	3
Balance of parish	---	230	3	2	3
White	---	153	1	1	2
All other	---	77	2	1	1
Black	---	77	2	1	1
Orleans, coext. with New Orleans city	7,469	6,157	179	117	131
White	4,147	3,234	33	23	21
All other	3,322	2,923	146	94	110
Black	3,301	2,909	145	93	109
Ouachita	1,236	1,108	35	23	19
White	815	743	12	8	12
All other	421	365	23	15	7
Black	420	364	23	15	7
Monroe	---	595	23	14	12
White	---	305	4	1	5
All other	---	290	19	13	7
Black	---	289	19	13	7
West Monroe	---	249	2	2	2
White	---	218	1	1	2
All other	---	31	1	1	-
Black	---	31	1	1	-
Balance of parish	---	264	10	7	5
White	---	220	7	6	5
All other	---	44	3	1	-
Black	---	44	3	1	-
Plaquemines	84	180	10	7	4
White	58	123	6	4	1
All other	26	57	4	3	3
Black	23	56	4	3	3
Pointe Coupee	143	220	8	4	-
White	80	122	2	1	-
All other	63	98	6	3	-
Black	63	98	6	3	-
Rapides	1,733	1,260	37	27	27
White	1,212	878	20	12	12
All other	521	382	17	15	15
Black	520	382	17	15	15
Alexandria	---	613	21	19	18
White	---	337	8	7	5
All other	---	276	13	12	13
Black	---	276	13	12	13
Balance of parish	---	647	16	8	9
White	---	541	12	5	7
All other	---	106	4	3	2
Black	---	106	4	3	2
Red River	141	152	6	3	4
White	82	98	3	2	1
All other	59	54	3	1	3
Black	59	54	3	1	3
Richland	262	247	3	2	3
White	173	145	2	1	2
All other	89	102	1	1	1
Black	89	102	1	1	1
Sabine	206	265	4	2	3
White	160	215	2	-	3
All other	46	50	2	2	-
Black	46	50	2	2	-
St. Bernard	398	530	11	7	8
St. Charles	134	233	15	12	10
White	103	163	7	5	4
All other	31	70	8	7	6
Black	31	70	8	7	6
St. Helena	51	91	-	-	3
White	28	54	-	-	2
All other	23	37	-	-	1
Black	23	37	-	-	1
St. James	124	183	11	5	4
White	68	94	5	3	1
All other	56	89	6	2	3
Black	55	89	6	2	3
St. John the Baptist	137	225	13	9	10
White	97	138	8	6	4
All other	40	87	5	3	6
Black	40	87	5	3	6
St. Landry	624	772	24	17	24
White	421	475	8	6	8
All other	203	297	16	11	16
Black	203	297	16	11	16
Eunice, part	---	118	3	1	6
White	---	87	2	1	4
All other	---	31	1	-	2
Black	---	31	1	-	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Louisiana-Con.					
Eunice, total	---	118	3	1	6
White	---	87	2	1	4
All other	---	31	1	-	2
Black	---	31	1	-	2
Opelousas	---	223	4	3	6
White	---	123	-	-	-
All other	---	100	4	3	6
Black	---	100	4	3	6
Balance of parish	---	431	17	13	12
White	---	265	6	5	4
All other	---	166	11	8	8
Black	---	166	11	8	8
St. Martin	187	297	17	15	9
White	122	188	6	6	4
All other	65	109	11	9	5
Black	64	109	11	9	5
St. Mary	414	501	16	10	10
White	285	331	7	4	6
All other	129	170	9	6	4
Black	126	165	8	5	4
Morgan City	---	155	5	4	2
White	---	124	2	2	1
All other	---	31	3	2	1
Black	---	31	3	2	1
Balance of parish	---	346	11	6	8
White	---	207	5	2	5
All other	---	139	6	4	3
Black	---	134	5	3	3
St. Tammany	719	805	26	18	8
White	613	681	18	13	7
All other	106	124	8	5	1
Black	106	123	8	5	1
Slidell	---	179	6	5	2
White	---	157	6	5	2
All other	---	22	-	-	-
Black	---	22	-	-	-
Balance of parish	---	626	20	13	6
White	---	524	12	8	5
All other	---	102	8	5	1
Black	---	101	8	5	1
Tangipahoa	676	721	36	19	21
White	485	500	17	11	9
All other	191	221	19	8	12
Black	189	220	18	7	12
Hammond	---	130	13	6	1
White	---	81	5	3	-
All other	---	49	8	3	1
Black	---	48	7	2	1
Balance of parish	---	591	23	13	20
White	---	419	12	8	9
All other	---	172	11	5	11
Black	---	172	11	5	11
Tensas	63	88	2	2	3
White	18	31	1	1	1
All other	45	57	1	1	2
Black	45	57	1	1	2
Terrebonne	633	660	25	13	20
White	476	512	17	8	12
All other	157	148	8	5	8
Black	138	129	6	5	7
Houma	---	295	9	8	8
White	---	228	5	4	5
All other	---	67	4	4	3
Black	---	62	4	4	3
Balance of parish	---	365	16	5	12
White	---	284	12	4	7
All other	---	81	4	1	5
Black	---	67	2	1	4
Union	177	228	4	1	-
White	126	163	2	-	-
All other	51	63	2	1	-
Black	51	63	2	1	-
Vermilion	382	431	13	7	14
White	326	364	7	5	11
All other	56	67	6	2	3
Black	54	65	5	2	3
Abbeville	---	151	2	-	6
White	---	113	-	-	3
All other	---	38	2	-	3
Black	---	37	2	-	3
Balance of parish	---	280	11	7	8
White	---	251	7	5	8
All other	---	29	4	2	-
Black	---	28	3	2	-
Vernon	218	342	15	11	12
White	180	292	9	6	9
All other	38	50	6	5	3
Black	36	48	6	5	3
Washington	473	540	9	5	12
White	335	384	3	2	5
All other	138	156	6	3	7
Black	138	156	6	3	7
Louisiana-Con.					
Bogalusa	---	254	2	1	5
White	---	176	2	1	1
All other	---	78	-	-	4
Black	---	78	-	-	4
Balance of parish	---	286	7	4	7
White	---	208	1	1	4
All other	---	78	6	3	3
Black	---	78	6	3	3
Webster	403	503	5	5	4
White	288	362	2	2	3
All other	115	141	3	3	1
Black	115	141	3	3	1
Minden	---	178	5	5	1
White	---	108	2	2	-
All other	---	70	3	3	1
Black	---	70	3	3	1
Balance of parish	---	325	-	-	3
White	---	254	-	-	3
All other	---	71	-	-	-
Black	---	71	-	-	-
West Baton Rouge	59	152	4	3	6
White	23	60	-	-	2
All other	36	92	4	3	4
Black	36	92	4	3	4
West Carroll	70	138	3	1	2
White	57	114	-	-	1
All other	13	24	3	1	1
Black	13	24	3	1	1
West Feliciana	92	84	-	-	1
White	38	35	-	-	-
All other	54	49	-	-	1
Black	54	49	-	-	1
Winn	188	226	5	4	5
White	136	162	4	3	4
All other	52	64	1	1	1
Black	52	64	1	1	1
Maine	10,334	10,387	180	113	94
White	10,303	10,358	179	113	94
All other	31	29	1	-	-
Black	10	9	-	-	-
Androscoggin	902	900	11	4	11
Auburn	---	241	2	1	1
Lewiston	---	413	3	1	1
Balance of county	---	246	6	2	9
Aroostook	689	746	12	6	2
Caribou	---	76	1	-	1
Presque Isle	---	94	1	1	-
Balance of county	---	576	10	5	1
Cumberland	2,409	1,968	37	28	15
Portland	---	738	16	13	6
South Portland	---	218	2	2	1
Westbrook	---	127	1	1	-
Balance of county	---	885	16	12	8
Franklin	207	246	6	3	-
Hancock	410	464	11	9	4
Kennebec	1,358	1,047	18	12	15
Augusta	---	251	5	5	5
Waterville	---	214	2	-	2
Balance of county	---	582	11	7	8
Knox	387	363	4	3	-
Lincoln	190	273	1	-	2
Oxford	432	515	11	5	5
Penobscot	1,199	1,109	23	14	11
Bangor	---	339	6	2	6
Balance of county	---	770	17	12	5
Piscataquis	173	191	2	1	3
Sagadahoc	177	227	4	3	1
Somerset	392	479	7	7	5
Waldo	151	259	6	4	3
Washington	310	363	3	2	4
York	948	1,237	24	12	13
Biddeford	---	216	1	1	3
Saco	---	133	2	2	2
Sanford	---	164	2	-	-
Balance of county	---	724	19	9	8
Maryland	33,488	33,949	771	558	570
White	26,515	26,718	427	309	325
All other	6,973	7,231	344	249	245
Black	6,842	7,085	336	243	232
Allegany	1,092	991	11	9	13
Cumberland	---	415	1	1	4
Balance of county	---	576	10	8	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Deaths by place of residence: Under 1 year	Deaths by place of residence: Under 28 days	Fetal deaths by place of residence
Maryland-Con.					
Anne Arundel	1,813	2,413	61	45	53
White	1,550	2,065	43	30	36
All other	263	348	18	15	17
Black	259	338	18	15	15
Annapolis	---	324	7	6	10
White	---	229	2	2	3
All other	---	95	5	4	7
Black	---	95	5	4	7
Balance of county	---	2,089	54	39	43
White	---	1,836	41	28	33
All other	---	253	13	11	10
Black	---	243	13	11	8
Baltimore	4,505	5,481	84	62	69
White	4,265	5,205	70	50	55
All other	240	276	14	12	14
Black	232	259	13	11	12
Baltimore city	11,529	9,337	213	146	130
White	7,153	5,169	45	29	40
All other	4,376	4,168	168	117	90
Black	4,344	4,154	166	116	89
Calvert	203	257	7	5	2
White	165	205	5	3	2
All other	38	52	2	2	-
Black	38	51	2	2	-
Caroline	82	258	6	4	2
White	70	209	4	2	2
All other	12	49	2	2	-
Black	12	49	2	2	-
Carroll	579	725	15	9	12
Cecil	478	460	6	4	7
Charles	257	372	18	13	9
White	182	268	9	8	6
All other	75	104	9	5	3
Black	72	101	9	5	3
Dorchester	311	367	6	4	6
White	216	257	3	3	1
All other	95	110	3	1	5
Black	95	110	3	1	5
Cambridge	---	181	2	1	1
White	---	117	1	1	-
All other	---	64	1	-	1
Black	---	64	1	-	1
Balance of county	---	186	4	3	5
White	---	140	2	2	1
All other	---	46	2	1	4
Black	---	46	2	1	4
Frederick	749	863	28	22	9
Frederick	---	266	7	6	4
White	---	243	4	3	3
All other	---	23	3	3	1
Black	---	23	3	3	1
Balance of county	---	597	21	16	5
Garrett	264	244	9	8	2
Harford	799	872	27	17	16
White	732	795	24	16	12
All other	67	77	3	1	4
Black	63	75	3	1	4
Aberdeen	---	86	5	3	4
White	---	73	3	2	3
All other	---	13	2	1	1
Black	---	13	2	1	1
Balance of county	---	786	22	14	12
Howard	326	598	13	8	9
Kent	168	179	2	1	2
White	137	141	1	-	1
All other	31	38	1	1	1
Black	31	38	1	1	1
Montgomery	3,937	3,719	72	53	72
White	3,609	3,446	48	34	52
All other	328	273	24	19	20
Black	285	232	21	17	16
Rockville	---	479	13	9	10
Takoma Park, part	---	109	1	1	3
White	---	92	-	-	1
All other	---	17	1	1	2
Black	---	17	1	1	2
Takoma Park, total	---	138	3	3	5
White	---	116	1	1	1
All other	---	22	2	2	4
Black	---	22	2	2	4
Balance of county	---	3,131	58	43	59
White	---	2,892	36	26	45
All other	---	239	22	17	14
Black	---	205	20	16	12
Prince Georges	2,951	3,627	137	105	106
White	2,212	2,636	68	56	30
All other	739	991	69	49	76
Black	711	949	68	48	74
Bowie	---	123	2	1	2
College Park	---	85	-	-	2
Greenbelt	---	66	3	3	5
Maryland-Con.					
Hyattsville	---	410	15	13	7
Laurel	---	114	8	7	5
New Carrollton	---	30	1	1	-
Takoma Park, part	---	29	2	2	2
Balance of county	---	2,770	106	78	83
White	---	1,879	51	41	17
All other	---	891	55	37	66
Black	---	859	54	36	64
Queen Annes	91	246	3	2	9
White	74	176	1	1	7
All other	17	70	2	1	2
Black	17	70	2	1	2
St. Marys	315	410	14	10	12
White	262	337	9	7	9
All other	53	73	5	3	3
Black	51	71	5	3	3
Somerset	136	256	4	3	1
White	101	171	1	1	1
All other	35	85	3	2	-
Black	35	85	3	2	-
Talbot	523	299	3	3	3
White	408	237	1	1	3
All other	115	62	2	2	-
Black	115	62	2	2	-
Washington	1,107	1,016	11	6	18
Hagerstown	---	439	6	3	8
Balance of county	---	577	5	3	10
Wicomico	1,107	626	16	14	7
White	851	484	8	7	6
All other	256	142	8	7	1
Black	256	141	7	6	1
Salisbury	---	154	1	1	2
White	---	102	-	-	2
All other	---	52	1	1	-
Black	---	52	1	1	-
Balance of county	---	472	15	13	5
White	---	382	8	7	4
All other	---	90	7	6	1
Black	---	89	6	5	1
Worcester	166	333	5	5	1
White	136	252	1	1	1
All other	30	81	4	4	-
Black	30	81	4	4	-
Massachusetts	53,409	52,982	720	514	540
White	51,808	51,377	625	449	464
All other	1,601	1,605	95	65	76
Black	1,446	1,451	86	59	70
Barnstable	1,709	1,852	13	7	16
Berkshire	1,576	1,548	24	19	12
North Adams	---	233	4	2	1
Pittsfield	---	574	3	3	3
Balance of county	---	741	17	14	8
Bristol	4,069	4,516	62	47	64
Attleboro	---	304	6	4	6
Fall River	---	1,084	16	13	15
New Bedford	---	1,156	18	15	17
Somerset town #	---	156	-	-	2
Taunton	---	396	6	4	8
Balance of county	---	1,420	16	11	16
Dukes	95	106	1	1	1
Essex	5,933	6,190	74	54	59
Beverly	---	330	8	7	4
Danvers town #	---	229	4	3	-
Gloucester	---	304	3	3	2
Haverhill	---	516	3	2	3
Lawrence	---	694	12	7	10
Lynn	---	982	8	6	8
Marblehead town #	---	169	1	-	1
Methuen town #	---	335	5	3	1
Newburyport	---	174	1	-	-
Peabody	---	394	7	4	4
Salem	---	439	6	6	4
Saugus town #	---	231	3	3	3
Swampscott town #	---	153	-	-	-
Balance of county	---	1,240	13	10	19
Franklin	500	579	6	6	11
Hampden	4,677	4,441	95	67	46
White	4,495	4,262	78	56	38
All other	182	179	17	11	8
Black	178	176	17	11	8
Chicopee	---	611	9	8	9
Holyoke	---	614	17	12	4
Longmeadow town #	---	151	2	-	1
Springfield	---	1,632	42	29	21
White	---	1,478	28	20	14
All other	---	154	14	9	7
Black	---	153	14	9	7
Westfield	---	304	9	8	2
West Springfield town #	---	263	1	-	1
Balance of county	---	866	15	10	8

NEWARK PUBLIC LIBRARY

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Deaths by place of residence: Under 1 year	Deaths by place of residence: Under 28 days	Fetal deaths by place of residence
Massachusetts-Con.					
Hampshire	823	987	22	16	11
Amherst town #	---	99	4	4	1
Northampton	---	251	4	3	1
Balance of county	---	637	14	11	9
Middlesex	10,858	11,474	132	92	120
White	10,713	11,310	127	89	106
All other	145	164	5	3	12
Black	121	140	3	3	12
Arlington town #	---	524	5	3	2
Belmont town #	---	257	2	1	1
Billerica town #	---	201	3	2	1
Burlington town #	---	106	3	3	1
Cambridge	---	783	10	7	20
Chelmsford town #	---	182	2	2	1
Everett	---	399	5	4	6
Framingham town #	---	530	9	6	5
Lexington town #	---	206	2	1	2
Lowell	---	1,007	12	7	12
Malden	---	603	6	5	10
Marlborough	---	252	3	1	2
Medford	---	629	4	3	6
Melrose	---	313	2	1	1
Natick town #	---	235	-	-	3
Newton	---	719	5	5	6
Reading town #	---	185	3	1	-
Somerville	---	778	7	5	4
Stoneham town #	---	176	-	-	1
Wakefield town #	---	252	1	1	1
Waltham	---	514	8	5	6
Watertown town #	---	313	8	6	2
Winchester town #	---	160	2	1	-
Woburn	---	262	3	2	4
Balance of county	---	1,886	27	20	23
Nantucket	56	55	-	-	2
Norfolk	4,187	5,251	54	34	38
Braintree town #	---	343	2	1	3
Brookline town #	---	550	5	3	1
Dedham town #	---	235	1	-	2
Holbrook town #	---	72	1	1	2
Milton town #	---	264	2	2	-
Needham town #	---	222	-	-	2
Norwood town #	---	300	6	3	1
Quincy	---	1,009	7	5	4
Randolph town #	---	258	2	2	1
Wellesley town #	---	190	4	4	-
Weymouth town #	---	432	3	2	6
Balance of county	---	1,355	21	11	16
Plymouth	2,871	3,222	58	42	29
Brockton	---	884	15	10	11
Rockland town #	---	138	3	2	3
Whitman town #	---	91	2	1	-
Balance of county	---	2,109	39	29	15
Suffolk	10,135	6,767	105	75	74
White	9,178	5,867	55	38	37
All other	957	900	50	37	37
Black	858	819	49	36	36
Boston	---	5,839	96	66	69
White	---	4,944	46	31	34
All other	---	895	50	37	35
Black	---	815	49	36	34
Chelsea	---	306	4	2	4
Revere	---	414	4	4	1
Winthrop town #	---	208	1	1	-
Worcester	5,920	5,994	73	52	57
Clinton town #	---	132	2	-	1
Fitchburg	---	389	10	5	-
Gardner	---	198	1	1	2
Leominster	---	292	8	7	7
Worcester	---	1,921	20	15	13
Balance of county	---	3,062	32	24	34
Michigan	74,683	75,842	1,845	1,279	1,028
White	64,550	65,680	1,263	867	781
All other	10,133	10,162	582	412	247
Black	9,924	9,957	564	400	234
Alcona	55	117	-	-	-
Alger	105	110	-	-	-
Allegan	471	599	18	10	9
Holland, part	---	21	1	-	2
Balance of county	---	578	17	10	7
Alpena	315	276	9	6	6
Alpena	---	128	5	4	5
Balance of county	---	148	4	2	1
Antrim	89	161	-	-	-
Arenac	139	179	7	6	-
Baraga	100	107	-	-	-
Barry	272	335	13	10	4

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Deaths by place of residence: Under 1 year	Deaths by place of residence: Under 28 days	Fetal deaths by place of residence
Michigan-Con.					
Bay	858	929	12	7	9
Bay City	---	450	8	3	4
Midland, part	---	-	-	-	-
Balance of county	---	479	4	4	5
Benzie	93	113	3	1	1
Berrien	1,378	1,484	37	23	24
White	1,167	1,281	21	14	17
All other	211	203	16	9	7
Black	206	199	16	9	7
Benton Harbor	---	150	14	10	8
White	---	64	2	2	2
All other	---	86	12	8	6
Black	---	86	12	8	6
Niles	---	176	5	3	3
St. Joseph	---	137	2	2	2
Balance of county	---	1,021	16	8	11
Branch	352	363	7	2	-
Calhoun	1,291	1,248	29	18	13
White	1,172	1,125	16	8	11
All other	119	123	13	10	2
Black	119	123	13	10	2
Albion	---	95	3	2	-
White	---	71	-	-	-
All other	---	24	3	2	-
Black	---	24	3	2	-
Battle Creek	---	472	10	10	8
White	---	375	7	3	6
All other	---	97	9	7	2
Black	---	97	9	7	2
Balance of county	---	661	10	6	5
Cass	252	407	3	2	6
White	202	330	2	1	4
All other	50	77	1	1	2
Black	50	75	1	1	2
Charlevoix	132	190	5	4	-
Cheboygan	155	215	9	7	2
Chippewa	227	275	2	2	2
Sault Ste. Marie	---	157	2	2	1
Balance of county	---	118	-	-	1
Clare	198	274	6	4	-
Clinton	164	307	6	4	6
Lansing, part	---	-	-	-	-
Balance of county	---	307	6	4	6
Crawford	151	94	4	4	3
Delta	291	383	3	2	3
Escanaba	---	194	-	-	2
Balance of county	---	189	3	2	1
Dickinson	411	306	3	2	4
Eaton	330	500	9	5	11
Lansing, part	---	8	1	-	-
Balance of county	---	492	8	5	11
Emmet	492	221	7	6	3
Genesee	3,397	3,246	116	80	43
White	2,930	2,771	57	33	26
All other	467	475	59	47	17
Black	464	472	58	46	16
Flint	---	1,534	71	51	28
White	---	1,088	15	7	14
All other	---	446	56	44	14
Black	---	444	55	43	13
Balance of county	---	1,712	45	29	15
Gladwin	108	198	3	3	1
Gogebic	258	287	2	2	1
Grand Traverse	731	465	14	10	5
Traverse City	---	185	2	1	2
Balance of county	---	280	12	9	3
Gratiot	409	368	5	3	1
Hillsdale	281	419	3	3	4
Houghton	337	394	3	2	-
Huron	326	408	5	3	5
Ingham	2,026	1,650	53	33	38
White	1,932	1,553	48	29	27
All other	96	97	5	4	11
Black	95	96	5	4	9
East Lansing	---	128	3	2	-
Lansing, part	---	964	34	23	31
White	---	870	29	19	23
All other	---	94	5	4	8
Black	---	93	5	4	6
Lansing, total	---	972	35	23	31
White	---	877	30	19	23
All other	---	95	5	4	8
Black	---	94	5	4	6
Balance of county	---	558	18	8	7
Ionia	272	418	14	7	5
Iosco	256	289	7	4	2
Iron	175	205	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Michigan-Con.					
Isabella	276	298	11	6	1
Mount Pleasant	---	99	2	-	-
Balance of county	---	199	9	6	1
Jackson	1,194	1,226	24	15	23
Jackson	---	480	9	6	5
White	---	446	9	6	-
All other	---	34	-	-	5
Black	---	34	-	-	5
Balance of county	---	746	15	9	18
Kalamazoo	1,870	1,473	42	28	19
White	1,743	1,389	33	20	15
All other	127	84	9	8	4
Black	125	83	9	8	4
Kalamazoo	---	655	22	14	10
White	---	582	14	7	6
All other	---	73	8	7	4
Black	---	72	8	7	4
Portage	---	181	5	4	2
Balance of county	---	637	15	10	7
Kalkaska	51	109	5	4	2
Kent	3,963	3,443	106	77	62
White	3,752	3,241	94	72	55
All other	211	202	12	5	7
Black	200	191	12	5	6
East Grand Rapids	---	74	3	3	1
Grand Rapids	---	1,830	50	33	35
White	---	1,640	38	28	29
All other	---	190	12	5	6
Black	---	183	12	5	5
Grandville	---	62	4	4	1
Kentwood	---	130	-	-	3
Walker	---	94	1	-	1
Wyoming	---	336	17	13	4
Balance of county	---	917	31	24	17
Keweenaw	1	31	1	1	-
Lake	48	112	1	-	-
White	38	83	1	-	-
All other	10	29	-	-	-
Black	10	28	-	-	-
Lapeer	377	478	12	10	9
Leelanau	74	120	2	1	2
Lenawee	645	733	15	11	14
Adrian	---	236	6	4	3
Balance of county	---	497	9	7	11
Livingston	404	564	11	6	19
Luce	86	67	-	-	-
Mackinac	60	115	3	2	1
Macomb	3,695	4,807	112	85	63
Center Line	---	119	2	1	-
East Detroit	---	418	4	4	1
Fraser	---	116	-	-	-
Mount Clemens	---	381	15	12	9
White	---	347	13	10	8
All other	---	34	2	2	1
Black	---	34	2	2	1
Roseville	---	425	13	10	4
St. Clair Shores	---	662	9	5	3
Sterling Heights	---	471	20	17	14
Warren	---	1,205	25	21	9
Balance of county	---	1,090	24	15	13
Manistee	233	248	5	4	1
Marquette	517	464	11	6	9
Marquette	---	128	-	-	2
Balance of county	---	336	11	6	7
Mason	280	296	4	3	4
Mecosta	169	208	3	3	4
Big Rapids	---	60	1	1	2
Balance of county	---	148	2	2	2
Menominee	276	293	6	3	4
Menominee	---	138	3	1	1
Balance of county	---	155	3	2	3
Midland	566	482	15	6	4
Midland, part	---	236	7	3	4
Midland, total	---	236	7	3	4
Balance of county	---	246	8	3	-
Missaukee	22	83	2	1	1
Monroe	580	926	24	19	12
Monroe	---	289	9	8	5
Balance of county	---	637	15	11	7
Montcalm	426	464	14	9	7
Montmorency	32	100	1	-	-
Muskegon	1,423	1,435	41	28	32
White	1,277	1,273	27	17	25
All other	146	162	14	11	7
Black	138	156	13	11	7
Michigan-Con.					
Muskegon	---	488	17	13	10
White	---	427	11	8	8
All other	---	61	6	5	2
Black	---	60	6	5	2
Muskegon Heights	---	136	6	5	5
White	---	55	-	-	1
All other	---	81	6	5	4
Black	---	81	6	5	4
Norton Shores	---	158	4	3	4
Balance of county	---	653	14	7	13
Newaygo	247	311	5	1	6
Oakland	7,879	7,236	157	111	83
White	7,403	6,950	136	98	77
All other	476	286	21	13	6
Black	458	268	19	11	5
Berkley	---	160	1	1	1
Beverly Hills	---	70	-	-	-
Birmingham	---	239	2	2	3
Clawson	---	106	4	4	2
Farmington	---	157	4	3	-
Ferndale	---	268	5	3	3
Hazel Park	---	183	6	4	3
Madison Heights	---	261	10	7	5
Oak Park	---	307	5	5	-
Pontiac	---	701	35	23	18
White	---	512	21	15	16
All other	---	189	14	8	2
Black	---	189	14	8	2
Royal Oak	---	679	12	7	3
Southfield	---	714	12	12	4
Troy	---	344	10	6	4
Balance of county	---	3,047	51	34	37
Oceana	144	181	6	4	4
Ogemaw	227	188	7	5	1
Ontonagon	95	105	1	1	-
Osceola	144	165	4	2	2
Oscoda	45	85	1	1	1
Otsego	157	131	3	3	4
Ottawa	818	929	24	19	13
Grand Haven	---	122	2	2	-
Holland, part	---	188	6	6	4
Holland, total	---	209	7	6	6
Balance of county	---	619	16	11	9
Presque Isle	125	170	3	3	3
Roscommon	68	226	4	2	1
Saginaw	1,923	1,671	63	49	35
White	1,697	1,438	33	27	24
All other	226	233	30	22	11
Black	222	231	30	22	10
Saginaw	---	722	39	30	20
White	---	518	10	9	9
All other	---	204	29	21	11
Black	---	203	29	21	10
Balance of county	---	949	24	19	15
St. Clair	1,112	1,216	20	12	24
Port Huron	---	352	6	3	7
Balance of county	---	864	14	9	17
St. Joseph	426	513	10	7	13
Sanilac	248	393	6	4	2
Schoolcraft	113	103	-	-	2
Shiawassee	378	492	3	2	6
Owosso	---	168	1	-	1
Balance of county	---	324	2	2	5
Tuscola	317	449	11	6	8
Van Buren	389	595	10	4	7
Washtenaw	2,528	1,392	46	36	25
White	2,304	1,245	37	29	18
All other	224	147	9	7	7
Black	214	138	7	5	7
Ann Arbor	---	490	18	17	8
Ypsilanti	---	188	8	4	9
White	---	146	4	2	5
All other	---	42	4	2	4
Black	---	42	4	2	4
Balance of county	---	714	20	15	10
Wayne	22,784	22,799	572	403	292
White	15,401	15,152	199	143	140
All other	7,383	7,647	373	260	152
Black	7,331	7,602	368	257	148
Allen Park	---	281	2	1	4
Dearborn	---	1,048	12	10	9
Dearborn Heights	---	560	7	5	3
Detroit	---	13,812	415	292	167
White	---	6,785	67	48	38
All other	---	7,027	348	244	129
Black	---	6,994	345	241	126

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Michigan-Con.					
Ecorse	---	153	5	5	1
White	---	95	4	4	1
All other	---	58	1	1	-
Black	---	58	1	1	-
Garden City	---	192	3	3	4
Grosse Pointe Farms	---	109	1	1	-
Grosse Pointe Park	---	113	1	1	-
Grosse Pointe Woods	---	178	-	-	2
Hamtramck	---	356	5	1	3
White	---	330	5	1	1
All other	---	26	-	-	2
Black	---	26	-	-	2
Harper Woods	---	212	1	1	2
Highland Park	---	319	10	6	3
White	---	110	-	-	-
All other	---	209	10	6	3
Black	---	207	10	6	3
Inkster	---	294	9	8	2
White	---	138	3	3	1
All other	---	156	6	5	1
Black	---	155	5	5	1
Lincoln Park	---	396	7	5	7
Livonia	---	729	4	3	8
Melvindale	---	88	1	1	-
Plymouth	---	124	3	3	3
River Rouge	---	151	4	3	4
White	---	98	3	2	1
All other	---	53	1	1	3
Black	---	52	1	1	3
Riverview	---	105	4	3	-
Southgate	---	213	3	3	4
Taylor	---	430	8	2	7
Trenton	---	172	3	1	2
Wayne	---	195	6	2	4
Westland	---	526	13	10	7
Wyandotte	---	347	7	5	2
Balance of county	---	1,696	38	28	44
Wexford	361	267	1	1	2
Minnesota	33,340	32,837	706	454	470
White	32,737	32,278	636	409	417
All other	603	559	70	45	53
Black	332	321	42	31	24
Aitkin	124	150	3	3	1
Anoka	773	751	35	21	22
Anoka	---	129	4	2	3
Blaine, part	---	73	4	1	4
Blaine, total	---	73	4	1	4
Columbia Heights	---	155	1	-	-
Coon Rapids	---	133	11	8	4
Fridley	---	115	8	7	3
Balance of county	---	146	7	3	8
Becker	268	299	9	4	5
Beltrami	219	229	8	3	4
White	198	209	6	3	1
All other	21	20	2	-	3
Black	2	1	-	-	-
Bemidji	---	103	3	1	1
Balance of county	---	126	5	2	3
White	---	112	4	2	1
All other	---	14	1	-	2
Black	---	-	-	-	-
Benton	127	214	6	2	1
St. Cloud, part	---	32	1	-	-
Balance of county	---	182	5	2	1
Big Stone	94	86	2	1	1
Blue Earth	480	419	12	11	-
Mankato	---	220	5	5	-
Balance of county	---	199	7	6	-
Brown	298	289	4	3	7
New Ulm	---	140	2	1	3
Balance of county	---	149	2	2	4
Carlton	245	260	6	4	2
Carver	214	232	10	8	6
Cass	118	230	2	1	3
Chippewa	112	131	3	2	2
Chisago	186	229	3	3	5
Clay	219	325	13	9	5
Moorhead	---	190	5	3	3
Balance of county	---	135	8	6	2
Clearwater	83	102	1	1	2
Cook	51	54	3	3	-
Cottonwood	143	166	1	1	3
Crow Wing	428	429	18	8	4
Brainerd	---	166	7	4	-
Balance of county	---	263	9	4	4
Dakota	569	885	27	16	23
Burnsville	---	94	3	2	4
Hastings, part	---	86	1	-	-
Minnesota-Con.					
Hastings, total	---	86	1	-	-
Inver Grove Heights	---	70	2	1	1
South St. Paul	---	171	4	1	3
West St. Paul	---	196	-	-	1
Balance of county	---	266	17	12	14
Dodge	56	118	1	1	5
Douglas	270	276	5	5	4
Faribault	194	245	1	1	3
Fillmore	164	234	4	2	1
Freeborn	362	362	4	3	2
Albert Lea	---	220	3	2	2
Balance of county	---	142	1	1	-
Goodhue	408	425	6	5	3
Red Wing	---	156	2	2	1
Balance of county	---	269	4	3	2
Grant	73	92	-	-	1
Hennepin	8,488	7,339	140	90	114
White	8,156	7,046	101	62	87
All other	332	293	39	28	27
Black	212	205	25	20	16
Bloomington	---	390	12	7	7
Brooklyn Center	---	174	7	3	6
Brooklyn Park	---	118	6	3	4
Crystal	---	154	1	1	1
Edina	---	361	3	2	-
Golden Valley	---	173	3	-	1
Hopkins	---	154	-	-	5
Minneapolis	---	4,058	73	49	68
White	---	3,791	37	24	43
All other	---	267	36	25	25
Black	---	193	22	17	15
Minnetonka	---	162	4	3	3
New Hope	---	136	2	1	1
Plymouth	---	94	3	1	4
Richfield	---	256	3	3	3
Robbinsdale	---	134	-	-	-
St. Louis Park	---	352	6	5	3
Balance of county	---	583	17	12	8
Houston	118	179	6	4	1
Hubbard	183	174	4	4	1
Isanti	179	177	4	3	1
Itasca	396	395	5	2	4
Jackson	88	122	-	-	3
Kanabec	109	112	1	1	4
Kandiyohi	388	324	6	4	4
Willmar	---	172	4	2	-
Balance of county	---	152	2	2	4
Kittson	76	88	-	-	1
Koochiching	124	140	1	-	2
Lac qui Parle	115	140	1	-	2
Lake	105	113	3	2	1
Lake of the Woods	39	41	2	1	-
Le Sueur	119	212	6	5	5
Lincoln	99	79	1	1	-
Lyon	212	221	5	4	-
McLeod	272	262	5	3	4
Mahnomen	38	59	1	1	1
White	29	49	1	1	-
All other	9	10	-	-	1
Black	-	-	-	-	-
Marshall	70	137	-	-	4
Martin	238	244	3	2	4
Fairmont	---	113	1	1	2
Balance of county	---	131	2	1	2
Meeker	214	230	3	-	5
Mille Lacs	211	232	6	2	2
Morrison	227	259	9	5	7
Mower	309	403	5	3	4
Austin	---	255	2	2	3
Balance of county	---	148	3	1	1
Murray	72	93	1	-	2
Nicollet	121	178	11	9	2
Nobles	205	210	4	3	1
Norman	92	108	1	-	-
Olmsted	1,561	562	13	7	10
Rochester	---	433	10	7	7
Balance of county	---	129	3	-	3
Otter Tail	515	567	8	6	4
Fergus Falls	---	162	1	-	2
Balance of county	---	405	7	6	2
Pennington	161	133	2	-	-
Pine	102	201	3	1	1
Pipestone	110	134	-	-	3
Polk	279	336	6	4	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Minnesota-Con.					
Pope	132	147	1	1	1
Ramsey	4,041	3,687	81	52	56
White	3,924	3,566	58	39	41
All other	117	121	23	13	15
Black	93	97	16	10	6
Blaine, part	---	-	-	-	-
Maplewood	---	177	-	-	4
New Brighton	---	121	5	4	2
North St. Paul	---	54	1	1	-
Roseville	---	215	2	1	4
St. Paul	---	2,748	61	36	35
White	---	2,634	39	23	22
All other	---	114	22	13	13
Black	---	93	16	10	6
Shoreview	---	41	1	1	1
White Bear Lake, part	---	132	4	3	6
White Bear Lake, total	---	135	4	3	6
Balance of county	---	199	7	6	4
Red Lake	30	51	1	-	-
Redwood	157	210	3	3	4
Renville	160	242	3	2	3
Rice	375	363	6	2	7
Faribault	---	192	3	2	4
Northfield	---	108	2	-	3
Balance of county	---	63	1	-	-
Rock	95	108	1	1	-
Roseau	128	141	3	1	3
St. Louis	2,417	2,163	42	27	23
Duluth	---	1,058	21	14	9
Hibbing	---	224	1	-	2
Virginia	---	144	2	2	4
Balance of county	---	737	18	11	8
Scott	263	237	10	6	3
Sherburne	134	224	2	1	4
St. Cloud, part	---	67	-	-	1
Balance of county	---	157	2	1	3
Sibley	99	142	2	1	-
Stearns	855	656	20	17	9
St. Cloud, part	---	222	7	7	3
St. Cloud, total	---	321	8	7	4
Balance of county	---	434	13	10	6
Steele	236	256	7	7	5
Owatonna	---	175	5	5	3
Balance of county	---	81	2	2	2
Stevens	108	115	2	2	-
Swift	98	130	1	1	1
Todd	141	217	6	3	5
Traverse	58	62	2	1	1
Wabasha	200	202	1	1	-
Wadena	168	149	3	1	3
Waseca	101	154	4	2	2
Washington	373	559	23	15	10
Cottage Grove	---	36	3	2	-
Hastings, part	---	-	-	-	-
Stillwater	---	128	5	4	3
White Bear Lake, part	---	3	-	-	-
Balance of county	---	392	15	9	7
Watonwan	114	122	3	-	1
Wilkin	122	80	3	3	-
Winona	352	390	12	6	8
Winona	---	264	7	5	5
Balance of county	---	126	5	1	3
Wright	281	411	11	9	4
Yellow Medicine	167	174	2	1	-
Mississippi	22,988	23,460	711	486	618
White	14,575	14,923	249	167	217
All other	8,413	8,537	462	319	401
Black	8,357	8,480	455	314	394
Adams	474	399	14	10	7
White	235	190	4	4	4
All other	239	209	10	6	3
Black	238	208	10	6	3
Natchez	---	262	12	9	5
White	---	122	4	4	4
All other	---	140	8	5	1
Black	---	139	8	5	1
Balance of county	---	137	2	1	2
White	---	68	-	-	-
All other	---	69	2	1	2
Black	---	69	2	1	2
Alcorn	258	291	5	3	13
White	227	250	3	1	6
All other	31	41	2	2	7
Black	31	41	2	2	7

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Corinth	---	133	3	2	9
White	---	105	1	-	3
All other	---	28	2	2	6
Black	---	28	2	2	6
Balance of county	---	158	2	1	4
Amite	48	151	1	-	-
White	25	91	-	-	-
All other	23	60	1	-	-
Black	23	60	1	-	-
Attala	207	250	8	5	8
White	138	160	3	1	1
All other	69	90	5	4	7
Black	69	90	5	4	7
Benton	30	78	1	1	-
White	16	52	-	-	-
All other	14	26	1	1	-
Black	14	26	1	1	-
Bolivar	467	472	24	19	18
White	155	172	2	1	2
All other	312	300	22	18	16
Black	312	300	22	18	16
Cleveland	---	134	4	3	6
White	---	71	1	-	-
All other	---	63	3	3	6
Black	---	63	3	3	6
Balance of county	---	338	20	16	12
White	---	101	1	1	2
All other	---	237	19	15	10
Black	---	237	19	15	10
Calhoun	94	159	5	4	2
White	80	134	3	3	2
All other	14	25	2	1	-
Black	14	25	2	1	-
Carroll	19	88	-	-	-
White	14	60	-	-	-
All other	5	28	-	-	-
Black	5	28	-	-	-
Chickasaw	123	178	11	11	8
White	82	114	-	-	3
All other	41	64	11	11	5
Black	41	64	11	11	5
Choctaw	70	90	1	-	3
White	47	66	-	-	1
All other	23	24	1	-	2
Black	23	24	1	-	2
Claiborne	81	110	3	3	4
White	18	21	-	-	1
All other	63	89	3	3	3
Black	63	89	3	3	3
Clarke	132	199	4	3	1
White	78	114	2	2	-
All other	54	85	2	1	1
Black	54	85	2	1	1
Clay	152	205	6	4	6
White	86	110	2	2	1
All other	66	95	4	2	5
Black	66	95	4	2	5
Coahoma	421	394	21	13	18
White	161	141	2	1	2
All other	260	253	19	12	16
Black	260	253	19	12	16
Clarksdale	---	247	12	8	9
White	---	102	2	1	-
All other	---	145	10	7	9
Black	---	145	10	7	9
Balance of county	---	147	9	5	9
White	---	39	-	-	2
All other	---	108	9	5	7
Black	---	108	9	5	7
Copiah	176	271	2	1	3
White	91	131	-	-	-
All other	85	140	2	1	3
Black	85	140	2	1	3
Covington	123	184	11	7	6
White	83	124	3	2	1
All other	40	60	8	5	5
Black	40	60	8	5	5
De Soto	129	321	7	5	6
White	91	242	6	4	3
All other	38	79	1	1	3
Black	38	79	1	1	3
Forrest	794	668	14	12	6
White	562	472	10	8	3
All other	232	196	4	4	3
Black	231	195	4	4	3
Hattiesburg, part	---	467	7	5	2
White	---	307	4	2	1
All other	---	160	3	3	1
Black	---	159	3	3	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Hattiesburg, total	---	470	7	5	6
White	---	309	4	2	3
All other	---	161	3	3	3
Black	---	160	3	3	3
Balance of county	---	201	7	7	4
White	---	165	6	6	2
All other	---	36	1	1	2
Black	---	36	1	1	2
Franklin	92	102	1	1	-
White	61	65	1	1	-
All other	31	37	-	-	-
Black	31	37	-	-	-
George	94	138	4	3	3
White	84	124	3	2	2
All other	10	14	1	1	1
Black	10	14	1	1	1
Greene	46	101	2	1	-
White	34	83	1	-	-
All other	12	18	1	1	-
Black	12	18	1	1	-
Grenada	236	233	6	5	5
White	141	131	2	2	1
All other	95	102	4	3	4
Black	95	102	4	3	4
Hancock	168	225	6	4	1
White	144	197	5	3	1
All other	24	28	1	1	-
Black	24	28	1	1	-
Harrison	1,597	1,341	36	19	29
White	1,302	1,091	26	16	13
All other	295	250	10	3	16
Black	286	243	10	3	16
Biloxi	---	400	18	11	9
White	---	336	13	9	4
All other	---	64	5	2	5
Black	---	61	5	2	5
Gulfport	---	485	10	5	8
White	---	362	6	4	-
All other	---	123	4	1	8
Black	---	121	4	1	8
Balance of county	---	456	8	3	12
White	---	393	7	3	9
All other	---	63	1	-	3
Black	---	61	1	-	3
Hinds	3,583	2,075	73	53	38
White	2,066	1,167	13	9	13
All other	1,517	908	60	44	25
Black	1,510	904	59	43	25
Jackson, part	---	1,699	61	45	19
White	---	991	11	8	10
All other	---	708	50	37	9
Black	---	705	49	36	9
Jackson, total	---	1,699	61	45	28
White	---	991	11	8	10
All other	---	708	50	37	18
Black	---	705	49	36	18
Balance of county	---	376	12	8	19
White	---	176	2	1	3
All other	---	200	10	7	16
Black	---	199	10	7	16
Holmes	197	245	9	1	5
White	57	69	-	-	-
All other	140	176	9	1	5
Black	140	176	9	1	5
Humphreys	154	169	10	8	7
White	41	55	2	1	-
All other	113	114	8	7	7
Black	113	114	8	7	7
Issaquena	2	12	2	1	-
White	-	4	-	-	-
All other	2	8	2	1	-
Black	2	8	2	1	-
Itawamba	107	194	4	2	2
Jackson	636	675	24	22	22
White	501	534	14	12	15
All other	135	141	10	10	7
Black	133	138	10	10	7
Moss Point	---	114	2	2	7
White	---	55	1	1	1
All other	---	59	1	1	6
Black	---	59	1	1	6
Pascagoula	---	213	9	9	2
White	---	164	3	3	1
All other	---	49	6	6	1
Black	---	47	6	6	1
Balance of county	---	348	13	11	13
Jasper	97	151	7	3	4
White	51	85	2	1	-
All other	46	66	5	2	4
Black	46	66	5	2	3

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Jefferson	61	99	3	2	2
White	10	23	-	-	-
All other	51	76	3	2	2
Black	51	76	3	2	2
Jefferson Davis	107	149	2	1	5
White	51	69	-	-	4
All other	56	80	2	1	1
Black	56	80	2	1	1
Jones	623	624	26	18	16
White	433	453	14	9	7
All other	190	171	12	9	9
Black	187	169	12	9	8
Laurel	---	299	13	10	10
White	---	182	5	3	3
All other	---	117	8	7	7
Black	---	117	8	7	7
Balance of county	---	325	13	8	6
White	---	271	9	6	4
All other	---	54	4	2	2
Black	---	52	4	2	1
Kemper	60	106	3	3	-
White	32	57	-	-	-
All other	28	49	3	3	-
Black	28	47	3	3	-
Lafayette	227	214	4	2	4
White	162	151	2	1	-
All other	65	63	2	1	4
Black	65	63	2	1	4
Oxford	---	105	2	-	3
White	---	78	1	-	-
All other	---	27	1	-	3
Black	---	27	1	-	3
Balance of county	---	109	2	2	1
White	---	73	1	1	-
All other	---	36	1	1	1
Black	---	36	1	1	1
Lamar	236	153	6	3	13
White	191	125	4	2	10
All other	45	28	2	1	3
Black	45	28	2	1	3
Hattiesburg, part	---	3	-	-	4
Balance of county	---	150	6	3	9
White	---	123	4	2	8
All other	---	27	2	1	1
Black	---	27	2	1	1
Lauderdale	1,074	819	18	11	14
White	746	563	11	6	8
All other	328	256	7	5	6
Black	324	256	7	5	5
Meridian	---	585	12	7	9
White	---	386	5	2	4
All other	---	199	7	5	5
Black	---	199	7	5	5
Balance of county	---	234	6	4	5
White	---	177	6	4	4
All other	---	57	-	-	1
Black	---	57	-	-	-
Lawrence	94	119	1	1	2
White	73	92	-	-	1
All other	21	27	1	1	1
Black	21	27	1	1	1
Leake	149	211	5	4	1
White	106	146	-	-	-
All other	43	65	5	4	1
Black	39	56	4	4	1
Lee	904	509	16	8	10
White	704	384	7	2	4
All other	200	125	9	6	6
Black	200	125	9	6	6
Tupelo	---	265	8	4	2
White	---	207	5	2	2
All other	---	58	3	2	-
Black	---	58	3	2	-
Balance of county	---	244	8	4	8
White	---	177	2	-	2
All other	---	67	6	4	6
Black	---	67	6	4	6
Leflore	528	493	21	17	22
White	249	232	5	4	2
All other	279	261	16	13	20
Black	278	259	16	13	20
Greenwood	---	334	12	9	15
White	---	169	4	3	2
All other	---	165	8	6	13
Black	---	163	8	6	13
Balance of county	---	159	9	8	7
White	---	63	1	1	-
All other	---	96	8	7	7
Black	---	96	8	7	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Deaths by place of residence: Under 1 year	Deaths by place of residence: Under 28 days	Fetal deaths by place of residence
Mississippi-Con.					
Lincoln	302	344	9	5	3
White	207	240	4	2	1
All other	95	104	5	3	2
Black	94	103	5	3	2
Brookhaven	---	172	3	2	2
White	---	118	1	1	1
All other	---	54	2	1	1
Black	---	54	2	1	1
Balance of county	---	172	6	3	1
White	---	122	3	1	-
All other	---	50	3	2	1
Black	---	49	3	2	1
Lowndes	464	415	15	8	10
White	288	255	8	4	6
All other	176	160	7	4	4
Black	176	159	7	4	4
Columbus	---	257	7	3	2
White	---	147	2	-	1
All other	---	110	5	3	1
Black	---	109	5	3	1
Balance of county	---	158	8	5	8
White	---	108	6	4	5
All other	---	50	2	1	3
Black	---	50	2	1	3
Madison	230	352	17	13	8
White	91	147	6	5	-
All other	139	205	11	8	8
Black	139	205	11	8	8
Canton	---	161	11	8	4
White	---	64	2	2	-
All other	---	97	9	6	4
Black	---	97	9	6	4
Balance of county	---	191	6	5	4
White	---	83	4	3	-
All other	---	108	2	2	4
Black	---	108	2	2	4
Marion	153	223	5	3	6
White	108	152	1	1	5
All other	45	71	4	2	1
Black	45	71	4	2	1
Marshall	159	249	7	5	9
White	65	115	1	1	4
All other	94	134	6	4	5
Black	94	134	6	4	5
Monroe	312	374	8	4	11
White	227	274	4	2	7
All other	85	100	4	2	4
Black	85	100	4	2	4
Montgomery	168	153	5	1	4
White	98	94	1	-	1
All other	70	59	4	1	3
Black	70	59	4	1	3
Neshoba	140	237	5	4	6
White	105	184	1	1	3
All other	35	53	4	3	3
Black	16	35	-	-	3
Newton	183	239	3	2	4
White	144	187	1	1	2
All other	39	52	2	1	2
Black	39	49	2	1	2
Noxubee	93	125	5	2	5
White	32	46	1	1	-
All other	61	79	4	1	5
Black	61	79	4	1	5
Oktibbeha	211	224	9	7	14
White	111	125	2	2	8
All other	100	99	7	5	6
Black	99	99	7	5	6
Starkville	---	119	1	1	10
White	---	80	1	1	7
All other	---	39	-	-	3
Black	---	39	-	-	3
Balance of county	---	105	8	6	4
White	---	45	1	1	1
All other	---	60	7	5	3
Black	---	60	7	5	3
Panola	258	304	15	9	8
White	131	155	2	-	2
All other	127	149	13	9	6
Black	127	149	13	9	6
Pearl River	236	327	6	2	9
White	199	267	4	2	3
All other	37	60	2	-	6
Black	37	60	2	-	5
Picayune	---	145	3	1	2
White	---	99	2	1	-
All other	---	46	1	-	2
Black	---	46	1	-	1
Balance of county	---	182	3	1	7
Mississippi-Con.					
Perry	58	83	4	4	3
White	51	61	3	3	2
All other	7	22	1	1	1
Black	7	22	1	1	1
Pike	450	441	10	10	59
White	300	285	2	2	12
All other	150	156	8	8	47
Black	150	156	8	8	47
* McComb	---	197	6	6	55
White	---	142	1	1	11
All other	---	55	5	5	44
Black	---	55	5	5	44
Balance of county	---	244	4	4	4
White	---	143	1	1	1
All other	---	101	3	3	3
Black	---	101	3	3	3
Pontotoc	150	215	4	3	5
White	134	194	3	2	2
All other	16	21	1	1	3
Black	16	21	1	1	3
Prentiss	144	229	1	-	6
White	131	210	-	-	2
All other	13	19	1	-	4
Black	13	19	1	-	4
Quitman	71	146	4	3	5
White	24	62	-	-	-
All other	47	84	4	3	5
Black	47	84	4	3	4
Rankin	380	542	10	8	14
White	277	421	7	5	4
All other	103	121	3	3	10
Black	103	121	3	3	10
Jackson, part	---	-	-	-	9
Balance of county	---	542	10	8	5
White	---	421	7	5	4
All other	---	121	3	3	1
Black	---	121	3	3	1
Scott	170	220	6	4	8
White	125	160	3	2	1
All other	45	60	3	2	7
Black	45	60	3	2	7
Sharkey	62	98	7	5	6
White	23	36	1	1	-
All other	39	62	6	4	6
Black	39	62	6	4	6
Simpson	177	224	9	4	7
White	116	152	2	-	2
All other	61	72	7	4	5
Black	61	72	7	4	5
Smith	84	137	3	2	1
White	63	114	2	2	-
All other	21	23	1	-	1
Black	21	23	1	-	1
Stone	77	87	1	1	-
White	64	71	1	1	-
All other	13	16	-	-	-
Black	13	16	-	-	-
Sunflower	226	311	11	8	12
White	86	127	2	-	2
All other	140	184	9	8	10
Black	140	184	9	8	10
Tallahatchie	122	185	13	10	3
White	54	91	4	4	-
All other	68	94	9	6	3
Black	68	94	9	6	3
Tate	137	186	7	7	5
White	81	119	3	3	1
All other	56	67	4	4	4
Black	56	67	4	4	4
Tippah	149	196	5	2	12
White	136	169	3	1	10
All other	13	27	2	1	2
Black	13	27	2	1	2
Tishomingo	137	191	7	5	1
Tunica	82	114	2	1	4
White	24	35	-	-	-
All other	58	79	2	1	4
Black	58	78	2	1	4
Union	258	238	1	1	2
White	222	208	-	-	1
All other	36	30	1	1	1
Black	36	30	1	1	1
Walthall	129	160	1	1	2
White	87	104	-	-	1
All other	42	56	1	1	1
Black	42	56	1	1	1
Warren	525	468	17	14	8
White	283	256	4	2	8
All other	242	212	13	12	-
Black	242	212	13	12	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Mississippi-Con.					
Vicksburg	---	323	9	8	3
White	---	162	-	-	3
All other	---	161	9	8	-
Black	---	161	9	8	-
Balance of county	---	145	8	6	5
White	---	94	4	2	5
All other	---	51	4	4	-
Black	---	51	4	4	-
Washington	744	697	20	14	12
White	283	254	3	3	1
All other	461	443	17	11	11
Black	460	442	16	10	11
Greenville	---	456	15	11	3
White	---	169	2	2	1
All other	---	287	13	9	2
Black	---	286	12	8	2
Balance of county	---	241	5	3	9
White	---	85	1	1	-
All other	---	156	4	2	9
Black	---	156	4	2	9
Wayne	146	167	9	7	5
White	99	122	3	3	2
All other	47	45	6	4	3
Black	47	45	6	4	3
Webster	105	121	3	2	4
White	86	100	2	2	2
All other	19	21	1	-	2
Black	19	21	1	-	2
Wilkinson	141	127	2	1	4
White	66	49	-	-	3
All other	75	78	2	1	1
Black	75	78	2	1	1
Winston	174	215	3	1	7
White	122	146	1	1	1
All other	52	69	2	-	6
Black	50	68	2	-	4
Yalobusha	94	134	2	2	1
White	63	90	-	-	-
All other	31	44	2	2	1
Black	31	44	2	2	1
Yazoo	217	297	13	7	11
White	114	143	1	1	5
All other	103	154	12	6	6
Black	103	154	12	6	6
Yazoo City	---	173	7	5	5
White	---	75	-	-	2
All other	---	98	7	5	3
Black	---	98	7	5	3
Balance of county	---	124	6	2	6
White	---	68	1	1	3
All other	---	56	5	1	3
Black	---	56	5	1	3
Missouri	49,780	48,848	973	669	645
White	44,812	44,013	752	526	478
All other	4,968	4,835	221	143	167
Black	4,916	4,785	219	142	163
Adair	363	209	4	3	1
Kirksville	---	159	3	2	1
Balance of county	---	50	1	1	-
Andrew	65	142	2	2	1
Atchison	136	125	2	2	1
Audrain	338	287	6	5	-
Mexico	---	151	4	4	-
Balance of county	---	136	2	1	-
Barry	237	300	3	2	2
Barton	96	165	1	1	3
Bates	179	241	3	2	5
Benton	81	193	4	1	1
Bollinger	30	109	1	-	2
Boone	1,495	582	10	8	6
Columbia	---	378	7	6	5
Balance of county	---	204	3	2	1
Buchanan	1,182	998	14	7	15
St. Joseph	---	909	12	7	15
Balance of county	---	89	2	-	-
Butler	753	422	4	4	7
Poplar Bluff	---	251	2	2	3
Balance of county	---	171	2	2	4
Caldwell	59	119	-	-	-
Callaway	189	245	8	4	6
Fulton	---	114	1	-	2
White	---	101	1	-	2
All other	---	13	-	-	-
Black	---	13	-	-	-
Jefferson City, part	---	-	-	-	-
Balance of county	---	131	7	4	4
Missouri-Con.					
Camden	230	235	3	3	2
Cape Girardeau	752	472	6	4	7
Cape Girardeau	---	287	1	-	4
Balance of county	---	185	5	4	3
Carroll	76	184	4	4	4
Carter	24	77	-	-	-
Cass	220	389	15	11	5
Cedar	170	172	1	1	2
Chariton	96	148	1	1	2
Christian	54	175	4	3	2
Clark	37	110	-	-	1
Clay	982	924	18	14	13
Gladstone	---	116	1	1	1
Independence, part	---	-	-	-	-
Kansas City, part	---	380	8	5	7
Liberty	---	146	4	4	3
Balance of county	---	282	5	4	2
Clinton	197	169	3	1	3
Cole	635	421	7	7	5
Jefferson City, part	---	318	3	3	2
Jefferson City, total	---	318	3	3	2
Balance of county	---	103	4	4	3
Cooper	160	195	4	3	-
Crawford	161	183	2	2	4
Dade	80	109	1	1	-
Dallas	53	132	1	-	1
Daviess	62	113	4	3	-
De Kalb	44	124	1	-	1
Dent	130	176	3	2	4
Douglas	51	128	3	2	2
Dunklin	256	407	3	1	5
Franklin	416	615	15	11	6
Gasconade	159	189	3	1	1
Gentry	96	111	2	1	1
Greene	2,695	1,639	38	24	24
Springfield	---	1,333	29	20	18
Balance of county	---	306	9	4	6
Grundy	164	173	2	1	2
Harrison	85	153	1	1	1
Henry	323	300	4	3	1
Hickory	21	85	-	-	-
Holt	33	101	1	-	1
Howard	76	104	1	-	1
Howell	342	344	8	5	2
Iron	158	140	3	3	3
Jackson	7,526	6,157	134	91	99
White	6,409	5,060	90	63	57
All other	1,117	1,097	44	28	42
Black	1,103	1,083	43	28	40
Grandview	---	122	6	6	2
Independence, part	---	956	18	15	12
Independence, total	---	956	18	15	12
Kansas City, part	---	4,208	97	61	72
White	---	3,130	54	34	30
All other	---	1,078	43	27	42
Black	---	1,067	42	27	40
Kansas City, total	---	4,670	108	68	80
White	---	3,591	65	41	37
All other	---	1,079	43	27	43
Black	---	1,068	42	27	40
Lee's Summit	---	322	4	2	5
Raytown	---	258	2	1	1
Balance of county	---	291	7	6	7
Jasper	855	963	16	12	12
Carthage	---	146	-	-	1
Joplin, part	---	478	10	7	4
Joplin, total	---	509	10	7	4
Balance of county	---	339	6	5	7
Jefferson	474	885	37	27	16
Johnson	255	281	8	6	-
Warrensburg	---	99	2	2	-
Balance of county	---	182	6	4	-
Knox	28	66	3	1	-
Laclede	227	244	2	-	2
Lafayette	297	393	6	3	3
Lawrence	355	317	5	4	4
Lewis	64	134	3	1	4
Lincoln	225	249	3	3	1
Linn	221	256	8	5	1
Livingston	239	218	3	2	-
McDonald	52	171	2	2	-
Macon	154	245	7	6	1
Madison	95	136	-	-	1
Maries	25	92	-	-	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Missouri-Con.					
Marion	439	364	8	6	7
Hannibal, part	---	251	7	5	5
Hannibal, total	---	256	8	6	5
Balance of county	---	113	1	1	2
Mercer	55	70	1	1	2
Miller	68	180	4	1	4
Mississippi	72	197	6	5	2
White	54	162	5	4	1
All other	18	35	1	1	1
Black	18	35	1	1	1
Moniteau	64	152	4	3	1
Monroe	71	134	2	2	4
Montgomery	89	195	2	1	1
Morgan	124	202	6	3	1
New Madrid	105	261	10	6	8
White	85	216	5	5	3
All other	20	45	5	1	5
Black	19	44	5	1	5
Sikeston, part	---	2	1	1	-
Balance of county	---	259	9	5	8
White	---	214	4	4	3
All other	---	45	5	1	5
Black	---	44	5	1	5
Newton	486	362	7	4	8
Joplin, part	---	31	-	-	-
Balance of county	---	331	7	4	8
Nodaway	184	225	6	3	3
Oregon	63	152	1	-	1
Osage	47	113	3	2	3
Ozark	25	103	2	2	1
Pemiscot	260	339	18	12	3
White	175	239	7	7	2
All other	85	100	11	5	1
Black	85	100	11	5	1
Perry	150	171	5	4	3
Pettis	465	409	7	5	5
Sedalia	---	297	4	2	3
Balance of county	---	112	3	3	2
Phelps	460	346	5	4	3
Rolla	---	115	2	2	1
Balance of county	---	231	3	2	2
Pike	157	181	3	2	1
Platte	88	259	6	3	4
Kansas City, part	---	82	3	2	1
Balance of county	---	177	3	1	3
Polk	88	226	-	-	2
Pulaski	150	207	13	6	4
Putnam	86	115	1	1	1
Ralls	22	89	3	3	1
Hannibal, part	---	5	1	1	-
Balance of county	---	84	2	2	1
Randolph	258	298	2	2	3
Moberly	---	196	2	2	2
Balance of county	---	102	-	-	1
Ray	139	211	4	4	2
Reynolds	52	81	1	1	2
Ripley	80	149	3	2	1
St. Charles	651	718	33	27	13
St. Charles	---	281	10	9	5
Balance of county	---	437	23	18	8
St. Clair	159	123	2	1	-
St. Francois	501	468	7	5	6
St. Louis	7,818	7,757	134	96	80
White	7,261	7,122	100	69	61
All other	557	635	34	27	19
Black	544	620	34	27	19
Ballwin	---	79	1	1	-
Bellefontaine Neighbors	---	140	-	-	-
Berkeley	---	115	10	5	2
Brentwood	---	96	4	3	1
Bridgeton	---	119	2	1	-
Clayton	---	136	1	-	1
Crestwood	---	115	2	2	-
Ferguson	---	234	3	2	-
Florissant	---	427	4	1	9
Hazelwood	---	111	2	2	2
Jennings	---	201	2	2	4
Kirkwood	---	312	6	6	1
Ladue	---	83	-	-	-
Maplewood	---	130	1	-	-
Overland	---	178	2	-	-
Richmond Heights	---	140	3	3	-
White	---	124	3	3	-
All other	---	16	-	-	-
Black	---	16	-	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Missouri-Con.					
St. Ann	---	127	6	4	3
University City	---	409	4	4	4
White	---	315	-	-	-
All other	---	94	4	4	4
Black	---	93	4	4	4
Webster Groves	---	231	2	2	2
Balance of county	---	4,374	79	58	51
White	---	3,987	62	42	40
All other	---	387	17	16	11
Black	---	380	17	16	11
St. Louis city	8,419	6,589	150	100	118
White	5,851	4,230	46	33	34
All other	2,566	2,359	104	67	84
Black	2,562	2,354	104	67	84
Ste. Genevieve	113	133	1	-	4
Saline	266	311	4	1	5
Marshall	---	163	3	1	2
Balance of county	---	148	1	-	3
Schuyler	18	62	2	2	-
Scotland	55	75	1	1	2
Scott	492	349	6	4	8
Sikeston, part	---	169	4	3	3
White	---	149	2	2	3
All other	---	20	2	1	-
Black	---	20	2	1	-
Sikeston, total	---	171	5	4	3
White	---	151	3	3	3
All other	---	20	2	1	-
Black	---	20	2	1	-
Balance of county	---	180	2	1	5
Shannon	38	85	4	1	2
Shelby	73	126	4	2	-
Stoddard	253	331	3	1	2
Stone	51	170	1	1	2
Sullivan	69	94	1	1	-
Taney	263	282	4	3	1
Texas	180	229	4	2	1
Vernon	220	228	2	1	2
Warren	64	168	3	2	2
Washington	109	194	4	3	5
Wayne	69	163	2	2	5
Webster	87	206	5	5	2
Worth	16	53	1	1	1
Wright	116	202	2	2	3
Montana	6,707	6,729	153	90	86
White	6,324	6,342	128	83	73
All other	383	387	25	7	13
Black	13	14	3	1	1
Beaverhead	86	86	3	1	-
Big Horn	82	119	3	2	1
White	43	64	2	2	1
All other	39	55	1	-	-
Black	-	-	-	-	-
Blaine	35	72	1	-	-
White	16	45	-	-	-
All other	19	27	1	-	-
Black	-	-	-	-	-
Broadwater	21	25	-	-	-
Carbon	91	102	2	1	-
Carter	12	17	-	-	-
Cascade	714	629	20	6	12
Great Falls	---	532	17	4	6
Balance of county	---	97	3	2	6
Chouteau	40	66	1	1	-
Custer	208	147	1	-	-
Daniels	29	33	1	-	-
Dawson	62	79	3	2	1
Deer Lodge	136	159	-	-	2
Fallon	25	41	3	3	-
Fergus	149	152	3	3	2
Flathead	391	398	11	8	6
Kalispell	---	139	3	2	-
Balance of county	---	259	8	6	6
Gallatin	246	245	4	3	8
Bozeman	---	135	2	2	5
Balance of county	---	110	2	1	3
Garfield	7	10	-	-	-
Glacier	82	99	5	2	5
White	43	51	3	1	-
All other	39	48	2	1	5
Black	-	-	-	-	-
Golden Valley	6	7	-	-	-
Granite	25	41	1	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Montana-Con.					
Hill	157	144	3	-	4
White	132	119	-	-	4
All other	25	25	3	-	-
Black	1	-	-	-	-
Havre	---	86	-	-	4
Balance of county	---	58	3	-	-
White	---	39	-	-	-
All other	---	19	3	-	-
Black	---	-	-	-	-
Jefferson	41	59	3	2	-
Judith Basin	8	24	-	-	-
Lake	158	179	1	1	1
White	132	143	1	1	1
All other	28	36	-	-	-
Black	-	-	-	-	-
Lewis and Clark	356	336	4	2	3
Helena	---	217	1	1	2
Balance of county	---	119	3	1	1
Liberty	27	20	1	1	-
Lincoln	93	113	3	2	-
McCone	28	22	1	1	-
Madison	65	76	1	1	-
Meagher	24	23	-	-	2
Mineral	18	24	-	-	-
Missoula	614	488	12	7	7
Missoula	---	319	8	5	3
Balance of county	---	169	4	2	4
Musselshell	36	53	1	1	1
Park	116	125	2	2	2
Petroleum	4	5	-	-	-
Phillips	59	58	2	2	-
Pondera	50	73	1	1	1
Powder River	11	18	-	-	-
Powell	77	80	1	1	-
Prairie	13	18	-	-	-
Ravalli	168	203	3	-	3
Richland	94	101	5	4	-
Roosevelt	113	128	2	1	2
White	63	66	-	-	-
All other	50	62	2	1	2
Black	1	1	-	-	-
Rosebud	50	76	3	1	1
White	38	51	1	-	-
All other	12	25	2	1	1
Black	-	-	-	-	-
Sanders	67	83	3	1	-
Sheridan	47	50	3	-	1
Silver Bow	471	486	12	10	7
Butte	---	428	11	10	7
Balance of county	---	38	1	-	-
Stillwater	66	73	1	1	-
Sweet Grass	23	33	-	-	-
Teton	49	63	1	-	1
Toole	39	51	-	-	2
Treasure	2	9	-	-	-
Valley	84	87	1	-	2
Wheatland	25	34	-	-	-
Wibaux	5	16	-	-	-
Yellowstone	1,002	791	21	15	8
Billings	---	581	13	9	3
Balance of county	---	210	8	6	5
Yellowstone National Park	-	-	-	-	-
Nebraska	14,664	14,616	270	165	216
White	14,248	14,200	240	146	199
All other	416	416	30	19	17
Black	345	350	25	17	12
Adams	388	316	3	2	4
Hastings	---	255	1	1	1
Balance of county	---	61	2	1	3
Antelope	79	83	1	-	2
Arthur	-	5	-	-	-
Banner	1	2	-	-	-
Blaine	2	12	-	-	-
Boone	80	79	-	-	-
Box Butte	108	115	-	-	3
Boyd	37	51	2	2	1
Brown	61	61	2	2	1
Buffalo	383	299	6	6	7
Kearney	---	168	4	4	4
Balance of county	---	131	2	2	3
Burt	83	131	2	2	1
Nebraska-Con.					
Butler	108	134	-	-	1
Cass	107	215	5	4	1
Cedar	70	136	-	-	4
Chase	55	70	3	2	1
Cherry	67	65	2	1	1
Cheyenne	102	114	3	2	1
Clay	33	104	-	-	1
Colfax	100	116	-	-	1
Cuming	89	103	2	2	3
Custer	159	175	3	2	-
Dakota	47	125	2	1	3
Dawes	121	122	3	2	2
Dawson	174	207	4	1	2
Deuel	10	29	-	-	-
Dixon	62	89	1	1	-
Dodge	318	376	7	3	5
Fremont	---	253	2	-	3
Balance of county	---	123	5	3	2
Douglas	4,478	3,408	75	47	62
White	4,142	3,079	53	32	50
All other	336	329	22	15	12
Black	314	314	21	14	10
Omaha	---	3,232	65	37	55
White	---	2,908	45	24	43
All other	---	324	20	13	12
Black	---	309	19	12	10
Balance of county	---	176	10	10	7
Dundy	55	41	1	1	-
Fillmore	97	114	1	-	-
Franklin	51	68	-	-	-
Frontier	22	44	-	-	1
Furnas	90	99	-	-	-
Gage	292	340	7	3	5
Beatrice	---	202	4	1	3
Balance of county	---	136	3	2	2
Garden	29	35	1	1	-
Garfield	36	31	-	-	-
Gosper	13	26	-	-	-
Grant	2	12	-	-	-
Greeley	11	52	1	1	-
Hall	579	462	12	10	5
Grand Island	---	395	8	6	3
Balance of county	---	67	4	4	2
Hamilton	92	84	1	1	1
Harlan	36	50	-	-	-
Hayes	1	7	-	-	1
Hitchcock	23	48	-	-	-
Holt	110	131	4	4	3
Hooker	9	12	-	-	-
Howard	80	78	2	2	1
Jefferson	85	106	1	-	-
Johnson	74	71	-	-	1
Kearney	56	77	2	-	-
Keith	88	95	4	3	4
Keya Paha	3	16	-	-	-
Kimball	41	55	2	-	-
Knox	102	154	4	3	-
Lancaster	1,645	1,302	22	12	21
Lincoln	---	1,190	20	12	21
Balance of county	---	112	2	-	-
Lincoln	273	317	5	3	4
North Platte	---	231	4	2	3
Balance of county	---	86	1	1	1
Logan	2	10	-	-	-
Loup	2	8	-	-	-
McPherson	2	4	-	-	-
Madison	338	320	7	2	5
Norfolk	---	182	5	2	5
Balance of county	---	138	2	-	-
Merrick	53	74	2	-	1
Morrill	44	69	2	1	1
Nance	47	74	-	-	-
Nemaha	70	100	3	1	-
Nuckolls	55	72	-	-	-
Otoe	157	189	1	1	3
Pawnee	42	66	1	1	-
Perkins	42	40	1	1	-
Phelps	109	106	-	-	1
Pierce	124	90	1	1	2
Platte	208	228	3	2	5
Columbus	---	168	2	1	2
Balance of county	---	60	1	1	3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Nebraska-Con.					
Polk	52	76	3	2	-
Red Willow	127	140	4	2	2
Richardson	145	173	3	1	4
Rock	16	25	-	-	1
Saline	164	175	-	-	-
Sarpy	226	335	24	15	18
Bellevue	- - -	112	3	3	3
Balance of county	- - -	223	21	12	15
Saunders	109	188	-	-	1
Scotts Bluff	380	340	9	4	6
Scottsbluff	- - -	146	6	3	5
Balance of county	- - -	194	3	1	1
Seward	126	148	-	-	2
Sheridan	86	102	-	-	1
Sherman	47	70	1	-	-
Sioux	3	15	-	-	1
Stanton	22	66	1	-	-
Thayer	61	94	-	-	3
Thomas	4	7	1	1	-
Thurston	58	75	3	1	3
White	51	56	1	1	2
All other	7	19	2	-	1
Black	-	-	-	-	-
Valley	53	63	-	-	-
Washington	112	114	2	1	1
Wayne	50	71	-	-	1
Webster	66	75	-	-	-
Wheeler	1	6	-	-	-
York	135	137	2	2	-
Nevada	6,419	5,884	158	92	118
White	5,986	5,480	122	70	92
All other	433	404	36	22	26
Black	276	259	32	21	16
Churchill	126	157	2	-	2
Clark	3,480	3,226	104	63	65
White	3,190	2,945	71	42	46
All other	290	281	33	21	19
Black	235	231	32	21	16
Henderson	- - -	160	7	6	3
Las Vegas	- - -	1,707	58	28	31
White	- - -	1,535	41	19	22
All other	- - -	172	17	9	9
Black	- - -	149	16	9	7
North Las Vegas	- - -	219	20	15	11
White	- - -	149	5	4	6
All other	- - -	70	15	11	5
Black	- - -	67	15	11	5
Balance of county	- - -	1,140	19	14	20
Douglas	37	91	3	1	4
Elko	180	155	1	-	2
White	157	134	1	-	1
All other	23	21	-	.	1
Black	3	1	-	-	-
Esmeralda	7	9	-	-	-
Eureka	6	6	-	-	-
Humboldt	54	74	6	3	-
White	46	62	6	3	-
All other	8	12	-	-	-
Black	2	1	-	-	-
Lander	20	25	3	1	1
Lincoln	26	28	1	1	2
Lyon	67	112	2	1	2
Mineral	43	77	-	-	-
White	38	68	-	-	-
All other	5	9	-	-	-
Black	2	2	-	-	-
Nye	93	102	3	2	-
Ormsby, coext. with Carson City	252	236	3	2	7
Pershing	31	29	-	-	1
Storey	5	7	-	-	-
Washoe	1,881	1,448	26	15	29
Reno	- - -	946	14	7	21
Sparks	- - -	292	7	5	5
Balance of county	- - -	210	5	3	3
White Pine	111	102	4	3	3
New Hampshire	7,602	7,701	131	85	93
White	7,584	7,689	130	84	90
All other	18	12	1	1	3
Black	14	9	1	1	3
Belknap	412	433	5	3	2
New Hampshire-Con.					
Laconia	- - -	175	1	-	-
Balance of county	- - -	258	4	3	2
Carroll	268	308	7	6	1
Cheshire	453	556	5	3	6
Keene	- - -	209	-	-	2
Balance of county	- - -	347	5	3	4
Coos	330	351	6	3	1
Berlin	- - -	136	2	1	-
Balance of county	- - -	215	4	2	1
Grafton	935	611	6	4	7
Hillsborough	2,274	2,149	46	32	32
Manchester	- - -	990	20	12	14
Nashua	- - -	485	14	9	6
Balance of county	- - -	674	12	11	12
Merrimack	942	868	13	7	11
Concord	- - -	354	5	2	3
Balance of county	- - -	514	8	5	8
Rockingham	1,051	1,390	19	11	20
Portsmouth	- - -	225	2	1	5
Balance of county	- - -	1,165	17	10	15
Strafford	664	666	20	13	8
Dover	- - -	204	7	4	4
Rochester	- - -	230	7	6	2
Balance of county	- - -	232	6	3	2
Sullivan	273	369	4	3	5
Claremont	- - -	171	4	3	2
Balance of county	- - -	198	-	-	3
New Jersey	65,562	67,280	1,038	709	764
White	58,446	59,995	672	477	527
All other	7,116	7,285	366	232	237
Black	6,926	7,081	356	226	226
Atlantic	2,685	2,403	37	26	30
White	2,284	2,007	16	11	18
All other	401	396	21	15	12
Black	391	388	21	15	11
Atlantic City	- - -	810	16	12	7
White	- - -	543	2	-	2
All other	- - -	267	14	12	5
Black	- - -	264	14	12	5
Hammonton	- - -	135	5	4	1
Margate City	- - -	117	-	-	2
Pleasantville	- - -	184	3	1	10
White	- - -	135	-	-	4
All other	- - -	49	3	1	6
Black	- - -	49	3	1	5
Ventnor City	- - -	173	-	-	1
Balance of county	- - -	984	13	9	9
Bergen	6,263	7,642	74	57	72
White	6,028	7,369	58	44	62
All other	235	273	16	13	10
Black	219	243	14	12	10
Bergenfield	- - -	228	2	2	1
Cliffside Park	- - -	228	2	2	1
Dumont	- - -	157	2	2	-
East Paterson	- - -	183	3	1	3
Englewood	- - -	265	4	3	2
White	- - -	160	1	1	2
All other	- - -	105	3	2	-
Black	- - -	104	3	2	-
Fair Lawn	- - -	299	2	1	3
Fairview	- - -	108	-	-	2
Fort Lee	- - -	312	2	1	2
Garfield	- - -	292	4	3	3
Glen Rock	- - -	107	1	1	3
Hackensack	- - -	389	4	3	4
White	- - -	334	2	1	1
All other	- - -	55	2	2	3
Black	- - -	54	2	2	3
Hasbrouck Heights	- - -	140	2	2	-
Hillsdale	- - -	76	3	3	2
Lodi	- - -	226	4	4	1
Lyndhurst twp. #	- - -	196	2	2	-
Maywood	- - -	108	1	1	2
New Milford	- - -	185	-	-	3
North Arlington	- - -	174	1	-	1
Oakland	- - -	81	1	-	1
Palisades Park	- - -	156	-	-	2
Paramus	- - -	195	3	3	1
Ramsey	- - -	83	-	-	1
Ridgefield	- - -	99	1	1	-
Ridgefield Park	- - -	135	2	1	2
Ridgewood	- - -	222	2	2	3
River Edge	- - -	106	-	-	2
Rutherford	- - -	213	2	1	2
Saddle Brook twp. #	- - -	96	-	-	1
Teaneck twp. #	- - -	323	8	6	6
White	- - -	277	5	3	3
All other	- - -	46	3	3	3
Black	- - -	43	3	3	3

NEWARK PUBLIC LIBRARY

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Deaths by place of residence: Under 1 year	Deaths by place of residence: Under 28 days	Fetal deaths by place of residence
New Jersey-Con.					
Tenafly	- - -	130	1	1	-
Waldwick	- - -	81	1	1	2
Wallington	- - -	108	1	1	2
Washington twp. #	- - -	50	-	-	-
Westwood	- - -	97	-	-	-
Wyckoff twp. #	- - -	115	-	-	-
Balance of county	- - -	1,679	13	9	14
Burlington	2,418	2,376	49	32	30
White	2,226	2,169	41	26	21
All other	192	207	8	6	9
Black	181	196	7	5	8
Burlington	- - -	143	3	2	1
White	- - -	111	-	-	1
All other	- - -	32	3	2	-
Black	- - -	32	3	2	-
Cinnaminson twp. #	- - -	94	1	1	-
Maple Shade twp. #	- - -	204	3	3	1
Mount Holly twp. #	- - -	136	4	2	5
White	- - -	123	3	1	4
All other	- - -	13	1	1	1
Black	- - -	13	1	1	1
New Hanover twp. #	- - -	4	1	-	-
White	- - -	4	1	-	-
All other	- - -	-	-	-	-
Black	- - -	-	-	-	-
Willingboro twp. #	- - -	172	6	3	5
White	- - -	127	4	1	3
All other	- - -	45	2	2	2
Black	- - -	41	2	2	2
Balance of county	- - -	1,623	31	21	18
White	- - -	1,520	29	20	13
All other	- - -	103	2	1	5
Black	- - -	97	1	-	4
Camden	4,035	4,180	86	49	59
White	3,493	3,655	54	32	37
All other	542	525	32	17	22
Black	533	517	31	16	21
Audubon	- - -	131	-	-	2
Bellmawr	- - -	131	2	2	1
Camden	- - -	856	35	17	15
White	- - -	506	11	5	5
All other	- - -	350	24	12	10
Black	- - -	349	24	12	10
Cherry Hill twp. #	- - -	468	8	6	5
Collingswood	- - -	215	-	-	1
Gloucester City	- - -	168	1	1	3
Gloucester twp. #	- - -	217	11	7	2
Haddonfield	- - -	140	3	3	-
Haddon twp. #	- - -	135	-	-	-
Lindenwold	- - -	104	4	2	6
Pennsauken twp. #	- - -	331	2	1	5
Runnemede	- - -	83	1	-	1
Balance of county	- - -	1,201	19	10	18
Cape May	911	1,176	10	10	6
Ocean City	- - -	239	1	1	1
Balance of county	- - -	937	9	9	5
Cumberland	1,322	1,317	19	12	25
White	1,155	1,145	10	7	15
All other	167	172	9	5	10
Black	156	161	8	5	9
Bridgeton	- - -	270	5	4	9
White	- - -	202	1	1	6
All other	- - -	68	4	3	3
Black	- - -	67	4	3	3
Millville	- - -	312	3	3	5
Vineland	- - -	462	10	5	5
Balance of county	- - -	273	1	-	6
White	- - -	212	-	-	2
All other	- - -	61	1	-	4
Black	- - -	56	1	-	4
Essex	9,127	8,297	170	96	132
White	6,588	5,789	50	30	57
All other	2,539	2,508	120	66	75
Black	2,514	2,485	120	66	74
Belleville	- - -	350	5	2	4
Bloomfield	- - -	546	2	2	4
Cedar Grove twp. #	- - -	91	1	-	1
East Orange	- - -	750	31	16	14
White	- - -	325	-	-	-
All other	- - -	425	31	16	14
Black	- - -	424	31	16	14
Irvington	- - -	720	13	11	6
Livingston twp. #	- - -	188	7	6	1
Maplewood twp. #	- - -	253	2	2	2
Millburn twp. #	- - -	183	1	1	-
Montclair	- - -	420	1	1	2
White	- - -	300	1	1	1
All other	- - -	120	-	-	1
Black	- - -	119	-	-	1
New Jersey-Con.					
Newark	- - -	3,058	95	49	80
White	- - -	1,411	20	11	30
All other	- - -	1,647	75	38	50
Black	- - -	1,638	75	38	50
Nutley	- - -	284	2	1	-
Orange	- - -	345	6	4	5
White	- - -	208	1	-	1
All other	- - -	137	5	4	4
Black	- - -	137	5	4	4
South Orange	- - -	154	1	-	1
Verona	- - -	131	2	1	3
West Caldwell	- - -	71	-	-	-
West Orange	- - -	449	1	-	2
Balance of county	- - -	304	-	-	7
Gloucester	1,357	1,566	28	16	23
White	1,230	1,404	25	15	17
All other	127	162	3	1	6
Black	125	160	3	1	6
Glassboro	- - -	98	3	3	2
White	- - -	73	2	2	1
All other	- - -	25	1	1	1
Black	- - -	25	1	1	1
Pitman	- - -	106	2	2	1
Woodbury	- - -	173	3	2	3
White	- - -	145	3	2	1
All other	- - -	28	-	-	2
Black	- - -	28	-	-	2
Balance of county	- - -	1,189	20	9	17
White	- - -	1,081	18	9	14
All other	- - -	108	2	-	3
Black	- - -	106	2	-	3
Hudson	5,131	5,724	90	59	69
White	4,609	5,168	59	45	44
All other	522	556	31	14	25
Black	499	530	30	13	21
Bayonne	- - -	830	9	8	3
Harrison	- - -	124	-	-	2
Hoboken	- - -	361	6	4	6
Jersey City	- - -	2,371	48	26	47
White	- - -	1,888	20	14	24
All other	- - -	483	28	12	23
Black	- - -	472	27	11	20
Kearny	- - -	344	4	4	3
North Bergen twp. #	- - -	518	5	3	2
Secaucus	- - -	110	-	-	1
Union City	- - -	463	8	6	2
Weehawken twp. #	- - -	116	2	2	-
West New York	- - -	362	6	5	2
Balance of county	- - -	105	2	1	1
Hunterdon	494	652	10	6	1
Mercer	3,144	2,844	62	45	42
White	2,684	2,384	32	23	24
All other	460	460	30	22	18
Black	452	452	29	21	18
Ewing twp. #	- - -	314	4	2	1
Hamilton twp. #	- - -	728	16	14	9
Princeton	- - -	118	3	3	-
White	- - -	101	3	3	-
All other	- - -	17	-	-	-
Black	- - -	17	-	-	-
Trenton	- - -	1,145	35	24	25
White	- - -	796	11	8	10
All other	- - -	349	24	16	15
Black	- - -	346	24	16	15
Balance of county	- - -	539	4	2	7
Middlesex	3,877	4,427	79	57	48
White	3,632	4,202	64	45	39
All other	245	225	15	12	9
Black	230	203	12	11	8
Carteret	- - -	198	3	2	4
East Brunswick twp. #	- - -	218	2	1	4
Edison twp. #	- - -	482	13	8	2
Highland Park	- - -	113	3	3	1
Madison twp. #	- - -	227	6	5	3
Metuchen	- - -	137	5	4	-
Middlesex	- - -	106	2	1	1
New Brunswick	- - -	304	5	5	6
White	- - -	226	-	-	2
All other	- - -	78	5	5	4
Black	- - -	78	5	5	4
Perth Amboy	- - -	425	14	10	1
Piscataway twp. #	- - -	207	6	4	8
White	- - -	181	4	3	7
All other	- - -	26	2	1	1
Black	- - -	22	2	1	1
Sayreville	- - -	231	1	1	1
South Plainfield	- - -	125	2	-	-
South River	- - -	134	1	1	-
Woodbridge twp. #	- - -	659	9	8	8
Balance of county	- - -	861	7	4	9
Monmouth	4,850	4,739	61	49	35
White	4,431	4,318	43	33	26
All other	419	421	18	16	9
Black	401	405	18	16	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Deaths by place of residence: Under 1 year	Deaths by place of residence: Under 28 days	Fetal deaths by place of residence
New Jersey-Con.					
Asbury Park	---	324	9	8	4
White	---	220	1	-	2
All other	---	104	8	8	2
Black	---	104	8	8	2
Eatontown	---	89	4	4	1
Freehold	---	119	2	1	1
Hazlet twp. #	---	166	1	1	1
Long Branch	---	344	3	2	1
White	---	296	1	1	1
All other	---	48	2	1	-
Black	---	47	2	1	-
Matawan twp. #	---	89	5	4	2
White	---	81	4	3	1
All other	---	8	1	1	1
Black	---	8	1	1	1
Middletown twp. #	---	461	4	2	3
Neptune twp. #	---	384	6	4	3
White	---	318	5	3	-
All other	---	66	1	1	3
Black	---	64	1	1	3
Ocean twp. #	---	163	1	1	2
Red Bank	---	180	3	3	2
White	---	140	2	2	1
All other	---	40	1	1	1
Black	---	40	1	1	1
Balance of county	---	2,420	23	19	15
White	---	2,306	19	16	14
All other	---	114	4	3	1
Black	---	105	4	3	1
Morris	3,250	2,781	42	36	37
White	3,164	2,707	38	33	36
All other	86	74	4	3	1
Black	75	65	4	3	1
Dover	---	165	2	2	6
Madison	---	119	1	-	1
Morristown	---	241	4	3	2
White	---	200	-	-	2
All other	---	41	4	3	-
Black	---	41	4	3	-
Parsippany-Troy Hills twp. #	---	226	5	5	7
Pequannock twp. #	---	102	-	-	2
Balance of county	---	1,928	30	26	19
Ocean	4,154	4,472	38	25	25
Brick twp. #	---	556	7	7	5
Dover twp. #	---	791	7	5	6
Lakewood twp. #	---	570	2	1	6
White	---	527	1	1	4
All other	---	43	1	-	2
Black	---	43	1	-	2
Point Pleasant	---	254	3	3	-
Balance of county	---	2,301	19	9	8
Passaic	4,309	4,223	74	56	57
White	3,948	3,831	50	37	41
All other	361	392	24	19	16
Black	356	388	24	19	15
Clifton	---	900	4	3	3
Hawthorne	---	220	3	2	1
Little Falls twp. #	---	119	1	1	-
Passaic	---	537	12	9	13
White	---	472	8	7	12
All other	---	65	4	2	1
Black	---	63	4	2	1
Paterson	---	1,304	40	31	24
White	---	994	20	14	11
All other	---	310	20	17	13
Black	---	309	20	17	13
Pompton Lakes	---	79	1	1	3
Ringwood	---	51	-	-	4
Totowa	---	121	1	1	-
Wayne twp. #	---	311	4	2	4
West Paterson	---	86	2	2	-
Balance of county	---	495	6	4	5
Salem	617	585	14	12	7
White	522	484	11	9	5
All other	95	101	3	3	2
Black	94	101	3	3	2
Somerset	1,372	1,464	16	12	12
Bound Brook	---	103	1	-	1
Bridgewater twp. #	---	169	1	1	2
Franklin twp. #	---	226	7	6	3
White	---	184	3	2	3
All other	---	42	4	4	-
Black	---	42	4	4	-
Manville	---	98	-	-	-
North Plainfield	---	166	-	-	1
Somerville	---	126	1	1	-
White	---	116	1	1	-
All other	---	10	-	-	-
Black	---	10	-	-	-
Balance of county	---	576	6	4	5
New Jersey-Con.					
Sussex	744	784	14	10	13
Union	4,788	4,809	56	36	38
White	4,257	4,227	35	23	27
All other	531	582	21	13	11
Black	517	573	21	13	11
Berkeley Heights twp. #	---	71	1	1	-
Clark twp. #	---	133	-	-	2
Cranford twp. #	---	215	1	1	4
Elizabeth	---	1,108	18	9	8
White	---	981	11	6	7
All other	---	127	7	3	1
Black	---	125	7	3	1
Hillside twp. #	---	182	4	4	2
Linden	---	394	2	1	3
White	---	360	2	1	2
All other	---	34	-	-	1
Black	---	34	-	-	1
New Providence	---	77	-	-	-
Plainfield	---	412	12	7	4
White	---	210	4	2	1
All other	---	202	8	5	3
Black	---	202	8	5	3
Rahway	---	251	6	5	5
White	---	209	3	2	2
All other	---	42	3	3	3
Black	---	41	3	3	3
Roselle	---	213	1	-	2
White	---	163	-	-	1
All other	---	50	1	-	1
Black	---	49	1	-	1
Roselle Park	---	108	1	1	-
Scotch Plains twp. #	---	160	-	-	2
Springfield twp. #	---	161	-	-	-
Summit	---	203	-	-	1
Union twp. #	---	606	1	-	2
Westfield	---	236	3	2	2
Balance of county	---	279	6	5	1
Warren	714	819	9	8	3
Phillipsburg	---	223	3	2	1
Balance of county	---	596	6	6	2
New Mexico	8,598	8,678	261	157	184
White	7,772	7,957	214	135	146
All other	826	721	47	22	38
Black	157	158	11	8	9
Bernalillo	3,134	2,508	65	41	50
White	2,951	2,419	55	36	44
All other	183	89	10	5	6
Black	52	39	3	2	2
Albuquerque	---	2,303	58	34	47
White	---	2,237	49	30	43
All other	---	66	9	4	4
Black	---	39	3	2	1
Balance of county	---	205	7	7	3
Catron	18	28	2	2	2
Chaves	487	489	16	10	7
Roswell	---	423	14	9	6
Balance of county	---	66	2	1	1
Colfax	93	101	1	1	4
Curry	292	327	10	8	5
Clovis	---	282	8	6	4
Balance of county	---	45	2	2	1
De Baca	32	30	-	-	-
Dona Ana	420	525	13	7	15
Las Cruces	---	316	6	3	6
Balance of county	---	209	7	4	9
Eddy	382	403	7	5	10
Artesia	---	99	-	-	4
Carlsbad	---	239	6	4	6
Balance of county	---	65	1	1	-
Grant	222	187	3	2	7
Guadalupe	29	38	-	-	1
Harding	7	12	-	-	-
Hidalgo	32	47	2	1	1
Lea	353	431	30	19	8
Hobbs	---	246	16	9	4
Balance of county	---	185	14	10	4
Lincoln	91	80	5	3	1
Los Alamos	58	59	1	1	-
Luna	143	171	4	3	2
McKinley	396	320	15	5	14
White	131	108	4	1	3
All other	265	212	11	4	11
Black	3	2	-	-	-
Gallup	---	113	6	2	2
White	---	88	4	1	2
All other	---	25	2	1	-
Black	---	1	-	-	-

NEWARK PUBLIC LIBRARY

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New Mexico-Con.					
Balance of county	---	207	9	3	12
White	---	20	-	-	1
All other	---	187	9	3	11
Black	---	1	-	-	-
Mora	15	44	-	-	-
Otero	208	247	9	7	6
Alamogordo	---	145	3	2	5
Balance of county	---	102	6	5	1
White	---	80	4	4	-
All other	---	22	2	1	1
Black	---	1	-	-	-
Quay	93	126	2	-	-
Rio Arriba	179	213	8	4	5
White	166	192	8	4	4
All other	13	21	-	-	1
Black	-	-	-	-	-
Roosevelt	82	139	5	4	1
Portales	---	86	3	2	1
Balance of county	---	53	2	2	-
Sandoval	88	224	10	6	6
White	57	155	2	1	3
All other	31	69	8	5	3
Black	1	5	-	-	-
San Juan	414	424	25	11	11
White	267	297	18	10	4
All other	147	127	7	1	7
Black	1	1	-	-	-
Farmington	---	162	8	3	2
Balance of county	---	262	17	8	9
White	---	147	11	7	2
All other	---	115	6	1	7
Black	---	-	-	-	-
San Miguel	213	179	4	3	4
Santa Fe	491	467	5	3	9
Santa Fe	---	351	4	2	9
Balance of county	---	116	1	1	-
Sierra	124	151	3	2	2
Socorro	86	98	2	1	-
Taos	111	138	2	2	3
Torrance	28	55	-	-	1
Union	48	65	-	-	-
Valencia	229	352	12	6	9
White	192	307	11	6	9
All other	37	45	1	-	-
Black	7	7	-	-	-
New York	167,690	168,184	3,006	2,074	2,677
White	146,689	147,184	1,943	1,355	1,888
All other	21,001	21,000	1,063	719	789
Black	19,780	19,803	1,003	672	731
Albany	3,777	2,935	52	43	37
White	3,609	2,792	41	34	32
All other	168	143	11	9	5
Black	165	139	10	8	4
Albany	---	1,382	25	19	14
White	---	1,246	14	10	9
All other	---	136	11	9	5
Black	---	134	10	8	4
Cohoes	---	237	6	5	6
Watervliet	---	153	1	1	1
Balance of county	---	1,163	20	18	16
Allegany	347	451	7	4	4
Broome	2,219	2,041	24	13	22
Binghamton	---	750	13	5	12
Endicott	---	159	2	1	2
Johnson City	---	250	1	1	2
Balance of county	---	882	8	6	6
Cattaraugus	872	922	13	6	17
Olean	---	218	1	1	3
Balance of county	---	704	12	5	14
Cayuga	744	795	12	9	23
Auburn	---	404	5	3	13
Balance of county	---	391	7	6	10
Chautauqua	1,419	1,466	23	19	30
Dunkirk	---	166	2	2	4
Fredonia	---	64	-	-	1
Jamestown	---	498	9	7	15
Balance of county	---	738	12	10	10
Chemung	1,016	941	15	8	21
Elmira	---	384	7	3	7
Balance of county	---	557	8	5	14
Chenango	366	471	14	9	9
Clinton	619	564	19	9	9
Plattsburgh	---	191	5	2	1
Balance of county	---	373	14	7	8
Columbia	671	705	7	6	14

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York-Con.					
Cortland	479	443	5	5	10
Cortland	---	214	1	1	6
Balance of county	---	229	4	4	4
Delaware	480	506	6	4	8
Dutchess	2,151	2,112	31	22	40
White	2,039	2,009	22	16	32
All other	112	103	9	6	8
Black	108	96	8	5	8
Beacon	---	164	1	1	1
White	---	153	1	1	1
All other	---	11	-	-	-
Black	---	11	-	-	-
Poughkeepsie	---	450	8	5	13
White	---	391	1	1	6
All other	---	59	7	4	7
Black	---	58	7	4	7
Balance of county	---	1,498	22	16	26
Erie	10,687	10,326	160	113	127
White	9,729	9,381	114	84	101
All other	958	945	46	29	26
Black	920	906	43	29	26
Buffalo	---	4,728	89	65	54
White	---	3,840	45	36	29
All other	---	888	44	29	25
Black	---	867	42	29	25
Depew	---	151	2	2	1
Hamburg	---	120	4	2	2
Kenmore	---	230	1	1	5
Lackawanna	---	237	9	7	5
White	---	218	8	7	5
All other	---	19	1	-	-
Black	---	18	1	-	-
Lancaster	---	138	2	1	4
Tonawanda	---	207	1	1	3
Balance of county	---	4,515	52	34	53
Essex	268	389	5	4	2
Franklin	480	487	7	6	6
Fulton	519	607	9	7	7
Gloversville	---	254	5	3	3
Johnstown	---	133	1	1	1
Balance of county	---	220	3	3	3
Genesee	587	495	10	7	8
Batavia	---	195	4	3	4
Balance of county	---	300	6	4	4
Greene	354	471	3	3	6
Hamilton	23	85	-	-	-
Herkimer	608	719	11	8	5
Jefferson	937	898	14	10	19
Watertown	---	355	7	5	5
Balance of county	---	543	7	5	14
Lewis	176	237	2	2	1
Livingston	351	449	10	6	9
Madison	457	518	12	7	12
Oneida	---	125	-	-	2
Balance of county	---	393	12	7	10
Monroe	6,192	5,868	110	82	113
White	5,779	5,462	78	59	88
All other	413	406	32	23	25
Black	396	390	32	23	22
Rochester	---	2,802	66	48	72
White	---	2,422	36	27	49
All other	---	380	30	21	23
Black	---	371	30	21	20
Balance of county	---	3,066	44	34	41
Montgomery	534	619	2	2	8
Amsterdam	---	318	-	-	4
Balance of county	---	301	2	2	4
Nassau	11,182	11,350	160	107	159
White	10,510	10,689	114	82	130
All other	672	661	46	25	29
Black	643	638	46	25	28
East Rockaway	---	98	1	1	-
Floral Park	---	185	1	-	-
Freeport	---	332	18	11	6
White	---	256	7	6	5
All other	---	76	11	5	1
Black	---	76	11	5	1
Garden City	---	192	2	1	1
Glen Cove	---	241	2	2	4
Great Neck	---	154	-	-	3
Hempstead	---	384	16	8	10
White	---	229	2	2	2
All other	---	155	14	6	8
Black	---	154	14	6	8
Long Beach	---	551	9	5	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York-Con.					
Lynbrook	---	240	-	-	2
Malverne	---	94	-	-	-
Massapequa Park	---	153	4	3	2
Mineola	---	180	1	1	6
New Hyde Park	---	93	2	2	1
Rockville Centre	---	288	6	3	5
Valley Stream	---	387	4	4	6
Westbury	---	142	3	3	5
Balance of county	---	7,636	91	63	104
White	---	7,291	76	53	91
All other	---	345	15	10	13
Black	---	326	15	10	12
New York City	73,294	73,612	1,526	1,028	1,193
White	57,002	57,312	741	500	620
All other	16,292	16,300	785	528	573
Black	15,368	15,400	739	490	532
Bronx Bor., Bronx Co	---	12,610	296	188	135
White	---	9,561	140	81	56
All other	---	3,049	156	107	79
Black	---	2,998	151	102	76
Brooklyn Bor., Kings Co	---	22,467	644	432	459
White	---	17,035	274	188	210
All other	---	5,432	370	244	249
Black	---	5,291	367	242	237
Manhattan Bor., New York Co	---	15,904	215	133	236
White	---	11,115	129	84	131
All other	---	4,789	86	49	105
Black	---	4,353	75	41	98
Queens Bor., Queens Co	---	19,680	310	224	284
White	---	16,848	156	112	158
All other	---	2,832	154	112	126
Black	---	2,591	128	90	107
Richmond Bor., Richmond Co	---	2,951	61	51	79
White	---	2,753	42	35	65
All other	---	198	19	16	14
Black	---	167	18	15	14
Niagara	2,094	2,167	28	22	44
White	1,996	2,058	23	19	36
All other	98	109	5	3	8
Black	82	93	5	3	6
Lockport	---	279	-	-	6
Niagara Falls	---	884	16	10	16
White	---	803	11	7	12
All other	---	81	5	3	4
Black	---	77	5	3	4
North Tonawanda	---	328	7	7	9
Balance of county	---	676	5	5	13
Oneida	2,669	2,618	33	26	57
Rome	---	404	2	2	11
Utica	---	1,108	15	12	20
Balance of county	---	1,106	16	12	26
Onondaga	4,711	4,186	102	73	74
White	4,479	3,969	76	52	54
All other	232	219	26	21	20
Black	196	188	23	18	20
Syracuse	---	2,087	51	40	41
White	---	1,899	28	21	22
All other	---	188	23	19	19
Black	---	176	21	17	19
Balance of county	---	2,101	51	33	33
Ontario	902	773	16	11	10
Canandaigua	---	135	3	2	1
Geneva	---	167	1	1	1
Balance of county	---	471	12	8	8
Orange	2,332	2,297	33	19	40
White	2,238	2,188	25	15	37
All other	94	109	8	4	3
Black	93	107	8	4	3
Middletown	---	243	8	5	11
Newburgh	---	317	11	6	3
White	---	255	4	3	2
All other	---	62	7	3	1
Black	---	62	7	3	1
Balance of county	---	1,737	14	8	26
Orleans	298	378	3	2	1
Oswego	732	958	17	13	12
Fulton	---	145	3	2	-
Oswego	---	235	1	1	1
Balance of county	---	578	13	10	11
Otsego	675	575	6	5	8
Oneonta	---	129	-	-	-
Balance of county	---	446	6	5	8
Putnam	476	565	8	5	6
Rensselaer	1,350	1,614	19	16	15
Rensselaer	---	130	-	-	2
Troy	---	788	13	11	8
Balance of county	---	696	6	5	5

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
New York-Con.					
Rockland	1,945	1,840	35	26	39
White	1,841	1,753	28	21	29
All other	104	87	7	5	10
Black	92	77	6	4	9
Spring Valley	---	175	10	7	9
White	---	153	6	4	3
All other	---	22	4	3	6
Black	---	22	4	3	6
Balance of county	---	1,665	25	19	30
White	---	1,600	22	17	26
All other	---	65	3	2	4
Black	---	55	2	1	3
St. Lawrence	985	1,013	19	17	17
Massena	---	158	4	4	2
Ogdensburg	---	141	-	-	2
Balance of county	---	714	15	13	13
Saratoga	693	1,241	22	19	15
Saratoga Springs	---	267	2	2	3
Balance of county	---	974	20	17	12
Schenectady	1,698	1,540	17	15	33
Schenectady	---	909	11	11	23
Balance of county	---	631	6	4	10
Schoharie	268	318	1	1	4
Schuyler	116	157	1	-	3
Seneca	225	287	3	3	9
Steuben	906	1,005	19	13	9
Corning	---	165	2	1	-
Hornell	---	155	3	2	2
Balance of county	---	685	14	10	7
Suffolk	9,869	9,507	147	95	177
White	9,376	9,023	127	82	156
All other	493	484	20	13	21
Black	467	453	19	12	20
Babylon	---	126	1	-	1
Lindenhurst	---	229	2	-	9
Patchogue	---	134	1	1	-
Balance of county	---	9,018	143	94	167
White	---	8,537	123	81	147
All other	---	481	20	13	20
Black	---	450	19	12	20
Sullivan	633	728	9	4	12
Tioga	222	399	11	4	2
Tompkins	492	539	10	7	13
Ithaca	---	174	4	2	1
Balance of county	---	365	6	5	12
Ulster	1,200	1,484	26	17	32
Kingston	---	365	4	3	6
Balance of county	---	1,119	22	14	26
Warren	891	586	17	12	3
Glens Falls	---	229	12	8	1
Balance of county	---	357	5	4	2
Washington	340	534	4	3	2
Wayne	579	739	20	13	11
Newark	---	124	-	-	2
Balance of county	---	615	20	13	9
Westchester	8,101	8,064	106	81	102
White	7,241	7,167	65	48	61
All other	860	897	41	33	41
Black	829	862	41	33	39
Dobbs Ferry	---	93	1	-	-
Mamaroneck	---	169	1	1	1
Mount Vernon	---	693	26	20	9
White	---	429	9	7	1
All other	---	264	17	13	8
Black	---	260	17	13	8
New Rochelle	---	731	7	6	10
White	---	592	5	4	3
All other	---	139	2	2	7
Black	---	134	2	2	7
Ossining	---	185	2	2	5
White	---	169	1	1	4
All other	---	16	1	1	1
Black	---	16	1	1	1
Peekskill	---	222	3	2	6
White	---	202	3	2	2
All other	---	20	-	-	4
Black	---	20	-	-	3
Port Chester	---	277	2	2	1
White	---	247	1	1	-
All other	---	30	1	1	1
Black	---	28	1	1	1
Rye	---	123	-	-	2
Scarsdale	---	172	2	2	-
Tarrytown	---	101	1	1	2
White Plains	---	531	10	9	8
White	---	436	3	3	1
All other	---	95	7	6	7
Black	---	92	7	6	7

NEWARK PUBLIC LIBRARY

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Deaths by place of residence: Under 1 year	Deaths by place of residence: Under 28 days	Fetal deaths by place of residence
New York-Con.					
Yonkers	---	2,032	26	19	37
White	---	1,889	18	13	25
All other	---	143	8	6	12
Black	---	133	8	6	11
Balance of county	---	2,735	25	17	21
White	---	2,582	21	14	21
All other	---	153	4	3	-
Black	---	145	4	3	-
Wyoming	299	352	4	2	8
Yates	180	236	1	1	-
North Carolina	49,668	49,236	1,101	737	856
White	37,340	36,957	608	405	470
All other	12,328	12,279	493	332	386
Black	11,952	11,900	473	319	367
Alamance	781	951	18	11	6
White	641	766	12	6	3
All other	140	185	6	5	3
Black	140	185	6	5	3
Burlington	---	390	10	7	4
White	---	325	6	4	3
All other	---	65	4	3	1
Black	---	65	4	3	1
Balance of county	---	561	8	4	2
White	---	441	6	2	-
All other	---	120	2	2	2
Black	---	120	2	2	2
Alexander	102	206	7	5	6
Alleghany	102	104	2	-	1
Anson	183	249	5	3	2
White	106	146	1	1	-
All other	77	103	4	2	2
Black	77	103	4	2	2
Ashe	177	214	3	3	8
Avery	131	119	4	4	-
Beaufort	417	412	5	3	8
White	294	289	4	3	3
All other	123	123	1	-	5
Black	123	123	1	-	5
Bertie	78	208	7	4	4
White	41	97	1	-	1
All other	37	111	6	4	3
Black	36	111	6	4	3
Bladen	216	292	5	2	4
White	119	165	1	-	1
All other	97	127	4	2	3
Black	95	127	4	2	3
Brunswick	205	314	9	5	6
White	154	234	3	1	4
All other	51	80	6	4	2
Black	51	80	6	4	2
Buncombe	2,274	1,586	15	10	28
White	2,044	1,408	12	8	25
All other	230	178	3	2	3
Black	217	176	3	2	3
Asheville	---	816	9	7	9
White	---	656	6	5	6
All other	---	160	3	2	3
Black	---	158	3	2	3
Balance of county	---	770	6	3	19
Burke	489	474	8	3	4
Hickory, part	---	1	-	-	-
Morganton	---	130	2	2	2
White	---	110	1	1	1
All other	---	20	1	1	1
Black	---	20	1	1	1
Balance of county	---	343	6	1	2
Cabarrus	884	838	10	6	13
White	771	715	6	4	7
All other	113	123	4	2	6
Black	113	123	4	2	6
Concord	---	238	5	4	5
White	---	194	2	2	1
All other	---	44	3	2	4
Black	---	44	3	2	4
Balance of county	---	600	5	2	8
White	---	521	4	2	6
All other	---	79	1	-	2
Black	---	79	1	-	2
Caldwell	357	507	14	12	8
Lenoir	---	179	4	4	4
White	---	156	4	4	3
All other	---	23	-	-	1
Black	---	23	-	-	1
Balance of county	---	328	10	8	4
Camden	18	66	-	-	1
White	9	47	-	-	-
All other	9	19	-	-	1
Black	9	19	-	-	1
Carteret	397	402	9	8	5
White	359	367	8	7	4
All other	38	35	1	1	1
Black	38	35	1	1	1
North Carolina-Con.					
Caswell	60	173	3	2	3
White	35	107	2	1	1
All other	25	66	1	1	2
Black	25	65	1	1	2
Catawba	782	801	11	8	11
Hickory, part	---	271	2	1	1
White	---	230	-	-	1
All other	---	41	2	1	-
Black	---	40	2	1	-
Hickory, total	---	272	2	1	1
White	---	231	-	-	1
All other	---	41	2	1	-
Black	---	40	2	1	-
Balance of county	---	530	9	7	10
Chatham	204	308	7	7	2
White	157	223	4	4	1
All other	47	85	3	3	1
Black	47	85	3	3	1
Cherokee	165	160	2	2	1
Chowan	202	131	1	1	-
White	104	70	-	-	-
All other	98	61	1	1	-
Black	98	61	1	1	-
Clay	15	71	1	1	-
Cleveland	837	778	25	14	13
White	690	633	14	7	9
All other	147	145	11	7	4
Black	147	145	11	7	4
Shelby	---	223	2	1	2
White	---	164	1	1	2
All other	---	59	1	-	-
Black	---	59	1	-	-
Balance of county	---	555	23	13	11
White	---	469	13	6	7
All other	---	86	10	7	4
Black	---	86	10	7	4
Columbus	383	401	14	6	11
White	245	320	5	2	6
All other	148	171	9	4	5
Black	144	166	9	4	5
Craven	597	515	14	8	15
White	397	346	6	3	10
All other	200	169	8	5	5
Black	200	169	8	5	4
New Bern	---	199	5	2	3
White	---	125	3	1	2
All other	---	74	2	1	1
Black	---	74	2	1	1
Balance of county	---	316	9	6	12
White	---	221	3	2	8
All other	---	95	6	4	4
Black	---	95	6	4	3
Cumberland	1,471	1,253	74	46	43
White	951	853	45	24	22
All other	520	400	29	22	21
Black	488	380	29	22	20
Fayetteville	---	591	24	16	18
White	---	376	13	7	8
All other	---	215	11	9	10
Black	---	208	11	9	9
Balance of county	---	662	50	30	25
White	---	477	32	17	14
All other	---	185	18	13	11
Black	---	172	18	13	11
Currituck	37	109	4	1	6
White	25	81	3	1	3
All other	12	28	1	-	3
Black	12	28	1	-	3
Dare	59	104	1	-	2
Davidson	621	854	13	9	15
White	544	754	11	8	12
All other	77	100	2	1	3
Black	77	100	2	1	3
High Point, part	---	3	-	-	-
Lexington	---	161	5	3	5
White	---	123	3	2	3
All other	---	38	2	1	2
Black	---	38	2	1	2
Thomasville	---	182	3	3	1
White	---	139	3	3	-
All other	---	43	-	-	1
Black	---	43	-	-	1
Balance of county	---	508	5	3	9
Davie	145	190	4	3	2
White	134	168	3	3	2
All other	11	22	1	-	-
Black	11	22	1	-	-
Duplin	277	414	12	8	5
White	167	261	2	2	4
All other	110	153	10	6	1
Black	109	153	10	6	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Deaths by place of residence: Under 1 year	Deaths by place of residence: Under 28 days	Fetal deaths by place of residence
North Carolina-Con.					
Durham	2,568	1,280	26	21	20
White	1,723	814	10	8	8
All other	845	456	16	13	12
Black	832	465	16	13	12
Chapel Hill, part	---	1	-	-	-
Durham	---	1,032	22	17	16
White	---	603	6	4	5
All other	---	429	16	13	11
Black	---	428	16	13	11
Balance of county	---	247	4	4	4
White	---	210	4	4	3
All other	---	37	-	-	1
Black	---	37	-	-	1
Edgecombe	384	544	11	9	11
White	204	281	2	1	3
All other	180	263	9	8	8
Black	180	263	9	8	8
Rocky Mount, part	---	178	4	3	5
White	---	58	-	-	1
All other	---	120	4	3	4
Black	---	120	4	3	4
Balance of county	---	366	7	6	6
White	---	223	2	1	2
All other	---	143	5	5	4
Black	---	143	5	5	4
Forsyth	3,022	2,006	23	18	22
White	2,346	1,438	18	15	13
All other	676	568	5	3	9
Black	672	564	5	3	9
Winston-Salem	---	1,331	10	8	16
White	---	801	7	6	7
All other	---	530	3	2	9
Black	---	526	3	2	9
Balance of county	---	675	13	10	6
Franklin	237	336	2	1	3
White	151	209	1	-	-
All other	86	127	1	1	3
Black	86	127	1	1	3
Gaston	1,043	1,348	34	27	31
White	892	1,163	27	22	26
All other	151	185	7	5	5
Black	150	182	7	5	5
Gastonia	---	543	17	12	14
White	---	445	12	9	10
All other	---	98	5	3	4
Black	---	97	5	3	4
Balance of county	---	805	17	15	17
White	---	718	15	13	16
All other	---	87	2	2	1
Black	---	85	2	2	1
Gates	30	80	1	-	1
White	20	49	-	-	-
All other	10	31	1	-	1
Black	10	31	1	-	1
Graham	21	55	1	-	1
Granville	289	337	7	7	6
White	162	181	3	3	-
All other	127	156	4	4	6
Black	127	156	4	4	6
Greene	33	109	5	4	4
White	16	72	3	2	-
All other	17	37	2	2	4
Black	17	37	2	2	4
Guilford	2,867	2,569	58	36	39
White	2,246	1,964	38	23	16
All other	621	605	20	13	23
Black	612	591	20	13	23
Greensboro	---	1,292	25	19	20
White	---	887	12	8	7
All other	---	405	13	11	13
Black	---	396	13	11	13
High Point, part	---	672	12	4	12
White	---	524	6	3	3
All other	---	148	6	1	9
Black	---	146	6	1	9
High Point, total	---	678	12	4	12
White	---	530	6	3	3
All other	---	148	6	1	9
Black	---	148	6	1	9
Balance of county	---	605	21	13	7
White	---	553	20	12	6
All other	---	52	1	1	1
Black	---	49	1	1	1
Halifax	586	589	24	18	21
White	299	302	4	4	7
All other	287	297	20	14	14
Black	281	291	19	13	14
Roanoke Rapids	---	167	6	6	3
White	---	139	3	3	-
All other	---	28	3	3	3
Black	---	28	3	3	3
North Carolina-Con.					
Balance of county	---	432	18	12	18
White	---	163	1	1	7
All other	---	269	17	11	11
Black	---	263	16	10	11
Harnett	413	524	8	4	12
White	304	392	4	1	6
All other	109	132	4	3	6
Black	108	131	4	3	6
Haywood	391	443	7	3	4
Henderson	638	646	11	6	4
Hertford	281	241	9	7	3
White	147	112	3	3	1
All other	134	129	6	4	2
Black	133	128	6	4	2
Hoke	100	133	3	2	6
White	39	54	-	-	-
All other	61	79	3	2	6
Black	52	69	3	2	6
Hyde	27	79	4	2	1
White	19	53	2	1	-
All other	8	26	2	1	1
Black	8	26	2	1	1
Iredell	712	733	8	7	10
White	610	628	5	5	6
All other	102	105	3	2	4
Black	102	105	3	2	4
Statesville	---	234	3	2	5
White	---	182	2	2	2
All other	---	52	1	-	3
Black	---	52	1	-	3
Balance of county	---	499	5	5	5
White	---	446	3	3	4
All other	---	53	2	2	1
Black	---	53	2	2	1
Jackson	174	194	2	1	5
White	171	177	1	1	2
All other	3	17	1	-	3
Black	*2	3	-	-	3
Johnston	449	695	11	5	12
White	358	550	5	2	6
All other	91	145	6	3	6
Black	91	145	6	3	6
Jones	18	65	3	3	2
White	8	38	2	2	-
All other	10	27	1	1	2
Black	10	27	1	1	2
Lee	316	332	10	9	3
White	240	245	5	5	2
All other	76	87	5	4	1
Black	75	86	5	4	1
Sanford	---	147	4	3	2
White	---	103	2	2	1
All other	---	44	2	1	1
Black	---	44	2	1	1
Balance of county	---	185	6	6	1
White	---	142	3	3	1
All other	---	43	3	3	-
Black	---	42	3	3	-
Lenoir	582	604	10	9	9
White	364	348	5	5	4
All other	218	256	5	4	5
Black	218	254	5	4	5
Kinston	---	348	8	7	2
White	---	175	4	4	1
All other	---	173	4	3	1
Black	---	173	4	3	1
Balance of county	---	256	2	2	7
White	---	173	1	1	3
All other	---	83	1	1	4
Black	---	81	1	1	4
Lincoln	264	316	6	4	6
White	237	289	5	3	6
All other	27	27	1	1	-
Black	27	27	1	1	-
McDowell	235	310	3	2	7
Macon	192	223	1	-	3
Madison	66	188	5	5	-
Martin	201	259	8	7	5
White	110	150	4	3	1
All other	91	109	4	4	4
Black	91	109	4	4	4
Mecklenburg	3,637	3,005	80	53	70
White	2,663	2,090	39	23	29
All other	974	915	41	30	41
Black	964	908	40	30	38
Charlotte	---	2,468	71	47	61
White	---	1,635	32	19	21
All other	---	833	39	28	40
Black	---	827	38	28	37

NEWARK PUBLIC LIBRARY

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Balance of county	---	537	9	6	9
White	---	455	7	4	8
All other	---	82	2	2	1
Black	---	81	2	2	1
Mitchell	142	161	2	1	1
Montgomery	174	214	6	2	5
White	136	162	4	1	3
All other	38	52	2	1	2
Black	38	52	2	1	2
Moore	683	520	7	5	3
White	530	399	6	5	2
All other	153	121	1	-	1
Black	149	120	1	-	1
Nash	688	639	12	10	13
White	410	425	6	5	3
All other	278	214	6	5	10
Black	278	214	6	5	10
Rocky Mount, part	---	256	6	5	8
White	---	180	2	1	2
All other	---	76	4	4	6
Black	---	76	4	4	6
Rocky Mount, total	---	434	10	8	13
White	---	238	2	1	3
All other	---	196	8	7	10
Black	---	196	8	7	10
Balance of county	---	383	6	5	5
White	---	245	4	4	1
All other	---	138	2	1	4
Black	---	138	2	1	4
New Hanover	1,177	938	16	9	14
White	837	676	9	7	7
All other	340	262	7	2	7
Black	335	262	7	2	7
Wilmington	---	543	8	4	2
White	---	313	2	2	1
All other	---	230	6	2	1
Black	---	230	6	2	1
Balance of county	---	395	8	5	12
Northampton	69	252	7	5	3
White	35	118	-	-	1
All other	34	134	7	5	2
Black	34	134	7	5	2
Onslow	392	447	39	21	14
White	305	354	26	14	11
All other	87	93	13	7	3
Black	85	92	12	6	3
Jacksonville	---	131	3	1	5
White	---	92	1	-	4
All other	---	39	2	1	1
Black	---	39	2	1	1
Balance of county	---	316	36	20	9
White	---	262	25	14	7
All other	---	54	11	6	2
Black	---	53	10	5	2
Orange	916	486	15	10	11
White	557	339	7	4	4
All other	359	147	8	6	7
Black	346	144	8	6	7
Chapel Hill, part	---	170	6	6	7
White	---	115	1	1	3
All other	---	55	5	5	4
Black	---	52	5	5	4
Chapel Hill, total	---	171	6	6	7
White	---	116	1	1	3
All other	---	55	5	5	4
Black	---	52	5	5	4
Balance of county	---	316	9	4	4
White	---	224	6	3	1
All other	---	92	3	1	3
Black	---	92	3	1	3
Pamlico	26	98	1	1	1
White	19	71	1	1	1
All other	7	27	-	-	-
Black	7	27	-	-	-
Pasquotank	424	282	4	3	9
White	296	181	3	3	5
All other	128	101	1	-	4
Black	128	101	1	-	4
Elizabeth City	---	186	2	1	6
White	---	116	1	1	3
All other	---	70	1	-	3
Black	---	70	1	-	3
Balance of county	---	96	2	2	3
White	---	65	2	2	2
All other	---	31	-	-	1
Black	---	31	-	-	1
Pender	131	184	1	1	5
White	80	112	-	-	-
All other	51	72	1	1	5
Black	51	72	1	1	5
North Carolina-Con.					
Perquimans	19	95	1	-	2
White	13	57	-	-	1
All other	6	38	1	-	1
Black	6	38	1	-	1
Person	199	266	9	8	3
White	140	176	4	4	2
All other	59	90	5	4	1
Black	57	88	5	4	1
Pitt	988	742	21	13	12
White	550	430	8	5	3
All other	438	312	13	8	9
Black	438	312	13	8	9
Greenville	---	268	6	4	4
White	---	142	2	1	-
All other	---	126	4	3	4
Black	---	126	4	3	4
Balance of county	---	474	15	9	8
White	---	288	6	4	3
All other	---	186	9	5	5
Black	---	186	9	5	5
Polk	165	157	1	1	1
White	149	143	1	1	1
All other	16	14	-	-	-
Black	16	14	-	-	-
Randolph	438	632	2	2	9
Asheboro	---	158	1	1	2
White	---	137	1	1	-
All other	---	21	-	-	2
Black	---	21	-	-	2
High Point, part	---	3	-	-	-
Balance of county	---	471	1	1	7
Richmond	292	449	9	7	8
White	191	316	4	3	5
All other	101	133	5	4	3
Black	101	133	5	4	3
Robeson	726	828	29	20	19
White	353	381	5	4	6
All other	373	447	24	16	13
Black	216	232	12	8	4
Lumberton	---	197	3	2	5
White	---	117	-	-	3
All other	---	80	3	2	2
Black	---	58	2	2	1
Balance of county	---	631	26	18	14
White	---	264	5	4	3
All other	---	367	21	14	11
Black	---	174	10	6	3
Rockingham	596	763	10	6	9
White	446	595	5	2	4
All other	150	168	5	4	5
Black	150	168	5	4	5
Eden	---	172	-	-	1
White	---	148	-	-	-
All other	---	24	-	-	1
Black	---	24	-	-	1
Reidsville	---	165	2	1	3
White	---	96	2	1	1
All other	---	69	-	-	2
Black	---	69	-	-	2
Balance of county	---	426	8	5	5
White	---	351	3	1	3
All other	---	75	5	4	2
Black	---	75	5	4	2
Rowan	1,095	1,043	13	9	16
White	894	891	9	6	10
All other	201	152	4	3	6
Black	199	149	3	2	5
Salisbury	---	360	5	4	4
White	---	272	3	2	3
All other	---	88	2	2	1
Black	---	88	2	2	1
Balance of county	---	683	8	5	12
White	---	619	6	4	7
All other	---	64	2	1	5
Black	---	61	1	-	4
Rutherford	467	526	11	9	7
White	408	465	5	5	6
All other	59	61	6	4	1
Black	59	61	6	4	-
Sampson	383	513	9	4	14
White	245	329	5	2	2
All other	138	184	4	2	12
Black	131	176	4	2	12
Scotland	301	275	13	6	9
White	150	153	7	4	1
All other	151	122	6	2	8
Black	121	113	5	2	6
Stanly	331	427	6	4	3
White	292	373	3	1	3
All other	39	54	3	3	-
Black	39	53	3	3	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Carolina-Con.					
Albemarle	---	139	1	1	-
White	---	115	-	-	-
All other	---	24	1	1	-
Black	---	24	1	1	-
Balance of county	---	288	5	3	3
White	---	258	3	1	3
All other	---	30	2	2	-
Black	---	29	2	2	-
Stokes	148	246	7	6	3
Surry	516	580	7	6	9
Swain	139	124	1	1	2
White	107	95	-	-	2
All other	32	29	1	1	-
Black	2	1	-	-	-
Transylvania	152	191	4	2	3
Tyrrell	9	39	1	1	-
White	8	26	1	1	-
All other	1	13	-	-	-
Black	1	13	-	-	-
Union	372	497	13	10	16
White	281	394	7	5	12
All other	91	103	6	5	4
Black	91	103	6	5	4
Monroe	---	148	4	2	3
White	---	93	2	-	1
All other	---	55	2	2	2
Black	---	55	2	2	2
Balance of county	---	349	9	8	13
White	---	301	5	5	11
All other	---	48	4	3	2
Black	---	48	4	3	2
Vance	375	403	16	11	3
White	200	225	4	2	1
All other	175	178	12	9	2
Black	175	177	11	8	2
Henderson	---	220	9	6	1
White	---	116	3	2	-
All other	---	104	6	4	1
Black	---	103	5	3	1
Balance of county	---	183	7	5	2
White	---	109	1	-	1
All other	---	74	6	5	1
Black	---	74	6	5	1
Wake	2,146	1,900	63	41	32
White	1,566	1,360	33	22	16
All other	580	540	30	19	16
Black	577	537	30	19	15
Raleigh	---	1,051	33	22	15
White	---	708	15	12	5
All other	---	343	18	10	10
Black	---	341	18	10	9
Balance of county	---	849	30	19	17
White	---	652	18	10	11
All other	---	197	12	9	6
Black	---	196	12	9	6
Warren	116	206	5	4	2
White	52	90	1	1	1
All other	64	116	4	3	1
Black	61	113	4	3	1
Washington	110	121	2	1	2
White	58	69	-	-	-
All other	52	52	2	1	2
Black	52	52	2	1	2
Watauga	229	173	3	3	3
Wayne	828	863	20	11	18
White	521	536	4	2	9
All other	307	327	16	9	9
Black	306	325	16	9	9
Goldsboro	---	348	10	5	8
White	---	185	1	-	4
All other	---	163	9	5	4
Black	---	162	9	5	4
Balance of county	---	515	10	6	10
White	---	351	3	2	5
All other	---	164	7	4	5
Black	---	163	7	4	5
Wilkes	353	448	7	3	4
Wilson	710	594	15	10	6
White	473	378	7	5	1
All other	237	216	8	5	5
Black	237	216	8	5	5
Wilson	---	354	10	5	2
White	---	206	4	2	-
All other	---	148	6	3	2
Black	---	148	6	3	2
Balance of county	---	240	5	5	4
White	---	172	3	3	1
All other	---	68	2	2	3
Black	---	68	2	2	3
Yadkin	125	227	1	1	5
Yancey	68	140	4	4	3

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
North Dakota	5,771	5,452	139	90	94
White	5,610	5,296	122	80	83
All other	161	156	17	10	11
Black	2	1	1	1	1
Adams	68	40	1	1	-
Barnes	152	157	3	2	-
Benson	17	78	3	3	2
White	10	58	-	-	1
All other	7	20	3	3	1
Black	-	-	-	-	-
Billings	5	4	1	1	1
Bottineau	81	101	-	-	2
Bowman	49	52	1	1	-
Burke	6	38	1	-	2
Burleigh	581	302	16	9	8
Bismarck	---	261	14	8	7
Balance of county	---	41	2	1	1
Cass	1,228	625	22	15	14
Fargo	---	428	19	13	12
Balance of county	---	197	3	2	2
Cavalier	59	80	1	1	2
Dickey	114	85	-	-	2
Divide	34	46	2	1	-
Dunn	12	39	-	-	1
Eddy	35	44	1	1	-
Emmons	42	56	1	1	-
Foster	69	62	1	-	-
Golden Valley	7	18	-	-	-
Grand Forks	539	382	17	12	7
Grand Forks	---	249	10	8	5
Balance of county	---	133	7	4	2
Grant	26	21	-	-	-
Griggs	33	48	-	-	-
Hettinger	8	34	-	-	2
Kidder	3	31	-	-	1
La Moure	7	66	3	3	-
Logan	4	33	1	1	-
McHenry	18	73	-	-	-
McIntosh	67	62	-	-	-
McKenzie	41	55	2	1	3
McLean	74	125	5	3	1
Mercer	45	63	2	1	5
Morton	93	185	8	5	5
Mandan	---	97	7	4	4
Balance of county	---	88	1	1	1
Mountrail	80	99	3	2	-
Nelson	64	91	1	1	-
Oliver	4	14	-	-	1
Pembina	89	109	-	-	1
Pierce	81	54	1	-	-
Ramsey	170	157	6	3	-
Ransom	74	103	4	2	1
Renville	23	23	-	-	-
Richland	80	161	1	1	4
Rolette	95	116	5	3	3
White	53	62	-	-	-
All other	42	54	5	3	3
Black	-	-	-	-	-
Sargent	8	57	-	-	1
Sheridan	6	27	-	-	-
Sioux	32	43	2	1	-
White	6	10	-	-	-
All other	26	33	2	1	-
Black	-	-	-	-	-
Slope	4	5	-	-	-
Stark	161	156	5	4	7
Dickinson	---	93	4	3	5
Balance of county	---	63	1	1	2
Steele	5	38	-	-	-
Stutsman	187	215	3	2	1
Jamestown	---	152	3	2	1
Balance of county	---	63	-	-	-
Towner	44	53	-	-	-
Traill	108	107	-	-	-
Walsh	148	182	2	-	2
Ward	489	344	8	6	13
Minot	---	250	5	3	4
Balance of county	---	94	3	3	9
Wells	82	95	1	1	-
Williams	202	196	5	2	2
Williston	---	119	3	1	1
Balance of county	---	77	2	1	1

NEWARK PUBLIC LIBRARY

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Deaths by place of residence: Under 1 year	Deaths by place of residence: Under 28 days	Fetal deaths by place of residence
Ohio	96,271	96,487	2,059	1,439	1,380
White	86,676	86,867	1,543	1,074	1,096
All other	9,595	9,620	516	365	284
Black	9,472	9,501	510	360	273
Adams	200	279	8	5	3
Allen	1,246	986	21	18	16
Lima	---	547	11	10	9
White	---	479	7	7	5
All other	---	69	4	3	4
Black	---	68	4	3	4
Balance of county	---	439	10	8	7
Ashland	341	381	11	5	6
Ashland	---	186	3	2	2
Balance of county	---	195	8	3	4
Ashtabula	796	954	15	11	18
Ashtabula	---	250	6	6	3
Conneaut	---	152	2	2	5
Balance of county	---	552	7	3	10
Athens	418	466	8	6	4
Athens	---	86	2	2	1
Balance of county	---	380	6	4	3
Auglaize	343	397	14	8	3
Belmont	810	906	18	16	9
Martins Ferry	---	131	3	2	-
Balance of county	---	775	15	14	9
Brown	249	298	5	3	3
Butler	2,099	1,990	47	35	30
White	1,990	1,886	42	31	30
All other	109	104	5	4	-
Black	108	99	5	4	-
Fairfield	---	162	5	5	5
Hamilton	---	675	18	10	5
Middletown	---	475	9	7	4
White	---	438	7	5	4
All other	---	37	2	2	-
Black	---	37	2	2	-
Oxford	---	54	1	1	1
Balance of county	---	624	16	12	15
Carroll	96	231	5	3	2
Champaign	211	298	4	3	5
Urbana	---	122	3	2	3
Balance of county	---	176	1	1	2
Clark	1,400	1,443	31	19	20
White	1,264	1,299	23	13	17
All other	136	144	8	6	3
Black	134	143	8	6	3
Springfield	---	912	22	11	13
White	---	778	15	6	10
All other	---	134	7	5	3
Black	---	133	7	5	3
Balance of county	---	531	9	8	7
Clermont	528	860	26	15	10
Clinton	337	359	10	8	6
Wilmington	---	125	5	4	2
Balance of county	---	234	5	4	4
Columbiana	1,156	1,170	22	13	13
East Liverpool	---	291	5	3	5
Salem	---	132	5	3	2
Balance of county	---	747	12	7	6
Coshocton	303	354	5	2	6
Coshocton	---	166	1	-	2
Balance of county	---	188	4	2	4
Crawford	413	475	13	10	6
Bucyrus	---	152	10	8	-
Galion	---	133	-	-	2
Balance of county	---	190	3	2	4
Cuyahoga	16,681	15,750	372	270	223
White	13,422	12,551	162	123	118
All other	3,259	3,199	210	147	105
Black	3,228	3,170	200	147	103
Bay Village	---	114	-	-	1
Bedford	---	166	1	1	-
Bedford Heights	---	113	1	1	-
Berea	---	187	6	5	4
Broadview Heights	---	62	-	-	-
Brooklyn	---	142	4	4	1
Brook Park	---	137	3	3	-
Cleveland	---	7,079	236	171	131
White	---	4,395	62	47	42
All other	---	2,684	174	124	89
Black	---	2,671	173	124	87
Cleveland Heights	---	564	11	8	7
East Cleveland	---	322	10	5	10
White	---	113	-	-	1
All other	---	209	10	5	9
Black	---	209	10	5	9
Euclid	---	693	14	12	6
Fairview Park	---	211	2	2	1
Ohio-Con.					
Garfield Heights	---	392	9	7	3
Lakewood	---	677	10	6	10
Lyndhurst	---	158	2	1	2
Maple Heights	---	307	2	1	3
Mayfield Heights	---	316	2	1	1
Middleburg Heights	---	107	2	1	2
North Olmsted	---	248	11	8	2
North Royalton	---	113	-	-	-
Parma	---	834	12	8	8
Parma Heights	---	275	2	2	3
Rocky River	---	275	2	1	1
Seven Hills	---	108	1	1	-
Shaker Heights	---	297	1	1	1
White	---	234	1	1	1
All other	---	63	-	-	-
Black	---	61	-	-	-
Solon	---	99	3	3	-
South Euclid	---	289	1	1	2
Strongsville	---	145	4	1	2
University Heights	---	124	4	3	2
Warrensville Heights	---	116	5	3	3
White	---	62	-	-	-
All other	---	54	5	3	3
Black	---	54	5	3	3
Westlake	---	179	-	-	-
Balance of county	---	903	11	9	17
Darke	399	488	6	4	8
Greenville	---	193	3	2	2
Balance of county	---	295	3	2	6
Defiance	282	288	2	-	3
Defiance	---	145	-	-	1
Balance of county	---	143	2	-	2
Delaware	377	387	8	5	5
Delaware	---	171	4	3	3
Westerville, part	---	9	-	-	-
Balance of county	---	207	4	2	2
Erie	753	719	17	12	14
Sandusky	---	369	8	8	5
White	---	331	5	5	3
All other	---	38	3	3	2
Black	---	37	3	3	2
Balance of county	---	350	9	4	9
Fairfield	668	745	18	12	6
Lancaster	---	349	9	6	2
Balance of county	---	396	9	6	4
Fayette	297	296	5	4	5
Washington	---	182	2	1	4
Balance of county	---	114	3	3	1
Franklin	7,830	6,860	180	116	119
White	6,758	5,786	128	83	87
All other	1,072	1,074	52	33	32
Black	1,052	1,057	51	32	30
Bexley	---	110	-	-	1
Columbus	---	4,788	134	89	84
White	---	3,760	85	58	52
All other	---	1,028	40	31	32
Black	---	1,015	48	30	30
Gahanna	---	93	5	2	1
Grove City	---	122	2	2	2
Reynoldsburg, part	---	119	4	3	4
Reynoldsburg, total	---	121	4	3	4
Upper Arlington	---	328	3	2	4
Westerville, part	---	135	2	1	1
Westerville, total	---	144	2	1	1
Whitehall	---	125	3	-	3
Worthington	---	109	2	2	1
Balance of county	---	931	25	15	18
Fulton	213	296	5	3	8
Gallia	426	282	2	2	6
Geauga	396	476	20	15	10
Greene	691	769	16	8	15
Fairborn	---	174	9	4	3
Xenia	---	209	2	-	5
White	---	182	2	-	4
All other	---	27	-	-	1
Black	---	27	-	-	1
Balance of county	---	386	5	4	7
Guernsey	412	442	11	7	6
Cambridge	---	190	3	2	2
Balance of county	---	252	8	5	4
Hamilton	9,324	8,375	162	116	118
White	7,743	6,786	96	67	76
All other	1,581	1,589	66	49	42
Black	1,566	1,577	65	48	40
Cheviot	---	127	1	1	1
Cincinnati	---	4,651	94	65	86
White	---	3,294	36	23	48
All other	---	1,357	58	42	38
Black	---	1,351	58	42	36
Forest Park	---	61	3	2	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio-Con.					
North College Hill	---	110	1	1	-
Norwood	---	319	6	5	1
Reading	---	94	4	2	2
Sharonville	---	55	1	1	1
Balance of county	---	2,938	52	39	26
White	---	2,728	46	34	22
All other	---	210	6	5	4
Black	---	204	5	4	4
Hancock	659	506	11	9	7
Findlay	---	338	10	8	5
Fostoria, part	---	25	-	-	-
Balance of county	---	143	1	1	2
Hardin	245	290	10	8	1
Harrison	136	178	8	4	1
Henry	217	297	2	2	1
Highland	217	312	8	6	5
Hocking	198	224	2	2	3
Holmes	223	192	6	3	5
Huron	368	457	10	8	7
Norwalk	---	128	3	2	3
Balance of county	---	329	7	6	4
Jackson	219	356	6	4	9
Jefferson	861	978	15	11	5
Steubenville	---	396	7	5	3
White	---	354	6	4	1
All other	---	42	1	1	2
Black	---	41	1	1	2
Balance of county	---	582	8	6	2
Knox	474	448	5	3	1
Mount Vernon	---	231	2	1	-
Balance of county	---	217	3	2	1
Lake	1,354	1,494	45	38	18
Eastlake	---	141	4	3	3
Mentor	---	256	6	6	3
Painesville	---	184	9	8	2
White	---	164	6	6	1
All other	---	20	3	2	1
Black	---	19	2	1	1
Wickliffe	---	149	4	4	1
Willoughby	---	159	6	6	4
Willowick	---	136	2	2	2
Balance of county	---	467	14	9	3
Lawrence	416	622	13	5	14
Ironton	---	193	2	1	-
Balance of county	---	429	11	4	14
Licking	899	1,030	16	12	18
Newark	---	513	6	3	5
Reynoldsburg, part	---	2	-	-	-
Balance of county	---	515	10	9	13
Logan	254	380	5	3	8
Bellefontaine	---	128	1	-	3
Balance of county	---	252	4	3	5
Lorain	1,794	1,878	62	52	45
White	1,676	1,751	50	43	41
All other	118	127	12	9	4
Black	115	125	12	9	4
Avon Lake	---	67	-	-	-
Elyria	---	438	19	13	15
White	---	390	14	11	13
All other	---	48	5	2	2
Black	---	47	5	2	2
Lorain	---	602	16	14	14
White	---	552	12	10	12
All other	---	50	4	4	2
Black	---	50	4	4	2
North Ridgeville	---	88	6	5	3
Balance of county	---	683	21	20	13
Lucas	5,688	4,794	85	52	68
White	5,139	4,233	60	36	49
All other	549	561	25	16	19
Black	541	553	25	16	18
Maumee	---	111	1	1	4
Oregon	---	167	-	-	-
Sylvania	---	115	2	2	-
Toledo	---	3,875	75	46	56
White	---	3,340	51	31	38
All other	---	535	24	15	18
Black	---	528	24	15	18
Balance of county	---	526	7	3	8
Madison	213	275	5	2	7
Mahoning	2,834	3,083	60	41	37
White	2,469	2,659	33	21	27
All other	365	424	27	20	10
Black	362	423	26	19	10
Alliance, part	---	-	-	-	-
Campbell	---	122	1	1	2
White	---	111	1	1	1
All other	---	11	-	-	1
Black	---	11	-	-	1
Struthers	---	144	2	-	-
Ohio-Con.					
Youngstown, part	---	1,526	38	26	19
White	---	1,127	12	7	10
All other	---	399	26	19	9
Black	---	398	25	18	9
Youngstown, total	---	1,529	38	26	20
White	---	1,129	12	7	10
All other	---	400	26	19	10
Black	---	399	25	18	10
Balance of county	---	1,291	19	14	16
Marion	653	600	8	6	6
Marion	---	375	7	6	6
Balance of county	---	225	1	-	-
Medina	685	708	21	15	9
Brunswick	---	122	6	6	2
Medina	---	135	2	2	1
Wadsworth	---	154	2	1	1
Balance of county	---	295	11	6	5
Meigs	167	245	3	3	2
Mercer	251	304	8	7	6
Miami	682	755	10	6	5
Piqua	---	215	4	2	1
Troy	---	186	3	2	2
Balance of county	---	354	3	2	2
Monroe	68	162	2	2	1
Montgomery	5,613	4,820	107	74	73
White	4,782	4,022	73	49	50
All other	831	798	34	25	23
Black	823	791	34	25	22
Centerville	---	94	1	1	-
Dayton	---	2,168	47	29	43
White	---	1,489	21	9	22
All other	---	679	26	20	21
Black	---	678	26	20	21
Kettering	---	491	7	6	5
Miamisburg	---	113	1	-	2
Oakwood	---	99	-	-	-
Vandalia	---	74	2	2	-
West Carrollton	---	62	2	1	1
Balance of county	---	1,719	47	35	22
Morgan	82	152	2	1	4
Morrow	147	196	4	1	3
Muskingum	1,066	815	15	10	9
Zanesville	---	442	8	5	5
Balance of county	---	373	7	5	4
Noble	72	129	4	2	1
Ottawa	237	384	6	5	4
Paulding	96	168	5	4	4
Perry	83	295	9	6	1
Pickaway	286	348	9	3	11
Circleville	---	148	3	1	5
Balance of county	---	200	6	2	6
Pike	170	241	11	6	4
Portage	703	876	17	12	13
Kent	---	155	1	1	3
Ravenna	---	138	7	3	3
Balance of county	---	583	9	8	7
Preble	111	290	2	-	7
Putnam	140	265	3	2	4
Richland	1,091	1,065	20	18	16
Mansfield	---	575	9	7	10
White	---	511	5	3	8
All other	---	64	4	4	2
Black	---	64	4	4	2
Balance of county	---	490	11	11	6
Ross	710	613	13	10	6
Chillicothe	---	293	4	4	3
Balance of county	---	320	9	6	3
Sandusky	494	564	12	8	10
Fremont	---	205	2	1	4
Balance of county	---	359	10	7	6
Scioto	956	955	10	6	13
Portsmouth	---	410	4	3	3
Balance of county	---	545	6	3	10
Seneca	355	568	12	9	6
Fostoria, part	---	149	6	5	-
Fostoria, total	---	182	6	5	1
Tiffin	---	190	4	2	3
Balance of county	---	229	2	2	3
Shelby	253	324	4	3	6
Sidney	---	157	2	1	4
Balance of county	---	167	2	2	2
Stark	3,660	3,388	58	46	38
White	3,471	3,188	50	40	35
All other	189	200	8	6	3
Black	184	197	8	6	3

NEWARK PUBLIC LIBRARY

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Ohio-Con.					
Alliance, part	---	287	7	7	2
White	---	252	5	5	2
All other	---	35	2	2	-
Black	---	34	2	2	-
Alliance, total	---	287	7	7	2
White	---	252	5	5	2
All other	---	35	2	2	-
Black	---	34	2	2	-
Canton	---	1,109	15	10	14
White	---	985	13	8	12
All other	---	124	2	2	2
Black	---	123	2	2	2
Massillon	---	339	7	3	4
North Canton	---	120	2	1	1
Balance of county	---	1,533	27	25	17
Summit	4,767	4,747	106	79	51
White	4,328	4,290	72	56	40
All other	439	457	34	23	11
Black	434	454	34	23	10
Akron	---	2,517	63	47	32
White	---	2,104	33	26	22
All other	---	413	30	21	10
Black	---	411	30	21	10
Barberton	---	320	3	2	3
Cuyahoga Falls	---	396	4	4	1
Norton	---	95	-	-	-
Stow	---	131	8	6	-
Tallmadge	---	107	3	3	-
Balance of county	---	1,181	25	17	15
Trumbull	2,271	2,075	38	27	27
White	2,103	1,953	33	23	26
All other	168	122	5	4	1
Black	167	120	5	4	1
Girard	---	136	3	1	3
Niles	---	222	3	3	1
Warren	---	660	13	10	8
White	---	581	8	6	8
All other	---	79	5	4	-
Black	---	79	5	4	-
Youngstown, part	---	3	-	-	1
White	---	2	-	-	-
All other	---	1	-	-	1
Black	---	1	-	-	1
Balance of county	---	1,054	19	13	14
Tuscarawas	711	831	10	7	14
Dover	---	112	-	-	3
New Philadelphia	---	168	1	-	1
Balance of county	---	551	9	7	10
Union	183	251	4	3	4
Van Wert	243	278	3	2	5
Van Wert	---	116	2	1	3
Balance of county	---	162	1	1	2
Vinton	38	99	3	3	1
Warren	312	663	8	4	9
Franklin	---	99	3	2	1
Balance of county	---	564	5	2	8
Washington	530	573	10	7	5
Marietta	---	208	3	3	3
Balance of county	---	365	7	4	2
Wayne	566	691	17	9	14
Wooster	---	173	3	2	6
Balance of county	---	518	14	7	8
Williams	246	305	5	4	4
Wood	421	715	18	9	14
Bowling Green	---	131	5	2	1
Fostoria, part	---	8	-	-	1
Balance of county	---	576	13	7	12
Wyandot	179	213	3	1	4
Oklahoma	27,811	28,617	637	386	466
White	24,964	25,709	492	304	349
All other	2,847	2,908	145	82	117
Black	1,924	1,952	94	52	62
Adair	104	171	3	2	3
White	80	133	2	1	1
All other	24	38	1	1	2
Black	-	-	-	-	-
Alfalfa	66	120	1	1	1
Atoka	98	127	-	-	2
White	91	118	-	-	-
All other	7	9	-	-	2
Black	6	5	-	-	2
Beaver	55	58	2	1	-
Beckham	260	267	9	8	2
Blaine	176	206	2	1	4
White	160	173	2	1	4
All other	16	33	-	-	-
Black	6	11	-	-	-

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma-Con.					
Bryan	249	360	4	-	3
Durant	---	185	1	-	-
Balance of county	---	175	3	-	3
Caddo	269	402	4	3	3
White	225	346	2	2	1
All other	44	56	2	1	2
Black	9	11	1	1	-
Canadian	217	385	3	2	9
El Reno	---	158	1	1	5
White	---	140	1	1	3
All other	---	18	-	-	2
Black	---	8	-	-	1
Oklahoma City, part	---	4	-	-	-
Balance of county	---	223	2	1	4
Carter	519	529	10	8	5
White	466	478	9	8	5
All other	53	51	1	-	-
Black	40	44	1	-	-
Ardmore	---	353	7	6	2
White	---	315	6	6	2
All other	---	38	1	-	-
Black	---	31	1	-	-
Balance of county	---	176	3	2	3
White	---	163	3	2	3
All other	---	13	-	-	-
Black	---	13	-	-	-
Cherokee	266	277	4	3	6
White	195	222	1	1	3
All other	71	55	3	2	3
Black	1	3	1	1	-
Choctaw	164	227	4	2	3
White	134	181	2	1	3
All other	30	46	2	1	-
Black	24	32	1	1	-
Cimarron	40	43	1	1	-
Cleveland	590	588	19	14	21
Moore	---	120	8	6	6
Norman	---	353	7	5	13
Oklahoma City, part	---	13	-	-	-
Balance of county	---	102	4	3	2
Coal	67	88	-	-	1
Comanche	737	691	30	21	22
White	629	588	14	9	10
All other	108	103	16	12	12
Black	70	67	9	7	7
Lawton	---	561	23	14	19
White	---	480	11	6	7
All other	---	81	12	8	12
Black	---	61	6	4	7
Balance of county	---	130	7	7	3
White	---	108	3	3	3
All other	---	22	4	4	-
Black	---	6	3	3	-
Cotton	40	91	1	1	-
Craig	160	183	6	3	3
White	155	170	4	2	2
All other	5	13	2	1	1
Black	3	3	-	-	-
Creek	454	564	19	11	12
Sapulpa	---	213	4	4	2
White	---	200	4	4	2
All other	---	13	-	-	-
Black	---	11	-	-	-
Balance of county	---	351	15	7	10
Custer	311	266	9	3	7
Delaware	204	277	2	2	4
White	191	254	1	1	3
All other	13	23	1	1	1
Black	-	1	-	-	-
Dewey	46	80	3	2	2
Ellis	86	65	1	1	2
Garfield	678	581	11	6	11
Enid	---	495	11	6	10
Balance of county	---	86	-	-	1
Garvin	321	372	6	2	6
Grady	353	384	10	5	7
Chickasha	---	229	8	5	3
White	---	202	6	4	2
All other	---	27	2	1	1
Black	---	24	2	1	-
Balance of county	---	155	2	-	4
Grant	38	88	-	-	-
Greer	110	136	1	1	2
Harmon	52	60	1	-	1
Harper	43	52	-	-	1
Haskell	84	121	2	1	-

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma-Con.					
Hughes	183	212	3	3	3
White	165	184	3	3	1
All other	18	28	-	-	2
Black	6	9	-	-	1
Jackson	245	221	2	2	4
Altus	---	164	2	2	3
White	---	152	2	2	2
All other	---	12	-	-	1
Black	---	12	-	-	1
Balance of county	---	57	-	-	1
Jefferson	72	111	2	2	2
Johnston	73	109	-	-	-
White	70	100	-	-	-
All other	3	9	-	-	-
Black	1	2	-	-	-
Kay	522	548	6	3	9
Ponca City	---	269	2	-	5
Balance of county	---	279	4	3	4
Kingfisher	116	157	5	4	3
Kiowa	103	186	5	3	1
Latimer	147	120	1	-	-
Le Flore	232	436	3	1	6
Lincoln	218	298	8	3	3
Logan	193	257	6	3	5
White	166	213	5	3	3
All other	27	44	1	-	2
Black	27	43	1	-	2
Love	60	73	3	3	1
McClain	133	164	2	1	2
Oklahoma City, part	---	-	-	-	-
Balance of county	---	164	2	1	2
McCurtain	294	401	12	10	5
White	224	312	7	5	4
All other	70	89	5	5	1
Black	57	66	3	3	-
McIntosh	119	218	-	-	1
White	96	181	-	-	1
All other	23	37	-	-	-
Black	16	22	-	-	-
Major	72	96	2	1	2
Marshall	116	141	5	3	2
Mayes	259	335	4	1	5
White	241	309	2	1	5
All other	18	26	2	-	-
Black	-	-	-	-	-
Murray	144	139	1	1	2
Muskogee	1,013	799	14	8	13
White	818	612	11	7	10
All other	195	187	3	1	3
Black	166	162	2	1	2
Muskogee	---	571	11	6	5
White	---	429	8	5	4
All other	---	142	3	1	1
Black	---	125	2	1	1
Balance of county	---	228	3	2	8
White	---	183	3	2	6
All other	---	45	-	-	2
Black	---	37	-	-	1
Noble	83	104	3	3	1
Nowata	102	138	-	-	3
White	94	126	-	-	3
All other	8	12	-	-	-
Black	7	9	-	-	-
Okfuskee	63	147	1	-	3
White	39	111	1	-	3
All other	24	36	-	-	-
Black	16	30	-	-	-
Oklahoma	6,272	5,018	158	91	100
White	5,529	4,403	107	63	68
All other	743	615	51	28	32
Black	615	544	41	20	23
Bethany	---	152	4	4	6
Del City	---	144	7	3	4
Edmond	---	201	4	2	4
Midwest City	---	323	8	3	9
Oklahoma City, part	---	3,919	127	73	68
White	---	3,391	84	49	42
All other	---	528	43	24	26
Black	---	476	37	19	19
Oklahoma City, total	---	3,936	127	73	68
White	---	3,408	84	49	42
All other	---	528	43	24	26
Black	---	476	37	19	19
The Village	---	3	-	-	-
Balance of county	---	276	8	6	9
Okmulgee	414	494	4	3	5
White	340	397	2	1	2
All other	74	97	2	2	3
Black	57	78	2	2	1
Okmulgee	---	227	2	2	4
White	---	167	-	-	1
All other	---	60	2	2	3
Black	---	54	2	2	1
Balance of county	---	267	2	1	1
White	---	230	2	1	1
All other	---	37	-	-	-
Black	---	24	-	-	-
Osage	213	327	5	2	4
White	176	274	3	1	4
All other	37	53	2	1	-
Black	8	11	1	1	-
Bartlesville, part	---	3	-	-	-
White	---	3	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Tulsa, part	---	5	-	-	-
White	---	2	-	-	-
All other	---	3	-	-	-
Black	---	2	-	-	-
Balance of county	---	319	5	2	4
White	---	269	3	1	4
All other	---	50	2	1	-
Black	---	9	1	1	-
Ottawa	278	341	5	5	2
Miami	---	161	2	2	-
Balance of county	---	180	3	3	2
Pawnee	136	199	4	2	1
Payne	442	478	16	10	4
Stillwater	---	235	13	8	1
Balance of county	---	243	3	2	3
Pittsburg	461	467	3	1	4
White	424	428	2	1	3
All other	37	39	1	-	1
Black	19	21	1	-	-
McAlester	---	253	2	1	1
White	---	222	2	1	1
All other	---	31	-	-	-
Black	---	17	-	-	-
Balance of county	---	214	1	-	3
Pontotoc	396	358	7	6	2
Ada	---	207	1	1	2
Balance of county	---	151	6	5	-
Pottawatomie	599	629	10	8	5
Oklahoma City, part	---	-	-	-	-
Shawnee	---	392	5	4	2
Balance of county	---	237	5	4	3
Pushmataha	107	148	1	-	1
Roger Mills	45	66	1	1	2
Rogers	286	338	8	2	10
Seminole	228	340	4	2	3
White	184	278	3	2	2
All other	44	62	1	-	1
Black	19	25	-	-	-
Sequoyah	184	284	6	2	4
White	171	262	5	1	3
All other	13	22	1	1	1
Black	6	8	1	1	1
Stephens	418	484	5	3	6
Duncan	---	289	4	2	5
Balance of county	---	195	1	1	1
Texas	92	142	4	2	4
Tillman	112	150	3	2	1
White	95	127	3	2	1
All other	17	23	-	-	-
Black	16	21	-	-	-
Tulsa	4,685	3,947	108	67	66
White	4,152	3,479	82	53	46
All other	533	468	26	14	20
Black	439	410	22	10	14
Broken Arrow	---	181	14	10	3
Sand Springs	---	134	4	4	1
Tulsa, part	---	3,248	81	49	55
White	---	2,802	55	35	37
All other	---	446	26	14	18
Black	---	399	22	10	14
Tulsa, total	---	3,253	81	49	55
White	---	2,804	55	35	37
All other	---	449	26	14	18
Black	---	401	22	10	14
Balance of county	---	384	9	4	7
Wagoner	150	225	1	-	4
White	126	197	-	-	4
All other	24	28	1	-	-
Black	19	21	1	-	-
Washington	467	455	10	9	8
Bartlesville, part	---	336	8	7	6

NEWARK PUBLIC LIBRARY

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Oklahoma-Con.					
Bartlesville, total	---	339	8	7	6
Balance of county	---	119	2	2	2
Washita	118	154	7	1	4
Woods	109	132	4	3	2
Woodward	182	172	7	4	5
Oregon	21,794	21,843	467	299	305
White	21,317	21,378	431	275	277
All other	477	465	36	24	28
Black	241	244	18	12	12
Baker	187	196	1	1	3
Benton	401	341	9	7	6
Albany, part	---	4	-	-	-
Corvallis	---	222	4	3	6
Balance of county	---	115	5	4	-
Clackamas	1,586	1,710	32	21	16
Lake Oswego, part	---	150	1	1	1
Lake Oswego, total	---	155	1	1	1
Milwaukee, part	---	329	6	4	2
Milwaukee, total	---	329	6	4	2
Portland, part	---	18	-	-	-
Balance of county	---	1,215	25	16	13
Clatsop	289	333	3	2	4
Astoria	---	112	-	-	2
Balance of county	---	221	3	2	2
Columbia	151	270	9	8	-
Coos	553	563	7	5	5
Coos Bay	---	135	2	2	3
Balance of county	---	428	5	3	2
Crook	93	112	5	5	3
Curry	107	181	2	2	2
Deschutes	476	437	16	7	7
Bend	---	149	8	3	2
Balance of county	---	288	8	4	5
Douglas	771	781	18	15	10
Roseburg	---	235	6	6	4
Balance of county	---	546	12	9	6
Gilliam	5	8	-	-	-
Grant	71	76	1	-	1
Harney	71	70	-	-	1
Hood River	134	153	6	4	5
Jackson	1,126	1,119	19	11	12
Ashland	---	100	1	1	-
Medford	---	411	3	1	6
Balance of county	---	608	15	9	6
Jefferson	82	106	2	-	3
White	75	92	1	-	-
All other	7	14	1	-	3
Black	-	-	-	-	-
Josephine	587	604	12	7	9
Grants Pass	---	224	2	2	4
Balance of county	---	380	10	5	5
Klamath	505	515	14	7	11
Klamath Falls	---	197	5	2	6
Balance of county	---	318	9	5	5
Lake	57	67	1	1	1
Lane	1,959	1,902	43	23	29
Eugene	---	788	14	7	15
Springfield	---	312	14	9	3
Balance of county	---	802	15	7	11
Lincoln	289	351	5	3	4
Linn	568	709	15	8	14
Albany, part	---	207	8	4	3
Albany, total	---	211	8	4	3
Balance of county	---	502	7	4	11
Malheur	269	229	3	2	4
Marion	1,857	1,823	52	39	30
Salem, part	---	919	32	23	15
Salem, total	---	1,018	36	26	15
Balance of county	---	904	20	16	15
Morrow	41	61	1	1	2
Multnomah	6,409	5,634	106	58	64
White	6,099	5,323	83	44	57
All other	310	311	23	14	7
Black	207	220	16	10	5
Lake Oswego, part	---	3	-	-	-
Milwaukee, part	---	-	-	-	-
Portland, part	---	4,427	80	45	56
White	---	4,140	60	32	49
All other	---	287	20	13	7
Black	---	211	15	9	5
Portland, total	---	4,504	81	45	60
White	---	4,215	61	32	53
All other	---	289	20	13	7
Black	---	211	15	9	5
Balance of county	---	1,204	26	13	8
Polk	228	372	11	9	3
Salem, part	---	99	4	3	-
Balance of county	---	273	7	6	3
Sherman	6	19	-	-	-
Oregon-Con.					
Tillamook	205	247	5	4	1
Umatilla	389	515	18	10	7
Pendleton	---	140	4	3	4
Balance of county	---	375	14	7	3
Union	148	152	3	2	1
Wallowa	59	65	-	-	-
Wasco	220	205	-	-	-
City of the Dalles	---	136	-	-	-
Balance of county	---	69	-	-	-
Washington	1,446	1,366	38	29	38
Beaverton	---	250	8	7	3
Hillsboro	---	188	5	4	7
Lake Oswego, part	---	2	-	-	-
Portland, part	---	61	1	-	4
Balance of county	---	865	24	18	24
Wheeler	6	11	-	-	-
Yamhill	465	540	10	8	9
McMinnville	---	145	-	-	1
Balance of county	---	395	10	8	8
Pennsylvania	119,964	120,089	1,913	1,362	1,622
White	109,266	109,437	1,470	1,062	1,293
All other	10,698	10,652	443	300	329
Black	10,550	10,515	437	298	316
Adams	410	558	12	10	9
Allegheny	17,399	15,803	233	183	189
White	15,707	14,168	157	119	138
All other	1,692	1,635	76	64	51
Black	1,670	1,616	73	63	50
Baldwin	---	192	2	1	-
Bellevue	---	132	1	1	1
Bethel Park	---	263	3	2	1
Brentwood	---	157	4	4	-
Carnegie	---	129	3	3	-
Castle Shannon	---	92	2	2	-
Clairton	---	166	2	2	4
White	---	129	1	1	2
All other	---	37	1	1	2
Black	---	37	1	1	2
Dormont	---	104	-	-	1
Duquesne	---	166	6	5	3
White	---	144	3	2	1
All other	---	22	3	3	2
Black	---	22	3	3	2
Harrison twp. #	---	165	3	3	-
McKees Rocks	---	133	3	1	1
McKeesport	---	445	4	1	10
White	---	406	4	1	8
All other	---	39	-	-	2
Black	---	39	-	-	2
Monroeville	---	174	2	2	3
Mount Lebanon twp. #	---	392	6	4	-
Munhall	---	183	2	2	-
North Braddock	---	129	2	2	2
White	---	117	-	-	1
All other	---	12	2	2	1
Black	---	11	2	2	1
North Versaille twp. #	---	123	4	1	-
Penn Hills twp. #	---	450	4	1	1
Pittsburgh	---	5,771	98	85	79
White	---	4,558	53	44	47
All other	---	1,213	45	41	32
Black	---	1,205	45	41	32
Pleasant Hills	---	55	-	-	-
Plum	---	123	4	3	7
Ross twp. #	---	306	2	1	6
Scott twp. #	---	239	2	2	-
Shaler twp. #	---	257	2	2	-
Stowe twp. #	---	115	2	-	-
Swissvale	---	179	2	2	1
Upper St. Clair twp. #	---	75	4	4	3
West Mifflin	---	244	1	1	-
Whitehall	---	147	2	2	1
Wilkinsburg	---	270	9	7	3
White	---	223	1	1	1
All other	---	47	8	6	2
Black	---	46	8	6	2
Balance of county	---	4,427	52	37	62
White	---	4,263	44	32	54
All other	---	164	8	5	8
Black	---	158	7	5	7
Armstrong	570	781	15	9	6
Beaver	1,590	1,950	28	18	26
White	1,502	1,846	22	16	22
All other	88	104	6	2	4
Black	87	102	6	2	4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Pennsylvania-Con					
Aliquippa	---	247	3	2	1
White	---	186	2	2	-
All other	---	61	1	-	1
Black	---	61	1	-	1
Ambridge	---	131	2	1	1
Beaver Falls	---	160	5	5	3
White	---	148	4	4	2
All other	---	12	1	1	1
Black	---	12	1	1	1
Ellwood City, part	---	4	-	-	-
Balance of county	---	1,408	18	10	21
Bedford	282	404	1	1	6
Berks	3,017	3,174	29	16	50
Reading	---	1,118	13	8	19
Balance of county	---	2,056	16	8	31
Blair	1,724	1,497	18	15	21
Altoona	---	710	8	8	9
Balance of county	---	787	10	7	12
Bradford	774	583	5	2	12
Bucks	3,417	3,480	64	44	56
Bensalem twp. #	---	302	16	11	7
Bristol	---	125	2	2	-
Bristol twp. #	---	386	13	7	10
Falls twp. #	---	201	1	-	4
Lower Southampton twp. #	---	120	1	1	3
Middletown twp. #	---	181	3	2	3
Morrisville	---	122	-	-	1
Upper Southampton twp. #	---	118	4	3	-
Warminster twp. #	---	208	2	2	3
Balance of county	---	1,717	22	16	25
Butler	1,027	1,266	17	11	21
Butler	---	241	3	2	2
Balance of county	---	1,025	14	9	19
Cambria	1,906	1,937	29	21	18
Johnstown	---	576	11	8	5
Balance of county	---	1,361	18	13	13
Cameron	36	83	1	1	-
Carbon	454	610	7	7	6
Centre	722	660	16	12	11
State College	---	143	5	4	1
Balance of county	---	517	11	8	10
Chester	2,269	2,416	48	36	32
White	2,058	2,216	39	29	30
All other	211	200	9	7	2
Black	209	198	9	7	2
Coatesville	---	177	7	5	2
White	---	142	4	2	1
All other	---	35	3	3	1
Black	---	35	3	3	1
Phoenixville	---	148	3	1	-
West Chester	---	205	8	8	2
White	---	170	6	6	2
All other	---	35	2	2	-
Black	---	35	2	2	-
Balance of county	---	1,888	30	22	28
White	---	1,767	26	20	27
All other	---	121	4	2	1
Black	---	119	4	2	1
Clarion	265	408	6	5	5
Clearfield	800	855	26	17	11
Du Bois	---	105	7	7	-
Balance of county	---	750	19	10	11
Clinton	315	367	7	6	6
Lock Haven	---	127	3	3	1
Balance of county	---	240	4	3	5
Columbia	658	656	6	4	11
Berwick	---	162	3	3	2
Bloomsburg	---	118	-	-	-
Balance of county	---	376	3	1	9
Crawford	775	871	13	8	15
Meadville	---	212	3	2	3
Balance of county	---	659	10	6	12
Cumberland	1,457	1,465	25	18	22
Carlisle	---	194	4	3	4
Balance of county	---	1,271	21	15	18
Dauphin	2,998	2,286	49	39	31
White	2,741	2,022	36	28	19
All other	257	264	13	11	12
Black	246	258	13	11	11
Harrisburg	---	738	30	25	13
White	---	520	18	14	3
All other	---	218	12	11	10
Black	---	214	12	11	9
Lower Paxton twp. #	---	230	2	2	5
Balance of county	---	1,318	17	12	13
Delaware	5,390	5,645	65	51	67
White	4,904	5,162	44	36	52
All other	486	483	21	15	15
Black	479	476	20	14	13
Aston twp. #	---	123	2	2	1
Pennsylvania-Con.					
Chester	---	618	16	9	10
White	---	330	3	2	2
All other	---	288	13	7	8
Black	---	287	13	7	8
Collingdale	---	98	1	1	2
Darby	---	186	3	2	3
White	---	163	2	1	3
All other	---	23	1	1	-
Black	---	23	1	1	-
Darby twp. #	---	43	-	-	1
White	---	26	-	-	1
All other	---	17	-	-	-
Black	---	17	-	-	-
Haverford twp. #	---	757	7	6	4
Lansdowne	---	121	3	3	3
Marple twp. #	---	-	-	-	-
Nether Providence twp. #	---	115	-	-	1
Radnor twp. #	---	205	2	2	2
Ridley twp. #	---	222	3	3	-
Springfield twp. #	---	226	1	1	1
Upper Chichester twp. #	---	97	-	-	-
Upper Darby twp. #	---	949	8	6	7
Yeadon	---	158	2	2	-
White	---	136	2	2	-
All other	---	22	-	-	-
Black	---	22	-	-	-
Balance of county	---	1,727	17	14	32
Elk	325	353	7	4	2
Erie	2,843	2,577	59	43	51
Erie	---	1,371	34	27	24
Millcreek twp. #	---	319	4	2	4
Balance of county	---	887	21	14	23
Fayette	1,425	1,791	31	25	25
Connellsville	---	142	-	-	3
Uniontown	---	232	7	6	4
Balance of county	---	1,417	24	19	18
Forest	18	55	1	1	3
Franklin	939	989	10	6	15
Chambersburg	---	246	2	1	3
Waynesboro	---	84	1	1	-
Balance of county	---	659	7	4	12
Fulton	79	94	-	-	1
Greene	332	438	3	2	4
Huntingdon	288	377	7	5	4
Indiana	589	766	19	13	10
Indiana	---	107	2	2	1
Balance of county	---	659	17	11	9
Jefferson	364	513	5	4	10
Juniata	102	190	2	2	3
Lackawanna	2,983	2,864	24	16	28
Carbondale	---	173	3	2	2
Dunmore	---	198	2	1	1
Scranton	---	1,346	11	9	13
Balance of county	---	1,147	8	4	12
Lancaster	3,179	3,153	67	43	65
Columbia	---	152	4	4	3
Lancaster	---	665	22	15	11
Lancaster twp. #	---	137	1	-	1
Balance of county	---	2,199	40	24	50
Lawrence	1,072	1,098	15	10	13
Ellwood City, part	---	116	1	1	-
Ellwood City, total	---	120	1	1	-
New Castle	---	475	6	2	5
Balance of county	---	507	8	7	8
Lebanon	1,153	1,081	13	9	10
Lebanon	---	321	5	4	2
Balance of county	---	760	8	5	8
Lehigh	3,498	2,597	40	28	32
Allentown	---	1,201	23	17	11
Bethlehem, part	---	219	1	1	7
Emmaus	---	109	2	1	-
Balance of county	---	1,068	14	9	14
Luzerne	4,117	4,242	35	30	47
Hazleton	---	387	1	1	2
Kingston	---	231	1	1	2
Nanticoke	---	185	2	2	4
Pittston	---	139	1	1	-
Wilkes-Barre	---	812	13	13	6
Balance of county	---	2,488	17	12	33
Lycoming	1,261	1,143	22	19	26
Williamsport	---	344	6	6	5
Balance of county	---	799	16	13	21
McKean	488	559	6	3	8
Bradford	---	164	-	-	2
Balance of county	---	395	6	3	6
Mercer	1,309	1,269	21	10	26
Farrell	---	107	5	2	2
White	---	79	2	1	-
All other	---	28	3	1	2
Black	---	28	3	1	2

NEWARK PUBLIC LIBRARY

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Pennsylvania-Con.					
Sharon	---	232	2	2	5
Balance of county	---	930	14	6	19
Mifflin	535	479	8	6	6
Lewistown	---	153	3	3	-
Balance of county	---	326	5	3	6
Monroe	713	716	8	5	9
Montgomery	6,826	5,921	71	45	92
White	6,419	5,708	61	35	77
All other	407	213	10	10	15
Black	398	206	10	10	12
Abington twp. #	---	588	1	1	2
Cheltenham twp. #	---	408	1	1	4
Conshohocken	---	127	-	-	2
East Norriton twp. #	---	95	1	1	2
Lansdale	---	199	4	3	6
Lower Merion twp. #	---	667	9	7	5
Lower Moreland twp. #	---	72	1	-	-
Norristown	---	438	9	6	12
White	---	387	6	3	6
All other	---	51	3	3	6
Black	---	51	3	3	6
Plymouth twp. #	---	123	-	-	1
Pottstown	---	272	4	2	4
Springfield twp. #	---	276	-	-	1
Upper Moreland twp. #	---	200	4	4	5
West Norriton twp. #	---	82	-	-	2
Balance of county	---	2,374	37	20	46
Montour	880	192	8	6	4
Northampton	1,239	2,028	27	16	33
Bethlehem, part	---	542	11	7	8
Bethlehem, total	---	761	12	8	15
Easton	---	342	4	2	8
Balance of county	---	1,144	12	7	17
Northumberland	805	1,198	11	10	12
Shamokin	---	180	3	3	-
Sunbury	---	163	-	-	2
Balance of county	---	855	8	7	10
Perry	148	337	7	4	3
Philadelphia, coext. with Philadelphia city	20,533	20,329	449	305	283
White	13,918	13,525	192	146	105
All other	6,615	6,804	257	159	178
Black	6,561	6,752	255	159	177
Pike	147	262	3	2	4
Potter	178	186	3	2	3
Schuylkill	1,786	2,076	22	13	13
Pottsville	---	236	2	1	3
Balance of county	---	1,840	20	12	10
Snyder	120	262	5	4	1
Somerset	723	802	11	9	4
Sullivan	44	78	-	-	-
Susquehanna	234	361	4	3	2
Tioga	328	384	6	4	5
Union	376	273	2	2	5
Venango	748	699	12	6	10
Oil City	---	186	3	2	2
Balance of county	---	513	9	4	8
Warren	431	471	8	3	9
Warren	---	164	2	-	1
Balance of county	---	307	6	3	8
Washington	2,102	2,193	39	29	22
Canonsburg	---	124	1	1	2
Washington	---	265	4	3	2
White	---	236	3	3	2
All other	---	29	1	-	-
Black	---	29	1	-	-
Balance of county	---	1,804	34	25	18
Wayne	361	374	4	3	5
Westmoreland	3,389	3,757	55	47	45
Greensburg	---	251	1	1	4
Hempfield twp. #	---	329	3	3	3
Jeannette	---	179	4	3	6
Latrobe	---	138	-	-	1
Lower Burrell	---	124	3	2	1
Monessen	---	168	2	2	1
New Kensington	---	237	4	3	3
North Huntington twp. #	---	247	-	-	2
Balance of county	---	2,084	38	33	24
Wyoming	175	212	3	2	5
York	2,524	2,595	40	29	33
Hanover	---	187	6	5	-
Spring Garden twp. #	---	127	-	-	-
York	---	556	10	7	8
White	---	503	9	6	5
All other	---	53	1	1	3
Black	---	53	1	1	3
Balance of county	---	1,725	24	17	25
Rhode Island	9,391	9,174	147	116	123
White	9,150	8,934	129	101	106
All other	241	240	18	15	17
Black	201	202	14	11	12
Bristol	201	385	9	8	3
Barrington town #	---	99	3	3	1
Bristol town #	---	178	4	3	2
Warren town #	---	108	2	2	-
Balance of county	---	-	-	-	-
Kent	1,097	1,354	25	22	14
Warwick	---	806	9	7	6
West Warwick town #	---	265	8	7	3
Balance of county	---	283	8	8	5
Newport	528	674	8	6	15
Middletown town #	---	98	2	2	2
Newport	---	293	2	1	8
Balance of county	---	283	4	3	5
Providence	6,893	6,053	86	66	77
White	6,696	5,866	70	53	63
All other	197	187	16	13	14
Black	171	168	12	9	10
Central Falls	---	214	4	4	6
Cranston	---	762	9	9	6
Cumberland town #	---	225	1	1	2
East Providence	---	534	4	4	10
North Providence town #	---	256	1	-	4
Pawtucket	---	857	16	14	9
Providence	---	1,826	28	20	25
White	---	1,666	18	12	16
All other	---	160	10	8	9
Black	---	146	8	6	8
Woonsocket	---	524	11	7	8
Balance of county	---	855	12	7	7
Washington	672	708	19	14	14
North Kingstown town #	---	133	5	4	5
Balance of county	---	575	14	10	9
South Carolina	24,603	25,428	837	563	632
White	16,612	17,212	379	247	272
All other	7,991	8,216	458	316	360
Black	7,963	8,194	453	312	356
Abbeville	153	209	8	6	7
White	98	140	-	-	4
All other	55	69	8	6	3
Black	55	69	8	6	3
Aiken	537	873	24	13	30
White	364	632	12	3	11
All other	173	241	12	10	19
Black	173	241	12	10	19
Aiken	---	224	4	3	5
White	---	146	-	-	-
All other	---	78	4	3	5
Black	---	78	4	3	5
North Augusta	---	137	4	4	5
Balance of county	---	512	16	6	20
White	---	370	10	1	9
All other	---	142	6	5	11
Black	---	142	6	5	11
Allendale	92	117	6	5	6
White	37	48	3	3	-
All other	55	69	3	2	6
Black	55	69	3	2	6
Anderson	1,073	1,126	37	24	15
White	901	942	26	15	11
All other	172	184	11	9	4
Black	170	183	11	9	4
Anderson	---	403	6	3	3
White	---	299	2	-	1
All other	---	104	4	3	2
Black	---	104	4	3	2
Balance of county	---	723	31	21	12
White	---	643	24	15	10
All other	---	80	7	6	2
Black	---	79	7	6	2
Bamberg	144	160	5	5	4
White	73	80	3	3	-
All other	71	80	2	2	4
Black	71	80	2	2	4
Barnwell	125	178	8	5	9
White	62	97	4	3	5
All other	63	81	4	2	4
Black	63	81	4	2	4
Beaufort	388	441	13	6	9
White	242	266	7	2	5
All other	146	175	6	4	4
Black	145	174	6	4	4
Berkeley	195	486	39	30	13
White	120	310	16	11	6
All other	75	176	23	19	7
Black	75	173	23	19	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina-Con.					
Calhoun	39	102	6	3	4
White	11	40	2	-	2
All other	28	62	4	3	2
Black	28	62	4	3	2
Charleston	2,833	1,886	65	51	75
White	1,739	1,123	24	16	33
All other	1,094	763	41	35	42
Black	1,088	762	41	35	42
Charleston	---	771	27	22	23
White	---	381	3	2	7
All other	---	390	24	20	16
Black	---	390	24	20	16
Balance of county	---	1,115	38	29	52
White	---	742	21	14	26
All other	---	373	17	15	26
Black	---	372	17	15	26
Cherokee	291	372	12	9	9
White	219	279	4	2	5
All other	72	93	8	7	4
Black	72	93	8	7	4
Gaffney	---	184	4	4	4
White	---	132	-	-	-
All other	---	52	4	4	4
Black	---	52	4	4	4
Balance of county	---	188	8	5	5
White	---	147	4	2	5
All other	---	41	4	3	-
Black	---	41	4	3	-
Chester	247	326	5	1	8
White	164	220	1	-	2
All other	83	106	4	1	6
Black	83	106	4	1	6
Chesterfield	203	347	14	12	9
White	134	245	6	6	4
All other	69	102	8	6	5
Black	69	102	8	6	5
Clarendon	201	264	8	3	9
White	83	115	1	-	2
All other	118	149	7	3	7
Black	118	149	7	3	7
Colleton	303	318	2	2	10
White	171	181	-	-	2
All other	132	137	2	2	8
Black	132	137	2	2	8
Darlington	489	565	20	13	14
White	299	356	4	2	6
All other	190	209	16	11	8
Black	190	209	16	11	8
Dillon	215	277	13	10	10
White	131	163	7	5	2
All other	84	114	6	5	8
Black	80	113	6	5	8
Dorchester	155	375	23	17	12
White	101	249	10	7	3
All other	54	126	13	10	9
Black	54	125	13	10	9
Edgefield	117	152	5	3	3
White	55	75	2	2	1
All other	62	77	3	1	2
Black	62	77	3	1	2
Fairfield	122	203	6	6	4
White	56	92	-	-	1
All other	66	111	6	6	3
Black	66	111	6	6	3
Florence	1,158	963	26	19	24
White	681	564	9	5	8
All other	477	399	17	14	16
Black	476	399	17	14	16
Florence	---	350	9	7	7
White	---	170	5	4	3
All other	---	180	4	3	4
Black	---	180	4	3	4
Balance of county	---	613	17	12	17
White	---	394	4	1	5
All other	---	219	13	11	12
Black	---	219	13	11	12
Georgetown	324	380	24	15	10
White	173	199	6	4	1
All other	151	181	18	11	9
Black	151	181	18	11	9
Georgetown	---	146	10	5	3
White	---	79	2	1	-
All other	---	67	8	4	3
Black	---	67	8	4	3
Balance of county	---	234	14	10	7
White	---	120	4	3	1
All other	---	114	10	7	6
Black	---	114	10	7	6
South Carolina-Con.					
Greenville	2,505	2,270	71	50	40
White	2,045	1,856	47	35	29
All other	460	414	24	15	11
Black	457	412	24	15	11
Greenville	---	664	23	15	17
White	---	439	10	8	10
All other	---	225	13	7	7
Black	---	225	13	7	7
Greer, part	---	152	2	2	1
White	---	144	2	2	1
All other	---	8	-	-	-
Black	---	8	-	-	-
Greer, total	---	187	2	2	2
White	---	165	2	2	2
All other	---	22	-	-	-
Black	---	22	-	-	-
Balance of county	---	1,454	46	33	22
White	---	1,273	35	25	18
All other	---	181	11	8	4
Black	---	179	11	8	4
Greenwood	699	533	20	17	8
White	500	378	12	9	2
All other	199	155	8	8	6
Black	198	154	8	8	6
Greenwood	---	281	10	8	6
White	---	189	5	3	1
All other	---	92	5	5	5
Black	---	91	5	5	5
Balance of county	---	252	10	9	2
White	---	189	7	6	1
All other	---	63	3	3	1
Black	---	63	3	3	1
Hampton	139	165	8	4	5
White	59	69	3	2	-
All other	80	96	5	2	5
Black	80	96	5	2	5
Horry	835	842	30	11	15
White	669	673	18	8	10
All other	166	169	12	3	5
Black	166	169	12	3	5
Jasper	96	146	5	3	5
White	46	71	3	2	-
All other	50	75	2	1	5
Black	50	74	2	1	5
Kershaw	290	367	6	6	10
White	184	227	3	3	7
All other	106	140	3	3	3
Black	106	140	3	3	3
Lancaster	371	424	16	10	9
White	283	331	8	8	2
All other	88	93	8	2	7
Black	88	93	8	2	7
Laurens	374	554	18	13	9
White	274	415	15	11	2
All other	100	139	3	2	7
Black	99	138	3	2	7
Laurens	---	154	1	-	2
White	---	106	-	-	1
All other	---	48	1	-	1
Black	---	48	1	-	1
Balance of county	---	400	17	13	7
White	---	309	15	11	1
All other	---	91	2	2	6
Black	---	90	2	2	6
Lee	81	136	8	6	6
White	29	56	2	2	2
All other	52	80	6	4	4
Black	52	80	6	4	4
Lexington	658	871	22	14	29
White	567	765	14	8	16
All other	91	106	6	6	13
Black	90	104	8	6	11
McCormick	30	66	7	6	4
White	14	30	1	1	1
All other	16	36	6	5	3
Black	16	36	6	5	3
Marion	357	325	16	7	7
White	187	156	6	3	1
All other	170	169	10	4	6
Black	170	169	10	4	6
Marlboro	272	321	19	11	7
White	144	175	7	5	2
All other	128	146	12	6	5
Black	128	146	12	6	5
Newberry	261	371	9	6	9
White	173	247	1	1	4
All other	88	124	8	5	5
Black	88	124	8	5	5

NEWARK PUBLIC LIBRARY

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Carolina-Con.					
Oconee	402	464	7	5	11
White	359	419	5	3	6
All other	43	45	2	2	5
Black	43	45	2	2	5
Orangeburg	739	738	19	14	19
White	381	379	8	6	5
All other	358	359	11	8	14
Black	358	359	11	8	14
Orangeburg	---	167	5	5	6
White	---	115	3	3	2
All other	---	72	2	2	4
Black	---	72	2	2	4
Balance of county	---	551	14	9	13
White	---	264	5	3	3
All other	---	287	9	6	10
Black	---	287	9	6	10
Pickens	390	511	14	10	11
Easley	---	150	3	2	-
White	---	133	3	2	-
All other	---	17	-	-	-
Black	---	17	-	-	-
Balance of county	---	361	11	8	11
Richland	3,114	2,161	56	40	51
White	2,009	1,340	17	13	20
All other	1,105	821	39	27	31
Black	1,098	816	36	25	30
Columbia	---	1,218	31	21	25
White	---	768	3	2	3
All other	---	450	28	19	22
Black	---	447	25	17	22
Balance of county	---	943	25	19	26
White	---	572	14	11	17
All other	---	371	11	8	9
Black	---	369	11	8	8
Saluda	76	147	6	4	1
White	50	98	1	1	1
All other	26	49	5	3	-
Black	26	49	5	3	-
Spartanburg	1,713	1,745	33	21	32
White	1,319	1,350	20	12	20
All other	394	395	13	9	12
Black	393	394	12	8	12
Greer, part	---	35	-	-	1
White	---	21	-	-	1
All other	---	14	-	-	-
Black	---	14	-	-	-
Spartanburg	---	565	7	6	9
White	---	378	2	2	2
All other	---	187	5	4	7
Black	---	187	5	4	7
Balance of county	---	1,145	26	15	22
White	---	951	18	10	17
All other	---	194	8	5	5
Black	---	193	7	4	5
Sumter	628	682	31	17	17
White	302	329	11	5	6
All other	326	353	20	12	11
Black	326	353	20	12	10
Sumter	---	370	9	5	5
White	---	203	2	-	-
All other	---	167	7	5	5
Black	---	167	7	5	5
Balance of county	---	312	22	12	12
White	---	126	9	5	6
All other	---	186	13	7	6
Black	---	186	13	7	5
Union	227	284	7	5	4
White	155	200	4	2	3
All other	72	84	3	3	1
Black	72	84	3	3	1
Union	---	93	-	-	2
White	---	68	-	-	2
All other	---	25	-	-	-
Black	---	25	-	-	-
Balance of county	---	191	7	5	2
White	---	132	4	2	1
All other	---	59	3	3	1
Black	---	59	3	3	1
Williamsburg	238	315	19	10	12
White	84	117	1	1	1
All other	154	198	18	9	11
Black	154	198	18	9	11
York	704	850	21	15	17
White	513	630	14	9	8
All other	191	220	7	6	9
Black	191	220	7	6	9
Rock Hill	---	380	10	6	4
White	---	266	5	2	1
All other	---	114	5	4	3
Black	---	114	5	4	3
South Carolina-Con.					
Balance of county	---	470	11	9	13
White	---	364	9	7	7
All other	---	106	2	2	6
Black	---	106	2	2	6
South Dakota[4]	6,308	6,451	147	97	85
White	5,935	6,019	111	78	66
All other	373	432	36	19	19
Black	8	7	2	1	2
Aurora	22	41	1	1	-
Beadle	196	195	2	2	1
Huron	---	141	2	2	1
Balance of county	---	54	-	-	-
Bennett	12	18	-	-	1
White	7	12	-	-	1
All other	5	6	-	-	-
Black	-	-	-	-	-
Bon Homme	89	103	1	-	-
Brookings	126	157	3	1	1
Brookings	---	80	2	1	1
Balance of county	---	77	1	-	-
Brown	370	322	9	6	4
Aberdeen	---	227	7	5	2
Balance of county	---	95	2	1	2
Brule	51	47	1	1	-
Buffalo	5	25	5	3	1
White	3	13	2	2	-
All other	2	12	3	1	1
Black	-	-	-	-	-
Butte	83	94	1	1	-
Campbell	4	16	-	-	-
Charles Mix	102	119	6	4	2
Clark	17	51	-	-	-
Clay	54	79	2	-	2
Codington	244	203	1	-	3
Watertown	---	161	-	-	3
Balance of county	---	42	1	-	-
Corson	17	49	3	1	-
White	3	22	1	-	-
All other	14	27	2	1	-
Black	-	-	-	-	-
Custer	45	54	-	-	1
Davison	212	168	2	2	3
Mitchell	---	146	2	2	3
Balance of county	---	22	-	-	-
Day	83	111	-	-	-
Deuel	43	60	-	-	-
Dewey	33	62	3	2	2
White	10	23	-	-	-
All other	23	39	3	2	2
Black	-	-	-	-	-
Douglas	33	44	1	-	-
Edmunds	59	55	1	-	-
Fall River	144	126	1	1	-
Faulk	25	44	2	-	1
Grant	58	82	1	1	1
Gregory	66	69	1	-	1
Haakon	22	22	1	1	2
Hamlin	29	79	1	1	-
Hand	58	42	-	-	-
Hanson	11	28	1	1	-
Harding	6	14	-	-	-
Hughes	131	125	5	4	1
Hutchinson	143	141	-	-	1
Hyde	11	23	-	-	-
Jackson	14	16	-	-	-
Jerauld	39	30	-	-	-
Jones	2	12	-	-	1
Kingsbury	98	100	-	-	-
Lake	99	106	1	1	1
Lawrence	162	190	6	4	2
Lincoln	81	126	-	-	-
Sioux Falls, part	---	1	-	-	-
Balance of county	---	125	-	-	-
Lyman	4	46	3	1	-
White	2	36	-	-	-
All other	2	10	3	1	-
Black	-	-	-	-	-
McCook	36	77	2	2	-
McPherson	27	53	1	1	-
Marshall	52	69	-	-	-
Meade	182	139	6	5	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
South Dakota-Con.					
Mellette	8	22	-	-	1
White	4	11	-	-	-
All other	4	11	-	-	1
Black	-	-	-	-	-
Miner	30	73	1	-	1
Minnehaha	1,361	834	22	18	20
Sioux Falls, part	---	663	18	14	17
Sioux Falls, total	---	664	18	14	17
Balance of county	---	171	4	4	3
Moody	49	73	-	-	-
Pennington	596	492	25	20	8
Rapid City	---	376	15	14	5
Balance of county	---	116	10	6	3
Perkins	24	41	-	-	2
Potter	42	45	1	1	-
Roberts	92	138	3	3	1
White	69	108	2	2	-
All other	23	30	1	1	1
Black	-	-	-	-	-
Sanborn	13	44	-	-	1
Shannon	57	95	7	3	5
White	2	5	1	1	-
All other	55	90	6	2	5
Black	-	-	-	-	-
Spink	72	104	-	-	2
Stanley	3	18	-	-	1
Sully	6	13	-	-	-
Todd	40	67	2	1	1
White	5	7	-	-	-
All other	35	60	2	1	1
Black	-	-	-	-	-
Tripp	59	75	2	-	-
Turner	75	101	1	1	1
Union	45	122	1	1	1
Walworth	101	89	-	-	-
Washabaugh	-	2	-	-	-
White	-	-	-	-	-
All other	-	2	-	-	-
Black	-	-	-	-	-
Yankton	227	158	5	1	5
Yankton	---	108	3	1	2
Balance of county	---	50	2	-	3
Ziebach	8	13	1	1	1
White	2	6	1	1	1
All other	6	7	-	-	-
Black	-	-	-	-	-
Tennessee [4]	42,946	40,509	847	595	593
White	35,626	33,563	523	358	398
All other	7,320	6,946	324	237	195
Black	7,279	6,911	319	233	192
Anderson	597	570	9	5	6
Oak Ridge, part	---	197	3	1	3
Oak Ridge, total	---	202	3	1	3
Balance of county	---	373	6	4	3
Bedford	220	254	5	4	1
White	187	214	3	3	1
All other	33	40	2	1	-
Black	33	40	2	1	-
Shelbyville	---	142	5	4	-
White	---	110	3	3	-
All other	---	32	2	1	-
Black	---	32	2	1	-
Balance of county	---	112	-	-	1
Benton	177	172	4	4	-
Bledsoe	49	70	3	2	1
Blount	563	646	15	14	4
Maryville	---	201	7	6	1
Balance of county	---	445	8	8	3
Bradley	458	462	6	3	11
Cleveland	---	292	3	2	5
Balance of county	---	170	3	1	6
Campbell	295	345	5	4	7
Cannon	84	101	2	2	1
Carroll	251	354	3	2	4
White	222	313	3	2	2
All other	29	41	-	-	2
Black	29	41	-	-	2
Carter	357	418	8	5	7
Elizabethton	---	137	3	1	1
Balance of county	---	281	5	4	6
Cheatham	49	133	1	1	2
Chester	42	98	-	-	3
White	36	79	-	-	1
All other	6	19	-	-	2
Black	6	19	-	-	2
Claiborne	192	229	2	1	4
Tennessee-Con.					
Clay	32	51	3	1	1
Cocke	220	282	8	5	4
Coffee	312	334	5	3	2
Tullahoma, part	---	147	2	1	-
Tullahoma, total	---	148	2	1	-
Balance of county	---	187	3	2	2
Crockett	39	128	-	-	2
White	36	111	-	-	2
All other	3	17	-	-	-
Black	3	17	-	-	-
Cumberland	321	253	2	1	3
Davidson, coext. with Nashville city	5,812	4,101	98	74	76
White	4,664	3,137	55	42	47
All other	1,148	964	43	32	29
Black	1,142	961	42	32	28
Decatur	99	111	-	-	1
De Kalb	145	156	1	1	2
Dickson	284	273	5	3	3
Dyer	348	341	9	6	3
White	279	283	5	3	-
All other	69	58	4	3	3
Black	69	58	4	3	3
Dyersburg	---	193	5	3	2
White	---	149	4	3	-
All other	---	44	1	-	2
Black	---	44	1	-	2
Balance of county	---	148	4	3	1
Fayette	150	200	4	3	7
White	80	94	1	1	1
All other	70	106	3	2	6
Black	70	106	3	2	5
Fentress	87	133	2	1	2
Franklin	286	288	3	1	4
Tullahoma, part	---	1	-	-	-
Balance of county	---	287	3	1	4
Gibson	541	611	12	8	5
White	443	511	7	4	4
All other	98	100	5	4	1
Black	98	100	5	4	1
Humboldt	---	129	4	2	-
White	---	88	3	2	-
All other	---	41	1	-	-
Black	---	41	1	-	-
Balance of county	---	482	8	6	5
White	---	423	4	2	4
All other	---	59	4	4	1
Black	---	59	4	4	1
Giles	149	225	2	1	2
White	119	184	2	1	1
All other	30	41	-	-	1
Black	30	41	-	-	1
Grainger	61	152	3	2	4
Greene	514	469	6	5	10
Greenville	---	163	1	1	2
Balance of county	---	306	5	4	8
Grundy	59	147	3	2	2
Hamblen	409	418	12	8	6
Morristown	---	237	6	6	3
Balance of county	---	181	6	2	3
Hamilton	2,967	2,597	56	34	34
White	2,397	2,025	38	23	22
All other	570	572	17	11	12
Black	567	569	17	11	12
Chattanooga	---	1,735	39	25	22
White	---	1,183	22	14	10
All other	---	552	17	11	12
Black	---	551	17	11	12
East Ridge	---	174	1	1	-
Red Bank	---	96	2	1	-
Balance of county	---	592	13	7	12
Hancock	44	70	2	2	1
Hardeman	190	216	2	1	4
White	128	143	-	-	2
All other	62	73	2	1	2
Black	62	73	2	1	2
Hardin	174	206	1	-	1
Hawkins	189	369	4	4	7
Kingsport, part	---	1	-	-	1
Balance of county	---	368	4	4	6
Haywood	158	190	5	4	2
White	92	99	2	2	1
All other	66	91	3	2	1
Black	66	91	3	2	1
Henderson	181	235	5	3	3
White	166	215	1	-	3
All other	15	20	4	3	-
Black	15	20	4	3	-

NEWARK PUBLIC LIBRARY

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Deaths by place of residence: Under 1 year	Deaths by place of residence: Under 28 days	Fetal deaths by place of residence
Tennessee-Con.					
Henry	306	345	4	1	2
White	275	303	3	1	2
All other	33	42	1	-	-
Black	33	42	1	-	-
Hickman	101	153	1	-	1
Houston	94	85	1	1	1
Humphreys	94	153	1	1	-
Jackson	74	92	1	1	-
Jefferson	219	284	1	-	3
Johnson	104	133	2	1	-
Knox	3,838	2,874	47	32	43
White	3,499	2,559	36	24	34
All other	339	315	11	8	9
Black	334	312	10	7	9
Knoxville	---	1,904	38	26	25
White	---	1,600	27	18	17
All other	---	304	11	8	8
Black	---	301	10	7	8
Balance of county	---	970	9	6	16
Lake	17	95	1	-	2
White	16	80	-	-	-
All other	1	15	1	-	2
Black	1	15	1	-	2
Lauderdale	182	281	7	6	1
White	113	168	-	-	1
All other	69	113	7	6	-
Black	69	113	7	6	-
Lawrence	292	349	3	1	5
Lewis	49	73	-	-	1
Lincoln	216	295	2	-	1
White	191	262	2	-	1
All other	25	33	-	-	-
Black	25	33	-	-	-
Loudon	201	316	7	7	3
McMinn	432	410	8	6	7
Athens	---	137	2	1	-
Balance of county	---	273	6	5	7
McNairy	149	214	4	3	6
Macon	105	149	3	2	-
Madison	1,048	688	11	6	12
White	764	481	7	5	5
All other	284	207	4	1	7
Black	284	207	4	1	7
Jackson	---	524	6	3	10
White	---	365	3	2	4
All other	---	159	3	1	6
Black	---	159	3	1	6
Balance of county	---	174	5	3	2
White	---	126	4	3	1
All other	---	48	1	-	1
Black	---	48	1	-	1
Marion	204	232	-	-	1
Marshall	206	223	1	-	-
White	180	203	-	-	-
All other	26	20	1	-	-
Black	26	20	1	-	-
Maury	523	524	3	2	3
White	427	413	3	2	3
All other	96	111	-	-	-
Black	96	111	-	-	-
Columbia	---	283	1	1	1
White	---	215	1	1	1
All other	---	68	-	-	-
Black	---	68	-	-	-
Balance of county	---	241	2	1	2
White	---	198	2	1	2
All other	---	43	-	-	-
Black	---	43	-	-	-
Meigs	27	65	1	-	1
Monroe	185	258	13	7	3
Montgomery	456	504	17	12	22
White	364	399	11	6	16
All other	94	105	6	6	6
Black	92	102	6	6	6
Clarksville	---	298	14	10	18
White	---	219	9	5	12
All other	---	79	5	5	6
Black	---	76	5	5	6
Balance of county	---	206	3	2	4
White	---	180	2	1	4
All other	---	26	1	1	-
Black	---	26	1	1	-
Moore	1	34	-	-	-
Morgan	55	153	-	-	4
Obion	361	373	4	4	4
Tennessee-Con.					
Union City	---	134	1	1	2
White	---	110	1	1	1
All other	---	24	-	-	1
Black	---	24	-	-	1
Balance of county	---	239	3	3	2
Overton	141	158	2	1	2
Perry	74	69	-	-	2
Pickett	4	37	-	-	-
Polk	65	127	1	1	1
Putnam	372	383	6	2	4
Cookeville	---	144	-	-	2
Balance of county	---	219	6	2	2
Rhea	141	292	2	1	3
Roane	344	408	4	4	4
Oak Ridge, part	---	5	-	-	-
Balance of county	---	403	4	4	4
Robertson	278	334	6	6	3
White	240	287	4	4	1
All other	38	47	2	2	2
Black	38	47	2	2	2
Rutherford	542	556	17	16	14
White	468	464	11	10	11
All other	74	92	6	6	3
Black	73	91	6	6	3
Murfreesboro	---	252	9	9	8
White	---	206	5	5	6
All other	---	46	4	4	2
Black	---	45	4	4	2
Balance of county	---	304	8	7	6
White	---	258	6	5	5
All other	---	46	2	2	1
Black	---	46	2	2	1
Scott	159	160	2	1	4
Sequatchie	79	76	4	3	-
Sevier	233	305	5	4	8
Shelby	8,635	6,690	229	172	129
White	5,289	3,767	55	42	42
All other	3,346	2,893	174	130	87
Black	3,336	2,887	172	128	86
Memphis	---	6,214	213	180	106
White	---	3,424	40	30	24
All other	---	2,790	173	129	82
Black	---	2,784	171	127	81
Millington	---	73	7	4	6
Balance of county	---	373	9	9	17
White	---	279	8	8	13
All other	---	94	1	1	4
Black	---	94	1	1	4
Smith	116	130	2	1	-
Stewart	34	95	-	-	-
Sullivan	1,887	1,190	26	21	12
Bristol	---	251	6	5	2
Kingsport, part	---	359	7	6	6
Kingsport, total	---	380	7	6	7
Balance of county	---	580	13	10	4
Sumner	499	634	13	8	4
Gallatin	---	200	4	3	1
White	---	156	2	2	1
All other	---	44	2	1	-
Black	---	44	2	1	-
Balance of county	---	434	9	6	3
Tipton	236	301	9	4	3
White	156	223	5	2	-
All other	80	78	4	2	3
Black	80	78	4	2	3
Trousdale	54	61	1	1	1
White	47	53	1	1	1
All other	7	8	-	-	-
Black	7	8	-	-	-
Unicoi	95	163	2	2	-
Union	43	100	2	2	1
Van Buren	8	38	3	2	-
Warren	282	289	5	2	2
McMinnville	---	125	2	1	1
Balance of county	---	164	3	1	1
Washington	1,176	768	19	11	13
Johnson City	---	431	10	5	8
Balance of county	---	337	9	6	5
Wayne	83	156	7	4	1
Weakley	242	333	5	2	3
White	175	211	3	1	2
Williamson	303	387	6	4	5
White	261	332	5	3	4
All other	42	55	1	1	1
Black	42	55	1	1	1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Tennessee-Con.					
Wilson	393	406	8	6	4
White	258	351	4	2	3
All other	35	54	4	4	1
Black	34	54	4	4	1
Lebanon	---	161	2	1	2
White	---	138	1	-	1
All other	---	23	1	1	1
Black	---	23	1	1	1
Balance of county	---	244	6	5	2
Texas	112,757	110,548	3,272	2,184	2,230
White	97,681	95,579	2,541	1,699	1,809
All other	15,076	14,969	731	485	421
Black	14,740	14,676	691	480	403
Anderson	323	384	7	7	6
White	236	292	3	3	5
All other	87	92	4	4	1
Black	87	92	4	4	1
Palestine	---	213	6	6	4
White	---	158	2	2	3
All other	---	55	4	4	1
Black	---	55	4	4	1
Balance of county	---	171	1	1	2
White	---	134	1	1	2
All other	---	37	-	-	-
Black	---	37	-	-	-
Andrews	149	111	4	4	2
Angelina	557	525	16	8	5
White	461	436	10	3	4
All other	96	89	6	5	1
Black	96	88	6	5	1
Lufkin	---	271	9	6	3
White	---	200	4	2	2
All other	---	71	5	4	1
Black	---	70	5	4	1
Balance of county	---	254	7	2	2
Aransas	58	137	-	-	2
Archer	46	75	-	-	1
Armstrong	20	24	1	1	-
Atascosa	189	237	4	3	4
Austin	205	225	2	-	4
White	166	189	1	-	4
All other	39	36	1	-	-
Black	39	36	1	-	-
Bailey	62	65	1	1	1
Bandera	55	98	-	-	-
Bastrop	180	312	4	4	1
White	136	238	2	2	-
All other	44	74	2	2	1
Black	44	74	2	2	1
Baylor	64	71	-	-	-
Bee	136	187	4	3	-
Beeville	---	108	3	3	-
Balance of county	---	79	1	-	-
Bell	1,759	1,103	52	37	49
White	1,523	955	33	21	29
All other	236	148	19	16	20
Black	229	140	18	15	18
Killeen	---	214	22	16	21
White	---	174	11	6	8
All other	---	40	11	10	13
Black	---	34	11	10	11
Temple	---	491	9	8	6
White	---	415	7	7	4
All other	---	76	2	1	2
Black	---	75	2	1	2
Balance of county	---	398	21	13	22
White	---	366	15	8	17
All other	---	32	6	5	5
Black	---	31	6	4	5
Bexar	8,494	7,322	229	140	162
White	7,792	6,692	209	124	136
All other	702	630	20	16	26
Black	673	608	17	15	25
San Antonio	---	6,279	196	120	141
White	---	5,680	178	105	120
All other	---	599	18	15	21
Black	---	582	18	14	20
Balance of county	---	1,043	33	20	21
Blanco	51	69	-	-	1
Borden	6	10	-	-	-
Bosque	228	246	2	1	-
Bowie	657	653	12	8	11
White	524	515	10	6	8
All other	133	138	2	2	3
Black	133	138	2	2	3
Texas-Con.					
Texarkana *	---	382	8	6	8
White	---	289	6	4	6
All other	---	93	2	2	2
Black	---	93	2	2	2
Balance of county	---	271	4	2	3
White	---	226	4	2	2
All other	---	45	-	-	1
Black	---	45	-	-	1
Brazoria	636	922	24	15	27
White	556	826	21	14	22
All other	80	96	3	1	5
Black	80	95	3	1	5
Alvin	---	121	2	2	4
Freeport	---	90	-	-	1
White	---	75	-	-	1
All other	---	15	-	-	-
Black	---	15	-	-	-
Lake Jackson	---	91	2	2	1
Balance of county	---	620	20	11	21
White	---	546	18	11	16
All other	---	74	2	-	5
Black	---	73	2	-	5
Brazos	520	526	19	11	10
White	416	413	17	9	9
All other	104	113	2	2	1
Black	103	110	2	2	1
Bryan	---	390	15	10	5
White	---	298	13	8	4
All other	---	92	2	2	1
Black	---	91	2	2	1
College Station	---	76	3	1	3
Balance of county	---	60	1	-	2
White	---	51	1	-	2
All other	---	9	-	-	-
Black	---	9	-	-	-
Brewster	63	58	-	-	-
Briscoe	2	30	-	-	-
Brooks	64	61	-	-	-
Brown	303	415	8	8	2
Brownwood	---	267	6	4	2
Balance of county	---	148	2	4	-
Burleson	116	175	-	-	-
White	93	138	-	-	-
All other	23	37	-	-	-
Black	23	37	-	-	-
Burnet	180	224	-	-	3
Caldwell	176	217	1	1	2
White	144	186	1	1	2
All other	32	31	-	-	-
Black	32	31	-	-	-
Calhoun	103	132	6	3	3
Port Lavaca	---	62	4	2	2
Balance of county	---	70	2	1	1
Callahan	72	144	1	-	2
Cameron	1,408	1,272	51	34	72
Brownsville	---	477	23	15	30
Harlingen	---	328	8	7	16
San Benito	---	120	8	6	3
Balance of county	---	347	12	6	23
Camp	105	100	-	-	2
White	77	75	-	-	2
All other	28	25	-	-	-
Black	28	25	-	-	-
Carson	30	57	1	1	1
Cass	296	322	6	1	4
White	219	241	4	1	2
All other	77	81	2	-	2
Black	77	81	2	-	2
Castro	60	79	6	6	5
Chambers	121	169	1	1	4
White	101	139	1	1	4
All other	20	30	-	-	-
Black	20	30	-	-	-
Cherokee	447	461	3	2	1
White	360	378	2	1	1
All other	87	83	1	1	-
Black	87	83	1	1	-
Childress	92	83	1	1	1
Clay	64	101	-	-	-
Cochran	27	41	3	1	1
Coke	37	48	-	-	-
Coleman	142	168	4	2	3
Collin	664	751	12	10	12
McKinney	---	208	2	1	1
White	---	184	2	1	1
All other	---	24	-	-	-
Black	---	24	-	-	-
Plano	---	208	7	6	7
Richardson, part	---	12	-	-	-

NEWARK PUBLIC LIBRARY

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Deaths by place of residence: Under 1 year	Deaths by place of residence: Under 28 days	Fetal deaths by place of residence
Texas-Con.					
Balance of county	---	323	3	3	4
Collingsworth	37	55	-	-	-
Colorado	259	244	3	1	6
White	220	196	2	-	5
All other	39	48	1	1	1
Black	39	48	1	1	1
Comal	313	323	7	7	3
New Braunfels	---	233	5	5	3
Balance of county	---	90	2	2	-
Comanche	176	190	5	3	1
Concho	39	45	1	1	1
Cooke	259	289	3	1	1
Gainesville	---	194	-	-	1
Balance of county	---	95	3	1	-
Coryell	137	228	8	6	6
White	134	218	7	6	6
All other	3	10	1	-	-
Black	3	7	1	-	-
Copperas Cove	---	62	7	5	4
Balance of county	---	166	1	1	2
White	---	161	1	1	2
All other	---	5	-	-	-
Black	---	5	-	-	-
Cottle	42	48	-	-	-
White	41	47	-	-	-
All other	1	1	-	-	-
Black	1	1	-	-	-
Crane	34	34	1	1	-
Crockett	41	36	3	1	2
Crosby	77	89	1	1	3
Culberson	33	27	3	2	1
Dallam	25	81	3	2	2
Dallas	12,415	11,147	417	283	232
White	9,991	8,905	248	162	173
All other	2,424	2,242	169	121	59
Black	2,371	2,191	156	110	96
Balch Springs	---	84	6	3	1
Carrollton, part	---	127	6	5	5
Carrollton, total	---	146	8	7	5
Dallas	---	7,660	273	185	149
White	---	5,570	120	76	93
All other	---	2,090	153	109	56
Black	---	2,067	146	103	56
Duncanville	---	129	6	3	3
Farmers Branch	---	106	3	1	1
Garland	---	664	38	26	16
Grand Prairie, part	---	358	16	8	9
Grand Prairie, total	---	394	16	8	10
Highland Park	---	100	-	-	-
Irving	---	551	23	19	21
Lancaster	---	125	5	4	3
Mesquite	---	305	13	7	6
Richardson, part	---	306	9	7	6
Richardson, total	---	318	9	7	6
University Park	---	188	1	-	-
Balance of county	---	375	18	15	12
Dawson	125	154	5	4	7
Lamesa	---	134	5	4	6
Balance of county	---	20	-	-	1
Deaf Smith	102	134	6	4	5
Hereford	---	115	6	4	5
Balance of county	---	19	-	-	-
Delta	15	64	1	-	-
White	15	61	1	-	-
All other	-	3	-	-	-
Black	-	3	-	-	-
Denton	615	708	16	13	20
Carrollton, part	---	19	2	2	-
Denton	---	293	5	4	3
Balance of county	---	396	9	7	17
De Witt	271	322	2	1	3
White	238	280	2	1	3
All other	33	42	-	-	-
Black	33	42	-	-	-
Dickens	8	48	-	-	1
Dimmit	64	58	4	2	2
Donley	27	54	-	-	1
Duval	34	142	2	2	2
Eastland	306	329	6	3	3
Ector	797	765	25	12	14
Odessa	---	677	20	11	11
Balance of county	---	88	5	1	3
Edwards	14	22	1	-	1
Ellis	409	566	10	8	7
White	351	484	9	7	6
All other	58	82	1	1	1
Black	57	82	1	1	1
Ennis	---	151	1	1	-
White	---	121	1	1	-
All other	---	30	-	-	-
Black	---	30	-	-	-
Waxahachie	---	147	3	2	2
White	---	123	3	2	1
All other	---	24	-	-	1
Black	---	24	-	-	1
Balance of county	---	268	6	5	5
White	---	240	5	4	5
All other	---	28	1	1	-
Black	---	28	1	1	-
El Paso	2,788	2,504	109	68	75
White	2,679	2,406	97	59	70
All other	110	98	12	9	5
Black	92	87	11	8	5
El Paso	---	2,360	99	63	70
White	---	2,275	91	57	66
All other	---	85	8	6	4
Black	---	77	8	6	4
Balance of county	---	144	10	5	5
Erath	232	261	2	2	2
Falls	340	284	2	1	2
White	245	206	-	-	2
All other	95	78	2	1	-
Black	95	78	2	1	-
Fannin	322	347	4	1	2
Fayette	177	288	1	-	6
White	158	255	1	-	4
All other	19	33	-	-	2
Black	19	33	-	-	2
Fisher	60	81	-	-	-
Floyd	96	112	1	1	-
Foard	25	30	-	-	-
Fort Bend	405	635	20	13	28
White	330	521	17	12	21
All other	75	114	3	1	7
Black	71	107	2	1	7
Houston, part	---	8	1	-	-
Rosenburg	---	135	3	3	4
Balance of county	---	492	16	10	24
White	---	394	14	9	19
All other	---	98	2	1	5
Black	---	91	1	1	5
Franklin	77	94	1	1	1
Freestone	203	189	3	-	1
White	160	149	2	-	1
All other	43	40	1	-	-
Black	43	40	1	-	-
Frio	101	109	6	4	2
Gaines	55	104	5	3	5
Galveston	1,888	1,654	39	27	25
White	1,439	1,299	27	18	16
All other	449	355	12	9	9
Black	446	352	12	9	9
Galveston	---	730	16	9	11
White	---	524	10	6	4
All other	---	206	6	3	7
Black	---	204	6	3	7
La Marque	---	120	-	-	-
White	---	95	-	-	-
All other	---	25	-	-	-
Black	---	25	-	-	-
League City	---	68	2	1	4
Texas City	---	305	9	7	3
White	---	232	5	3	3
All other	---	73	4	4	-
Black	---	72	4	4	-
Balance of county	---	431	12	10	7
White	---	383	10	8	7
All other	---	48	2	2	-
Black	---	48	2	2	-
Garza	27	90	3	-	-
Gillespie	181	196	2	1	2
Glasscock	4	5	-	-	-
Goliad	47	73	3	2	2
White	39	62	3	2	2
All other	8	11	-	-	-
Black	8	11	-	-	-
Gonzales	145	197	3	2	3
White	132	171	3	2	3
All other	13	26	-	-	-
Black	13	26	-	-	-
Gray	245	283	4	3	7
Pampa	---	228	3	3	6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Balance of county	- - -	55	1	-	1
Grayson	1,177	1,078	11	8	12
Denison	- - -	320	4	3	5
White	- - -	277	3	2	4
All other	- - -	43	1	1	1
Black	- - -	43	1	1	1
Sherman	- - -	352	6	4	6
White	- - -	307	6	4	4
All other	- - -	45	-	-	2
Black	- - -	45	-	-	2
Balance of county	- - -	406	1	1	1
Gregg	1,025	952	29	12	13
White	836	765	23	9	7
All other	189	187	6	3	6
Black	188	186	6	3	6
Longview	- - -	581	14	7	9
White	- - -	458	9	5	4
All other	- - -	123	5	2	5
Black	- - -	122	5	2	5
Balance of county	- - -	371	15	5	4
White	- - -	307	14	4	3
All other	- - -	64	1	1	1
Black	- - -	64	1	1	1
Grimes	147	176	8	6	2
White	99	120	4	3	2
All other	48	56	4	3	-
Black	48	56	4	3	-
Guadalupe	220	346	10	8	4
Seguin	- - -	166	5	5	2
White	- - -	135	4	4	2
All other	- - -	31	1	1	-
Black	- - -	31	1	1	-
Balance of county	- - -	180	5	3	2
Hale	265	280	12	5	13
Plainview	- - -	185	8	4	11
Balance of county	- - -	95	4	1	2
Hall	89	88	-	-	-
White	83	81	-	-	-
All other	6	7	-	-	-
Black	6	7	-	-	-
Hamilton	110	115	-	-	2
Hansford	27	56	1	1	-
Hardeman	107	114	-	-	1
White	94	104	-	-	1
All other	13	10	-	-	-
Black	13	10	-	-	-
Hardin	208	364	12	4	9
White	179	322	10	3	8
All other	29	42	2	1	1
Black	29	42	2	1	1
Harris	17,887	15,113	674	466	335
White	13,962	11,537	469	328	241
All other	3,925	3,576	205	138	94
Black	3,779	3,460	195	134	91
Baytown	- - -	419	16	10	9
Bellaire	- - -	133	1	1	3
Deer Park	- - -	66	3	2	2
Galena Park	- - -	82	4	3	3
White	- - -	74	4	3	3
All other	- - -	8	-	-	-
Black	- - -	8	-	-	-
Houston, part	- - -	11,707	506	356	259
White	- - -	8,306	311	225	171
All other	- - -	3,401	195	131	88
Black	- - -	3,307	185	127	86
Houston, total	- - -	11,715	507	356	259
White	- - -	8,311	311	225	171
All other	- - -	3,404	196	131	88
Black	- - -	3,310	186	127	86
Pasadena	- - -	643	49	36	10
South Houston	- - -	90	6	3	3
West University Place	- - -	30	-	-	-
Balance of county	- - -	1,943	89	55	46
White	- - -	1,819	82	50	42
All other	- - -	124	7	5	4
Black	- - -	105	7	5	4
Harrison	404	526	14	6	14
White	245	327	5	2	6
All other	159	199	9	4	8
Black	159	199	9	4	8
Marshall	- - -	311	10	5	3
White	- - -	102	4	2	-
All other	- - -	119	6	3	3
Black	- - -	119	6	3	3
Balance of county	- - -	215	4	1	11
White	- - -	135	1	-	6
All other	- - -	80	3	1	5
Black	- - -	80	3	1	5
Hartley	65	29	-	-	2
Haskell	101	130	3	2	2
Texas-Con.					
Hays	156	166	4	1	2
San Marcos	- - -	121	2	-	1
Balance of county	- - -	77	2	1	1
Hemphill	35	29	-	-	1
Henderson	328	492	9	5	6
White	291	434	7	4	6
All other	37	58	2	1	-
Black	37	58	2	1	-
Hidalgo	1,620	1,599	75	43	68
Edinburg	- - -	182	6	2	5
McAllen	- - -	430	24	15	15
Mission	- - -	138	2	1	7
Pharr	- - -	107	7	5	8
Weslaco	- - -	165	5	3	3
Balance of county	- - -	596	31	17	30
Hill	304	358	4	3	3
White	258	308	3	2	3
All other	46	50	1	1	-
Black	46	50	1	1	-
Hockley	101	165	7	5	3
Levelland	- - -	99	4	2	2
Balance of county	- - -	66	3	3	1
Hood	124	180	-	-	-
Hopkins	290	341	6	4	1
White	266	321	4	4	1
All other	24	20	2	-	-
Black	24	19	2	-	-
Sulphur Springs	- - -	210	2	-	-
White	- - -	195	-	-	-
All other	- - -	15	2	-	-
Black	- - -	15	2	-	-
Balance of county	- - -	131	4	4	1
Houston	195	244	-	-	4
White	143	176	-	-	4
All other	52	68	-	-	-
Black	52	68	-	-	-
Howard	518	387	14	13	10
Big Spring	- - -	314	9	8	7
Balance of county	- - -	73	5	5	3
Hudspeth	5	14	1	1	-
Hunt	478	575	15	10	12
White	432	526	12	8	11
All other	46	49	3	2	1
Black	46	49	3	2	1
Greenville	- - -	258	6	4	5
White	- - -	229	4	3	5
All other	- - -	29	2	1	-
Black	- - -	29	2	1	-
Balance of county	- - -	317	9	6	7
White	- - -	297	8	5	6
All other	- - -	20	1	1	1
Black	- - -	20	1	1	1
Hutchinson	194	272	6	4	4
Borger	- - -	174	4	3	3
Balance of county	- - -	98	2	1	1
Irion	8	12	-	-	-
Jack	70	69	1	-	2
Jackson	81	125	4	3	4
White	71	108	3	2	4
All other	10	17	1	1	-
Black	10	17	1	1	-
Jasper	230	299	8	7	7
White	185	240	5	5	7
All other	45	59	3	2	-
Black	45	59	3	2	-
Jeff Davis	8	12	1	1	-
Jefferson	2,655	2,348	61	46	52
White	2,023	1,680	33	28	21
All other	632	668	28	18	31
Black	628	664	26	17	30
Beaumont	- - -	1,187	30	22	30
White	- - -	756	15	14	9
All other	- - -	431	15	8	21
Black	- - -	429	14	8	21
Groves	- - -	164	1	1	1
Nederland	- - -	121	-	-	1
Port Arthur	- - -	670	21	16	17
White	- - -	443	10	7	8
All other	- - -	227	11	9	9
Black	- - -	225	10	8	8
Port Neches	- - -	97	1	1	1
Balance of county	- - -	118	8	6	2
White	- - -	108	6	5	1
All other	- - -	10	2	1	1
Black	- - -	10	2	1	1
Jim Hogg	10	33	2	1	1
Jim Wells	316	316	10	7	3
Alice	- - -	209	8	6	2
Balance of county	- - -	107	2	1	1

NEWARK PUBLIC LIBRARY

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Deaths by place of residence: Under 1 year	Deaths by place of residence: Under 28 days	Fetal deaths by place of residence
Texas-Con.					
Johnson	431	601	17	9	13
Cleburne	---	256	5	3	4
Fort Worth, part	---	-	-	-	-
White	---	-	-	-	-
All other	---	-	-	-	-
Black	---	-	-	-	-
Balance of county	---	345	12	6	9
Jones	241	251	-	-	4
Abilene, part	---	4	-	-	-
Balance of county	---	247	-	-	4
Karnes	114	133	4	1	1
Kaufman	406	441	4	3	4
White	345	368	3	2	4
All other	61	73	1	1	-
Black	61	73	1	1	-
Terrell	---	155	2	1	-
White	---	113	2	1	-
All other	---	42	-	-	-
Black	---	42	-	-	-
Balance of county	---	286	2	2	4
White	---	255	1	1	4
All other	---	31	1	1	-
Black	---	31	1	1	-
Kendall	70	102	-	-	-
Kenedy	2	6	-	-	-
Kent	11	24	-	-	-
Kerr	528	416	4	2	7
Kerrville	---	287	2	1	5
Balance of county	---	129	2	1	2
Kimble	42	51	2	-	-
King	2	3	-	-	-
Kinney	12	25	-	-	-
Kleberg	194	214	14	13	6
Kingsville	---	178	13	12	5
Balance of county	---	36	1	1	1
Knox	63	84	3	2	1
Lamar	554	481	6	3	8
White	463	392	5	3	5
All other	91	89	1	-	3
Black	89	89	1	-	3
Paris	---	340	6	3	6
White	---	269	5	3	3
All other	---	71	1	-	3
Black	---	71	1	-	3
Balance of county	---	141	-	-	2
White	---	123	-	-	2
All other	---	18	-	-	-
Black	---	18	-	-	-
Lamb	118	183	9	4	6
Lampasas	92	108	-	-	1
La Salle	11	57	1	-	1
Lavaca	256	286	1	1	2
Lee	117	145	-	-	2
White	93	116	-	-	1
All other	24	29	-	-	1
Black	24	29	-	-	1
Leon	82	142	1	1	-
White	70	114	1	1	-
All other	12	28	-	-	-
Black	12	28	-	-	-
Liberty	408	513	11	5	9
White	353	443	9	4	7
All other	55	70	2	1	2
Black	55	70	2	1	2
Limestone	217	311	3	2	4
White	184	251	2	1	2
All other	33	60	1	1	2
Black	33	60	1	1	2
Lipscomb	6	36	2	1	-
Live Oak	49	65	3	3	-
Llano	120	174	1	-	2
Loving	3	2	-	-	-
Lubbock	1,788	1,296	28	19	32
White	1,682	1,201	24	16	28
All other	106	95	4	3	4
Black	105	95	4	3	4
Lubbock	---	1,086	22	15	23
White	---	1,007	19	13	19
All other	---	79	3	2	4
Black	---	79	3	2	4
Balance of county	---	210	6	4	9
Lynn	37	66	1	1	1
McCulloch	100	118	-	-	3
McLennan	1,733	1,717	41	31	22
White	1,453	1,428	30	24	11
All other	280	289	11	7	11
Black	280	289	11	7	11

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Deaths by place of residence: Under 1 year	Deaths by place of residence: Under 28 days	Fetal deaths by place of residence
Texas-Con.					
Waco	---	1,252	34	24	21
White	---	998	23	17	10
All other	---	254	11	7	11
Black	---	254	11	7	11
Balance of county	---	465	7	7	1
McMullen	2	5	-	-	-
Madison	104	89	3	2	3
White	82	68	2	1	2
All other	22	21	1	1	1
Black	22	21	1	1	1
Marion	118	152	3	2	4
White	55	77	1	1	1
All other	63	75	2	1	3
Black	63	75	2	1	3
Martin	54	59	1	-	1
Mason	35	56	-	-	-
Matagorda	298	335	9	9	13
White	243	268	6	6	10
All other	55	67	3	3	3
Black	54	67	3	3	2
Bay City	---	176	6	6	4
White	---	141	5	5	4
All other	---	35	1	1	-
Black	---	35	1	1	-
Balance of county	---	159	3	3	9
White	---	127	1	1	6
All other	---	32	2	2	3
Black	---	32	2	2	2
Maverick	124	145	6	2	4
Eagle Pass	---	129	6	2	3
Balance of county	---	16	-	-	1
Medina	149	221	10	5	4
Menard	24	41	-	-	-
Midland	492	578	31	18	28
White	439	507	26	15	24
All other	53	71	5	3	1
Black	53	71	5	3	1
Midland	---	532	30	18	24
White	---	461	25	15	23
All other	---	71	5	3	1
Black	---	71	5	3	1
Balance of county	---	46	1	-	1
Milam	190	277	5	4	9
White	164	232	4	3	9
All other	26	45	1	1	-
Black	26	45	1	1	-
Mills	81	88	3	2	-
Mitchell	117	120	5	3	3
Montague	252	275	6	4	1
Montgomery	562	834	24	15	13
White	507	752	17	12	12
All other	55	82	7	3	1
Black	54	81	7	3	1
Conroe	---	194	6	3	2
White	---	157	5	3	2
All other	---	37	1	-	-
Black	---	37	1	-	-
Houston, part	---	-	-	-	-
Balance of county	---	640	18	12	11
White	---	595	12	9	10
All other	---	45	6	3	1
Black	---	44	6	3	1
Moore	108	129	5	3	5
Morris	127	150	-	-	-
White	101	115	-	-	-
All other	26	35	-	-	-
Black	26	35	-	-	-
Motley	9	26	-	-	-
Nacogdoches	467	399	4	1	7
White	377	322	2	1	3
All other	90	77	2	-	4
Black	90	77	2	-	4
Nacogdoches	---	212	2	-	3
White	---	158	1	-	1
All other	---	54	1	-	2
Black	---	54	1	-	2
Balance of county	---	187	2	1	4
White	---	164	1	1	2
All other	---	23	1	-	2
Black	---	23	1	-	2
Navarro	414	435	3	3	9
White	327	336	-	-	4
All other	87	99	3	3	5
Black	87	99	3	3	5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
Corsicana	---	270	2	2	6
White	---	197	-	-	3
All other	---	73	2	2	3
Black	---	73	2	2	3
Balance of county	---	165	1	1	3
White	---	139	-	-	1
All other	---	26	1	1	2
Black	---	26	1	1	2
Newton	89	119	1	-	1
White	69	89	1	-	1
All other	20	30	-	-	-
Black	20	30	-	-	-
Nolan	162	177	7	5	4
Sweetwater	---	131	6	5	4
Balance of county	---	46	1	-	-
Nueces	2,316	1,956	85	67	54
White	2,197	1,845	81	63	49
All other	119	111	4	4	5
Black	116	111	4	4	5
Corpus Christi	---	1,697	70	54	45
White	---	1,594	66	50	40
All other	---	103	4	4	5
Black	---	103	4	4	5
Robstown	---	127	12	10	3
Balance of county	---	132	3	3	6
Ochiltree	77	73	2	-	2
Oldham	7	14	-	-	-
Orange	381	630	16	10	17
Orange	---	220	6	4	6
White	---	154	4	4	3
All other	---	66	2	-	3
Black	---	66	2	-	3
Balance of county	---	410	10	6	11
Palo Pinto	225	274	4	3	9
Mineral Wells, part	---	182	3	2	7
Mineral Wells, total	---	183	3	2	7
Balance of county	---	92	1	1	2
Panola	182	195	2	-	4
White	156	159	1	-	2
All other	26	36	1	-	2
Black	26	36	1	-	2
Parker	260	365	4	2	3
Mineral Wells, part	---	1	-	-	-
Weatherford	---	185	2	2	1
Balance of county	---	179	2	-	2
Parmer	72	79	-	-	2
Pecos	92	98	6	6	5
Polk	218	312	4	2	3
White	193	271	3	1	2
All other	25	41	1	1	1
Black	25	35	1	1	1
Potter	1,862	995	29	21	21
Amarillo, part	---	974	27	19	18
Amarillo, total	---	1,285	31	23	25
Balance of county	---	21	2	2	3
Presidio	18	43	-	-	2
Rains	6	44	2	2	-
Randall	172	406	9	7	7
Amarillo, part	---	311	4	4	7
Balance of county	---	95	5	3	-
Reagan	13	19	2	-	1
Real	8	33	2	2	1
Red River	163	217	3	-	2
White	128	168	2	-	2
All other	35	49	1	-	-
Black	35	49	1	-	-
Reeves	89	111	5	1	1
Pecos	---	91	5	1	1
Balance of county	---	20	-	-	-
Refugio	61	96	-	-	-
White	56	85	-	-	-
All other	5	11	-	-	-
Black	5	11	-	-	-
Roberts	1	4	-	-	-
Robertson	135	202	1	1	1
White	94	142	1	1	1
All other	41	60	-	-	-
Black	41	60	-	-	-
Rockwall	38	109	1	1	4
White	35	101	1	1	4
All other	3	8	-	-	-
Black	3	8	-	-	-
Runnels	124	170	4	4	1
Rusk	347	506	7	6	-
White	277	396	2	2	-
All other	70	110	5	4	-
Black	70	110	5	4	-
Henderson	---	154	2	2	-
White	---	123	1	1	-
All other	---	31	1	1	-
Black	---	31	1	1	-
Balance of county	---	352	5	4	-
White	---	273	1	1	-
All other	---	79	4	3	-
Black	---	79	4	3	-
Sabine	77	118	1	-	2
White	68	105	1	-	2
All other	9	13	-	-	-
Black	9	13	-	-	-
San Augustine	65	103	1	1	2
White	49	73	-	-	1
All other	16	30	1	1	1
Black	16	30	1	1	1
San Jacinto	27	97	-	-	2
White	26	81	-	-	1
All other	1	16	-	-	1
Black	1	16	-	-	1
San Patricio	316	417	18	16	15
San Saba	54	90	2	2	1
Schleicher	20	31	-	-	1
Scurry	147	175	4	3	3
Snyder	---	140	4	3	3
Balance of county	---	35	-	-	-
Shackelford	38	43	2	2	1
Shelby	198	294	5	5	3
White	153	239	5	5	2
All other	45	55	-	-	1
Black	45	55	-	-	1
Sherman	10	25	-	-	-
Smith	1,608	1,162	31	22	12
White	1,281	901	20	14	8
All other	327	261	11	8	4
Black	326	260	11	8	4
Tyler	---	678	24	19	9
White	---	525	15	12	5
All other	---	153	9	7	4
Black	---	152	9	7	4
Balance of county	---	484	7	3	3
White	---	376	5	2	3
All other	---	108	2	1	-
Black	---	108	2	1	-
Somervell	37	40	1	-	3
Starr	111	168	5	3	8
Stephens	125	138	5	2	1
Sterling	14	13	1	1	1
Stonewall	42	39	1	1	1
Sutton	31	44	3	2	1
Swisher	46	70	-	-	1
Tarrant	6,990	6,475	201	128	143
White	6,131	5,603	154	97	113
All other	859	872	47	31	30
Black	839	855	44	28	29
Arlington	---	773	35	25	24
Bedford	---	92	6	5	1
Euless	---	96	8	8	4
Fort Worth, part	---	3,942	112	65	69
White	---	3,131	74	41	44
All other	---	811	38	24	25
Black	---	805	38	24	25
Fort Worth, total	---	3,942	112	65	69
White	---	3,131	74	41	44
All other	---	811	38	24	25
Black	---	805	38	24	25
Grand Prairie, part	---	36	-	-	1
White	---	27	-	-	-
All other	---	9	-	-	1
Black	---	8	-	-	1
Haltom City	---	211	2	2	6
Hurst	---	186	3	2	5
North Richland Hills	---	120	4	2	6
White Settlement	---	120	3	-	1
Balance of county	---	899	28	19	26
Taylor	1,166	1,006	28	14	20
Abilene, part	---	868	25	11	16
Abilene, total	---	872	25	11	16
Balance of county	---	138	3	3	4
Terrell	9	19	2	2	-
Terry	131	129	4	1	-
Throckmorton	14	27	-	-	-
Titus	250	250	2	1	1
White	207	206	1	1	1
All other	43	44	1	-	-
Black	43	44	1	-	-
Tom Green	889	787	17	8	14

NEWARK PUBLIC LIBRARY

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Texas-Con.					
San Angelo	---	709	17	8	12
Balance of county	---	78	-	-	2
Travis	2,782	2,449	79	49	53
White	2,432	2,131	60	38	41
All other	350	318	19	11	12
Black	346	315	18	10	12
Austin	---	2,183	74	47	48
White	---	1,876	56	36	36
All other	---	307	18	11	12
Black	---	304	17	10	12
Balance of county	---	266	5	2	5
Trinity	96	131	-	-	1
White	80	103	-	-	1
All other	16	28	-	-	-
Black	16	28	-	-	-
Tyler	143	182	4	3	1
White	123	160	2	2	1
All other	20	22	2	1	-
Black	16	22	2	1	-
Upshur	140	268	5	3	3
White	122	221	1	1	3
All other	18	47	4	2	-
Black	18	47	4	2	-
Upton	18	29	-	-	-
Uvalde	173	207	1	1	1
Uvalde	---	136	1	1	-
Balance of county	---	71	-	-	1
Val Verde	225	231	8	6	8
Del Rio	---	214	7	5	6
Balance of county	---	17	1	1	2
Van Zandt	214	372	8	3	1
Victoria	673	536	9	4	10
Victoria	---	426	7	3	8
Balance of county	---	110	2	1	2
Walker	268	252	5	4	3
White	178	172	3	2	2
All other	90	80	2	2	1
Black	90	80	2	2	1
Huntsville	---	132	2	2	3
White	---	88	1	1	2
All other	---	44	1	1	1
Black	---	44	1	1	1
Balance of county	---	120	3	2	-
White	---	84	2	1	-
All other	---	36	1	1	-
Black	---	36	1	1	-
Waller	137	175	3	1	2
White	91	112	1	-	2
All other	46	63	2	1	-
Black	45	63	2	1	-
Ward	90	127	2	1	2
Washington	323	292	1	-	2
White	254	230	-	-	2
All other	69	62	1	-	-
Black	69	62	1	-	-
Webb	645	622	31	22	11
Laredo	---	604	31	22	11
Balance of county	---	18	-	-	-
Wharton	334	337	8	5	8
White	263	255	3	2	6
All other	71	82	5	3	2
Black	71	82	5	3	2
Wheeler	81	95	1	1	2
Wichita	1,122	1,024	35	23	1
White	1,016	917	30	20	1
All other	106	107	5	3	-
Black	104	104	4	2	-
Wichita Falls	---	820	27	17	-
White	---	714	22	14	-
All other	---	106	5	3	-
Black	---	104	4	2	-
Balance of county	---	204	8	6	1
Wilbarger	206	237	1	1	3
White	189	215	1	1	3
All other	17	22	-	-	-
Black	17	22	-	-	-
Vernon	---	212	1	1	3
White	---	191	1	1	3
All other	---	21	-	-	-
Black	---	21	-	-	-
Balance of county	---	25	-	-	-
Willacy	67	119	5	3	1
Williamson	459	574	11	8	5
White	415	520	10	7	4
All other	44	54	1	1	1
Black	44	54	1	1	1
Wilson	85	132	4	1	3
Winkler	96	93	2	2	2
Wise	201	261	6	5	6
Texas-Con.					
Wood	263	318	4	3	2
White	243	289	3	3	2
All other	20	29	1	-	-
Black	20	29	1	-	-
Yoakum	28	53	2	2	-
Young	250	265	2	1	1
Zapata	16	51	2	2	-
Zavala	10	71	3	1	4
Utah	8,640	8,343	405	239	315
White	8,448	8,152	381	226	294
All other	192	191	24	13	21
Black	53	50	7	6	2
Beaver	42	42	-	-	-
Box Elder	197	230	5	3	13
Brigham City	---	116	2	-	8
Balance of county	---	114	3	3	5
Cache	262	287	25	16	8
Logan	---	154	15	11	4
Balance of county	---	133	10	5	4
Carbon	163	164	10	8	3
Daggett	1	7	-	-	-
Davis	483	543	31	18	31
Bountiful	---	171	5	3	6
Clearfield	---	65	6	3	3
White	---	63	5	3	3
All other	---	2	1	-	-
Black	---	1	-	-	-
Layton	---	80	5	3	3
Balance of county	---	227	15	9	19
Duchesne	94	81	2	1	1
Emery	34	73	10	6	5
Garfield	47	37	3	2	1
Grand	52	52	5	3	2
Iron	117	106	5	2	4
Juab	30	40	-	-	-
Kane	25	27	1	-	-
Millard	63	78	3	2	2
Morgan	11	29	-	-	2
Piute	4	11	1	1	1
Rich	6	9	-	-	-
Salt Lake	4,225	3,665	135	70	142
Murray	---	144	5	1	2
Salt Lake City	---	1,741	43	23	58
Balance of county	---	1,780	87	46	82
San Juan	60	57	6	2	4
White	39	26	2	2	3
All other	21	31	4	-	1
Black	-	-	-	-	-
Sanpete	104	128	2	1	6
Sevier	103	126	4	2	3
Summit	48	68	4	1	3
Tooele	105	142	7	3	2
Tooele	---	90	5	2	1
Balance of county	---	52	2	1	1
Uintah	73	131	8	3	12
White	69	109	7	2	10
All other	4	22	1	1	2
Black	-	-	-	-	-
Utah	953	911	78	51	38
Orem	---	160	27	17	9
Provo	---	272	17	12	13
Balance of county	---	479	34	22	16
Wasatch	58	61	5	3	1
Washington	195	206	8	5	6
Wayne	-	15	-	-	-
Weber	1,085	1,017	47	36	25
Ogden	---	643	28	21	16
Roy	---	89	1	-	3
Balance of county	---	285	18	15	6
Vermont	4,352	4,322	61	34	50
White	4,337	4,310	60	34	49
All other	15	12	1	-	1
Black	12	10	-	-	-
Addison	139	223	2	1	3
Bennington	365	329	6	2	-
Caledonia	212	242	2	-	-
Chittenden	979	695	13	8	12
Burlington	---	316	7	6	5
Balance of county	---	379	6	2	7
Essex	13	67	-	-	-
Franklin	267	301	4	-	9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Vermont-Con.					
Grand Isle	10	45	-	-	-
Lamoille	136	125	1	-	1
Orange	120	203	3	1	2
Orleans	200	211	3	1	5
Rutland	585	596	8	6	4
Rutland	- - -	243	4	4	3
Balance of county	- - -	353	4	2	1
Washington	501	481	10	7	5
Barre	- - -	131	3	3	-
Balance of county	- - -	350	7	4	5
Windham	334	334	2	2	4
Windsor	481	470	7	6	5
Virginia	41,509	42,237	991	716	987
White	32,233	32,988	622	441	619
All other	9,276	9,249	369	275	368
Black	9,162	9,132	362	269	348
Accomack	152	393	8	5	14
White	107	269	2	1	5
All other	45	124	6	4	9
Black	45	124	6	4	9
Albemarle	959	381	11	7	8
White	752	307	8	6	7
All other	207	74	3	1	1
Black	206	74	3	1	1
Alleghany	290	109	1	1	2
Amelia	26	88	2	2	1
White	13	47	2	2	1
All other	13	41	-	-	-
Black	13	41	-	-	-
Amherst	97	230	4	4	3
White	75	164	4	4	3
All other	22	66	-	-	-
Black	22	66	-	-	-
Appomattox	43	110	2	1	1
White	35	92	2	1	-
All other	8	18	-	-	1
Black	8	18	-	-	1
Arlington #	1,205	1,070	17	13	20
White	1,064	968	11	8	14
All other	141	102	6	5	6
Black	131	90	4	3	5
Augusta	187	451	2	1	8
Bath	32	63	-	-	-
White	27	57	-	-	-
All other	5	6	-	-	-
Black	5	6	-	-	-
Bedford	86	278	5	5	6
White	69	239	5	5	5
All other	17	39	-	-	1
Black	17	39	-	-	1
Bland	12	60	-	-	1
Botetourt	78	204	1	1	2
Brunswick	51	184	3	3	4
White	20	91	2	2	-
All other	31	93	1	1	4
Black	31	93	1	1	4
Buchanan	187	206	7	4	8
Buckingham	47	114	1	1	1
White	30	74	1	1	-
All other	17	40	-	-	1
Black	17	40	-	-	-
Campbell	90	335	9	7	4
White	75	284	8	6	4
All other	15	51	1	1	-
Black	15	51	1	1	-
Caroline	69	174	7	4	3
White	44	98	5	3	2
All other	25	76	2	1	1
Black	24	76	2	1	1
Carroll	52	280	3	3	8
Charles City	14	42	2	-	1
White	6	12	1	-	-
All other	8	30	1	-	1
Black	7	27	1	-	1
Charlotte	53	133	2	1	2
White	32	80	1	1	-
All other	21	53	1	-	2
Black	21	52	1	-	2
Chesterfield	452	694	21	16	25
White	398	624	14	10	20
All other	54	70	7	6	5
Black	54	70	7	6	5
Virginia-Con.					
Clarke	51	110	1	-	-
White	45	91	1	-	-
All other	6	19	-	-	-
Black	6	19	-	-	-
Craig	11	51	-	-	-
Culpeper	203	231	6	6	4
White	170	179	5	5	4
All other	33	52	1	1	-
Black	33	52	1	1	-
Cumberland	19	74	-	-	1
White	9	31	-	-	-
All other	10	43	-	-	1
Black	10	43	-	-	1
Dickenson	67	174	7	5	5
Dinwiddie	138	179	2	2	2
White	82	103	1	1	2
All other	56	76	1	1	-
Black	55	75	1	1	-
Essex	145	101	3	2	3
White	84	60	2	1	2
All other	61	41	1	1	1
Black	61	41	1	1	1
Fairfax	1,860	2,429	64	49	74
White	1,725	2,285	56	43	54
All other	135	144	8	6	20
Black	97	104	6	5	15
Vienna	- - -	83	3	2	2
Balance of county	- - -	2,346	61	47	72
White	- - -	2,206	53	41	52
All other	- - -	140	8	6	20
Black	- - -	101	6	5	15
Fauquier	246	265	6	3	10
White	192	199	4	2	8
All other	54	66	2	1	2
Black	54	66	2	1	1
Floyd	38	97	3	1	3
Fluvanna	37	84	2	-	-
White	23	54	1	-	-
All other	14	30	1	-	-
Black	14	30	1	-	-
Franklin	200	294	7	6	6
White	175	259	6	5	4
All other	25	35	1	1	2
Black	25	35	1	1	2
Frederick	50	245	2	1	2
Giles	96	153	3	2	2
Gloucester	217	194	3	2	3
White	160	152	3	2	3
All other	57	42	-	-	-
Black	57	42	-	-	-
Goochland	30	116	4	3	1
White	23	65	2	2	-
All other	16	51	2	1	1
Black	16	51	2	1	1
Grayson	55	161	1	1	4
Greene	25	64	-	-	2
White	19	53	-	-	2
All other	6	11	-	-	-
Black	6	11	-	-	-
Greensville	26	87	4	2	2
White	10	38	2	1	-
All other	16	49	2	1	2
Black	16	49	2	1	2
Halifax	85	306	3	2	5
White	61	202	3	2	2
All other	24	104	-	-	3
Black	24	104	-	-	3
Hanover	137	377	8	8	1
White	116	309	7	7	1
All other	21	69	1	1	-
Black	21	68	1	1	-
Henrico	1,911	1,578	24	17	22
White	1,617	1,428	18	11	10
All other	294	150	6	6	12
Black	288	145	5	5	11
Henry	64	427	9	5	2
White	49	332	8	5	2
All other	15	95	1	-	-
Black	15	95	1	-	-
Highland	12	35	2	1	1
Isle of Wight	49	196	3	1	-
White	27	112	2	1	-
All other	22	84	1	-	-
Black	22	84	1	-	-
James City	140	139	5	4	7
White	85	88	-	-	4
All other	55	51	5	4	3
Black	55	50	5	4	3

NEWARK PUBLIC LIBRARY

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia-Con.					
King and Queen	23	81	-	-	1
White	11	40	-	-	1
All other	12	41	-	-	-
Black	12	41	-	-	-
King George	22	83	2	2	-
White	17	64	1	1	-
All other	5	19	1	1	-
Black	5	19	1	1	-
King William	27	87	1	1	-
White	17	55	-	-	-
All other	10	32	1	1	-
Black	9	30	1	1	-
Lancaster	212	165	-	-	2
White	165	117	-	-	2
All other	47	48	-	-	-
Black	46	48	-	-	-
Lee	189	204	2	2	2
Loudoun	262	319	6	3	11
White	233	280	4	3	9
All other	29	39	2	-	2
Black	28	38	2	-	1
Louisa	67	194	2	2	9
White	46	140	2	2	5
All other	21	54	-	-	4
Black	21	54	-	-	4
Lunenburg	53	152	1	1	3
White	31	96	-	-	2
All other	22	56	1	1	1
Black	22	56	1	1	1
Madison	45	95	2	1	4
White	33	77	2	1	2
All other	12	18	-	-	2
Black	12	18	-	-	1
Mathews	48	124	-	-	1
White	38	100	-	-	1
All other	10	24	-	-	-
Black	9	23	-	-	-
Mecklenburg	344	350	6	3	1
White	197	200	4	3	1
All other	147	150	2	-	-
Black	147	150	2	-	-
Middlesex	47	94	1	-	2
White	34	70	-	-	1
All other	13	24	1	-	1
Black	13	24	1	-	1
Montgomery	281	333	8	5	15
Nansemond[7]	-	-	-	-	-
White	-	-	-	-	-
All other	-	-	-	-	-
Black	-	-	-	-	-
Nelson	60	148	4	2	3
White	47	112	3	1	3
All other	13	36	1	1	-
Black	13	36	1	1	-
New Kent	16	54	-	-	2
White	12	38	-	-	1
All other	4	16	-	-	1
Black	4	16	-	-	1
Northampton	326	206	2	2	8
White	193	111	1	1	3
All other	133	95	1	1	5
Black	133	95	1	1	5
Northumberland	44	132	-	-	2
White	33	90	-	-	1
All other	11	42	-	-	1
Black	11	42	-	-	1
Nottoway	94	179	5	2	4
White	51	108	3	1	2
All other	43	71	2	1	2
Black	43	71	2	1	2
Orange	70	176	2	1	6
White	56	141	2	1	3
All other	14	35	-	-	3
Black	14	34	-	-	3
Page	122	213	1	1	5
Patrick	134	156	2	2	2
Pittsylvania	175	567	13	9	15
White	128	427	4	3	9
All other	47	140	9	6	6
Black	47	140	9	6	6
Powhatan	26	79	-	-	-
White	16	51	-	-	-
All other	10	28	-	-	-
Black	10	28	-	-	-
Prince Edward	255	171	6	4	2
White	153	101	4	3	-
All other	102	70	2	1	2
Black	102	70	2	1	2

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virginia-Con.					
Prince George	59	98	4	4	6
White	47	64	3	3	2
All other	12	34	1	1	4
Black	10	33	1	1	4
Prince William	519	584	32	25	40
Pulaski	225	315	3	2	8
Pulaski	---	115	1	1	3
Balance of county	---	200	2	1	5
Rappahannock	12	63	-	-	2
White	9	55	-	-	1
All other	3	8	-	-	1
Black	3	8	-	-	1
Richmond	21	90	-	-	-
White	14	67	-	-	-
All other	7	23	-	-	-
Black	7	23	-	-	-
Roanoke	268	551	3	1	10
Rockbridge	51	171	2	1	2
Rockingham	160	443	11	7	12
Russell	138	235	8	5	5
Scott	55	243	3	-	6
Shenandoah	213	286	3	3	1
Smyth	390	348	3	2	4
Southampton	40	171	2	1	6
White	22	81	-	-	2
All other	18	90	2	1	4
Black	18	90	2	1	4
Spotsylvania	84	200	6	5	8
White	73	165	6	5	7
All other	11	35	-	-	1
Black	11	35	-	-	1
Stafford	88	208	5	4	9
Surry	19	58	1	1	-
White	4	24	-	-	-
All other	15	34	1	1	-
Black	15	34	1	1	-
Sussex	32	109	4	4	1
White	17	41	1	1	-
All other	15	68	3	3	1
Black	15	68	3	3	1
Tazewell	388	457	13	9	14
Warren	169	185	3	1	5
Washington	377	404	4	2	7
Westmoreland	53	168	2	2	-
White	41	115	-	-	-
All other	12	53	2	2	-
Black	12	53	2	2	-
Wise	268	407	12	8	11
Wythe	233	275	3	2	4
York	45	245	8	6	5
White	33	200	6	4	3
All other	12	45	2	2	2
Black	12	45	2	2	1
Independent Cities[8]					
Alexandria	888	796	28	22	23
White	719	609	14	11	12
All other	169	187	14	11	11
Black	162	182	14	11	10
Bedford	177	120	-	-	2
White	148	103	-	-	1
All other	29	17	-	-	1
Black	29	17	-	-	1
Bristol[8]	213	219	-	-	2
Buena Vista	16	70	-	-	-
Charlottesville	430	350	4	1	10
White	364	270	2	-	5
All other	66	80	2	1	5
Black	66	80	2	1	5
Chesapeake	496	826	31	23	24
White	362	583	14	8	9
All other	134	243	17	15	15
Black	132	242	17	15	13
Clifton Forge	55	78	-	-	3
White	51	68	-	-	1
All other	4	10	-	-	2
Black	4	10	-	-	2
Colonial Heights	57	152	3	3	1
Covington	15	107	2	2	3
White	12	88	1	1	2
All other	3	19	1	1	1
Black	3	19	1	1	1
Danville	925	562	6	4	13
White	675	412	4	3	6
All other	250	150	2	1	7
Black	250	150	2	1	7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Deaths by place of residence: Under 1 year	Deaths by place of residence: Under 28 days	Fetal deaths by place of residence
Virginia-Con.					
Emporia	177	72	1	1	1
White	79	44	-	-	1
All other	98	28	1	1	-
Black	98	28	1	1	-
Fairfax	248	132	4	4	4
Falls Church	25	88	6	4	8
Franklin	161	81	2	2	1
White	93	40	-	-	-
All other	68	41	2	2	1
Black	68	41	2	2	1
Fredericksburg	458	170	4	4	5
White	381	143	2	2	1
All other	77	27	2	2	4
Black	76	27	2	2	4
Galax	258	81	-	-	-
Hampton	983	858	38	25	30
White	584	562	17	11	14
All other	399	296	21	14	16
Black	395	293	21	14	15
Harrisonburg	509	140	3	2	2
Hopewell	230	219	3	3	7
White	192	187	2	2	5
All other	38	32	1	1	2
Black	38	32	1	1	2
Lexington	125	59	1	-	-
White	118	47	1	-	-
All other	7	12	-	-	-
Black	7	12	-	-	-
Lynchburg	1,343	762	11	8	16
White	1,042	584	6	4	8
All other	301	178	5	4	8
Black	301	178	5	4	8
Martinsville	465	187	4	3	1
White	354	127	1	-	-
All other	111	60	3	3	1
Black	111	60	3	3	1
Newport News	1,356	1,099	35	26	22
White	943	683	23	16	11
All other	413	416	12	10	11
Black	409	412	12	10	10
Norfolk	2,908	2,242	85	62	69
White	1,741	1,334	38	25	28
All other	1,167	908	47	37	41
Black	1,159	897	46	36	39
Norton	174	46	-	-	1
Petersburg	657	460	16	12	10
White	375	224	4	3	-
All other	282	236	12	9	10
Black	282	236	12	9	10
Portsmouth	1,301	984	41	30	19
White	819	541	15	11	5
All other	482	443	26	19	14
Black	475	438	26	19	14
Radford	186	91	-	-	2
Richmond	3,882	2,562	69	55	58
White	2,326	1,390	17	13	18
All other	1,556	1,172	52	42	40
Black	1,551	1,167	52	42	39
Roanoke	1,693	1,202	19	11	26
White	1,456	964	13	10	15
All other	237	238	6	1	11
Black	237	238	6	1	11
Salem	883	225	2	2	6
South Boston	286	89	2	2	4
White	177	53	1	1	-
All other	109	36	1	1	4
Black	109	36	1	1	4
Staunton	410	251	5	3	1
White	379	221	3	2	-
All other	31	30	2	1	1
Black	31	30	2	1	1
Suffolk	415	513	25	17	13
White	194	245	6	5	4
All other	221	268	19	12	9
Black	220	268	19	12	9
Virginia Beach	1,042	1,294	53	43	46
White	901	1,122	40	32	34
All other	141	172	13	11	12
Black	137	167	13	11	12
Waynesboro	262	155	2	1	2
Williamsburg	204	76	3	1	1
White	156	63	2	-	1
All other	48	13	1	1	-
Black	47	13	1	1	-
Winchester	684	258	2	-	1
Washington	32,246	32,031	733	441	512
White	30,806	30,621	629	391	443
All other	1,440	1,410	104	50	69
Black	671	663	45	22	34
Adams	77	72	1	1	3
Asotin	135	149	2	1	-
Benton	547	539	17	13	23
Kennewick	---	185	6	4	6
Richland	---	192	7	6	8
Balance of county	---	162	4	3	9
Chelan	561	482	5	3	6
Wenatchee	---	248	4	2	1
Balance of county	---	234	1	1	5
Clallam	485	509	4	2	7
Port Angeles	---	200	3	2	2
Balance of county	---	309	1	-	5
Clark	1,374	1,410	39	24	19
Vancouver	---	691	19	11	9
Balance of county	---	719	20	13	10
Columbia	35	47	-	-	1
Cowlitz	610	588	9	7	8
Kelso	---	104	-	-	1
Longview	---	264	6	4	5
Balance of county	---	220	3	3	2
Douglas	82	158	2	2	8
Ferry	27	37	2	1	-
White	24	27	1	1	-
All other	3	10	1	-	-
Black	-	-	-	-	-
Franklin	200	239	4	3	8
Pasco	---	181	4	3	4
White	---	158	4	3	4
All other	---	23	-	-	-
Black	---	21	-	-	-
Balance of county	---	58	-	-	4
Garfield	23	23	-	-	-
Grant	263	316	13	7	7
Moses Lake	---	70	-	-	1
Balance of county	---	246	13	7	6
Grays Harbor	556	642	19	10	11
Aberdeen	---	203	8	5	3
Hoquiam	---	98	1	1	3
Balance of county	---	341	10	4	5
Island	199	296	6	3	6
Jefferson	102	144	-	-	3
King	10,259	9,653	188	124	126
White	9,484	8,884	150	102	97
All other	775	769	38	22	29
Black	413	411	19	10	18
Auburn	---	207	6	4	7
Bellevue	---	437	7	4	5
Kent	---	153	5	4	4
Kirkland	---	193	8	4	6
Mercer Island City	---	116	1	-	-
Redmond	---	137	6	6	4
Renton	---	280	7	4	9
Seattle	---	5,538	91	58	54
White	---	4,874	64	44	30
All other	---	664	27	14	24
Black	---	383	17	9	14
Balance of county	---	2,583	99	40	37
Kitsap	1,027	1,076	39	23	20
Bremerton	---	393	13	7	8
Balance of county	---	683	26	16	12
Kittitas	199	217	3	-	4
Ellensburg	---	87	2	-	2
Balance of county	---	130	1	-	2
Klickitat	99	142	6	4	6
Lewis	469	520	14	10	6
Centralia	---	172	3	3	1
Balance of county	---	348	11	7	5
Lincoln	77	103	1	1	1
Mason	203	268	2	1	2
Okanogan	266	285	6	3	8
Pacific	203	248	4	2	5
Pend Oreille	53	63	1	1	-
Pierce	3,852	3,703	129	71	71
White	3,655	3,513	102	60	56
All other	197	190	27	11	15
Black	120	119	16	8	9
Puyallup	---	205	7	4	3
Tacoma	---	1,818	61	36	32
White	---	1,694	48	30	22
All other	---	124	13	6	10
Black	---	82	9	6	7

NEWARK PUBLIC LIBRARY

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
Washington-Con.					
Balance of county	---	1,680	61	31	36
White	---	1,616	48	26	31
All other	---	64	13	5	5
Black	---	37	7	2	2
San Juan	50	64	1	1	-
Skagit	656	614	8	7	12
Skamania	22	38	-	-	-
Snohomish	1,989	2,243	62	36	32
Edmonds	---	232	6	3	2
Everett	---	639	13	5	4
Lynnwood	---	140	6	5	3
Mountlake Terrace	---	60	1	1	3
Balance of county	---	1,172	36	22	20
Spokane	3,355	2,899	55	36	36
Spokane	---	1,924	32	23	17
Balance of county	---	975	23	13	19
Stevens	167	225	8	3	3
Thurston	889	939	22	12	8
Olympia	---	316	4	1	2
Balance of county	---	623	18	11	6
Wahkiakum	27	38	1	-	-
Walla Walla	598	464	8	4	6
Walla Walla	---	324	7	3	3
Balance of county	---	140	1	1	3
Whatcom	792	791	15	5	24
Bellingham	---	435	11	5	10
Balance of county	---	356	4	-	14
Whitman	153	201	4	3	3
Pullman	---	41	4	3	1
Balance of county	---	160	-	-	2
Yakima	1,565	1,586	33	17	29
Yakima	---	693	10	4	12
Balance of county	---	893	23	13	17
West Virginia	19,069	19,053	363	246	268
White	18,210	18,211	338	230	255
All other	859	842	25	16	13
Black	846	830	25	16	11
Barbour	134	173	6	3	1
Berkeley	627	405	9	6	9
Martinsburg	---	202	5	3	2
Balance of county	---	203	4	3	7
Boone	165	276	9	8	3
Braxton	117	176	4	1	2
Brooke	366	320	7	5	-
Weirton, part	---	43	1	-	-
Balance of county	---	277	6	5	-
Cabell	1,766	1,165	13	8	11
Huntington, part	---	831	9	5	8
Huntington, total	---	892	9	5	9
Balance of county	---	334	4	3	3
Calhoun	66	99	2	2	1
Clay	45	119	5	3	3
Doddridge	30	90	4	4	-
Fayette	450	630	14	8	14
White	406	577	12	7	14
All other	44	53	2	1	-
Black	44	53	2	1	-
Gilmer	32	76	1	1	-
Grant	89	92	2	2	1
Greenbrier	373	407	8	5	5
Hampshire	84	141	4	4	5
Hancock	65	377	8	3	6
Weirton, part	---	199	4	3	2
Weirton, total	---	242	5	3	2
Balance of county	---	178	4	-	4
Hardy	38	99	3	2	-
Harrison	988	875	10	6	7
Clarksburg	---	351	6	4	2
Balance of county	---	524	4	2	5
Jackson	206	220	3	2	7
Jefferson	184	266	4	2	7
White	172	239	4	2	7
All other	12	27	-	-	-
Black	12	27	-	-	-
Kanawha	2,801	2,332	44	33	30
White	2,631	2,156	37	27	28
All other	170	176	7	6	2
Black	166	172	7	6	2
Charleston	---	892	13	11	10
White	---	779	10	9	9
All other	---	113	3	2	1
Black	---	112	3	2	1
St. Albans	---	178	3	2	2
South Charleston	---	160	2	1	3
Balance of county	---	1,102	26	19	15

Area and race	Total deaths by county of occurrence	Deaths by place of residence: Total deaths	Under 1 year	Under 28 days	Fetal deaths by place of residence
West Virginia-Con.					
Lewis	198	221	4	2	1
Lincoln	82	210	3	3	4
Logan	419	471	7	5	7
McDowell	316	469	13	9	8
White	255	361	11	9	6
All other	61	108	2	-	2
Black	61	108	2	-	2
Marion	557	722	8	5	6
Fairmont	---	338	4	3	5
Balance of county	---	384	4	2	1
Marshall	260	333	6	5	3
Moundsville	---	149	2	2	2
Balance of county	---	184	4	3	1
Mason	205	236	2	2	2
Mercer	987	771	13	8	13
Bluefield [16]	---	238	3	2	4
White	---	189	-	-	4
All other	---	49	3	2	-
Black	---	49	3	2	-
Balance of county	---	533	10	6	9
Mineral	158	252	7	6	6
Mingo	187	359	11	4	6
Monongalia	1,123	538	7	6	7
Morgantown	---	268	3	3	2
Balance of county	---	270	4	3	5
Monroe	43	136	1	1	3
Morgan	78	82	2	1	2
Nicholas	217	246	6	5	6
Ohio	1,119	741	10	9	7
Wheeling	---	621	10	9	6
Balance of county	---	120	-	-	1
Pendleton	28	70	1	1	2
Pleasants	20	73	4	2	-
Pocahontas	81	100	-	-	1
Preston	217	261	10	9	5
Putnam	109	298	9	7	7
Raleigh	1,152	838	17	11	18
White	1,025	741	14	10	15
All other	127	97	3	1	3
Black	125	96	3	1	2
Beckley	---	340	5	2	8
White	---	274	3	1	6
All other	---	66	2	1	2
Black	---	64	2	1	2
Balance of county	---	498	12	9	10
Randolph	304	278	5	3	5
Ritchie	56	146	1	1	3
Roane	163	179	2	1	3
Summers	130	173	5	2	2
Taylor	132	185	6	2	1
Tucker	52	90	2	2	-
Tyler	60	106	1	-	-
Upshur	177	209	3	2	3
Wayne	251	420	6	4	3
Huntington, part	---	61	-	-	1
Balance of county	---	359	6	4	2
Webster	66	110	4	1	1
Wetzel	149	202	4	4	1
Wirt	15	40	-	-	-
Wood	1,102	861	15	11	17
Parkersburg	---	542	11	8	7
Vienna	---	93	-	-	1
Balance of county	---	226	4	3	9
Wyoming	112	273	6	4	3
Wisconsin	40,414	40,560	773	516	559
White	39,202	39,367	666	454	488
All other	1,212	1,193	107	62	71
Black	959	941	84	50	62
Adams	117	138	2	-	-
Ashland	238	207	1	1	2
Barron	416	429	9	4	5
Bayfield	89	161	3	1	2
Brown	1,620	1,287	36	25	28
De Pere	---	90	2	1	2
Green Bay	---	801	21	16	19
Balance of county	---	396	13	8	7
Buffalo	75	139	2	2	-
Burnett	98	150	5	3	1
Calumet	178	215	5	1	-
Appleton, part	---	19	1	-	-
Balance of county	---	196	4	1	-
Chippewa	427	489	8	6	4
Chippewa Falls	---	145	3	2	2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Wisconsin-Con.					
Eau Claire, part	---	2	-	-	-
Balance of county	---	342	5	4	2
Clark	197	325	9	6	2
Columbia	377	422	12	7	4
Crawford	143	178	2	2	-
Dane	2,727	2,002	60	46	29
Madison	---	1,129	33	24	12
Monona	---	53	1	1	-
Balance of county	---	820	26	21	17
Dodge	745	717	6	4	10
Beaver Dam	---	185	1	1	3
Watertown, part	---	83	1	1	1
Balance of county	---	449	4	2	6
Door	200	246	5	3	4
Douglas	322	456	3	3	2
Superior	---	329	2	2	1
Balance of county	---	127	1	1	1
Dunn	196	248	-	-	10
Menomonie	---	126	-	-	3
Balance of county	---	122	-	-	7
Eau Claire	831	630	11	9	8
Eau Claire, part	---	431	5	5	6
Eau Claire, total	---	433	5	5	6
Balance of county	---	199	6	4	2
Florence	33	49	-	-	-
Fond du Lac	769	774	15	12	9
Fond du Lac	---	380	9	8	2
Balance of county	---	394	6	4	7
Forest	61	123	2	1	-
Grant	415	481	3	2	6
Green	364	301	7	6	2
Green Lake	170	214	6	4	1
Iowa	178	223	6	3	3
Iron	49	96	-	-	-
Jackson	141	166	4	3	2
Jefferson	349	504	4	2	6
Watertown, part	---	5	-	-	1
Watertown, total	---	88	1	1	2
Whitewater, part	---	-	-	-	-
Balance of county	---	409	4	2	5
Juneau	151	248	3	2	1
Kenosha	910	1,024	21	14	19
Kenosha	---	716	15	10	15
Balance of county	---	308	6	4	4
Kewaunee	142	192	2	1	1
La Crosse	1,173	748	15	10	5
La Crosse	---	505	6	6	3
Balance of county	---	243	9	4	2
Lafayette	125	206	6	5	3
Langlade	212	240	-	-	6
Lincoln	267	293	3	3	-
Manitowoc	655	754	11	8	4
Manitowoc	---	379	6	4	1
Two Rivers	---	145	2	1	1
Balance of county	---	230	3	3	2
Marathon	717	768	16	12	17
Marshfield, part	---	-	-	-	-
Wausau	---	349	2	1	6
Balance of county	---	419	14	11	11
Marinette	393	472	5	1	2
Marinette	---	171	3	1	1
Balance of county	---	301	2	-	1
Marquette	42	135	1	1	-
Menominee	15	38	4	1	1
White	1	4	-	-	1
All other	14	34	4	1	-
Black	-	-	-	-	-
Milwaukee	9,619	8,987	176	114	151
White	8,793	8,179	113	78	95
All other	826	808	63	36	56
Black	792	778	63	36	55
Brown Deer	---	71	1	1	-
Cudahy	---	152	1	1	1
Franklin	---	68	1	-	2
Glendale	---	228	-	-	2
Greendale	---	103	4	2	1
Greenfield	---	282	2	1	6
Milwaukee, part	---	6,098	151	99	116
White	---	5,310	88	63	61
All other	---	788	63	36	55
Black	---	765	63	36	54
Milwaukee, total	---	6,099	151	99	116
White	---	5,311	88	63	61
All other	---	788	63	36	55
Black	---	765	63	36	54
Oak Creek	---	82	-	-	2
St. Francis	---	75	3	1	-
Shorewood	---	176	-	-	2
South Milwaukee	---	167	3	2	1
Wauwatosa	---	506	5	4	1
West Allis	---	685	3	2	10
Whitefish Bay	---	101	-	-	1
Balance of county	---	213	2	1	6
Monroe	326	352	6	5	3
Oconto	241	335	8	4	3
Oneida	386	289	9	6	3
Outagamie	1,026	945	24	16	7
Appleton, part	---	439	11	9	2
Appleton, total	---	456	12	9	2
Kaukauna	---	94	4	2	1
Balance of county	---	412	9	5	4
Ozaukee	291	422	12	11	6
Mequon	---	107	2	2	-
Balance of county	---	315	10	9	6
Pepin	80	92	-	-	-
Pierce	110	231	6	4	6
Polk	321	339	5	2	9
Portage	373	400	13	8	7
Stevens Point	---	204	4	2	3
Balance of county	---	196	9	6	4
Price	153	198	2	2	-
Racine	1,377	1,389	31	19	24
White	1,317	1,320	20	11	20
All other	60	69	11	8	4
Black	59	68	11	8	4
Racine	---	817	22	15	11
White	---	754	12	7	7
All other	---	63	10	8	4
Black	---	63	10	8	4
Balance of county	---	572	9	4	13
Richland	146	174	5	3	1
Rock	1,060	1,139	20	12	15
Beloit	---	312	8	7	6
Janesville	---	387	6	3	3
Balance of county	---	440	6	2	6
Rusk	124	153	4	3	3
St. Croix	307	318	2	-	2
Sauk	432	441	6	4	9
Sawyer	143	165	2	-	1
Shawano	325	304	7	4	4
Sheboygan	860	895	16	12	19
Sheboygan	---	520	8	6	6
Balance of county	---	375	8	6	13
Taylor	161	186	3	3	3
Trempealeau	248	296	4	1	4
Vernon	280	289	4	3	6
Vilas	153	186	1	1	4
Walworth	442	623	7	5	12
Whitewater, part	---	78	1	1	1
Whitewater, total	---	78	1	1	1
Balance of county	---	545	6	4	11
Washburn	115	122	3	1	1
Washington	443	534	10	3	8
Milwaukee, part	---	1	-	-	-
West Bend	---	158	5	1	4
Balance of county	---	375	5	2	4
Waukesha	1,694	1,680	23	18	21
Brookfield	---	233	1	1	2
Menomonee Falls	---	153	1	1	-
Muskego	---	-	-	-	1
New Berlin	---	110	-	-	3
Waukesha	---	353	7	6	8
Balance of county	---	831	14	10	7
Waupaca	502	620	8	6	4
Waushara	162	203	3	3	1
Winnebago	1,169	1,078	26	21	13
Menasha	---	106	3	3	2
Neenah	---	181	8	6	4
Oshkosh	---	481	9	7	6
Balance of county	---	310	6	5	1
Wood	1,010	600	11	8	10
Marshfield, part	---	164	3	2	2
Marshfield, total	---	164	3	2	2
Wisconsin Rapids	---	190	1	1	2
Balance of county	---	246	7	5	6

NEWARK PUBLIC LIBRARY

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1981—Con.

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Urban places are those with populations of 10,000 or more in 1970 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1970 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Wyoming	3,024	3,165	115	88	93
White	2,936	3,077	111	86	91
All other	88	88	4	2	2
Black	17	17	1	-	-
Albany	150	154	3	1	3
Laramie	---	129	2	1	3
Balance of county	---	25	1	-	-
Big Horn	74	109	8	6	5
Campbell	106	119	16	11	8
Carbon	153	154	7	4	3
Converse	60	78	5	5	3
Crook	23	41	5	5	2
Fremont	277	278	9	7	13
White	223	219	8	7	11
All other	54	59	1	-	2
Black	-	-	-	-	-
Goshen	103	130	6	6	3
Hot Springs	80	75	-	-	-
Johnson	66	65	-	-	1
Laramie	521	478	9	8	8
Wyoming-Con.					
Cheyenne	---	403	9	8	7
Balance of county	---	75	-	-	1
Lincoln	56	94	6	4	3
Natrona	417	429	16	13	14
Casper	---	336	12	10	10
Balance of county	---	93	4	3	4
Niobrara	32	35	1	1	-
Park	128	138	2	2	3
Platte	59	75	3	1	2
Sheridan	212	214	3	3	2
Sheridan	---	158	3	3	2
Balance of county	---	56	-	-	-
Sublette	10	23	-	-	1
Sweetwater	229	244	7	4	13
Rock Springs	---	146	5	3	4
Balance of county	---	98	2	1	9
Teton	62	37	2	1	-
Uinta	82	66	4	3	4
Washakie	75	75	2	2	1
Weston	47	54	1	1	1

---

[1] "Districts" shown are election districts, the nearest equivalent to counties.
[2] Includes data for Texarkana, Ark., only.
[3] The cities of Honolulu and Hilo have legally established limits and, therefore, are treated as incorporated places.
[4] Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.
[5] Includes data for Bristol, Tenn., only.
[6] Includes data for Texarkana, Tex., only.
[7] On January 1, 1974, Nansemond merged with the independent city of Suffolk.
[8] Independent cities having populations of less than 10,000 according to the 1970 census are Bedford, Buena Vista, Clifton Forge, Emporia, Franklin, Galax, Lexington, Norton, South Boston, Suffolk, and Williamsburg.
[9] Includes data for Bristol, Va., only.
[10] Includes data for Bluefield, W. Va., only.
Classified as urban under special rule; see Technical Appendix.

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
United States	1,977,981	43,305	11.9	29,121	8.0	32,596	9.0
White	1,731,233	30,478	10.5	20,592	7.1	23,364	8.0
All other	246,748	12,827	17.8	8,529	11.8	9,232	12.8
Urban places	1,097,237	25,343	12.9	17,320	8.8	18,131	9.3
White	918,980	15,911	11.1	10,928	7.6	11,633	8.1
All other	178,257	9,432	18.1	6,392	12.3	6,498	12.5
Balance of area	880,744	17,962	10.7	11,801	7.1	14,465	8.7
White	812,253	14,567	9.9	9,664	6.6	11,731	8.0
All other	68,491	3,395	16.9	2,137	10.6	2,734	13.6
Metropolitan counties	1,437,758	32,519	12.0	22,161	8.1	23,991	8.8
White	1,246,457	22,245	10.4	15,194	7.1	16,863	7.9
All other	191,301	10,274	17.7	6,967	12.0	7,128	12.3
Urban places	989,892	23,156	13.0	15,845	8.9	16,366	9.2
White	824,142	14,293	11.0	9,830	7.6	10,377	8.0
All other	165,750	8,863	18.1	6,015	12.3	5,989	12.3
Balance of area	447,866	9,363	10.0	6,316	6.7	7,625	8.1
White	422,315	7,952	9.4	5,364	6.4	6,486	7.7
All other	25,551	1,411	15.2	952	10.3	1,139	12.3
Nonmetropolitan counties	540,223	10,786	11.9	6,960	7.7	8,605	9.5
White	484,776	8,233	10.7	5,398	7.0	6,501	8.4
All other	55,447	2,553	18.3	1,562	11.2	2,104	15.1
Urban places	107,345	2,187	12.6	1,475	8.5	1,765	10.2
White	94,838	1,618	11.4	1,098	7.7	1,256	8.8
All other	12,507	569	18.2	377	12.1	509	16.3
Balance of area	432,878	8,599	11.7	5,485	7.5	6,840	9.3
White	389,938	6,615	10.5	4,300	6.9	5,245	8.4
All other	42,940	1,984	18.4	1,185	11.0	1,595	14.8
Alabama	35,412	799	13.0	519	8.4	737	12.0
White	25,536	404	10.2	271	6.6	357	9.0
All other	9,876	395	18.1	248	11.3	380	17.4
Urban places	14,844	364	14.4	247	9.8	329	13.0
White	9,362	145	11.3	98	7.6	125	9.7
All other	5,482	219	17.7	149	12.0	204	16.5
Balance of area	20,568	435	12.0	272	7.5	408	11.2
White	16,174	259	9.7	173	6.4	232	8.6
All other	4,394	176	18.5	99	10.4	176	18.5
Metropolitan counties	21,283	463	12.1	304	7.9	442	11.5
White	15,318	245	9.8	164	6.6	227	9.1
All other	5,965	218	16.2	140	10.4	215	16.0
Urban places	12,135	293	14.4	193	9.5	259	12.7
White	7,596	119	11.9	79	7.9	96	9.6
All other	4,539	174	16.8	114	11.0	163	15.7
Balance of area	9,148	170	9.4	111	6.2	183	10.1
White	7,722	126	8.4	85	5.7	131	8.8
All other	1,426	44	14.4	26	8.5	52	17.0
Nonmetropolitan counties	14,129	336	14.5	215	9.3	295	12.7
White	10,218	159	10.8	107	7.3	130	8.8
All other	3,911	177	21.0	108	12.8	165	19.6
Urban places	2,709	71	14.7	54	11.2	70	14.5
White	1,766	26	9.1	19	6.7	29	10.2
All other	943	45	22.7	35	17.7	41	20.7
Balance of area	11,420	265	14.5	161	8.8	225	12.3
White	8,452	133	11.2	88	7.4	101	8.5
All other	2,968	132	20.5	73	11.3	124	19.2
Alaska	1,723	128	12.7	81	8.0	58	5.7
White	1,167	79	11.1	51	7.2	35	4.9
All other	556	49	16.4	30	10.0	23	7.7
Urban places	727	59	13.4	36	8.2	28	6.3
White	612	45	13.0	28	8.1	19	5.5
All other	115	14	14.7	8	8.4	9	9.5
Balance of area	996	69	12.1	45	7.9	30	5.3
White	555	34	9.3	23	6.3	16	4.4
All other	441	35	17.1	22	10.8	14	6.9
Metropolitan election districts [1]	599	49	11.5	29	6.8	28	6.6
White	498	39	11.6	24	7.1	19	5.6
All other	101	10	11.3	5	5.7	9	10.2
Urban places	537	43	12.5	27	7.9	20	5.8
White	447	35	13.1	23	8.6	13	4.9
All other	90	8	10.5	4	5.2	7	9.2
Balance of area	62	6	7.3	2	2.4	8	9.7
White	51	4	5.7	1	1.4	6	8.5
All other	11	2	16.7	1	8.3	2	16.7
Nonmetropolitan election districts [1]	1,124	79	13.5	52	8.9	30	5.1
White	669	40	10.7	27	7.2	16	4.3
All other	455	39	18.5	25	11.8	14	6.6
Urban places	190	16	16.4	9	9.2	8	8.2
White	165	10	12.6	5	6.3	6	7.6
All other	25	6	32.1	4	21.4	2	10.7
Balance of area	934	63	13.0	43	8.8	22	4.5
White	504	30	10.2	22	7.5	10	3.4
All other	430	33	17.2	21	10.9	12	6.2
Arizona	21,358	606	11.8	383	7.4	381	7.4
White	19,814	479	11.0	319	7.3	298	6.8
All other	1,544	127	15.9	64	8.0	83	10.4
Urban places	13,708	389	11.6	267	8.0	225	6.7
White	13,086	337	11.1	230	7.6	190	6.2
All other	622	52	16.7	37	11.9	35	11.2
Balance of area	7,650	217	12.1	116	6.5	156	8.7
White	6,728	142	10.9	89	6.8	108	8.3
All other	922	75	15.5	27	5.6	48	9.9
Metropolitan counties	16,186	415	11.3	281	7.6	254	6.9
White	15,421	351	10.6	241	7.3	216	6.5
All other	765	64	17.8	40	11.1	38	10.6
Urban places	12,654	349	11.3	243	7.9	208	6.8
White	12,093	302	10.8	209	7.5	174	6.2
All other	561	47	16.4	34	11.9	34	11.9
Balance of area	3,532	66	10.9	38	6.3	46	7.6
White	3,328	49	9.2	32	6.0	42	7.9
All other	204	17	23.1	6	8.1	4	5.4
Nonmetropolitan counties	5,172	191	13.0	102	7.0	127	8.7
White	4,393	128	12.4	78	7.6	82	8.0
All other	779	63	14.4	24	5.5	45	10.3
Urban places	1,054	40	14.4	24	8.7	17	6.1
White	993	35	13.9	21	8.3	16	6.4
All other	61	5	19.6	3	11.8	1	3.9
Balance of area	4,118	151	12.7	78	6.6	110	9.3
White	3,400	93	12.0	57	7.3	66	8.5
All other	718	58	14.1	21	5.1	44	10.7
Arkansas	22,372	425	11.9	249	7.0	294	8.2
White	18,546	261	9.8	162	6.1	170	6.4
All other	3,826	164	17.7	87	9.4	124	13.4
Urban places	7,918	171	12.2	111	7.9	101	7.2
White	6,213	87	9.5	59	6.4	47	5.1
All other	1,705	84	17.3	52	10.7	54	11.1
Balance of area	14,454	254	11.7	138	6.3	193	8.9
White	12,333	174	10.0	103	5.9	123	7.1
All other	2,121	80	18.2	35	7.9	70	15.9
Metropolitan counties	7,672	174	11.5	102	6.7	108	7.1
White	6,220	106	9.8	59	5.5	65	6.0
All other	1,452	68	15.8	43	10.0	43	10.0
Urban places	5,094	117	11.7	74	7.4	66	6.6
White	3,989	62	9.5	41	6.3	34	5.2
All other	1,105	55	15.9	33	9.6	32	9.3
Balance of area	2,578	57	11.1	28	5.4	42	8.2
White	2,231	44	10.3	18	4.2	31	7.2
All other	347	13	15.1	10	11.6	11	12.8
Nonmetropolitan counties	14,700	251	12.1	147	7.1	186	9.0
White	12,326	155	9.8	103	6.5	105	6.7
All other	2,374	96	19.4	44	8.9	81	16.4
Urban places	2,824	54	13.3	37	9.1	35	8.6
White	2,224	25	9.4	18	6.7	13	4.9
All other	600	29	20.6	19	13.5	22	15.7
Balance of area	11,876	197	11.9	110	6.6	151	9.1
White	10,102	130	9.9	85	6.5	92	7.0
All other	1,774	67	18.9	25	7.1	59	16.6
California	184,987	4,297	10.2	2,741	6.5	3,286	7.8
White	166,664	3,389	9.9	2,164	6.3	2,547	7.5
All other	18,323	908	11.4	577	7.3	739	9.3
Urban places	147,902	3,486	10.3	2,239	6.6	2,661	7.9
White	130,932	2,657	9.9	1,711	6.4	1,979	7.4
All other	16,970	829	11.5	528	7.4	682	9.5
Balance of area	37,085	811	9.9	502	6.1	625	7.6
White	35,732	732	9.9	453	6.1	568	7.7
All other	1,353	79	10.2	49	6.4	57	7.4
Metropolitan counties	174,733	4,092	10.3	2,629	6.6	3,111	7.8
White	156,784	3,202	10.0	2,061	6.4	2,387	7.5
All other	17,949	890	11.4	568	7.3	724	9.3
Urban places	145,476	3,424	10.3	2,204	6.6	2,606	7.9
White	128,646	2,601	10.0	1,680	6.4	1,929	7.4
All other	16,830	823	11.6	524	7.4	677	9.5
Balance of area	29,257	668	10.0	425	6.4	505	7.6
White	28,138	601	10.0	381	6.4	458	7.6
All other	1,119	67	9.8	44	6.4	47	6.9
Nonmetropolitan counties	10,254	205	9.2	112	5.0	175	7.8
White	9,880	187	9.0	103	4.9	160	7.7
All other	374	18	12.2	9	6.1	15	10.2
Urban places	2,426	62	8.6	35	4.8	55	7.6
White	2,286	56	8.5	31	4.7	50	7.6
All other	140	6	10.0	4	6.7	5	8.3
Balance of area	7,828	143	9.5	77	5.1	120	8.0
White	7,594	131	9.2	72	5.1	110	7.7
All other	234	12	13.7	5	5.7	10	11.4

NEWARK PUBLIC LIBRARY

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Colorado	19,388	519	10.0	340	6.5	541	10.4
White	18,676	480	10.1	311	6.5	481	10.1
All other	712	39	9.0	29	6.7	60	13.8
Urban places	12,759	312	10.4	203	6.7	345	11.5
White	12,109	277	10.4	176	6.6	292	11.0
All other	650	35	9.9	27	7.7	53	15.0
Balance of area	6,629	207	9.4	137	6.2	196	8.9
White	6,567	203	9.6	135	6.4	189	8.9
All other	62	4	4.9	2	2.4	7	8.5
Metropolitan counties	14,912	402	9.7	257	6.2	415	10.0
White	14,233	365	9.8	229	6.1	358	9.6
All other	679	37	8.9	28	6.8	57	13.8
Urban places	12,167	298	10.2	196	6.7	336	11.6
White	11,522	264	10.3	169	6.6	284	11.1
All other	645	34	9.7	27	7.7	52	14.9
Balance of area	2,745	104	8.4	61	5.0	79	6.4
White	2,711	101	8.7	60	5.1	74	6.3
All other	34	3	4.7	1	1.6	5	7.8
Nonmetropolitan counties	4,476	117	10.9	83	7.8	126	11.8
White	4,443	115	11.0	82	7.8	123	11.7
All other	33	2	9.8	1	4.8	3	14.4
Urban places	592	14	13.5	7	6.8	9	8.7
White	587	13	12.9	7	6.9	8	7.9
All other	5	1	37.0	-	-	1	37.0
Balance of area	3,884	103	10.7	76	7.9	117	12.1
White	3,856	102	10.7	75	7.9	115	12.1
All other	28	1	5.5	1	5.5	2	11.0
Connecticut	26,768	482	12.1	378	9.5	325	8.1
White	25,311	363	10.6	286	8.3	274	8.0
All other	1,457	119	21.2	92	16.4	51	9.1
Urban places	18,669	353	13.2	279	10.4	212	7.9
White	17,316	241	11.1	192	8.9	170	7.9
All other	1,353	112	21.9	87	17.0	42	8.2
Balance of area	8,099	129	9.8	99	7.5	113	8.6
White	7,995	122	9.6	94	7.4	104	8.2
All other	104	7	14.3	5	10.2	9	18.4
Metropolitan counties	24,515	450	12.3	354	9.7	307	8.4
White	23,080	333	10.7	264	8.5	258	8.3
All other	1,435	117	21.1	90	16.2	49	8.8
Urban places	18,160	344	13.2	271	10.4	207	8.0
White	16,817	232	11.1	184	8.8	166	7.9
All other	1,343	112	22.0	87	17.1	41	8.0
Balance of area	6,355	106	10.0	83	7.8	100	9.4
White	6,263	101	9.9	80	7.9	92	9.1
All other	92	5	11.0	3	6.6	8	17.5
Nonmetropolitan counties	2,253	32	9.7	24	7.3	18	5.4
White	2,231	30	9.2	22	6.8	16	4.9
All other	22	2	33.3	2	33.3	2	33.3
Urban places	509	9	11.7	8	10.4	5	6.5
White	499	9	12.1	8	10.8	4	5.4
All other	10	-	-	-	-	1	37.0
Balance of area	1,744	23	9.1	16	6.3	13	5.1
White	1,732	21	8.4	14	5.6	12	4.8
All other	12	2	60.6	2	60.6	1	30.3
Delaware	5,073	123	13.4	92	10.0	104	11.3
White	4,322	69	10.0	52	7.6	64	9.3
All other	751	54	23.3	40	17.3	40	17.3
Urban places	1,774	60	24.7	47	19.3	30	12.3
White	1,336	25	19.2	20	15.3	11	8.4
All other	438	35	31.1	27	24.0	19	16.9
Balance of area	3,299	63	9.3	45	6.7	74	11.0
White	2,986	44	7.9	32	5.6	53	9.5
All other	313	19	15.9	13	10.9	21	17.6
Metropolitan counties	3,219	85	14.3	65	11.0	52	8.8
White	2,730	48	10.6	37	8.2	34	7.5
All other	489	37	26.3	28	19.9	18	12.8
Urban places	1,560	51	26.2	39	20.0	22	11.3
White	1,160	21	20.6	17	16.7	8	7.9
All other	400	30	32.2	22	23.6	14	15.0
Balance of area	1,659	34	8.5	26	6.5	30	7.5
White	1,570	27	7.7	20	5.7	26	7.4
All other	89	7	14.7	6	12.6	4	8.4
Nonmetropolitan counties	1,854	38	11.7	27	8.3	52	16.0
White	1,592	21	9.0	15	6.4	30	12.8
All other	262	17	18.7	12	13.2	22	24.1
Urban places	214	9	16.7	8	16.6	8	16.6
White	176	4	13.9	3	10.5	3	10.5
All other	38	5	25.8	5	25.8	5	25.8
Balance of area	1,640	29	10.5	19	6.9	44	15.9
White	1,416	17	8.3	12	5.8	27	13.2
All other	224	12	16.7	7	9.8	17	23.7

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
District of Columbia	6,954	231	25.1	179	19.5	134	14.6
White	1,981	27	17.5	25	16.2	14	9.1
All other	4,973	204	26.6	154	20.1	120	15.7
Urban places	6,954	231	25.1	179	19.5	134	14.6
White	1,981	27	17.5	25	16.2	14	9.1
All other	4,973	204	26.6	154	20.1	120	15.7
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Metropolitan counties	6,954	231	25.1	179	19.5	134	14.6
White	1,981	27	17.5	25	16.2	14	9.1
All other	4,973	204	26.6	154	20.1	120	15.7
Urban places	6,954	231	25.1	179	19.5	134	14.6
White	1,981	27	17.5	25	16.2	14	9.1
All other	4,973	204	26.6	154	20.1	120	15.7
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Nonmetropolitan counties	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Urban places	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Balance of area	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...
Florida	109,127	1,846	13.3	1,234	8.9	1,396	10.1
White	97,025	1,053	10.4	715	7.1	884	8.8
All other	12,102	793	21.2	519	13.8	512	13.7
Urban places	54,149	896	12.8	611	8.7	695	9.9
White	46,704	433	9.8	301	6.8	383	8.6
All other	7,445	463	17.9	310	12.0	312	12.1
Balance of area	54,978	950	13.9	623	9.1	701	10.3
White	50,321	620	10.9	414	7.3	501	8.8
All other	4,657	330	28.4	209	18.0	200	17.2
Metropolitan counties	94,947	1,583	13.1	1,053	8.7	1,213	10.0
White	84,666	898	10.2	606	6.9	759	8.6
All other	10,281	685	20.7	447	13.5	454	13.7
Urban places	52,444	866	12.7	587	8.6	686	9.8
White	45,333	414	9.6	287	6.7	386	8.5
All other	7,111	452	18.0	300	11.9	300	11.9
Balance of area	42,503	717	13.6	466	8.8	547	10.4
White	39,333	484	10.8	319	7.1	393	8.8
All other	3,170	233	29.4	147	18.6	154	19.4
Nonmetropolitan counties	14,180	263	14.9	181	10.2	183	10.4
White	12,359	155	11.7	109	8.2	125	9.5
All other	1,821	108	24.3	72	16.2	58	13.0
Urban places	1,705	30	14.9	24	11.9	29	14.4
White	1,371	19	15.2	14	11.2	17	13.6
All other	334	11	14.5	10	13.2	12	15.8
Balance of area	12,475	233	14.9	157	10.0	154	9.8
White	10,988	136	11.4	95	7.9	108	9.0
All other	1,487	97	26.3	62	16.8	46	12.5
Georgia	44,892	1,238	13.8	790	8.8	1,356	15.1
White	31,794	583	10.3	373	6.6	687	12.2
All other	13,098	655	19.6	417	12.5	669	20.0
Urban places	17,184	521	17.3	354	11.7	507	16.8
White	9,682	159	12.8	113	9.1	157	12.6
All other	7,502	362	20.4	241	13.6	350	19.7
Balance of area	27,708	717	12.0	436	7.3	849	14.2
White	22,112	424	9.6	260	5.9	530	12.0
All other	5,596	293	18.7	176	11.2	319	20.3
Metropolitan counties	24,101	729	13.5	500	9.3	749	13.9
White	16,721	352	10.4	243	7.2	371	11.0
All other	7,380	377	18.6	257	12.7	378	18.7
Urban places	12,918	409	17.0	287	11.9	389	16.2
White	6,862	120	12.7	90	9.5	104	11.0
All other	6,056	289	19.8	197	13.5	285	19.6
Balance of area	11,183	320	10.7	213	7.1	360	12.0
White	9,859	232	9.5	153	6.3	267	11.0
All other	1,324	88	15.6	60	10.6	93	16.4
Nonmetropolitan counties	20,791	509	14.2	290	8.1	607	16.9
White	15,073	231	10.2	130	5.7	316	13.9
All other	5,718	278	21.0	160	12.1	291	22.0
Urban places	4,266	112	18.2	67	10.9	118	19.2
White	2,820	39	13.2	23	7.8	53	17.9
All other	1,446	73	22.9	44	13.8	65	20.4
Balance of area	16,525	397	13.3	223	7.5	489	16.4
White	12,253	192	9.7	107	5.4	263	13.3
All other	4,272	205	20.4	116	11.5	226	22.5

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Hawaii	4,991	178	9.8	131	7.2	197	10.8
White	1,637	39	9.6	33	8.2	54	13.4
All other	3,354	139	9.8	98	6.9	143	10.1
Urban places	3,364	104	9.6	74	6.8	130	12.0
White	1,131	22	10.1	18	8.2	32	14.7
All other	2,233	82	9.5	56	6.5	98	11.3
Balance of area	1,627	74	10.0	57	7.7	67	9.1
White	506	17	9.1	15	8.1	22	11.8
All other	1,121	57	10.3	42	7.6	45	9.2
Metropolitan counties	3,701	130	9.3	95	6.8	158	11.3
White	1,232	28	8.8	23	7.2	42	13.2
All other	2,469	102	9.5	72	6.7	116	10.7
Urban places	3,115	98	9.7	70	6.9	118	11.7
White	1,056	22	10.4	18	8.5	27	12.8
All other	2,060	76	9.5	52	6.5	91	11.3
Balance of area	586	32	8.3	25	6.5	40	10.4
White	177	6	5.5	5	4.6	15	13.8
All other	409	26	9.4	20	7.2	25	9.0
Nonmetropolitan counties	1,290	48	11.3	36	8.5	39	9.2
White	405	11	12.9	10	11.7	12	14.1
All other	885	37	11.0	26	7.7	27	8.0
Urban places	249	6	8.4	4	5.6	12	16.8
White	76	-	-	-	-	5	64.1
All other	173	6	9.4	4	6.3	7	11.0
Balance of area	1,041	42	11.9	32	9.1	27	7.7
White	329	11	14.2	10	12.9	7	9.0
All other	712	31	11.3	22	8.0	20	7.3
Idaho	6,929	181	9.2	104	5.3	149	7.6
White	6,814	178	9.4	104	5.5	146	7.7
All other	115	3	4.9	-	-	3	4.9
Urban places	2,903	73	11.1	44	6.7	54	8.2
White	2,872	72	11.3	44	6.9	54	8.5
All other	31	1	4.4	-	-	-	-
Balance of area	4,026	108	8.3	60	4.6	95	7.3
White	3,942	106	8.4	60	4.7	92	7.3
All other	84	2	5.3	-	-	3	7.9
Metropolitan counties	1,185	35	10.9	21	6.5	13	4.0
White	1,177	35	11.4	21	6.8	13	4.2
All other	8	-	-	-	-	-	-
Urban places	940	22	10.8	12	5.9	9	4.4
White	934	22	11.4	12	6.2	9	4.7
All other	6	-	-	-	-	-	-
Balance of area	245	13	11.0	9	7.6	4	3.4
White	243	13	11.3	9	7.8	4	3.5
All other	2	-	-	-	-	-	-
Nonmetropolitan counties	5,744	146	8.9	83	5.1	136	8.3
White	5,637	143	9.0	83	5.2	133	8.3
All other	107	3	6.3	-	-	3	6.3
Urban places	1,963	51	11.2	32	7.0	46	9.9
White	1,938	50	11.3	32	7.2	45	10.2
All other	25	1	7.5	-	-	-	-
Balance of area	3,781	95	8.0	51	4.3	91	7.7
White	3,699	93	8.1	51	4.4	88	7.6
All other	82	2	5.8	-	-	3	8.7
Illinois	101,819	2,573	13.9	1,806	9.8	1,692	9.1
White	87,756	1,586	11.2	1,153	8.2	1,116	7.9
All other	14,063	987	22.5	653	14.9	576	13.1
Urban places	69,164	1,935	15.6	1,356	10.9	1,200	9.7
White	55,871	1,012	12.1	744	8.9	664	8.0
All other	13,293	923	22.6	612	15.0	536	13.1
Balance of area	32,655	638	10.5	450	7.4	492	8.1
White	31,885	574	9.9	409	7.1	452	7.8
All other	770	64	21.4	41	13.7	40	13.4
Metropolitan counties	78,876	2,228	14.5	1,577	10.3	1,407	9.2
White	65,225	1,263	11.4	933	8.4	853	7.7
All other	13,651	965	22.7	644	15.1	554	13.0
Urban places	63,676	1,837	15.7	1,291	11.0	1,139	9.7
White	50,600	927	12.0	685	8.9	617	8.0
All other	13,076	910	22.7	606	15.1	522	13.0
Balance of area	15,200	391	10.7	286	7.9	268	7.4
White	14,625	336	9.9	248	7.3	236	7.0
All other	575	55	21.8	38	15.0	32	12.7
Nonmetropolitan counties	22,943	345	10.9	229	7.2	285	9.0
White	22,531	323	10.6	220	7.3	263	8.7
All other	412	22	17.3	9	7.1	22	17.3
Urban places	5,488	98	13.8	65	9.1	61	8.6
White	5,271	85	13.5	59	9.3	47	7.4
All other	217	13	16.1	6	7.4	14	17.3
Balance of area	17,455	247	10.1	164	6.7	224	9.1
White	17,260	238	9.9	161	6.7	216	9.0
All other	195	9	19.6	3	6.5	8	17.4

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Indiana	47,309	993	11.7	681	8.0	704	8.3
White	43,958	809	10.8	574	7.7	577	7.7
All other	3,351	184	18.6	107	10.8	127	12.8
Urban places	25,880	609	14.0	411	9.4	381	8.7
White	22,633	431	12.6	307	9.0	263	7.7
All other	3,247	178	19.0	104	11.1	118	12.6
Balance of area	21,429	384	9.3	270	6.6	323	7.9
White	21,325	378	9.3	267	6.6	314	7.7
All other	104	6	11.3	3	5.7	9	17.0
Metropolitan counties	31,972	734	12.2	503	8.4	517	8.6
White	28,806	560	11.0	399	7.9	401	7.9
All other	3,166	174	18.7	104	11.2	116	12.5
Urban places	21,515	540	14.2	365	9.6	333	8.8
White	18,420	370	12.8	264	9.1	223	7.7
All other	3,095	170	19.0	101	11.3	110	12.3
Balance of area	10,457	194	8.8	138	6.2	184	8.3
White	10,386	190	8.7	135	6.2	178	8.2
All other	71	4	11.2	3	8.4	6	16.9
Nonmetropolitan counties	15,337	259	10.5	178	7.2	187	7.6
White	15,152	249	10.4	175	7.3	176	7.3
All other	185	10	16.6	3	5.0	11	18.2
Urban places	4,365	69	12.2	46	8.1	48	8.5
White	4,213	61	11.7	43	8.2	40	7.7
All other	152	8	18.6	3	7.0	8	18.6
Balance of area	10,972	190	10.0	132	7.0	139	7.3
White	10,939	188	10.0	132	7.0	136	7.2
All other	33	2	11.5	-	-	3	17.2
Iowa	26,949	459	10.0	297	6.5	328	7.1
White	26,588	434	9.8	284	6.4	315	7.1
All other	361	25	14.1	13	7.3	13	7.3
Urban places	10,562	212	10.9	141	7.2	136	7.0
White	10,236	188	10.5	129	7.2	123	6.8
All other	326	24	15.6	12	7.8	13	8.5
Balance of area	16,387	247	9.4	156	5.9	192	7.3
White	16,352	246	9.4	155	5.9	192	7.3
All other	35	1	4.2	1	4.2	-	-
Metropolitan counties	9,070	214	11.0	141	7.2	129	6.6
White	8,788	192	10.6	130	7.2	117	6.4
All other	282	22	16.2	11	8.1	12	8.8
Urban places	7,205	162	11.1	108	7.4	101	6.9
White	6,928	140	10.5	97	7.3	89	6.7
All other	277	22	16.9	11	8.5	12	9.2
Balance of area	1,865	52	10.8	33	6.7	28	5.7
White	1,860	52	10.7	33	6.8	28	5.8
All other	5	-	-	-	-	-	-
Nonmetropolitan counties	17,879	245	9.3	156	5.9	199	7.5
White	17,800	242	9.3	154	5.9	198	7.6
All other	79	3	7.2	2	4.8	1	2.4
Urban places	3,357	50	10.2	33	6.7	35	7.1
White	3,308	48	10.3	32	6.8	34	7.3
All other	49	2	8.5	1	4.3	1	4.3
Balance of area	14,522	195	9.1	123	5.7	164	7.6
White	14,492	194	9.1	122	5.7	164	7.7
All other	30	1	5.5	1	5.5	-	-
Kansas	21,701	470	11.4	334	8.1	311	7.5
White	20,598	390	10.6	279	7.6	263	7.1
All other	1,103	80	17.9	55	12.3	48	10.8
Urban places	10,831	296	12.6	206	8.8	182	7.7
White	9,840	226	11.5	159	8.1	140	7.1
All other	991	70	18.2	47	12.2	42	10.9
Balance of area	10,870	174	9.8	128	7.2	129	7.3
White	10,758	164	9.6	120	7.0	123	7.2
All other	112	10	16.3	8	13.1	6	9.8
Metropolitan counties	8,490	235	11.9	172	8.7	125	6.3
White	7,680	169	10.1	127	7.6	95	5.7
All other	810	66	21.4	45	14.6	30	9.7
Urban places	6,770	202	13.1	145	9.4	103	6.7
White	5,986	140	11.2	103	8.3	74	5.9
All other	784	62	20.8	42	14.1	29	9.7
Balance of area	1,720	33	7.6	27	6.2	22	5.1
White	1,694	29	6.8	24	5.7	21	5.0
All other	26	4	38.8	3	29.1	1	9.7
Nonmetropolitan counties	13,211	235	11.0	162	7.6	186	8.7
White	12,918	221	11.0	152	7.6	168	8.4
All other	293	14	10.2	10	7.3	18	13.2
Urban places	4,061	94	11.7	61	7.6	79	9.8
White	3,854	86	11.9	56	7.8	66	9.2
All other	207	8	9.3	5	5.6	13	15.2
Balance of area	9,150	141	10.5	101	7.5	107	8.0
White	9,064	135	10.5	96	7.4	102	7.9
All other	86	6	11.8	5	9.8	5	9.8

NEWARK PUBLIC LIBRARY

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Kentucky	33,283	697	12.2	458	8.0	543	9.5
White	30,710	604	11.8	390	7.6	462	9.0
All other	2,573	93	15.9	66	11.6	81	13.8
Urban places	11,096	201	12.5	126	7.9	172	10.7
White	9,364	147	11.6	91	7.2	123	9.7
All other	1,732	54	16.1	35	10.4	49	14.6
Balance of area	22,187	496	12.0	332	8.1	371	9.0
White	21,346	457	11.8	299	7.7	339	8.8
All other	841	39	15.6	33	13.2	32	12.8
Metropolitan counties	14,358	325	12.4	226	8.6	266	10.1
White	12,614	258	11.6	177	8.0	211	9.5
All other	1,744	67	16.5	49	12.1	55	13.6
Urban places	8,736	171	13.1	113	8.7	149	11.4
White	7,270	124	12.2	81	7.9	106	10.4
All other	1,466	47	16.4	32	11.2	43	15.0
Balance of area	5,622	154	11.6	113	8.5	117	8.8
White	5,344	134	11.1	96	8.0	105	8.7
All other	278	20	16.8	17	14.3	12	10.1
Nonmetropolitan counties	18,925	372	12.0	232	7.5	277	8.9
White	18,096	346	11.9	213	7.3	251	8.6
All other	829	26	14.5	19	10.6	26	14.5
Urban places	2,360	30	10.1	13	4.4	23	7.8
White	2,094	23	9.3	10	4.0	17	6.9
All other	266	7	14.3	3	6.1	6	12.3
Balance of area	16,565	342	12.2	219	7.8	254	9.1
White	16,002	323	12.1	203	7.6	234	8.8
All other	563	19	14.6	16	12.3	20	15.3
Louisiana	36,024	1,130	13.7	761	9.3	787	9.6
White	24,465	515	10.2	351	7.0	371	7.4
All other	11,559	615	19.3	410	12.9	416	13.1
Urban places	17,252	545	15.3	385	10.8	387	10.9
White	10,499	179	10.6	128	7.5	138	8.1
All other	6,753	366	19.6	257	13.8	249	13.3
Balance of area	18,772	585	12.5	376	8.1	400	8.6
White	13,966	336	10.0	223	6.7	233	7.0
All other	4,806	249	18.9	153	11.6	167	12.7
Metropolitan parishes[1]	22,094	694	13.6	485	9.5	474	9.3
White	14,827	297	9.8	211	6.9	219	7.2
All other	7,267	397	19.4	274	13.4	255	12.5
Urban places	14,718	472	15.7	336	11.2	320	10.6
White	8,757	147	10.7	105	7.7	107	7.8
All other	5,961	325	19.8	231	14.1	213	13.0
Balance of area	7,376	222	10.7	149	7.2	154	7.4
White	6,070	150	9.0	106	6.3	112	6.7
All other	1,306	72	17.8	43	10.6	42	10.4
Nonmetropolitan parishes[1]	13,930	436	13.9	276	8.8	313	10.0
White	9,638	218	10.9	140	7.0	152	7.6
All other	4,292	218	19.1	136	11.9	161	14.1
Urban places	2,534	73	13.3	49	8.9	67	12.2
White	1,742	32	9.9	23	7.1	31	9.6
All other	792	41	18.1	26	11.5	36	15.9
Balance of area	11,396	363	14.0	227	8.8	246	9.5
White	7,896	186	11.1	117	7.0	121	7.2
All other	3,500	177	19.4	110	12.1	125	13.7
Maine	10,387	180	10.9	113	6.8	94	5.7
White	10,358	179	11.1	113	7.0	94	5.8
All other	29	1	3.0	-	-	-	-
Urban places	3,224	44	10.2	29	6.7	28	6.5
White	3,216	43	10.2	29	6.9	28	6.6
All other	8	1	10.8	-	-	-	-
Balance of area	7,163	136	11.1	84	6.9	66	5.4
White	7,142	136	11.4	84	7.0	66	5.5
All other	21	-	-	-	-	-	-
Metropolitan counties	5,441	99	10.8	61	6.7	51	5.6
White	5,425	98	10.9	61	6.8	51	5.7
All other	16	1	5.7	-	-	-	-
Urban places	2,589	35	10.2	23	6.7	20	5.8
White	2,582	34	10.1	23	6.8	20	5.9
All other	7	1	13.7	-	-	-	-
Balance of area	2,852	64	11.2	38	6.6	31	5.4
White	2,843	64	11.4	38	6.8	31	5.5
All other	9	-	-	-	-	-	-
Nonmetropolitan counties	4,946	81	11.0	52	7.1	43	5.8
White	4,933	81	11.2	52	7.2	43	6.0
All other	13	-	-	-	-	-	-
Urban places	635	9	10.2	6	6.8	8	9.1
White	634	9	10.5	6	7.0	8	9.3
All other	1	-	-	-	-	-	-
Balance of area	4,311	72	11.1	46	7.1	35	5.4
White	4,299	72	11.3	46	7.2	35	5.5
All other	12	-	-	-	-	-	-

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Maryland	33,949	771	12.6	558	9.1	570	9.3
White	26,718	427	10.4	309	7.5	325	7.9
All other	7,231	344	17.1	249	12.4	245	12.2
Urban places	12,647	287	15.6	204	11.1	199	10.8
White	8,063	90	10.7	64	7.6	81	9.6
All other	4,584	197	19.8	140	14.1	118	11.9
Balance of area	21,302	484	11.3	354	8.2	371	8.6
White	18,655	337	10.3	245	7.5	244	7.4
All other	2,647	147	14.5	109	10.7	127	12.5
Metropolitan counties	29,611	668	12.4	477	8.8	514	9.5
White	23,196	362	10.2	259	7.3	283	8.0
All other	6,415	306	16.6	218	11.8	231	12.5
Urban places	12,046	277	15.8	196	11.2	192	11.0
White	7,601	85	10.8	60	7.6	76	9.6
All other	4,445	192	19.9	136	14.1	116	12.0
Balance of area	17,565	391	10.7	281	7.7	322	8.8
White	15,595	277	10.0	199	7.2	207	7.5
All other	1,970	114	12.9	82	9.3	115	13.0
Nonmetropolitan counties	4,338	103	14.2	81	11.2	56	7.7
White	3,522	65	11.5	50	8.9	42	7.4
All other	816	38	23.5	31	19.2	14	8.7
Urban places	601	10	11.8	8	9.5	7	8.3
White	462	5	9.4	4	7.5	5	9.4
All other	139	5	16.0	4	12.8	2	6.4
Balance of area	3,737	93	14.5	73	11.4	49	7.6
White	3,060	60	11.7	46	9.0	37	7.2
All other	677	33	25.3	27	20.7	12	9.2
Massachusetts	52,982	720	9.7	514	6.9	540	7.3
White	51,377	625	9.3	449	6.7	464	6.9
All other	1,605	95	13.7	65	9.4	76	11.0
Urban places	37,072	506	10.3	360	7.4	362	7.4
White	35,608	419	9.8	300	7.0	290	6.8
All other	1,464	87	13.8	60	9.5	72	11.4
Balance of area	15,910	214	8.5	154	6.1	178	7.1
White	15,769	206	8.4	149	6.1	174	7.1
All other	141	8	12.5	5	7.8	4	6.3
Metropolitan counties	50,390	700	9.8	500	7.0	510	7.2
White	48,831	605	9.4	435	6.8	436	6.8
All other	1,559	95	14.0	65	9.6	74	10.9
Urban places	37,072	506	10.3	360	7.4	362	7.4
White	35,608	419	9.8	300	7.0	290	6.8
All other	1,464	87	13.8	60	9.5	72	11.4
Balance of area	13,318	194	8.7	140	6.3	148	6.7
White	13,223	186	8.6	135	6.2	146	6.7
All other	95	8	15.9	5	10.0	2	4.0
Nonmetropolitan counties	2,592	20	6.9	14	4.9	30	10.4
White	2,546	20	7.3	14	5.1	28	10.2
All other	46	-	-	-	-	2	14.7
Urban places	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-
Balance of area	2,592	20	6.9	14	4.9	30	10.4
White	2,546	20	7.3	14	5.1	28	10.2
All other	46	-	-	-	-	2	14.7
Michigan	75,842	1,845	13.1	1,279	9.1	1,028	7.3
White	65,680	1,263	10.9	867	7.5	781	6.8
All other	10,162	582	23.3	412	16.5	247	9.9
Urban places	41,948	1,141	16.1	812	11.5	575	8.1
White	32,504	591	12.2	425	8.8	360	7.5
All other	9,444	550	24.6	387	17.3	215	9.6
Balance of area	33,894	704	10.1	467	6.7	453	6.5
White	33,176	672	10.0	442	6.6	421	6.2
All other	718	32	12.2	25	9.6	32	12.2
Metropolitan counties	61,080	1,562	13.5	1,095	9.5	871	7.5
White	51,160	993	10.9	692	7.6	629	6.9
All other	9,920	569	23.4	403	16.6	242	10.0
Urban places	40,366	1,112	16.3	796	11.7	551	8.1
White	30,940	566	12.3	411	8.9	336	7.3
All other	9,426	546	24.5	385	17.3	215	9.7
Balance of area	20,714	450	9.5	299	6.3	320	6.7
White	20,220	427	9.4	281	6.2	293	6.4
All other	494	23	11.2	18	8.7	27	13.1
Nonmetropolitan counties	14,762	283	11.4	184	7.4	157	6.3
White	14,520	270	11.2	175	7.2	152	6.3
All other	242	13	18.7	9	12.9	5	7.2
Urban places	1,582	29	11.7	16	6.5	24	9.7
White	1,564	25	10.7	14	6.0	24	10.3
All other	18	4	28.6	2	14.3	-	-
Balance of area	13,180	254	11.3	168	7.5	133	5.9
White	12,956	245	11.2	161	7.4	128	5.9
All other	224	9	16.2	7	12.6	5	9.0

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Minnesota	32,837	706	10.3	454	6.6	470	6.8
White	32,278	636	9.9	409	6.4	417	6.5
All other	559	70	15.7	45	10.1	53	11.9
Urban places	16,451	337	10.3	217	6.6	242	7.4
White	16,005	272	9.3	175	6.0	201	6.9
All other	446	65	18.2	42	11.7	41	11.5
Balance of area	16,386	369	10.3	237	6.6	228	6.4
White	16,273	364	10.4	234	6.7	216	6.2
All other	113	5	5.7	3	3.4	12	13.6
Metropolitan counties	18,810	442	9.9	287	6.4	300	6.7
White	18,362	378	9.2	245	6.0	255	6.2
All other	448	64	17.2	42	11.3	45	12.1
Urban places	14,005	290	10.0	185	6.4	213	7.3
White	13,572	226	8.8	143	5.6	173	6.8
All other	433	64	18.4	42	12.1	40	11.5
Balance of area	4,805	152	9.7	102	6.5	87	5.6
White	4,790	152	9.9	102	6.6	82	5.3
All other	15	-	-	-	-	5	19.9
Nonmetropolitan counties	14,027	264	11.0	167	7.0	170	7.1
White	13,916	258	11.1	164	7.1	162	7.0
All other	111	6	8.2	3	4.1	8	10.9
Urban places	2,446	47	12.3	32	8.4	29	7.6
White	2,433	46	12.4	32	8.6	28	7.5
All other	13	1	9.7	-	-	1	9.7
Balance of area	11,581	217	10.8	135	6.7	141	7.0
White	11,483	212	10.9	132	6.8	134	6.9
All other	98	5	7.9	3	4.8	7	11.1
Mississippi	23,460	711	15.4	486	10.5	618	13.4
White	14,923	249	10.5	167	7.0	217	9.1
All other	8,537	462	20.6	319	14.2	401	17.9
Urban places	7,748	247	17.3	174	12.2	214	15.0
White	4,695	77	12.3	50	8.0	63	10.0
All other	3,053	170	21.2	124	15.4	151	18.8
Balance of area	15,712	464	14.5	312	9.8	404	12.7
White	10,228	172	9.8	117	6.7	154	8.8
All other	5,484	292	20.2	195	13.5	250	17.3
Metropolitan counties	5,266	157	12.8	112	9.1	110	9.0
White	3,723	72	9.5	50	6.6	49	6.5
All other	1,543	85	16.0	62	13.1	61	12.9
Urban places	2,911	100	15.2	72	10.9	54	8.2
White	1,908	34	10.6	25	7.9	16	5.0
All other	1,003	66	19.6	47	13.9	38	11.3
Balance of area	2,355	57	10.0	40	7.0	56	9.8
White	1,815	38	8.7	25	5.8	33	7.6
All other	540	19	14.0	15	11.1	23	17.0
Nonmetropolitan counties	18,194	554	16.3	374	11.0	508	15.0
White	11,200	177	10.9	117	7.2	168	10.4
All other	6,994	377	21.3	257	14.5	340	19.2
Urban places	4,837	147	19.0	102	13.2	160	20.7
White	2,787	43	14.0	25	8.2	47	15.3
All other	2,050	104	22.3	77	16.5	113	24.3
Balance of area	13,357	407	15.5	272	10.4	348	13.3
White	8,413	134	10.2	92	7.0	121	9.2
All other	4,944	273	20.9	180	13.8	227	17.4
Missouri	48,848	973	12.6	669	8.7	645	8.4
White	44,013	752	11.7	526	8.2	478	7.4
All other	4,835	221	17.5	143	11.3	167	13.2
Urban places	22,695	456	13.6	314	9.4	327	9.8
White	18,717	278	11.7	199	8.4	188	7.9
All other	3,978	178	18.4	115	11.9	139	14.3
Balance of area	26,153	517	11.9	355	8.2	318	7.3
White	25,296	474	11.7	327	8.1	290	7.2
All other	857	43	14.7	28	9.6	28	9.6
Metropolitan counties	29,365	637	12.3	444	8.6	424	8.2
White	25,091	447	11.0	316	7.8	276	6.8
All other	4,274	190	16.9	128	11.4	148	13.2
Urban places	20,118	416	13.7	284	9.4	299	9.8
White	16,297	245	11.6	173	8.2	162	7.7
All other	3,821	171	18.4	111	11.9	137	14.7
Balance of area	9,247	221	10.3	160	7.5	125	5.8
White	8,794	202	10.4	143	7.3	114	5.8
All other	453	19	9.9	17	8.8	11	5.7
Nonmetropolitan counties	19,483	336	13.3	225	8.9	221	8.8
White	18,922	305	12.8	210	8.8	202	8.5
All other	561	31	22.3	15	10.8	19	13.6
Urban places	2,577	40	12.7	30	9.5	28	8.9
White	2,420	33	11.9	26	9.4	26	9.4
All other	157	7	18.2	4	10.4	2	5.2
Balance of area	16,906	296	13.4	195	8.9	193	8.8
White	16,502	272	12.9	184	8.8	176	8.4
All other	404	24	23.8	11	10.9	17	16.8
Montana	6,729	153	10.7	90	6.3	86	6.0
White	6,342	128	10.1	83	6.5	73	5.8
All other	387	25	15.3	7	4.3	13	7.9
Urban places	2,437	55	12.4	33	7.4	30	6.8
White	2,377	48	11.9	31	7.7	29	7.2
All other	60	7	18.0	2	5.2	1	2.6
Balance of area	4,292	98	9.9	57	5.8	56	5.7
White	3,965	80	9.3	52	6.0	44	5.1
All other	327	18	14.4	5	4.0	12	9.6
Metropolitan counties	1,420	41	11.9	21	6.1	20	5.8
White	1,372	33	10.4	19	6.0	17	5.4
All other	48	8	29.5	2	7.4	3	11.1
Urban places	1,113	30	13.6	13	5.9	9	4.1
White	1,074	23	11.6	11	5.5	8	4.0
All other	39	7	33.0	2	9.4	1	4.7
Balance of area	307	11	8.9	8	6.5	11	8.9
White	298	10	8.5	8	6.8	9	7.7
All other	9	1	16.9	-	-	2	33.9
Nonmetropolitan counties	5,300	112	10.3	69	6.3	66	6.1
White	4,970	95	10.0	64	6.7	56	5.9
All other	330	17	12.5	5	3.7	10	7.3
Urban places	1,324	25	11.2	20	9.0	21	9.4
White	1,303	25	12.2	20	9.7	21	10.2
All other	21	-	-	-	-	-	-
Balance of area	3,985	87	10.1	49	5.7	45	5.2
White	3,667	70	9.4	44	5.9	35	4.7
All other	318	17	14.3	5	4.2	10	8.4
Nebraska	14,616	270	9.9	165	6.1	216	7.9
White	14,200	240	9.5	146	5.8	199	7.9
All other	416	30	15.9	19	10.1	17	9.0
Urban places	6,534	124	10.3	72	6.0	108	8.9
White	6,175	101	9.5	56	5.2	94	8.8
All other	359	23	16.1	16	11.2	14	9.8
Balance of area	8,082	146	9.7	93	6.2	108	7.2
White	8,025	139	9.5	90	6.2	105	7.2
All other	57	7	15.3	3	6.6	3	6.6
Metropolitan counties	5,170	123	10.0	75	6.1	104	8.4
White	4,807	96	8.9	57	5.3	90	8.3
All other	363	27	17.4	18	11.6	14	9.0
Urban places	4,534	88	10.2	52	6.0	79	9.1
White	4,187	66	9.0	37	5.1	65	8.9
All other	347	22	16.3	15	11.1	14	10.4
Balance of area	636	35	9.5	23	6.2	25	6.8
White	620	30	8.6	20	5.7	25	7.2
All other	16	5	24.8	3	14.9	-	-
Nonmetropolitan counties	9,446	147	9.9	90	6.1	112	7.6
White	9,393	144	9.9	89	6.1	109	7.5
All other	53	3	9.1	1	3.0	3	9.1
Urban places	2,000	36	10.5	20	5.8	29	8.4
White	1,988	35	10.4	19	5.6	29	8.6
All other	12	1	13.2	1	13.2	-	-
Balance of area	7,446	111	9.7	70	6.1	83	7.3
White	7,405	109	9.8	70	6.3	80	7.2
All other	41	2	7.8	-	-	3	11.8
Nevada	5,884	158	11.2	92	6.5	118	8.4
White	5,480	122	10.4	70	6.0	92	7.8
All other	404	36	15.2	22	9.3	26	11.0
Urban places	3,560	109	11.7	63	6.8	78	8.4
White	3,266	76	10.3	43	5.8	58	7.8
All other	294	33	17.4	20	10.5	20	10.5
Balance of area	2,324	49	10.2	29	6.0	40	8.3
White	2,214	46	10.6	27	6.2	34	7.8
All other	110	3	6.4	2	4.3	6	12.8
Metropolitan counties	4,674	130	11.4	78	6.9	94	8.3
White	4,345	95	10.2	56	6.0	69	7.4
All other	329	35	17.0	22	10.7	25	12.2
Urban places	3,324	106	12.0	61	6.9	71	8.1
White	3,039	73	10.5	41	5.9	51	7.3
All other	285	33	18.1	20	11.0	20	11.0
Balance of area	1,350	24	9.3	17	6.6	23	8.9
White	1,306	22	9.4	15	6.4	18	7.7
All other	44	2	8.7	2	8.7	5	21.6
Nonmetropolitan counties	1,210	28	10.2	14	5.1	24	8.8
White	1,135	27	11.2	14	5.8	23	9.5
All other	75	1	3.2	-	-	1	3.2
Urban places	236	3	6.8	2	4.0	7	14.0
White	227	3	7.1	2	4.7	7	16.5
All other	9	-	-	-	-	-	-
Balance of area	974	25	11.2	12	5.4	17	7.6
White	908	24	12.0	12	6.0	16	8.0
All other	66	1	4.2	-	-	1	4.2

NEWARK PUBLIC LIBRARY

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
New Hampshire	7,701	131	9.7	85	6.3	93	6.9
White	7,689	130	9.8	84	6.3	90	6.8
All other	12	1	4.5	1	4.5	3	13.5
Urban places	3,179	62	12.7	38	7.8	38	7.8
White	3,171	61	12.9	37	7.8	36	7.6
All other	8	1	7.9	1	7.9	2	15.7
Balance of area	4,522	69	8.0	47	5.4	55	6.4
White	4,518	69	8.1	47	5.5	54	6.3
All other	4	-	-	-	-	1	10.5
Metropolitan counties	4,205	85	10.1	56	6.7	60	7.2
White	4,197	84	10.2	55	6.7	58	7.1
All other	8	1	5.7	1	5.7	2	11.4
Urban places	2,134	50	13.8	32	8.8	31	8.5
White	2,129	49	13.9	31	8.8	29	8.2
All other	5	1	9.0	1	9.0	2	18.0
Balance of area	2,071	35	7.4	24	5.1	29	6.1
White	2,068	35	7.5	24	5.1	29	6.2
All other	3	-	-	-	-	-	-
Nonmetropolitan counties	3,496	46	9.0	29	5.6	33	6.4
White	3,492	46	9.0	29	5.7	32	6.3
All other	4	-	-	-	-	1	21.7
Urban places	1,045	12	9.7	6	4.9	7	5.7
White	1,042	12	9.9	6	4.9	7	5.8
All other	3	-	-	-	-	-	-
Balance of area	2,451	34	8.7	23	5.9	26	6.7
White	2,450	34	8.8	23	5.9	25	6.5
All other	1	-	-	-	-	1	33.3
New Jersey	67,280	1,038	10.7	709	7.3	764	7.9
White	59,995	672	9.0	477	6.4	527	7.0
All other	7,285	366	16.8	232	10.6	237	10.9
Urban places	46,969	785	12.1	534	8.2	577	8.9
White	40,594	446	9.7	316	6.8	365	7.9
All other	6,375	339	17.9	218	11.5	212	11.2
Balance of area	20,311	253	8.0	175	5.6	187	5.9
White	19,401	226	7.9	161	5.6	162	5.6
All other	910	27	9.6	14	5.0	25	8.9
Metropolitan counties	60,196	966	11.0	658	7.5	719	8.2
White	53,066	607	9.1	429	6.4	484	7.3
All other	7,130	359	16.8	229	10.7	235	11.0
Urban places	44,559	765	12.3	517	8.3	559	9.0
White	38,249	429	9.8	300	6.9	349	8.0
All other	6,310	336	17.9	217	11.6	210	11.2
Balance of area	15,637	201	7.8	141	5.5	160	6.2
White	14,817	178	7.7	129	5.6	135	5.9
All other	820	23	8.9	12	4.7	25	9.7
Nonmetropolitan counties	7,084	72	8.4	51	5.9	45	5.2
White	6,929	65	8.0	48	5.9	43	5.3
All other	155	7	15.7	3	6.7	2	4.5
Urban places	2,410	20	7.4	17	6.3	18	6.7
White	2,345	17	6.8	16	6.4	16	6.4
All other	65	3	15.1	1	5.0	2	10.1
Balance of area	4,674	52	8.8	34	5.8	27	4.6
White	4,584	48	8.5	32	5.7	27	4.8
All other	90	4	16.3	2	8.1	-	-
New Mexico	8,678	261	9.8	157	5.9	184	6.9
White	7,957	214	9.7	135	6.1	146	6.6
All other	721	47	10.3	22	4.8	38	8.3
Urban places	4,765	132	9.5	76	5.5	96	6.9
White	4,574	117	9.4	69	5.5	85	6.8
All other	191	15	10.9	7	5.1	11	8.0
Balance of area	3,913	129	10.0	81	6.3	88	6.8
White	3,383	97	10.0	66	6.8	61	6.3
All other	530	32	10.1	15	4.7	27	8.5
Metropolitan counties	3,257	88	8.8	54	5.4	71	7.1
White	3,086	68	7.7	43	4.8	61	6.9
All other	171	20	17.3	11	9.5	10	8.6
Urban places	2,619	64	8.3	37	4.8	53	6.9
White	2,542	55	7.8	33	4.7	49	7.0
All other	77	9	13.5	4	6.0	4	6.0
Balance of area	638	24	10.3	17	7.3	18	7.7
White	544	13	7.1	10	5.5	12	6.6
All other	94	11	22.3	7	14.2	6	12.2
Nonmetropolitan counties	5,421	173	10.4	103	6.2	113	6.8
White	4,871	146	11.0	92	6.9	85	6.4
All other	550	27	8.0	11	3.2	28	8.2
Urban places	2,146	68	11.1	39	6.4	43	7.0
White	2,032	62	11.4	36	6.6	36	6.6
All other	114	6	8.4	3	4.2	7	9.8
Balance of area	3,275	105	10.0	64	6.1	70	6.7
White	2,839	84	10.7	56	7.1	49	6.2
All other	436	21	7.6	8	3.0	21	7.6
New York	168,184	3,006	12.4	2,074	8.6	2,677	11.0
White	147,184	1,943	10.6	1,355	7.4	1,888	10.3
All other	21,000	1,063	18.2	719	12.3	789	13.5
Urban places	109,062	2,141	14.3	1,472	9.9	1,786	12.0
White	89,568	1,139	11.9	795	8.3	1,052	11.0
All other	19,494	1,002	18.8	677	12.7	734	13.7
Balance of area	59,122	865	9.3	602	6.5	891	9.6
White	57,616	804	9.1	560	6.4	836	9.5
All other	1,506	61	12.3	42	8.5	55	11.1
Metropolitan counties	151,498	2,751	12.6	1,894	8.7	2,389	11.0
White	130,754	1,695	10.6	1,181	7.4	1,608	10.0
All other	20,744	1,056	18.4	713	12.4	781	13.6
Urban places	105,083	2,084	14.4	1,432	9.9	1,717	11.9
White	85,669	1,084	11.9	756	8.3	984	10.8
All other	19,414	1,000	18.8	676	12.7	733	13.8
Balance of area	46,415	667	9.1	462	6.3	672	9.2
White	45,085	611	8.9	425	6.2	624	9.0
All other	1,330	56	12.7	37	8.4	48	10.9
Nonmetropolitan counties	16,686	255	10.4	180	7.3	288	11.7
White	16,430	248	10.4	174	7.3	280	11.8
All other	256	7	8.2	6	7.0	8	9.4
Urban places	3,979	57	11.2	40	7.8	69	13.5
White	3,899	55	11.5	39	8.1	68	14.2
All other	80	2	6.4	1	3.2	1	3.2
Balance of area	12,707	198	10.2	140	7.2	219	11.2
White	12,531	193	10.2	135	7.1	212	11.2
All other	176	5	9.2	5	9.2	7	12.9
North Carolina	49,236	1,101	13.1	737	8.8	856	10.2
White	36,957	608	10.7	405	7.1	470	8.3
All other	12,279	493	18.3	332	12.3	386	14.3
Urban places	16,666	362	14.6	248	10.0	286	11.6
White	11,309	168	12.2	116	8.4	118	8.6
All other	5,357	194	17.7	132	12.0	168	15.3
Balance of area	32,570	739	12.5	489	8.3	570	9.7
White	25,648	440	10.2	289	6.7	352	8.2
All other	6,922	299	18.7	200	12.5	218	13.6
Metropolitan counties	23,724	556	12.6	370	8.4	436	9.9
White	18,392	340	10.8	223	7.1	259	8.2
All other	5,332	216	16.9	147	11.5	177	13.8
Urban places	12,555	275	14.2	188	9.7	220	11.4
White	8,675	133	12.1	90	8.2	92	8.4
All other	3,880	142	16.9	98	11.7	128	15.3
Balance of area	11,169	281	11.3	182	7.3	216	8.7
White	9,717	207	10.1	133	6.5	167	8.2
All other	1,452	74	16.8	49	11.1	49	11.1
Nonmetropolitan counties	25,512	545	13.8	367	9.3	420	10.6
White	18,565	268	10.8	182	7.2	211	8.3
All other	6,947	277	19.5	185	13.0	209	14.7
Urban places	4,111	87	16.2	60	11.2	66	12.3
White	2,634	35	12.6	26	9.3	26	9.3
All other	1,477	52	20.1	34	13.1	40	15.5
Balance of area	21,401	458	13.4	307	9.0	354	10.3
White	15,931	233	10.3	156	6.9	185	8.2
All other	5,470	225	19.4	151	13.0	169	14.5
North Dakota	5,452	139	11.2	90	7.3	94	7.6
White	5,296	122	10.7	80	7.0	83	7.3
All other	156	17	16.7	10	9.8	11	10.8
Urban places	1,649	65	13.3	42	8.6	39	8.0
White	1,635	64	13.7	41	8.8	37	7.9
All other	14	1	4.7	1	4.7	2	9.4
Balance of area	3,803	74	9.8	48	6.4	55	7.3
White	3,661	58	8.6	39	5.8	46	6.8
All other	142	16	19.8	9	11.1	9	11.1
Metropolitan counties	1,494	63	14.2	41	9.2	34	7.7
White	1,487	63	14.8	41	9.6	30	7.0
All other	7	-	-	-	-	4	21.9
Urban places	1,035	50	16.7	33	11.0	28	9.3
White	1,028	50	17.3	33	11.4	26	9.0
All other	7	-	-	-	-	2	17.5
Balance of area	459	13	9.0	8	5.5	6	4.1
White	459	13	9.4	8	5.8	4	2.9
All other	-	-	-	-	-	2	29.0
Nonmetropolitan counties	3,958	76	9.6	49	6.2	60	7.5
White	3,809	59	8.3	39	5.5	53	7.4
All other	149	17	20.3	10	11.9	7	8.4
Urban places	614	15	8.0	9	4.8	11	5.9
White	607	14	7.9	8	4.5	11	6.2
All other	7	1	10.1	1	10.1	-	-
Balance of area	3,344	61	10.0	40	6.6	49	8.1
White	3,202	45	8.4	31	5.8	42	7.9
All other	142	16	21.7	9	12.2	7	9.5

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Ohio	96,487	2,059	12.3	1,439	8.6	1,380	8.3
White	86,867	1,543	10.8	1,074	7.5	1,096	7.7
All other	9,620	516	20.9	365	14.8	284	11.5
Urban places	57,800	1,279	13.8	898	9.7	833	9.0
White	49,012	796	11.3	558	7.9	564	8.0
All other	8,788	483	21.7	340	15.3	269	12.1
Balance of area	38,687	780	10.5	541	7.3	547	7.3
White	37,855	747	10.4	516	7.2	532	7.4
All other	832	33	13.6	25	10.3	15	6.2
Metropolitan counties	76,871	1,684	12.6	1,184	8.9	1,102	8.3
White	67,616	1,180	10.8	828	7.6	834	7.6
All other	9,255	504	21.3	356	15.0	268	11.3
Urban places	51,522	1,167	14.0	815	9.8	746	8.9
White	42,942	692	11.2	481	7.8	488	7.9
All other	8,580	475	21.9	334	15.4	258	11.9
Balance of area	25,349	517	10.4	369	7.4	356	7.2
White	24,674	488	10.2	347	7.3	346	7.3
All other	675	29	14.1	22	10.7	10	4.8
Nonmetropolitan counties	19,616	375	11.1	256	7.5	278	8.2
White	19,251	363	11.0	246	7.5	262	8.0
All other	365	12	11.8	9	8.9	16	15.8
Urban places	6,278	112	12.3	83	9.1	87	9.5
White	6,070	104	12.3	77	9.1	76	9.0
All other	208	8	12.5	6	9.3	11	17.1
Balance of area	13,338	263	10.6	172	6.9	191	7.7
White	13,181	259	10.6	169	6.9	186	7.6
All other	157	4	10.8	3	8.1	5	13.4
Oklahoma	28,617	637	11.9	386	7.2	406	8.7
White	25,709	492	11.5	304	7.1	349	8.2
All other	2,908	145	13.3	82	7.5	117	10.7
Urban places	14,101	371	12.6	230	7.8	244	8.3
White	12,528	271	11.9	175	7.7	165	7.2
All other	1,573	100	15.4	55	8.5	79	12.2
Balance of area	14,516	266	10.9	156	6.4	222	9.1
White	13,181	221	11.1	129	6.5	184	9.3
All other	1,335	45	10.1	27	6.1	38	8.6
Metropolitan counties	14,512	387	11.8	229	7.0	281	8.6
White	12,998	284	11.0	171	6.6	203	7.9
All other	1,514	103	14.8	58	8.4	78	11.2
Urban places	10,622	308	12.7	188	7.8	207	8.5
White	9,437	220	11.7	139	7.4	138	7.3
All other	1,185	88	16.3	49	9.1	69	12.7
Balance of area	3,890	79	9.2	41	4.8	74	8.7
White	3,561	64	9.1	32	4.6	65	9.3
All other	329	15	9.8	9	5.9	9	5.9
Nonmetropolitan counties	14,105	250	12.0	157	7.5	185	8.9
White	12,711	208	12.3	133	7.9	146	8.6
All other	1,394	42	10.5	24	6.0	39	9.8
Urban places	3,479	63	12.3	42	8.2	37	7.2
White	3,091	51	12.6	36	8.9	27	6.7
All other	388	12	11.1	6	5.5	10	9.2
Balance of area	10,626	187	11.9	115	7.3	148	9.4
White	9,620	157	12.2	97	7.6	119	9.3
All other	1,006	30	10.3	18	6.2	29	9.9
Oregon	21,843	467	10.9	299	6.9	305	7.1
White	21,378	431	10.8	275	6.9	277	6.9
All other	465	36	11.5	24	7.6	28	8.9
Urban places	9,961	208	11.6	130	7.2	147	8.2
White	9,619	184	11.6	114	7.2	128	8.1
All other	342	24	11.3	16	7.6	19	9.0
Balance of area	11,882	259	10.3	169	6.7	158	6.3
White	11,759	247	10.3	161	6.7	149	6.2
All other	123	12	11.7	8	7.8	9	8.8
Metropolitan counties	13,926	301	10.8	190	6.8	192	6.9
White	13,560	273	10.7	171	6.7	176	6.9
All other	366	28	11.0	19	7.5	16	6.3
Urban places	8,055	169	11.7	105	7.2	112	7.7
White	7,739	146	11.7	89	7.1	99	7.9
All other	316	23	11.8	16	8.2	13	6.6
Balance of area	5,871	132	9.8	85	6.3	80	5.9
White	5,821	127	9.9	82	6.4	77	6.0
All other	50	5	8.6	3	5.2	3	5.2
Nonmetropolitan counties	7,917	166	11.0	109	7.2	113	7.5
White	7,818	158	10.9	104	7.2	101	7.0
All other	99	8	13.1	5	8.2	12	19.7
Urban places	1,906	39	11.2	25	7.2	35	10.0
White	1,880	38	11.4	25	7.5	29	8.7
All other	26	1	6.2	-	-	6	37.3
Balance of area	6,011	127	11.0	84	7.3	78	6.7
White	5,938	120	10.8	79	7.1	72	6.5
All other	73	7	15.6	5	11.1	6	13.4
Pennsylvania	120,089	1,913	11.9	1,362	8.5	1,622	10.1
White	109,437	1,470	10.7	1,062	7.7	1,293	9.4
All other	10,652	443	19.5	300	13.2	329	14.5
Urban places	61,789	1,102	14.6	810	10.7	775	10.3
White	51,946	689	12.5	527	9.6	483	8.8
All other	9,843	413	20.2	283	13.8	292	14.3
Balance of area	58,300	811	9.5	552	6.5	847	10.0
White	57,491	781	9.4	535	6.5	810	9.8
All other	809	30	13.6	17	7.7	37	16.8
Metropolitan counties	98,365	1,602	12.2	1,151	8.8	1,339	10.2
White	87,931	1,168	10.7	856	7.8	1,018	9.3
All other	10,434	434	19.6	295	13.3	321	14.5
Urban places	57,855	1,046	14.6	767	10.7	739	10.3
White	48,106	639	12.5	488	9.5	452	8.8
All other	9,749	407	20.1	279	13.8	287	14.2
Balance of area	40,510	556	9.3	384	6.4	600	10.0
White	39,825	529	9.1	368	6.3	566	9.8
All other	685	27	14.1	16	8.4	34	17.8
Nonmetropolitan counties	21,724	311	10.7	211	7.3	283	9.7
White	21,506	302	10.6	206	7.2	275	9.6
All other	218	9	18.8	5	10.5	8	16.7
Urban places	3,934	56	13.7	43	10.5	36	8.8
White	3,840	50	12.8	39	10.0	31	8.0
All other	94	6	31.1	4	20.7	5	25.9
Balance of area	17,790	255	10.2	168	6.7	247	9.9
White	17,666	252	10.2	167	6.8	244	9.9
All other	124	3	10.5	1	3.5	3	10.5
Rhode Island	9,174	147	11.8	116	9.3	123	9.9
White	8,934	129	11.5	101	9.0	106	9.5
All other	240	18	14.3	15	11.9	17	13.5
Urban places	7,178	109	11.7	88	9.5	97	10.5
White	6,955	92	11.4	74	9.2	80	9.9
All other	223	17	14.2	14	11.7	17	14.2
Balance of area	1,996	38	12.0	28	8.8	26	8.2
White	1,979	37	11.9	27	8.7	26	8.4
All other	17	1	16.1	1	16.1	-	-
Metropolitan counties	8,500	139	12.3	110	9.7	108	9.5
White	8,284	121	11.9	95	9.4	93	9.2
All other	216	18	15.3	15	12.7	15	12.7
Urban places	6,787	105	12.2	85	9.9	87	10.1
White	6,586	88	11.8	71	9.5	72	9.6
All other	201	17	15.1	14	12.4	15	13.3
Balance of area	1,713	34	12.6	25	9.2	21	7.8
White	1,698	33	12.4	24	9.0	21	7.9
All other	15	1	18.5	1	18.5	-	-
Nonmetropolitan counties	674	8	7.1	6	5.3	15	13.2
White	650	8	7.6	6	5.7	13	12.4
All other	24	-	-	-	-	2	24.4
Urban places	391	4	6.0	3	4.5	10	14.9
White	369	4	6.7	3	5.0	8	13.4
All other	22	-	-	-	-	2	27.0
Balance of area	283	4	8.7	3	6.5	5	10.8
White	281	4	8.8	3	6.6	5	11.0
All other	2	-	-	-	-	-	-
South Carolina	25,428	837	16.1	563	10.9	632	12.2
White	17,212	379	12.4	247	8.1	272	8.9
All other	8,216	458	21.6	316	14.9	360	17.0
Urban places	6,464	165	17.6	118	12.6	128	13.7
White	4,153	49	11.4	33	7.7	37	8.6
All other	2,311	116	22.9	85	16.8	91	17.9
Balance of area	18,964	672	15.8	445	10.5	504	11.9
White	13,059	330	12.5	214	8.1	235	8.9
All other	5,905	342	21.2	231	14.3	269	16.6
Metropolitan counties	14,117	431	14.2	304	10.0	349	11.5
White	10,226	220	11.0	142	7.1	175	8.8
All other	3,891	211	20.3	162	15.6	174	16.8
Urban places	5,049	126	17.0	91	12.3	100	13.5
White	3,261	37	10.5	26	7.4	31	8.8
All other	1,788	89	22.8	65	16.6	69	17.7
Balance of area	9,068	305	13.3	213	9.3	249	10.9
White	6,965	183	11.1	116	7.1	144	8.8
All other	2,103	122	18.9	97	15.0	105	16.2
Nonmetropolitan counties	11,311	406	18.9	259	12.0	283	13.1
White	6,986	159	14.9	105	9.8	97	9.1
All other	4,325	247	22.7	154	14.2	186	17.1
Urban places	1,415	39	20.2	27	14.0	28	14.5
White	892	12	15.7	7	9.2	6	7.9
All other	523	27	23.1	20	17.1	22	18.8
Balance of area	9,896	367	18.7	232	11.8	255	13.0
White	6,094	147	14.8	98	9.9	91	9.2
All other	3,802	220	22.7	134	13.8	164	16.9

NEWARK PUBLIC LIBRARY

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
South Dakota [3]	6,451	147	11.5	97	7.6	85	6.7
White	6,019	111	10.2	78	7.2	66	6.1
All other	432	36	19.7	19	10.4	19	10.4
Urban places	1,903	49	12.2	39	9.7	34	8.5
White	1,848	43	11.6	34	9.2	28	7.5
All other	55	6	19.5	5	16.3	6	19.5
Balance of area	4,548	98	11.2	58	6.7	51	5.9
White	4,171	68	9.5	44	6.1	38	5.3
All other	377	30	19.7	14	9.2	13	8.6
Metropolitan counties	834	22	11.4	18	9.3	20	10.3
White	827	22	11.8	18	9.6	16	8.6
All other	7	-	-	-	-	4	62.5
Urban places	663	18	12.6	14	9.8	17	11.9
White	656	18	13.1	14	10.2	13	9.5
All other	7	-	-	-	-	4	71.4
Balance of area	171	4	7.9	4	7.9	3	5.9
White	171	4	8.0	4	8.0	3	6.0
All other	-	-	-	-	-	-	-
Nonmetropolitan counties	5,617	125	11.6	79	7.3	65	6.0
White	5,192	89	9.8	60	6.6	50	5.5
All other	425	36	20.4	19	10.8	15	8.5
Urban places	1,240	31	11.9	25	9.6	17	6.6
White	1,192	25	10.7	20	8.5	15	6.4
All other	48	6	23.9	5	19.9	2	8.0
Balance of area	4,377	94	11.5	54	6.6	48	5.9
White	4,000	64	9.6	40	6.0	35	5.2
All other	377	30	19.8	14	9.3	13	8.6
Tennessee [3]	40,509	847	12.6	595	8.9	593	8.8
White	33,563	523	10.2	358	7.0	398	7.7
All other	6,946	324	20.7	237	15.2	195	12.5
Urban places	19,441	501	15.5	363	11.2	314	9.7
White	14,088	232	11.8	166	8.4	160	8.1
All other	5,353	269	21.3	197	15.6	154	12.2
Balance of area	21,068	346	10.0	232	6.7	279	8.0
White	19,475	291	9.2	192	6.0	238	7.5
All other	1,593	55	18.3	40	13.3	41	13.6
Metropolitan counties	24,291	600	13.6	439	9.9	393	8.9
White	18,896	322	10.3	230	7.3	234	7.5
All other	5,395	278	21.5	209	16.2	159	12.3
Urban places	16,785	483	16.1	337	11.7	286	10.0
White	11,895	203	12.0	143	8.4	143	8.4
All other	4,890	280	22.1	194	16.5	143	12.2
Balance of area	7,506	137	8.8	102	6.6	107	6.9
White	7,001	119	8.3	87	6.1	91	6.3
All other	505	18	15.5	15	13.0	16	13.8
Nonmetropolitan counties	16,218	247	10.8	156	6.8	200	8.7
White	14,667	201	10.0	128	6.4	164	8.1
All other	1,551	46	16.9	28	10.3	36	13.2
Urban places	2,656	38	10.5	26	7.2	28	7.7
White	2,193	29	10.6	23	8.4	17	6.2
All other	463	9	10.4	3	3.5	11	12.7
Balance of area	13,562	209	10.9	130	6.8	172	8.9
White	12,474	172	9.9	105	6.0	147	8.5
All other	1,088	37	19.9	25	13.5	25	13.5
Texas	110,548	3,272	11.6	2,154	7.6	2,230	7.9
White	95,579	2,541	10.7	1,659	7.0	1,809	7.6
All other	14,969	731	16.6	495	11.2	421	9.6
Urban places	68,712	2,349	12.5	1,582	8.4	1,478	7.8
White	57,550	1,743	11.4	1,166	7.6	1,136	7.4
All other	11,162	606	17.1	416	11.8	342	9.7
Balance of area	41,836	923	9.9	572	6.1	752	8.1
White	38,029	798	9.5	493	5.6	673	8.0
All other	3,807	125	14.4	79	9.1	79	9.1
Metropolitan counties	80,207	2,710	11.7	1,794	7.7	1,784	7.7
White	68,415	2,069	10.7	1,357	7.0	1,415	7.3
All other	11,792	641	16.5	437	11.3	369	9.5
Urban places	62,687	2,198	12.5	1,475	8.4	1,360	7.7
White	52,182	1,617	11.3	1,077	7.6	1,035	7.3
All other	10,505	581	17.1	398	11.7	325	9.6
Balance of area	17,520	512	9.2	319	5.8	424	7.6
White	16,233	452	8.9	280	5.5	380	7.5
All other	1,287	60	12.4	39	8.1	44	9.1
Nonmetropolitan counties	30,341	562	11.3	360	7.2	446	9.0
White	27,164	472	10.6	302	6.8	394	8.9
All other	3,177	90	17.1	58	11.0	52	9.9
Urban places	6,025	151	12.4	107	8.8	118	9.7
White	5,368	126	11.7	89	8.3	101	9.4
All other	657	25	17.5	18	12.6	17	11.9
Balance of area	24,316	411	10.9	253	6.7	328	8.7
White	21,796	346	10.3	213	6.3	293	8.7
All other	2,520	65	16.9	40	10.4	35	9.1

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Utah	8,343	405	9.8	239	5.8	315	7.6
White	8,152	381	9.7	226	5.7	294	7.5
All other	191	24	12.6	13	6.8	21	11.0
Urban places	3,725	159	10.6	96	6.4	126	8.4
White	3,645	146	10.3	88	6.2	116	8.2
All other	80	13	14.7	8	9.0	10	11.3
Balance of area	4,618	246	9.3	143	5.4	189	7.2
White	4,507	235	9.3	138	5.5	178	7.0
All other	111	11	10.8	5	4.9	11	10.8
Metropolitan counties	6,278	298	9.3	178	5.5	238	7.4
White	6,164	283	9.2	168	5.5	225	7.3
All other	114	15	10.4	10	6.9	13	9.0
Urban places	3,455	142	10.4	85	6.2	114	8.4
White	3,378	130	10.1	78	6.1	108	8.4
All other	77	12	14.9	7	8.7	6	7.5
Balance of area	2,823	156	8.4	93	5.0	124	6.7
White	2,786	153	8.6	90	5.0	117	6.5
All other	37	3	4.7	3	4.7	7	10.9
Nonmetropolitan counties	2,065	107	11.7	61	6.6	77	8.4
White	1,988	98	11.2	58	6.6	69	7.9
All other	77	9	19.6	3	6.5	8	17.4
Urban places	270	17	12.3	11	8.0	12	8.7
White	267	16	12.3	10	7.7	8	6.2
All other	3	1	12.5	1	12.5	4	50.0
Balance of area	1,795	90	11.5	50	6.4	65	8.3
White	1,721	82	11.0	48	6.5	61	8.2
All other	74	8	21.1	2	5.3	4	10.6
Vermont	4,322	61	7.7	34	4.3	50	6.3
White	4,310	60	7.6	34	4.3	49	6.2
All other	12	1	16.7	-	-	1	16.7
Urban places	690	14	15.9	13	14.7	8	9.1
White	686	14	16.0	13	14.9	8	9.2
All other	4	-	-	-	-	-	-
Balance of area	3,632	47	6.6	21	3.0	42	5.9
White	3,624	46	6.6	21	3.0	41	5.8
All other	8	1	19.2	-	-	1	19.2
Metropolitan counties	695	13	7.6	8	4.7	12	7.0
White	689	12	7.1	8	4.7	12	7.1
All other	6	1	40.0	-	-	-	-
Urban places	316	7	16.2	6	13.9	5	11.5
White	313	7	16.4	6	14.0	5	11.7
All other	3	-	-	-	-	-	-
Balance of area	379	6	4.7	2	1.6	7	5.5
White	376	5	4.0	2	1.6	7	5.6
All other	3	1	50.0	-	-	-	-
Nonmetropolitan counties	3,627	48	7.7	26	4.2	38	6.1
White	3,621	48	7.7	26	4.2	37	6.0
All other	6	-	-	-	-	1	28.6
Urban places	374	7	15.6	7	15.6	3	6.7
White	373	7	15.7	7	15.7	3	6.7
All other	1	-	-	-	-	-	-
Balance of area	3,253	41	7.1	19	3.3	35	6.0
White	3,248	41	7.1	19	3.3	34	5.9
All other	5	-	-	-	-	1	31.3
Virginia	42,237	991	12.5	716	9.0	987	12.5
White	32,988	622	10.7	441	7.6	619	10.6
All other	9,249	369	17.5	275	13.0	368	17.4
Urban places	17,659	497	14.9	369	11.1	436	13.1
White	12,548	251	12.0	179	8.5	216	10.3
All other	5,111	246	19.8	190	15.3	220	17.7
Balance of area	24,578	494	10.8	347	7.6	551	12.0
White	20,440	371	10.0	262	7.0	403	10.8
All other	4,138	123	14.2	85	9.8	148	17.0
Metropolitan counties	27,042	734	12.7	540	9.3	686	11.9
White	20,508	424	10.4	307	7.5	397	9.7
All other	6,534	310	18.4	233	13.8	289	17.1
Urban places	16,185	474	15.0	353	11.1	416	13.1
White	11,276	238	12.2	172	8.8	204	10.4
All other	4,909	236	19.5	181	15.0	212	17.5
Balance of area	10,857	260	10.0	187	7.2	270	10.3
White	9,232	186	8.7	135	6.3	193	9.1
All other	1,625	74	15.5	52	10.9	77	16.1
Nonmetropolitan counties	15,195	257	12.0	176	8.2	301	14.0
White	12,480	198	11.5	134	7.8	222	12.9
All other	2,715	59	14.0	42	9.9	79	18.7
Urban places	1,474	23	13.6	16	9.5	20	11.8
White	1,272	13	9.5	7	5.1	12	8.8
All other	202	10	30.7	9	27.6	8	24.5
Balance of area	13,721	234	11.8	160	8.1	281	14.2
White	11,208	185	11.6	127	8.0	210	13.2
All other	2,513	49	12.6	33	8.5	71	18.2

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Washington	32,031	733	10.5	441	6.3	512	7.3
White	30,621	629	10.2	391	6.4	443	7.2
All other	1,410	104	12.7	50	6.1	69	8.4
Urban places	16,985	367	13.0	225	8.0	235	8.3
White	15,965	302	12.8	193	8.2	190	8.0
All other	1,020	65	14.1	32	6.9	45	9.8
Balance of area	15,046	366	8.8	216	5.2	277	6.7
White	14,656	327	8.6	198	5.2	253	6.7
All other	390	39	10.9	18	5.0	24	6.7
Metropolitan counties	25,078	603	10.7	364	6.5	396	7.1
White	23,813	509	10.4	318	6.5	336	6.9
All other	1,265	94	12.6	46	6.2	60	8.1
Urban places	15,174	329	13.1	202	8.0	212	8.4
White	14,182	267	12.9	171	8.2	167	8.1
All other	992	62	13.9	31	7.0	45	10.1
Balance of area	9,904	274	8.8	162	5.2	184	5.9
White	9,631	242	8.6	147	5.3	169	6.0
All other	273	32	10.7	15	5.0	15	5.0
Nonmetropolitan counties	6,953	130	9.6	77	5.7	116	8.6
White	6,808	120	9.4	73	5.7	107	8.4
All other	145	10	13.2	4	5.3	9	11.9
Urban places	1,811	38	12.5	23	7.6	23	7.6
White	1,783	35	12.2	22	7.6	23	8.0
All other	28	3	18.9	1	6.3	-	-
Balance of area	5,142	92	8.8	54	5.1	93	8.8
White	5,025	85	8.6	51	5.1	84	8.5
All other	117	7	11.7	3	5.0	9	15.0
West Virginia	19,053	363	13.0	246	8.8	268	9.6
White	18,211	338	12.7	230	8.6	255	9.6
All other	842	25	21.7	16	13.9	13	11.3
Urban places	5,506	81	13.5	58	9.7	65	10.8
White	5,108	69	12.6	50	9.2	58	10.6
All other	398	12	22.1	8	14.7	7	12.9
Balance of area	13,547	282	12.9	188	8.6	203	9.3
White	13,103	269	12.7	180	8.5	197	9.3
All other	444	13	21.5	8	13.2	6	9.9
Metropolitan counties	7,139	125	12.7	91	9.2	90	9.1
White	6,846	113	12.0	82	8.7	86	9.1
All other	293	12	26.5	9	19.9	4	8.8
Urban places	3,769	55	13.5	41	10.1	42	10.3
White	3,544	48	12.8	36	9.6	38	10.1
All other	225	7	21.5	5	15.3	4	12.3
Balance of area	3,370	70	12.1	50	8.6	48	8.3
White	3,302	65	11.5	46	8.1	48	8.5
All other	68	5	39.4	4	31.5	-	-
Nonmetropolitan counties	11,914	238	13.2	155	8.6	178	9.9
White	11,365	225	13.0	148	8.6	169	9.8
All other	549	13	18.7	7	10.0	9	12.9
Urban places	1,737	26	13.5	17	8.8	23	11.9
White	1,564	21	12.3	14	8.2	20	11.7
All other	173	5	22.9	3	13.8	3	13.8
Balance of area	10,177	212	13.2	138	8.6	155	9.7
White	9,801	204	13.1	134	8.6	149	9.6
All other	376	8	16.7	4	8.4	6	12.5

Area and race	Deaths					Fetal deaths	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
Wisconsin	40,560	773	10.4	516	6.9	559	7.5
White	39,367	666	9.8	454	6.7	488	7.2
All other	1,193	107	18.4	62	9.5	71	10.9
Urban places	19,905	391	11.1	272	7.7	291	8.2
White	18,919	301	10.2	215	7.3	229	7.7
All other	986	90	15.7	57	10.0	62	10.8
Balance of area	20,655	382	9.8	244	6.3	268	6.9
White	20,448	365	9.5	239	6.3	259	6.8
All other	207	17	21.7	5	6.4	9	11.5
Metropolitan counties	25,006	518	10.5	352	7.1	378	7.7
White	23,962	425	9.8	294	6.8	315	7.2
All other	1,044	93	15.8	58	9.9	63	10.7
Urban places	17,795	360	11.1	250	7.7	270	8.3
White	16,815	271	10.1	193	7.2	208	7.7
All other	980	89	15.8	57	10.1	62	11.0
Balance of area	7,211	158	9.4	102	6.1	108	6.4
White	7,147	154	9.3	101	6.1	107	6.5
All other	64	4	15.6	1	3.9	1	3.9
Nonmetropolitan counties	15,554	255	10.2	164	6.6	181	7.2
White	15,405	241	9.9	160	6.6	173	7.1
All other	149	14	22.4	4	6.4	8	12.8
Urban places	2,110	31	11.0	22	7.8	21	7.4
White	2,104	30	11.0	22	8.1	21	7.7
All other	6	1	10.3	-	-	-	-
Balance of area	13,444	224	10.1	142	6.4	160	7.2
White	13,301	211	9.7	138	6.4	152	7.0
All other	143	13	24.6	4	7.6	8	15.1
Wyoming	3,165	115	10.6	88	8.1	93	8.6
White	3,077	111	10.8	86	8.4	91	8.9
All other	88	4	7.5	2	3.8	2	3.8
Urban places	1,172	31	9.1	25	7.3	26	7.6
White	1,154	29	8.9	24	7.4	26	8.0
All other	18	2	12.5	1	6.3	-	-
Balance of area	1,993	84	11.4	63	8.5	67	9.1
White	1,923	82	11.7	62	8.8	65	9.3
All other	70	2	5.4	1	2.7	2	5.4
Metropolitan counties	429	16	9.6	13	7.8	14	8.4
White	427	16	9.9	13	8.0	14	8.7
All other	2	-	-	-	-	-	-
Urban places	336	12	9.7	10	8.1	10	8.1
White	334	12	10.0	10	8.3	10	8.3
All other	2	-	-	-	-	-	-
Balance of area	93	4	9.4	3	7.0	4	9.4
White	93	4	9.5	3	7.2	4	9.5
All other	-	-	-	-	-	-	-
Nonmetropolitan counties	2,736	99	10.8	75	8.2	79	8.6
White	2,650	95	11.0	73	8.4	77	8.9
All other	86	4	8.2	2	4.1	2	4.1
Urban places	836	19	8.7	15	6.9	16	7.3
White	820	17	8.2	14	6.8	16	7.8
All other	16	2	16.7	1	8.3	-	-
Balance of area	1,900	80	11.5	60	8.6	63	9.0
White	1,830	78	11.8	59	8.5	61	9.2
All other	70	2	5.5	1	2.7	2	5.5

---

[1] County equivalents.

[2] Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.

NEWARK PUBLIC LIBRARY

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
United States	1,977,981	43,305	8,046	10,078	45,109	51,253	58,538	129,233	290,009	464,648	514,649	362,499	614
Male	1,063,772	24,452	4,600	6,256	33,695	36,739	37,905	81,870	181,885	275,550	252,521	127,874	425
Female	914,209	18,853	3,446	3,822	11,414	14,514	20,633	47,363	108,124	189,098	262,128	234,625	189
White	1,731,233	30,478	5,937	7,918	36,914	38,576	44,117	103,766	246,690	409,445	468,327	338,658	407
Male	925,490	17,411	3,397	4,941	27,665	27,859	28,678	66,224	156,104	244,648	229,803	118,475	285
Female	805,743	13,067	2,540	2,977	9,249	10,717	15,439	37,542	90,586	164,797	238,524	220,183	122
All other	246,748	12,827	2,109	2,160	8,195	12,677	14,421	25,467	43,319	55,203	46,322	23,841	207
Male	138,282	7,041	1,203	1,315	6,030	8,880	9,227	15,646	25,781	30,902	22,718	9,399	140
Female	108,466	5,786	906	845	2,165	3,797	5,194	9,821	17,538	24,301	23,604	14,442	67
Metropolitan counties	1,437,758	32,519	5,731	7,120	32,950	39,311	44,357	97,840	216,609	334,808	368,796	257,270	447
Male	764,085	18,310	3,278	4,419	24,425	28,008	28,458	61,548	134,373	195,538	176,772	88,652	304
Female	673,673	14,209	2,453	2,701	8,525	11,303	15,899	36,292	82,236	139,270	192,024	168,618	143
White	1,246,457	22,245	4,119	5,471	26,527	28,875	32,547	77,087	182,000	292,749	334,389	240,149	299
Male	657,011	12,669	2,362	3,421	19,730	20,729	20,952	48,827	113,832	172,118	160,061	82,102	208
Female	589,446	9,576	1,757	2,050	6,797	8,146	11,595	28,260	68,168	120,631	174,328	158,047	91
All other	191,301	10,274	1,612	1,649	6,423	10,436	11,810	20,753	34,609	42,059	34,407	17,121	148
Male	107,074	5,641	916	998	4,695	7,279	7,506	12,721	20,541	23,420	16,711	6,550	96
Female	84,227	4,633	696	651	1,728	3,157	4,304	8,032	14,068	18,639	17,696	10,571	52
Nonmetropolitan counties	540,223	10,786	2,315	2,958	12,159	11,942	14,181	31,393	73,400	129,840	145,853	105,229	167
Male	299,687	6,142	1,322	1,837	9,270	8,731	9,447	20,322	47,512	80,012	75,749	39,222	121
Female	240,536	4,644	993	1,121	2,889	3,211	4,734	11,071	25,888	49,828	70,104	66,007	46
White	484,776	8,233	1,818	2,447	10,387	9,701	11,570	26,679	64,690	116,696	133,938	98,509	108
Male	268,479	4,742	1,035	1,520	7,935	7,130	7,726	17,397	42,272	72,530	69,742	36,373	77
Female	216,297	3,491	783	927	2,452	2,571	3,844	9,282	22,418	44,166	64,196	62,136	31
All other	55,447	2,553	497	511	1,772	2,241	2,611	4,714	8,710	13,144	11,915	6,720	59
Male	31,208	1,400	287	317	1,335	1,601	1,721	2,925	5,240	7,482	6,007	2,849	44
Female	24,239	1,153	210	194	437	640	890	1,789	3,470	5,662	5,908	3,871	15
Alabama	35,412	799	145	203	789	928	1,203	2,710	5,356	8,798	8,994	5,483	4
Male	19,456	428	74	140	586	671	787	1,790	3,396	5,307	4,430	1,845	2
Female	15,956	371	71	63	203	257	416	920	1,960	3,491	4,564	3,638	2
White	25,536	404	72	117	534	531	759	1,884	3,889	6,333	6,773	4,240	-
Male	14,092	217	36	81	404	383	508	1,274	2,513	3,903	3,359	1,414	-
Female	11,444	187	36	36	130	148	251	610	1,376	2,430	3,414	2,826	-
All other	9,876	395	73	86	255	397	444	826	1,467	2,465	2,221	1,243	4
Male	5,364	211	38	59	182	288	279	516	883	1,404	1,071	431	2
Female	4,512	184	35	27	73	109	165	310	584	1,061	1,150	812	2
Metropolitan counties	21,283	463	85	116	469	576	686	1,674	3,378	5,355	5,338	3,141	2
Male	11,625	259	44	82	340	410	437	1,111	2,110	3,188	2,614	1,028	2
Female	9,658	204	41	34	129	166	249	563	1,268	2,167	2,724	2,113	-
White	15,318	245	44	65	322	322	439	1,155	2,421	3,831	4,031	2,443	-
Male	8,384	139	19	46	235	226	285	798	1,543	2,326	1,982	785	-
Female	6,934	106	25	19	87	96	154	357	878	1,505	2,049	1,658	-
All other	5,965	218	41	51	147	254	247	519	957	1,524	1,307	698	2
Male	3,241	120	25	36	105	184	152	313	567	862	632	243	2
Female	2,724	98	16	15	42	70	95	206	390	662	675	455	-
Nonmetropolitan counties	14,129	336	60	87	320	352	517	1,036	1,978	3,443	3,656	2,342	2
Male	7,831	169	30	58	246	261	350	679	1,286	2,119	1,816	817	-
Female	6,298	167	30	29	74	91	167	357	692	1,324	1,840	1,525	2
White	10,218	159	28	52	212	209	320	729	1,468	2,502	2,742	1,797	-
Male	5,708	78	17	35	169	157	223	476	970	1,577	1,377	629	-
Female	4,510	81	11	17	43	52	97	253	498	925	1,365	1,168	-
All other	3,911	177	32	35	108	143	197	307	510	941	914	545	2
Male	2,123	91	13	23	77	104	127	203	316	542	439	188	-
Female	1,788	86	19	12	31	39	70	104	194	399	475	357	2
Alaska	1,723	128	28	43	159	194	142	182	274	269	185	115	4
Male	1,121	72	16	30	121	147	107	116	185	166	101	56	4
Female	602	56	12	13	38	47	35	66	89	103	84	59	-
White	1,167	79	14	28	93	122	95	126	205	198	123	82	2
Male	757	48	6	20	74	95	73	79	143	122	62	33	2
Female	410	31	8	8	19	27	22	47	62	76	61	49	-
All other	556	49	14	15	66	72	47	56	69	71	62	33	2
Male	364	24	10	10	47	52	34	37	42	44	39	23	2
Female	192	25	4	5	19	20	13	19	27	27	23	10	-
Metropolitan election districts [1]	599	49	9	14	60	65	56	72	97	85	60	31	1
Male	375	28	5	10	47	47	44	48	62	44	30	9	1
Female	224	21	4	4	13	18	12	24	35	41	30	22	-
White	498	39	5	13	46	51	46	61	87	72	50	27	1
Male	312	25	2	9	36	39	38	41	55	36	24	6	1
Female	186	14	3	4	10	12	8	20	32	36	26	21	-
All other	101	10	4	1	14	14	10	11	10	13	10	4	-
Male	63	3	3	1	11	8	6	7	7	8	6	3	-
Female	38	7	1	-	3	6	4	4	3	5	4	1	-
Nonmetropolitan election districts [1]	1,124	79	19	29	99	129	86	110	177	184	125	84	3
Male	746	44	11	20	74	100	63	68	123	122	71	47	3
Female	378	35	8	9	25	29	23	42	54	62	54	37	-
White	669	40	9	15	47	71	49	65	118	126	73	55	1
Male	445	23	4	11	38	56	35	38	88	86	38	27	1
Female	224	17	5	4	9	15	14	27	30	40	35	28	-
All other	455	39	10	14	52	58	37	45	59	58	52	29	2
Male	301	21	7	9	36	44	28	30	35	36	33	20	2
Female	154	18	3	5	16	14	9	15	24	22	19	9	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Arizona	21,358	606	143	145	663	693	696	1,405	3,191	5,469	5,295	3,037	15
Male	12,422	364	87	98	506	508	456	932	2,033	3,335	2,870	1,220	13
Female	8,936	242	56	47	157	185	240	473	1,158	2,134	2,425	1,817	2
White	19,814	479	115	117	534	554	565	1,250	2,989	5,227	5,081	2,890	13
Male	11,440	291	71	74	408	398	368	829	1,905	3,184	2,742	1,158	12
Female	8,374	188	44	43	126	156	197	421	1,084	2,043	2,339	1,732	1
All other	1,544	127	28	28	129	139	131	155	202	242	214	147	2
Male	982	73	16	24	98	110	88	103	128	151	128	62	1
Female	562	54	12	4	31	29	43	52	74	91	86	85	1
Metropolitan counties	16,186	415	93	114	467	463	491	1,021	2,366	4,173	4,168	2,409	6
Male	9,237	249	57	76	354	331	322	666	1,481	2,496	2,232	968	5
Female	6,949	166	36	38	113	132	169	355	885	1,677	1,936	1,441	1
White	15,421	351	81	97	426	411	436	935	2,252	4,036	4,059	2,333	4
Male	8,761	207	51	62	328	293	285	613	1,404	2,413	2,163	938	4
Female	6,660	144	30	35	98	118	151	322	848	1,623	1,896	1,395	-
All other	765	64	12	17	41	52	55	86	114	137	109	76	2
Male	476	42	6	14	26	38	37	53	77	83	69	30	1
Female	289	22	6	3	15	14	18	33	37	54	40	46	1
Nonmetropolitan counties	5,172	191	50	31	196	230	205	384	825	1,296	1,127	628	9
Male	3,185	115	30	22	152	177	134	266	552	839	638	252	8
Female	1,987	76	20	9	44	53	71	118	273	457	489	376	1
White	4,393	128	34	20	108	143	129	315	737	1,191	1,022	557	9
Male	2,679	84	20	12	80	105	83	216	501	771	579	220	8
Female	1,714	44	14	8	28	38	46	99	236	420	443	337	1
All other	779	63	16	11	88	87	76	69	88	105	105	71	-
Male	506	31	10	10	72	72	51	50	51	68	59	32	-
Female	273	32	6	1	16	15	25	19	37	37	46	39	-
Arkansas	22,372	425	81	141	415	475	641	1,289	2,996	5,623	6,117	4,158	11
Male	12,604	245	42	79	318	333	430	843	1,965	3,447	3,232	1,662	8
Female	9,768	180	39	62	97	142	211	446	1,031	2,176	2,885	2,496	3
White	18,546	261	58	113	318	355	517	1,016	2,531	4,694	5,110	3,568	5
Male	10,438	146	30	64	240	245	346	673	1,701	2,927	2,684	1,379	3
Female	8,108	115	28	49	78	110	171	343	830	1,767	2,426	2,189	2
All other	3,826	164	23	28	97	120	124	273	465	929	1,007	590	6
Male	2,166	99	12	15	78	88	84	170	264	520	548	283	5
Female	1,660	65	11	13	19	32	40	103	201	409	459	307	1
Metropolitan counties	7,672	174	36	56	159	206	247	485	1,066	1,850	2,001	1,389	3
Male	4,241	99	18	32	117	142	160	336	687	1,109	1,049	491	1
Female	3,431	75	18	24	42	64	87	149	379	741	952	898	2
White	6,220	106	27	42	108	139	196	376	879	1,524	1,641	1,180	2
Male	3,422	56	14	25	77	96	129	260	591	924	851	398	1
Female	2,798	50	13	17	31	43	67	116	288	600	790	782	1
All other	1,452	68	9	14	51	67	51	109	187	326	360	209	1
Male	819	43	4	7	40	46	31	76	96	185	198	93	-
Female	633	25	5	7	11	21	20	33	91	141	162	116	1
Nonmetropolitan counties	14,700	251	45	85	256	269	394	804	1,930	3,773	4,116	2,769	8
Male	8,363	146	24	47	201	191	270	507	1,278	2,338	2,183	1,171	7
Female	6,337	105	21	38	55	78	124	297	652	1,435	1,933	1,598	1
White	12,326	155	31	71	210	216	321	640	1,652	3,170	3,469	2,388	3
Male	7,016	90	16	39	163	149	217	413	1,110	2,003	1,833	981	2
Female	5,310	65	15	32	47	67	104	227	542	1,167	1,636	1,407	1
All other	2,374	96	14	14	46	53	73	164	278	603	647	381	5
Male	1,347	56	8	8	38	42	53	94	168	335	350	190	5
Female	1,027	40	6	6	8	11	20	70	110	268	297	191	-
California	184,987	4,297	888	997	4,977	6,091	6,112	12,390	26,876	41,405	46,175	34,632	147
Male	98,600	2,410	520	645	3,740	4,363	3,905	7,705	16,441	24,289	22,606	11,872	104
Female	86,387	1,887	368	352	1,237	1,728	2,207	4,685	10,435	17,116	23,569	22,760	43
White	166,664	3,389	717	814	4,190	4,929	4,898	10,445	23,768	37,622	42,902	32,874	116
Male	88,004	1,916	420	518	3,147	3,568	3,157	6,501	14,579	22,063	20,898	11,153	84
Female	78,660	1,473	297	296	1,043	1,361	1,741	3,944	9,189	15,559	22,004	21,721	32
All other	18,323	908	171	183	787	1,162	1,214	1,945	3,108	3,783	3,273	1,758	31
Male	10,596	494	100	127	593	795	748	1,204	1,862	2,226	1,708	719	20
Female	7,727	414	71	56	194	367	466	741	1,246	1,557	1,565	1,039	11
Metropolitan counties	174,733	4,092	837	942	4,699	5,794	5,850	11,786	25,300	38,771	43,592	32,946	124
Male	92,659	2,289	486	613	3,532	4,135	3,733	7,338	15,464	22,643	21,147	11,195	84
Female	82,074	1,803	351	329	1,167	1,659	2,117	4,448	9,836	16,128	22,445	21,751	40
White	156,784	3,202	671	765	3,929	4,646	4,652	9,875	22,250	35,071	40,398	31,230	95
Male	82,303	1,805	391	488	2,952	3,351	2,994	6,153	13,637	20,471	19,494	10,502	65
Female	74,481	1,397	280	277	977	1,295	1,658	3,722	8,613	14,600	20,904	20,728	30
All other	17,949	890	166	177	770	1,148	1,198	1,911	3,050	3,700	3,194	1,716	29
Male	10,356	484	95	125	580	784	739	1,185	1,827	2,172	1,653	693	19
Female	7,593	406	71	52	190	364	459	726	1,223	1,528	1,541	1,023	10
Nonmetropolitan counties	10,254	205	51	55	278	297	262	604	1,576	2,634	2,583	1,686	23
Male	5,941	121	34	32	208	228	172	367	977	1,646	1,459	677	20
Female	4,313	84	17	23	70	69	90	237	599	988	1,124	1,009	3
White	9,880	187	46	49	261	283	246	570	1,518	2,551	2,504	1,644	21
Male	5,701	111	29	30	195	217	163	348	942	1,592	1,404	651	19
Female	4,179	76	17	19	66	66	83	222	576	959	1,100	993	2
All other	374	18	5	6	17	14	16	34	58	83	79	42	2
Male	240	10	5	2	13	11	9	19	35	54	55	26	1
Female	134	8	-	4	4	3	7	15	23	29	24	16	1

NEWARK PUBLIC LIBRARY

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Colorado	19,388	519	99	129	647	763	691	1,295	2,632	3,991	4,707	3,912	3
Male	10,463	283	61	70	461	564	433	768	1,640	2,419	2,389	1,372	3
Female	8,925	236	38	59	186	199	258	527	992	1,572	2,318	2,540	-
White	18,676	480	96	122	610	708	636	1,208	2,517	3,861	4,610	3,825	3
Male	10,048	261	60	66	439	526	406	712	1,565	2,335	2,335	1,340	3
Female	8,628	219	36	56	171	182	230	496	952	1,526	2,275	2,485	-
All other	712	39	3	7	37	55	55	87	115	130	97	87	-
Male	415	22	1	4	22	38	27	56	75	84	54	32	-
Female	297	17	2	3	15	17	28	31	40	46	43	55	-
Metropolitan counties	14,912	402	74	101	491	583	551	1,055	2,093	3,029	3,627	2,905	1
Male	7,884	219	46	50	348	414	338	633	1,285	1,809	1,767	974	1
Female	7,028	183	28	51	143	169	213	422	808	1,220	1,860	1,931	-
White	14,233	365	71	96	460	533	496	970	1,982	2,901	3,537	2,821	1
Male	7,486	197	45	47	329	378	311	577	1,213	1,726	1,719	943	1
Female	6,747	168	26	49	131	155	185	393	769	1,175	1,818	1,878	-
All other	679	37	3	5	31	50	55	85	111	128	90	84	-
Male	398	22	1	3	19	36	27	56	72	83	48	31	-
Female	281	15	2	2	12	14	28	29	39	45	42	53	-
Nonmetropolitan counties	4,476	117	25	28	156	180	140	240	539	962	1,080	1,007	2
Male	2,579	64	15	20	113	150	95	135	355	610	622	398	2
Female	1,897	53	10	8	43	30	45	105	184	352	458	609	-
White	4,443	115	25	26	150	175	140	238	535	960	1,073	1,004	2
Male	2,562	64	15	19	110	148	95	135	352	609	616	397	2
Female	1,881	51	10	7	40	27	45	103	183	351	457	607	-
All other	33	2	-	2	6	5	-	2	4	2	7	3	-
Male	17	-	-	1	3	2	-	-	3	1	6	1	-
Female	16	2	-	1	3	3	-	2	1	1	1	2	-
Connecticut	26,768	482	61	115	511	523	648	1,573	3,953	6,115	7,010	5,775	2
Male	13,943	279	34	73	378	387	414	938	2,495	3,607	3,295	2,042	1
Female	12,825	203	27	42	133	136	234	635	1,458	2,508	3,715	3,733	1
White	25,311	363	45	99	464	445	507	1,402	3,682	5,845	6,793	5,664	2
Male	13,111	207	27	65	348	329	328	833	2,325	3,445	3,200	2,003	1
Female	12,200	156	18	34	116	116	179	569	1,357	2,400	3,593	3,661	1
All other	1,457	119	16	16	47	78	141	171	271	270	217	111	-
Male	832	72	7	8	30	58	86	105	170	162	95	39	-
Female	625	47	9	8	17	20	55	66	101	108	122	72	-
Metropolitan counties	24,515	450	58	100	467	466	602	1,454	3,681	5,603	6,343	5,289	2
Male	12,757	265	33	64	341	339	387	868	2,338	3,300	2,952	1,869	1
Female	11,758	185	25	36	126	127	215	586	1,343	2,303	3,391	3,420	1
White	23,080	333	42	84	423	388	462	1,288	3,411	5,338	6,130	5,179	2
Male	11,938	194	26	56	313	281	301	765	2,169	3,142	2,860	1,830	1
Female	11,142	139	16	28	110	107	161	523	1,242	2,196	3,270	3,349	1
All other	1,435	117	16	16	44	78	140	166	270	265	213	110	-
Male	819	71	7	8	28	58	86	103	169	158	92	39	-
Female	616	46	9	8	16	20	54	63	101	107	121	71	-
Nonmetropolitan counties	2,253	32	3	15	44	57	46	119	272	512	667	486	-
Male	1,186	14	1	9	37	48	27	70	157	307	343	173	-
Female	1,067	18	2	6	7	9	19	49	115	205	324	313	-
White	2,231	30	3	15	41	57	45	114	271	507	663	485	-
Male	1,173	13	1	9	35	48	27	68	156	303	340	173	-
Female	1,058	17	2	6	6	9	18	46	115	204	323	312	-
All other	22	2	-	-	3	-	1	5	1	5	4	1	-
Male	13	1	-	-	2	-	-	2	1	4	3	-	-
Female	9	1	-	-	1	-	1	3	-	1	1	1	-
Delaware	5,073	123	18	33	110	100	144	360	836	1,230	1,223	894	2
Male	2,667	73	8	24	81	73	84	216	508	733	563	302	2
Female	2,406	50	10	9	29	27	60	144	328	497	660	592	-
White	4,322	69	10	23	89	74	108	278	693	1,066	1,093	819	-
Male	2,235	43	4	16	67	56	59	166	416	639	496	273	-
Female	2,087	26	6	7	22	18	49	112	277	427	597	546	-
All other	751	54	8	10	21	26	36	82	143	164	130	75	2
Male	432	30	4	8	14	17	25	50	92	94	67	29	2
Female	319	24	4	2	7	9	11	32	51	70	63	46	-
Metropolitan counties	3,219	85	12	18	68	66	87	242	527	772	782	558	2
Male	1,645	51	6	14	50	49	49	138	310	445	345	186	2
Female	1,574	34	6	4	18	17	38	104	217	327	437	372	-
White	2,730	48	7	11	58	45	60	183	449	668	696	505	-
Male	1,379	30	4	9	44	36	31	100	263	395	298	169	-
Female	1,351	18	3	2	14	9	29	83	186	273	398	336	-
All other	489	37	5	7	10	21	27	59	78	104	86	53	2
Male	266	21	2	5	6	13	18	38	47	50	47	17	2
Female	223	16	3	2	4	8	9	21	31	54	39	36	-
Nonmetropolitan counties	1,854	38	6	15	42	34	57	118	309	458	441	336	-
Male	1,022	22	2	10	31	24	35	78	198	288	218	116	-
Female	832	16	4	5	11	10	22	40	111	170	223	220	-
White	1,592	21	3	12	31	29	48	95	244	398	397	314	-
Male	856	13	-	7	23	20	28	66	153	244	198	104	-
Female	736	8	3	5	8	9	20	29	91	154	199	210	-
All other	262	17	3	3	11	5	9	23	65	60	44	22	-
Male	166	9	2	3	8	4	7	12	45	44	20	12	-
Female	96	8	1	-	3	1	2	11	20	16	24	10	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
District of Columbia	6,954	231	21	34	134	308	345	665	1,233	1,526	1,493	952	12
Male	3,726	124	13	18	102	216	237	434	760	824	693	295	10
Female	3,228	107	8	16	32	92	108	231	473	702	800	657	2
White	1,981	27	-	3	20	27	31	84	247	389	642	507	4
Male	931	17	-	1	12	18	19	61	148	203	296	152	4
Female	1,050	10	-	2	8	9	12	23	99	186	346	355	-
All other	4,973	204	21	31	114	281	314	581	986	1,137	851	445	8
Male	2,795	107	13	17	90	198	218	373	612	621	397	143	6
Female	2,178	97	8	14	24	83	96	208	374	516	454	302	2
Metropolitan counties	6,954	231	21	34	134	308	345	665	1,233	1,526	1,493	952	12
Male	3,726	124	13	18	102	216	237	434	760	824	693	295	10
Female	3,228	107	8	16	32	92	108	231	473	702	800	657	2
White	1,981	27	-	3	20	27	31	84	247	389	642	507	4
Male	931	17	-	1	12	18	19	61	148	203	296	152	4
Female	1,050	10	-	2	8	9	12	23	99	186	346	355	-
All other	4,973	204	21	31	114	281	314	581	986	1,137	851	445	8
Male	2,795	107	13	17	90	198	218	373	612	621	397	143	6
Female	2,178	97	8	14	24	83	96	208	374	516	454	302	2
Nonmetropolitan counties	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	...
Male	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	...	...	...	...	...	...	...	...	...	...	...	...	...
Florida	109,127	1,846	351	436	2,206	2,559	2,834	6,194	14,817	28,125	31,242	18,485	32
Male	61,199	1,035	208	271	1,603	1,865	1,826	3,940	9,230	16,945	16,672	7,582	22
Female	47,928	811	143	165	603	694	1,008	2,254	5,587	11,180	14,570	10,903	10
White	97,025	1,053	238	309	1,764	1,924	2,115	4,936	12,593	25,190	29,188	17,689	26
Male	54,364	608	140	192	1,298	1,419	1,381	3,175	7,893	15,305	15,663	7,272	18
Female	42,661	445	98	117	466	505	734	1,761	4,700	9,885	13,525	10,417	8
All other	12,102	793	113	127	442	635	719	1,258	2,224	2,935	2,054	796	6
Male	6,835	427	68	79	305	446	445	765	1,337	1,640	1,009	310	4
Female	5,267	366	45	48	137	189	274	493	887	1,295	1,045	486	2
Metropolitan counties	94,947	1,583	298	381	1,919	2,256	2,475	5,321	12,664	24,094	27,406	16,525	25
Male	52,758	880	177	244	1,391	1,630	1,583	3,368	7,818	14,373	14,511	6,766	17
Female	42,189	703	121	137	528	626	892	1,953	4,846	9,721	12,895	9,759	8
White	84,666	898	197	268	1,530	1,691	1,840	4,240	10,792	21,600	25,728	15,863	19
Male	46,961	507	118	170	1,120	1,235	1,189	2,710	6,703	12,983	13,694	6,519	13
Female	37,705	391	79	98	410	456	651	1,530	4,089	8,617	12,034	9,344	6
All other	10,281	685	101	113	389	565	635	1,081	1,872	2,494	1,678	662	6
Male	5,797	373	59	74	271	395	394	658	1,115	1,390	817	247	4
Female	4,484	312	42	39	118	170	241	423	757	1,104	861	415	2
Nonmetropolitan counties	14,180	263	53	55	287	303	359	873	2,153	4,031	3,836	1,960	7
Male	8,441	155	31	27	212	235	243	572	1,412	2,572	2,161	816	5
Female	5,739	108	22	28	75	68	116	301	741	1,459	1,675	1,144	2
White	12,359	155	41	41	234	233	275	696	1,801	3,590	3,460	1,826	7
Male	7,403	101	22	22	178	184	192	465	1,190	2,322	1,969	753	5
Female	4,956	54	19	19	56	49	83	231	611	1,268	1,491	1,073	2
All other	1,821	108	12	14	53	70	84	177	352	441	376	134	-
Male	1,038	54	9	5	34	51	51	107	222	250	192	63	-
Female	783	54	3	9	19	19	33	70	130	191	184	71	-
Georgia	44,892	1,238	236	342	1,243	1,445	1,883	3,674	7,431	11,077	10,222	6,081	20
Male	24,445	665	139	207	917	1,030	1,213	2,386	4,704	6,472	4,805	1,898	9
Female	20,447	573	97	135	326	415	670	1,288	2,727	4,605	5,417	4,183	11
White	31,794	583	123	198	858	828	1,086	2,362	5,102	7,777	7,844	5,024	9
Male	17,387	315	74	123	639	608	729	1,571	3,353	4,690	3,725	1,556	4
Female	14,407	268	49	75	219	220	357	791	1,749	3,087	4,119	3,468	5
All other	13,098	655	113	144	385	617	797	1,312	2,329	3,300	2,378	1,057	11
Male	7,058	350	65	84	278	422	484	815	1,351	1,782	1,080	342	5
Female	6,040	305	48	60	107	195	313	497	978	1,518	1,298	715	6
Metropolitan counties	24,101	729	134	176	699	888	1,100	2,132	4,138	5,764	5,183	3,149	9
Male	12,993	385	84	99	513	624	693	1,355	2,588	3,307	2,398	942	5
Female	11,108	344	50	77	186	264	407	777	1,550	2,457	2,785	2,207	4
White	16,721	352	70	96	474	482	590	1,335	2,799	3,970	3,937	2,613	3
Male	9,063	190	49	54	353	356	375	856	1,834	2,366	1,846	782	2
Female	7,658	162	21	42	121	126	215	479	965	1,604	2,091	1,831	1
All other	7,380	377	64	80	225	406	510	797	1,339	1,794	1,246	536	6
Male	3,930	195	35	45	160	268	318	499	754	941	552	160	3
Female	3,450	182	29	35	65	138	192	298	585	853	694	376	3
Nonmetropolitan counties	20,791	509	102	166	544	557	783	1,542	3,293	5,313	5,039	2,932	11
Male	11,452	280	55	108	404	406	520	1,031	2,116	3,165	2,407	956	4
Female	9,339	229	47	58	140	151	263	511	1,177	2,148	2,632	1,976	7
White	15,073	231	53	102	384	346	496	1,027	2,303	3,807	3,907	2,411	6
Male	8,324	125	25	69	286	252	354	715	1,519	2,324	1,879	774	2
Female	6,749	106	28	33	98	94	142	312	784	1,483	2,028	1,637	4
All other	5,718	278	49	64	160	211	287	515	990	1,506	1,132	521	5
Male	3,128	155	30	39	118	154	166	316	597	841	528	182	2
Female	2,590	123	19	25	42	57	121	199	393	665	604	339	3

NEWARK PUBLIC LIBRARY

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Hawaii	4,991	178	36	30	164	163	199	398	804	1,072	1,149	794	4
Male	3,042	97	25	18	121	119	121	276	523	717	691	330	4
Female	1,949	81	11	12	43	44	78	122	281	355	458	464	-
White	1,637	39	10	6	66	74	73	122	297	372	348	228	2
Male	993	18	8	4	48	56	49	91	200	243	192	82	2
Female	644	21	2	2	18	18	24	31	97	129	156	146	-
All other	3,354	139	26	24	98	89	126	276	507	700	801	566	2
Male	2,049	79	17	14	73	63	72	185	323	474	499	248	2
Female	1,305	60	9	10	25	26	54	91	184	226	302	318	-
Metropolitan counties	3,701	130	27	24	130	117	153	314	635	800	811	557	3
Male	2,206	67	17	14	95	86	86	215	414	521	470	218	3
Female	1,495	63	10	10	35	31	67	99	221	279	341	339	-
White	1,232	28	7	5	53	46	52	96	231	278	258	177	1
Male	729	11	5	3	39	36	33	71	154	179	137	60	1
Female	503	17	2	2	14	10	19	25	77	99	121	117	-
All other	2,469	102	20	19	77	71	101	218	404	522	553	380	2
Male	1,477	56	12	11	56	50	53	144	260	342	333	158	2
Female	992	46	8	8	21	21	48	74	144	180	220	222	-
Nonmetropolitan counties	1,290	48	9	6	34	46	46	84	169	272	338	237	1
Male	836	30	8	4	26	33	35	61	109	196	221	112	1
Female	454	18	1	2	8	13	11	23	60	76	117	125	-
White	405	11	3	1	13	28	21	26	66	94	90	51	1
Male	264	7	3	1	9	20	16	20	46	64	55	22	1
Female	141	4	-	-	4	8	5	6	20	30	35	29	-
All other	885	37	6	5	21	18	25	58	103	178	248	186	-
Male	572	23	5	3	17	13	19	41	63	132	166	90	-
Female	313	14	1	2	4	5	6	17	40	46	82	96	-
Idaho	6,929	181	63	57	212	214	191	381	899	1,548	1,813	1,368	2
Male	3,967	111	38	36	165	156	130	248	587	990	958	546	2
Female	2,962	70	25	21	47	58	61	133	312	558	855	822	-
White	6,814	178	62	54	205	200	182	371	882	1,529	1,795	1,354	2
Male	3,897	109	37	33	161	148	125	241	573	979	951	538	2
Female	2,917	69	25	21	44	52	57	130	309	550	844	816	-
All other	115	3	1	3	7	14	9	10	17	19	18	14	-
Male	70	2	1	3	4	8	5	7	14	11	7	8	-
Female	45	1	-	-	3	6	4	3	3	8	11	6	-
Metropolitan counties	1,185	35	6	8	35	38	47	72	161	241	314	228	-
Male	688	22	4	5	29	27	35	52	109	155	169	81	-
Female	497	13	2	3	6	11	12	20	52	86	145	147	-
White	1,177	35	6	8	35	38	45	71	158	240	314	227	-
Male	685	22	4	5	29	27	35	52	106	155	169	81	-
Female	492	13	2	3	6	11	10	19	52	85	145	146	-
All other	8	-	-	-	-	-	2	1	3	1	-	1	-
Male	3	-	-	-	-	-	-	-	3	-	-	-	-
Female	5	-	-	-	-	-	2	1	-	1	-	1	-
Nonmetropolitan counties	5,744	146	57	49	177	176	144	309	738	1,307	1,499	1,140	2
Male	3,279	89	34	31	136	129	95	196	478	835	789	465	2
Female	2,465	57	23	18	41	47	49	113	260	472	710	675	-
White	5,637	143	56	46	170	162	137	300	724	1,289	1,481	1,127	2
Male	3,212	87	33	28	132	121	90	189	467	824	782	457	2
Female	2,425	56	23	18	38	41	47	111	257	465	699	670	-
All other	107	3	1	3	7	14	7	9	14	18	18	13	-
Male	67	2	1	3	4	8	5	7	11	11	7	8	-
Female	40	1	-	-	3	6	2	2	3	7	11	5	-
Illinois	101,819	2,573	371	483	2,229	2,518	3,059	6,823	14,926	23,337	26,364	19,134	2
Male	53,898	1,436	203	308	1,683	1,820	1,931	4,274	9,350	13,687	12,708	6,497	1
Female	47,921	1,137	168	175	546	698	1,128	2,549	5,576	9,650	13,656	12,637	1
White	87,756	1,586	247	353	1,693	1,720	2,154	5,189	12,382	20,471	23,930	18,030	1
Male	46,055	919	130	229	1,277	1,249	1,369	3,297	7,855	12,134	11,525	6,071	-
Female	41,701	667	117	124	416	471	785	1,892	4,527	8,337	12,405	11,959	1
All other	14,063	987	124	130	536	798	905	1,634	2,544	2,866	2,434	1,104	1
Male	7,843	517	73	79	406	571	562	977	1,495	1,553	1,183	426	1
Female	6,220	470	51	51	130	227	343	657	1,049	1,313	1,251	678	-
Metropolitan counties	78,876	2,228	312	386	1,821	2,147	2,592	5,731	12,238	17,997	19,751	13,672	1
Male	41,794	1,251	173	248	1,383	1,560	1,634	3,606	7,602	10,420	9,329	4,588	-
Female	37,082	977	139	138	438	587	958	2,125	4,636	7,577	10,422	9,084	1
White	65,225	1,263	192	258	1,297	1,355	1,698	4,126	9,747	15,242	17,410	12,636	1
Male	34,170	742	100	170	988	995	1,077	2,641	6,138	8,933	8,191	4,195	-
Female	31,055	521	92	88	309	360	621	1,485	3,609	6,309	9,219	8,441	1
All other	13,651	965	120	128	524	792	894	1,605	2,491	2,755	2,341	1,036	-
Male	7,624	509	73	78	395	565	557	965	1,464	1,487	1,138	393	-
Female	6,027	456	47	50	129	227	337	640	1,027	1,268	1,203	643	-
Nonmetropolitan counties	22,943	345	59	97	408	371	467	1,092	2,688	5,340	6,613	5,462	1
Male	12,104	185	30	60	300	260	297	668	1,748	3,267	3,379	1,909	1
Female	10,839	160	29	37	108	111	170	424	940	2,073	3,234	3,553	-
White	22,531	323	55	95	396	365	456	1,063	2,635	5,229	6,520	5,394	-
Male	11,885	177	30	59	289	254	292	656	1,717	3,201	3,334	1,876	-
Female	10,646	146	25	36	107	111	164	407	918	2,028	3,186	3,518	-
All other	412	22	4	2	12	6	11	29	53	111	93	68	1
Male	219	8	-	1	11	6	5	12	31	66	45	33	1
Female	193	14	4	1	1	-	6	17	22	45	48	35	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Indiana	47,309	993	217	240	1,044	1,045	1,240	2,969	6,977	10,897	12,680	9,003	4
Male	25,106	557	122	139	775	730	785	1,819	4,314	6,513	6,294	3,056	2
Female	22,203	436	95	101	269	315	455	1,150	2,663	4,384	6,386	5,947	2
White	43,958	809	178	215	919	879	1,077	2,625	6,386	10,148	12,060	8,660	2
Male	23,229	458	96	125	685	621	684	1,621	3,965	6,082	5,974	2,918	-
Female	20,729	351	82	90	234	258	393	1,004	2,421	4,066	6,086	5,742	2
All other	3,351	184	39	25	125	166	163	344	591	749	620	343	2
Male	1,877	99	26	14	90	109	101	198	349	431	320	138	2
Female	1,474	85	13	11	35	57	62	146	242	318	300	205	-
Metropolitan counties	31,972	734	158	157	726	749	878	2,114	4,861	7,362	8,396	5,835	2
Male	16,904	414	92	90	532	521	552	1,301	2,962	4,358	4,132	1,949	1
Female	15,068	320	66	67	194	228	326	813	1,899	3,004	4,264	3,886	1
White	28,806	560	119	133	606	588	722	1,789	4,313	6,649	7,815	5,511	1
Male	15,134	320	66	77	446	416	457	1,116	2,645	3,944	3,828	1,819	-
Female	13,672	240	53	56	160	172	265	673	1,668	2,705	3,987	3,692	1
All other	3,166	174	39	24	120	161	156	325	548	713	581	324	1
Male	1,770	94	26	13	86	105	95	185	317	414	304	130	1
Female	1,396	80	13	11	34	56	61	140	231	299	277	194	-
Nonmetropolitan counties	15,337	259	59	83	318	296	362	855	2,116	3,535	4,284	3,168	2
Male	8,202	143	30	49	243	209	233	518	1,352	2,155	2,162	1,107	1
Female	7,135	116	29	34	75	87	129	337	764	1,380	2,122	2,061	1
White	15,152	249	59	82	313	291	355	836	2,073	3,499	4,245	3,149	1
Male	8,095	138	30	48	239	205	227	505	1,320	2,138	2,146	1,099	-
Female	7,057	111	29	34	74	86	128	331	753	1,361	2,099	2,050	1
All other	185	10	-	1	5	5	7	19	43	36	39	19	1
Male	107	5	-	1	4	4	6	13	32	17	16	8	1
Female	78	5	-	-	1	1	1	6	11	19	23	11	-
Iowa	26,949	459	101	130	479	426	503	1,198	3,158	5,664	7,798	7,033	-
Male	14,077	247	56	84	345	301	308	796	2,036	3,423	3,955	2,526	-
Female	12,872	212	45	46	134	125	195	402	1,122	2,241	3,843	4,507	-
White	26,588	434	95	129	457	409	481	1,168	3,107	5,591	7,725	6,992	-
Male	13,874	234	54	83	328	288	295	777	2,002	3,382	3,919	2,512	-
Female	12,714	200	41	46	129	121	186	391	1,105	2,209	3,806	4,480	-
All other	361	25	6	1	22	17	22	30	51	73	73	41	-
Male	203	13	2	1	17	13	13	19	34	41	36	14	-
Female	158	12	4	-	5	4	9	11	17	32	37	27	-
Metropolitan counties	9,070	214	40	52	187	172	227	511	1,202	1,990	2,483	1,992	-
Male	4,692	117	23	38	132	117	141	322	761	1,178	1,191	672	-
Female	4,378	97	17	14	55	55	86	189	441	812	1,292	1,320	-
White	8,788	192	37	51	174	160	206	488	1,157	1,932	2,428	1,963	-
Male	4,536	106	21	37	122	109	128	308	728	1,145	1,167	665	-
Female	4,252	86	16	14	52	51	78	180	429	787	1,261	1,298	-
All other	282	22	3	1	13	12	21	23	45	58	55	29	-
Male	156	11	2	1	10	8	13	14	33	33	24	7	-
Female	126	11	1	-	3	4	8	9	12	25	31	22	-
Nonmetropolitan counties	17,879	245	61	78	292	254	276	687	1,956	3,674	5,315	5,041	-
Male	9,385	130	33	46	213	184	167	474	1,275	2,245	2,764	1,854	-
Female	8,494	115	28	32	79	70	109	213	681	1,429	2,551	3,187	-
White	17,800	242	58	78	283	249	275	680	1,950	3,659	5,297	5,029	-
Male	9,338	128	33	46	206	179	167	469	1,274	2,237	2,752	1,847	-
Female	8,462	114	25	32	77	70	108	211	676	1,422	2,545	3,182	-
All other	79	3	3	-	9	5	1	7	6	15	18	12	-
Male	47	2	-	-	7	5	-	5	1	8	12	7	-
Female	32	1	3	-	2	-	1	2	5	7	6	5	-
Kansas	21,701	470	98	97	482	475	482	1,070	2,654	4,514	6,105	5,252	2
Male	11,435	270	47	56	380	341	301	669	1,674	2,735	3,070	1,891	1
Female	10,266	200	51	41	102	134	181	401	980	1,779	3,035	3,361	1
White	20,598	390	84	85	442	406	428	993	2,516	4,307	5,867	5,078	2
Male	10,850	223	41	51	349	294	268	622	1,592	2,634	2,957	1,818	1
Female	9,748	167	43	34	93	112	160	371	924	1,673	2,910	3,260	1
All other	1,103	80	14	12	40	69	54	77	138	207	238	174	-
Male	585	47	6	5	31	47	33	47	82	101	113	73	-
Female	518	33	8	7	9	22	21	30	56	106	125	101	-
Metropolitan counties	8,490	235	42	40	252	254	256	512	1,240	1,786	2,217	1,654	2
Male	4,435	136	19	21	198	178	161	310	780	1,045	1,061	545	1
Female	4,055	99	23	19	54	76	95	202	460	741	1,156	1,109	1
White	7,680	169	32	30	220	197	214	457	1,138	1,642	2,036	1,543	2
Male	4,015	99	17	17	175	141	138	280	700	977	971	499	1
Female	3,665	70	15	13	45	56	76	177	438	665	1,065	1,044	1
All other	810	66	10	10	32	57	42	55	102	144	181	111	-
Male	420	37	2	4	23	37	23	30	60	68	90	46	-
Female	390	29	8	6	9	20	19	25	42	76	91	65	-
Nonmetropolitan counties	13,211	235	56	57	230	221	226	558	1,414	2,728	3,888	3,598	-
Male	7,000	134	28	35	182	163	140	359	914	1,690	2,009	1,346	-
Female	6,211	101	28	22	48	58	86	199	500	1,038	1,879	2,252	-
White	12,918	221	52	55	222	209	214	536	1,378	2,665	3,831	3,535	-
Male	6,835	124	24	34	174	153	130	342	892	1,657	1,986	1,319	-
Female	6,083	97	28	21	48	56	84	194	486	1,008	1,845	2,216	-
All other	293	14	4	2	8	12	12	22	36	63	57	63	-
Male	165	10	4	1	8	10	10	17	22	33	23	27	-
Female	128	4	-	1	-	2	2	5	14	30	34	36	-

NEWARK PUBLIC LIBRARY

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Kentucky	33,283	697	142	161	718	753	951	2,215	4,967	7,938	8,959	5,782	-
Male	18,286	382	73	101	532	534	619	1,410	3,260	4,831	4,443	2,101	-
Female	14,997	315	69	60	186	219	332	805	1,707	3,107	4,516	3,681	-
White	30,710	604	128	153	669	700	857	2,003	4,521	7,265	8,381	5,429	-
Male	16,890	334	64	99	495	504	558	1,291	2,981	4,446	4,164	1,954	-
Female	13,820	270	64	54	174	196	299	712	1,540	2,819	4,217	3,475	-
All other	2,573	93	14	8	49	53	94	212	446	673	578	353	-
Male	1,396	48	9	2	37	30	61	119	279	385	279	147	-
Female	1,177	45	5	6	12	23	33	93	167	288	299	206	-
Metropolitan counties	14,358	325	59	64	281	305	409	1,037	2,305	3,457	3,741	2,375	-
Male	7,600	175	30	39	207	205	266	642	1,487	2,019	1,738	792	-
Female	6,758	150	29	25	74	100	143	395	818	1,438	2,003	1,583	-
White	12,614	258	47	57	247	267	339	878	1,994	2,978	3,387	2,162	-
Male	6,638	143	23	38	180	184	218	552	1,288	1,743	1,565	704	-
Female	5,976	115	24	19	67	83	121	326	706	1,235	1,822	1,458	-
All other	1,744	67	12	7	34	38	70	159	311	479	354	213	-
Male	962	32	7	1	27	21	48	90	199	276	173	88	-
Female	782	35	5	6	7	17	22	69	112	203	181	125	-
Nonmetropolitan counties	18,925	372	83	97	437	448	542	1,178	2,662	4,481	5,218	3,407	-
Male	10,686	207	43	62	325	329	353	768	1,773	2,812	2,705	1,309	-
Female	8,239	165	40	35	112	119	189	410	889	1,669	2,513	2,098	-
White	18,096	346	81	96	422	433	518	1,125	2,527	4,287	4,994	3,267	-
Male	10,252	191	41	61	315	320	340	739	1,693	2,703	2,599	1,250	-
Female	7,844	155	40	35	107	113	178	386	834	1,584	2,395	2,017	-
All other	829	26	2	1	15	15	24	53	135	194	224	140	-
Male	434	16	2	1	10	9	13	29	80	109	106	59	-
Female	395	10	-	-	5	6	11	24	55	85	118	81	-
Louisiana	36,024	1,130	226	240	1,193	1,253	1,371	2,878	5,572	8,673	8,478	4,985	25
Male	19,791	616	113	164	933	932	918	1,822	3,430	5,071	4,082	1,690	20
Female	16,233	514	113	76	260	321	453	1,056	2,142	3,602	4,396	3,295	5
White	24,465	515	114	133	774	707	801	1,827	3,722	5,976	6,179	3,703	14
Male	13,399	282	55	94	607	531	537	1,167	2,390	3,591	2,951	1,182	12
Female	11,066	233	59	39	167	176	264	660	1,332	2,385	3,228	2,521	2
All other	11,559	615	112	107	419	546	570	1,051	1,850	2,697	2,299	1,282	11
Male	6,392	334	58	70	326	401	381	655	1,040	1,480	1,131	508	8
Female	5,167	281	54	37	93	145	189	396	810	1,217	1,168	774	3
Metropolitan parishes [1]	22,094	684	137	152	682	803	834	1,818	3,631	5,317	5,070	2,938	18
Male	12,002	372	64	100	534	595	571	1,146	2,206	3,060	2,368	970	16
Female	10,092	322	73	52	148	208	263	672	1,425	2,257	2,702	1,968	2
White	14,827	297	63	81	417	434	462	1,126	2,381	3,629	3,710	2,216	11
Male	7,999	158	28	55	326	322	317	718	1,512	2,149	1,716	690	10
Female	6,828	141	35	26	91	112	145	408	869	1,480	1,994	1,526	1
All other	7,267	397	74	71	265	369	372	692	1,250	1,688	1,360	722	7
Male	4,003	216	36	45	208	273	254	428	694	911	652	280	6
Female	3,264	181	38	26	57	96	118	264	556	777	708	442	1
Nonmetropolitan parishes [1]	13,930	436	89	88	511	450	537	1,060	1,941	3,356	3,408	2,047	7
Male	7,789	244	49	64	399	337	347	676	1,224	2,011	1,714	720	4
Female	6,141	192	40	24	112	113	190	384	717	1,345	1,694	1,327	3
White	9,638	218	51	52	357	273	339	701	1,341	2,347	2,469	1,487	3
Male	5,400	126	27	39	281	209	220	449	878	1,442	1,235	492	2
Female	4,238	92	24	13	76	64	119	252	463	905	1,234	995	1
All other	4,292	218	38	36	154	177	198	359	600	1,009	939	560	4
Male	2,389	118	22	25	118	128	127	227	346	569	479	228	2
Female	1,903	100	16	11	36	49	71	132	254	440	460	332	2
Maine	10,387	180	29	40	203	161	224	589	1,340	2,466	2,904	2,251	-
Male	5,561	116	14	18	151	116	146	387	865	1,504	1,448	796	-
Female	4,826	64	15	22	52	45	78	202	475	962	1,456	1,455	-
White	10,358	179	27	39	202	160	222	584	1,337	2,461	2,898	2,249	-
Male	5,545	116	13	18	150	116	145	385	862	1,500	1,446	794	-
Female	4,813	63	14	21	52	44	77	199	475	961	1,452	1,455	-
All other	29	1	2	1	1	1	2	5	3	5	6	2	-
Male	16	-	1	-	1	-	1	2	3	4	2	2	-
Female	13	1	1	1	-	1	1	3	-	1	4	-	-
Metropolitan counties	5,441	99	16	23	94	89	122	325	716	1,265	1,513	1,179	-
Male	2,865	66	7	11	73	61	78	208	461	764	724	412	-
Female	2,576	33	9	12	21	28	44	117	255	501	789	767	-
White	5,425	98	16	23	94	89	120	322	714	1,263	1,509	1,177	-
Male	2,855	66	7	11	73	61	77	207	459	762	722	410	-
Female	2,570	32	9	12	21	28	43	115	255	501	787	767	-
All other	16	1	-	-	-	-	2	3	2	2	4	2	-
Male	10	-	-	-	-	-	1	1	2	2	2	2	-
Female	6	1	-	-	-	-	1	2	-	-	2	-	-
Nonmetropolitan counties	4,946	81	13	17	109	72	102	264	624	1,201	1,391	1,072	-
Male	2,696	50	7	7	78	55	68	179	404	740	724	384	-
Female	2,250	31	6	10	31	17	34	85	220	461	667	688	-
White	4,933	81	11	16	108	71	102	262	623	1,198	1,389	1,072	-
Male	2,690	50	6	7	77	55	68	178	403	738	724	384	-
Female	2,243	31	5	9	31	16	34	84	220	460	665	688	-
All other	13	-	2	1	1	1	-	2	1	3	2	-	-
Male	6	-	1	-	1	-	-	1	1	2	-	-	-
Female	7	-	1	1	-	1	-	1	-	1	2	-	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Maryland	33,949	771	126	147	834	932	1,142	2,591	5,741	8,105	8,202	5,328	30
Male	18,124	437	71	86	597	665	745	1,620	3,542	4,691	3,891	1,764	15
Female	15,825	334	55	61	237	267	397	971	2,199	3,414	4,311	3,564	15
White	26,718	427	76	98	571	552	654	1,789	4,372	6,544	6,902	4,715	18
Male	14,027	245	40	60	412	406	428	1,120	2,735	3,788	3,245	1,539	9
Female	12,691	182	36	38	159	146	226	669	1,637	2,756	3,657	3,176	9
All other	7,231	344	50	49	263	380	488	802	1,369	1,561	1,300	613	12
Male	4,097	192	31	26	185	259	317	500	807	903	646	225	6
Female	3,134	152	19	23	78	121	171	302	562	658	654	388	6
Metropolitan counties	29,611	668	104	130	718	834	1,018	2,316	5,058	7,058	7,111	4,574	22
Male	15,739	381	55	75	510	598	656	1,448	3,095	4,053	3,363	1,494	11
Female	13,872	287	49	55	208	236	362	868	1,963	3,005	3,748	3,080	11
White	23,196	362	62	88	480	475	563	1,578	3,839	5,693	5,983	4,058	15
Male	12,111	206	30	53	342	353	380	988	2,378	3,269	2,819	1,305	8
Female	11,085	156	32	35	138	122	203	590	1,461	2,424	3,164	2,753	7
All other	6,415	306	42	42	238	359	455	738	1,219	1,365	1,128	516	7
Male	3,628	175	25	22	168	245	296	460	717	784	544	189	3
Female	2,787	131	17	20	70	114	159	278	502	581	584	327	4
Nonmetropolitan counties	4,338	103	22	17	116	98	124	275	683	1,047	1,091	754	8
Male	2,385	56	16	11	87	67	89	172	447	638	528	270	4
Female	1,953	47	6	6	29	31	35	103	236	409	563	484	4
White	3,522	65	14	10	91	77	91	211	533	851	919	657	3
Male	1,916	39	10	7	70	53	68	132	357	519	426	234	1
Female	1,606	26	4	3	21	24	23	79	176	332	493	423	2
All other	816	38	8	7	25	21	33	64	150	196	172	97	5
Male	469	17	6	4	17	14	21	40	90	119	102	36	3
Female	347	21	2	3	8	7	12	24	60	77	70	61	2
Massachusetts	52,982	720	121	196	842	952	1,159	3,027	7,317	12,226	14,805	11,613	4
Male	26,692	424	74	116	639	676	743	1,920	4,560	7,088	6,692	3,757	3
Female	26,290	296	47	80	203	276	416	1,107	2,757	5,138	8,113	7,856	1
White	51,377	625	107	179	790	853	1,045	2,837	7,025	11,967	14,528	11,417	4
Male	25,778	366	67	105	602	601	667	1,799	4,380	6,960	6,558	3,670	3
Female	25,599	259	40	74	188	252	378	1,038	2,645	5,007	7,970	7,747	1
All other	1,605	95	14	17	52	99	114	190	292	259	277	196	-
Male	914	58	7	11	37	75	76	121	180	128	134	87	-
Female	691	37	7	6	15	24	38	69	112	131	143	109	-
Metropolitan counties	50,390	700	118	190	790	917	1,112	2,923	6,987	11,603	14,031	11,015	4
Male	25,352	411	72	113	599	650	714	1,858	4,348	6,730	6,307	3,547	3
Female	25,038	289	46	77	191	267	398	1,065	2,639	4,873	7,724	7,468	1
White	48,831	605	104	173	738	820	999	2,737	6,701	11,355	13,768	10,827	4
Male	24,461	353	65	102	562	577	639	1,739	4,171	6,606	6,178	3,466	3
Female	24,370	252	39	71	176	243	360	998	2,530	4,749	7,590	7,361	1
All other	1,559	95	14	17	52	97	113	186	286	248	263	188	-
Male	891	58	7	11	37	73	75	119	177	124	129	81	-
Female	668	37	7	6	15	24	38	67	109	124	134	107	-
Nonmetropolitan counties	2,592	20	3	6	52	35	47	104	330	623	774	598	-
Male	1,340	13	2	3	40	26	29	62	212	358	385	210	-
Female	1,252	7	1	3	12	9	18	42	118	265	389	388	-
White	2,546	20	3	6	52	33	46	100	324	612	760	590	-
Male	1,317	13	2	3	40	24	28	60	209	354	380	204	-
Female	1,229	7	1	3	12	9	18	40	115	258	380	386	-
All other	46	-	-	-	-	2	1	4	6	11	14	8	-
Male	23	-	-	-	-	2	1	2	3	4	5	6	-
Female	23	-	-	-	-	-	-	2	3	7	9	2	-
Michigan	75,842	1,845	312	433	1,571	2,046	2,361	5,221	11,739	17,340	19,350	13,620	4
Male	41,117	1,038	180	259	1,163	1,433	1,507	3,233	7,340	10,294	9,651	5,015	4
Female	34,725	807	132	174	408	613	854	1,988	4,399	7,046	9,699	8,605	-
White	65,680	1,263	232	337	1,269	1,322	1,732	4,154	9,815	15,157	17,612	12,784	3
Male	35,329	719	139	208	939	944	1,105	2,576	6,196	9,039	8,768	4,693	3
Female	30,351	544	93	129	330	378	627	1,578	3,619	6,118	8,844	8,091	-
All other	10,162	582	80	96	302	724	629	1,067	1,924	2,183	1,738	836	1
Male	5,788	319	41	51	224	489	402	657	1,144	1,255	883	322	1
Female	4,374	263	39	45	78	235	227	410	780	928	855	514	-
Metropolitan counties	61,080	1,562	253	352	1,301	1,822	1,998	4,410	9,751	13,646	15,323	10,659	3
Male	32,868	882	140	208	938	1,278	1,269	2,705	6,052	8,010	7,500	3,883	3
Female	28,212	680	113	144	363	544	729	1,705	3,699	5,636	7,823	6,776	-
White	51,160	993	176	258	1,008	1,104	1,375	3,352	7,856	11,519	13,651	9,866	2
Male	27,218	571	101	159	720	793	871	2,053	4,923	6,786	6,654	3,585	2
Female	23,942	422	75	99	288	311	504	1,299	2,933	4,733	6,997	6,281	-
All other	9,920	569	77	94	293	718	623	1,058	1,895	2,127	1,672	793	1
Male	5,650	311	39	49	218	485	398	652	1,129	1,224	846	298	1
Female	4,270	258	38	45	75	233	225	406	766	903	826	495	-
Nonmetropolitan counties	14,762	283	59	81	270	224	363	811	1,988	3,694	4,027	2,961	1
Male	8,249	156	40	51	225	155	238	528	1,288	2,284	2,151	1,132	1
Female	6,513	127	19	30	45	69	125	283	700	1,410	1,876	1,829	-
White	14,520	270	56	79	261	218	357	802	1,959	3,638	3,961	2,918	1
Male	8,111	148	38	49	219	151	234	523	1,273	2,253	2,114	1,108	1
Female	6,409	122	18	30	42	67	123	279	686	1,385	1,847	1,810	-
All other	242	13	3	2	9	6	6	9	29	56	66	43	-
Male	138	8	2	2	6	4	4	5	15	31	37	24	-
Female	104	5	1	-	3	2	2	4	14	25	29	19	-

NEWARK PUBLIC LIBRARY

READEX FICHE

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Minnesota	32,837	706	130	154	702	631	667	1,609	3,858	6,991	9,411	7,976	2
Male	17,884	419	93	98	531	455	416	1,075	2,548	4,344	4,823	3,081	1
Female	14,953	287	37	56	171	176	251	534	1,310	2,647	4,588	4,895	1
White	32,278	636	117	143	680	592	621	1,549	3,774	6,897	9,347	7,920	2
Male	17,554	373	83	91	511	429	389	1,043	2,492	4,290	4,793	3,059	1
Female	14,724	263	34	52	169	163	232	506	1,282	2,607	4,554	4,861	1
All other	559	70	13	11	22	39	46	60	84	94	64	56	-
Male	330	46	10	7	20	26	27	32	56	54	30	22	-
Female	229	24	3	4	2	13	19	28	28	40	34	34	-
Metropolitan counties	18,810	442	72	89	432	441	433	1,067	2,389	3,973	5,136	4,336	-
Male	9,929	267	52	54	311	314	264	694	1,549	2,417	2,433	1,574	-
Female	8,881	175	20	35	121	127	169	373	840	1,556	2,703	2,762	-
White	18,362	378	61	83	420	410	396	1,015	2,321	3,899	5,085	4,294	-
Male	9,664	225	43	51	301	295	239	668	1,504	2,372	2,408	1,558	-
Female	8,698	153	18	32	119	115	157	347	817	1,527	2,677	2,736	-
All other	448	64	11	6	12	31	37	52	68	74	51	42	-
Male	265	42	9	3	10	19	25	26	45	45	25	16	-
Female	183	22	2	3	2	12	12	26	23	29	26	26	-
Nonmetropolitan counties	14,027	264	58	65	270	190	234	542	1,469	3,018	4,275	3,640	2
Male	7,955	152	41	44	220	141	152	381	999	1,927	2,390	1,507	1
Female	6,072	112	17	21	50	49	82	161	470	1,091	1,885	2,133	1
White	13,916	258	56	60	260	182	225	534	1,453	2,998	4,262	3,626	2
Male	7,890	148	40	40	210	134	150	375	988	1,918	2,385	1,501	1
Female	6,026	110	16	20	50	48	75	159	465	1,080	1,877	2,125	1
All other	111	6	2	5	10	8	9	8	16	20	13	14	-
Male	65	4	1	4	10	7	2	6	11	9	5	6	-
Female	46	2	1	1	-	1	7	2	5	11	8	8	-
Mississippi	23,460	711	131	170	636	669	747	1,642	3,358	5,627	5,977	3,756	36
Male	12,947	405	79	112	485	459	506	1,075	2,155	3,340	2,933	1,375	23
Female	10,513	306	52	58	151	210	241	567	1,203	2,287	3,044	2,381	13
White	14,923	249	43	95	422	351	416	1,020	2,147	3,678	3,959	2,534	9
Male	8,249	154	25	60	318	243	289	694	1,463	2,245	1,927	827	4
Female	6,674	95	18	35	104	108	127	326	684	1,433	2,032	1,707	5
All other	8,537	462	88	75	214	318	331	622	1,211	1,949	2,018	1,222	27
Male	4,698	251	54	52	167	216	217	381	692	1,095	1,006	548	19
Female	3,839	211	34	23	47	102	114	241	519	854	1,012	674	8
Metropolitan counties	5,266	157	38	34	166	187	218	424	847	1,173	1,224	786	14
Male	2,916	80	24	22	120	123	139	269	553	702	598	269	8
Female	2,350	68	12	12	46	64	79	155	294	471	626	517	6
White	3,723	72	16	19	129	108	138	293	616	848	913	569	2
Male	2,035	42	10	10	92	67	93	185	416	502	444	173	1
Female	1,688	30	6	9	37	41	45	108	200	346	469	396	1
All other	1,543	85	20	15	37	79	80	131	231	325	311	217	12
Male	881	47	14	12	28	56	46	84	137	200	154	96	7
Female	662	38	6	3	9	23	34	47	94	125	157	121	5
Nonmetropolitan counties	18,194	554	95	136	470	482	529	1,218	2,511	4,454	4,753	2,970	22
Male	10,031	316	55	90	365	336	367	806	1,602	2,638	2,335	1,106	15
Female	8,163	238	40	46	105	146	162	412	909	1,816	2,418	1,864	7
White	11,200	177	27	76	293	243	278	727	1,531	2,830	3,046	1,965	7
Male	6,214	112	15	50	226	176	196	509	1,047	1,743	1,483	654	3
Female	4,986	65	12	26	67	67	82	218	484	1,087	1,563	1,311	4
All other	6,994	377	68	60	177	239	251	491	980	1,624	1,707	1,005	15
Male	3,817	204	40	40	139	160	171	297	555	895	852	452	12
Female	3,177	173	28	20	38	79	80	194	425	729	855	553	3
Missouri	48,848	973	157	200	940	1,015	1,200	2,771	6,513	11,175	13,738	10,153	13
Male	25,903	571	96	135	716	727	739	1,803	4,169	6,669	6,739	3,533	6
Female	22,945	402	61	65	224	288	461	968	2,344	4,506	6,999	6,620	7
White	44,013	752	118	159	750	763	967	2,289	5,686	10,142	12,749	9,628	10
Male	23,205	448	74	106	558	534	589	1,499	3,675	6,121	6,286	3,310	5
Female	20,808	304	44	53	192	229	378	790	2,011	4,021	6,463	6,318	5
All other	4,835	221	39	41	190	252	233	482	827	1,033	989	525	3
Male	2,698	123	22	29	158	193	150	304	494	548	453	223	1
Female	2,137	98	17	12	32	59	83	178	333	485	536	302	2
Metropolitan counties	29,365	637	96	123	594	721	804	1,689	4,202	6,678	7,949	5,663	9
Male	15,124	367	57	84	450	518	487	1,215	2,643	3,851	3,646	1,802	4
Female	14,241	270	39	39	144	203	317	674	1,559	2,827	4,303	3,861	5
White	25,091	447	63	89	417	491	587	1,439	3,457	5,761	7,105	5,229	6
Male	12,736	263	39	60	304	339	349	930	2,189	3,362	3,266	1,632	3
Female	12,355	184	24	29	113	152	238	509	1,268	2,399	3,839	3,597	3
All other	4,274	190	33	34	177	230	217	450	745	917	844	434	3
Male	2,388	104	18	24	146	179	138	285	454	489	380	170	1
Female	1,886	86	15	10	31	51	79	165	291	428	464	264	2
Nonmetropolitan counties	19,483	336	61	77	346	294	396	1,082	2,311	4,497	5,789	4,490	4
Male	10,779	204	39	51	266	209	252	588	1,526	2,818	3,093	1,731	2
Female	8,704	132	22	26	80	85	144	294	785	1,679	2,696	2,759	2
White	18,922	305	55	70	333	272	380	850	2,229	4,381	5,644	4,399	4
Male	10,469	185	35	46	254	195	240	569	1,486	2,759	3,020	1,678	2
Female	8,453	120	20	24	79	77	140	281	743	1,622	2,624	2,721	2
All other	561	31	6	7	13	22	16	32	82	116	145	91	-
Male	310	19	4	5	12	14	12	19	40	59	73	53	-
Female	251	12	2	2	1	8	4	13	42	57	72	38	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Montana	6,729	153	26	47	207	212	233	405	923	1,474	1,655	1,394	-
Male	3,744	86	21	33	157	158	146	263	578	882	897	523	-
Female	2,985	67	5	14	50	54	87	142	345	592	758	871	-
White	6,342	128	20	37	168	176	189	360	874	1,415	1,606	1,369	-
Male	3,528	77	16	25	129	138	123	237	549	849	870	515	-
Female	2,814	51	4	12	39	38	66	123	325	566	736	854	-
All other	387	25	6	10	39	36	44	45	49	59	49	25	-
Male	216	9	5	8	28	20	23	26	29	33	27	8	-
Female	171	16	1	2	11	16	21	19	20	26	22	17	-
Metropolitan counties	1,420	41	5	7	45	49	53	87	215	328	319	271	-
Male	790	22	4	4	36	37	37	55	133	176	178	108	-
Female	630	19	1	3	9	12	16	32	82	152	141	163	-
White	1,372	33	3	7	36	44	50	82	210	322	316	269	-
Male	764	19	3	4	30	35	35	53	129	174	176	106	-
Female	608	14	-	3	6	9	15	29	81	148	140	163	-
All other	48	8	2	-	9	5	3	5	5	6	3	2	-
Male	26	3	1	-	6	2	2	2	4	2	2	2	-
Female	22	5	1	-	3	3	1	3	1	4	1	-	-
Nonmetropolitan counties	5,309	112	21	40	162	163	180	318	708	1,146	1,336	1,123	-
Male	2,954	64	17	29	121	121	109	208	445	706	719	415	-
Female	2,355	48	4	11	41	42	71	110	263	440	617	708	-
White	4,970	95	17	30	132	132	139	278	664	1,093	1,290	1,100	-
Male	2,764	58	13	21	99	103	88	184	420	675	694	409	-
Female	2,206	37	4	9	33	29	51	94	244	418	596	691	-
All other	339	17	4	10	30	31	41	40	44	53	46	23	-
Male	190	6	4	8	22	18	21	24	25	31	25	6	-
Female	149	11	-	2	8	13	20	16	19	22	21	17	-
Nebraska	14,616	270	60	65	310	267	291	711	1,659	3,079	4,153	3,750	1
Male	7,802	156	35	41	242	193	184	463	1,085	1,945	2,074	1,383	1
Female	6,814	114	25	24	68	74	107	248	574	1,134	2,079	2,367	-
White	14,200	240	57	64	293	243	268	658	1,578	3,007	4,084	3,707	1
Male	7,572	142	34	40	232	175	165	427	1,040	1,907	2,045	1,364	1
Female	6,628	98	23	24	61	68	103	231	538	1,100	2,039	2,343	-
All other	416	30	3	1	17	24	23	53	81	72	69	43	-
Male	230	14	1	1	10	18	19	36	45	38	29	19	-
Female	186	16	2	-	7	6	4	17	36	34	40	24	-
Metropolitan counties	5,170	123	30	15	116	136	139	336	715	1,095	1,367	1,098	-
Male	2,704	75	17	11	82	94	96	228	454	650	627	370	-
Female	2,466	48	13	4	34	42	43	108	261	445	740	728	-
White	4,807	96	27	14	102	115	120	289	647	1,030	1,307	1,060	-
Male	2,503	62	16	10	75	78	79	195	415	615	603	355	-
Female	2,304	34	11	4	27	37	41	94	232	415	704	705	-
All other	363	27	3	1	14	21	19	47	68	65	60	38	-
Male	201	13	1	1	7	16	17	33	39	35	24	15	-
Female	162	14	2	-	7	5	2	14	29	30	36	23	-
Nonmetropolitan counties	9,446	147	30	50	194	131	152	375	944	1,984	2,786	2,652	1
Male	5,098	81	18	30	160	99	88	235	631	1,295	1,447	1,013	1
Female	4,348	66	12	20	34	32	64	140	313	689	1,339	1,639	-
White	9,393	144	30	50	191	128	148	369	931	1,977	2,777	2,647	1
Male	5,069	80	18	30	157	97	86	232	625	1,292	1,442	1,009	1
Female	4,324	64	12	20	34	31	62	137	306	685	1,335	1,638	-
All other	53	3	-	-	3	3	4	6	13	7	9	5	-
Male	29	1	-	-	3	2	2	3	6	3	5	4	-
Female	24	2	-	-	-	1	2	3	7	4	4	1	-
Nevada	5,884	158	30	44	233	282	272	562	1,084	1,463	1,153	598	5
Male	3,511	93	14	31	174	200	183	342	684	937	614	234	5
Female	2,373	65	16	13	59	82	89	220	400	526	539	364	-
White	5,480	122	25	37	207	248	234	503	1,017	1,392	1,108	582	5
Male	3,252	78	12	25	156	176	155	308	639	892	580	226	5
Female	2,228	44	13	12	51	72	79	195	378	500	528	356	-
All other	404	36	5	7	26	34	38	59	67	71	45	16	-
Male	259	15	2	6	18	24	28	34	45	45	34	8	-
Female	145	21	3	1	8	10	10	25	22	26	11	8	-
Metropolitan counties	4,674	130	23	39	191	238	222	449	893	1,163	893	431	2
Male	2,776	74	9	27	144	165	146	267	565	746	469	162	2
Female	1,898	56	14	12	47	73	76	182	328	417	424	269	-
White	4,345	95	19	32	172	210	192	403	834	1,103	858	425	2
Male	2,573	59	8	21	132	147	125	240	525	710	444	160	2
Female	1,772	36	11	11	40	63	67	163	309	393	414	265	-
All other	329	35	4	7	19	28	30	46	59	60	35	6	-
Male	203	15	1	6	12	18	21	27	40	36	25	2	-
Female	126	20	3	1	7	10	9	19	19	24	10	4	-
Nonmetropolitan counties	1,210	28	7	5	42	44	50	113	191	300	260	167	3
Male	735	19	5	4	30	35	37	75	119	191	145	72	3
Female	475	9	2	1	12	9	13	38	72	109	115	95	-
White	1,135	27	6	5	35	38	42	100	183	289	250	157	3
Male	679	19	4	4	24	29	30	68	114	182	136	66	3
Female	456	8	2	1	11	9	12	32	69	107	114	91	-
All other	75	1	1	-	7	6	8	13	8	11	10	10	-
Male	56	-	1	-	6	6	7	7	5	9	9	6	-
Female	19	1	-	-	1	-	1	6	3	2	1	4	-

NEWARK PUBLIC LIBRARY

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Hampshire	7,701	131	27	39	146	140	201	447	1,102	1,837	2,037	1,594	-
Male	4,067	68	18	25	111	96	128	285	712	1,099	987	538	-
Female	3,634	63	9	14	35	44	73	162	390	738	1,050	1,056	-
White	7,689	130	27	39	146	140	200	447	1,100	1,832	2,035	1,593	-
Male	4,060	68	18	25	111	96	128	285	710	1,095	987	537	-
Female	3,629	62	9	14	35	44	72	162	390	737	1,048	1,056	-
All other	12	1	-	-	-	-	1	-	2	5	2	1	-
Male	7	-	-	-	-	-	-	-	2	4	-	1	-
Female	5	1	-	-	-	-	1	-	-	1	2	-	-
Metropolitan counties	4,205	85	15	22	75	83	110	265	649	982	1,118	801	-
Male	2,184	44	9	13	61	60	72	173	409	573	512	258	-
Female	2,021	41	6	9	14	23	38	92	240	409	606	543	-
White	4,197	84	15	22	75	83	110	265	648	978	1,116	801	-
Male	2,180	44	9	13	61	60	72	173	408	570	512	258	-
Female	2,017	40	6	9	14	23	38	92	240	408	604	543	-
All other	8	1	-	-	-	-	-	-	1	4	2	-	-
Male	4	-	-	-	-	-	-	-	1	3	-	-	-
Female	4	1	-	-	-	-	-	-	-	1	2	-	-
Nonmetropolitan counties	3,496	46	12	17	71	57	91	182	453	855	919	793	-
Male	1,883	24	9	12	50	36	56	112	303	526	475	280	-
Female	1,613	22	3	5	21	21	35	70	150	329	444	513	-
White	3,492	46	12	17	71	57	90	182	452	854	919	792	-
Male	1,880	24	9	12	50	36	56	112	302	525	475	279	-
Female	1,612	22	3	5	21	21	34	70	150	329	444	513	-
All other	4	-	-	-	-	-	1	-	1	1	-	1	-
Male	3	-	-	-	-	-	-	-	1	1	-	1	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
New Jersey	67,280	1,038	209	294	1,132	1,435	1,808	4,420	10,475	16,364	17,893	12,165	47
Male	34,974	572	117	184	818	987	1,154	2,788	6,487	9,447	8,344	4,039	37
Female	32,306	466	92	110	314	448	654	1,632	3,988	6,917	9,549	8,126	10
White	59,995	672	134	224	924	1,003	1,279	3,520	9,111	14,888	16,665	11,555	20
Male	30,866	389	74	145	669	702	832	2,218	5,673	8,586	7,740	3,823	15
Female	29,129	283	60	79	255	301	447	1,302	3,438	6,302	8,925	7,732	5
All other	7,285	366	75	70	208	432	529	900	1,364	1,476	1,228	610	27
Male	4,108	183	43	39	149	285	322	570	814	861	604	216	22
Female	3,177	183	32	31	59	147	207	330	550	615	624	394	5
Metropolitan counties	60,196	966	191	267	1,047	1,332	1,663	4,088	9,546	14,349	15,721	10,979	47
Male	31,175	537	105	169	761	920	1,055	2,580	5,911	8,245	7,221	3,634	37
Female	29,021	429	86	98	286	412	608	1,508	3,635	6,104	8,500	7,345	10
White	53,066	607	119	197	839	907	1,146	3,211	8,213	12,902	14,528	10,377	20
Male	27,158	357	65	130	612	638	742	2,024	5,113	7,406	6,637	3,419	15
Female	25,908	250	54	67	227	269	404	1,187	3,100	5,496	7,891	6,958	5
All other	7,130	359	72	70	208	425	517	877	1,333	1,447	1,193	602	27
Male	4,017	180	40	39	149	282	313	556	798	839	584	215	22
Female	3,113	179	32	31	59	143	204	321	535	608	609	387	5
Nonmetropolitan counties	7,084	72	18	27	85	103	145	332	929	2,015	2,172	1,186	-
Male	3,799	35	12	15	57	67	99	208	576	1,202	1,123	405	-
Female	3,285	37	6	12	28	36	46	124	353	813	1,049	781	-
White	6,929	65	15	27	85	96	133	309	898	1,986	2,137	1,178	-
Male	3,708	32	9	15	57	64	90	194	560	1,180	1,103	404	-
Female	3,221	33	6	12	28	32	43	115	338	806	1,034	774	-
All other	155	7	3	-	-	7	12	23	31	29	35	8	-
Male	91	3	3	-	-	3	9	14	16	22	20	1	-
Female	64	4	-	-	-	4	3	9	15	7	15	7	-
New Mexico	8,678	261	54	80	391	364	372	639	1,304	1,936	1,942	1,330	5
Male	5,010	159	28	48	308	257	258	418	817	1,199	986	527	5
Female	3,668	102	26	32	83	107	114	221	487	737	956	803	-
White	7,957	214	40	62	321	297	323	555	1,217	1,823	1,844	1,258	3
Male	4,555	136	22	37	252	211	223	366	761	1,121	930	493	3
Female	3,402	78	18	25	69	86	100	189	456	702	914	765	-
All other	721	47	14	18	70	67	49	84	87	113	98	72	2
Male	455	23	6	11	56	46	35	52	56	78	56	34	2
Female	266	24	8	7	14	21	14	32	31	35	42	38	-
Metropolitan counties	3,257	88	19	34	138	123	141	224	524	747	740	477	2
Male	1,844	55	6	20	100	85	97	150	335	455	360	179	2
Female	1,413	33	13	14	38	38	44	74	189	292	380	298	-
White	3,086	68	15	31	124	110	135	206	502	719	714	460	2
Male	1,733	45	5	17	90	74	92	135	322	435	345	171	2
Female	1,353	23	10	14	34	36	43	71	180	284	369	289	-
All other	171	20	4	3	14	13	6	18	22	28	26	17	-
Male	111	10	1	3	10	11	5	15	13	20	15	8	-
Female	60	10	3	-	4	2	1	3	9	8	11	9	-
Nonmetropolitan counties	5,421	173	35	46	253	241	231	415	780	1,189	1,202	853	3
Male	3,166	104	22	28	208	172	161	268	482	744	626	348	3
Female	2,255	69	13	18	45	69	70	147	298	445	576	505	-
White	4,871	146	25	31	197	187	188	349	715	1,104	1,130	798	1
Male	2,822	91	17	20	162	137	131	231	439	686	585	322	1
Female	2,049	55	8	11	35	50	57	118	276	418	545	476	-
All other	550	27	10	15	56	54	43	66	65	85	72	55	2
Male	344	13	5	8	46	35	30	37	43	58	41	26	2
Female	206	14	5	7	10	19	13	29	22	27	31	29	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New York	168,184	3,006	488	666	3,004	4,141	4,936	10,936	24,144	38,833	45,418	32,586	26
Male	86,662	1,706	290	411	2,187	2,942	3,185	6,755	14,631	22,099	21,233	11,209	14
Female	81,522	1,300	198	255	817	1,199	1,751	4,181	9,513	16,734	24,185	21,377	12
White	147,184	1,943	331	501	2,294	2,831	3,345	8,281	20,104	34,545	42,013	30,974	22
Male	75,215	1,108	193	308	1,676	2,028	2,188	5,186	12,329	19,850	19,699	10,638	12
Female	71,969	835	138	193	618	803	1,157	3,095	7,775	14,695	22,314	20,336	10
All other	21,000	1,063	157	165	710	1,310	1,591	2,655	4,040	4,288	3,405	1,612	4
Male	11,447	598	97	103	511	914	997	1,569	2,302	2,249	1,534	571	2
Female	9,553	465	60	62	199	396	594	1,086	1,738	2,039	1,871	1,041	2
Metropolitan counties	151,498	2,751	440	592	2,714	3,868	4,607	10,079	21,899	34,857	40,816	28,853	22
Male	77,811	1,560	262	372	1,973	2,750	2,975	6,220	13,219	19,691	18,884	9,893	12
Female	73,687	1,191	178	220	741	1,118	1,632	3,859	8,680	15,166	21,932	18,960	10
White	130,754	1,695	284	430	2,008	2,573	3,029	7,452	17,917	30,621	37,458	27,268	19
Male	66,512	968	165	272	1,464	1,848	1,987	4,664	10,954	17,477	17,373	9,329	11
Female	64,242	727	119	158	544	725	1,042	2,788	6,963	13,144	20,085	17,939	8
All other	20,744	1,056	156	162	706	1,295	1,578	2,627	3,982	4,236	3,358	1,585	3
Male	11,299	592	97	100	509	902	988	1,556	2,265	2,214	1,511	564	1
Female	9,445	464	59	62	197	393	590	1,071	1,717	2,022	1,847	1,021	2
Nonmetropolitan counties	16,686	255	48	74	290	273	329	857	2,245	3,976	4,602	3,733	4
Male	8,851	146	28	39	214	192	210	535	1,412	2,408	2,349	1,316	2
Female	7,835	109	20	35	76	81	119	322	833	1,568	2,253	2,417	2
White	16,430	248	47	71	286	258	316	829	2,187	3,924	4,555	3,706	3
Male	8,703	140	28	36	212	180	201	522	1,375	2,373	2,326	1,309	1
Female	7,727	108	19	35	74	78	115	307	812	1,551	2,229	2,397	2
All other	256	7	1	3	4	15	13	28	58	52	47	27	1
Male	148	6	-	3	2	12	9	13	37	35	23	7	1
Female	108	1	1	-	2	3	4	15	21	17	24	20	-
North Carolina	49,236	1,101	218	290	1,204	1,345	1,894	3,923	8,332	12,175	11,578	7,164	12
Male	27,498	593	130	176	916	926	1,265	2,590	5,523	7,303	5,639	2,427	10
Female	21,738	508	88	114	288	419	629	1,333	2,809	4,872	5,939	4,737	2
White	36,957	608	125	193	893	804	1,171	2,663	6,045	9,191	9,242	6,017	5
Male	20,529	326	72	113	680	569	759	1,790	4,113	5,644	4,483	1,976	4
Female	16,428	282	53	80	213	235	412	873	1,932	3,547	4,759	4,041	1
All other	12,279	493	93	97	311	541	723	1,260	2,287	2,984	2,336	1,147	7
Male	6,969	267	58	63	236	357	506	800	1,410	1,659	1,156	451	6
Female	5,310	226	35	34	75	184	217	460	877	1,325	1,180	696	1
Metropolitan counties	23,724	556	107	134	623	677	952	1,935	4,104	5,748	5,448	3,439	1
Male	13,045	293	66	87	466	456	612	1,258	2,677	3,387	2,597	1,146	-
Female	10,679	263	41	47	157	221	340	677	1,427	2,361	2,851	2,293	1
White	18,392	340	68	102	491	417	603	1,369	3,105	4,455	4,459	2,982	1
Male	10,090	186	43	64	370	288	368	908	2,077	2,695	2,128	963	-
Female	8,302	154	25	38	121	129	235	461	1,028	1,760	2,331	2,019	1
All other	5,332	216	39	32	132	260	349	566	999	1,293	989	457	-
Male	2,955	107	23	23	96	168	244	350	600	692	469	183	-
Female	2,377	109	16	9	36	92	105	216	399	601	520	274	-
Nonmetropolitan counties	25,512	545	111	156	581	668	942	1,988	4,228	6,427	6,130	3,725	11
Male	14,453	300	64	89	450	470	653	1,332	2,846	3,916	3,042	1,281	10
Female	11,059	245	47	67	131	198	289	656	1,382	2,511	3,088	2,444	1
White	18,565	268	57	91	402	387	568	1,294	2,940	4,736	4,783	3,035	4
Male	10,439	140	29	49	310	281	391	882	2,036	2,949	2,355	1,013	4
Female	8,126	128	28	42	92	106	177	412	904	1,787	2,428	2,022	-
All other	6,947	277	54	65	179	281	374	694	1,288	1,691	1,347	690	7
Male	4,014	160	35	40	140	189	262	450	810	967	687	268	6
Female	2,933	117	19	25	39	92	112	244	478	724	660	422	1
North Dakota	5,452	139	33	33	144	109	114	252	600	1,253	1,531	1,242	2
Male	3,090	82	21	18	107	83	72	167	420	786	817	516	1
Female	2,362	57	12	15	37	26	42	85	180	467	714	726	1
White	5,296	122	30	30	121	94	98	234	580	1,230	1,520	1,235	2
Male	2,991	72	19	17	92	72	61	156	407	773	809	512	1
Female	2,305	50	11	13	29	22	37	78	173	457	711	723	1
All other	156	17	3	3	23	15	16	18	20	23	11	7	-
Male	99	10	2	1	15	11	11	11	13	13	8	4	-
Female	57	7	1	2	8	4	5	7	7	10	3	3	-
Metropolitan counties	1,494	63	13	10	38	46	26	75	184	311	399	328	1
Male	786	38	5	8	25	32	16	54	136	175	196	101	-
Female	708	25	8	2	13	14	10	21	48	136	203	227	1
White	1,487	63	12	10	36	45	25	74	183	311	399	328	1
Male	782	38	5	8	24	31	16	53	135	175	196	101	-
Female	705	25	7	2	12	14	9	21	48	136	203	227	1
All other	7	-	1	-	2	1	1	1	1	-	-	-	-
Male	4	-	-	-	1	1	-	1	1	-	-	-	-
Female	3	-	1	-	1	-	1	-	-	-	-	-	-
Nonmetropolitan counties	3,958	76	20	23	106	63	88	177	416	942	1,132	914	1
Male	2,304	44	16	10	82	51	56	113	284	611	621	415	1
Female	1,654	32	4	13	24	12	32	64	132	331	511	499	-
White	3,809	59	18	20	85	49	73	160	397	919	1,121	907	1
Male	2,209	34	14	9	68	41	45	103	272	598	613	411	1
Female	1,600	25	4	11	17	8	28	57	125	321	508	496	-
All other	149	17	2	3	21	14	15	17	19	23	11	7	-
Male	95	10	2	1	14	10	11	10	12	13	8	4	-
Female	54	7	-	2	7	4	4	7	7	10	3	3	-

NEWARK PUBLIC LIBRARY

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ohio	96,487	2,059	352	459	1,875	2,095	2,519	6,306	15,091	23,155	24,738	17,825	13
Male	50,926	1,171	200	277	1,353	1,490	1,575	3,893	9,289	13,498	11,910	6,264	6
Female	45,561	888	152	182	522	605	944	2,413	5,802	9,657	12,828	11,561	7
White	86,867	1,543	278	393	1,617	1,671	2,042	5,289	13,275	20,963	22,883	16,903	10
Male	45,599	865	157	244	1,172	1,194	1,281	3,321	8,190	12,274	11,015	5,883	3
Female	41,268	678	121	149	445	477	761	1,968	5,085	8,689	11,868	11,020	7
All other	9,620	516	74	66	258	424	477	1,017	1,816	2,192	1,855	922	3
Male	5,327	306	43	33	181	296	294	572	1,099	1,224	895	381	3
Female	4,293	210	31	33	77	128	183	445	717	968	960	541	-
Metropolitan counties	76,871	1,684	282	352	1,519	1,752	2,062	5,142	12,262	18,405	19,452	13,947	12
Male	40,367	949	166	210	1,090	1,241	1,290	3,155	7,512	10,652	9,278	4,818	6
Female	36,504	735	116	142	429	511	772	1,987	4,750	7,753	10,174	9,129	6
White	67,616	1,180	211	289	1,270	1,345	1,598	4,154	10,502	16,305	17,681	13,072	9
Male	35,244	652	125	179	916	957	1,004	2,596	6,444	9,480	8,430	4,458	3
Female	32,372	528	86	110	354	388	594	1,558	4,058	6,825	9,251	8,614	6
All other	9,255	504	71	63	249	407	464	988	1,760	2,100	1,771	875	3
Male	5,123	297	41	31	174	284	286	559	1,068	1,172	848	360	3
Female	4,132	207	30	32	75	123	178	429	692	928	923	515	-
Nonmetropolitan counties	19,616	375	70	107	356	343	457	1,164	2,829	4,750	5,286	3,878	1
Male	10,559	222	34	67	263	249	285	738	1,777	2,846	2,632	1,446	-
Female	9,057	153	36	40	93	94	172	426	1,052	1,904	2,654	2,432	1
White	19,251	363	67	104	347	326	444	1,135	2,773	4,658	5,202	3,831	1
Male	10,355	213	32	65	256	237	277	725	1,746	2,794	2,585	1,425	-
Female	8,896	150	35	39	91	89	167	410	1,027	1,864	2,617	2,406	1
All other	365	12	3	3	9	17	13	29	56	92	84	47	-
Male	204	9	2	2	7	12	8	13	31	52	47	21	-
Female	161	3	1	1	2	5	5	16	25	40	37	26	-
Oklahoma	28,617	637	149	166	787	792	824	1,740	3,794	6,426	7,716	5,558	28
Male	15,586	379	86	100	567	553	552	1,122	2,386	3,916	3,931	1,975	19
Female	13,031	258	63	66	220	239	272	618	1,408	2,510	3,785	3,583	9
White	25,709	492	114	136	655	677	684	1,494	3,362	5,782	7,132	5,161	20
Male	13,948	289	69	79	476	473	460	976	2,126	3,540	3,631	1,814	15
Female	11,761	203	45	57	179	204	224	518	1,236	2,242	3,501	3,347	5
All other	2,908	145	35	30	132	115	140	246	432	644	584	397	8
Male	1,638	90	17	21	91	80	92	146	260	376	300	161	4
Female	1,270	55	18	9	41	35	48	100	172	268	284	236	4
Metropolitan counties	14,512	387	78	100	442	467	505	981	2,117	3,237	3,645	2,530	23
Male	7,810	229	45	61	313	321	323	635	1,309	1,926	1,766	865	17
Female	6,702	158	33	39	129	146	182	346	808	1,311	1,879	1,665	6
White	12,998	284	58	81	371	406	417	851	1,872	2,893	3,379	2,370	16
Male	6,963	161	37	48	263	278	268	561	1,168	1,726	1,637	802	14
Female	6,035	123	21	33	108	128	149	290	704	1,167	1,742	1,568	2
All other	1,514	103	20	19	71	61	88	130	245	344	266	160	7
Male	847	68	8	13	50	43	55	74	141	200	129	63	3
Female	667	35	12	6	21	18	33	56	104	144	137	97	4
Nonmetropolitan counties	14,105	250	71	66	345	325	319	759	1,677	3,189	4,071	3,028	5
Male	7,776	150	41	39	254	232	229	487	1,077	1,990	2,165	1,110	2
Female	6,329	100	30	27	91	93	90	272	600	1,199	1,906	1,918	3
White	12,711	208	56	55	284	271	267	643	1,490	2,889	3,753	2,791	4
Male	6,985	128	32	31	213	195	192	415	958	1,814	1,994	1,012	1
Female	5,726	80	24	24	71	76	75	228	532	1,075	1,759	1,779	3
All other	1,394	42	15	11	61	54	52	116	187	300	318	237	1
Male	791	22	9	8	41	37	37	72	119	176	171	98	1
Female	603	20	6	3	20	17	15	44	68	124	147	139	-
Oregon	21,843	467	89	95	514	560	566	1,194	2,961	5,170	5,802	4,418	7
Male	12,040	266	47	62	383	403	367	749	1,900	3,209	3,000	1,648	6
Female	9,803	201	42	33	131	157	199	445	1,061	1,961	2,802	2,770	1
White	21,378	431	83	89	490	529	536	1,138	2,890	5,077	5,729	4,379	7
Male	11,768	240	43	59	367	383	346	718	1,864	3,152	2,958	1,632	6
Female	9,610	191	40	30	123	146	190	420	1,026	1,925	2,771	2,747	1
All other	465	36	6	6	24	31	30	56	71	93	73	39	-
Male	272	26	4	3	16	20	21	31	36	57	42	16	-
Female	193	10	2	3	8	11	9	25	35	36	31	23	-
Metropolitan counties	13,926	301	49	63	315	351	358	773	1,858	3,171	3,733	2,951	3
Male	7,521	172	32	44	230	245	238	481	1,171	1,953	1,864	1,088	3
Female	6,405	129	17	19	85	106	120	292	687	1,218	1,869	1,863	-
White	13,560	273	44	58	295	331	342	726	1,796	3,096	3,678	2,918	3
Male	7,299	152	28	41	216	230	226	452	1,139	1,905	1,833	1,074	3
Female	6,261	121	16	17	79	101	116	274	657	1,191	1,845	1,844	-
All other	366	28	5	5	20	20	16	47	62	75	55	33	-
Male	222	20	4	3	14	15	12	29	32	48	31	14	-
Female	144	8	1	2	6	5	4	18	30	27	24	19	-
Nonmetropolitan counties	7,917	166	40	32	199	209	208	421	1,103	1,999	2,069	1,467	4
Male	4,519	94	15	18	153	158	129	268	729	1,256	1,136	560	3
Female	3,398	72	25	14	46	51	79	153	374	743	933	907	1
White	7,818	158	39	31	195	198	194	412	1,094	1,981	2,051	1,461	4
Male	4,469	88	15	18	151	153	120	266	725	1,247	1,125	558	3
Female	3,349	70	24	13	44	45	74	146	369	734	926	903	1
All other	99	8	1	1	4	11	14	9	9	18	18	6	-
Male	50	6	-	-	2	5	9	2	4	9	11	2	-
Female	49	2	1	1	2	6	5	7	5	9	7	4	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Pennsylvania	120,089	1,913	330	399	1,919	2,206	2,737	7,274	18,515	30,475	32,389	21,907	25
Male	62,885	1,080	179	234	1,443	1,577	1,774	4,532	11,436	17,717	15,339	7,561	13
Female	57,204	833	151	165	476	629	963	2,742	7,079	12,758	17,050	14,346	12
White	109,437	1,470	276	340	1,641	1,765	2,151	6,124	16,455	28,016	30,249	20,930	20
Male	57,023	843	150	201	1,235	1,275	1,394	3,839	10,199	16,376	14,322	7,179	10
Female	52,414	627	126	139	406	490	757	2,285	6,256	11,640	15,927	13,751	10
All other	10,652	443	54	59	278	441	588	1,150	2,060	2,459	2,140	977	5
Male	5,862	237	29	33	208	302	380	693	1,237	1,341	1,017	382	3
Female	4,790	206	25	26	70	139	206	457	823	1,118	1,123	595	2
Metropolitan counties	98,365	1,602	268	318	1,532	1,832	2,331	6,078	15,335	24,916	26,345	17,783	25
Male	51,281	900	147	185	1,150	1,316	1,493	3,789	9,471	14,401	12,319	6,097	13
Female	47,084	702	121	133	382	516	838	2,289	5,864	10,515	14,026	11,686	12
White	87,931	1,138	214	260	1,261	1,398	1,749	4,948	13,315	22,499	24;256	16,843	20
Male	45,532	666	118	152	946	1,019	1,115	3,108	8,255	13,086	11,326	5,731	10
Female	42,399	502	96	108	315	379	634	1,840	5,060	9,413	12,930	11,112	10
All other	10,434	434	54	58	271	434	582	1,130	2,020	2,417	2,089	940	5
Male	5,749	234	29	33	204	297	378	681	1,216	1,315	993	366	3
Female	4,685	200	25	25	67	137	204	449	804	1,102	1,096	574	2
Nonmetropolitan counties	21,724	311	62	81	387	374	406	1,196	3,180	5,559	6,044	4,124	-
Male	11,604	180	32	49	293	261	281	743	1,965	3,316	3,020	1,464	-
Female	10,120	131	30	32	94	113	125	453	1,215	2,243	3,024	2,660	-
White	21,506	302	62	80	380	367	402	1,176	3,140	5,517	5,993	4,087	-
Male	11,491	177	32	49	289	256	279	731	1,944	3,290	2,996	1,448	-
Female	10,015	125	30	31	91	111	123	445	1,196	2,227	2,997	2,639	-
All other	218	9	-	1	7	7	4	20	40	42	51	37	-
Male	113	3	-	-	4	5	2	12	21	26	24	16	-
Female	105	6	-	1	3	2	2	8	19	16	27	21	-
Rhode Island	9,174	147	22	24	120	160	187	522	1,270	2,186	2,614	1,921	1
Male	4,755	81	15	13	89	110	120	318	820	1,308	1,243	638	-
Female	4,419	66	7	11	31	50	67	204	450	878	1,371	1,283	1
White	8,934	129	21	22	112	147	177	492	1,227	2,144	2,575	1,888	-
Male	4,639	73	14	11	83	105	113	300	800	1,287	1,229	624	-
Female	4,295	56	7	11	29	42	64	192	427	857	1,346	1,264	-
All other	240	18	1	2	8	13	10	30	43	42	39	33	1
Male	116	8	1	2	6	5	7	18	20	21	14	14	-
Female	124	10	-	-	2	8	3	12	23	21	25	19	1
Metropolitan counties	8,500	139	21	19	110	145	178	476	1,157	2,032	2,429	1,793	1
Male	4,403	76	14	11	83	98	117	288	750	1,224	1,145	597	-
Female	4,097	63	7	8	27	47	61	188	407	808	1,284	1,196	1
White	8,284	121	20	17	102	132	168	452	1,119	1,996	2,394	1,783	-
Male	4,294	68	13	9	77	93	110	274	731	1,204	1,132	583	-
Female	3,990	53	7	8	25	39	58	178	388	792	1,262	1,180	-
All other	216	18	1	2	8	13	10	24	38	36	35	30	1
Male	109	8	1	2	6	5	7	14	19	20	13	14	-
Female	107	10	-	-	2	8	3	10	19	16	22	16	1
Nonmetropolitan counties	674	8	1	5	10	15	9	46	113	154	185	128	-
Male	352	5	1	2	6	12	3	30	70	84	98	41	-
Female	322	3	-	3	4	3	6	16	43	70	87	87	-
White	650	8	1	5	10	15	9	40	108	148	181	125	-
Male	345	5	1	2	6	12	3	26	69	83	97	41	-
Female	305	3	-	3	4	3	6	14	39	65	84	84	-
All other	24	-	-	-	-	-	-	6	5	6	4	3	-
Male	7	-	-	-	-	-	-	4	1	1	1	-	-
Female	17	-	-	-	-	-	-	2	4	5	3	3	-
South Carolina	25,428	837	146	186	657	848	1,038	2,168	4,587	6,400	5,495	3,063	3
Male	13,951	465	79	117	496	599	710	1,406	2,880	3,764	2,500	932	3
Female	11,477	372	67	69	161	249	328	762	1,707	2,636	2,995	2,131	-
White	17,212	379	67	102	434	456	562	1,313	2,990	4,303	4,176	2,429	1
Male	9,437	214	34	70	327	316	383	872	1,935	2,631	1,953	701	1
Female	7,775	165	33	32	107	140	179	441	1,055	1,672	2,223	1,728	-
All other	8,216	458	79	84	223	392	476	855	1,597	2,097	1,319	634	2
Male	4,514	251	45	47	169	283	327	534	945	1,133	547	231	2
Female	3,702	207	34	37	54	109	149	321	652	964	772	403	-
Metropolitan counties	14,117	431	75	94	373	468	581	1,241	2,553	3,479	3,070	1,751	1
Male	7,752	236	41	56	289	331	398	802	1,614	2,057	1,401	526	1
Female	6,365	195	34	38	84	137	183	439	939	1,422	1,669	1,225	-
White	10,226	220	42	61	267	283	349	816	1,775	2,524	2,432	1,456	1
Male	5,584	120	19	41	211	191	234	536	1,140	1,538	1,133	420	1
Female	4,642	100	23	20	56	92	115	280	635	986	1,299	1,036	-
All other	3,891	211	33	33	106	185	232	425	778	955	638	295	-
Male	2,168	116	22	15	78	140	164	266	474	519	268	106	-
Female	1,723	95	11	18	28	45	68	159	304	436	370	189	-
Nonmetropolitan counties	11,311	406	71	92	284	380	457	927	2,034	2,921	2,425	1,312	2
Male	6,199	229	38	61	207	268	312	604	1,266	1,707	1,099	406	2
Female	5,112	177	33	31	77	112	145	323	768	1,214	1,326	906	-
White	6,986	159	25	41	167	173	213	497	1,215	1,779	1,744	973	-
Male	3,853	94	15	29	116	125	149	336	795	1,093	820	281	-
Female	3,133	65	10	12	51	48	64	161	420	686	924	692	-
All other	4,325	247	46	51	117	207	244	430	819	1,142	681	339	2
Male	2,346	135	23	32	91	143	163	268	471	614	279	125	2
Female	1,979	112	23	19	26	64	81	162	348	528	402	214	-

NEWARK PUBLIC LIBRARY

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
South Dakota	6,451	147	30	38	169	115	127	341	785	1,348	1,767	1,583	1
Male	3,604	80	17	21	122	90	77	222	537	885	947	605	1
Female	2,847	67	13	17	47	25	50	119	248	463	820	978	-
White	6,019	111	19	32	126	75	87	291	724	1,281	1,715	1,557	1
Male	3,350	64	14	20	88	62	53	186	498	845	923	596	1
Female	2,669	47	5	12	38	13	34	105	226	436	792	961	-
All other	432	36	11	6	43	40	40	50	61	67	52	26	-
Male	254	16	3	1	34	28	24	36	39	40	24	9	-
Female	178	20	8	5	9	12	16	14	22	27	28	17	-
Metropolitan counties	834	22	2	4	21	16	19	44	118	163	222	203	-
Male	448	9	1	4	17	14	10	26	73	108	124	62	-
Female	386	13	1	-	4	2	9	18	45	55	98	141	-
White	827	22	2	4	21	14	18	43	118	161	221	203	-
Male	441	9	1	4	17	12	9	25	73	106	123	62	-
Female	386	13	1	-	4	2	9	18	45	55	98	141	-
All other	7	-	-	-	-	2	1	1	-	2	1	-	-
Male	7	-	-	-	-	2	1	1	-	2	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan counties	5,617	125	28	34	148	99	108	297	667	1,185	1,545	1,380	1
Male	3,156	71	16	17	105	76	67	196	464	777	823	543	1
Female	2,461	54	12	17	43	23	41	101	203	408	722	837	-
White	5,192	89	17	28	105	61	69	248	606	1,120	1,494	1,354	1
Male	2,909	55	13	16	71	50	44	161	425	739	800	534	1
Female	2,283	34	4	12	34	11	25	87	181	381	694	820	-
All other	425	36	11	6	43	38	39	49	61	65	51	26	-
Male	247	16	3	1	34	26	23	35	39	38	23	9	-
Female	178	20	8	5	9	12	16	14	22	27	28	17	-
Tennessee	40,509	847	150	226	900	1,068	1,339	2,856	6,216	9,977	10,352	6,567	11
Male	22,341	483	81	133	668	769	885	1,908	3,945	6,079	5,120	2,261	9
Female	18,168	364	69	93	232	299	454	948	2,271	3,898	5,232	4,306	2
White	33,563	523	110	181	739	809	1,034	2,240	5,054	8,273	8,820	5,775	5
Male	18,544	304	58	113	551	581	698	1,521	3,268	5,117	4,368	1,960	5
Female	15,019	219	52	68	188	228	336	719	1,786	3,156	4,452	3,815	-
All other	6,946	324	40	45	161	259	305	616	1,162	1,704	1,532	792	6
Male	3,797	179	23	20	117	188	187	387	677	962	752	301	4
Female	3,149	145	17	25	44	71	118	229	485	742	780	491	2
Metropolitan counties	24,291	600	93	130	582	689	817	1,810	3,873	5,877	6,013	3,798	9
Male	13,148	338	49	77	421	493	525	1,193	2,414	3,520	2,870	1,240	8
Female	11,143	262	44	53	161	196	292	617	1,459	2,357	3,143	2,558	1
White	18,896	322	58	97	448	479	573	1,311	2,954	4,559	4,850	3,241	4
Male	10,216	186	29	63	325	341	378	883	1,886	2,773	2,310	1,038	4
Female	8,680	136	29	34	123	138	195	428	1,068	1,786	2,540	2,203	-
All other	5,395	278	35	33	134	210	244	499	919	1,318	1,163	557	5
Male	2,932	152	20	14	96	152	147	310	528	747	560	202	4
Female	2,463	126	15	19	38	58	97	189	391	571	603	355	1
Nonmetropolitan counties	16,218	247	57	96	318	379	522	1,046	2,343	4,100	4,339	2,769	2
Male	9,193	145	32	56	247	276	360	715	1,531	2,559	2,250	1,021	1
Female	7,025	102	25	40	71	103	162	331	812	1,541	2,089	1,748	1
White	14,667	201	52	84	291	330	461	929	2,100	3,714	3,970	2,534	1
Male	8,328	118	29	50	226	240	320	638	1,382	2,344	2,058	922	1
Female	6,339	83	23	34	65	90	141	291	718	1,370	1,912	1,612	-
All other	1,551	46	5	12	27	49	61	117	243	386	369	235	1
Male	865	27	3	6	21	36	40	77	149	215	192	99	-
Female	686	19	2	6	6	13	21	40	94	171	177	136	1
Texas	110,548	3,272	643	752	3,909	4,134	3,942	7,929	15,977	24,878	27,284	17,809	19
Male	61,507	1,807	378	462	2,986	3,070	2,676	5,159	10,188	15,059	13,469	6,235	18
Female	49,041	1,465	265	290	923	1,064	1,266	2,770	5,789	9,819	13,815	11,574	1
White	95,579	2,541	516	627	3,323	3,341	3,123	6,407	13,559	21,599	24,243	16,282	18
Male	52,924	1,388	302	380	2,558	2,477	2,116	4,191	8,764	13,218	11,955	5,557	18
Female	42,655	1,153	214	247	765	864	1,007	2,216	4,795	8,381	12,288	10,725	-
All other	14,969	731	127	125	586	793	819	1,522	2,418	3,279	3,041	1,527	1
Male	8,583	419	76	82	428	593	560	968	1,424	1,841	1,514	678	-
Female	6,386	312	51	43	158	200	259	554	994	1,438	1,527	849	1
Metropolitan counties	80,207	2,710	499	590	3,144	3,401	3,214	6,262	12,125	17,528	18,773	11,946	15
Male	44,445	1,498	297	361	2,383	2,517	2,179	4,069	7,649	10,433	8,993	4,052	14
Female	35,762	1,212	202	229	761	884	1,035	2,193	4,476	7,095	9,780	7,894	1
White	68,415	2,069	391	486	2,647	2,717	2,503	4,974	10,127	15,022	16,589	10,876	14
Male	37,633	1,130	230	292	2,019	2,008	1,691	3,245	6,475	9,028	7,909	3,592	14
Female	30,782	939	161	194	628	709	812	1,729	3,652	5,994	8,680	7,284	-
All other	11,792	641	108	104	497	684	711	1,288	1,998	2,506	2,184	1,070	1
Male	6,812	368	67	69	364	509	488	824	1,174	1,405	1,084	460	-
Female	4,980	273	41	35	133	175	223	464	824	1,101	1,100	610	1
Nonmetropolitan counties	30,341	562	144	162	765	733	728	1,667	3,852	7,350	8,511	5,863	4
Male	17,062	309	81	101	603	553	497	1,090	2,539	4,626	4,476	2,183	4
Female	13,279	253	63	61	162	180	231	577	1,313	2,724	4,035	3,680	-
White	27,164	472	125	141	676	624	620	1,433	3,432	6,577	7,654	5,406	4
Male	15,291	258	72	88	539	469	425	946	2,289	4,190	4,046	1,965	4
Female	11,873	214	53	53	137	155	195	487	1,143	2,387	3,608	3,441	-
All other	3,177	90	19	21	89	109	108	234	420	773	857	457	-
Male	1,771	51	9	13	64	84	72	144	250	436	430	218	-
Female	1,406	39	10	8	25	25	36	90	170	337	427	239	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Utah	8,343	405	86	77	298	288	276	505	1,058	1,817	2,053	1,478	2
Male	4,614	244	48	55	219	201	180	328	674	1,098	1,030	535	2
Female	3,729	161	38	22	79	87	96	177	384	719	1,023	943	-
White	8,152	381	80	76	284	274	257	490	1,035	1,790	2,021	1,462	2
Male	4,506	229	45	55	209	193	167	318	659	1,086	1,014	529	2
Female	3,646	152	35	21	75	81	90	172	376	704	1,007	933	-
All other	191	24	6	1	14	14	19	15	23	27	32	16	-
Male	108	15	3	-	10	8	13	10	15	12	16	6	-
Female	83	9	3	1	4	6	6	5	8	15	16	10	-
Metropolitan counties	6,278	298	64	51	215	213	214	398	848	1,359	1,523	1,094	1
Male	3,442	174	35	36	156	146	142	252	544	814	745	397	1
Female	2,836	124	29	15	59	67	72	146	304	545	778	697	-
White	6,164	283	60	51	211	206	205	388	828	1,344	1,499	1,088	1
Male	3,379	164	33	36	153	143	136	245	531	807	735	395	1
Female	2,785	119	27	15	58	63	69	143	297	537	764	693	-
All other	114	15	4	-	4	7	9	10	20	15	24	6	-
Male	63	10	2	-	3	3	6	7	13	7	10	2	-
Female	51	5	2	-	1	4	3	3	7	8	14	4	-
Nonmetropolitan counties	2,065	107	22	26	83	75	62	107	210	458	530	384	1
Male	1,172	70	13	19	63	55	38	76	130	284	285	138	1
Female	893	37	9	7	20	20	24	31	80	174	245	246	-
White	1,988	98	20	25	73	68	52	102	207	446	522	374	1
Male	1,127	65	12	19	56	50	31	73	128	279	279	134	1
Female	861	33	8	6	17	18	21	29	79	167	243	240	-
All other	77	9	2	1	10	7	10	5	3	12	8	10	-
Male	45	5	1	-	7	5	7	3	2	5	6	4	-
Female	32	4	1	1	3	2	3	2	1	7	2	6	-
Vermont	4,322	61	17	25	93	83	115	244	581	969	1,194	940	-
Male	2,260	35	9	10	76	60	71	150	362	599	582	306	-
Female	2,062	26	8	15	17	23	44	94	219	370	612	634	-
White	4,310	60	17	25	93	81	115	242	580	967	1,192	938	-
Male	2,254	34	9	10	76	58	71	149	362	598	581	306	-
Female	2,056	26	8	15	17	23	44	93	218	369	611	632	-
All other	12	1	-	-	-	2	-	2	1	2	2	2	-
Male	6	1	-	-	-	2	-	1	-	1	1	-	-
Female	6	-	-	-	-	-	-	1	1	1	1	2	-
Metropolitan counties	695	13	2	3	11	17	31	52	91	170	175	130	-
Male	368	9	-	-	9	15	20	36	59	94	87	39	-
Female	327	4	2	3	2	2	11	16	32	76	88	91	-
White	689	12	2	3	11	16	31	52	90	169	175	128	-
Male	366	8	-	-	9	14	20	36	59	94	87	39	-
Female	323	4	2	3	2	2	11	16	31	75	88	89	-
All other	6	1	-	-	-	1	-	-	1	1	-	2	-
Male	2	1	-	-	-	1	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	1	1	-	2	-
Nonmetropolitan counties	3,627	48	15	22	82	66	84	192	490	799	1,019	810	-
Male	1,892	26	9	10	67	45	51	114	303	505	495	267	-
Female	1,735	22	6	12	15	21	33	78	187	294	524	543	-
White	3,621	48	15	22	82	65	84	190	490	798	1,017	810	-
Male	1,888	26	9	10	67	44	51	113	303	504	494	267	-
Female	1,733	22	6	12	15	21	33	77	187	294	523	543	-
All other	6	-	-	-	-	1	-	2	-	1	2	-	-
Male	4	-	-	-	-	1	-	1	-	1	1	-	-
Female	2	-	-	-	-	-	-	1	-	-	1	-	-
Virginia	42,237	991	171	204	898	1,105	1,448	3,264	7,123	10,273	10,187	6,559	14
Male	22,984	558	87	111	661	799	918	2,088	4,560	6,123	4,873	2,198	8
Female	19,253	433	84	93	237	306	530	1,176	2,563	4,150	5,314	4,361	6
White	32,988	622	111	152	721	770	978	2,388	5,326	7,941	8,373	5,599	7
Male	17,821	361	59	89	541	557	622	1,539	3,445	4,796	3,987	1,820	5
Female	15,167	261	52	63	180	213	356	849	1,881	3,145	4,386	3,779	2
All other	9,249	369	60	52	177	335	470	876	1,797	2,332	1,814	960	7
Male	5,163	197	28	22	120	242	296	549	1,115	1,327	886	378	3
Female	4,086	172	32	30	57	93	174	327	682	1,005	928	582	4
Metropolitan counties	27,042	734	110	131	595	732	979	2,222	4,745	6,400	6,299	4,084	11
Male	14,468	422	57	69	439	503	594	1,405	2,994	3,744	2,927	1,309	5
Female	12,574	312	53	62	156	229	385	817	1,751	2,656	3,372	2,775	6
White	20,508	424	68	90	467	489	630	1,572	3,470	4,778	5,055	3,460	5
Male	10,858	259	37	51	355	335	380	993	2,210	2,836	2,326	1,073	3
Female	9,650	165	31	39	112	154	250	579	1,260	1,942	2,729	2,387	2
All other	6,534	310	42	41	128	243	349	650	1,275	1,622	1,244	624	6
Male	3,610	163	20	18	84	168	214	412	784	908	601	236	2
Female	2,924	147	22	23	44	75	135	238	491	714	643	388	4
Nonmetropolitan counties	15,195	257	61	73	303	373	469	1,042	2,378	3,873	3,888	2,475	3
Male	8,516	136	30	42	222	296	324	683	1,566	2,379	1,946	889	3
Female	6,679	121	31	31	81	77	145	359	812	1,494	1,942	1,586	-
White	12,480	198	43	62	254	281	348	816	1,856	3,163	3,318	2,139	2
Male	6,963	102	22	38	186	222	242	546	1,235	1,960	1,661	747	2
Female	5,517	96	21	24	68	59	106	270	621	1,203	1,657	1,392	-
All other	2,715	59	18	11	49	92	121	226	522	710	570	336	1
Male	1,553	34	8	4	36	74	82	137	331	419	285	142	1
Female	1,162	25	10	7	13	18	39	89	191	291	285	194	-

NEWARK PUBLIC LIBRARY

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Washington	32,031	733	136	163	762	866	989	1,909	4,478	7,391	7,992	6,608	4
Male	17,313	433	79	100	561	622	644	1,177	2,799	4,391	4,080	2,423	4
Female	14,718	300	57	63	201	244	345	732	1,679	3,000	3,912	4,185	-
White	30,621	629	116	146	678	770	872	1,777	4,239	7,143	7,759	6,488	4
Male	16,448	371	73	90	502	555	565	1,093	2,641	4,229	3,950	2,375	4
Female	14,173	258	43	56	176	215	307	684	1,598	2,914	3,809	4,113	-
All other	1,410	104	20	17	84	96	117	132	239	248	233	120	-
Male	865	62	6	10	59	67	79	84	158	162	130	48	-
Female	545	42	14	7	25	29	38	48	81	86	103	72	-
Metropolitan counties	25,078	603	94	125	603	707	804	1,519	3,553	5,714	6,185	5,167	4
Male	13,431	351	53	75	448	513	519	945	2,234	3,351	3,071	1,867	4
Female	11,647	252	41	50	155	194	285	574	1,319	2,363	3,114	3,300	-
White	23,813	509	79	110	532	619	703	1,401	3,337	5,490	5,975	5,054	4
Male	12,655	297	48	66	386	451	452	870	2,090	3,205	2,951	1,825	4
Female	11,158	212	31	44	138	168	251	531	1,247	2,285	3,024	3,229	-
All other	1,265	94	15	15	71	88	101	118	216	224	210	113	-
Male	776	54	5	9	52	62	67	75	144	146	120	42	-
Female	489	40	10	6	19	26	34	43	72	78	90	71	-
Nonmetropolitan counties	6,953	130	42	38	159	159	185	390	925	1,677	1,807	1,441	-
Male	3,882	82	26	25	113	109	125	232	565	1,040	1,009	556	-
Female	3,071	48	16	13	46	50	60	158	360	637	798	885	-
White	6,808	120	37	36	146	151	169	376	902	1,653	1,784	1,434	-
Male	3,793	74	25	24	106	104	113	223	551	1,024	999	550	-
Female	3,015	46	12	12	40	47	56	153	351	629	785	884	-
All other	145	10	5	2	13	8	16	14	23	24	23	7	-
Male	89	8	1	1	7	5	12	9	14	16	10	6	-
Female	56	2	4	1	6	3	4	5	9	8	13	1	-
West Virginia	19,053	363	77	103	329	403	506	1,189	3,016	4,793	4,992	3,281	1
Male	10,550	228	39	71	252	289	365	762	1,906	2,874	2,530	1,233	1
Female	8,503	135	38	32	77	114	141	427	1,110	1,919	2,462	2,048	-
White	18,211	338	72	101	310	373	481	1,136	2,876	4,584	4,769	3,171	-
Male	10,100	212	37	70	239	267	348	728	1,829	2,759	2,421	1,190	-
Female	8,111	126	35	31	71	106	133	408	1,047	1,825	2,348	1,981	-
All other	842	25	5	2	19	30	25	53	140	209	223	110	1
Male	450	16	2	1	13	22	17	34	77	115	109	43	1
Female	392	9	3	1	6	8	8	19	63	94	114	67	-
Metropolitan counties	7,139	125	25	34	114	153	166	463	1,072	1,800	1,928	1,259	-
Male	3,776	70	11	24	79	118	114	292	664	1,040	925	439	-
Female	3,363	55	14	10	35	35	52	171	408	760	1,003	820	-
White	6,846	113	23	32	106	137	158	447	1,025	1,728	1,856	1,221	-
Male	3,619	62	11	23	75	105	109	283	636	1,003	888	424	-
Female	3,227	51	12	9	31	32	49	164	389	725	968	797	-
All other	293	12	2	2	8	16	8	16	47	72	72	38	-
Male	157	8	-	1	4	13	5	9	28	37	37	15	-
Female	136	4	2	1	4	3	3	7	19	35	35	23	-
Nonmetropolitan counties	11,914	238	52	69	215	250	340	726	1,944	2,993	3,064	2,022	1
Male	6,774	158	28	47	173	171	251	470	1,242	1,834	1,605	794	1
Female	5,140	80	24	22	42	79	89	256	702	1,159	1,459	1,228	-
White	11,365	225	49	69	204	236	323	689	1,851	2,856	2,913	1,950	-
Male	6,481	150	26	47	164	162	239	445	1,193	1,756	1,533	766	-
Female	4,884	75	23	22	40	74	84	244	658	1,100	1,380	1,184	-
All other	540	13	3	-	11	14	17	37	93	137	151	72	1
Male	293	8	2	-	9	9	12	25	49	78	72	28	1
Female	256	5	1	-	2	5	5	12	44	59	79	44	-
Wisconsin	40,580	773	150	185	843	758	835	2,127	5,120	9,116	11,627	9,025	1
Male	21,779	454	81	119	644	532	502	1,328	3,302	5,474	5,986	3,357	-
Female	18,781	319	69	66	199	226	333	799	1,818	3,642	5,641	5,668	1
White	39,367	686	123	166	790	681	761	1,974	4,909	8,900	11,453	8,944	-
Male	21,094	393	66	110	608	482	458	1,246	3,159	5,361	5,888	3,323	-
Female	18,273	273	57	56	182	199	303	728	1,750	3,539	5,565	5,621	-
All other	1,193	107	27	19	53	77	74	153	211	216	174	81	1
Male	685	61	15	9	36	50	44	82	143	113	98	34	-
Female	508	46	12	10	17	27	30	71	68	103	76	47	1
Metropolitan counties	25,006	518	91	109	517	524	573	1,440	3,336	5,530	7,022	5,345	1
Male	13,046	305	49	70	400	349	337	888	2,131	3,255	3,396	1,866	-
Female	11,960	213	42	39	117	175	236	552	1,205	2,275	3,626	3,479	1
White	23,962	425	67	90	475	457	508	1,301	3,151	5,337	6,876	5,275	-
Male	12,458	256	36	61	372	308	299	812	2,006	3,154	3,316	1,838	-
Female	11,504	169	31	29	103	149	209	489	1,145	2,183	3,560	3,437	-
All other	1,044	93	24	19	42	67	65	139	185	193	146	70	1
Male	588	49	13	9	28	41	38	76	125	101	80	28	-
Female	456	44	11	10	14	26	27	63	60	92	66	42	1
Nonmetropolitan counties	15,554	255	59	76	326	234	262	687	1,784	3,586	4,605	3,680	-
Male	8,733	149	32	49	244	183	165	440	1,171	2,219	2,590	1,491	-
Female	6,821	106	27	27	82	51	97	247	613	1,367	2,015	2,189	-
White	15,405	241	56	76	315	224	253	673	1,758	3,563	4,577	3,669	-
Male	8,636	137	30	49	236	174	159	434	1,153	2,207	2,572	1,485	-
Female	6,769	104	26	27	79	50	94	239	605	1,356	2,005	2,184	-
All other	149	14	3	-	11	10	9	14	26	23	28	11	-
Male	97	12	2	-	8	9	6	6	18	12	18	6	-
Female	52	2	1	-	3	1	3	8	8	11	10	5	-

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1981—Con.

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Wyoming	3,165	115	22	22	162	145	134	251	396	659	691	562	6
Male	1,843	69	15	19	126	112	107	162	254	418	356	203	2
Female	1,322	46	7	3	36	33	27	89	142	241	335	359	4
White	3,077	111	19	22	151	136	123	239	378	652	682	559	5
Male	1,786	68	13	19	120	105	98	157	242	412	349	202	1
Female	1,291	43	6	3	31	31	25	82	136	240	333	357	4
All other	88	4	3	-	11	9	11	12	18	7	9	3	1
Male	57	1	2	-	6	7	9	5	12	6	7	1	1
Female	31	3	1	-	5	2	2	7	6	1	2	2	-
Metropolitan counties	429	16	2	1	29	25	21	31	71	79	98	55	1
Male	250	9	-	1	24	21	17	21	40	47	50	20	-
Female	179	7	2	-	5	4	4	10	31	32	48	35	1
White	427	16	2	1	29	25	21	31	70	79	97	55	1
Male	249	9	-	1	24	21	17	21	40	47	49	20	-
Female	178	7	2	-	5	4	4	10	30	32	48	35	1
All other	2	-	-	-	-	-	-	-	1	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Nonmetropolitan counties	2,736	99	20	21	133	120	113	220	325	580	593	507	5
Male	1,593	60	15	18	102	91	90	141	214	371	306	183	2
Female	1,143	39	5	3	31	29	23	79	111	209	287	324	3
White	2,650	95	17	21	122	111	102	208	308	573	585	504	4
Male	1,537	59	13	18	96	84	81	136	202	365	300	182	1
Female	1,113	36	4	3	26	27	21	72	106	208	285	322	3
All other	86	4	3	-	11	9	11	12	17	7	8	3	1
Male	56	1	2	-	6	7	9	5	12	6	6	1	1
Female	30	3	1	-	5	2	2	7	5	1	2	2	-

---

[1] County equivalents.

NEWARK PUBLIC LIBRARY

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Total, 305 areas	1,437,758	32,519	5,731	7,120	32,950	39,311	44,357	97,840	216,609	334,808	368,796	257,270	447
Male	764,085	18,310	3,278	4,419	24,425	28,008	28,458	61,548	134,373	195,538	176,772	88,652	304
Female	673,673	14,209	2,453	2,701	8,525	11,303	15,899	36,292	82,236	139,270	192,024	168,618	143
White	1,246,457	22,245	4,119	5,471	26,527	28,875	32,547	77,087	182,000	292,749	334,389	240,149	299
Male	657,011	12,669	2,362	3,421	19,730	20,729	20,952	48,827	113,832	172,118	160,061	82,102	208
Female	589,446	9,576	1,757	2,050	6,797	8,146	11,595	28,260	68,168	120,631	174,328	158,047	91
All other	191,301	10,274	1,612	1,649	6,423	10,436	11,810	20,753	34,609	42,059	34,407	17,121	148
Male	107,074	5,641	916	998	4,695	7,279	7,506	12,721	20,541	23,420	16,711	6,550	96
Female	84,227	4,633	696	651	1,728	3,157	4,304	8,032	14,068	18,639	17,696	10,571	52
Abilene, Tex	1,401	29	4	8	55	31	42	93	177	314	372	276	-
Male	766	11	2	7	42	22	31	64	111	188	183	105	-
Female	635	18	2	1	13	9	11	29	66	126	189	171	-
White	1,332	23	3	8	54	29	38	82	169	296	361	269	-
Male	725	9	2	7	42	20	27	55	106	179	177	101	-
Female	607	14	1	1	12	9	11	27	63	117	184	168	-
All other	69	6	1	-	1	2	4	11	8	18	11	7	-
Male	41	2	-	-	-	2	4	9	5	9	6	4	-
Female	28	4	1	-	1	-	-	2	3	9	5	3	-
Akron, Ohio	5,623	123	26	27	110	133	144	372	920	1,258	1,452	1,057	1
Male	2,947	64	12	13	77	91	92	229	563	700	699	406	1
Female	2,676	59	14	14	33	42	52	143	357	558	753	651	-
White	5,146	89	25	21	103	109	123	320	840	1,167	1,346	1,002	1
Male	2,694	45	11	10	72	79	81	201	514	649	650	381	1
Female	2,452	44	14	11	31	30	42	119	326	518	696	621	-
All other	477	34	1	6	7	24	21	52	80	91	106	55	-
Male	253	19	1	3	5	12	11	28	49	51	49	25	-
Female	224	15	-	3	2	12	10	24	31	40	57	30	-
Albany, Ga	805	38	6	8	27	37	33	73	149	189	151	94	-
Male	433	22	4	5	21	28	23	43	96	110	64	17	-
Female	372	16	2	3	6	9	10	30	53	79	87	77	-
White	430	11	3	3	15	17	14	43	90	87	87	60	-
Male	237	7	1	2	11	13	9	27	63	58	37	9	-
Female	193	4	2	1	4	4	5	16	27	29	50	51	-
All other	375	27	3	5	12	20	19	30	59	102	64	34	-
Male	196	15	3	3	10	15	14	16	33	52	27	8	-
Female	179	12	-	2	2	5	5	14	26	50	37	26	-
Albany-Schenectady-Troy, N.Y	7,949	112	15	31	131	127	160	408	1,103	1,939	2,228	1,693	2
Male	3,986	59	7	17	91	86	99	242	668	1,121	1,037	557	2
Female	3,963	53	8	14	40	41	61	166	435	818	1,191	1,136	-
White	7,720	95	13	29	126	113	148	378	1,061	1,891	2,188	1,676	2
Male	3,852	53	6	16	87	75	92	226	637	1,089	1,017	552	2
Female	3,868	42	7	13	39	38	56	152	424	802	1,171	1,124	-
All other	229	17	2	2	5	14	12	30	42	48	40	17	-
Male	134	6	1	1	4	11	7	16	31	32	20	5	-
Female	95	11	1	1	1	3	5	14	11	16	20	12	-
Albuquerque, N. Mex	2,732	75	15	26	113	108	122	190	439	624	634	387	1
Male	1,547	49	5	16	80	75	80	125	285	383	302	146	1
Female	1,185	26	10	10	33	31	42	65	154	241	332	241	-
White	2,574	57	11	23	100	93	116	173	417	600	609	374	1
Male	1,445	40	4	13	71	64	75	111	272	366	287	141	1
Female	1,129	17	7	10	29	29	41	62	145	234	322	233	-
All other	158	18	4	3	13	13	6	17	22	24	25	13	-
Male	102	9	1	3	9	11	5	14	13	17	15	5	-
Female	56	9	3	-	4	2	1	3	9	7	10	8	-
Alexandria, La	1,417	38	8	6	36	49	43	104	236	358	334	205	-
Male	754	24	3	4	24	30	31	64	138	205	185	66	-
Female	663	14	5	2	12	19	12	40	98	153	169	139	-
White	1,012	21	4	6	29	30	30	65	164	265	243	155	-
Male	546	10	2	4	19	24	20	41	101	157	119	49	-
Female	466	11	2	2	10	6	10	24	63	108	124	106	-
All other	405	17	4	-	7	19	13	39	72	93	91	50	-
Male	208	14	1	-	5	6	11	23	37	48	46	17	-
Female	197	3	3	-	2	13	2	16	35	45	45	33	-
Allentown-Bethlehem-Easton, Pa.-N.J	6,054	83	17	18	80	113	118	374	920	1,540	1,614	1,173	4
Male	3,207	45	10	10	65	79	75	252	590	935	760	382	4
Female	2,847	38	7	8	15	34	43	122	330	605	854	791	-
White	5,991	77	17	16	79	111	118	362	910	1,524	1,605	1,170	2
Male	3,168	40	10	9	65	78	75	243	584	926	756	380	2
Female	2,823	37	7	7	14	33	43	119	326	598	849	790	-
All other	63	6	-	2	1	2	-	12	10	16	9	3	2
Male	39	5	-	1	-	1	-	9	6	9	4	2	2
Female	24	1	-	1	1	1	-	3	4	7	5	1	-
Altoona, Pa	1,497	18	3	4	22	18	27	72	225	361	458	289	-
Male	742	9	1	3	19	13	16	41	134	207	207	92	-
Female	755	9	2	1	3	5	11	31	91	154	251	197	-
White	1,487	18	3	4	22	18	27	71	225	357	456	286	-
Male	737	9	1	3	19	13	16	40	134	205	207	90	-
Female	750	9	2	1	3	5	11	31	91	152	249	196	-
All other	10	-	-	-	-	-	-	1	-	4	2	3	-
Male	5	-	-	-	-	-	-	1	-	2	-	2	-
Female	5	-	-	-	-	-	-	-	-	2	2	1	-
Amarillo, Tex	1,401	38	12	5	33	40	48	104	207	324	362	227	1
Male	761	25	7	3	22	30	35	65	135	194	174	70	1
Female	640	13	5	2	11	10	13	39	72	130	188	157	-
White	1,321	33	10	5	32	36	46	97	195	306	342	218	1
Male	711	23	5	3	22	26	33	61	129	180	163	65	1
Female	610	10	5	2	10	10	13	36	66	126	179	153	-
All other	80	5	2	-	1	4	2	7	12	18	20	9	-
Male	50	2	2	-	-	4	2	4	6	14	11	5	-
Female	30	3	-	-	1	-	-	3	6	4	9	4	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Anaheim-Santa Ana-Garden Grove, Calif	11,970	286	67	69	321	356	365	889	1,802	2,506	3,013	2,293	3
Male	6,150	155	28	41	244	256	220	543	1,086	1,444	1,343	787	3
Female	5,820	131	39	28	77	100	145	346	716	1,062	1,670	1,506	-
White	11,721	269	61	63	305	340	339	861	1,776	2,456	2,977	2,273	1
Male	6,013	147	25	36	232	247	204	526	1,070	1,418	1,329	778	1
Female	5,708	122	36	27	73	93	135	335	706	1,038	1,648	1,495	-
All other	249	17	6	6	16	16	26	28	26	50	36	20	2
Male	137	8	3	5	12	9	16	17	16	26	14	9	2
Female	112	9	3	1	4	7	10	11	10	24	22	11	-
Anchorage, Alaska	599	49	9	14	60	65	56	72	97	85	60	31	1
Male	375	28	5	10	47	47	44	48	62	44	30	9	1
Female	224	21	4	4	13	18	12	24	35	41	30	22	-
White	498	39	5	13	46	51	46	61	87	72	50	27	1
Male	312	25	2	9	36	39	38	41	55	36	24	6	1
Female	186	14	3	4	10	12	8	20	32	36	26	21	-
All other	101	10	4	1	14	14	10	11	10	13	10	4	-
Male	63	3	3	1	11	8	6	7	7	8	6	3	-
Female	38	7	1	-	3	6	4	4	3	5	4	1	-
Anderson, Ind	1,233	15	5	10	15	23	34	75	181	310	337	228	-
Male	670	8	3	6	9	21	22	47	117	183	180	74	-
Female	563	7	2	4	6	2	12	28	64	127	157	154	-
White	1,187	13	4	10	14	22	33	70	174	298	330	219	-
Male	645	6	3	6	8	20	21	44	113	176	176	72	-
Female	542	7	1	4	6	2	12	26	61	122	154	147	-
All other	46	2	1	-	1	1	1	5	7	12	7	9	-
Male	25	2	-	-	1	1	1	3	4	7	4	2	-
Female	21	-	1	-	-	-	-	2	3	5	3	7	-
Anderson, S.C	1,126	37	5	12	29	32	31	86	168	315	274	137	-
Male	605	21	2	6	26	24	21	63	104	185	123	30	-
Female	521	16	3	6	3	8	10	23	64	130	151	107	-
White	942	26	3	7	22	27	21	69	137	268	241	121	-
Male	504	17	-	5	19	20	14	51	88	158	109	23	-
Female	438	9	3	2	3	7	7	18	49	110	132	98	-
All other	184	11	2	5	7	5	10	17	31	47	33	16	-
Male	101	4	2	1	7	4	7	12	16	27	14	7	-
Female	83	7	-	4	-	1	3	5	15	20	19	9	-
Ann Arbor, Mich	1,392	46	8	10	37	41	49	97	215	270	338	280	1
Male	762	33	5	7	27	30	30	58	151	165	168	87	1
Female	630	13	3	3	10	11	19	39	64	105	170	193	-
White	1,245	37	6	8	31	34	38	79	186	248	311	266	1
Male	679	25	4	6	21	25	24	45	134	153	156	85	1
Female	566	12	2	2	10	9	14	34	52	95	155	181	-
All other	147	9	2	2	6	7	11	18	29	22	27	14	-
Male	83	8	1	1	6	5	6	13	17	12	12	2	-
Female	64	1	1	1	-	2	5	5	12	10	15	12	-
Anniston, Ala	955	22	2	4	13	22	24	69	169	257	252	121	-
Male	527	16	-	3	7	16	16	44	101	159	123	42	-
Female	428	6	2	1	6	6	8	25	68	98	129	79	-
White	781	14	1	4	10	14	19	52	137	208	211	111	-
Male	427	11	-	3	6	11	14	34	78	129	102	39	-
Female	354	3	1	1	4	3	5	18	59	79	109	72	-
All other	174	8	1	-	3	8	5	17	32	49	41	10	-
Male	100	5	-	-	1	5	2	10	23	30	21	3	-
Female	74	3	1	-	2	3	3	7	9	19	20	7	-
Appleton-Oshkosh, Wis	2,238	55	5	6	39	37	54	111	292	474	668	497	-
Male	1,150	35	1	3	36	23	33	61	174	274	334	176	-
Female	1,088	20	4	3	3	14	21	50	118	200	334	321	-
White	2,214	54	5	5	37	36	54	108	291	468	663	493	-
Male	1,138	35	1	3	34	23	33	60	174	271	331	173	-
Female	1,076	19	4	2	3	13	21	48	117	197	332	320	-
All other	24	1	-	1	2	1	-	3	1	6	5	4	-
Male	12	-	-	-	2	-	-	1	-	3	3	3	-
Female	12	1	-	1	-	1	-	2	1	3	2	1	-
Asheville, N.C	1,774	20	3	9	30	37	49	122	299	416	450	339	-
Male	988	15	2	5	23	28	32	84	196	249	229	125	-
Female	786	5	1	4	7	9	17	38	103	167	221	214	-
White	1,594	17	3	9	27	28	44	107	262	373	408	316	-
Male	895	13	2	5	22	22	28	76	174	228	210	115	-
Female	699	4	1	4	5	6	16	31	88	145	198	201	-
All other	180	3	-	-	3	9	5	15	37	43	42	23	-
Male	93	2	-	-	1	6	4	8	22	21	19	10	-
Female	87	1	-	-	2	3	1	7	15	22	23	13	-
Athens, Ga	867	18	6	3	19	28	34	58	125	208	227	138	3
Male	457	9	3	1	14	22	24	37	69	127	106	43	2
Female	410	9	3	2	5	6	10	21	56	81	121	95	1
White	655	8	2	2	17	20	25	36	92	151	183	118	1
Male	344	3	1	-	13	16	16	23	54	95	85	37	1
Female	311	5	1	2	4	4	9	13	38	56	98	81	-
All other	212	10	4	1	2	8	9	22	33	57	44	20	2
Male	113	6	2	1	1	6	8	14	15	32	21	6	1
Female	99	4	2	-	1	2	1	8	18	25	23	14	1
Atlanta, Ga	14,060	438	78	100	430	521	710	1,245	2,351	3,228	3,041	1,912	6
Male	7,559	229	53	56	314	357	445	801	1,478	1,863	1,402	558	3
Female	6,501	209	25	44	116	164	265	444	873	1,365	1,639	1,354	3
White	10,116	228	47	61	293	293	385	811	1,643	2,358	2,388	1,607	2
Male	5,458	121	35	36	217	212	244	527	1,062	1,398	1,132	473	1
Female	4,658	107	12	25	76	81	141	284	581	960	1,256	1,134	1
All other	3,944	210	31	39	137	228	325	434	708	870	653	305	4
Male	2,101	108	18	20	97	145	201	274	416	465	270	85	2
Female	1,843	102	13	19	40	83	124	160	292	405	383	220	2

NEWARK PUBLIC LIBRARY

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Atlantic City, N.J	2,403	37	6	9	42	46	71	128	315	570	726	446	7
Male	1,191	17	3	5	34	26	46	89	183	314	323	146	5
Female	1,212	20	3	4	8	20	25	39	132	256	403	300	2
White	2,007	16	3	6	30	32	45	86	252	494	637	403	3
Male	987	7	2	5	25	19	32	63	148	274	283	127	2
Female	1,020	9	1	1	5	13	13	23	104	220	354	276	1
All other	396	21	3	3	12	14	26	42	63	76	89	43	4
Male	204	10	1	-	9	7	14	26	35	40	40	19	3
Female	192	11	2	3	3	7	12	16	28	36	49	24	1
Augusta, Ga.-S.C	2,563	70	16	23	71	89	105	245	471	656	511	306	-
Male	1,418	39	9	14	60	60	70	174	303	367	233	89	-
Female	1,145	31	7	9	11	29	35	71	168	289	278	217	-
White	1,710	32	11	11	51	48	57	149	321	426	352	252	-
Male	952	21	6	5	45	34	41	104	218	251	158	69	-
Female	758	11	5	6	6	14	16	45	103	175	194	183	-
All other	853	38	5	12	20	41	48	96	150	230	159	54	-
Male	466	18	3	9	15	26	29	70	85	116	75	20	-
Female	387	20	2	3	5	15	19	26	65	114	84	34	-
Austin, Tex	3,221	94	16	24	104	134	111	226	428	694	762	628	-
Male	1,718	51	10	15	79	100	76	151	258	418	347	213	-
Female	1,503	43	6	9	25	34	35	75	170	276	415	415	-
White	2,840	74	14	20	99	117	94	190	350	627	689	566	-
Male	1,501	42	8	14	74	88	66	125	214	383	307	180	-
Female	1,339	32	6	6	25	29	28	65	136	244	382	386	-
All other	381	20	2	4	5	17	17	36	78	67	73	62	-
Male	217	9	2	1	5	12	10	26	44	35	40	33	-
Female	164	11	-	3	-	5	7	10	34	32	33	29	-
Bakersfield, Calif	3,337	101	24	28	117	140	128	231	552	798	772	440	6
Male	1,925	59	16	19	93	103	87	148	336	476	427	156	5
Female	1,412	42	8	9	24	37	41	83	216	322	345	284	1
White	3,081	92	19	25	112	124	120	209	513	731	713	417	6
Male	1,765	51	14	17	89	93	82	133	315	431	391	144	5
Female	1,316	41	5	8	23	31	38	76	198	300	322	273	1
All other	256	9	5	3	5	16	8	22	39	67	59	23	-
Male	160	8	2	2	4	10	5	15	21	45	36	12	-
Female	96	1	3	1	1	6	3	7	18	22	23	11	-
Baltimore, Md	19,426	413	66	78	441	521	667	1,542	3,304	4,745	4,764	2,870	15
Male	10,380	226	36	49	314	380	425	962	2,013	2,739	2,303	927	6
Female	9,046	187	30	29	127	141	242	580	1,291	2,006	2,461	1,943	9
White	14,454	210	37	48	279	273	336	1,004	2,311	3,632	3,857	2,457	10
Male	7,596	117	18	31	197	204	212	633	1,436	2,097	1,870	776	5
Female	6,858	93	19	17	82	69	124	371	875	1,535	1,987	1,681	5
All other	4,972	203	29	30	162	248	331	538	993	1,113	907	413	5
Male	2,784	109	18	18	117	176	213	329	577	642	433	151	1
Female	2,188	94	11	12	45	72	118	209	416	471	474	262	4
Bangor, Maine	1,109	23	2	1	18	15	28	66	148	280	309	219	-
Male	628	18	-	1	15	11	19	42	101	169	159	93	-
Female	481	5	2	-	3	4	9	24	47	111	150	126	-
White	1,102	22	2	1	18	15	28	64	146	280	308	218	-
Male	625	18	-	1	15	11	19	42	99	169	159	92	-
Female	477	4	2	-	3	4	9	22	47	111	149	126	-
All other	7	1	-	-	-	-	-	2	2	-	1	1	-
Male	3	-	-	-	-	-	-	-	2	-	-	1	-
Female	4	1	-	-	-	-	-	2	-	-	1	-	-
Baton Rouge, La	3,341	143	27	34	134	133	143	297	541	811	703	373	2
Male	1,867	75	16	19	111	101	100	181	327	471	340	124	2
Female	1,474	68	11	15	23	32	43	116	214	340	363	249	-
White	2,144	58	12	15	81	69	77	194	353	523	499	263	-
Male	1,224	30	7	9	70	53	55	126	224	317	244	89	-
Female	920	28	5	6	11	16	22	68	129	206	255	174	-
All other	1,197	85	15	19	53	64	66	103	188	288	204	110	2
Male	643	45	9	10	41	48	45	55	103	154	96	35	2
Female	554	40	6	9	12	16	21	48	85	134	108	75	-
Battle Creek, Mich	1,583	42	4	9	28	31	36	117	232	368	399	317	-
Male	830	25	2	4	20	17	21	77	145	205	206	108	-
Female	753	17	2	5	8	14	15	40	87	163	193	209	-
White	1,459	29	2	9	26	22	34	103	211	340	377	306	-
Male	756	18	1	4	18	12	19	68	131	188	194	103	-
Female	703	11	1	5	8	10	15	35	80	152	183	203	-
All other	124	13	2	-	2	9	2	14	21	28	22	11	-
Male	74	7	1	-	2	5	2	9	14	17	12	5	-
Female	50	6	1	-	-	4	-	5	7	11	10	6	-
Bay City, Mich	929	12	1	7	18	23	23	81	141	227	232	164	-
Male	504	9	1	4	12	18	11	53	91	148	119	38	-
Female	425	3	-	3	6	5	12	28	50	79	113	126	-
White	923	12	1	7	18	23	23	80	141	224	232	162	-
Male	501	9	1	4	12	18	11	52	91	147	119	37	-
Female	422	3	-	3	6	5	12	28	50	77	113	125	-
All other	6	-	-	-	-	-	-	1	-	3	-	2	-
Male	3	-	-	-	-	-	-	1	-	1	-	1	-
Female	3	-	-	-	-	-	-	-	-	2	-	1	-
Beaumont-Port Arthur-Orange, Tex	3,342	89	24	17	95	107	130	291	563	783	780	463	-
Male	1,886	47	10	13	72	78	89	183	361	471	394	168	-
Female	1,456	42	14	4	23	29	41	108	202	312	386	295	-
White	2,563	57	16	12	81	71	87	192	416	587	656	388	-
Male	1,433	30	8	9	63	53	59	122	266	361	329	133	-
Female	1,130	27	8	3	18	18	28	70	150	226	327	255	-
All other	779	32	8	5	14	36	43	99	147	196	124	75	-
Male	453	17	2	4	9	25	30	61	95	110	65	35	-
Female	326	15	6	1	5	11	13	38	52	86	59	40	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Bellingham, Wash	791	15	5	3	17	18	18	35	88	174	213	205	-
Male	423	12	2	3	15	15	11	23	50	99	105	88	-
Female	368	3	3	-	2	3	7	12	38	75	108	117	-
White	778	11	5	3	17	17	16	32	87	174	213	203	-
Male	416	9	2	3	15	14	10	23	49	99	105	87	-
Female	362	2	3	-	2	3	6	9	38	75	108	116	-
All other	13	4	-	-	-	1	2	3	1	-	-	2	-
Male	7	3	-	-	-	1	1	-	1	-	-	1	-
Female	6	1	-	-	-	-	1	3	-	-	-	1	-
Benton Harbor, Mich	1,484	37	11	13	37	38	45	89	212	341	385	276	-
Male	799	25	7	7	24	22	28	48	135	208	191	104	-
Female	685	12	4	6	13	16	17	41	77	133	194	172	-
White	1,281	21	8	11	33	27	33	68	172	299	347	262	-
Male	681	16	5	7	21	16	23	37	111	182	166	97	-
Female	600	5	3	4	12	11	10	31	61	117	181	165	-
All other	203	16	3	2	4	11	12	21	40	42	38	14	-
Male	118	9	2	-	3	6	5	11	24	26	25	7	-
Female	85	7	1	2	1	5	7	10	16	16	13	7	-
Billings, Mont	791	21	4	3	28	31	28	54	122	179	177	144	-
Male	440	11	4	2	22	21	17	33	74	97	99	60	-
Female	351	10	-	1	6	10	11	21	48	82	78	84	-
White	771	21	3	3	23	28	26	52	120	177	175	143	-
Male	428	11	3	2	19	21	16	32	72	96	97	59	-
Female	343	10	-	1	4	7	10	20	48	81	78	84	-
All other	20	-	1	-	5	3	2	2	2	2	2	1	-
Male	12	-	1	-	3	-	1	1	2	1	2	1	-
Female	8	-	-	-	2	3	1	1	-	1	-	-	-
Biloxi-Gulfport, Miss	1,653	43	13	8	60	44	55	138	278	408	388	217	1
Male	929	24	8	5	45	27	41	89	184	245	179	82	-
Female	724	19	5	3	15	17	14	49	94	163	209	135	1
White	1,359	32	8	6	53	33	45	108	219	333	337	185	-
Male	773	18	4	3	41	19	34	74	151	205	155	69	-
Female	586	14	4	3	12	14	11	34	68	128	182	116	-
All other	294	11	5	2	7	11	10	30	59	75	51	32	1
Male	156	6	4	2	4	8	7	15	33	40	24	13	-
Female	138	5	1	-	3	3	3	15	26	35	27	19	1
Binghamton, N.Y.-Pa	2,801	39	14	15	53	50	48	147	377	664	805	589	-
Male	1,460	23	10	11	41	34	32	90	212	375	425	207	-
Female	1,341	16	4	4	12	16	16	57	165	289	380	382	-
White	2,774	37	14	15	53	50	45	145	371	657	803	584	-
Male	1,441	21	10	11	41	34	29	88	209	370	423	205	-
Female	1,333	16	4	4	12	16	16	57	162	287	380	379	-
All other	27	2	-	-	-	-	3	2	6	7	2	5	-
Male	19	2	-	-	-	-	3	2	3	5	2	2	-
Female	8	-	-	-	-	-	-	-	3	2	-	3	-
Birmingham, Ala	8,110	160	27	30	158	226	246	596	1,303	2,010	2,077	1,277	-
Male	4,408	84	16	24	117	164	169	384	799	1,199	1,025	427	-
Female	3,702	76	11	6	41	62	77	212	504	811	1,052	850	-
White	5,514	83	14	15	104	119	139	387	876	1,354	1,471	952	-
Male	2,996	42	8	12	75	82	98	265	554	827	724	309	-
Female	2,518	41	6	3	29	37	41	122	322	527	747	643	-
All other	2,596	77	13	15	54	107	107	209	427	656	606	325	-
Male	1,412	42	8	12	42	82	71	119	245	372	301	118	-
Female	1,184	35	5	3	12	25	36	90	182	284	305	207	-
Bismarck, N.Dak	487	24	4	3	13	14	7	23	65	112	130	92	-
Male	269	15	1	3	11	10	5	17	51	62	62	32	-
Female	218	9	3	-	2	4	2	6	14	50	68	60	-
White	486	24	4	3	13	14	7	23	64	112	130	92	-
Male	268	15	1	3	11	10	5	17	50	62	62	32	-
Female	218	9	3	-	2	4	2	6	14	50	68	60	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bloomington, Ind	540	16	2	1	9	11	19	29	69	128	149	107	-
Male	271	12	1	-	6	7	13	14	39	68	75	36	-
Female	269	4	1	1	3	4	6	15	30	60	74	71	-
White	531	15	2	1	9	10	19	29	68	125	147	106	-
Male	268	11	1	-	6	6	13	14	39	68	74	36	-
Female	263	4	1	1	3	4	6	15	29	57	73	70	-
All other	9	1	-	-	-	1	-	-	1	3	2	1	-
Male	3	1	-	-	-	1	-	-	-	-	1	-	-
Female	6	-	-	-	-	-	-	-	1	3	1	1	-
Bloomington-Normal, Ill	841	25	6	5	14	19	20	60	108	155	211	218	-
Male	424	11	5	5	11	18	12	41	65	97	100	59	-
Female	417	14	1	-	3	1	8	19	43	58	111	159	-
White	821	23	5	4	13	16	19	57	106	154	208	216	-
Male	410	11	4	4	10	15	12	38	65	96	97	58	-
Female	411	12	1	-	3	1	7	19	41	58	111	158	-
All other	20	2	1	1	1	3	1	3	2	1	3	2	-
Male	14	-	1	1	1	3	-	3	-	1	3	1	-
Female	6	2	-	-	-	-	1	-	2	-	-	1	-
Boise City, Idaho	1,185	35	6	8	35	38	47	72	161	241	314	228	-
Male	688	22	4	5	29	27	35	52	109	155	169	81	-
Female	497	13	2	3	6	11	12	20	52	86	145	147	-
White	1,177	35	6	8	35	38	45	71	158	240	314	227	-
Male	685	22	4	5	29	27	35	52	106	155	169	81	-
Female	492	13	2	3	6	11	10	19	52	85	145	146	-
All other	8	-	-	-	-	-	2	1	3	1	-	1	-
Male	3	-	-	-	-	-	-	-	3	-	-	-	-
Female	5	-	-	-	-	-	2	1	-	1	-	1	-

NEWARK PUBLIC LIBRARY

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Boston-Lowell-Brockton-Lawrence-Haverhill, Mass	32,904	424	63	119	529	656	782	1,941	4,523	7,525	9,169	7,169	4
Male	16,443	260	41	63	390	471	511	1,228	2,808	4,341	4,024	2,303	3
Female	16,461	164	22	56	139	185	271	713	1,715	3,184	5,145	4,866	1
White	31,676	361	55	106	482	567	691	1,793	4,284	7,332	8,972	7,029	4
Male	15,738	221	36	54	356	401	453	1,136	2,663	4,243	3,929	2,243	3
Female	15,938	140	19	52	126	166	238	657	1,621	3,089	5,043	4,786	1
All other	1,228	63	8	13	47	89	91	148	239	193	197	140	-
Male	705	39	5	9	34	70	58	92	145	98	95	60	-
Female	523	24	3	4	13	19	33	56	94	95	102	80	-
Bradenton, Fla	2,300	29	4	4	35	22	29	83	224	615	786	469	-
Male	1,313	17	3	3	24	17	20	55	136	377	452	209	-
Female	987	12	1	1	11	5	9	28	88	238	334	260	-
White	2,174	21	2	1	34	21	23	71	211	569	769	452	-
Male	1,246	14	2	1	24	17	15	46	130	352	440	205	-
Female	928	7	-	-	10	4	8	25	81	217	329	247	-
All other	126	8	2	3	1	1	6	12	13	46	17	17	-
Male	67	3	1	2	-	-	5	9	6	25	12	4	-
Female	59	5	1	1	1	1	1	3	7	21	5	13	-
Bremerton, Wash	1,076	39	-	8	29	23	32	54	141	258	274	217	1
Male	557	18	-	4	19	17	19	33	85	142	140	79	1
Female	519	21	-	4	10	6	13	21	56	116	134	138	-
White	1,030	35	-	7	24	18	27	51	132	252	268	215	1
Male	524	15	-	3	15	13	15	32	78	139	135	78	1
Female	506	20	-	4	9	5	12	19	54	113	133	137	-
All other	46	4	-	1	5	5	5	3	9	6	6	2	-
Male	33	3	-	1	4	4	4	1	7	3	5	1	-
Female	13	1	-	-	1	1	1	2	2	3	1	1	-
Bridgeport-Stamford-Norwalk-Danbury, Conn	6,994	109	21	30	130	130	181	437	1,012	1,617	1,807	1,520	-
Male	3,604	70	13	20	87	99	123	244	641	933	849	525	-
Female	3,390	39	8	10	43	31	58	193	371	684	958	995	-
White	6,529	76	14	27	118	105	145	390	923	1,521	1,732	1,478	-
Male	3,342	43	10	19	82	78	96	220	583	880	819	512	-
Female	3,187	33	4	8	36	27	49	170	340	641	913	966	-
All other	465	33	7	3	12	25	36	47	89	96	75	42	-
Male	262	27	3	1	5	21	27	24	58	53	30	13	-
Female	203	6	4	2	7	4	9	23	31	43	45	29	-
Brownsville-Harlingen San Benito, Tex	1,272	51	11	14	44	44	39	82	168	319	317	180	3
Male	725	26	6	9	37	37	27	48	102	187	170	73	3
Female	547	25	5	5	7	7	12	34	66	132	147	107	-
White	1,265	51	10	14	44	44	39	82	166	316	317	179	3
Male	721	26	6	9	37	37	27	48	101	184	170	73	3
Female	544	25	4	5	7	7	12	34	65	132	147	106	-
All other	7	-	1	-	-	-	-	-	2	3	-	1	-
Male	4	-	-	-	-	-	-	-	1	3	-	-	-
Female	3	-	1	-	-	-	-	-	1	-	-	1	-
Bryan-College Station, Tex	526	19	3	3	20	19	23	29	63	111	145	91	-
Male	288	12	3	1	18	10	19	18	46	61	75	25	-
Female	238	7	-	2	2	9	4	11	17	50	70	66	-
White	413	17	2	3	12	17	20	15	53	82	115	77	-
Male	221	10	2	1	11	10	16	8	40	47	56	20	-
Female	192	7	-	2	1	7	4	7	13	35	59	57	-
All other	113	2	1	-	8	2	3	14	10	29	30	14	-
Male	67	2	1	-	7	-	3	10	6	14	19	5	-
Female	46	-	-	-	1	2	-	4	4	15	11	9	-
Buffalo, N.Y	12,493	188	36	49	192	206	267	798	1,974	3,145	3,340	2,294	4
Male	6,442	102	21	29	134	149	163	489	1,222	1,836	1,531	765	1
Female	6,051	86	15	20	58	57	104	309	752	1,309	1,809	1,529	3
White	11,439	137	27	39	168	154	219	673	1,752	2,925	3,136	2,206	3
Male	5,828	73	14	23	116	112	132	415	1,083	1,712	1,422	726	-
Female	5,611	64	13	16	52	42	87	258	669	1,213	1,714	1,480	3
All other	1,054	51	9	10	24	52	48	125	222	220	204	88	1
Male	614	29	7	6	18	37	31	74	139	124	109	39	1
Female	440	22	2	4	6	15	17	51	83	96	95	49	-
Burlington, N.C	951	18	4	4	24	24	29	86	161	240	211	150	-
Male	558	10	2	3	17	18	19	55	115	151	107	61	-
Female	393	8	2	1	7	6	10	31	46	89	104	89	-
White	766	12	1	2	17	14	19	73	125	193	186	124	-
Male	442	6	1	2	12	10	13	46	88	126	93	45	-
Female	324	6	-	-	5	4	6	27	37	67	93	79	-
All other	185	6	3	2	7	10	10	13	36	47	25	26	-
Male	116	4	1	1	5	8	6	9	27	25	14	16	-
Female	69	2	2	1	2	2	4	4	9	22	11	10	-
Burlington, Vt	695	13	2	3	11	17	31	52	91	170	175	130	-
Male	368	9	-	-	9	15	20	36	59	94	87	39	-
Female	327	4	2	3	2	2	11	16	32	76	88	91	-
White	689	12	2	3	11	16	31	52	90	169	175	128	-
Male	366	8	-	-	9	14	20	36	59	94	87	39	-
Female	323	4	2	3	2	2	11	16	31	75	88	89	-
All other	6	1	-	-	-	1	-	-	1	1	-	2	-
Male	2	1	-	-	-	1	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	1	1	-	2	-
Canton, Ohio	3,619	63	9	10	72	79	94	215	514	850	1,003	709	1
Male	1,966	33	6	9	58	52	66	132	316	512	502	280	-
Female	1,653	30	3	1	14	27	28	83	198	338	501	429	1
White	3,419	55	9	10	67	70	81	188	481	801	964	692	1
Male	1,865	30	6	9	55	45	58	116	302	490	480	274	-
Female	1,554	25	3	1	12	25	23	72	179	311	484	418	1
All other	200	8	-	-	5	9	13	27	33	49	39	17	-
Male	101	3	-	-	3	7	8	16	14	22	22	6	-
Female	99	5	-	-	2	2	5	11	19	27	17	11	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Casper, Wyo	429	16	2	1	29	25	21	31	71	79	98	55	1
Male	250	9	-	1	24	21	17	21	40	47	50	20	-
Female	179	7	2	-	5	4	4	10	31	32	48	35	1
White	427	16	2	1	29	25	21	31	70	79	97	55	1
Male	249	9	-	1	24	21	17	21	40	47	49	20	-
Female	178	7	2	-	5	4	4	10	30	32	48	35	1
All other	2	-	-	-	-	-	-	-	1	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Cedar Rapids, Iowa	1,227	22	8	11	32	17	28	63	151	258	357	280	-
Male	638	10	3	10	21	11	23	42	95	154	166	103	-
Female	589	12	5	1	11	6	5	21	56	104	191	177	-
White	1,213	22	8	11	32	15	27	60	151	254	354	279	-
Male	632	10	3	10	21	10	22	40	95	153	165	103	-
Female	581	12	5	1	11	5	5	20	56	101	189	176	-
All other	14	-	-	-	-	2	1	3	-	4	3	1	-
Male	6	-	-	-	-	1	1	2	-	1	1	-	-
Female	8	-	-	-	-	1	-	1	-	3	2	1	-
Champaign-Urbana-Rantoul, Ill	927	25	9	4	16	23	31	66	132	178	234	209	-
Male	481	14	5	4	11	13	18	51	79	101	113	72	-
Female	446	11	4	-	5	10	13	15	53	77	121	137	-
White	832	16	6	3	15	19	24	54	115	162	218	200	-
Male	436	10	3	3	11	12	15	40	71	95	107	69	-
Female	396	6	3	-	4	7	9	14	44	67	111	131	-
All other	95	9	3	1	1	4	7	12	17	16	16	9	-
Male	45	4	2	1	-	1	3	11	8	6	6	3	-
Female	50	5	1	-	1	3	4	1	9	10	10	6	-
Charleston-North Charleston, S.C	2,747	127	25	21	93	109	133	279	492	673	494	301	-
Male	1,537	72	16	12	72	79	95	167	318	382	226	98	-
Female	1,210	55	9	9	21	30	38	112	174	291	268	203	-
White	1,682	50	14	12	66	56	60	164	297	407	337	219	-
Male	928	32	8	8	51	35	38	97	194	243	160	62	-
Female	754	18	6	4	15	21	22	67	103	164	177	157	-
All other	1,065	77	11	9	27	53	73	115	195	266	157	82	-
Male	609	40	8	4	21	44	57	70	124	139	66	36	-
Female	456	37	3	5	6	9	16	45	71	127	91	46	-
Charleston, W. Va	2,630	53	7	10	43	65	72	190	424	640	690	436	-
Male	1,399	29	4	6	30	47	50	116	267	366	323	161	-
Female	1,231	24	3	4	13	18	22	74	157	274	367	275	-
White	2,453	46	6	9	39	55	68	180	400	595	646	409	-
Male	1,307	25	4	6	28	38	49	110	254	342	301	150	-
Female	1,146	21	2	3	11	17	19	70	146	253	345	259	-
All other	177	7	1	1	4	10	4	10	24	45	44	27	-
Male	92	4	-	-	2	9	1	6	13	24	22	11	-
Female	85	3	1	1	2	1	3	4	11	21	22	16	-
Charlotte-Gastonia, N.C	4,850	127	22	35	124	152	209	443	880	1,118	1,078	662	-
Male	2,619	78	11	22	91	97	135	284	562	645	487	207	-
Female	2,231	49	11	13	33	55	74	159	318	473	591	455	-
White	3,647	73	12	27	95	81	130	289	637	830	890	583	-
Male	1,949	50	4	17	68	53	82	184	421	493	400	177	-
Female	1,698	23	8	10	27	28	48	105	216	337	490	406	-
All other	1,203	54	10	8	29	71	79	154	243	288	188	79	-
Male	670	28	7	5	23	44	53	100	141	152	87	30	-
Female	533	26	3	3	6	27	26	54	102	136	101	49	-
Charlottesville, Va	879	17	3	5	21	18	32	74	136	205	205	160	3
Male	465	7	2	2	17	12	17	48	90	112	105	51	2
Female	414	10	1	3	4	6	15	26	46	93	100	109	1
White	684	11	2	3	17	12	27	55	109	154	170	123	1
Male	363	5	1	1	13	8	14	34	74	86	88	38	1
Female	321	6	1	2	4	4	13	21	35	68	82	85	-
All other	195	6	1	2	4	6	5	19	27	51	35	37	2
Male	102	2	1	1	4	4	3	14	16	26	17	13	1
Female	93	4	-	1	-	2	2	5	11	25	18	24	1
Chattanooga, Tenn.-Ga	3,789	76	18	17	80	132	131	293	606	931	940	564	1
Male	2,093	39	13	10	54	97	92	198	394	568	440	187	1
Female	1,696	37	5	7	26	35	39	95	212	363	500	377	-
White	3,173	59	15	14	64	103	109	233	490	754	803	528	1
Male	1,769	33	11	8	44	76	76	162	329	471	380	178	1
Female	1,404	26	4	6	20	27	33	71	161	283	423	350	-
All other	616	17	3	3	16	29	22	60	116	177	137	36	-
Male	324	6	2	2	10	21	16	36	65	97	60	9	-
Female	292	11	1	1	6	8	6	24	51	80	77	27	-
Chicago, Ill	60,512	1,766	234	285	1,469	1,744	2,118	4,599	9,707	13,823	14,765	10,002	-
Male	32,198	985	128	183	1,121	1,275	1,337	2,880	6,047	7,956	6,896	3,390	-
Female	28,314	781	106	102	348	469	781	1,719	3,660	5,867	7,869	6,612	-
White	48,409	919	137	178	1,002	1,035	1,311	3,151	7,459	11,374	12,736	9,107	-
Male	25,406	540	70	117	759	768	831	2,008	4,715	6,627	5,922	3,049	-
Female	23,003	379	67	61	243	267	480	1,143	2,744	4,747	6,814	6,058	-
All other	12,103	847	97	107	467	709	807	1,448	2,248	2,449	2,029	895	-
Male	6,792	445	58	66	362	507	506	872	1,332	1,329	974	341	-
Female	5,311	402	39	41	105	202	301	576	916	1,120	1,055	554	-
Chico, Calif	1,482	23	8	10	32	30	29	54	207	374	409	306	-
Male	812	15	5	8	27	23	22	38	121	223	216	114	-
Female	670	8	3	2	5	7	7	16	86	151	193	192	-
White	1,464	23	8	10	31	30	29	52	204	370	405	302	-
Male	804	15	5	8	26	23	22	36	120	222	214	113	-
Female	660	8	3	2	5	7	7	16	84	148	191	189	-
All other	18	-	-	-	1	-	-	2	3	4	4	4	-
Male	8	-	-	-	1	-	-	2	1	1	2	1	-
Female	10	-	-	-	-	-	-	-	2	3	2	3	-

NEWARK PUBLIC LIBRARY

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Cincinnati, Ohio-Ky.-Ind	12,699	266	40	59	253	299	330	877	1,926	3,023	3,321	2,304	1
Male	6,570	138	24	37	168	201	220	541	1,197	1,735	1,567	741	1
Female	6,129	128	16	22	85	98	110	336	729	1,288	1,754	1,563	-
White	11,018	194	26	50	221	247	259	697	1,638	2,594	2,974	2,118	-
Male	5,671	97	17	34	152	170	176	438	1,041	1,496	1,396	654	-
Female	5,347	97	9	16	69	77	83	259	597	1,098	1,578	1,464	-
All other	1,681	72	14	9	32	52	71	180	288	429	347	186	1
Male	899	41	7	3	16	31	44	103	156	239	171	87	1
Female	782	31	7	6	16	21	27	77	132	190	176	99	-
Clarksville-Hopkinsville, Tenn.-Ky	1,003	37	6	12	43	33	39	74	145	222	231	161	-
Male	559	20	2	8	26	20	27	49	93	135	121	58	-
Female	444	17	4	4	17	13	12	25	52	87	110	103	-
White	766	23	3	11	31	27	25	56	111	166	185	128	-
Male	436	11	1	7	19	19	17	40	76	106	92	48	-
Female	330	12	2	4	12	8	8	16	35	60	93	80	-
All other	237	14	3	1	12	6	14	18	34	56	46	33	-
Male	123	9	1	1	7	1	10	9	17	29	29	10	-
Female	114	5	2	-	5	5	4	9	17	27	17	23	-
Cleveland, Ohio	18,426	458	62	73	331	410	500	1,231	3,101	4,500	4,526	3,232	2
Male	9,618	275	39	44	243	291	306	747	1,897	2,590	2,085	1,100	1
Female	8,808	183	23	29	88	119	194	484	1,204	1,910	2,441	2,132	1
White	15,184	245	36	54	237	265	327	852	2,440	3,827	3,951	2,948	2
Male	7,810	146	23	36	179	190	197	532	1,475	2,213	1,822	996	1
Female	7,374	99	13	18	58	75	130	320	965	1,614	2,129	1,952	1
All other	3,242	213	26	19	94	145	173	379	661	673	575	284	-
Male	1,808	129	16	8	64	101	109	215	422	377	263	104	-
Female	1,434	84	10	11	30	44	64	164	239	296	312	180	-
Colorado Springs, Colo	1,800	63	7	9	78	55	72	161	263	349	427	316	-
Male	955	32	4	5	64	37	45	96	139	206	230	97	-
Female	845	31	3	4	14	18	27	65	124	143	197	219	-
White	1,704	48	6	8	72	49	62	144	251	339	419	306	-
Male	898	24	4	5	59	33	39	84	131	198	226	95	-
Female	806	24	2	3	13	16	23	60	120	141	193	211	-
All other	96	15	1	1	6	6	10	17	12	10	8	10	-
Male	57	8	-	-	5	4	6	12	8	8	4	2	-
Female	39	7	1	1	1	2	4	5	4	2	4	8	-
Columbia, Mo	582	10	-	6	15	29	22	37	59	113	153	138	-
Male	311	7	-	6	14	23	13	28	32	71	67	50	-
Female	271	3	-	-	1	6	9	9	27	42	86	88	-
White	540	10	-	5	14	26	21	33	53	104	143	131	-
Male	285	7	-	5	13	20	12	24	29	65	63	47	-
Female	255	3	-	-	1	6	9	9	24	39	80	84	-
All other	42	-	-	1	1	3	1	4	6	9	10	7	-
Male	26	-	-	1	1	3	1	4	3	6	4	3	-
Female	16	-	-	-	-	-	-	-	3	3	6	4	-
Columbia, S.C	3,032	78	7	18	82	103	137	273	551	737	656	390	-
Male	1,686	39	-	8	66	67	100	176	352	449	309	120	-
Female	1,346	39	7	10	16	36	37	97	199	288	347	270	-
White	2,105	31	3	9	58	55	81	156	363	517	508	324	-
Male	1,172	12	-	4	48	33	58	106	239	327	245	100	-
Female	933	19	3	5	10	22	23	50	124	190	263	224	-
All other	927	47	4	9	24	48	56	117	188	220	148	66	-
Male	514	27	-	4	18	34	42	70	113	122	64	20	-
Female	413	20	4	5	6	14	14	47	75	98	84	46	-
Columbus, Ga.-Ala	2,012	66	6	13	46	58	85	188	408	507	426	209	-
Male	1,086	31	3	7	30	39	48	107	258	279	208	76	-
Female	926	35	3	6	16	19	37	81	150	228	218	133	-
White	1,240	32	2	6	28	23	42	96	251	306	293	161	-
Male	678	18	2	3	17	16	24	56	164	175	145	58	-
Female	562	14	-	3	11	7	18	40	87	131	148	103	-
All other	772	34	4	7	18	35	43	92	157	201	133	48	-
Male	408	13	1	4	13	23	24	51	94	104	63	18	-
Female	364	21	3	3	5	12	19	41	63	97	70	30	-
Columbus, Ohio	8,615	220	32	46	212	221	278	646	1,385	2,029	2,083	1,463	-
Male	4,453	126	16	29	165	154	169	396	834	1,172	935	457	-
Female	4,162	94	16	17	47	67	109	250	551	857	1,148	1,006	-
White	7,519	168	25	39	178	171	220	535	1,191	1,769	1,848	1,375	-
Male	3,833	92	13	25	136	114	134	330	721	1,015	826	427	-
Female	3,686	76	12	14	42	57	86	205	470	754	1,022	948	-
All other	1,096	52	7	7	34	50	58	111	194	260	235	88	-
Male	620	34	3	4	29	40	35	66	113	157	109	30	-
Female	476	18	4	3	5	10	23	45	81	103	126	58	-
Corpus Christi, Tex	2,373	103	17	20	89	96	115	181	360	554	522	315	1
Male	1,368	58	9	14	72	72	78	120	214	337	282	111	1
Female	1,005	45	8	6	17	24	37	61	146	217	240	204	-
White	2,254	98	16	20	86	91	110	171	338	513	506	304	1
Male	1,296	55	9	14	69	71	73	113	202	310	272	107	1
Female	958	43	7	6	17	20	37	58	136	203	234	197	-
All other	119	5	1	-	3	5	5	10	22	41	16	11	-
Male	72	3	-	-	3	1	5	7	12	27	10	4	-
Female	47	2	1	-	-	4	-	3	10	14	6	7	-
Cumberland, Md.-W. Va	1,243	18	4	9	13	20	20	75	199	329	333	222	1
Male	637	14	-	6	11	17	12	42	111	187	159	77	1
Female	606	4	4	3	2	3	8	33	88	142	174	145	-
White	1,222	18	3	8	12	18	19	73	194	326	329	221	1
Male	625	14	-	5	11	16	11	41	107	186	157	76	1
Female	597	4	3	3	1	2	8	32	87	140	172	145	-
All other	21	-	1	1	1	2	1	2	5	3	4	1	-
Male	12	-	-	1	-	1	1	1	4	1	2	1	-
Female	9	-	1	-	1	1	-	1	1	2	2	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Dallas-Fort Worth, Tex	21,604	688	119	138	733	839	893	1,643	3,298	4,699	5,134	3,418	2
Male	11,668	360	84	78	541	603	579	1,107	2,095	2,707	2,402	1,111	1
Female	9,936	328	35	60	192	236	314	536	1,203	1,992	2,732	2,307	1
White	18,207	460	90	100	597	648	655	1,260	2,705	4,007	4,533	3,151	1
Male	9,677	228	61	54	442	452	422	847	1,734	2,334	2,105	997	1
Female	8,530	232	29	46	155	196	233	413	971	1,673	2,428	2,154	-
All other	3,397	228	29	38	136	191	238	383	593	692	601	267	1
Male	1,991	132	23	24	99	151	157	260	361	373	297	114	-
Female	1,406	96	6	14	37	40	81	123	232	319	304	153	1
Danville, Va	1,129	19	5	5	24	30	28	90	174	287	293	173	1
Male	610	11	1	2	15	26	19	62	115	168	143	48	-
Female	519	8	4	3	9	4	9	28	59	119	150	125	1
White	839	8	2	4	18	14	17	68	134	214	218	142	-
Male	455	4	1	1	13	13	10	42	91	130	111	39	-
Female	384	4	1	3	5	1	7	26	43	84	107	103	-
All other	290	11	3	1	6	16	11	22	40	73	75	31	1
Male	155	7	-	1	2	13	9	20	24	38	32	9	-
Female	135	4	3	-	4	3	2	2	16	35	43	22	1
Davenport-Rock Island-Moline, Iowa-Ill	3,280	80	8	15	62	66	91	223	443	765	885	641	1
Male	1,714	45	4	10	44	52	52	141	286	444	429	207	-
Female	1,566	35	4	5	18	14	39	82	157	321	456	434	1
White	3,149	68	5	15	59	61	75	210	423	741	860	631	1
Male	1,647	38	4	10	43	48	42	136	274	430	416	206	-
Female	1,502	30	1	5	16	13	33	74	149	311	444	425	1
All other	131	12	3	-	3	5	16	13	20	24	25	10	-
Male	67	7	-	-	1	4	10	5	12	14	13	1	-
Female	64	5	3	-	2	1	6	8	8	10	12	9	-
Dayton, Ohio	6,634	135	35	38	139	189	220	460	1,128	1,603	1,601	1,085	1
Male	3,468	71	19	21	102	122	127	275	676	917	785	353	-
Female	3,166	64	16	17	37	67	93	185	452	686	816	732	1
White	5,775	100	25	34	115	148	170	380	928	1,396	1,468	1,010	1
Male	3,002	54	14	20	83	94	99	235	550	803	731	319	-
Female	2,773	46	11	14	32	54	71	145	378	593	737	691	1
All other	859	35	10	4	24	41	50	80	200	207	133	75	-
Male	466	17	5	1	19	28	28	40	126	114	54	34	-
Female	393	18	5	3	5	13	22	40	74	93	79	41	-
Daytona Beach, Fla	3,778	38	9	9	55	61	72	181	497	990	1,132	734	-
Male	2,086	25	6	7	38	44	40	104	315	595	610	302	-
Female	1,692	13	3	2	17	17	32	77	182	395	522	432	-
White	3,497	26	7	6	47	54	60	143	438	931	1,074	711	-
Male	1,933	17	4	4	32	40	35	84	281	563	581	292	-
Female	1,564	9	3	2	15	14	25	59	157	368	493	419	-
All other	281	12	2	3	8	7	12	38	59	59	58	23	-
Male	153	8	2	3	6	4	5	20	34	32	29	10	-
Female	128	4	-	-	2	3	7	18	25	27	29	13	-
Decatur, Ill	1,225	28	5	4	19	26	28	59	154	245	385	272	-
Male	637	15	-	4	15	17	19	40	98	146	194	89	-
Female	588	13	5	-	4	9	9	19	56	99	191	183	-
White	1,130	19	4	4	18	21	23	56	139	225	365	256	-
Male	582	11	-	4	14	13	17	37	88	133	182	83	-
Female	548	8	4	-	4	8	6	19	51	92	183	173	-
All other	95	9	1	-	1	5	5	3	15	20	20	16	-
Male	55	4	-	-	1	4	2	3	10	13	12	6	-
Female	40	5	1	-	-	1	3	-	5	7	8	10	-
Denver-Boulder, Colo	10,358	270	51	67	322	434	397	753	1,491	2,075	2,467	2,030	1
Male	5,467	151	33	32	218	310	236	460	940	1,232	1,162	692	1
Female	4,891	119	18	35	104	124	161	293	551	843	1,305	1,338	-
White	9,802	249	49	63	298	392	352	685	1,397	1,965	2,389	1,962	1
Male	5,144	138	32	29	205	280	215	416	880	1,162	1,120	666	1
Female	4,658	111	17	34	93	112	137	269	517	803	1,269	1,296	-
All other	556	21	2	4	24	42	45	68	94	110	78	68	-
Male	323	13	1	3	13	30	21	44	60	70	42	26	-
Female	233	8	1	1	11	12	24	24	34	40	36	42	-
Des Moines, Iowa	2,612	63	14	12	55	57	64	149	387	580	663	568	-
Male	1,319	37	9	9	39	37	35	87	238	321	324	183	-
Female	1,293	26	5	3	16	20	29	62	149	259	339	385	-
White	2,473	52	11	12	46	52	57	138	361	554	636	554	-
Male	1,250	34	7	9	33	34	30	81	219	309	315	179	-
Female	1,223	18	4	3	13	18	27	57	142	245	321	375	-
All other	139	11	3	-	9	5	7	11	26	26	27	14	-
Male	69	3	2	-	6	3	5	6	19	12	9	4	-
Female	70	8	1	-	3	2	2	5	7	14	18	10	-
Detroit, Mich	37,200	884	139	189	796	1,234	1,293	2,811	6,312	8,363	9,118	6,059	2
Male	20,193	485	74	111	572	862	833	1,710	3,877	4,862	4,458	2,347	2
Female	17,007	399	65	78	224	372	460	1,101	2,435	3,501	4,660	3,712	-
White	29,143	484	96	122	555	632	771	1,959	4,777	6,614	7,715	5,417	1
Male	15,607	279	53	72	393	458	499	1,176	2,949	3,873	3,749	2,105	1
Female	13,536	205	43	50	162	174	272	783	1,828	2,741	3,966	3,312	-
All other	8,057	400	43	67	241	602	522	852	1,535	1,749	1,403	642	1
Male	4,586	206	21	39	179	404	334	534	928	989	709	242	1
Female	3,471	194	22	28	62	198	188	318	607	760	694	400	-
Dubuque, Iowa	847	10	4	4	15	14	18	36	98	184	258	206	-
Male	382	4	2	2	11	6	9	23	60	101	111	53	-
Female	465	6	2	2	4	8	9	13	38	83	147	153	-
White	847	10	4	4	15	14	18	36	98	184	258	206	-
Male	382	4	2	2	11	6	9	23	60	101	111	53	-
Female	465	6	2	2	4	8	9	13	38	83	147	153	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

NEWARK PUBLIC LIBRARY

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Duluth-Superior, Minn.-Wis	2,619	45	11	7	58	43	52	144	350	652	686	571	-
Male	1,448	23	10	3	43	35	27	98	238	410	336	225	-
Female	1,171	22	1	4	15	8	25	46	112	242	350	346	-
White	2,600	43	10	7	56	43	50	141	345	649	686	570	-
Male	1,437	22	9	3	41	35	26	97	235	408	336	225	-
Female	1,163	21	1	4	15	8	24	44	110	241	350	345	-
All other	19	2	1	-	2	-	2	3	5	3	-	1	-
Male	11	1	1	-	2	-	1	1	3	2	-	-	-
Female	8	1	-	-	-	-	1	2	2	1	-	1	-
Eau Claire, Wis	1,119	19	4	6	24	21	18	56	130	233	350	258	-
Male	597	9	4	5	18	14	12	33	81	143	181	97	-
Female	522	10	-	1	6	7	6	23	49	90	169	161	-
White	1,116	18	4	5	24	20	18	56	130	233	350	258	-
Male	594	8	4	4	18	13	12	33	81	143	181	97	-
Female	522	10	-	1	6	7	6	23	49	90	169	161	-
All other	3	1	-	1	-	1	-	-	-	-	-	-	-
Male	3	1	-	1	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
El Paso, Tex	2,504	109	15	24	103	95	88	195	395	542	577	361	-
Male	1,394	62	12	15	76	56	56	128	252	319	269	149	-
Female	1,110	47	3	9	27	39	32	67	143	223	308	212	-
White	2,406	97	13	23	96	86	84	183	374	532	561	357	-
Male	1,340	56	10	14	72	53	53	118	242	312	264	146	-
Female	1,066	41	3	9	24	33	31	65	132	220	297	211	-
All other	98	12	2	1	7	9	4	12	21	10	16	4	-
Male	54	6	2	1	4	3	3	10	10	7	5	3	-
Female	44	6	-	-	3	6	1	2	11	3	11	1	-
Elkhart, Ind	1,016	25	5	6	22	20	24	57	136	207	283	231	-
Male	535	15	3	4	15	13	17	35	94	115	142	82	-
Female	481	10	2	2	7	7	7	22	42	92	141	149	-
White	992	22	5	6	18	18	23	56	133	202	282	227	-
Male	524	12	3	4	13	13	17	35	92	111	142	82	-
Female	468	10	2	2	5	5	6	21	41	91	140	145	-
All other	24	3	-	-	4	2	1	1	3	5	1	4	-
Male	11	3	-	-	2	-	-	-	2	4	-	-	-
Female	13	-	-	-	2	2	1	1	1	1	1	4	-
Elmira, N.Y	941	15	2	2	9	16	19	37	128	249	257	207	-
Male	467	6	2	2	5	15	13	22	77	144	120	61	-
Female	474	9	-	-	4	1	6	15	51	105	137	146	-
White	917	14	2	2	8	16	18	33	126	239	255	204	-
Male	457	6	2	2	4	15	13	21	75	140	118	61	-
Female	460	8	-	-	4	1	5	12	51	99	137	143	-
All other	24	1	-	-	1	-	1	4	2	10	2	3	-
Male	10	-	-	-	1	-	-	1	2	4	2	-	-
Female	14	1	-	-	-	-	1	3	-	6	-	3	-
Enid, Okla	581	11	5	5	28	21	13	27	84	121	160	106	-
Male	306	6	4	3	20	19	9	20	46	75	64	40	-
Female	275	5	1	2	8	2	4	7	38	46	96	66	-
White	562	11	5	5	27	19	13	26	74	119	157	106	-
Male	296	6	4	3	19	17	9	19	41	74	64	40	-
Female	266	5	1	2	8	2	4	7	33	45	93	66	-
All other	19	-	-	-	1	2	-	1	10	2	3	-	-
Male	10	-	-	-	1	2	-	1	5	1	-	-	-
Female	9	-	-	-	-	-	-	-	5	1	3	-	-
Erie, Pa	2,577	59	11	11	51	51	56	157	392	640	649	500	-
Male	1,340	38	7	6	36	33	37	97	241	395	278	172	-
Female	1,237	21	4	5	15	18	19	60	151	245	371	328	-
White	2,484	49	11	9	46	49	53	145	369	629	633	491	-
Male	1,284	31	7	5	32	32	35	91	225	388	272	166	-
Female	1,200	18	4	4	14	17	18	54	144	241	361	325	-
All other	93	10	-	2	5	2	3	12	23	11	16	9	-
Male	56	7	-	1	4	1	2	6	16	7	6	6	-
Female	37	3	-	1	1	1	1	6	7	4	10	3	-
Eugene-Springfield, Oreg	1,902	43	8	6	53	41	50	107	263	472	482	377	-
Male	1,087	26	7	2	41	28	39	71	168	305	266	134	-
Female	815	17	1	4	12	13	11	36	95	167	216	243	-
White	1,894	43	8	6	52	41	50	104	263	469	482	376	-
Male	1,083	26	7	2	40	28	39	70	168	303	266	134	-
Female	811	17	1	4	12	13	11	34	95	166	216	242	-
All other	8	-	-	-	1	-	-	3	-	3	-	1	-
Male	4	-	-	-	1	-	-	1	-	2	-	-	-
Female	4	-	-	-	-	-	-	2	-	1	-	1	-
Evansville, Ind.-Ky	2,981	43	14	13	45	51	67	187	435	660	890	576	-
Male	1,555	21	10	7	32	36	42	118	271	401	432	185	-
Female	1,426	22	4	6	13	15	25	69	164	259	458	391	-
White	2,816	36	9	13	42	47	58	170	409	616	857	559	-
Male	1,467	19	6	7	31	34	38	108	255	373	417	179	-
Female	1,349	17	3	6	11	13	20	62	154	243	440	380	-
All other	165	7	5	-	3	4	9	17	26	44	33	17	-
Male	88	2	4	-	1	2	4	10	16	28	15	6	-
Female	77	5	1	-	2	2	5	7	10	16	18	11	-
Fargo-Moorhead, N.Dak.-Minn	950	35	5	6	19	22	25	46	109	188	270	225	-
Male	513	19	2	5	13	13	14	35	81	104	142	85	-
Female	437	16	3	1	6	9	11	11	28	84	128	140	-
White	944	35	4	6	19	21	24	44	109	187	270	225	-
Male	510	19	2	5	13	12	14	33	81	104	142	85	-
Female	434	16	2	1	6	9	10	11	28	83	128	140	-
All other	6	-	1	-	-	1	1	2	-	1	-	-	-
Male	3	-	-	-	-	1	-	2	-	-	-	-	-
Female	3	-	1	-	-	-	1	-	-	1	-	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

|Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix|

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Fayetteville, N.C	1,253	74	14	13	55	53	69	142	227	280	211	115	-
Male	757	44	8	7	44	37	50	98	156	180	92	41	-
Female	496	30	6	6	11	16	19	44	71	100	119	74	-
White	853	45	8	11	36	33	36	91	157	195	151	90	-
Male	508	27	5	7	29	21	25	64	106	127	64	33	-
Female	345	18	3	4	7	12	11	27	51	68	87	57	-
All other	400	29	6	2	19	20	33	51	70	85	60	25	-
Male	249	17	3	-	15	16	25	34	50	53	28	8	-
Female	151	12	3	2	4	4	8	17	20	32	32	17	-
Fayetteville-Springdale, Ark	1,593	31	13	13	27	33	41	77	207	371	430	349	1
Male	887	14	7	7	20	22	26	48	140	238	232	132	1
Female	706	17	6	6	7	11	15	29	67	133	198	217	-
White	1,585	30	13	13	27	32	41	74	207	369	429	349	1
Male	885	14	7	7	20	22	26	48	140	236	232	132	1
Female	700	16	6	6	7	10	15	26	67	133	197	217	-
All other	8	1	-	-	-	1	-	3	-	2	1	-	-
Male	2	-	-	-	-	-	-	-	-	2	-	-	-
Female	6	1	-	-	-	1	-	3	-	-	1	-	-
Flint, Mich	3,738	119	26	42	77	102	131	295	577	834	961	574	-
Male	1,980	69	16	22	60	71	79	195	362	473	445	188	-
Female	1,758	50	10	20	17	31	52	100	215	361	516	386	-
White	3,263	60	17	35	62	73	100	231	480	743	912	550	-
Male	1,724	33	12	20	49	51	63	155	312	423	424	182	-
Female	1,539	27	5	15	13	22	37	76	168	320	488	368	-
All other	475	59	9	7	15	29	31	64	97	91	49	24	-
Male	256	36	4	2	11	20	16	40	50	50	21	6	-
Female	219	23	5	5	4	9	15	24	47	41	28	18	-
Florence, Ala	1,146	20	5	6	16	20	43	69	171	305	289	182	-
Male	630	13	3	4	12	13	26	59	109	185	147	59	-
Female	516	7	2	2	4	7	17	30	62	120	142	123	-
White	955	12	3	4	12	15	32	70	147	255	245	160	-
Male	524	7	2	2	10	10	19	47	96	157	126	48	-
Female	431	5	1	2	2	5	13	23	51	98	119	112	-
All other	191	8	2	2	4	5	11	19	24	50	44	22	-
Male	106	6	1	2	2	3	7	12	13	28	21	11	-
Female	85	2	1	-	2	2	4	7	11	22	23	11	-
Florence, S.C	963	26	5	5	18	35	43	82	181	249	215	104	-
Male	521	18	1	4	13	25	28	57	112	148	95	20	-
Female	442	8	4	1	5	10	15	25	69	101	120	84	-
White	564	9	2	4	9	17	21	46	94	146	141	75	-
Male	308	7	-	3	6	11	14	31	59	100	62	15	-
Female	256	2	2	1	3	6	7	15	35	46	79	60	-
All other	399	17	3	1	9	18	22	36	87	103	74	29	-
Male	213	11	1	1	7	14	14	26	53	48	33	5	-
Female	186	6	2	-	2	4	8	10	34	55	41	24	-
Fort Collins, Colo	924	29	4	6	34	35	23	49	101	182	260	201	-
Male	482	13	2	3	21	21	20	25	63	123	137	54	-
Female	442	16	2	3	13	14	3	24	38	59	123	147	-
White	922	29	4	6	34	35	23	49	99	182	260	201	-
Male	480	13	2	3	21	21	20	25	61	123	137	54	-
Female	442	16	2	3	13	14	3	24	38	59	123	147	-
All other	2	-	-	-	-	-	-	-	2	-	-	-	-
Male	2	-	-	-	-	-	-	-	2	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Fort Lauderdale-Hollywood, Fla	12,427	166	38	38	242	296	270	579	1,545	3,435	3,860	1,950	8
Male	7,046	92	21	18	162	212	176	370	938	2,034	2,166	851	6
Female	5,381	74	17	20	80	84	94	209	607	1,401	1,694	1,099	2
White	11,597	78	21	27	181	236	217	486	1,397	3,267	3,773	1,906	8
Male	6,540	46	8	13	120	169	140	315	849	1,919	2,121	834	6
Female	5,057	32	13	14	61	67	77	171	548	1,348	1,652	1,072	2
All other	830	88	17	11	61	60	53	93	148	168	87	44	-
Male	506	46	13	5	42	43	36	55	89	115	45	17	-
Female	324	42	4	6	19	17	17	38	59	53	42	27	-
Fort Myers-Cape Coral, Fla	2,572	31	10	11	51	54	45	106	387	748	764	365	-
Male	1,519	17	7	9	38	41	28	71	239	485	431	153	-
Female	1,053	14	3	2	13	13	17	35	148	263	333	212	-
White	2,431	23	6	10	41	43	37	92	372	710	741	356	-
Male	1,442	12	6	9	34	33	21	64	232	463	418	150	-
Female	989	11	-	1	7	10	16	28	140	247	323	206	-
All other	141	8	4	1	10	11	8	14	15	38	23	9	-
Male	77	5	1	-	4	8	7	7	7	22	13	3	-
Female	64	3	3	1	6	3	1	7	8	16	10	6	-
Fort Smith, Ark.-Okla	1,924	33	10	17	32	40	53	125	297	408	521	388	-
Male	1,095	21	6	14	20	30	39	90	198	243	281	153	-
Female	829	12	4	3	12	10	14	35	99	165	240	235	-
White	1,804	30	10	14	27	33	51	116	279	374	502	368	-
Male	1,029	20	6	11	16	24	37	86	187	221	272	149	-
Female	775	10	4	3	11	9	14	30	92	153	230	219	-
All other	120	3	-	3	5	7	2	9	18	34	19	20	-
Male	66	1	-	3	4	6	2	4	11	22	9	4	-
Female	54	2	-	-	1	1	-	5	7	12	10	16	-
Fort Walton Beach, Fla	616	24	3	7	27	14	26	66	114	145	114	76	-
Male	344	17	1	6	20	9	15	35	77	82	55	27	-
Female	272	7	2	1	7	5	11	31	37	63	59	49	-
White	564	17	2	6	22	11	24	61	104	131	112	74	-
Male	311	11	-	5	16	7	13	32	72	74	54	27	-
Female	253	6	2	1	6	4	11	29	32	57	58	47	-
All other	52	7	1	1	5	3	2	5	10	14	2	2	-
Male	33	6	1	1	4	2	2	3	5	8	1	-	-
Female	19	1	-	-	1	1	-	2	5	6	1	2	-

NEWARK PUBLIC LIBRARY

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Fort Wayne, Ind	2,903	61	17	20	64	62	64	161	401	652	820	581	-
Male	1,526	25	10	12	48	39	37	93	242	404	403	213	-
Female	1,377	36	7	8	16	23	27	68	159	248	417	368	-
White	2,754	51	16	19	55	48	56	148	378	611	800	572	-
Male	1,452	21	9	12	43	33	34	86	233	376	396	209	-
Female	1,302	30	7	7	12	15	22	62	145	235	404	363	-
All other	149	10	1	1	9	14	8	13	23	41	20	9	-
Male	74	4	1	-	5	6	3	7	9	28	7	4	-
Female	75	6	-	1	4	8	5	6	14	13	13	5	-
Fresno, Calif	3,973	117	29	21	129	160	133	275	549	877	924	757	2
Male	2,219	60	22	18	102	116	82	171	356	524	486	280	2
Female	1,754	57	7	3	27	44	51	104	193	353	438	477	-
White	3,636	96	26	20	120	140	119	239	500	804	863	707	2
Male	2,014	47	20	18	95	103	73	146	326	472	456	256	2
Female	1,622	49	6	2	25	37	46	93	174	332	407	451	-
All other	337	21	3	1	9	20	14	36	49	73	61	50	-
Male	205	13	2	-	7	13	9	25	30	52	30	24	-
Female	132	8	1	1	2	7	5	11	19	21	31	26	-
Gadsden, Ala	994	20	4	4	11	19	23	75	159	272	257	150	-
Male	531	9	3	2	9	14	12	53	103	166	120	40	-
Female	463	11	1	2	2	5	11	22	56	106	137	110	-
White	824	14	2	2	9	12	17	55	132	228	224	129	-
Male	439	8	1	2	8	7	9	38	84	141	108	33	-
Female	385	6	1	-	1	5	8	17	48	87	116	96	-
All other	170	6	2	2	2	7	6	20	27	44	33	21	-
Male	92	1	2	-	1	7	3	15	19	25	12	7	-
Female	78	5	-	2	1	-	3	5	8	19	21	14	-
Gainesville, Fla	923	29	11	6	30	40	42	57	153	216	208	131	-
Male	519	19	4	4	20	29	27	41	103	123	94	55	-
Female	404	10	7	2	10	11	15	16	50	93	114	76	-
White	673	13	4	2	23	27	28	43	113	154	161	105	-
Male	383	9	2	1	17	19	17	33	79	91	72	43	-
Female	290	4	2	1	6	8	11	10	34	63	89	62	-
All other	250	16	7	4	7	13	14	14	40	62	47	26	-
Male	136	10	2	3	3	10	10	8	24	32	22	12	-
Female	114	6	5	1	4	3	4	6	16	30	25	14	-
Galveston-Texas City, Tex	1,654	39	9	7	58	85	54	143	277	383	382	217	-
Male	937	29	6	6	41	63	36	88	176	239	180	73	-
Female	717	10	3	1	17	22	18	55	101	144	202	144	-
White	1,299	27	4	5	46	67	38	107	216	307	310	172	-
Male	726	21	3	4	33	51	24	63	139	193	143	52	-
Female	573	6	1	1	13	16	14	44	77	114	167	120	-
All other	355	12	5	2	12	18	16	36	61	76	72	45	-
Male	211	8	3	2	8	12	12	25	37	46	37	21	-
Female	144	4	2	-	4	6	4	11	24	30	35	24	-
Gary-Hammond-East Chicago, Ind	5,016	163	31	27	162	182	177	426	855	1,190	1,117	684	2
Male	2,809	84	18	15	128	134	105	265	520	712	558	269	1
Female	2,207	79	13	12	34	48	72	161	335	478	559	415	1
White	3,959	90	17	18	106	122	125	308	661	963	938	610	1
Male	2,205	45	9	9	84	93	74	199	406	588	462	236	-
Female	1,754	45	8	9	22	29	51	109	255	375	476	374	1
All other	1,057	73	14	9	56	60	52	118	194	227	179	74	1
Male	604	39	9	6	44	41	31	66	114	124	96	33	1
Female	453	34	5	3	12	19	21	52	80	103	83	41	-
Glens Falls, N.Y	1,120	21	7	12	18	18	26	59	157	264	315	223	-
Male	583	12	6	6	14	12	18	41	111	158	139	66	-
Female	537	9	1	6	4	6	8	18	46	106	176	157	-
White	1,110	20	7	12	18	17	26	58	156	262	312	222	-
Male	580	12	6	6	14	12	18	40	111	156	139	66	-
Female	530	8	1	6	4	5	8	18	45	106	173	156	-
All other	10	1	-	-	-	1	-	1	1	2	3	1	-
Male	3	-	-	-	-	-	-	1	-	2	-	-	-
Female	7	1	-	-	-	1	-	-	1	-	3	1	-
Grand Forks, N.Dak.-Minn	718	23	6	6	19	19	5	33	82	138	202	184	1
Male	385	13	4	5	13	13	3	24	48	86	108	68	-
Female	333	10	2	1	6	6	2	9	34	52	94	116	1
White	716	23	6	6	17	19	5	33	82	138	202	184	1
Male	384	13	4	5	12	13	3	24	48	86	108	68	-
Female	332	10	2	1	5	6	2	9	34	52	94	116	1
All other	2	-	-	-	2	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	1	-	-	-	-	-	-	-	-
Grand Rapids, Mich	4,372	130	18	27	86	98	123	276	559	954	1,160	941	-
Male	2,261	65	9	16	61	67	80	162	357	572	562	310	-
Female	2,111	65	9	11	25	31	43	114	202	382	598	631	-
White	4,165	117	13	22	79	82	113	247	515	920	1,139	918	-
Male	2,149	59	8	15	55	56	73	147	333	549	554	300	-
Female	2,016	58	5	7	24	26	40	100	182	371	585	618	-
All other	207	13	5	5	7	16	10	29	44	34	21	23	-
Male	112	6	1	1	6	11	7	15	24	23	8	10	-
Female	95	7	4	4	1	5	3	14	20	11	13	13	-
Great Falls, Mont	629	20	1	4	17	18	25	33	93	149	142	127	-
Male	350	11	-	2	14	16	20	22	59	79	79	48	-
Female	279	9	1	2	3	2	5	11	34	70	63	79	-
White	601	12	-	4	13	16	24	30	90	145	141	126	-
Male	336	8	-	2	11	14	19	21	57	78	79	47	-
Female	265	4	-	2	2	2	5	9	33	67	62	79	-
All other	28	8	1	-	4	2	1	3	3	4	1	1	-
Male	14	3	-	-	3	2	1	1	2	1	-	1	-
Female	14	5	1	-	1	-	-	2	1	3	1	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Greeley, Colo	780	16	7	13	33	28	26	44	98	170	180	165	-
Male	433	9	4	9	26	21	17	25	54	100	106	62	-
Female	347	7	3	4	7	7	9	19	44	70	74	103	-
White	776	16	7	13	33	28	26	44	98	170	180	161	-
Male	431	9	4	9	26	21	17	25	54	100	106	60	-
Female	345	7	3	4	7	7	9	19	44	70	74	101	-
All other	4	-	-	-	-	-	-	-	-	-	-	4	-
Male	2	-	-	-	-	-	-	-	-	-	-	2	-
Female	2	-	-	-	-	-	-	-	-	-	-	2	-
Green Bay, Wis	1,287	36	5	6	29	30	27	65	149	325	355	260	-
Male	695	20	2	6	21	22	16	41	96	200	184	87	-
Female	592	16	3	-	8	8	11	24	53	125	171	173	-
White	1,266	32	5	6	27	29	27	65	146	320	351	258	-
Male	683	19	2	6	19	21	16	41	93	197	183	86	-
Female	583	13	3	-	8	8	11	24	53	123	168	172	-
All other	21	4	-	-	2	1	-	-	3	5	4	2	-
Male	12	1	-	-	2	1	-	-	3	3	1	1	-
Female	9	3	-	-	-	-	-	-	-	2	3	1	-
Greensboro--Winston-Salem--High Point, N.C	6,534	104	30	38	151	177	265	512	1,109	1,597	1,610	941	-
Male	3,479	53	21	25	113	117	155	310	702	929	757	297	-
Female	3,055	51	9	13	38	60	110	202	407	668	853	644	-
White	5,174	77	19	29	129	113	169	360	866	1,272	1,319	821	-
Male	2,766	36	14	17	98	82	90	226	571	759	619	254	-
Female	2,408	41	5	12	31	31	79	134	295	513	700	567	-
All other	1,360	27	11	9	22	64	96	152	243	325	291	120	-
Male	713	17	7	8	15	35	65	84	131	170	138	43	-
Female	647	10	4	1	7	29	31	68	112	155	153	77	-
Greenville-Spartanburg, S.C	4,526	118	21	22	113	137	172	369	811	1,080	1,078	604	1
Male	2,437	57	16	17	78	96	112	238	500	653	478	191	1
Female	2,089	61	5	5	35	41	60	131	311	427	600	413	-
White	3,671	78	13	20	86	93	126	279	633	874	930	538	1
Male	1,966	33	9	16	62	67	83	182	393	529	419	172	1
Female	1,705	45	4	4	24	26	43	97	240	345	511	366	-
All other	855	40	8	2	27	44	46	90	178	206	148	66	-
Male	471	24	7	1	16	29	29	56	107	124	59	19	-
Female	384	16	1	1	11	15	17	34	71	82	89	47	-
Hagerstown, Md	1,016	11	1	4	21	21	20	67	166	278	255	170	2
Male	558	4	-	3	15	14	10	38	111	163	133	66	1
Female	458	7	1	1	6	7	10	29	55	115	122	104	1
White	987	10	-	4	20	20	19	62	165	272	248	165	2
Male	544	4	-	3	14	13	10	34	111	160	131	63	1
Female	443	6	-	1	6	7	9	28	54	112	117	102	1
All other	29	1	1	-	1	1	1	5	1	6	7	5	-
Male	14	-	-	-	1	1	-	4	-	3	2	3	-
Female	15	1	1	-	-	-	1	1	1	3	5	2	-
Hamilton-Middletown, Ohio	1,990	47	10	14	45	42	46	157	331	460	503	335	-
Male	1,081	31	7	10	31	39	27	104	206	270	252	104	-
Female	909	16	3	4	14	3	19	53	125	190	251	231	-
White	1,886	42	9	12	43	36	43	144	309	437	485	326	-
Male	1,013	27	7	8	29	34	25	95	190	258	239	101	-
Female	873	15	2	4	14	2	18	49	119	179	246	225	-
All other	104	5	1	2	2	6	3	13	22	23	18	9	-
Male	68	4	-	2	2	5	2	9	16	12	13	3	-
Female	36	1	1	-	-	1	1	4	6	11	5	6	-
Harrisburg, Pa	4,088	81	15	15	75	81	91	239	570	1,016	1,127	778	-
Male	2,138	49	9	8	60	58	57	148	368	590	544	247	-
Female	1,950	32	6	7	15	23	34	91	202	426	583	531	-
White	3,809	68	13	11	66	65	75	211	513	955	1,082	750	-
Male	1,974	38	7	7	52	47	48	126	332	559	519	239	-
Female	1,835	30	6	4	14	18	27	85	181	396	563	511	-
All other	279	13	2	4	9	16	16	28	57	61	45	28	-
Male	164	11	2	1	8	11	9	22	36	31	25	8	-
Female	115	2	-	3	1	5	7	6	21	30	20	20	-
Hartford-New Britain-Bristol, Conn	8,569	168	22	35	178	174	212	489	1,350	1,917	2,173	1,850	1
Male	4,481	93	12	21	122	115	133	302	842	1,162	1,018	661	-
Female	4,088	75	10	14	56	59	79	187	508	755	1,155	1,189	1
White	8,088	121	14	26	164	150	160	426	1,268	1,838	2,110	1,810	1
Male	4,206	67	8	17	114	100	102	260	792	1,111	991	644	-
Female	3,882	54	6	9	50	50	58	166	476	727	1,119	1,166	1
All other	481	47	8	9	14	24	52	63	82	79	63	40	-
Male	275	26	4	4	8	15	31	42	50	51	27	17	-
Female	206	21	4	5	6	9	21	21	32	28	36	23	-
Hickory, N.C	1,007	18	9	3	27	32	44	85	163	247	214	165	-
Male	551	4	4	2	21	21	30	62	106	144	113	44	-
Female	456	14	5	1	6	11	14	23	57	103	101	121	-
White	894	10	9	2	24	23	36	68	141	225	198	158	-
Male	480	3	4	1	18	14	25	49	90	132	105	39	-
Female	414	7	5	1	6	9	11	19	51	93	93	119	-
All other	113	8	-	1	3	9	8	17	22	22	16	7	-
Male	71	1	-	1	3	7	5	13	16	12	8	5	-
Female	42	7	-	-	-	2	3	4	6	10	8	2	-
Honolulu, Hawaii	3,701	130	27	24	130	117	153	314	635	800	811	557	3
Male	2,206	67	17	14	95	86	86	215	414	521	470	218	3
Female	1,495	63	10	10	35	31	67	99	221	279	341	339	-
White	1,232	28	7	5	53	46	52	96	231	278	258	177	1
Male	729	11	5	3	39	36	33	71	154	179	137	60	1
Female	503	17	2	2	14	10	19	25	77	99	121	117	-
All other	2,469	102	20	19	77	71	101	218	404	522	553	380	2
Male	1,477	56	12	11	56	50	53	144	260	342	333	158	2
Female	992	46	8	8	21	21	48	74	144	180	220	222	-

NEWARK PUBLIC LIBRARY

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Houston, Tex	18,192	756	148	160	974	1,138	967	1,745	2,979	3,671	3,647	2,007	2
Male	10,527	424	77	99	735	872	677	1,118	1,891	2,188	1,759	685	2
Female	7,665	332	69	61	239	266	290	627	1,088	1,483	1,888	1,322	-
White	14,191	534	100	124	752	838	690	1,275	2,313	2,875	2,979	1,709	2
Male	8,174	292	52	74	575	643	475	830	1,505	1,744	1,428	554	2
Female	6,017	242	48	50	177	195	215	445	808	1,131	1,551	1,155	-
All other	4,001	222	46	36	222	300	277	470	666	796	668	298	-
Male	2,353	132	25	25	160	229	202	288	386	444	331	131	-
Female	1,648	90	21	11	62	71	75	182	280	352	337	167	-
Huntington-Ashland, W. Va.-Ky.-Ohio	3,106	48	11	24	57	59	72	232	488	775	811	529	-
Male	1,675	33	6	14	40	47	45	154	298	467	389	182	-
Female	1,431	15	5	10	17	12	27	78	190	308	422	347	-
White	3,020	46	11	24	54	56	69	226	473	755	790	516	-
Male	1,627	32	6	14	38	44	42	151	290	455	377	178	-
Female	1,393	14	5	10	16	12	27	75	183	300	413	338	-
All other	86	2	-	-	3	3	3	6	15	20	21	13	-
Male	48	1	-	-	2	3	3	3	8	12	12	4	-
Female	38	1	-	-	1	-	-	3	7	8	9	9	-
Huntsville, Ala	2,361	58	8	8	59	66	75	230	373	560	592	332	-
Male	1,330	35	4	5	42	45	48	157	243	343	284	124	-
Female	1,031	23	4	3	17	21	27	73	130	217	308	208	-
White	2,017	37	6	5	50	53	56	189	332	475	520	294	-
Male	1,152	20	3	3	36	36	39	134	218	300	254	109	-
Female	865	17	3	2	14	17	17	55	114	175	266	185	-
All other	344	21	2	3	9	13	19	41	41	85	72	38	-
Male	178	15	1	2	6	9	9	23	25	43	30	15	-
Female	166	6	1	1	3	4	10	18	16	42	42	23	-
Indianapolis, Ind	9,863	249	51	39	238	228	299	687	1,550	2,234	2,490	1,798	-
Male	5,126	158	30	20	173	154	190	421	920	1,323	1,192	545	-
Female	4,737	91	21	19	65	74	109	266	630	911	1,298	1,253	-
White	8,512	188	33	28	199	173	225	555	1,316	1,925	2,239	1,631	-
Male	4,374	126	18	14	145	120	142	348	785	1,136	1,058	482	-
Female	4,138	62	15	14	54	53	83	207	531	789	1,181	1,149	-
All other	1,351	61	18	11	39	55	74	132	234	309	251	167	-
Male	752	32	12	6	28	34	48	73	135	187	134	63	-
Female	599	29	6	5	11	21	26	59	99	122	117	104	-
Iowa City, Iowa	392	13	2	-	14	9	6	19	43	85	112	89	-
Male	214	8	2	-	9	5	2	15	27	58	58	30	-
Female	178	5	-	-	5	4	4	4	16	27	54	59	-
White	391	13	2	-	14	9	6	19	43	85	112	88	-
Male	213	8	2	-	9	5	2	15	27	58	58	29	-
Female	178	5	-	-	5	4	4	4	16	27	54	59	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Jackson, Mich	1,228	24	4	6	27	36	34	68	186	239	363	241	-
Male	636	11	3	4	18	28	18	45	111	151	180	67	-
Female	592	13	1	2	9	8	16	23	75	88	183	174	-
White	1,182	24	4	6	24	34	30	63	177	232	349	239	-
Male	609	11	3	4	17	26	15	41	107	147	172	66	-
Female	573	13	1	2	7	8	15	22	70	85	177	173	-
All other	46	-	-	-	3	2	4	5	9	7	14	2	-
Male	27	-	-	-	1	2	3	4	4	4	8	1	-
Female	19	-	-	-	2	-	1	1	5	3	6	1	-
Jackson, Miss	2,617	83	15	16	68	105	113	200	406	543	633	423	12
Male	1,411	51	9	11	53	73	69	121	254	326	301	136	7
Female	1,206	32	6	5	15	32	44	79	152	217	332	287	5
White	1,588	20	3	6	44	49	55	118	270	341	407	274	1
Male	813	12	2	4	32	32	36	67	171	195	193	69	-
Female	775	8	1	2	12	17	19	51	99	146	214	205	1
All other	1,029	63	12	10	24	56	58	82	136	202	226	149	11
Male	598	39	7	7	21	41	33	54	83	131	108	67	7
Female	431	24	5	3	3	15	25	28	53	71	118	82	4
Jacksonville, Fla	6,685	189	22	31	186	209	264	558	1,137	1,631	1,503	954	1
Male	3,607	114	13	18	143	133	161	358	687	946	711	322	1
Female	3,078	75	9	13	43	76	103	200	450	685	792	632	-
White	5,052	105	16	16	146	129	178	402	827	1,199	1,197	836	1
Male	2,719	61	9	9	113	84	112	265	503	714	568	280	1
Female	2,333	44	7	7	33	45	66	137	324	485	629	556	-
All other	1,633	84	6	15	40	80	86	156	310	432	306	118	-
Male	888	53	4	9	30	49	49	93	184	232	143	42	-
Female	745	31	2	6	10	31	37	63	126	200	163	76	-
Jacksonville, N.C	447	39	-	5	32	18	26	41	69	100	74	43	-
Male	271	20	-	2	26	16	15	30	45	61	37	19	-
Female	176	19	-	3	6	2	11	11	24	39	37	24	-
White	354	26	-	3	28	15	22	30	52	83	60	35	-
Male	216	12	-	1	24	13	12	21	34	53	32	14	-
Female	138	14	-	2	4	2	10	9	18	30	28	21	-
All other	93	13	-	2	4	3	4	11	17	17	14	8	-
Male	55	8	-	1	2	3	3	9	11	8	5	5	-
Female	38	5	-	1	2	-	1	2	6	9	9	3	-
Janesville-Beloit, Wis	1,139	20	3	6	26	16	26	74	153	254	303	258	-
Male	589	15	1	3	25	11	17	50	113	141	141	72	-
Female	550	5	2	3	1	5	9	24	40	113	162	186	-
White	1,102	17	2	6	23	15	25	68	149	247	294	256	-
Male	570	13	-	3	23	10	16	48	109	138	138	72	-
Female	532	4	2	3	-	5	9	20	40	109	156	184	-
All other	37	3	1	-	3	1	1	6	4	7	9	2	-
Male	19	2	1	-	2	1	1	2	4	3	3	-	-
Female	18	1	-	-	1	-	-	4	-	4	6	2	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Jersey City, N.J	5,724	90	26	31	89	160	171	372	1,006	1,417	1,486	872	4
Male	2,983	57	17	15	68	112	102	233	613	792	687	284	3
Female	2,741	33	9	16	21	48	69	139	393	625	799	588	1
White	5,168	59	18	23	78	107	124	303	900	1,307	1,407	838	4
Male	2,673	42	11	13	61	75	77	185	551	730	654	271	3
Female	2,495	17	7	10	17	32	47	118	349	577	753	567	1
All other	556	31	8	8	11	53	47	69	106	110	79	34	-
Male	310	15	6	2	7	37	25	48	62	62	33	13	-
Female	246	16	2	6	4	16	22	21	44	48	46	21	-
Johnson City-Kingsport-Bristol, Tenn.-Va	3,774	66	7	19	75	60	103	284	602	982	958	618	-
Male	2,111	36	3	12	54	42	70	192	399	601	486	216	-
Female	1,663	30	4	7	21	18	33	92	203	381	472	402	-
White	3,665	62	7	19	73	57	100	273	580	950	938	606	-
Male	2,045	33	3	12	53	40	68	185	382	581	478	210	-
Female	1,620	29	4	7	20	17	32	88	198	369	460	396	-
All other	109	4	-	-	2	3	3	11	22	32	20	12	-
Male	66	3	-	-	1	2	2	7	17	20	8	6	-
Female	43	1	-	-	1	1	1	4	5	12	12	6	-
Johnstown, Pa	2,739	40	12	11	34	50	63	145	422	740	754	467	1
Male	1,499	25	8	7	27	38	40	87	269	453	367	178	-
Female	1,240	15	4	4	7	12	23	58	153	287	387	289	1
White	2,701	40	12	11	34	50	62	142	417	724	745	463	1
Male	1,481	25	8	7	27	38	40	86	265	444	364	177	-
Female	1,220	15	4	4	7	12	22	56	152	280	381	286	1
All other	38	-	-	-	-	-	1	3	5	16	9	4	-
Male	18	-	-	-	-	-	-	1	4	9	3	1	-
Female	20	-	-	-	-	-	1	2	1	7	6	3	-
Joplin, Mo	1,325	23	1	4	26	20	26	76	171	334	385	259	-
Male	699	9	1	2	20	11	18	54	117	193	195	79	-
Female	626	14	-	2	6	9	8	22	54	141	190	180	-
White	1,309	22	1	4	26	20	26	75	171	329	379	256	-
Male	689	9	1	2	20	11	18	53	117	191	191	76	-
Female	620	13	-	2	6	9	8	22	54	138	188	180	-
All other	16	1	-	-	-	-	-	1	-	5	6	3	-
Male	10	-	-	-	-	-	-	1	-	2	4	3	-
Female	6	1	-	-	-	-	-	-	-	3	2	-	-
Kalamazoo-Portage, Mich	2,068	52	7	9	37	52	52	121	298	455	550	435	-
Male	1,097	30	3	6	28	36	32	82	179	264	278	159	-
Female	971	22	4	3	9	16	20	39	119	191	272	276	-
White	1,927	42	4	9	35	48	45	108	275	425	522	414	-
Male	1,024	24	1	6	27	34	28	74	168	248	262	152	-
Female	903	18	3	3	8	14	17	34	107	177	260	262	-
All other	141	10	3	-	2	4	7	13	23	30	28	21	-
Male	73	6	2	-	1	2	4	8	11	16	16	7	-
Female	68	4	1	-	1	2	3	5	12	14	12	14	-
Kankakee, Ill	860	27	3	4	12	15	21	54	126	186	237	175	-
Male	452	19	1	-	6	13	11	34	75	103	122	68	-
Female	408	8	2	4	6	2	10	20	51	83	115	107	-
White	745	17	2	3	8	10	16	44	111	166	209	159	-
Male	389	13	-	-	5	9	9	28	66	93	107	59	-
Female	356	4	2	3	3	1	7	16	45	73	102	100	-
All other	115	10	1	1	4	5	5	10	15	20	28	16	-
Male	63	6	1	-	1	4	2	6	9	10	15	9	-
Female	52	4	-	1	3	1	3	4	6	10	13	7	-
Kansas City, Mo.-Kans	11,242	269	50	54	240	312	360	753	1,680	2,465	2,932	2,124	3
Male	5,805	153	26	37	181	211	220	478	1,037	1,424	1,336	701	1
Female	5,437	116	24	17	59	101	140	275	643	1,041	1,596	1,423	2
White	9,711	196	37	37	186	240	287	601	1,423	2,135	2,597	1,969	3
Male	4,972	110	22	26	139	158	175	381	882	1,261	1,181	636	1
Female	4,739	86	15	11	47	82	112	220	541	874	1,416	1,333	2
All other	1,531	73	13	17	54	72	73	152	257	330	335	155	-
Male	833	43	4	11	42	53	45	97	155	163	155	65	-
Female	698	30	9	6	12	19	28	55	102	167	180	90	-
Kenosha, Wis	1,024	21	3	1	34	23	21	64	159	239	266	193	-
Male	544	10	2	-	23	15	10	41	104	131	140	68	-
Female	480	11	1	1	11	8	11	23	55	108	126	125	-
White	999	19	3	-	32	21	19	63	156	233	261	192	-
Male	528	9	2	-	22	13	8	40	102	126	139	67	-
Female	471	10	1	-	10	8	11	23	54	107	122	125	-
All other	25	2	-	1	2	2	2	1	3	6	5	1	-
Male	16	1	-	-	1	2	2	1	2	5	1	1	-
Female	9	1	-	1	1	-	-	-	1	1	4	-	-
Killeen-Temple, Tex	1,331	60	8	6	77	40	51	75	165	266	323	259	1
Male	732	36	4	1	62	27	32	48	111	167	146	97	1
Female	599	24	4	5	15	13	19	27	54	99	177	162	-
White	1,173	40	7	6	59	34	38	60	145	245	297	241	1
Male	658	25	3	1	50	22	28	40	100	156	140	92	1
Female	515	15	4	5	9	12	10	20	45	89	157	149	-
All other	158	20	1	-	18	6	13	15	20	21	26	18	-
Male	74	11	1	-	12	5	4	8	11	11	6	5	-
Female	84	9	-	-	6	1	9	7	9	10	20	13	-
Knoxville, Tenn	4,190	73	12	18	86	79	130	296	677	1,025	1,103	691	-
Male	2,257	46	6	12	63	54	83	196	407	611	570	209	-
Female	1,933	27	6	6	23	25	47	100	270	414	533	482	-
White	3,820	60	10	14	79	69	114	261	611	951	1,010	641	-
Male	2,077	38	5	11	59	49	76	176	368	573	530	192	-
Female	1,743	22	5	3	20	20	38	85	243	378	480	449	-
All other	370	13	2	4	7	10	16	35	66	74	93	50	-
Male	180	8	1	1	4	5	7	20	39	38	40	17	-
Female	190	5	1	3	3	5	9	15	27	36	53	33	-

NEWARK PUBLIC LIBRARY

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Kokomo, Ind	823	19	4	7	25	18	26	64	120	178	213	149	-
Male	421	10	2	4	17	14	16	42	73	104	89	50	-
Female	402	9	2	3	8	4	10	22	47	74	124	99	-
White	790	17	4	6	23	18	25	56	114	175	206	146	-
Male	405	10	2	3	16	14	16	36	69	103	86	50	-
Female	385	7	2	3	7	4	9	20	45	72	120	96	-
All other	33	2	-	1	2	-	1	8	6	3	7	3	-
Male	16	-	-	1	1	-	-	6	4	1	3	-	-
Female	17	2	-	-	1	-	1	2	2	2	4	3	-
La Crosse, Wis	748	15	2	2	15	18	15	21	94	166	207	193	-
Male	379	11	2	1	13	15	11	16	61	95	85	69	-
Female	369	4	-	1	2	3	4	5	33	71	122	124	-
White	748	15	2	2	15	18	15	21	94	166	207	193	-
Male	379	11	2	1	13	15	11	16	61	95	85	69	-
Female	369	4	-	1	2	3	4	5	33	71	122	124	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lafayette, La	911	43	6	6	36	35	40	86	139	187	196	137	-
Male	504	22	3	3	27	27	29	57	85	116	95	40	-
Female	407	21	3	3	9	8	11	29	54	71	101	97	-
White	697	32	3	5	28	25	23	55	108	148	164	106	-
Male	386	15	1	2	22	20	18	34	73	92	81	28	-
Female	311	17	2	3	6	5	5	21	35	56	83	78	-
All other	214	11	3	1	8	10	17	31	31	39	32	31	-
Male	118	7	2	1	5	7	11	23	12	24	14	12	-
Female	96	4	1	-	3	3	6	8	19	15	18	19	-
Lafayette-West Lafayette, Ind	751	13	2	6	14	15	22	41	113	170	196	159	-
Male	389	5	1	2	10	11	10	26	61	110	102	51	-
Female	362	8	1	4	4	4	12	15	52	60	94	108	-
White	746	13	2	6	14	14	22	41	112	169	196	157	-
Male	386	5	1	2	10	10	10	26	61	109	102	50	-
Female	360	8	1	4	4	4	12	15	51	60	94	107	-
All other	5	-	-	-	-	1	-	-	1	1	-	2	-
Male	3	-	-	-	-	1	-	-	-	1	-	1	-
Female	2	-	-	-	-	-	-	-	1	-	-	1	-
Lake Charles, La	1,314	26	6	9	52	38	53	117	202	360	283	168	-
Male	725	8	2	8	38	29	36	71	118	220	136	59	-
Female	589	18	4	1	14	9	17	46	84	140	147	109	-
White	1,015	17	5	8	37	26	33	83	142	286	237	141	-
Male	554	5	2	7	26	22	21	50	82	179	112	48	-
Female	461	12	3	1	11	4	12	33	60	107	125	93	-
All other	299	9	1	1	15	12	20	34	60	74	46	27	-
Male	171	3	-	1	12	7	15	21	36	41	24	11	-
Female	128	6	1	-	3	5	5	13	24	33	22	16	-
Lakeland-Winter Haven, Fla	3,389	95	17	23	73	86	100	226	523	838	870	538	-
Male	1,970	51	12	16	55	60	65	160	353	519	469	210	-
Female	1,419	44	5	7	18	26	35	66	170	319	401	328	-
White	2,942	58	14	18	66	75	84	195	436	708	774	514	-
Male	1,722	34	10	12	50	53	55	143	297	444	427	197	-
Female	1,220	24	4	6	16	22	29	52	139	264	347	317	-
All other	447	37	3	5	7	11	16	31	87	130	96	24	-
Male	248	17	2	4	5	7	10	17	56	75	42	13	-
Female	199	20	1	1	2	4	6	14	31	55	54	11	-
Lancaster, Pa	3,153	67	12	7	63	55	64	165	398	700	904	718	-
Male	1,606	33	7	3	45	33	40	105	241	396	449	254	-
Female	1,547	34	5	4	18	22	24	60	157	304	455	464	-
White	3,101	64	12	6	62	51	61	163	391	690	890	711	-
Male	1,581	33	7	3	45	30	37	104	238	392	441	251	-
Female	1,520	31	5	3	17	21	24	59	153	298	449	460	-
All other	52	3	-	1	1	4	3	2	7	10	14	7	-
Male	25	-	-	-	-	3	3	1	3	4	8	3	-
Female	27	3	-	1	1	1	-	1	4	6	6	4	-
Lansing-East Lansing, Mich	2,873	82	13	14	67	76	79	192	387	616	768	579	-
Male	1,519	51	6	9	50	55	46	122	241	363	367	209	-
Female	1,354	31	7	5	17	21	33	70	146	253	401	370	-
White	2,773	77	12	12	64	64	74	182	369	595	751	573	-
Male	1,453	48	6	7	48	48	41	117	227	347	357	207	-
Female	1,320	29	6	5	16	16	33	65	142	248	394	366	-
All other	100	5	1	2	3	12	5	10	18	21	17	6	-
Male	66	3	-	2	2	7	5	5	14	16	10	2	-
Female	34	2	1	-	1	5	-	5	4	5	7	4	-
Laredo, Tex	622	31	6	5	30	19	20	43	70	130	160	108	-
Male	359	13	4	3	26	14	17	29	41	78	91	43	-
Female	263	18	2	2	4	5	3	14	29	52	69	65	-
White	621	31	6	5	30	18	20	43	70	130	160	108	-
Male	358	13	4	3	26	13	17	29	41	78	91	43	-
Female	263	18	2	2	4	5	3	14	29	52	69	65	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Las Cruces, N Mex	525	13	4	8	25	17	19	34	85	123	106	90	1
Male	297	6	1	4	20	10	17	25	50	72	58	33	1
Female	228	7	3	4	5	7	2	9	35	51	48	57	-
White	512	11	4	8	24	17	19	33	85	119	105	86	1
Male	288	5	1	4	19	10	17	24	50	69	58	30	1
Female	224	6	3	4	5	7	2	9	35	50	47	56	-
All other	13	2	-	-	1	-	-	1	-	4	1	4	-
Male	9	1	-	-	1	-	-	1	-	3	-	3	-
Female	4	1	-	-	-	-	-	-	-	1	1	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Las Vegas, Nev	3,226	104	20	31	145	161	158	325	622	796	597	265	2
Male	1,945	57	8	20	111	114	105	198	390	520	320	100	2
Female	1,281	47	12	11	34	47	53	127	232	276	277	165	-
White	2,945	71	16	25	132	139	132	283	572	746	568	259	2
Male	1,771	43	7	15	104	99	86	173	355	489	300	98	2
Female	1,174	28	9	10	28	40	46	110	217	257	268	161	-
All other	281	33	4	6	13	22	26	42	50	50	29	6	-
Male	174	14	1	5	7	15	19	25	35	31	20	2	-
Female	107	19	3	1	6	7	7	17	15	19	9	4	-
Lawrence, Kans	358	10	-	3	7	16	5	18	47	73	95	84	-
Male	194	7	-	2	6	14	3	11	25	41	55	30	-
Female	164	3	-	1	1	2	2	7	22	32	40	54	-
White	329	8	-	3	6	15	5	17	45	64	90	76	-
Male	179	6	-	2	5	13	3	11	25	36	51	27	-
Female	150	2	-	1	1	2	2	6	20	28	39	49	-
All other	29	2	-	-	1	1	-	1	2	9	5	8	-
Male	15	1	-	-	1	1	-	-	-	5	4	3	-
Female	14	1	-	-	-	-	-	1	2	4	1	5	-
Lawton, Okla	691	30	4	5	22	31	28	60	114	149	144	104	-
Male	378	17	3	3	16	19	16	39	74	88	75	28	-
Female	313	13	1	2	6	12	12	21	40	61	69	76	-
White	588	14	2	1	19	26	21	47	99	133	131	95	-
Male	326	8	2	-	13	15	12	34	66	80	72	24	-
Female	262	6	-	1	6	11	9	13	33	53	59	71	-
All other	103	16	2	4	3	5	7	13	15	16	13	9	-
Male	52	9	1	3	3	4	4	5	8	8	3	4	-
Female	51	7	1	1	-	1	3	8	7	8	10	5	-
Lewiston-Auburn, Maine	900	11	2	3	18	19	14	53	125	221	256	178	-
Male	470	7	1	1	14	14	7	37	80	137	120	52	-
Female	430	4	1	2	4	5	7	16	45	84	136	126	-
White	898	11	2	3	18	19	13	53	125	220	256	178	-
Male	469	7	1	1	14	14	7	37	80	136	120	52	-
Female	429	4	1	2	4	5	6	16	45	84	136	126	-
All other	2	-	-	-	-	-	1	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Lexington-Fayette, Ky	2,490	57	16	3	55	45	64	187	418	556	637	452	-
Male	1,339	28	7	2	44	32	47	102	265	326	309	177	-
Female	1,151	29	9	1	11	13	17	85	153	230	328	275	-
White	2,116	48	15	3	50	38	52	158	346	462	557	387	-
Male	1,133	24	6	2	39	28	38	88	217	271	273	147	-
Female	983	24	9	1	11	10	14	70	129	191	284	240	-
All other	374	9	1	-	5	7	12	29	72	94	80	65	-
Male	206	4	1	-	5	4	9	14	48	55	36	30	-
Female	168	5	-	-	-	3	3	15	24	39	44	35	-
Lima, Ohio	1,926	41	8	4	37	35	50	91	278	401	533	447	1
Male	994	19	3	3	21	24	35	56	169	244	263	157	-
Female	932	22	5	1	16	11	15	35	109	157	270	290	1
White	1,850	37	6	3	34	30	45	83	266	381	519	445	1
Male	946	16	2	2	19	21	32	51	162	231	254	156	-
Female	904	21	4	1	15	9	13	32	104	150	265	289	1
All other	76	4	2	1	3	5	5	8	12	20	14	2	-
Male	48	3	1	1	2	3	3	5	7	13	9	1	-
Female	28	1	1	-	1	2	2	3	5	7	5	1	-
Lincoln, Nebr	1,302	22	7	5	24	32	30	65	151	254	378	334	-
Male	650	12	5	4	19	19	21	43	97	145	178	107	-
Female	652	10	2	1	5	13	9	22	54	109	200	227	-
White	1,282	21	7	5	23	31	26	63	149	251	375	331	-
Male	638	12	5	4	19	18	18	41	96	144	175	106	-
Female	644	9	2	1	4	13	8	22	53	107	200	225	-
All other	20	1	-	-	1	1	4	2	2	3	3	3	-
Male	12	-	-	-	-	1	3	2	1	1	3	1	-
Female	8	1	-	-	1	-	1	-	1	2	-	2	-
Little Rock-North Little Rock, Ark	3,080	78	8	20	70	90	113	210	441	768	771	509	2
Male	1,682	52	5	9	49	66	68	153	288	436	388	168	-
Female	1,398	26	3	11	21	24	45	57	153	332	383	341	2
White	2,415	40	5	16	38	58	89	156	354	621	628	409	1
Male	1,297	25	4	7	26	40	53	111	239	351	317	124	-
Female	1,118	15	1	9	12	18	36	45	115	270	311	285	1
All other	665	38	3	4	32	32	24	54	87	147	143	100	1
Male	385	27	1	2	23	26	15	42	49	85	71	44	-
Female	280	11	2	2	9	6	9	12	38	62	72	56	1
Long Branch-Asbury Park, N.J	4,739	61	8	15	84	97	115	306	700	1,124	1,298	931	-
Male	2,343	30	4	10	54	61	61	203	413	606	615	286	-
Female	2,396	31	4	5	30	36	54	103	287	518	683	645	-
White	4,318	43	5	11	71	74	93	260	618	1,035	1,226	882	-
Male	2,102	21	3	6	47	46	49	173	365	555	568	269	-
Female	2,216	22	2	5	24	28	44	87	253	480	658	613	-
All other	421	18	3	4	13	23	22	46	82	89	72	49	-
Male	241	9	1	4	7	15	12	30	48	51	47	17	-
Female	180	9	2	-	6	8	10	16	34	38	25	32	-
Longview-Marshall, Tex	1,478	43	8	12	39	44	46	109	229	375	371	202	-
Male	810	28	5	7	30	31	34	70	122	222	189	72	-
Female	668	15	3	5	9	13	12	39	107	153	182	130	-
White	1,092	28	5	8	30	33	28	70	158	285	275	172	-
Male	594	20	3	5	22	24	21	46	87	162	145	59	-
Female	498	8	2	3	8	9	7	24	71	123	130	113	-
All other	386	15	3	4	9	11	18	39	71	90	96	30	-
Male	216	8	2	2	8	7	13	24	35	60	44	13	-
Female	170	7	1	2	1	4	5	15	36	30	52	17	-

NEWARK PUBLIC LIBRARY

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Lorain-Elyria, Ohio	1,878	62	9	9	49	57	39	133	308	434	453	325	-
Male	1,013	28	5	7	35	41	25	82	189	267	219	115	-
Female	865	34	4	2	14	16	14	51	119	167	234	210	-
White	1,751	50	8	8	46	45	37	116	286	416	427	312	-
Male	943	23	4	6	33	32	23	72	177	259	203	111	-
Female	808	27	4	2	13	13	14	44	109	157	224	201	-
All other	127	12	1	1	3	12	2	17	22	18	26	13	-
Male	70	5	1	1	2	9	2	10	12	8	16	4	-
Female	57	7	-	-	1	3	-	7	10	10	10	9	-
Los Angeles-Long Beach, Calif	59,506	1,530	280	320	1,679	2,148	2,128	4,224	8,762	12,695	14,603	11,123	14
Male	30,891	865	157	199	1,288	1,558	1,357	2,644	5,359	7,244	6,686	3,523	11
Female	28,615	665	123	121	391	590	771	1,580	3,403	5,451	7,917	7,600	3
White	50,596	1,118	211	236	1,232	1,545	1,500	3,265	7,197	10,939	13,073	10,270	10
Male	25,812	620	119	136	957	1,134	967	2,040	4,421	6,268	5,950	3,192	8
Female	24,784	498	92	100	275	411	533	1,225	2,776	4,671	7,123	7,078	2
All other	8,910	412	69	84	447	603	628	959	1,565	1,756	1,530	853	4
Male	5,079	245	38	63	331	424	390	604	938	976	736	331	3
Female	3,831	167	31	21	116	179	238	355	627	780	794	522	1
Louisville, Ky.-Ind	8,047	172	31	31	134	187	244	584	1,363	1,962	2,059	1,280	-
Male	4,223	88	16	21	101	128	147	378	895	1,122	933	394	-
Female	3,824	84	15	10	33	59	97	206	468	840	1,126	886	-
White	6,892	127	22	25	112	157	195	469	1,149	1,641	1,831	1,164	-
Male	3,584	69	11	20	83	109	114	308	761	933	827	349	-
Female	3,308	58	11	5	29	48	81	161	388	708	1,004	815	-
All other	1,155	45	9	6	22	30	49	115	214	321	228	116	-
Male	639	19	5	1	18	19	33	70	134	189	106	45	-
Female	516	26	4	5	4	11	16	45	80	132	122	71	-
Lubbock, Tex	1,296	28	7	14	61	58	46	75	171	305	332	197	2
Male	720	16	3	7	51	41	34	48	110	187	161	60	2
Female	576	12	4	7	10	17	12	27	61	118	171	137	-
White	1,201	24	7	11	56	50	44	64	157	281	313	192	2
Male	668	14	3	6	47	35	33	42	104	171	152	59	2
Female	533	10	4	5	9	15	11	22	53	110	161	133	-
All other	95	4	-	3	5	8	2	11	14	24	19	5	-
Male	52	2	-	1	4	6	1	6	6	16	9	1	-
Female	43	2	-	2	1	2	1	5	8	8	10	4	-
Lynchburg, Va	1,437	26	2	4	29	22	43	96	226	363	359	267	-
Male	751	16	2	2	20	12	26	63	144	211	160	95	-
Female	686	10	-	2	9	10	17	33	82	152	199	172	-
White	1,124	20	2	3	23	12	35	67	170	278	284	230	-
Male	584	15	2	2	17	6	21	46	111	165	120	79	-
Female	540	5	-	1	6	6	14	21	59	113	164	151	-
All other	313	6	-	1	6	10	8	29	56	85	75	37	-
Male	167	1	-	-	3	6	5	17	33	46	40	16	-
Female	146	5	-	1	3	4	3	12	23	39	35	21	-
Macon, Ga	2,142	59	10	20	62	87	94	193	375	521	469	252	-
Male	1,178	35	2	9	49	70	65	117	226	302	228	75	-
Female	964	24	8	11	13	17	29	76	149	219	241	177	-
White	1,372	24	2	7	40	41	44	118	237	331	332	196	-
Male	744	16	1	4	32	34	30	69	151	196	153	58	-
Female	628	8	1	3	8	7	14	49	86	135	179	138	-
All other	770	35	8	13	22	46	50	75	138	190	137	56	-
Male	434	19	1	5	17	36	35	48	75	106	75	17	-
Female	336	16	7	8	5	10	15	27	63	84	62	39	-
Madison, Wis	2,002	63	9	22	57	65	44	126	234	411	508	463	-
Male	1,038	40	6	17	46	37	24	79	143	245	238	163	-
Female	964	23	3	5	11	28	20	47	91	166	270	300	-
White	1,969	56	4	21	57	60	44	124	229	408	504	462	-
Male	1,021	34	3	17	46	36	24	78	140	243	237	163	-
Female	948	22	1	4	11	24	20	46	89	165	267	299	-
All other	33	7	5	1	-	5	-	2	5	3	4	1	-
Male	17	6	3	-	-	1	-	1	3	2	1	-	-
Female	16	1	2	1	-	4	-	1	2	1	3	1	-
Manchester-Nashua, N.H	2,149	46	10	13	31	38	57	132	339	510	572	401	-
Male	1,100	23	4	9	25	31	35	79	214	309	253	118	-
Female	1,049	23	6	4	6	7	22	53	125	201	319	283	-
White	2,147	46	10	13	31	38	57	132	338	509	572	401	-
Male	1,099	23	4	9	25	31	35	79	213	309	253	118	-
Female	1,048	23	6	4	6	7	22	53	125	200	319	283	-
All other	2	-	-	-	-	-	-	-	1	1	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Mansfield, Ohio	1,065	20	3	3	26	30	25	68	174	245	283	188	-
Male	551	9	3	1	17	22	12	46	107	139	134	61	-
Female	514	11	-	2	9	8	13	22	67	106	149	127	-
White	996	16	3	3	24	26	20	61	159	225	273	186	-
Male	512	8	3	1	16	18	11	43	97	127	129	59	-
Female	484	8	-	2	8	8	9	18	62	98	144	127	-
All other	69	4	-	-	2	4	5	7	15	20	10	2	-
Male	39	1	-	-	1	4	1	3	10	12	5	2	-
Female	30	3	-	-	1	-	4	4	5	8	5	-	-
McAllen-Pharr-Edinburg, Tex	1,598	75	19	20	49	58	43	103	205	381	403	242	-
Male	930	40	12	12	34	47	30	73	114	242	215	111	-
Female	668	35	7	8	15	11	13	30	91	139	188	131	-
White	1,593	75	19	20	48	57	43	103	205	380	403	240	-
Male	928	40	12	12	34	46	30	73	114	242	215	110	-
Female	665	35	7	8	14	11	13	30	91	138	188	130	-
All other	5	-	-	-	1	1	-	-	-	1	-	2	-
Male	2	-	-	-	-	1	-	-	-	-	-	1	-
Female	3	-	-	-	1	-	-	-	-	1	-	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Medford, Oreg	1,119	19	7	5	17	17	31	73	164	269	277	240	-
Male	648	11	5	4	12	14	19	46	102	172	159	104	-
Female	471	8	2	1	5	3	12	27	62	97	118	136	-
White	1,114	19	7	5	17	16	31	72	163	267	277	240	-
Male	644	11	5	4	12	13	19	46	101	170	159	104	-
Female	470	8	2	1	5	3	12	26	62	97	118	136	-
All other	5	-	-	-	-	1	-	1	1	2	-	-	-
Male	4	-	-	-	-	1	-	-	1	2	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Melbourne-Titusville-Cocoa, Fla	2,435	27	5	12	62	54	59	164	409	678	624	341	-
Male	1,386	15	5	6	48	42	40	95	256	404	340	135	-
Female	1,049	12	-	6	14	12	19	69	153	274	284	206	-
White	2,231	17	3	7	50	42	50	147	366	633	585	331	-
Male	1,262	9	3	3	37	34	34	84	227	382	316	133	-
Female	969	8	-	4	13	8	16	63	139	251	269	198	-
All other	204	10	2	5	12	12	9	17	43	45	39	10	-
Male	124	6	2	3	11	8	6	11	29	22	24	2	-
Female	80	4	-	2	1	4	3	6	14	23	15	8	-
Memphis, Tenn.-Ark.-Miss	7,733	261	41	51	179	252	275	578	1,243	1,834	1,899	1,111	9
Male	4,152	145	20	25	137	179	162	378	766	1,078	903	351	8
Female	3,581	116	21	26	42	73	113	200	477	756	996	760	1
White	4,442	71	19	29	104	124	129	290	710	1,042	1,171	749	4
Male	2,334	40	8	15	78	87	78	192	460	631	527	214	4
Female	2,108	31	11	14	26	37	51	98	250	411	644	535	-
All other	3,291	190	22	22	75	128	146	288	533	792	728	362	5
Male	1,818	105	12	10	59	92	84	186	306	447	376	137	4
Female	1,473	85	10	12	16	36	62	102	227	345	352	225	1
Miami, Fla	17,159	323	50	84	425	553	589	1,067	2,168	3,787	4,980	3,122	11
Male	9,324	157	34	56	311	410	385	671	1,348	2,131	2,486	1,330	5
Female	7,835	166	16	28	114	143	204	396	820	1,656	2,494	1,792	6
White	14,841	147	26	54	304	362	380	793	1,715	3,354	4,672	3,027	7
Male	7,997	69	19	35	218	267	257	491	1,079	1,909	2,347	1,303	3
Female	6,844	78	7	19	86	95	123	302	636	1,445	2,325	1,724	4
All other	2,318	176	24	30	121	191	209	274	453	433	308	95	4
Male	1,327	88	15	21	93	143	128	180	269	222	139	27	2
Female	991	88	9	9	28	48	81	94	184	211	169	68	2
Midland, Tex	578	31	1	4	34	37	21	50	83	131	103	83	-
Male	340	19	1	2	26	29	16	34	54	75	49	35	-
Female	238	12	-	2	8	8	5	16	29	56	54	48	-
White	507	26	1	4	31	35	15	41	72	117	93	72	-
Male	296	14	1	2	26	27	13	27	48	68	42	28	-
Female	211	12	-	2	5	8	2	14	24	49	51	44	-
All other	71	5	-	-	3	2	6	9	11	14	10	11	-
Male	44	5	-	-	-	2	3	7	6	7	7	7	-
Female	27	-	-	-	3	-	3	2	5	7	3	4	-
Milwaukee, Wis	11,623	221	47	45	219	229	285	706	1,649	2,577	3,318	2,327	-
Male	6,015	123	25	26	163	154	158	434	1,046	1,504	1,568	814	-
Female	5,608	98	22	19	56	75	127	272	603	1,073	1,750	1,513	-
White	10,802	157	32	31	190	177	228	594	1,494	2,422	3,207	2,270	-
Male	5,543	90	17	19	145	121	125	371	939	1,424	1,500	792	-
Female	5,259	67	15	12	45	56	103	223	555	998	1,707	1,478	-
All other	821	64	15	14	29	52	57	112	155	155	111	57	-
Male	472	33	8	7	18	33	33	63	107	80	68	22	-
Female	349	31	7	7	11	19	24	49	48	75	43	35	-
Minneapolis-St. Paul, Minn.-Wis	14,648	342	49	75	340	373	358	847	1,861	3,010	4,017	3,376	-
Male	7,614	217	32	44	245	259	219	552	1,206	1,824	1,846	1,170	-
Female	7,034	125	17	31	95	114	139	295	655	1,186	2,171	2,206	-
White	14,220	280	39	69	330	342	323	798	1,798	2,941	3,966	3,334	-
Male	7,360	176	24	41	237	240	195	527	1,164	1,781	1,821	1,154	-
Female	6,860	104	15	28	93	102	128	271	634	1,160	2,145	2,180	-
All other	428	62	10	6	10	31	35	49	63	69	51	42	-
Male	254	41	8	3	8	19	24	25	42	48	25	16	-
Female	174	21	2	3	2	12	11	24	21	26	26	26	-
Mobile, Ala	3,843	85	25	37	114	122	136	306	573	981	955	509	-
Male	2,096	49	11	30	78	92	82	214	356	571	457	156	-
Female	1,747	36	14	7	36	30	54	92	217	410	498	353	-
White	2,693	45	13	22	76	59	89	200	389	691	721	388	-
Male	1,450	27	3	17	49	46	51	139	241	406	351	120	-
Female	1,243	18	10	5	27	13	38	61	148	285	370	268	-
All other	1,150	40	12	15	38	63	47	106	184	290	234	121	-
Male	646	22	8	13	29	46	31	75	115	165	106	36	-
Female	504	18	4	2	9	17	16	31	69	125	128	85	-
Modesto, Calif	2,316	63	11	10	56	69	73	155	320	580	565	413	1
Male	1,286	37	7	8	38	47	46	95	193	360	306	148	1
Female	1,030	26	4	2	18	22	27	60	127	220	259	265	-
White	2,276	61	11	9	54	68	73	151	313	570	554	411	1
Male	1,256	37	7	7	37	46	46	92	188	352	296	147	1
Female	1,020	24	4	2	17	22	27	59	125	218	258	264	-
All other	40	2	-	1	2	1	-	4	7	10	11	2	-
Male	30	-	-	1	1	1	-	3	5	8	10	1	-
Female	10	2	-	-	1	-	-	1	2	2	1	1	-
Monroe, La	1,108	35	4	5	29	37	38	82	149	285	275	169	-
Male	592	19	1	5	22	27	25	49	93	156	135	60	-
Female	516	16	3	-	7	10	13	33	56	129	140	109	-
White	743	12	2	4	21	17	31	54	89	192	200	121	-
Male	401	5	-	4	18	13	18	33	57	113	100	40	-
Female	342	7	2	-	3	4	13	21	32	79	100	81	-
All other	365	23	2	1	8	20	7	28	60	93	75	48	-
Male	191	14	1	1	4	14	7	16	36	43	35	20	-
Female	174	9	1	-	4	6	-	12	24	50	40	28	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Montgomery, Ala	2,296	63	11	14	63	63	80	184	374	573	532	339	-
Male	1,193	30	5	7	46	40	51	117	232	321	251	93	-
Female	1,103	33	6	7	17	23	29	67	142	252	281	246	-
White	1,471	23	4	6	36	29	50	125	238	360	364	236	-
Male	782	10	2	3	30	23	35	84	155	205	173	62	-
Female	689	13	2	3	6	6	15	41	83	155	191	174	-
All other	825	40	7	8	27	34	30	59	136	213	168	103	-
Male	411	20	3	4	16	17	16	33	77	116	78	31	-
Female	414	20	4	4	11	17	14	26	59	97	90	72	-
Muncie, Ind	1,101	27	4	4	26	20	27	67	169	281	278	198	-
Male	586	17	3	4	17	15	17	40	105	160	146	62	-
Female	515	10	1	-	9	5	10	27	64	121	132	136	-
White	1,033	22	4	4	25	16	24	61	162	263	260	192	-
Male	546	13	3	4	17	11	16	38	99	152	134	59	-
Female	487	9	1	-	8	5	8	23	63	111	126	133	-
All other	68	5	-	-	1	4	3	6	7	18	18	6	-
Male	40	4	-	-	-	4	1	2	6	8	12	3	-
Female	28	1	-	-	1	-	2	4	1	10	6	3	-
Muskegon-Norton Shores-Muskegon Heights, Mich	1,616	47	6	11	35	29	53	104	245	402	389	295	-
Male	874	27	2	7	27	24	40	57	151	243	193	103	-
Female	742	20	4	4	8	5	13	47	94	159	196	192	-
White	1,451	33	5	8	33	23	47	87	218	350	368	279	-
Male	776	18	1	6	25	19	34	50	139	207	181	96	-
Female	675	15	4	2	8	4	13	37	79	143	187	183	-
All other	165	14	1	3	2	6	6	17	27	52	21	16	-
Male	98	9	1	1	2	5	6	7	12	36	12	7	-
Female	67	5	-	2	-	1	-	10	15	16	9	9	-
Nashville-Davidson, Tenn	6,823	154	24	33	191	208	230	526	1,036	1,628	1,650	1,143	-
Male	3,677	84	14	21	138	148	140	347	652	972	771	390	-
Female	3,146	70	10	12	53	60	90	179	384	656	879	753	-
White	5,538	94	15	24	150	162	171	309	817	1,305	1,396	1,005	-
Male	2,970	51	7	17	110	111	105	272	525	786	649	337	-
Female	2,568	43	8	7	40	51	66	127	292	519	747	668	-
All other	1,285	60	9	9	41	46	59	127	219	323	254	138	-
Male	707	33	7	4	28	37	35	75	127	186	122	53	-
Female	578	27	2	5	13	9	24	52	92	137	132	85	-
Nassau-Suffolk, N.Y	20,857	307	44	105	406	415	582	1,532	3,302	4,624	5,474	4,055	11
Male	10,682	177	29	70	295	277	347	937	2,077	2,717	2,439	1,311	6
Female	10,175	130	15	35	111	138	235	595	1,225	1,907	3,035	2,744	5
White	19,712	241	38	92	380	356	487	1,366	3,086	4,398	5,284	3,975	9
Male	10,044	137	24	63	275	236	290	840	1,957	2,597	2,346	1,273	6
Female	9,668	104	14	29	105	120	197	526	1,129	1,801	2,938	2,702	3
All other	1,145	66	6	13	26	59	95	166	216	226	190	80	2
Male	638	40	5	7	20	41	57	97	120	120	93	38	-
Female	507	26	1	6	6	18	38	69	96	106	97	42	2
New Bedford-Fall River, Mass	4,516	62	15	17	73	58	83	252	665	1,128	1,247	916	-
Male	2,294	32	8	13	63	46	44	167	420	666	549	286	-
Female	2,222	30	7	4	10	12	39	85	245	462	698	630	-
White	4,432	59	14	16	72	55	81	241	655	1,113	1,227	899	-
Male	2,248	31	8	12	62	43	42	160	415	659	539	277	-
Female	2,184	28	6	4	10	12	39	81	240	454	688	622	-
All other	84	3	1	1	1	3	2	11	10	15	20	17	-
Male	46	1	-	1	1	3	2	7	5	7	10	9	-
Female	38	2	1	-	-	-	-	4	5	8	10	8	-
New Brunswick-Perth Amboy-Sayreville, N.J	4,427	79	17	20	95	97	116	362	814	1,095	1,055	676	1
Male	2,377	47	8	11	63	70	78	234	519	665	465	217	-
Female	2,050	32	9	9	32	27	38	128	295	430	590	459	1
White	4,202	64	8	18	90	57	96	341	767	1,058	1,022	650	1
Male	2,249	39	4	9	60	65	63	221	492	640	450	206	-
Female	1,953	25	4	9	30	22	33	120	275	418	572	444	1
All other	225	15	9	2	5	10	20	21	47	37	33	26	-
Male	128	8	4	2	3	5	15	13	27	25	15	11	-
Female	97	7	5	-	2	5	5	8	20	12	18	15	-
New Haven-Waterbury-Meriden, Conn	6,969	129	14	24	121	115	163	397	1,019	1,614	1,842	1,530	1
Male	3,597	74	7	18	98	88	103	233	648	943	838	546	1
Female	3,372	55	7	6	23	27	60	164	371	671	1,004	984	-
White	6,536	95	13	20	106	87	117	347	931	1,537	1,777	1,505	1
Male	3,352	57	7	15	86	67	78	201	597	898	808	537	1
Female	3,184	38	6	5	20	20	39	146	334	639	969	968	-
All other	433	34	1	4	15	28	46	50	88	77	65	25	-
Male	245	17	-	3	12	21	25	32	51	45	30	9	-
Female	188	17	1	1	3	7	21	18	37	32	35	16	-
New London-Norwich, Conn	1,983	44	1	11	38	47	46	131	300	455	521	389	-
Male	1,075	28	1	5	34	37	28	89	207	262	247	137	-
Female	908	16	-	6	4	10	18	42	93	193	274	252	-
White	1,927	41	1	11	35	46	40	125	289	442	511	386	-
Male	1,038	27	1	5	31	36	25	84	197	253	242	137	-
Female	889	14	-	6	4	10	15	41	92	189	269	249	-
All other	56	3	-	-	3	1	6	6	11	13	10	3	-
Male	37	1	-	-	3	1	3	5	10	9	5	-	-
Female	19	2	-	-	-	-	3	1	1	4	5	3	-
New Orleans, La	10,515	323	64	67	307	395	405	886	1,820	2,505	2,405	1,322	16
Male	5,653	177	25	43	251	298	272	574	1,105	1,402	1,069	423	14
Female	4,862	146	39	24	56	97	133	312	715	1,103	1,336	899	2
White	6,966	122	30	27	171	209	211	526	1,171	1,658	1,786	1,044	11
Male	3,662	71	10	16	135	147	145	340	743	950	780	315	10
Female	3,304	51	20	11	36	62	66	186	428	708	1,006	729	1
All other	3,549	201	34	40	136	186	194	360	649	847	619	278	5
Male	1,991	106	15	27	116	151	127	234	362	452	289	108	4
Female	1,558	95	19	13	20	35	67	126	287	395	330	170	1

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New York, N.Y.-N.J.	91,723	1,749	274	328	1,615	2,790	3,185	6,281	12,968	20,812	24,933	16,782	6
Male	46,896	994	157	215	1,161	2,015	2,097	3,867	7,679	11,416	11,446	5,845	4
Female	44,827	755	117	113	454	775	1,088	2,414	5,289	9,396	13,487	10,937	2
White	74,164	900	145	202	1,003	1,666	1,813	4,109	9,617	17,211	22,081	15,411	6
Male	37,461	517	79	137	719	1,232	1,240	2,588	5,798	9,562	10,205	5,380	4
Female	36,703	383	66	65	284	434	573	1,521	3,819	7,649	11,876	10,031	2
All other	17,559	849	129	126	612	1,124	1,372	2,172	3,351	3,601	2,852	1,371	-
Male	9,435	477	78	78	442	783	857	1,279	1,881	1,854	1,241	465	-
Female	8,124	372	51	48	170	341	515	893	1,470	1,747	1,611	906	-
Newark, N.J.	17,351	284	61	73	324	411	532	1,233	2,712	3,946	4,531	3,220	24
Male	9,132	153	32	53	235	295	352	765	1,676	2,324	2,146	1,080	21
Female	8,219	131	29	20	89	116	180	468	1,036	1,622	2,385	2,140	3
White	14,122	135	32	50	220	219	296	803	2,089	3,298	3,984	2,991	5
Male	7,252	78	16	37	160	154	201	491	1,298	1,930	1,881	1,001	5
Female	6,870	57	16	13	60	65	95	312	791	1,368	2,103	1,990	-
All other	3,229	149	29	23	104	192	236	430	623	648	547	229	19
Male	1,880	75	16	16	75	141	151	274	378	394	265	79	16
Female	1,349	74	13	7	29	51	85	156	245	254	282	150	3
Newark, Ohio	1,030	16	3	3	17	19	27	68	144	244	281	207	1
Male	538	11	2	3	9	17	16	41	83	148	140	68	-
Female	492	5	1	-	8	2	11	27	61	96	141	139	1
White	1,003	16	3	3	17	18	25	67	140	236	275	202	1
Male	528	11	2	3	9	16	15	41	80	146	137	66	-
Female	475	5	1	-	8	2	10	26	60	90	138	134	1
All other	27	-	-	-	-	1	2	1	4	8	6	5	-
Male	10	-	-	-	-	1	1	-	3	2	3	-	-
Female	17	-	-	-	-	-	1	1	1	6	3	5	-
Newburgh-Middletown, N.Y.	2,297	33	5	8	55	43	58	138	318	579	644	415	1
Male	1,230	22	4	6	43	32	40	92	204	336	309	141	1
Female	1,067	11	1	2	12	11	18	46	114	243	335	274	-
White	2,188	25	5	7	51	35	49	123	294	562	628	408	1
Male	1,158	16	4	5	42	25	35	82	188	325	299	136	1
Female	1,030	9	1	2	9	10	14	41	106	237	329	272	-
All other	109	8	-	1	4	8	9	15	24	17	16	7	-
Male	72	6	-	1	1	7	5	10	16	11	10	5	-
Female	37	2	-	-	3	1	4	5	8	6	6	2	-
Newport News-Hampton, Va.	2,611	92	10	24	65	88	110	235	509	630	522	325	1
Male	1,458	57	5	11	47	56	67	150	329	368	258	110	-
Female	1,153	35	5	13	18	32	43	85	180	262	264	215	1
White	1,748	51	4	18	52	53	61	132	329	415	378	254	1
Male	982	33	3	10	40	33	35	84	216	258	189	81	-
Female	766	18	1	8	12	20	26	48	113	157	189	173	1
All other	863	41	6	6	13	35	49	103	180	215	144	71	-
Male	476	24	2	1	7	23	32	66	113	110	69	29	-
Female	387	17	4	5	6	12	17	37	67	105	75	42	-
Norfolk-Virginia Beach-Portsmouth, Va.-N.C.	5,968	239	34	29	140	165	214	514	1,139	1,427	1,335	729	3
Male	3,228	128	12	18	103	111	123	312	711	840	633	235	2
Female	2,740	111	22	11	37	54	91	202	428	587	702	494	1
White	3,906	116	18	18	103	105	115	305	710	896	959	560	1
Male	2,101	69	7	11	78	70	72	190	444	531	460	168	1
Female	1,805	47	11	7	25	35	43	115	266	365	499	392	-
All other	2,062	123	16	11	37	60	99	209	429	531	376	169	2
Male	1,127	59	5	7	25	41	51	122	267	309	173	67	1
Female	935	64	11	4	12	19	48	87	162	222	203	102	1
Northeast Pennsylvania	7,822	67	13	24	104	91	171	422	1,211	2,139	2,248	1,332	-
Male	4,023	44	4	13	72	73	108	296	780	1,227	993	413	-
Female	3,799	23	9	11	32	18	63	126	431	912	1,255	919	-
White	7,791	65	13	23	103	90	168	421	1,204	2,132	2,243	1,329	-
Male	4,006	44	4	12	71	73	106	296	774	1,223	990	413	-
Female	3,785	21	9	11	32	17	62	125	430	909	1,253	916	-
All other	31	2	-	1	1	1	3	1	7	7	5	3	-
Male	17	-	-	1	1	-	2	-	6	4	3	-	-
Female	14	2	-	-	-	1	1	1	1	3	2	3	-
Ocala, Fla.	1,363	19	7	5	31	34	37	89	233	379	354	174	1
Male	788	8	5	5	23	25	18	56	133	248	198	68	1
Female	575	11	2	-	8	9	19	33	100	131	156	106	-
White	1,145	11	5	4	28	29	34	71	203	323	284	153	-
Male	686	5	3	4	21	21	17	48	120	221	168	58	-
Female	459	6	2	-	7	8	17	23	83	102	116	95	-
All other	218	8	2	1	3	5	3	18	30	56	70	21	1
Male	102	3	2	1	2	4	1	8	13	27	30	10	1
Female	116	5	-	-	1	1	2	10	17	29	40	11	-
Odessa, Tex.	765	25	6	9	58	60	27	77	130	143	146	83	1
Male	472	14	4	4	43	50	19	54	88	88	76	31	1
Female	293	11	2	5	15	10	8	23	42	55	70	52	-
White	729	24	6	8	53	59	27	75	121	136	139	80	1
Male	454	13	4	4	39	50	19	53	82	84	75	30	1
Female	275	11	2	4	14	9	8	22	39	52	64	50	-
All other	36	1	-	1	5	1	-	2	9	7	7	3	-
Male	18	1	-	-	4	-	-	1	6	4	1	1	-
Female	18	-	-	1	1	1	-	1	3	3	6	2	-
Oklahoma City, Okla.	6,784	192	36	48	215	228	235	490	985	1,535	1,744	1,058	18
Male	3,692	111	23	32	156	142	155	312	610	910	852	376	13
Female	3,092	81	13	16	59	86	80	178	375	625	892	682	5
White	6,087	139	28	38	177	202	188	421	877	1,379	1,633	994	11
Male	3,285	75	18	26	130	127	126	272	542	819	790	350	10
Female	2,802	64	10	12	47	75	62	149	335	560	843	644	1
All other	697	53	8	10	38	26	47	69	108	156	111	64	7
Male	407	36	5	6	26	15	29	40	68	91	62	26	3
Female	290	17	3	4	12	11	18	29	40	65	49	38	4

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Olympia, Wash	939	22	2	2	18	27	25	54	143	211	255	180	-
Male	497	10	2	-	15	18	19	32	87	117	124	73	-
Female	442	12	-	2	3	9	6	22	56	94	131	107	-
White	928	22	2	1	18	26	22	53	141	210	253	180	-
Male	491	10	2	-	15	17	17	32	86	116	123	73	-
Female	437	12	-	1	3	9	5	21	55	94	130	107	-
All other	11	-	-	1	-	1	3	1	2	1	2	-	-
Male	6	-	-	-	-	1	2	-	1	1	1	-	-
Female	5	-	-	1	-	-	1	1	1	-	1	-	-
Omaha, Nebr.-Iowa	4,513	120	25	14	107	115	123	320	655	985	1,147	902	-
Male	2,403	73	14	11	72	82	87	215	415	597	528	309	-
Female	2,110	47	11	3	35	33	36	105	240	388	619	593	-
White	4,168	95	22	12	94	94	109	275	589	921	1,091	866	-
Male	2,211	60	13	9	65	66	74	184	377	561	507	295	-
Female	1,957	35	9	3	29	28	35	91	212	360	584	571	-
All other	345	25	3	2	13	21	14	45	66	64	56	36	-
Male	192	13	1	2	7	16	13	31	38	36	21	14	-
Female	153	12	2	-	6	5	1	14	28	28	35	22	-
Orlando, Fla	5,998	130	32	28	137	197	205	401	911	1,414	1,476	1,066	1
Male	3,183	78	22	19	99	142	117	249	536	818	717	385	1
Female	2,815	52	10	9	38	55	88	152	375	596	759	681	-
White	5,259	80	21	20	118	163	150	344	785	1,220	1,352	1,005	1
Male	2,748	47	15	13	88	117	83	216	457	701	645	365	1
Female	2,511	33	6	7	30	46	67	128	328	519	707	640	-
All other	739	50	11	8	19	34	55	57	126	194	124	61	-
Male	435	31	7	6	11	25	34	33	79	117	72	20	-
Female	304	19	4	2	8	9	21	24	47	77	52	41	-
Owensboro, Ky	796	12	1	6	9	7	33	56	126	196	206	144	-
Male	411	8	-	4	8	4	26	35	77	112	88	49	-
Female	385	4	1	2	1	3	7	21	49	84	118	95	-
White	762	10	1	6	8	7	31	54	121	186	202	136	-
Male	391	7	-	4	7	4	24	34	72	109	85	45	-
Female	371	3	1	2	1	3	7	20	49	77	117	91	-
All other	34	2	-	-	1	-	2	2	5	10	4	8	-
Male	20	1	-	-	1	-	2	1	5	3	3	4	-
Female	14	1	-	-	-	-	-	1	-	7	1	4	-
Oxnard-Simi Valley-Ventura, Calif	3,179	101	20	21	100	96	99	222	417	716	803	582	2
Male	1,711	61	12	15	73	64	69	135	268	411	395	208	-
Female	1,468	40	8	6	27	32	30	87	149	305	408	374	2
White	3,093	95	17	19	99	91	96	209	407	695	785	578	2
Male	1,672	58	10	14	73	61	68	129	261	404	387	207	-
Female	1,421	37	7	5	26	30	28	80	146	291	398	371	2
All other	86	6	3	2	1	5	3	13	10	21	18	4	-
Male	39	3	2	1	-	3	1	6	7	7	8	1	-
Female	47	3	1	1	1	2	2	7	3	14	10	3	-
Panama City, Fla	813	22	-	6	37	26	32	81	134	197	174	104	-
Male	456	12	-	5	27	19	19	57	77	118	83	39	-
Female	357	10	-	1	10	7	13	24	57	79	91	65	-
White	709	17	-	6	33	22	27	68	112	166	158	100	-
Male	406	10	-	5	24	16	17	51	68	101	76	38	-
Female	303	7	-	1	9	6	10	17	44	65	82	62	-
All other	104	5	-	-	4	4	5	13	22	31	16	4	-
Male	50	2	-	-	3	3	2	6	9	17	7	1	-
Female	54	3	-	-	1	1	3	7	13	14	9	3	-
Parkersburg-Marietta, W. Va.-Ohio	1,474	25	5	8	29	26	30	95	203	357	412	283	1
Male	772	8	3	6	16	19	19	58	128	193	225	97	-
Female	702	17	2	2	13	7	11	37	75	164	187	186	1
White	1,452	23	5	8	29	25	30	95	201	352	403	280	1
Male	762	6	3	6	16	19	19	58	126	192	220	97	-
Female	690	17	2	2	13	6	11	37	75	160	183	183	1
All other	22	2	-	-	-	1	-	-	2	5	9	3	-
Male	10	2	-	-	-	-	-	-	2	1	5	-	-
Female	12	-	-	-	-	1	-	-	-	4	4	3	-
Pascagoula-Moss Point, Miss	675	24	6	5	31	29	33	61	120	151	121	94	-
Male	381	9	5	3	17	17	20	38	76	92	72	32	-
Female	294	15	1	2	14	12	13	23	44	59	49	62	-
White	534	14	4	4	25	19	22	47	90	125	105	79	-
Male	308	8	3	2	14	12	15	27	61	77	64	25	-
Female	226	6	1	2	11	7	7	20	29	48	41	54	-
All other	141	10	2	1	6	10	11	14	30	26	16	15	-
Male	73	1	2	1	3	5	5	11	15	15	8	7	-
Female	68	9	-	-	3	5	6	3	15	11	8	8	-
Paterson-Clifton-Passaic, N.J	4,223	74	10	22	70	106	122	292	621	997	1,036	870	3
Male	2,215	40	6	13	55	78	85	186	388	566	499	298	1
Female	2,008	34	4	9	15	28	37	106	233	431	537	572	2
White	3,831	50	8	17	52	61	80	232	548	929	999	853	2
Male	1,988	32	5	10	43	50	58	142	344	528	480	295	1
Female	1,843	18	3	7	9	11	22	90	204	401	519	558	1
All other	392	24	2	5	18	45	42	60	73	68	37	17	1
Male	227	8	1	3	12	28	27	44	44	38	19	3	-
Female	165	16	1	2	6	17	15	16	29	30	18	14	1
Pensacola, Fla	2,229	51	9	20	56	66	91	165	408	562	489	312	-
Male	1,249	30	4	12	44	48	60	103	261	345	241	101	-
Female	980	21	5	8	12	18	31	62	147	217	248	211	-
White	1,799	35	6	15	47	48	71	119	341	435	413	269	-
Male	1,024	22	4	9	39	36	48	76	223	278	204	85	-
Female	775	13	2	6	8	12	23	43	118	157	209	184	-
All other	430	16	3	5	9	18	20	46	67	127	76	43	-
Male	225	8	-	3	5	12	12	27	38	67	37	16	-
Female	205	8	3	2	4	6	8	19	29	60	39	27	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Peoria, Ill	2,863	76	12	20	68	64	64	165	385	664	756	589	-
Male	1,458	48	7	9	54	39	40	103	231	371	366	190	-
Female	1,405	28	5	11	14	25	24	62	154	293	390	399	-
White	2,738	62	10	17	59	57	58	145	365	639	744	582	-
Male	1,391	39	6	7	50	35	38	95	218	360	356	187	-
Female	1,347	23	4	10	9	22	20	50	147	279	388	395	-
All other	125	14	2	3	9	7	6	20	20	25	12	7	-
Male	67	9	1	2	4	4	2	8	13	11	10	3	-
Female	58	5	1	1	5	3	4	12	7	14	2	4	-
Petersburg-Colonial Heights-Hopewell, Va	1,108	28	3	4	22	25	45	82	197	303	240	159	-
Male	627	15	-	3	16	15	29	53	132	193	115	56	-
Female	481	13	3	1	6	10	16	29	65	110	125	103	-
White	726	13	2	2	17	11	21	48	119	199	173	121	-
Male	403	9	-	2	13	5	14	30	83	124	81	42	-
Female	323	4	2	-	4	6	7	18	36	75	92	79	-
All other	382	15	1	2	5	14	24	34	78	104	67	38	-
Male	224	6	-	1	3	10	15	23	49	69	34	14	-
Female	158	9	1	1	2	4	9	11	29	35	33	24	-
Philadelphia, Pa.-N.J	45,913	860	128	157	792	1,005	1,262	3,212	7,400	11,308	11,909	7,865	15
Male	23,635	467	77	98	582	710	793	1,993	4,523	6,429	5,357	2,598	8
Female	22,278	393	51	59	210	295	469	1,219	2,877	4,879	6,552	5,267	7
White	37,250	515	80	114	547	636	754	2,238	5,680	9,319	10,250	7,106	11
Male	18,893	282	47	70	396	465	472	1,407	3,493	5,355	4,585	2,315	6
Female	18,357	233	33	44	151	171	282	831	2,187	3,964	5,665	4,791	5
All other	8,663	345	48	43	245	369	508	974	1,720	1,989	1,659	759	4
Male	4,742	185	30	28	186	245	321	586	1,030	1,074	772	283	2
Female	3,921	160	18	15	59	124	187	388	690	915	887	476	2
Phoenix, Ariz	11,930	331	63	88	338	327	378	743	1,729	3,069	3,089	1,770	5
Male	6,801	197	35	56	261	228	244	485	1,100	1,848	1,642	701	4
Female	5,129	134	28	32	77	99	134	258	629	1,221	1,447	1,069	1
White	11,400	281	54	77	312	289	340	684	1,644	2,976	3,025	1,715	3
Male	6,483	164	31	46	246	201	220	450	1,043	1,794	1,605	680	3
Female	4,917	117	23	31	66	88	120	234	601	1,182	1,420	1,035	-
All other	530	50	9	11	26	38	38	59	85	93	64	55	2
Male	318	33	4	10	15	27	24	35	57	54	37	21	1
Female	212	17	5	1	11	11	14	24	28	39	27	34	1
Pine Bluff, Ark	849	19	3	7	17	29	24	50	108	210	229	153	-
Male	450	11	1	4	14	20	15	31	59	121	119	55	-
Female	399	8	2	3	3	9	9	19	49	89	110	98	-
White	491	4	1	1	10	11	11	30	69	131	123	100	-
Male	256	1	-	1	7	9	6	19	44	80	58	31	-
Female	235	3	1	-	3	2	5	11	25	51	65	69	-
All other	358	15	2	6	7	18	13	20	39	79	106	53	-
Male	194	10	1	3	7	11	9	12	15	41	61	24	-
Female	164	5	1	3	-	7	4	8	24	38	45	29	-
Pittsburgh, Pa	23,703	355	57	72	301	396	505	1,399	3,947	6,260	6,205	4,198	8
Male	12,591	195	30	43	231	289	328	839	2,452	3,630	2,990	1,560	4
Female	11,112	160	27	29	70	107	177	560	1,495	2,630	3,215	2,638	4
White	21,801	267	43	60	272	321	416	1,220	3,616	5,813	5,775	3,991	7
Male	11,544	152	25	38	209	235	270	736	2,254	3,381	2,769	1,472	3
Female	10,257	115	18	22	63	86	146	484	1,362	2,432	3,006	2,519	4
All other	1,902	88	14	12	29	75	89	179	331	447	430	207	1
Male	1,047	43	5	5	22	54	58	103	198	249	221	88	1
Female	855	45	9	7	7	21	31	76	133	198	209	119	-
Pittsfield, Mass	1,548	24	2	4	13	21	21	81	194	346	483	359	-
Male	798	13	1	3	11	12	14	51	117	200	250	126	-
Female	750	11	1	1	2	9	7	30	77	146	233	233	-
White	1,528	20	2	4	13	21	19	80	192	342	480	355	-
Male	789	11	1	3	11	12	14	50	116	198	248	125	-
Female	739	9	1	1	2	9	5	30	76	144	232	230	-
All other	20	4	-	-	-	-	2	1	2	4	3	4	-
Male	9	2	-	-	-	-	-	1	1	2	2	1	-
Female	11	2	-	-	-	-	2	-	1	2	1	3	-
Portland, Maine	2,195	41	8	10	27	35	57	124	275	471	625	522	-
Male	1,078	22	4	5	21	21	37	80	162	272	287	167	-
Female	1,117	19	4	5	6	14	20	44	113	199	338	355	-
White	2,189	41	8	10	27	35	56	124	275	470	622	521	-
Male	1,073	22	4	5	21	21	36	80	162	271	285	166	-
Female	1,116	19	4	5	6	14	20	44	113	199	337	355	-
All other	6	-	-	-	-	-	1	-	-	1	3	1	-
Male	5	-	-	-	-	-	1	-	-	1	2	1	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Portland, Oreg.-Wash	10,120	215	33	49	217	296	263	570	1,345	2,300	2,694	2,135	3
Male	5,306	115	20	36	160	213	166	354	841	1,372	1,262	764	3
Female	4,814	100	13	13	57	83	97	216	504	928	1,432	1,371	-
White	9,766	190	27	43	197	275	246	526	1,285	2,230	2,639	2,105	3
Male	5,094	97	16	33	146	198	152	325	812	1,328	1,233	751	3
Female	4,672	93	11	10	51	77	94	201	473	902	1,406	1,354	-
All other	354	25	6	6	20	21	17	44	60	70	55	30	-
Male	212	18	4	3	14	15	14	29	29	44	29	13	-
Female	142	7	2	3	6	6	3	15	31	26	26	17	-
Portsmouth-Dover-Rochester, N.H.-Maine	3,293	63	9	18	75	65	76	215	478	765	869	660	-
Male	1,773	40	7	8	59	44	52	143	313	450	417	240	-
Female	1,520	23	2	10	16	21	24	72	165	315	452	420	-
White	3,286	62	9	18	75	65	76	214	478	762	867	660	-
Male	1,769	40	7	8	59	44	52	142	313	447	417	240	-
Female	1,517	22	2	10	16	21	24	72	165	315	450	420	-
All other	7	1	-	-	-	-	-	1	-	3	2	-	-
Male	4	-	-	-	-	-	-	1	-	3	-	-	-
Female	3	1	-	-	-	-	-	-	-	-	2	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Poughkeepsie, N.Y.	2,112	31	4	8	43	46	60	123	307	517	544	429	-
Male	1,121	15	3	3	31	30	34	85	195	306	268	151	-
Female	991	16	1	5	12	16	26	38	112	211	276	278	-
White	2,009	22	2	8	38	40	51	114	292	492	528	422	-
Male	1,059	10	2	3	28	27	26	78	185	296	257	147	-
Female	950	12	-	5	10	13	25	36	107	196	271	275	-
All other	103	9	2	-	5	6	9	9	15	25	16	7	-
Male	62	5	1	-	3	3	8	7	10	10	11	4	-
Female	41	4	1	-	2	3	1	2	5	15	5	3	-
Providence-Warwick-Pawtucket, R.I.	8,500	139	21	19	110	145	178	476	1,157	2,032	2,429	1,793	1
Male	4,403	76	14	11	83	98	117	288	750	1,224	1,145	597	-
Female	4,097	63	7	8	27	47	61	188	407	808	1,284	1,196	1
White	8,284	121	20	17	102	132	168	452	1,119	1,996	2,394	1,763	-
Male	4,294	68	13	9	77	93	110	274	731	1,204	1,132	583	-
Female	3,990	53	7	8	25	39	58	178	388	792	1,262	1,180	-
All other	216	18	1	2	8	13	10	24	38	36	35	30	1
Male	109	8	1	2	6	5	7	14	19	20	13	14	-
Female	107	10	-	-	2	8	3	10	19	16	22	16	1
Provo-Orem, Utah	911	78	9	6	31	32	31	56	100	181	230	157	-
Male	499	47	4	3	18	19	19	40	64	108	118	59	-
Female	412	31	5	3	13	13	12	16	36	73	112	98	-
White	906	77	9	6	30	32	29	56	99	181	230	157	-
Male	496	47	4	3	17	19	18	40	63	108	118	59	-
Female	410	30	5	3	13	13	11	16	36	73	112	98	-
All other	5	1	-	-	1	-	2	-	1	-	-	-	-
Male	3	-	-	-	1	-	1	-	1	-	-	-	-
Female	2	1	-	-	-	-	1	-	-	-	-	-	-
Pueblo, Colo.	1,050	24	5	6	24	31	33	48	140	253	293	193	-
Male	547	14	3	1	19	25	20	27	89	148	132	69	-
Female	503	10	2	5	5	6	13	21	51	105	161	124	-
White	1,029	23	5	6	23	29	33	48	137	245	289	191	-
Male	533	13	3	1	18	23	20	27	87	143	130	68	-
Female	496	10	2	5	5	6	13	21	50	102	159	123	-
All other	21	1	-	-	1	2	-	-	3	8	4	2	-
Male	14	1	-	-	1	2	-	-	2	5	2	1	-
Female	7	-	-	-	-	-	-	-	1	3	2	1	-
Racine, Wis.	1,389	31	4	4	27	36	33	85	190	303	376	299	1
Male	737	19	3	2	22	26	22	54	117	185	189	98	-
Female	652	12	1	2	5	10	11	31	73	118	187	201	1
White	1,320	20	3	3	23	34	28	71	178	295	368	297	-
Male	705	14	3	1	19	25	20	47	113	180	186	97	-
Female	615	6	-	2	4	9	8	24	65	115	182	200	-
All other	69	11	1	1	4	2	5	14	12	8	8	2	1
Male	32	5	-	1	3	1	2	7	4	5	3	1	-
Female	37	6	1	-	1	1	3	7	8	3	5	1	1
Raleigh-Durham, N.C.	3,666	104	17	17	104	99	159	275	628	884	818	561	-
Male	1,967	43	14	13	73	65	110	185	396	496	387	185	-
Female	1,699	61	3	4	31	34	49	90	232	388	431	376	-
White	2,513	50	11	11	70	48	80	166	429	600	603	445	-
Male	1,349	23	10	8	49	32	55	117	283	349	283	140	-
Female	1,164	27	1	3	21	16	25	49	146	251	320	305	-
All other	1,153	54	6	6	34	51	79	109	199	284	215	116	-
Male	618	20	4	5	24	33	55	68	113	147	104	45	-
Female	535	34	2	1	10	18	24	41	86	137	111	71	-
Reading, Pa.	3,174	29	15	9	55	49	69	163	429	790	956	608	2
Male	1,652	19	7	4	41	38	37	103	249	475	459	219	1
Female	1,522	10	8	5	14	11	32	60	180	315	497	389	1
White	3,109	26	15	7	54	48	62	159	420	780	934	602	2
Male	1,619	18	7	3	41	38	31	101	243	469	450	217	1
Female	1,490	8	8	4	13	10	31	58	177	311	484	385	1
All other	65	3	-	2	1	1	7	4	9	10	22	6	-
Male	33	1	-	1	-	-	6	2	6	6	9	2	-
Female	32	2	-	1	1	1	1	2	3	4	13	4	-
Redding, Calif.	972	14	5	4	23	19	35	53	163	263	232	159	2
Male	542	10	4	1	15	13	23	33	88	174	128	51	2
Female	430	4	1	3	8	6	12	20	75	89	104	108	-
White	957	12	5	4	23	18	33	53	163	261	230	154	1
Male	534	8	4	1	15	13	22	33	88	173	127	49	1
Female	423	4	1	3	8	5	11	20	75	88	103	105	-
All other	15	2	-	-	-	1	2	-	-	2	2	5	1
Male	8	2	-	-	-	-	1	-	-	1	1	2	1
Female	7	-	-	-	-	1	1	-	-	1	1	3	-
Reno, Nev.	1,448	26	3	8	46	77	64	124	271	367	296	166	-
Male	831	17	1	7	33	51	41	69	175	226	149	62	-
Female	617	9	2	1	13	26	23	55	96	141	147	104	-
White	1,400	24	3	7	40	71	60	120	262	357	290	166	-
Male	802	16	1	6	28	48	39	67	170	221	144	62	-
Female	598	8	2	1	12	23	21	53	92	136	146	104	-
All other	48	2	-	1	6	6	4	4	9	10	6	-	-
Male	29	1	-	1	5	3	2	2	5	5	5	-	-
Female	19	1	-	-	1	3	2	2	4	5	1	-	-
Richland-Kennewick-Pasco, Wash.	778	21	4	7	25	21	29	54	133	183	165	135	1
Male	441	14	3	6	20	14	20	30	82	123	78	50	1
Female	337	7	1	1	5	7	9	24	51	60	87	85	-
White	746	20	4	4	24	20	27	50	127	174	162	133	1
Male	426	13	3	3	19	13	20	29	79	119	78	49	1
Female	320	7	1	1	5	7	7	21	48	55	84	84	-
All other	32	1	-	3	1	1	2	4	6	9	3	2	-
Male	15	1	-	3	1	1	-	1	3	4	-	1	-
Female	17	-	-	-	-	-	2	3	3	5	3	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Richmond, Va	5,502	128	17	23	105	145	213	402	921	1,322	1,340	883	3
Male	2,921	77	14	10	82	106	141	256	580	772	606	276	1
Female	2,581	51	3	13	23	39	72	146	341	550	734	607	2
White	3,916	59	9	9	75	78	122	265	608	922	1,039	728	2
Male	2,056	35	7	5	59	57	78	170	397	557	469	221	1
Female	1,860	24	2	4	16	21	44	95	211	365	570	507	1
All other	1,586	69	8	14	30	67	91	137	313	400	301	155	1
Male	865	42	7	5	23	49	63	86	183	215	137	55	-
Female	721	27	1	9	7	18	28	51	130	185	164	100	1
Riverside-San Bernardino-Ontario, Calif	13,796	358	77	84	434	439	416	813	1,948	3,295	3,469	2,452	11
Male	7,727	203	43	60	336	318	276	512	1,195	2,007	1,839	932	6
Female	6,069	155	34	24	98	121	140	301	753	1,288	1,630	1,520	5
White	13,144	311	65	75	395	399	376	750	1,845	3,179	3,357	2,383	9
Male	7,356	182	33	56	307	287	254	467	1,136	1,940	1,780	909	5
Female	5,788	129	32	19	88	112	122	283	709	1,239	1,577	1,474	4
All other	652	47	12	9	39	40	40	63	103	116	112	69	2
Male	371	21	10	4	29	31	22	45	59	67	59	23	1
Female	281	26	2	5	10	9	18	18	44	49	53	46	1
Roanoke, Va	2,233	25	4	2	32	51	59	157	345	510	640	408	-
Male	1,205	21	3	1	22	31	43	103	233	309	294	145	-
Female	1,028	4	1	1	10	20	16	54	112	201	346	263	-
White	1,942	18	1	2	29	45	47	126	288	458	558	370	-
Male	1,034	15	1	1	20	27	35	85	193	275	253	129	-
Female	908	3	-	1	9	18	12	41	95	183	305	241	-
All other	291	7	3	-	3	6	12	31	57	52	82	38	-
Male	171	6	2	-	2	4	8	18	40	34	41	16	-
Female	120	1	1	-	1	2	4	13	17	18	41	22	-
Rochester, Minn	562	13	1	2	11	10	12	33	73	115	153	139	-
Male	266	6	1	1	8	9	8	21	38	69	66	39	-
Female	296	7	-	1	3	1	4	12	35	46	87	100	-
White	560	13	1	2	11	10	12	33	72	114	153	139	-
Male	265	6	1	1	8	9	8	21	37	69	66	39	-
Female	295	7	-	1	3	1	4	12	35	45	87	100	-
All other	2	-	-	-	-	-	-	-	1	1	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Rochester, N.Y	8,207	159	21	30	157	131	192	513	1,133	1,842	2,172	1,857	-
Male	4,229	91	8	15	122	91	128	314	679	1,060	1,084	637	-
Female	3,978	68	13	15	35	40	64	199	454	782	1,088	1,220	-
White	7,739	122	14	25	138	104	161	429	1,031	1,753	2,127	1,835	-
Male	3,952	73	5	11	108	73	106	262	623	1,006	1,058	627	-
Female	3,787	49	9	14	30	31	55	167	408	747	1,069	1,208	-
All other	468	37	7	5	19	27	31	84	102	89	45	22	-
Male	277	18	3	4	14	18	22	52	56	54	26	10	-
Female	191	19	4	1	5	9	9	32	46	35	19	12	-
Rockford, Ill	2,202	67	15	12	37	49	67	150	286	491	596	432	-
Male	1,190	38	8	8	31	35	46	100	176	297	283	168	-
Female	1,012	29	7	4	6	14	21	50	110	194	313	264	-
White	2,093	58	12	9	30	43	61	136	267	472	579	426	-
Male	1,125	32	5	6	25	31	43	89	166	287	274	167	-
Female	968	26	7	3	5	12	18	47	101	185	305	259	-
All other	109	9	3	3	7	6	6	14	19	19	17	6	-
Male	65	6	3	2	6	4	3	11	10	10	9	1	-
Female	44	3	-	1	1	2	3	3	9	9	8	5	-
Rock Hill, S.C	850	21	5	7	18	29	31	64	176	213	166	120	-
Male	467	14	4	5	15	22	20	33	121	114	79	40	-
Female	383	7	1	2	3	7	11	31	55	99	87	80	-
White	630	14	2	5	12	22	19	42	127	158	134	95	-
Male	346	10	1	4	12	15	15	22	87	86	68	26	-
Female	284	4	1	1	-	7	4	20	40	72	66	69	-
All other	220	7	3	2	6	7	12	22	49	55	32	25	-
Male	121	4	3	1	3	7	5	11	34	28	11	14	-
Female	99	3	-	1	3	-	7	11	15	27	21	11	-
Sacramento, Calif	7,965	153	36	39	214	255	272	586	1,254	1,866	1,925	1,357	8
Male	4,420	81	26	24	156	173	172	363	761	1,129	1,020	510	5
Female	3,545	72	10	15	58	82	100	223	493	737	905	847	3
White	7,337	118	31	34	189	225	240	494	1,143	1,746	1,815	1,296	6
Male	4,055	65	23	20	135	155	155	306	695	1,053	953	492	3
Female	3,282	53	8	14	54	70	85	188	448	693	862	804	3
All other	628	35	5	5	25	30	32	92	111	120	110	61	2
Male	365	16	3	4	21	18	17	57	66	76	67	18	2
Female	263	19	2	1	4	12	15	35	45	44	43	43	-
Saginaw, Mich	1,671	63	13	10	41	51	58	98	236	360	421	320	-
Male	918	38	10	6	28	41	36	62	159	225	213	100	-
Female	753	25	3	4	13	10	22	36	77	135	208	220	-
White	1,438	33	5	5	33	31	45	84	188	317	390	307	-
Male	771	17	4	4	23	23	26	57	129	195	200	93	-
Female	667	16	1	1	10	8	19	27	59	122	190	214	-
All other	233	30	8	5	8	20	13	14	48	43	31	13	-
Male	147	21	6	2	5	18	10	5	30	30	13	7	-
Female	86	9	2	3	3	2	3	9	18	13	18	6	-
St. Cloud, Minn	1,094	28	9	5	29	23	16	57	133	230	284	280	-
Male	634	15	7	4	18	18	12	30	92	140	171	127	-
Female	460	13	2	1	11	5	4	27	41	90	113	153	-
White	1,093	28	9	5	29	23	16	57	133	229	284	280	-
Male	634	15	7	4	18	18	12	30	92	140	171	127	-
Female	459	13	2	1	11	5	4	27	41	89	113	153	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-

NEWARK PUBLIC LIBRARY

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
St. Joseph, Mo	1,140	16	2	4	17	16	15	58	136	282	349	245	-
Male	570	11	1	2	13	12	10	36	80	164	156	85	-
Female	570	5	1	2	4	4	5	22	56	118	193	160	-
White	1,109	13	2	4	17	13	14	53	133	276	343	241	-
Male	547	8	1	2	13	9	9	32	78	161	151	83	-
Female	562	5	1	2	4	4	5	21	55	115	192	158	-
All other	31	3	-	-	-	3	1	5	3	6	6	4	-
Male	23	3	-	-	-	3	1	4	2	3	5	2	-
Female	8	-	-	-	-	-	-	1	1	3	1	2	-
St. Louis, Mo.-Ill	22,100	476	76	99	479	547	600	1,430	3,287	5,087	5,945	4,068	6
Male	11,395	273	48	64	362	399	367	896	2,050	2,929	2,737	1,267	3
Female	10,705	203	28	35	117	148	233	534	1,237	2,158	3,208	2,801	3
White	18,266	298	42	65	319	321	395	1,052	2,637	4,277	5,178	3,679	3
Male	9,293	181	27	43	233	232	234	673	1,661	2,494	2,391	1,122	2
Female	8,973	117	15	22	86	89	161	379	976	1,783	2,787	2,557	1
All other	3,834	178	34	34	160	226	205	378	650	810	767	389	3
Male	2,102	92	21	21	129	167	133	223	389	435	346	145	1
Female	1,732	86	13	13	31	59	72	155	261	375	421	244	2
Salem, Oreg	2,195	63	7	10	62	57	56	99	284	462	619	476	-
Male	1,220	38	2	5	42	37	38	56	187	298	335	182	-
Female	975	25	5	5	20	20	18	43	97	164	284	294	-
White	2,174	59	7	10	61	56	55	97	279	460	617	473	-
Male	1,209	35	2	5	42	37	38	55	184	297	333	181	-
Female	965	24	5	5	19	19	17	42	95	163	284	292	-
All other	21	4	-	-	1	1	1	2	5	2	2	3	-
Male	11	3	-	-	-	-	-	1	3	1	2	1	-
Female	10	1	-	-	1	1	1	1	2	1	-	2	-
Salinas-Seaside-Monterey, Calif	1,920	61	8	16	63	80	64	127	279	422	435	361	4
Male	1,063	38	5	12	54	53	41	78	168	252	229	131	2
Female	857	23	3	4	9	27	23	49	111	170	206	230	2
White	1,742	50	6	13	58	67	55	106	250	387	400	346	4
Male	945	31	3	9	49	45	36	67	149	229	199	126	2
Female	797	19	3	4	9	22	19	39	101	158	201	220	2
All other	178	11	2	3	5	13	9	21	29	35	35	15	-
Male	118	7	2	3	5	8	5	11	19	23	30	5	-
Female	60	4	-	-	-	5	4	10	10	12	5	10	-
Salisbury-Concord, N.C	1,881	23	5	5	39	51	50	130	306	508	476	287	1
Male	1,076	12	3	3	29	32	32	89	215	308	239	114	-
Female	805	11	2	2	10	19	18	41	91	200	237	173	1
White	1,606	15	4	4	31	39	36	107	257	426	421	265	1
Male	912	7	3	2	24	25	21	76	181	260	212	101	-
Female	694	8	1	2	7	14	15	31	76	166	209	164	1
All other	275	8	1	1	8	12	14	23	49	82	55	22	-
Male	164	5	-	1	5	7	11	13	34	48	27	13	-
Female	111	3	1	-	3	5	3	10	15	34	28	9	-
Salt Lake City-Ogden, Utah	5,367	220	55	45	184	181	183	342	748	1,178	1,293	937	1
Male	2,943	127	31	33	138	127	123	212	480	706	627	338	1
Female	2,424	93	24	12	46	54	60	130	268	472	666	599	-
White	5,258	206	51	45	181	174	176	332	729	1,163	1,269	931	1
Male	2,883	117	29	33	136	124	118	205	468	699	617	336	1
Female	2,375	89	22	12	45	50	58	127	261	464	652	595	-
All other	109	14	4	-	3	7	7	10	19	15	24	6	-
Male	60	10	2	-	2	3	5	7	12	7	10	2	-
Female	49	4	2	-	1	4	2	3	7	8	14	4	-
San Angelo, Tex	787	17	3	4	29	19	24	47	122	195	207	119	1
Male	427	8	2	3	25	14	14	23	79	123	101	34	1
Female	360	9	1	1	4	5	10	24	43	72	106	85	-
White	752	16	3	4	27	17	23	46	120	182	197	116	1
Male	413	8	2	3	24	13	13	23	79	116	97	34	1
Female	339	8	1	1	3	4	10	23	41	66	100	82	-
All other	35	1	-	-	2	2	1	1	2	13	10	3	-
Male	14	-	-	-	1	1	1	-	-	7	4	-	-
Female	21	1	-	-	1	1	-	1	2	6	6	3	-
San Antonio, Tex	7,991	246	45	68	294	276	270	588	1,161	1,719	1,961	1,362	1
Male	4,258	143	25	44	221	193	176	367	725	1,054	880	429	1
Female	3,733	103	20	24	73	83	94	221	436	665	1,081	933	-
White	7,326	225	43	63	271	246	238	529	1,061	1,560	1,812	1,277	1
Male	3,904	134	23	39	202	174	157	332	668	964	808	402	1
Female	3,422	91	20	24	69	72	81	197	393	596	1,004	875	-
All other	665	21	2	5	23	30	32	59	100	159	149	85	-
Male	354	9	2	5	19	19	19	35	57	90	72	27	-
Female	311	12	-	-	4	11	13	24	43	69	77	58	-
San Diego, Calif	13,669	296	64	66	359	404	404	850	1,967	3,154	3,532	2,548	25
Male	7,239	161	34	44	258	276	246	533	1,207	1,844	1,768	850	18
Female	6,430	135	30	22	101	128	158	317	760	1,310	1,764	1,698	7
White	12,924	227	57	61	306	348	333	768	1,865	3,011	3,437	2,491	20
Male	6,815	123	31	41	210	243	203	484	1,144	1,765	1,727	829	15
Female	6,109	104	26	20	96	105	130	284	721	1,246	1,710	1,662	5
All other	745	69	7	5	53	56	71	82	102	143	95	57	5
Male	424	38	3	3	48	33	43	49	63	79	41	21	3
Female	321	31	4	2	5	23	28	33	39	64	54	36	2
San Francisco-Oakland, Calif	27,614	473	83	117	514	891	926	1,871	4,006	6,206	7,015	5,480	30
Male	14,444	254	47	76	362	643	604	1,158	2,476	3,593	3,387	1,826	18
Female	13,170	219	36	41	152	248	322	713	1,532	2,613	3,628	3,654	12
White	23,008	284	40	73	391	612	658	1,392	3,188	5,178	6,120	5,052	20
Male	11,779	166	23	48	274	449	433	868	1,986	2,964	2,906	1,649	13
Female	11,229	118	17	25	117	163	225	524	1,202	2,214	3,214	3,403	7
All other	4,606	189	43	44	123	279	268	479	820	1,028	895	428	10
Male	2,665	88	24	28	88	194	171	290	490	629	481	177	5
Female	1,941	101	19	16	35	85	97	189	330	399	414	251	5

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
San Jose, Calif	7,759	226	42	54	233	251	273	568	1,116	1,581	1,841	1,567	7
Male	4,023	130	27	33	170	183	170	343	686	924	839	512	6
Female	3,736	96	15	21	63	68	103	225	430	657	1,002	1,055	1
White	7,338	186	39	49	218	216	238	525	1,062	1,500	1,774	1,526	5
Male	3,784	107	25	30	160	162	147	322	653	878	803	492	5
Female	3,554	79	14	19	58	54	91	203	409	622	971	1,034	-
All other	421	40	3	5	15	35	35	43	54	81	67	41	2
Male	239	23	2	3	10	21	23	21	33	46	36	20	1
Female	182	17	1	2	5	14	12	22	21	35	31	21	1
Santa Barbara-Santa Maria-Lompoc, Calif	2,428	49	8	7	63	61	64	136	283	493	670	594	-
Male	1,225	32	7	5	45	42	42	75	166	277	329	205	-
Female	1,203	17	1	2	18	19	22	61	117	216	341	389	-
White	2,349	40	7	7	59	57	56	128	268	481	661	585	-
Male	1,179	28	7	5	43	39	35	69	160	269	323	201	-
Female	1,170	12	-	2	16	18	21	59	108	212	338	384	-
All other	79	9	1	-	4	4	8	8	15	12	9	9	-
Male	46	4	-	-	2	3	7	6	6	8	6	4	-
Female	33	5	1	-	2	1	1	2	9	4	3	5	-
Santa Cruz, Calif	1,635	24	7	4	26	51	46	63	178	343	489	402	2
Male	826	13	2	3	15	31	27	33	95	192	259	155	1
Female	809	11	5	1	11	20	19	30	83	151	230	247	1
White	1,602	23	6	4	26	50	45	60	175	331	481	399	2
Male	804	12	1	3	15	30	27	33	93	182	254	153	1
Female	798	11	5	1	11	20	18	27	82	149	227	246	1
All other	33	1	1	-	-	1	1	3	3	12	8	3	-
Male	22	1	1	-	-	1	-	-	2	10	5	2	-
Female	11	-	-	-	-	-	1	3	1	2	3	1	-
Santa Rosa, Calif	2,831	41	13	20	62	64	79	141	313	693	817	588	-
Male	1,484	22	9	12	38	44	52	87	182	400	428	210	-
Female	1,347	19	4	8	24	20	27	54	131	293	389	378	-
White	2,784	39	13	20	62	64	74	138	302	680	810	582	-
Male	1,457	21	9	12	38	44	50	85	174	394	423	207	-
Female	1,327	18	4	8	24	20	24	53	128	286	387	375	-
All other	47	2	-	-	-	-	5	3	11	13	7	6	-
Male	27	1	-	-	-	-	2	2	8	6	5	3	-
Female	20	1	-	-	-	-	3	1	3	7	2	3	-
Sarasota, Fla	3,097	18	4	5	22	37	24	108	329	887	1,038	625	-
Male	1,702	10	2	4	18	25	12	55	199	533	592	252	-
Female	1,395	8	2	1	4	12	12	53	130	354	446	373	-
White	3,005	10	4	3	21	28	20	94	316	861	1,027	621	-
Male	1,650	6	2	2	17	19	10	48	190	518	587	251	-
Female	1,355	4	2	1	4	9	10	46	126	343	440	370	-
All other	92	8	-	2	1	9	4	14	13	26	11	4	-
Male	52	4	-	2	1	6	2	7	9	15	5	1	-
Female	40	4	-	-	-	3	2	7	4	11	6	3	-
Savannah, Ga	2,133	60	14	17	57	78	65	185	386	590	439	242	-
Male	1,148	35	9	10	40	60	37	113	230	340	195	79	-
Female	985	25	5	7	17	18	28	72	156	250	244	163	-
White	1,272	18	3	9	31	35	30	90	213	346	298	199	-
Male	685	10	1	5	22	29	14	56	144	213	129	62	-
Female	587	8	2	4	9	6	16	34	69	133	169	137	-
All other	861	42	11	8	26	43	35	95	173	244	141	43	-
Male	463	25	8	5	18	31	23	57	86	127	66	17	-
Female	398	17	3	3	8	12	12	38	87	117	75	26	-
Seattle-Everett, Wash	11,896	250	39	55	275	348	406	749	1,719	2,664	2,957	2,433	1
Male	6,250	149	22	36	198	253	260	454	1,073	1,528	1,440	836	1
Female	5,646	101	17	19	77	95	146	295	646	1,136	1,517	1,597	-
White	11,093	205	31	50	230	300	348	683	1,576	2,512	2,808	2,349	1
Male	5,769	125	19	33	164	220	223	408	978	1,435	1,357	806	1
Female	5,324	80	12	17	66	80	125	275	598	1,077	1,451	1,543	-
All other	803	45	8	5	45	48	58	66	143	152	149	84	-
Male	481	24	3	3	34	33	37	46	95	93	83	30	-
Female	322	21	5	2	11	15	21	20	48	59	66	54	-
Sharon, Pa	1,269	21	2	1	18	20	30	73	173	318	331	282	-
Male	688	12	1	-	14	15	17	47	121	180	184	97	-
Female	581	9	1	1	4	5	13	26	52	138	147	185	-
White	1,217	17	1	1	17	19	26	67	167	303	322	277	-
Male	655	10	1	-	13	14	15	42	116	167	181	96	-
Female	562	7	-	1	4	5	11	25	51	136	141	181	-
All other	52	4	1	-	1	1	4	6	6	15	9	5	-
Male	33	2	-	-	1	1	2	5	5	13	3	1	-
Female	19	2	1	-	-	-	2	1	1	2	6	4	-
Sheboygan, Wis	895	16	4	3	11	12	20	47	94	187	261	240	-
Male	452	12	1	2	6	5	16	23	65	112	124	86	-
Female	443	4	3	1	5	7	4	24	29	75	137	154	-
White	894	16	4	3	11	11	20	47	94	187	261	240	-
Male	451	12	1	2	6	4	16	23	65	112	124	86	-
Female	443	4	3	1	5	7	4	24	29	75	137	154	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Sherman-Denison, Tex	1,078	11	4	3	23	17	21	55	133	265	321	225	-
Male	578	9	1	3	20	13	15	34	82	161	162	78	-
Female	500	2	3	-	3	4	6	21	51	104	159	147	-
White	985	10	3	3	21	15	18	46	121	244	294	210	-
Male	525	8	-	3	18	11	13	28	75	148	149	72	-
Female	460	2	3	-	3	4	5	18	46	96	145	138	-
All other	93	1	1	-	2	2	3	9	12	21	27	15	-
Male	53	1	1	-	2	2	2	6	7	13	13	6	-
Female	40	-	-	-	-	-	1	3	5	8	14	9	-

NEWARK PUBLIC LIBRARY

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Shreveport, La	3,488	86	22	25	88	116	112	246	544	811	874	564	-
Male	1,907	47	14	18	61	83	78	150	340	490	428	198	-
Female	1,581	39	8	7	27	33	34	96	204	321	446	366	-
White	2,250	35	7	16	50	58	57	149	354	557	581	386	-
Male	1,226	20	6	13	36	43	40	94	232	341	280	121	-
Female	1,024	15	1	3	14	15	17	55	122	216	301	265	-
All other	1,238	51	15	9	38	58	55	97	190	254	293	178	-
Male	681	27	8	5	25	40	38	56	108	149	148	77	-
Female	557	24	7	4	13	18	17	41	82	105	145	101	-
Sioux City, Iowa-Nebr	1,097	32	2	8	16	15	32	59	126	234	330	243	-
Male	603	16	2	4	14	12	21	39	88	139	174	94	-
Female	494	16	-	4	2	3	11	20	38	95	156	149	-
White	1,077	28	2	8	16	15	29	58	122	232	325	242	-
Male	595	14	2	4	14	12	19	38	86	139	173	94	-
Female	482	14	-	4	2	3	10	20	36	93	152	148	-
All other	20	4	-	-	-	-	3	1	4	2	5	1	-
Male	8	2	-	-	-	-	2	1	2	-	1	-	-
Female	12	2	-	-	-	-	1	-	2	2	4	1	-
Sioux Falls, S Dak	834	22	2	4	21	16	19	44	118	163	222	203	-
Male	448	9	1	4	17	14	10	26	73	108	124	62	-
Female	386	13	1	-	4	2	9	18	45	55	98	141	-
White	827	22	2	4	21	14	18	43	118	161	221	203	-
Male	441	9	1	4	17	12	9	25	73	106	123	62	-
Female	386	13	1	-	4	2	9	18	45	55	98	141	-
All other	7	-	-	-	-	2	1	1	-	2	1	-	-
Male	7	-	-	-	-	2	1	1	-	2	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
South Bend, Ind	2,608	54	10	10	42	58	44	139	374	625	727	525	-
Male	1,405	31	5	5	29	39	32	89	240	363	379	193	-
Female	1,203	23	5	5	13	19	12	50	134	262	348	332	-
White	2,430	48	10	9	41	42	38	122	342	596	679	503	-
Male	1,300	25	5	5	28	27	27	79	221	347	354	182	-
Female	1,130	23	5	4	13	15	11	43	121	249	325	321	-
All other	178	6	-	1	1	16	6	17	32	29	48	22	-
Male	105	6	-	-	1	12	5	10	19	16	25	11	-
Female	73	-	-	1	-	4	1	7	13	13	23	11	-
Spokane, Wash	2,899	55	12	18	64	72	77	163	365	678	713	682	-
Male	1,544	34	8	7	44	51	50	103	230	415	353	249	-
Female	1,355	21	4	11	20	21	27	60	135	263	360	433	-
White	2,835	50	11	17	62	64	73	157	360	662	698	681	-
Male	1,498	31	8	7	42	44	46	97	228	402	344	249	-
Female	1,337	19	3	10	20	20	27	60	132	260	354	432	-
All other	64	5	1	1	2	8	4	6	5	16	15	1	-
Male	46	3	-	-	2	7	4	6	2	13	9	-	-
Female	18	2	1	1	-	1	-	-	3	3	6	1	-
Springfield, Ill	1,839	56	1	11	28	39	40	96	240	437	504	387	-
Male	939	27	-	9	21	26	28	53	154	275	241	105	-
Female	900	29	1	2	7	13	12	43	86	162	263	282	-
White	1,739	40	1	10	24	35	35	82	228	417	485	382	-
Male	886	19	-	9	19	22	25	45	147	265	232	103	-
Female	853	21	1	1	5	13	10	37	81	152	253	279	-
All other	100	16	-	1	4	4	5	14	12	20	19	5	-
Male	53	8	-	-	2	4	3	8	7	10	9	2	-
Female	47	8	-	1	2	-	2	6	5	10	10	3	-
Springfield, Mo	1,814	42	2	6	31	46	43	99	225	417	512	390	1
Male	979	27	2	5	23	31	24	64	154	252	260	137	-
Female	835	15	-	1	8	15	19	35	71	165	252	253	1
White	1,785	40	2	6	29	45	43	97	218	412	507	385	1
Male	959	26	2	5	21	30	24	62	148	249	256	136	-
Female	826	14	-	1	8	15	19	35	70	163	251	249	1
All other	29	2	-	-	2	1	-	2	7	5	5	5	-
Male	20	1	-	-	2	1	-	2	6	3	4	1	-
Female	9	1	-	-	-	-	-	-	1	2	1	4	-
Springfield, Ohio	1,741	35	6	4	30	34	35	100	261	413	450	373	-
Male	933	22	6	2	21	25	24	64	155	244	225	145	-
Female	808	13	-	2	9	9	11	36	106	169	225	228	-
White	1,587	27	5	4	28	29	29	84	241	372	421	347	-
Male	847	17	5	2	19	22	20	53	142	223	214	130	-
Female	740	10	-	2	9	7	9	31	99	149	207	217	-
All other	154	8	1	-	2	5	6	16	20	41	29	26	-
Male	86	5	1	-	2	3	4	11	13	21	11	15	-
Female	68	3	-	-	-	2	2	5	7	20	18	11	-
Springfield-Chicopee-Holyoke, Mass	5,428	117	24	29	89	89	119	321	772	1,183	1,496	1,189	-
Male	2,779	65	15	19	65	60	74	206	482	694	715	384	-
Female	2,649	52	9	10	24	29	45	115	290	489	781	805	-
White	5,241	98	20	26	85	84	102	301	741	1,155	1,462	1,167	-
Male	2,669	51	14	18	63	60	60	192	458	680	699	374	-
Female	2,572	47	6	8	22	24	42	109	283	475	763	793	-
All other	187	19	4	3	4	5	17	20	31	28	34	22	-
Male	110	14	1	1	2	-	14	14	24	14	16	10	-
Female	77	5	3	2	2	5	3	6	7	14	18	12	-
State College, Pa	660	16	4	3	11	10	22	35	103	154	165	137	-
Male	345	10	3	2	9	8	14	23	54	91	83	48	-
Female	315	6	1	1	2	2	8	12	49	63	82	89	-
White	656	16	4	3	11	10	21	35	103	152	164	137	-
Male	342	10	3	2	9	8	13	23	54	89	83	48	-
Female	314	6	1	1	2	2	8	12	49	63	81	89	-
All other	4	-	-	-	-	-	1	-	-	2	1	-	-
Male	3	-	-	-	-	-	1	-	-	2	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Steubenville-Weirton, Ohio-W. Va	1,675	30	6	1	27	28	34	94	266	457	438	294	-
Male	921	14	2	-	20	23	20	55	156	281	227	123	-
Female	754	16	4	1	7	5	14	39	110	176	211	171	-
White	1,607	27	6	1	23	26	34	88	250	445	417	290	-
Male	877	12	2	-	17	21	20	52	144	273	217	119	-
Female	730	15	4	1	6	5	14	36	106	172	200	171	-
All other	68	3	-	-	4	2	-	6	16	12	21	4	-
Male	44	2	-	-	3	2	-	3	12	8	10	4	-
Female	24	1	-	-	1	-	-	3	4	4	11	-	-
Stockton, Calif	3,073	56	17	18	90	91	133	206	453	694	758	554	3
Male	1,783	29	13	10	71	61	82	134	288	436	414	243	2
Female	1,290	27	4	8	19	30	51	72	165	258	344	311	1
White	2,728	48	16	14	79	81	104	181	409	606	681	506	3
Male	1,555	28	12	7	63	56	67	119	256	368	361	216	2
Female	1,173	20	4	7	16	25	37	62	153	238	320	290	1
All other	345	8	1	4	11	10	29	25	44	88	77	48	-
Male	228	1	1	3	8	5	15	15	32	68	53	27	-
Female	117	7	-	1	3	5	14	10	12	20	24	21	-
Syracuse, N.Y	5,664	131	19	19	88	112	124	363	813	1,351	1,483	1,161	-
Male	2,948	80	10	9	71	72	83	233	501	810	685	394	-
Female	2,716	51	9	10	17	40	41	130	312	541	798	767	-
White	5,439	104	18	15	77	98	110	338	779	1,303	1,448	1,149	-
Male	2,818	62	9	7	64	63	75	215	479	784	670	390	-
Female	2,621	42	9	8	13	35	35	123	300	519	778	759	-
All other	225	27	1	4	11	14	14	25	34	48	35	12	-
Male	130	18	1	2	7	9	8	18	22	26	15	4	-
Female	95	9	-	2	4	5	6	7	12	22	20	8	-
Tacoma, Wash	3,703	129	15	15	100	106	123	255	553	827	858	721	1
Male	2,059	78	9	8	80	72	79	172	357	491	442	270	1
Female	1,644	51	6	7	20	34	44	83	196	336	416	451	-
White	3,513	102	12	12	89	87	104	233	520	806	839	708	1
Male	1,938	62	7	6	74	59	66	159	333	476	430	265	1
Female	1,575	40	5	6	15	28	38	74	187	330	409	443	-
All other	190	27	3	3	11	19	19	22	33	21	19	13	-
Male	121	16	2	2	6	13	13	13	24	15	12	5	-
Female	69	11	1	1	5	6	6	9	9	6	7	8	-
Tallahassee, Fla	898	39	6	4	34	28	34	61	172	192	195	132	1
Male	485	16	4	1	27	12	26	41	118	110	91	38	1
Female	413	23	2	3	7	16	8	20	54	82	104	94	-
White	622	19	3	4	22	20	24	44	125	121	150	90	-
Male	325	6	2	1	17	7	18	33	83	69	66	23	-
Female	297	13	1	3	5	13	6	11	42	52	84	67	-
All other	276	20	3	-	12	8	10	17	47	71	45	42	1
Male	160	10	2	-	10	5	8	8	35	41	25	15	1
Female	116	10	1	-	2	3	2	9	12	30	20	27	-
Tampa-St. Petersburg, Fla	20,689	241	53	63	286	326	401	916	2,444	5,266	6,526	4,165	2
Male	11,529	144	26	37	202	244	272	589	1,533	3,220	3,495	1,765	2
Female	9,160	97	27	26	84	82	129	327	911	2,046	3,031	2,400	-
White	19,350	169	46	55	249	270	326	765	2,201	4,907	6,277	4,083	2
Male	10,791	105	23	32	178	207	226	498	1,389	3,025	3,374	1,732	2
Female	8,559	64	23	23	71	63	100	267	812	1,882	2,903	2,351	-
All other	1,339	72	7	8	37	56	75	151	243	359	249	62	-
Male	738	39	3	5	24	37	46	91	144	195	121	33	-
Female	601	33	4	3	13	19	29	60	99	164	128	49	-
Terre Haute, Ind	1,963	27	10	9	31	36	42	98	253	468	579	410	-
Male	1,008	17	5	7	21	25	31	61	150	274	290	127	-
Female	955	10	5	2	10	11	11	37	103	194	289	283	-
White	1,915	26	10	8	30	35	40	94	246	458	571	397	-
Male	979	16	5	7	20	24	29	57	148	268	286	119	-
Female	936	10	5	1	10	11	11	37	98	190	285	278	-
All other	48	1	-	1	1	1	2	4	7	10	8	13	-
Male	29	1	-	-	1	1	2	4	2	6	4	8	-
Female	19	-	-	1	-	-	-	-	5	4	4	5	-
Texarkana, Tex.-Texarkana, Ark	1,148	18	3	4	25	35	33	71	160	309	314	176	-
Male	644	5	-	3	21	27	21	45	100	199	158	65	-
Female	504	13	3	1	4	8	12	26	60	110	156	111	-
White	896	14	1	2	19	28	25	50	124	245	243	145	-
Male	498	2	-	1	16	24	15	32	82	158	120	48	-
Female	398	12	1	1	3	4	10	18	42	87	123	97	-
All other	252	4	2	2	6	7	8	21	36	64	71	31	-
Male	146	3	-	2	5	3	6	13	18	41	38	17	-
Female	106	1	2	-	1	4	2	8	18	23	33	14	-
Toledo, Ohio-Mich	7,115	138	28	42	142	127	176	436	1,027	1,740	1,900	1,356	3
Male	3,724	84	22	27	101	98	113	265	635	1,023	901	452	3
Female	3,391	54	6	15	41	29	63	171	392	717	999	904	-
White	6,530	111	22	32	124	100	146	385	924	1,589	1,796	1,300	1
Male	3,394	67	17	21	91	76	90	240	572	939	848	432	1
Female	3,136	44	5	11	33	24	56	145	352	650	948	868	-
All other	585	27	6	10	18	27	30	51	103	151	104	56	2
Male	330	17	5	6	10	22	23	25	63	84	53	20	2
Female	255	10	1	4	8	5	7	26	40	67	51	36	-
Topeka, Kans	1,604	31	11	5	51	45	46	83	176	334	440	382	-
Male	844	25	6	2	37	32	23	50	113	207	222	127	-
Female	760	6	5	3	14	13	23	33	63	127	218	255	-
White	1,496	22	8	5	48	38	41	72	160	319	420	363	-
Male	791	18	5	2	36	28	21	44	106	197	213	121	-
Female	705	4	3	3	12	10	20	28	54	122	207	242	-
All other	108	9	3	-	3	7	5	11	16	15	20	19	-
Male	53	7	1	-	1	4	2	6	7	10	9	6	-
Female	55	2	2	-	2	3	3	5	9	5	11	13	-

NEWARK PUBLIC LIBRARY

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Trenton, N.J	2,844	62	9	14	51	69	60	190	449	693	690	556	1
Male	1,467	38	3	8	37	46	33	123	291	401	296	190	1
Female	1,377	24	6	6	14	23	27	67	158	292	394	366	-
White	2,384	32	5	6	36	40	33	124	374	598	622	514	-
Male	1,215	21	1	5	25	31	22	81	244	354	260	171	-
Female	1,169	11	4	1	11	9	11	43	130	244	362	343	-
All other	460	30	4	8	15	29	27	66	75	95	68	42	1
Male	252	17	2	3	12	15	11	42	47	47	36	19	1
Female	208	13	2	5	3	14	16	24	28	48	32	23	-
Tucson, Ariz	4,256	84	30	26	129	136	113	278	637	1,104	1,079	639	1
Male	2,436	52	22	20	93	103	78	181	381	648	590	267	1
Female	1,820	32	8	6	36	33	35	97	256	456	489	372	-
White	4,021	70	27	20	114	122	96	251	608	1,060	1,034	618	1
Male	2,278	43	20	16	82	92	65	163	361	619	558	258	1
Female	1,743	27	7	4	32	30	31	88	247	441	476	360	-
All other	235	14	3	6	15	14	17	27	29	44	45	21	-
Male	158	9	2	4	11	11	13	18	20	29	32	9	-
Female	77	5	1	2	4	3	4	9	9	15	13	12	-
Tulsa, Okla	5,736	145	30	36	161	177	210	357	822	1,278	1,413	1,102	5
Male	3,022	89	12	19	112	133	134	230	504	761	674	350	4
Female	2,714	56	18	17	49	44	76	127	318	517	739	752	1
White	5,095	113	20	33	135	150	176	313	720	1,127	1,280	1,023	5
Male	2,673	67	10	17	94	112	112	202	449	674	612	320	4
Female	2,422	46	10	16	41	38	64	111	271	453	668	703	1
All other	641	32	10	3	26	27	34	44	102	151	133	79	-
Male	349	22	2	2	18	21	22	28	55	87	62	30	-
Female	292	10	8	1	8	6	12	16	47	64	71	49	-
Tuscaloosa, Ala	1,086	22	3	10	24	25	43	84	162	267	261	183	2
Male	613	16	2	6	20	15	23	60	105	161	137	66	2
Female	473	6	1	4	4	10	20	24	57	106	124	117	-
White	768	11	1	5	21	14	28	56	110	183	197	142	-
Male	439	10	-	3	17	6	16	44	80	113	100	50	-
Female	329	1	1	2	4	8	12	12	30	70	97	92	-
All other	318	11	2	5	3	11	15	28	52	84	64	41	2
Male	174	6	2	3	3	9	7	16	25	48	37	16	2
Female	144	5	-	2	-	2	8	12	27	36	27	25	-
Tyler, Tex	1,162	31	4	8	31	43	34	57	150	290	327	187	-
Male	639	16	3	3	28	30	19	38	105	175	167	55	-
Female	523	15	1	5	3	13	15	19	45	115	160	132	-
White	901	20	3	7	26	28	26	39	111	233	253	155	-
Male	492	11	3	3	23	20	14	28	80	145	125	40	-
Female	409	9	-	4	3	8	12	11	31	88	128	115	-
All other	261	11	1	1	5	15	8	18	39	57	74	32	-
Male	147	5	-	-	5	10	5	10	25	30	42	15	-
Female	114	6	1	1	-	5	3	8	14	27	32	17	-
Utica-Rome, N.Y	3,337	44	11	15	49	43	61	167	473	814	855	805	-
Male	1,758	30	9	10	38	26	46	103	292	494	405	305	-
Female	1,579	14	2	5	11	17	15	64	181	320	450	500	-
White	3,271	40	10	12	49	42	52	153	465	805	844	799	-
Male	1,715	28	8	7	38	26	38	94	287	487	399	303	-
Female	1,556	12	2	5	11	16	14	59	178	318	445	496	-
All other	66	4	1	3	-	1	9	14	8	9	11	6	-
Male	43	2	1	3	-	-	8	9	5	7	6	2	-
Female	23	2	-	-	-	1	1	5	3	2	5	4	-
Vallejo-Fairfield-Napa, Calif	2,485	58	14	10	81	85	81	144	352	551	650	456	3
Male	1,273	25	7	6	61	54	46	88	209	310	299	167	1
Female	1,212	33	7	4	20	31	35	56	143	241	351	289	2
White	2,282	49	11	8	73	71	68	125	313	508	612	442	2
Male	1,155	20	6	4	53	46	38	78	188	286	278	158	-
Female	1,127	29	5	4	20	25	30	47	125	222	334	284	2
All other	203	9	3	2	8	14	13	19	39	43	38	14	1
Male	118	5	1	2	8	8	8	10	21	24	21	9	1
Female	85	4	2	-	-	6	5	9	18	19	17	5	-
Victoria, Tex	536	9	2	2	22	17	18	38	89	126	130	83	-
Male	290	8	2	2	16	14	13	27	54	74	54	26	-
Female	246	1	-	-	6	3	5	11	35	52	76	57	-
White	483	9	2	2	22	16	18	34	78	108	117	77	-
Male	260	8	2	2	16	13	13	25	47	62	47	25	-
Female	223	1	-	-	6	3	5	9	31	46	70	52	-
All other	53	-	-	-	-	1	-	4	11	18	13	6	-
Male	30	-	-	-	-	1	-	2	7	12	7	1	-
Female	23	-	-	-	-	-	-	2	4	6	6	5	-
Vineland-Millville-Bridgeton, N.J	1,317	19	7	18	24	24	42	86	207	326	349	215	-
Male	681	7	2	12	19	10	28	53	132	188	154	76	-
Female	636	12	5	6	5	14	14	33	75	138	195	139	-
White	1,145	10	5	13	22	18	32	71	172	287	312	203	-
Male	584	5	1	10	18	7	18	48	110	161	136	70	-
Female	561	5	4	3	4	11	14	23	62	126	176	133	-
All other	172	9	2	5	2	6	10	15	35	39	37	12	-
Male	97	2	1	2	1	3	10	5	22	27	18	6	-
Female	75	7	1	3	1	3	-	10	13	12	19	6	-
Visalia-Tulare-Porterville, Calif	1,981	42	16	18	75	75	66	116	259	467	485	361	1
Male	1,144	25	8	15	61	57	48	86	156	298	261	128	1
Female	837	17	8	3	14	18	18	30	103	169	224	233	-
White	1,921	42	15	16	74	74	62	113	247	448	471	358	1
Male	1,101	25	8	13	60	56	44	84	150	283	251	126	1
Female	820	17	7	3	14	18	18	29	97	165	220	232	-
All other	60	-	1	2	1	1	4	3	12	19	14	3	-
Male	43	-	-	2	1	1	4	2	6	15	10	2	-
Female	17	-	1	-	-	-	-	1	6	4	4	1	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Waco, Tex	1,717	41	6	11	37	42	36	107	226	417	484	310	-
Male	907	22	3	6	24	32	25	75	145	252	226	97	-
Female	810	19	3	5	13	10	11	32	81	165	258	213	-
White	1,428	30	4	9	30	27	25	84	180	339	425	275	-
Male	743	14	2	4	18	22	20	59	118	210	194	82	-
Female	685	16	2	5	12	5	5	25	62	129	231	193	-
All other	289	11	2	2	7	15	11	23	46	78	59	35	-
Male	164	8	1	2	6	10	5	16	27	42	32	15	-
Female	125	3	1	-	1	5	6	7	19	36	27	20	-
Washington, D.C.-Md.-Va	20,090	615	87	104	522	753	867	1,802	3,561	4,315	4,383	3,066	15
Male	10,572	354	49	53	381	526	562	1,149	2,177	2,391	1,964	954	12
Female	9,518	261	38	51	141	227	305	653	1,384	1,924	2,419	2,112	3
White	13,199	276	50	57	312	332	383	966	2,266	2,840	3,234	2,478	5
Male	6,651	164	26	30	226	241	234	609	1,375	1,577	1,404	761	4
Female	6,548	112	24	27	86	91	149	357	891	1,263	1,830	1,717	1
All other	6,891	339	37	47	210	421	484	836	1,295	1,475	1,149	588	10
Male	3,921	190	23	23	155	285	328	540	802	814	560	193	8
Female	2,970	149	14	24	55	136	156	296	493	661	589	395	2
Waterloo-Cedar Falls, Iowa	1,041	26	7	7	19	17	27	49	146	231	281	231	-
Male	553	18	3	5	16	14	17	32	96	148	128	76	-
Female	488	8	4	2	3	3	10	17	50	83	153	155	-
White	980	21	7	7	15	15	22	44	138	214	270	227	-
Male	510	13	3	5	12	13	15	28	89	136	121	75	-
Female	470	8	4	2	3	2	7	16	49	78	149	152	-
All other	61	5	-	-	4	2	5	5	8	17	11	4	-
Male	43	5	-	-	4	1	2	4	7	12	7	1	-
Female	18	-	-	-	-	1	3	1	1	5	4	3	-
Wausau, Wis	768	16	5	3	17	20	14	44	92	200	203	154	-
Male	436	8	2	2	12	16	10	27	62	122	110	65	-
Female	332	8	3	1	5	4	4	17	30	78	93	89	-
White	762	16	3	3	17	19	14	44	91	198	203	154	-
Male	434	8	1	2	12	16	10	27	61	122	110	65	-
Female	328	8	2	1	5	3	4	17	30	76	93	89	-
All other	6	-	2	-	-	1	-	-	1	2	-	-	-
Male	2	-	1	-	-	-	-	-	1	-	-	-	-
Female	4	-	1	-	-	1	-	-	-	2	-	-	-
West Palm Beach-Boca Raton, Fla	7,576	112	18	25	130	153	155	413	876	2,114	2,313	1,267	-
Male	4,252	58	8	18	92	118	102	258	509	1,285	1,280	524	-
Female	3,324	54	10	7	38	35	53	155	367	829	1,033	743	-
White	6,775	52	11	14	98	111	107	302	730	1,911	2,209	1,230	-
Male	3,776	24	6	12	75	89	71	183	424	1,159	1,230	503	-
Female	2,999	28	5	2	23	22	36	119	306	752	979	727	-
All other	801	60	7	11	32	42	48	111	146	203	104	37	-
Male	476	34	2	6	17	29	31	75	85	126	50	21	-
Female	325	26	5	5	15	13	17	36	61	77	54	16	-
Wheeling, W. Va.-Ohio	1,980	34	6	9	13	34	38	113	278	528	550	377	-
Male	1,019	23	1	5	7	25	23	63	170	308	253	141	-
Female	961	11	5	4	6	9	15	50	108	220	297	236	-
White	1,936	32	6	9	12	32	37	112	270	517	538	371	-
Male	994	21	1	5	7	24	22	62	167	302	245	138	-
Female	942	11	5	4	5	8	15	50	103	215	293	233	-
All other	44	2	-	-	1	2	1	1	8	11	12	6	-
Male	25	2	-	-	-	1	1	1	3	6	8	3	-
Female	19	-	-	-	1	1	-	-	5	5	4	3	-
Wichita, Kans	3,226	102	16	14	97	78	93	193	478	686	857	611	1
Male	1,697	54	7	5	74	60	63	125	285	410	415	198	1
Female	1,529	48	9	9	23	18	30	68	193	276	442	413	-
White	2,959	74	14	11	82	58	77	171	442	646	804	579	1
Male	1,542	39	6	4	64	44	54	108	265	391	383	183	1
Female	1,417	35	8	7	18	14	23	63	177	255	421	396	-
All other	267	28	2	3	15	20	16	22	36	40	53	32	-
Male	155	15	1	1	10	16	9	17	20	19	32	15	-
Female	112	13	1	2	5	4	7	5	16	21	21	17	-
Wichita Falls, Tex	1,125	35	3	2	39	24	32	67	169	218	323	213	-
Male	580	18	2	2	31	21	23	37	108	121	153	64	-
Female	545	17	1	-	8	3	9	30	61	97	170	149	-
White	1,018	30	3	2	36	21	28	60	146	199	294	199	-
Male	529	15	2	2	28	18	20	34	95	113	143	59	-
Female	489	15	1	-	8	3	8	26	51	86	151	140	-
All other	107	5	-	-	3	3	4	7	23	19	29	14	-
Male	51	3	-	-	3	3	3	3	13	8	10	5	-
Female	56	2	-	-	-	-	1	4	10	11	19	9	-
Williamsport, Pa	1,143	22	6	4	23	16	12	63	169	266	321	241	-
Male	589	11	4	2	18	13	7	38	107	161	160	68	-
Female	554	11	2	2	5	3	5	25	62	105	161	173	-
White	1,125	20	6	4	22	16	12	61	168	263	316	237	-
Male	579	9	4	2	17	13	7	36	106	158	159	68	-
Female	546	11	2	2	5	3	5	25	62	105	157	169	-
All other	18	2	-	-	1	-	-	2	1	3	5	4	-
Male	10	2	-	-	1	-	-	2	1	3	1	-	-
Female	8	-	-	-	-	-	-	-	-	-	4	4	-
Wilmington, Del.-N.J.-Md	4,264	105	12	24	88	92	116	308	706	1,036	1,025	749	3
Male	2,209	61	6	17	63	64	67	178	425	606	464	255	3
Female	2,055	44	6	7	25	28	49	130	281	430	561	494	-
White	3,643	65	7	16	74	67	82	237	602	899	915	678	1
Male	1,868	38	4	12	55	47	46	133	364	540	399	229	1
Female	1,775	27	3	4	19	20	36	104	238	359	516	449	-
All other	621	40	5	8	14	25	34	71	104	137	110	71	2
Male	341	23	2	5	8	17	21	45	61	66	65	26	2
Female	280	17	3	3	6	8	13	26	43	71	45	45	-

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980, except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Wilmington, N.C	1,252	25	2	5	34	30	51	85	246	332	284	158	-
Male	709	12	1	5	27	21	33	53	171	204	133	49	-
Female	543	13	1	-	7	9	18	32	75	128	151	109	-
White	910	12	-	4	31	22	31	68	168	239	205	130	-
Male	522	8	-	4	24	15	17	41	120	154	97	42	-
Female	388	4	-	-	7	7	14	27	48	85	108	88	-
All other	342	13	2	1	3	8	20	17	78	93	79	28	-
Male	187	4	1	1	3	6	16	12	51	50	36	7	-
Female	155	9	1	-	-	2	4	5	27	43	43	21	-
Worcester-Fitchburg-Leominster, Mass	5,994	73	14	21	86	93	107	328	833	1,421	1,636	1,382	-
Male	3,038	41	7	15	70	61	71	206	521	829	769	448	-
Female	2,956	32	7	6	16	32	36	122	312	592	867	934	-
White	5,954	67	13	21	86	93	106	322	829	1,413	1,627	1,377	-
Male	3,017	39	6	15	70	61	70	201	519	826	763	447	-
Female	2,937	28	7	6	16	32	36	121	310	587	864	930	-
All other	40	6	1	-	-	-	1	6	4	8	9	5	-
Male	21	2	1	-	-	-	1	5	2	3	6	1	-
Female	19	4	-	-	-	-	-	1	2	5	3	4	-
Yakima, Wash	1,586	33	11	10	41	32	52	79	213	387	411	317	-
Male	920	18	5	8	32	26	37	52	143	242	231	126	-
Female	666	15	6	2	9	6	15	27	70	145	180	191	-
White	1,502	26	9	10	36	30	46	69	200	370	397	309	-
Male	862	15	5	8	28	25	33	46	133	226	221	122	-
Female	640	11	4	2	8	5	13	23	67	144	176	187	-
All other	84	7	2	-	5	2	6	10	13	17	14	8	-
Male	58	3	-	-	4	1	4	6	10	16	10	4	-
Female	26	4	2	-	1	1	2	4	3	1	4	4	-
York, Pa	3,153	52	8	14	61	52	83	162	452	773	875	621	-
Male	1,721	33	5	6	49	39	60	105	284	456	445	239	-
Female	1,432	19	3	8	12	13	23	57	168	317	430	382	-
White	3,086	51	8	14	60	51	79	156	441	751	859	616	-
Male	1,679	32	5	6	48	38	58	103	274	444	434	237	-
Female	1,407	19	3	8	12	13	21	53	167	307	425	379	-
All other	67	1	-	-	1	1	4	6	11	22	16	5	-
Male	42	1	-	-	1	1	2	2	10	12	11	2	-
Female	25	-	-	-	-	-	2	4	1	10	5	3	-
Youngstown-Warren, Ohio	5,158	98	13	29	105	99	121	321	840	1,292	1,288	952	-
Male	2,817	58	6	13	82	71	83	198	546	748	641	371	-
Female	2,341	40	7	16	23	28	38	123	294	544	647	581	-
White	4,612	66	10	23	85	76	95	277	738	1,166	1,174	902	-
Male	2,504	40	4	10	66	55	67	170	484	680	581	347	-
Female	2,108	26	6	13	19	21	28	107	254	486	593	555	-
All other	546	32	3	6	20	23	26	44	102	126	114	50	-
Male	313	18	2	3	16	16	16	28	62	68	60	24	-
Female	233	14	1	3	4	7	10	16	40	58	54	26	-
Yuba City, Calif	842	20	8	6	28	29	36	62	118	197	185	153	-
Male	472	14	7	4	25	20	21	41	68	125	88	59	-
Female	370	6	1	2	3	9	15	21	50	72	97	94	-
White	801	19	7	5	23	26	34	56	110	190	179	152	-
Male	448	14	6	3	21	19	21	36	64	120	86	58	-
Female	353	5	1	2	2	7	13	20	46	70	93	94	-
All other	41	1	1	1	5	3	2	6	8	7	6	1	-
Male	24	-	1	1	4	1	-	5	4	5	2	1	-
Female	17	1	-	-	1	2	2	1	4	2	4	-	-

NEWARK PUBLIC LIBRARY

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All causes	1,977,981	43,305	3,165	2,099	1,513	1,269	51,351	4,671	5,407	18,485	26,624	25,828	25,425	25,949
Male	1,063,772	24,452	1,742	1,204	870	784	29,052	2,821	3,435	13,460	20,235	19,041	17,698	17,053
Female	914,209	18,853	1,423	895	643	485	22,299	1,850	1,972	5,025	6,389	6,787	7,727	8,896
White	1,731,233	30,478	2,266	1,586	1,126	959	36,415	3,618	4,300	15,542	21,372	19,675	18,901	19,459
Male	925,490	17,411	1,251	910	650	586	20,808	2,181	2,760	11,310	16,355	14,641	13,218	12,829
Female	805,743	13,067	1,015	676	476	373	15,607	1,437	1,540	4,232	5,017	5,034	5,683	6,630
All other	246,748	12,827	899	513	387	310	14,936	1,053	1,107	2,943	5,252	6,153	6,524	6,490
Male	138,282	7,041	491	294	220	198	8,244	640	675	2,150	3,880	4,400	4,480	4,224
Female	108,466	5,786	408	219	167	112	6,692	413	432	793	1,372	1,753	2,044	2,266
Black	228,560	11,757	806	466	328	281	13,638	937	976	2,533	4,679	5,608	5,916	5,937
Male	127,296	6,451	446	259	183	179	7,518	569	587	1,856	3,469	4,043	4,091	3,905
Female	101,264	5,306	360	207	145	102	6,120	368	389	677	1,210	1,565	1,825	2,032
Shigellosis and amebiasis (004,006)	27	1	-	1	1	3	6	1	-	1	-	-	1	1
Male	16	-	-	1	-	2	3	-	-	-	-	-	1	-
Female	11	1	-	-	1	1	3	1	-	1	-	-	-	1
White	22	1	-	-	1	3	5	1	-	1	-	-	-	1
Male	13	-	-	-	-	2	2	-	-	-	-	-	-	-
Female	9	1	-	-	1	1	3	1	-	1	-	-	-	1
All other	5	-	-	1	-	-	1	-	-	-	-	-	1	-
Male	3	-	-	1	-	-	1	-	-	-	-	-	1	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	1	-	-	1	-	-	-	-	-	1	-
Male	2	-	-	1	-	-	1	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	371	131	14	4	3	2	154	6	-	3	4	2	1	2
Male	170	70	7	2	2	2	83	4	-	2	3	2	1	1
Female	201	61	7	2	1	-	71	2	-	1	1	-	-	1
White	290	72	9	3	3	2	89	5	-	2	4	2	1	2
Male	124	38	3	1	2	2	46	3	-	1	3	2	1	1
Female	166	34	6	2	1	-	43	2	-	1	1	-	-	1
All other	81	59	5	1	-	-	65	1	-	1	-	-	-	-
Male	46	32	4	1	-	-	37	1	-	1	-	-	-	-
Female	35	27	1	-	-	-	28	-	-	-	-	-	-	-
Black	75	56	4	-	-	-	60	1	-	1	-	-	-	-
Male	42	31	3	-	-	-	34	1	-	1	-	-	-	-
Female	33	25	1	-	-	-	26	-	-	-	-	-	-	-
Tuberculosis (010-018)	1,937	4	1	2	1	-	8	3	-	4	12	31	37	47
Male	1,299	1	1	1	1	-	4	2	-	1	4	19	27	30
Female	638	3	-	1	-	-	4	1	-	3	8	12	10	17
White	1,211	1	-	2	1	-	4	2	-	3	6	9	9	14
Male	797	-	-	1	1	-	2	2	-	1	2	3	7	7
Female	414	1	-	1	-	-	2	-	-	2	4	6	2	7
All other	726	3	1	-	-	-	4	1	-	1	6	22	28	33
Male	502	1	1	-	-	-	2	-	-	-	2	16	20	23
Female	224	2	-	-	-	-	2	1	-	1	4	6	8	10
Black	657	3	1	-	-	-	4	1	-	1	6	21	27	29
Male	455	1	1	-	-	-	2	-	-	-	2	15	19	19
Female	202	2	-	-	-	-	2	1	-	1	4	6	8	10
Tuberculosis of respiratory system (010-012)	1,586	1	-	-	-	-	1	-	-	-	8	21	23	38
Male	1,118	-	-	-	-	-	-	-	-	-	3	14	18	26
Female	468	1	-	-	-	-	1	-	-	-	5	7	5	12
White	1,012	-	-	-	-	-	-	-	-	-	4	6	4	9
Male	702	-	-	-	-	-	-	-	-	-	1	2	3	6
Female	310	-	-	-	-	-	-	-	-	-	3	4	1	3
All other	574	1	-	-	-	-	1	-	-	-	4	15	19	29
Male	416	-	-	-	-	-	-	-	-	-	2	12	15	20
Female	158	1	-	-	-	-	1	-	-	-	2	3	4	9
Black	522	1	-	-	-	-	1	-	-	-	4	14	18	26
Male	376	-	-	-	-	-	-	-	-	-	2	11	14	17
Female	146	1	-	-	-	-	1	-	-	-	2	3	4	9
Other tuberculosis (013-018)	351	3	1	2	1	-	7	3	-	4	4	10	14	9
Male	181	1	1	1	1	-	4	2	-	1	1	5	9	4
Female	170	2	-	1	-	-	3	1	-	3	3	5	5	5
White	199	1	-	2	1	-	4	2	-	3	2	3	5	5
Male	95	-	-	1	1	-	2	2	-	1	1	1	4	1
Female	104	1	-	1	-	-	2	-	-	2	1	2	1	4
All other	152	2	1	-	-	-	3	1	-	1	2	7	9	4
Male	86	1	1	-	-	-	2	-	-	-	-	4	5	3
Female	66	1	-	-	-	-	1	1	-	1	2	3	4	1
Black	135	2	1	-	-	-	3	1	-	1	2	7	9	3
Male	79	1	1	-	-	-	2	-	-	-	-	4	5	2
Female	56	1	-	-	-	-	1	1	-	1	2	3	4	1
Whooping cough (033)	6	5	1	-	-	-	6	-	-	-	-	-	-	-
Male	2	2	-	-	-	-	2	-	-	-	-	-	-	-
Female	4	3	1	-	-	-	4	-	-	-	-	-	-	-
White	5	5	-	-	-	-	5	-	-	-	-	-	-	-
Male	2	2	-	-	-	-	2	-	-	-	-	-	-	-
Female	3	3	-	-	-	-	3	-	-	-	-	-	-	-
All other	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	1	-	-	-	-	-	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All causes	32,589	48,546	80,687	123,693	166,316	213,890	250,758	261,631	253,018	207,806	112,872	35,377	6,444	614
Male	20,852	30,732	51,138	78,042	103,843	130,290	145,260	138,021	114,500	80,064	36,337	9,957	1,518	425
Female	11,737	17,814	29,549	45,651	62,473	83,600	105,498	123,610	138,518	127,742	76,535	25,420	4,926	189
White	24,658	37,980	65,786	103,698	142,992	187,095	222,350	236,476	231,851	194,488	108,093	32,671	5,406	407
Male	15,849	24,153	42,071	66,011	90,093	114,982	129,666	125,170	104,633	74,339	33,901	9,030	1,205	285
Female	8,809	13,827	23,715	37,687	52,899	72,113	92,684	111,306	127,218	120,149	72,192	23,641	4,201	122
All other	7,931	10,566	14,901	19,995	23,324	26,795	28,408	25,155	21,167	13,318	6,779	2,706	1,038	207
Male	5,003	6,579	9,067	12,031	13,750	15,308	15,594	12,851	9,867	5,725	2,436	927	311	140
Female	2,928	3,987	5,834	7,964	9,574	11,487	12,814	12,304	11,300	7,593	4,343	1,779	727	67
Black	7,246	9,766	13,909	18,803	21,974	25,141	26,608	23,300	19,579	12,253	6,136	2,485	959	177
Male	4,591	6,109	8,474	11,287	12,912	14,290	14,373	11,713	8,925	5,232	2,133	826	277	116
Female	2,655	3,657	5,435	7,516	9,062	10,851	12,235	11,587	10,664	7,021	4,003	1,659	682	61
Shigellosis and amebiasis (004,006)	-	2	3	-	1	2	3	1	4	-	1	-	-	-
Male	-	2	2	-	1	1	3	1	1	-	1	-	-	-
Female	-	-	1	-	-	1	-	-	3	-	-	-	-	-
White	-	2	2	-	1	1	2	1	4	-	1	-	-	-
Male	-	2	2	-	1	1	2	1	1	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	3	-	-	-	-	-
All other	-	-	1	-	-	1	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	8	6	8	14	14	19	28	41	34	18	4	3	-
Male	1	4	3	5	5	5	12	18	12	5	4	-	-	-
Female	1	4	3	3	9	9	7	10	29	29	14	4	3	-
White	1	8	6	7	14	11	18	25	38	33	17	4	3	-
Male	-	4	3	5	5	4	11	16	11	5	3	-	-	-
Female	1	4	3	2	9	7	7	9	27	28	14	4	3	-
All other	1	-	-	1	-	3	1	3	3	1	1	-	-	-
Male	1	-	-	-	-	1	1	2	1	-	1	-	-	-
Female	-	-	-	1	-	2	-	1	2	1	-	-	-	-
Black	1	-	-	1	-	3	1	2	3	1	1	-	-	-
Male	1	-	-	-	-	1	1	1	1	-	1	-	-	-
Female	-	-	-	1	-	2	-	1	2	1	-	-	-	-
Tuberculosis (010-018)	77	92	130	171	200	233	243	214	232	135	54	12	2	-
Male	56	72	89	123	145	164	172	140	142	75	27	6	1	-
Female	21	20	41	48	55	69	71	74	90	60	27	6	1	-
White	24	36	66	98	130	147	175	153	177	108	39	10	1	-
Male	17	30	52	72	96	100	122	97	107	55	20	5	-	-
Female	7	6	14	26	34	47	53	56	70	53	19	5	1	-
All other	53	56	64	73	70	86	68	61	55	27	15	2	1	-
Male	39	42	37	51	49	64	50	43	35	20	7	1	1	-
Female	14	14	27	22	21	22	18	18	20	7	8	1	-	-
Black	49	54	61	68	64	72	61	53	46	27	12	1	-	-
Male	37	41	35	47	45	57	45	37	29	20	5	-	-	-
Female	12	13	26	21	19	15	16	16	17	7	7	1	-	-
Tuberculosis of respiratory system (010-012)	64	69	106	146	168	205	197	179	192	110	47	10	2	-
Male	50	54	78	108	125	152	151	119	126	63	24	6	1	-
Female	14	15	28	38	43	53	46	60	66	47	23	4	1	-
White	17	29	56	83	116	134	142	131	147	90	35	8	1	-
Male	15	23	48	65	85	95	106	85	96	49	18	5	-	-
Female	2	6	8	18	31	39	36	46	51	41	17	3	1	-
All other	47	40	50	63	52	71	55	48	45	20	12	2	1	-
Male	35	31	30	43	40	57	45	34	30	14	6	1	1	-
Female	12	9	20	20	12	14	10	14	15	6	6	1	-	-
Black	45	40	47	59	47	60	50	41	39	20	10	1	-	-
Male	34	31	28	39	36	51	41	29	25	14	4	-	-	-
Female	11	9	19	20	11	9	9	12	14	6	6	1	-	-
Other tuberculosis (013-018)	13	23	24	25	32	28	46	35	40	25	7	2	-	-
Male	6	18	11	15	20	12	21	21	16	12	3	-	-	-
Female	7	5	13	10	12	16	25	14	24	13	4	2	-	-
White	7	7	10	15	14	13	33	22	30	18	4	2	-	-
Male	2	7	4	7	11	5	16	12	11	6	2	-	-	-
Female	5	-	6	8	3	8	17	10	19	12	2	2	-	-
All other	6	16	14	10	18	15	13	13	10	7	3	-	-	-
Male	4	11	7	8	9	7	5	9	5	6	1	-	-	-
Female	2	5	7	2	9	8	8	4	5	1	2	-	-	-
Black	4	14	14	9	17	12	11	12	7	7	2	-	-	-
Male	3	10	7	8	9	6	4	8	4	6	1	-	-	-
Female	1	4	7	1	8	6	7	4	3	1	1	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NEWARK PUBLIC LIBRARY

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	13	-	1	-	-	-	1	-	-	-	-	-	-	1
Male	6	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	7	-	1	-	-	-	1	-	-	-	-	-	-	-
White	13	-	1	-	-	-	1	-	-	-	-	-	-	1
Male	6	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	7	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	459	125	52	28	13	8	226	14	17	32	12	12	14	8
Male	233	71	31	12	7	5	126	9	6	18	8	7	9	3
Female	226	54	21	16	6	3	100	5	11	14	4	5	5	5
White	380	107	42	22	8	7	186	9	13	27	12	9	10	6
Male	191	59	26	10	5	5	105	5	6	15	8	5	5	2
Female	189	48	16	12	3	2	81	4	7	12	4	4	5	4
All other	79	18	10	6	5	1	40	5	4	5	-	3	4	2
Male	42	12	5	2	2	-	21	4	-	3	-	2	4	1
Female	37	6	5	4	3	1	19	1	4	2	-	1	-	1
Black	75	16	9	6	5	1	37	5	4	5	-	3	4	2
Male	40	11	4	2	2	-	19	4	-	3	-	2	4	1
Female	35	5	5	4	3	1	18	1	4	2	-	1	-	1
Septicemia (038)	10,443	301	44	29	14	7	395	15	13	33	46	84	109	121
Male	5,047	158	24	15	5	2	204	10	9	11	19	44	64	63
Female	5,396	143	20	14	9	5	191	5	4	22	27	40	45	58
White	8,311	179	29	23	5	4	240	12	11	24	32	54	63	78
Male	4,003	105	15	9	2	2	133	8	7	8	13	28	38	37
Female	4,308	74	14	14	3	2	107	4	4	16	19	26	25	41
All other	2,132	122	15	6	9	3	155	3	2	9	14	30	46	43
Male	1,044	53	9	6	3	-	71	2	2	3	6	16	26	26
Female	1,088	69	6	-	6	3	84	1	-	6	8	14	20	17
Black	2,028	111	15	5	9	3	143	2	2	8	14	29	46	40
Male	987	48	9	5	3	-	65	2	2	2	6	16	26	25
Female	1,041	63	6	-	6	3	78	-	-	6	8	13	20	15
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	862	10	2	1	1	3	17	5	6	18	65	57	45	37
Male	466	5	-	1	-	2	8	2	3	7	31	44	29	20
Female	396	5	2	-	1	1	9	3	3	11	34	13	16	17
White	694	6	1	1	1	2	11	4	5	11	37	37	33	32
Male	388	3	-	1	-	2	6	1	2	5	21	29	21	19
Female	306	3	1	-	1	-	5	3	3	6	16	8	12	13
All other	168	4	1	-	-	1	6	1	1	7	28	20	12	5
Male	78	2	-	-	-	-	2	1	1	2	10	15	8	1
Female	90	2	1	-	-	1	4	-	-	5	18	5	4	4
Black	139	2	1	-	-	1	4	1	1	7	28	18	10	5
Male	58	-	-	-	-	-	-	1	1	2	10	13	7	1
Female	81	2	1	-	-	1	4	-	-	5	18	5	3	4
Syphilis (090-097)	136	6	-	-	-	-	6	-	-	1	1	1	4	1
Male	76	4	-	-	-	-	4	-	-	1	-	1	3	-
Female	60	2	-	-	-	-	2	-	-	-	1	-	1	1
White	88	1	-	-	-	-	1	-	-	1	1	1	4	1
Male	47	1	-	-	-	-	1	-	-	1	-	1	3	-
Female	41	-	-	-	-	-	-	-	-	-	1	-	1	1
All other	48	5	-	-	-	-	5	-	-	-	-	-	-	-
Male	29	3	-	-	-	-	3	-	-	-	-	-	-	-
Female	19	2	-	-	-	-	2	-	-	-	-	-	-	-
Black	47	5	-	-	-	-	5	-	-	-	-	-	-	-
Male	28	3	-	-	-	-	3	-	-	-	-	-	-	-
Female	19	2	-	-	-	-	2	-	-	-	-	-	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	2	-	-	-	1	-	1	3	3	1	-	-	-	-
Male	1	-	-	-	1	-	-	2	-	1	-	-	-	-
Female	1	-	-	-	-	-	1	1	3	-	-	-	-	-
White	2	-	-	-	1	-	1	3	3	1	-	-	-	-
Male	1	-	-	-	1	-	-	2	-	1	-	-	-	-
Female	1	-	-	-	-	-	1	1	3	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	11	17	14	17	11	13	12	10	12	4	1	1	1	-
Male	5	10	5	6	4	6	2	5	2	-	1	-	1	-
Female	6	7	9	11	7	7	10	5	10	4	-	1	-	-
White	9	12	13	14	10	13	12	9	10	3	1	1	1	-
Male	5	8	4	5	3	6	2	4	1	-	1	-	1	-
Female	4	4	9	9	7	7	10	5	9	3	-	1	-	-
All other	2	5	1	3	1	-	-	1	2	1	-	-	-	-
Male	-	2	1	1	1	-	-	1	1	-	-	-	-	-
Female	2	3	-	2	-	-	-	-	1	1	-	-	-	-
Black	2	5	1	3	1	-	-	1	1	1	-	-	-	-
Male	-	2	1	1	1	-	-	1	1	-	-	-	-	-
Female	2	3	-	2	-	-	-	-	-	1	-	-	-	-
Septicemia (038)	138	233	333	574	803	1,041	1,243	1,441	1,576	1,304	680	204	43	4
Male	76	137	196	338	451	575	642	684	684	525	233	65	13	4
Female	62	96	137	236	352	466	601	757	892	779	457	139	30	-
White	75	152	240	426	612	823	983	1,216	1,352	1,112	602	169	33	2
Male	41	89	146	255	347	469	508	576	599	438	199	52	10	2
Female	34	63	94	171	265	354	475	640	753	674	403	117	23	-
All other	63	81	93	148	191	218	260	225	224	192	88	35	10	2
Male	35	48	50	83	104	106	134	108	85	87	34	13	3	2
Female	28	33	43	65	87	112	126	117	139	105	54	22	7	-
Black	61	74	89	139	185	209	244	215	215	185	86	30	10	2
Male	33	44	48	78	101	103	123	101	81	84	32	10	3	2
Female	28	30	41	61	84	106	121	114	134	101	54	20	7	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	43	58	68	68	95	85	67	54	41	21	10	1	-	1
Male	25	34	41	42	50	40	32	30	19	6	3	-	-	-
Female	18	24	27	26	45	45	35	24	22	15	7	1	-	1
White	36	44	50	55	85	75	63	51	37	19	7	1	-	1
Male	20	30	31	35	47	36	31	30	17	5	2	-	-	-
Female	16	14	19	20	38	39	32	21	20	14	5	1	-	1
All other	7	14	18	13	10	10	4	3	4	2	3	-	-	-
Male	5	4	10	7	3	4	1	-	2	1	1	-	-	-
Female	2	10	8	6	7	6	3	3	2	1	2	-	-	-
Black	2	8	12	13	8	9	4	3	3	2	1	-	-	-
Male	2	2	4	7	2	3	1	-	1	1	-	-	-	-
Female	-	6	8	6	6	6	3	3	2	1	1	-	-	-
Syphilis (090-097)	2	3	6	7	8	13	27	28	14	10	4	-	-	-
Male	2	1	4	3	4	8	15	15	9	4	2	-	-	-
Female	-	2	2	4	4	5	12	13	5	6	2	-	-	-
White	1	2	4	5	6	10	18	18	6	7	2	-	-	-
Male	1	1	3	2	3	5	9	9	4	4	-	-	-	-
Female	-	1	1	3	3	5	9	9	2	3	2	-	-	-
All other	1	1	2	2	2	3	9	10	8	3	2	-	-	-
Male	1	-	1	1	1	3	6	6	5	-	2	-	-	-
Female	-	1	1	1	1	-	3	4	3	3	-	-	-	-
Black	1	1	2	1	2	3	9	10	8	3	2	-	-	-
Male	1	-	1	-	1	3	6	6	5	-	2	-	-	-
Female	-	1	1	1	1	-	3	4	3	3	-	-	-	-

NEWARK PUBLIC LIBRARY

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054, 056-066,071-088,098-139)	4,258	184	37	23	13	16	273	61	51	69	90	130	128	141
Male	2,206	98	20	14	7	12	151	34	29	31	49	64	69	71
Female	2,052	86	17	9	6	4	122	27	22	38	41	66	59	70
White	3,469	135	26	19	10	16	206	55	40	60	65	79	75	86
Male	1,804	68	13	11	6	12	110	29	23	26	34	42	45	42
Female	1,665	67	13	8	4	4	96	26	17	34	31	37	30	44
All other	789	49	11	4	3	-	67	6	11	9	25	51	53	55
Male	402	30	7	3	1	-	41	5	6	5	15	22	24	29
Female	387	19	4	1	2	-	26	1	5	4	10	29	29	26
Black	697	41	9	4	3	-	57	4	5	9	24	46	52	52
Male	348	25	6	3	1	-	35	3	2	5	14	21	23	28
Female	349	16	3	1	2	-	22	1	3	4	10	25	29	24
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	422,094	91	136	188	165	165	745	719	677	1,046	1,336	1,959	3,096	4,681
Male	227,885	51	74	108	83	101	417	411	385	628	816	1,054	1,385	2,020
Female	194,209	40	62	80	82	64	328	308	292	418	520	905	1,711	2,661
White	372,674	73	115	159	140	135	622	594	556	863	1,139	1,643	2,594	3,855
Male	199,370	37	66	91	72	82	348	341	324	513	705	910	1,184	1,669
Female	173,304	36	49	68	68	53	274	253	232	350	434	733	1,410	2,186
All other	49,420	18	21	29	25	30	123	125	121	183	197	316	502	826
Male	28,515	14	8	17	11	19	69	70	61	115	111	144	201	351
Female	20,905	4	13	12	14	11	54	55	60	68	86	172	301	475
Black	45,827	10	20	28	19	24	101	113	107	159	175	278	436	725
Male	26,477	8	7	17	8	14	54	65	54	103	96	122	174	320
Female	19,350	2	13	11	11	10	47	48	53	56	79	156	262	405
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,506	1	-	-	-	-	1	5	4	7	17	27	35	70
Male	5,831	1	-	-	-	-	1	1	2	4	13	17	23	52
Female	2,675	-	-	-	-	-	-	4	2	3	4	10	12	18
White	7,173	-	-	-	-	-	-	5	1	5	14	19	20	38
Male	4,824	-	-	-	-	-	-	1	1	3	10	11	13	26
Female	2,349	-	-	-	-	-	-	4	-	2	4	8	7	12
All other	1,333	1	-	-	-	-	1	-	3	2	3	8	15	32
Male	1,007	1	-	-	-	-	1	-	1	1	3	6	10	26
Female	326	-	-	-	-	-	-	-	2	1	-	2	5	6
Black	1,216	-	-	-	-	-	-	-	3	2	2	6	12	29
Male	920	-	-	-	-	-	-	-	1	1	2	4	8	24
Female	296	-	-	-	-	-	-	-	2	1	-	2	4	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	111,297	10	8	10	7	5	40	6	14	45	104	230	406	729
Male	58,437	6	5	6	3	4	24	1	8	35	59	147	245	424
Female	52,860	4	3	4	4	1	16	5	6	10	45	83	161	305
White	97,324	8	8	9	6	4	35	6	12	28	79	163	310	555
Male	50,599	5	5	5	3	3	21	1	6	21	46	107	193	321
Female	46,725	3	3	4	3	1	14	5	6	7	33	56	117	234
All other	13,973	2	-	1	1	1	5	-	2	17	25	67	96	174
Male	7,838	1	-	1	-	1	3	-	2	14	13	40	52	103
Female	6,135	1	-	-	1	-	2	-	-	3	12	27	44	71
Black	12,692	-	-	1	1	1	3	-	1	13	25	57	80	145
Male	7,063	-	-	1	-	1	2	-	1	12	13	34	44	89
Female	5,629	-	-	-	1	-	1	-	-	1	12	23	36	56
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	111,296	6	-	-	2	-	8	5	5	19	34	59	213	730
Male	80,458	3	-	-	1	-	4	3	3	11	25	36	132	449
Female	30,838	3	-	-	1	-	4	2	2	8	9	23	81	281
White	98,468	4	-	-	2	-	6	4	5	17	27	50	179	594
Male	70,682	2	-	-	1	-	3	2	3	10	19	31	111	362
Female	27,786	2	-	-	1	-	3	2	2	7	8	19	68	232
All other	12,828	2	-	-	-	-	2	1	-	2	7	9	34	136
Male	9,776	1	-	-	-	-	1	1	-	1	6	5	21	87
Female	3,052	1	-	-	-	-	1	-	-	1	1	4	13	49
Black	12,058	-	-	-	-	-	-	1	-	2	5	7	31	129
Male	9,220	-	-	-	-	-	-	1	-	1	4	4	19	84
Female	2,838	-	-	-	-	-	-	-	-	1	1	3	12	45
Malignant neoplasm of breast (174-175)	36,737	1	-	-	-	1	2	1	-	-	16	124	526	919
Male	254	-	-	-	-	-	-	-	-	-	-	-	1	3
Female	36,483	1	-	-	-	1	2	1	-	-	16	124	525	916
White	33,124	1	-	-	-	1	2	1	-	-	7	94	425	761
Male	218	-	-	-	-	-	-	-	-	-	-	-	1	3
Female	32,906	1	-	-	-	1	2	1	-	-	7	94	424	758
All other	3,613	-	-	-	-	-	-	-	-	-	9	30	101	158
Male	36	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3,577	-	-	-	-	-	-	-	-	-	9	30	101	156
Black	3,393	-	-	-	-	-	-	-	-	-	9	30	94	138
Male	35	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3,358	-	-	-	-	-	-	-	-	-	9	30	94	138
Malignant neoplasms of genital organs (179-187)	46,732	2	2	1	1	1	7	6	7	59	122	236	361	428
Male	24,014	-	2	1	-	-	3	3	1	29	72	88	85	40
Female	22,718	2	-	-	1	1	4	3	6	30	50	148	276	388
White	39,817	2	2	1	1	1	7	5	5	49	107	201	295	333
Male	19,995	-	2	1	-	-	3	2	1	27	68	86	81	35
Female	19,822	2	-	-	1	1	4	3	4	22	39	115	214	298
All other	6,915	-	-	-	-	-	-	1	2	10	15	35	66	95
Male	4,019	-	-	-	-	-	-	1	-	2	4	2	4	5
Female	2,896	-	-	-	-	-	-	-	2	8	11	33	62	90
Black	6,567	-	-	-	-	-	-	1	2	8	12	33	55	78
Male	3,890	-	-	-	-	-	-	1	-	2	2	2	4	5
Female	2,677	-	-	-	-	-	-	-	2	6	10	31	51	73

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054, 056-066,071-088,098-139)	131	166	263	317	415	446	430	390	332	218	155	41	11	-
Male	75	87	151	174	231	259	214	195	153	93	59	14	3	-
Female	56	79	112	143	184	187	216	195	179	125	96	27	8	-
White	73	117	204	263	346	380	383	350	300	197	143	37	10	-
Male	45	66	120	147	197	221	192	178	139	82	51	12	3	-
Female	28	51	84	116	149	159	191	172	161	115	92	25	7	-
All other	58	49	59	54	69	66	47	40	32	21	12	4	1	-
Male	30	21	31	27	34	38	22	17	14	11	8	2	-	-
Female	28	28	28	27	35	28	25	23	18	10	4	2	1	-
Black	54	47	53	51	60	56	40	33	25	14	12	2	1	-
Male	27	20	29	25	28	32	16	15	10	6	8	1	-	-
Female	27	27	24	26	32	24	24	18	15	8	4	1	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	7,809	13,896	26,244	41,618	53,752	64,300	65,246	56,364	41,425	25,228	9,630	2,053	218	52
Male	3,562	6,810	13,586	22,624	30,473	37,154	37,785	31,062	21,105	11,770	3,965	769	70	34
Female	4,247	7,086	12,658	18,994	23,279	27,146	27,461	25,302	20,320	13,458	5,665	1,284	148	18
White	6,280	11,426	22,097	35,750	46,980	56,887	58,275	51,006	37,764	23,391	8,924	1,836	165	27
Male	2,844	5,466	11,302	19,259	26,352	32,562	33,493	27,896	19,043	10,808	3,620	671	44	16
Female	3,436	5,960	10,795	16,491	20,628	24,325	24,782	23,110	18,721	12,583	5,304	1,165	121	11
All other	1,529	2,470	4,147	5,868	6,772	7,413	6,971	5,358	3,661	1,837	706	217	53	25
Male	718	1,344	2,284	3,365	4,121	4,592	4,292	3,166	2,062	962	345	98	26	18
Female	811	1,126	1,863	2,503	2,651	2,821	2,679	2,192	1,599	875	361	119	27	7
Black	1,368	2,269	3,844	5,532	6,343	6,952	6,524	4,943	3,362	1,703	631	198	49	15
Male	644	1,246	2,138	3,171	3,861	4,307	3,998	2,923	1,882	896	301	91	23	10
Female	724	1,023	1,706	2,361	2,482	2,645	2,526	2,020	1,480	807	330	107	26	5
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	176	364	764	1,169	1,373	1,392	1,229	803	514	339	159	49	9	-
Male	131	286	559	854	943	986	864	527	303	165	73	22	5	-
Female	45	78	205	315	430	406	365	276	211	174	86	27	4	-
White	95	231	565	928	1,170	1,248	1,114	731	468	324	144	46	7	-
Male	72	177	409	662	797	871	777	475	275	156	65	20	3	-
Female	23	54	156	266	373	377	337	256	193	168	79	26	4	-
All other	81	133	199	241	203	144	115	72	46	15	15	3	2	-
Male	59	109	150	192	146	115	87	52	28	9	8	2	2	-
Female	22	24	49	49	57	29	28	20	18	6	7	1	-	-
Black	72	123	188	227	186	132	100	64	40	13	14	2	1	-
Male	53	100	140	182	135	104	78	48	24	7	7	1	1	-
Female	19	23	48	45	51	28	22	16	16	6	7	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,361	2,696	5,298	9,373	12,819	16,347	18,293	16,957	13,542	8,742	3,467	739	78	11
Male	805	1,626	3,126	5,585	7,670	9,461	10,076	8,432	5,886	3,376	1,195	230	19	7
Female	556	1,070	2,172	3,788	5,149	6,886	8,217	8,525	7,656	5,366	2,272	509	59	4
White	1,049	2,106	4,235	7,773	10,974	14,243	16,095	15,183	12,388	8,135.	3,224	665	61	5
Male	624	1,242	2,487	4,635	6,561	8,203	8,830	7,515	5,337	3,127	1,096	207	15	4
Female	425	864	1,748	3,138	4,413	6,040	7,265	7,668	7,051	5,008	2,128	458	46	1
All other	312	590	1,063	1,600	1,845	2,104	2,198	1,774	1,154	607	243	74	17	6
Male	181	384	639	950	1,109	1,258	1,246	917	549	249	99	23	4	3
Female	131	206	424	650	736	846	952	857	605	358	144	51	13	3
Black	270	528	962	1,478	1,677	1,938	2,022	1,605	1,035	555	210	68	17	3
Male	158	350	572	872	995	1,151	1,132	822	482	228	80	21	4	1
Female	112	178	390	606	682	787	890	783	553	327	130	47	13	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,781	4,126	8,642	14,062	17,950	20,624	18,380	13,042	7,173	3,271	986	151	17	18
Male	1,170	2,747	6,011	9,883	12,961	15,196	13,784	9,859	5,253	2,264	568	74	9	16
Female	611	1,379	2,631	4,179	4,989	5,428	4,596	3,183	1,920	1,007	418	77	8	2
White	1,405	3,348	7,250	12,071	15,715	18,441	16,671	11,985	6,587	3,046	910	137	10	10
Male	904	2,192	5,007	8,405	11,228	13,452	12,407	9,030	4,808	2,103	527	65	5	8
Female	501	1,156	2,243	3,666	4,487	4,989	4,264	2,955	1,779	943	383	72	5	2
All other	376	778	1,392	1,991	2,235	2,183	1,709	1,057	586	225	76	14	7	8
Male	266	555	1,004	1,478	1,733	1,744	1,377	829	445	161	41	9	4	8
Female	110	223	388	513	502	439	332	228	141	64	35	5	3	-
Black	351	731	1,338	1,908	2,131	2,061	1,591	984	517	201	66	12	7	5
Male	247	524	962	1,416	1,656	1,653	1,293	786	396	141	35	9	4	5
Female	104	207	376	492	475	408	298	198	121	60	31	3	3	-
Malignant neoplasm of breast (174-175)	1,432	2,130	3,493	4,555	4,749	4,992	4,485	3,684	2,758	1,647	796	201	23	4
Male	4	3	17	21	40	33	42	35	27	22	4	2	-	-
Female	1,428	2,127	3,476	4,534	4,709	4,959	4,443	3,649	2,731	1,625	792	199	23	4
White	1,187	1,794	3,102	4,074	4,304	4,569	4,132	3,439	2,550	1,734	748	181	18	2
Male	3	2	14	16	34	27	34	33	23	22	4	2	-	-
Female	1,184	1,792	3,088	4,058	4,270	4,542	4,098	3,406	2,527	1,712	744	179	18	2
All other	245	336	391	481	445	423	353	245	208	113	48	20	5	2
Male	1	1	3	5	6	6	8	2	4	-	-	-	-	-
Female	244	335	388	476	439	417	345	243	204	113	48	20	5	2
Black	226	315	356	455	417	399	339	236	200	108	46	18	5	2
Male	1	1	3	5	6	5	8	2	4	-	-	-	-	-
Female	225	314	353	450	411	394	331	234	196	108	46	18	5	2
Malignant neoplasms of genital organs (179-187)	686	1,094	1,968	3,152	4,731	6,359	7,484	7,602	6,340	4,185	1,565	315	22	3
Male	38	98	283	712	1,677	3,055	4,352	4,868	4,315	2,953	1,104	223	15	-
Female	648	996	1,685	2,440	3,054	3,304	3,132	2,734	2,025	1,232	461	92	7	3
White	537	923	1,631	2,649	3,976	5,329	6,299	6,546	5,526	3,738	1,385	259	14	3
Male	33	74	215	555	1,313	2,417	3,541	4,087	3,705	2,596	968	180	8	-
Female	504	849	1,416	2,094	2,663	2,912	2,758	2,459	1,821	1,142	417	79	6	3
All other	149	171	337	503	755	1,030	1,185	1,056	814	447	180	56	8	-
Male	5	24	68	157	364	638	811	781	610	357	136	43	7	-
Female	144	147	269	346	391	392	374	275	204	90	44	13	1	-
Black	131	148	303	477	725	1,002	1,145	1,018	776	424	168	53	8	-
Male	4	24	67	155	356	628	781	755	585	346	126	40	7	-
Female	127	124	236	322	369	374	364	263	191	78	42	13	1	-

NEWARK PUBLIC LIBRARY

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Malignant neoplasms, etc.-Con.														
Malignant neoplasms of urinary organs (188-189)	17,990	4	5	6	11	10	36	31	10	13	19	29	72	108
Male	11,705	3	4	4	5	7	23	12	8	5	10	17	42	68
Female	6,294	1	1	2	6	3	13	19	2	8	9	12	30	40
White	16,419	2	4	4	8	7	25	26	9	6	11	19	57	88
Male	10,749	2	3	3	5	5	18	11	8	1	6	10	31	54
Female	5,670	-	1	1	3	2	7	15	1	5	5	9	26	34
All other	1,580	2	1	2	3	3	11	5	1	7	8	10	15	20
Male	956	1	1	1	-	2	5	1	-	4	4	7	11	14
Female	624	1	-	1	3	1	6	4	1	3	4	3	4	6
Black	1,467	1	1	2	2	3	9	5	1	6	7	10	12	19
Male	875	-	1	1	-	2	4	1	-	3	4	7	9	13
Female	592	1	-	1	2	1	5	4	1	3	3	3	3	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	51,701	45	68	104	80	71	368	293	300	399	477	623	806	973
Male	27,086	26	39	62	41	43	211	155	159	237	295	353	449	560
Female	24,615	19	29	42	39	28	157	138	141	162	182	270	357	413
White	46,240	38	58	91	67	58	312	233	239	329	412	555	721	874
Male	24,164	19	34	53	35	35	176	125	132	192	254	313	401	506
Female	22,076	19	24	38	32	23	136	108	107	137	158	242	320	368
All other	5,461	7	10	13	13	13	56	60	61	70	65	68	85	99
Male	2,922	7	5	9	6	8	35	30	27	45	41	40	48	54
Female	2,539	-	5	4	7	5	21	30	34	25	24	28	37	45
Black	5,041	5	9	13	9	9	45	54	57	62	56	58	72	93
Male	2,702	5	4	9	4	4	26	28	25	40	35	35	41	51
Female	2,339	-	5	4	5	5	19	26	32	22	21	23	31	42
Leukemia (204-208)	16,273	18	48	61	57	67	251	315	264	324	294	314	348	343
Male	9,078	10	23	31	28	41	133	193	159	200	187	192	193	191
Female	7,195	8	25	30	29	26	118	122	105	124	107	122	155	152
White	14,786	15	39	48	49	56	207	266	222	279	261	263	297	286
Male	8,276	8	21	25	23	34	111	163	130	172	167	166	163	159
Female	6,510	7	18	23	26	22	96	103	92	107	94	97	134	127
All other	1,487	3	9	13	8	11	44	49	42	45	33	51	51	57
Male	802	2	2	6	5	7	22	30	29	28	20	26	30	32
Female	685	1	7	7	3	4	22	19	13	17	13	25	21	25
Black	1,337	3	9	12	7	9	40	43	36	39	29	45	43	47
Male	709	2	2	6	4	6	20	27	25	26	18	22	25	27
Female	628	1	7	6	3	3	20	16	11	13	11	23	18	20
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	21,553	4	5	6	7	10	32	57	73	180	253	317	329	381
Male	11,022	2	1	4	5	6	18	43	45	107	155	204	215	233
Female	10,531	2	4	2	2	4	14	14	28	73	98	113	114	148
White	19,323	3	4	6	7	8	28	48	63	150	221	279	290	326
Male	9,863	1	1	4	5	5	16	36	43	87	135	186	190	203
Female	9,460	2	3	2	2	3	12	12	20	63	86	93	100	123
All other	2,230	1	1	-	-	2	4	9	10	30	32	38	39	55
Male	1,159	1	-	-	-	1	2	7	2	20	20	18	25	30
Female	1,071	-	1	-	-	1	2	2	8	10	12	20	14	25
Black	2,056	1	1	-	-	2	4	9	7	27	30	32	37	47
Male	1,063	1	-	-	-	1	2	7	2	18	18	14	24	27
Female	993	-	1	-	-	1	2	2	5	9	12	18	13	20
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6,235	54	15	7	16	10	102	49	43	42	74	74	96	111
Male	2,934	30	8	5	6	7	56	23	26	26	38	29	52	56
Female	3,301	24	7	2	10	3	46	26	17	16	36	45	44	55
White	5,508	43	12	7	13	6	81	41	34	36	54	56	86	89
Male	2,625	25	6	5	5	5	46	21	20	23	30	22	47	51
Female	2,883	18	6	2	8	1	35	20	14	13	24	34	39	38
All other	727	11	3	-	3	4	21	8	9	6	20	18	10	22
Male	309	5	2	-	1	2	10	2	6	3	8	7	5	5
Female	418	6	1	-	2	2	11	6	3	3	12	11	5	17
Black	665	9	3	-	3	4	19	8	7	6	18	16	9	22
Male	273	4	2	-	1	2	9	2	5	3	7	5	4	5
Female	392	5	1	-	2	2	10	6	2	3	11	11	5	17
Diabetes mellitus (250)	34,642	6	2	2	1	3	14	12	20	43	106	194	380	388
Male	14,211	5	2	1	-	1	9	9	6	15	54	106	209	221
Female	20,431	1	-	1	1	2	5	3	14	28	52	88	151	167
White	28,750	6	1	2	1	2	12	8	15	32	74	150	286	300
Male	12,066	5	1	1	-	1	8	8	4	11	36	83	164	177
Female	16,684	1	-	1	1	1	4	-	11	21	38	67	122	123
All other	5,892	-	1	-	-	1	2	4	5	11	32	44	74	88
Male	2,145	-	1	-	-	-	1	1	2	4	18	23	45	44
Female	3,747	-	-	-	-	1	1	3	3	7	14	21	29	44
Black	5,461	-	1	-	-	1	2	3	5	11	32	41	70	84
Male	1,925	-	1	-	-	-	1	1	2	4	18	21	42	43
Female	3,536	-	-	-	-	1	1	2	3	7	14	20	28	41
Nutritional deficiencies (260-269)	2,331	28	6	1	2	1	38	-	4	2	4	6	8	12
Male	941	19	2	-	2	1	24	-	3	1	3	3	3	3
Female	1,390	9	4	1	-	-	14	-	1	1	1	3	5	9
White	1,989	14	2	-	2	1	19	-	4	1	2	6	8	10
Male	786	9	1	-	2	1	13	-	3	-	2	3	3	2
Female	1,203	5	1	-	-	-	6	-	1	1	-	3	5	8
All other	342	14	4	1	-	-	19	-	-	1	2	-	-	2
Male	155	10	1	-	-	-	11	-	-	1	1	-	-	1
Female	187	4	3	1	-	-	8	-	-	-	1	-	-	1
Black	310	14	4	1	-	-	19	-	-	-	2	-	-	2
Male	137	10	1	-	-	-	11	-	-	-	1	-	-	1
Female	173	4	3	1	-	-	8	-	-	-	1	-	-	1

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Malignant neoplasms, etc.-Con.														
Malignant neoplasms of urinary organs (188-189)	197	373	795	1,363	1,920	2,525	2,918	2,915	2,304	1,593	619	133	15	2
Male	136	254	570	948	1,388	1,699	1,982	1,881	1,379	912	304	61	4	2
Female	61	119	225	415	541	826	936	1,034	925	681	315	72	11	-
White	167	327	693	1,214	1,726	2,280	2,656	2,718	2,153	1,518	585	125	15	1
Male	116	227	507	857	1,244	1,549	1,829	1,762	1,299	876	280	59	4	1
Female	51	100	186	357	482	731	827	956	854	642	305	66	11	-
All other	30	46	102	149	203	245	262	197	151	75	34	8	-	1
Male	20	27	63	91	144	150	153	119	80	36	24	2	-	1
Female	10	19	39	58	59	95	109	78	71	39	10	6	-	-
Black	23	41	92	138	192	232	248	182	142	73	29	6	-	-
Male	14	23	57	84	135	139	143	109	72	35	21	2	-	-
Female	9	18	35	54	57	93	105	73	70	38	8	4	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,369	1,981	3,460	5,097	6,179	7,186	7,056	6,035	4,672	2,885	1,201	292	43	6
Male	799	1,135	1,968	2,983	3,505	4,037	3,767	2,846	2,027	1,078	413	91	12	6
Female	570	846	1,492	2,114	2,674	3,149	3,289	3,189	2,645	1,807	788	201	31	-
White	1,173	1,716	3,014	4,518	5,485	6,407	6,397	5,504	4,236	2,675	1,136	270	32	2
Male	690	977	1,725	2,664	3,099	3,614	3,410	2,592	1,822	990	392	82	6	2
Female	483	739	1,289	1,854	2,386	2,793	2,987	2,912	2,414	1,685	744	188	26	-
All other	196	265	446	579	694	779	659	531	436	210	65	22	11	4
Male	109	158	243	319	406	423	357	254	205	88	21	9	6	4
Female	87	107	203	260	288	356	302	277	231	122	44	13	5	-
Black	176	247	414	550	649	724	617	482	401	193	59	21	9	2
Male	101	148	233	301	379	397	329	231	187	81	19	8	5	2
Female	75	99	181	249	270	327	288	251	214	112	40	13	4	-
Leukemia (204-208)	354	475	671	1,057	1,452	1,841	2,189	2,196	1,864	1,137	474	103	3	4
Male	189	265	360	638	877	1,130	1,291	1,186	956	518	178	39	1	2
Female	165	210	311	419	575	711	898	1,010	908	619	296	64	2	2
White	295	415	594	937	1,344	1,669	2,030	2,038	1,751	1,084	454	92	2	-
Male	160	230	322	573	814	1,037	1,209	1,107	896	495	168	34	-	-
Female	135	185	272	364	530	632	821	931	855	589	286	58	2	-
All other	59	60	77	120	108	172	159	158	113	53	20	11	1	4
Male	29	35	38	65	63	93	82	79	60	23	10	5	1	2
Female	30	25	39	55	45	79	77	79	53	30	10	6	-	2
Black	47	53	66	107	101	153	153	147	107	50	18	9	1	3
Male	24	29	31	58	59	78	76	70	56	21	9	5	1	2
Female	23	24	35	49	42	75	77	77	51	29	9	4	-	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	453	657	1,153	1,790	2,570	3,034	3,212	3,130	2,258	1,229	363	70	8	4
Male	290	396	692	1,000	1,412	1,557	1,627	1,428	959	482	126	27	5	1
Female	163	261	461	790	1,158	1,477	1,585	1,702	1,299	747	237	43	3	3
White	372	566	1,013	1,586	2,286	2,701	2,881	2,862	2,105	1,137	338	61	6	4
Male	242	345	616	892	1,262	1,392	1,456	1,295	878	443	120	22	3	1
Female	130	221	397	694	1,024	1,309	1,425	1,567	1,227	694	218	39	3	3
All other	81	91	140	204	284	333	331	268	153	92	25	9	2	-
Male	48	51	76	108	150	165	171	133	81	39	6	5	2	-
Female	33	40	64	96	134	168	160	135	72	53	19	4	-	-
Black	72	83	125	192	265	311	309	245	144	86	21	9	1	-
Male	42	47	71	98	140	152	158	120	76	37	4	5	1	-
Female	30	36	54	94	125	159	151	125	68	49	17	4	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	150	180	306	378	609	739	881	911	742	484	207	48	7	2
Male	79	88	160	198	312	388	435	418	301	180	56	12	1	-
Female	71	92	146	180	297	351	446	493	441	304	151	36	6	2
White	130	145	257	327	522	664	770	840	687	449	187	46	6	1
Male	70	77	132	175	274	354	387	381	282	167	53	12	1	-
Female	60	68	125	152	248	310	383	459	405	282	134	34	5	1
All other	20	35	49	51	87	75	111	71	55	35	20	2	1	1
Male	9	11	28	23	38	34	48	37	19	13	3	-	-	-
Female	11	24	21	28	49	41	63	34	36	22	17	2	1	1
Black	19	32	46	47	79	68	100	69	48	31	17	2	1	1
Male	9	10	27	20	33	30	41	36	15	10	2	-	-	-
Female	10	22	19	27	46	38	59	33	33	21	15	2	1	1
Diabetes mellitus (250)	528	763	1,404	2,273	3,347	4,532	5,309	5,508	4,713	3,354	1,402	322	42	8
Male	296	436	734	1,120	1,588	1,952	2,249	2,133	1,584	1,031	366	80	10	3
Female	232	327	670	1,153	1,759	2,580	3,060	3,375	3,129	2,323	1,036	242	32	5
White	380	553	1,032	1,723	2,624	3,615	4,411	4,721	4,175	3,039	1,286	281	29	4
Male	214	330	568	904	1,334	1,635	1,937	1,858	1,431	943	339	72	8	2
Female	166	223	464	819	1,290	1,980	2,474	2,863	2,744	2,096	947	209	21	2
All other	148	210	372	550	723	917	898	787	538	315	116	41	13	4
Male	82	106	166	216	254	317	312	275	153	88	27	8	2	1
Female	66	104	206	334	469	600	586	512	385	227	89	33	11	3
Black	138	193	343	506	671	856	829	735	490	290	105	40	13	4
Male	74	96	148	193	231	296	264	251	129	80	21	7	2	1
Female	64	97	195	313	440	560	565	484	361	210	84	33	11	3
Nutritional deficiencies (260-269)	22	18	30	56	91	150	216	286	395	480	330	151	30	2
Male	8	12	20	27	46	83	99	135	161	167	104	35	2	2
Female	14	6	10	29	45	67	117	151	234	313	226	116	28	-
White	17	13	17	48	74	124	172	246	348	420	302	135	24	1
Male	6	9	11	22	36	68	78	110	145	142	98	33	1	1
Female	11	4	6	24	38	56	94	136	203	278	204	102	23	-
All other	5	5	13	10	17	26	44	40	47	60	28	16	6	1
Male	2	3	9	5	10	15	21	25	16	25	6	2	1	1
Female	3	2	4	5	7	11	23	15	31	35	22	14	5	-
Black	5	5	13	10	17	23	42	36	43	47	25	15	5	1
Male	2	3	9	5	10	13	19	22	14	19	5	1	1	1
Female	3	2	4	5	7	10	23	14	29	28	20	14	4	-

NEWARK PUBLIC LIBRARY

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Anemias (280-285)	3,300	25	17	15	9	7	73	35	40	54	67	58	58	64
Male	1,519	14	12	8	4	2	40	17	25	31	38	31	34	26
Female	1,781	11	5	7	5	5	33	18	15	23	29	27	24	38
White	2,658	11	5	6	5	2	29	17	24	30	20	15	17	17
Male	1,193	7	3	4	2	1	17	10	16	20	11	6	8	5
Female	1,465	4	2	2	3	1	12	7	8	10	9	9	9	12
All other	642	14	12	9	4	5	44	18	16	24	47	43	41	47
Male	326	7	9	4	2	1	23	7	9	11	27	25	26	21
Female	316	7	3	5	2	4	21	11	7	13	20	18	15	26
Black	615	12	12	9	4	5	42	18	14	23	46	43	41	46
Male	308	5	9	4	2	1	21	7	7	10	26	25	26	21
Female	307	7	3	5	2	4	21	11	7	13	20	18	15	25
Meningitis (320-322)	1,405	422	84	44	21	16	587	30	18	21	18	35	33	26
Male	776	253	50	25	14	8	350	18	9	13	13	22	20	13
Female	629	169	34	19	7	8	237	12	9	8	5	13	13	13
White	987	270	71	34	17	12	404	15	14	16	15	23	21	17
Male	547	167	42	21	11	7	248	8	7	10	11	12	13	8
Female	440	103	29	13	6	5	156	7	7	6	4	11	8	9
All other	418	152	13	10	4	4	183	15	4	5	3	12	12	9
Male	229	86	8	4	3	1	102	10	2	3	2	10	7	5
Female	189	66	5	6	1	3	81	5	2	2	1	2	5	4
Black	380	140	11	10	4	4	169	15	4	4	2	11	10	9
Male	204	79	6	4	3	1	93	10	2	2	2	9	6	5
Female	176	61	5	6	1	3	76	5	2	2	-	2	4	4
Major cardiovascular diseases (390-448)	972,992	916	182	98	63	50	1,309	194	236	540	1,000	1,640	2,861	5,044
Male	494,204	510	96	42	32	32	712	104	128	313	595	1,003	1,848	3,520
Female	478,788	406	86	56	31	18	597	90	108	227	405	637	1,013	1,524
White	870,306	647	116	74	48	44	929	157	168	389	694	1,075	2,002	3,708
Male	442,066	358	59	30	27	28	502	83	97	230	412	683	1,308	2,677
Female	428,240	289	57	44	21	16	427	74	71	159	282	392	694	1,031
All other	102,686	269	66	24	15	6	380	37	68	151	306	565	859	1,336
Male	52,138	152	37	12	5	4	210	21	31	83	183	320	540	843
Female	50,548	117	29	12	10	2	170	16	37	68	123	245	319	493
Black	96,293	238	61	21	9	4	333	35	65	138	285	531	805	1,259
Male	48,315	134	35	10	2	4	185	21	30	77	169	299	507	790
Female	47,978	104	26	11	7	-	148	14	35	61	116	232	298	469
Diseases of heart (390-398,402,404-429)	753,884	763	159	81	55	43	1,101	144	179	387	692	1,151	2,106	3,949
Male	400,535	415	86	33	29	26	589	77	103	234	438	754	1,461	2,956
Female	353,349	348	73	48	26	17	512	67	76	153	254	397	645	993
White	677,449	546	98	62	41	38	785	114	126	272	471	747	1,500	2,971
Male	360,386	294	52	24	24	23	417	59	76	169	299	501	1,056	2,303
Female	317,063	252	46	38	17	15	368	55	50	103	172	246	444	668
All other	76,435	217	61	19	14	5	316	30	53	115	221	404	606	978
Male	40,149	121	34	9	5	3	172	18	27	65	139	253	405	653
Female	36,286	96	27	10	9	2	144	12	26	50	82	151	201	325
Black	71,697	191	57	17	8	3	276	28	51	106	208	381	564	914
Male	37,188	106	32	8	2	3	151	18	26	62	129	237	378	604
Female	34,509	85	25	9	6	-	125	10	25	44	79	144	186	310
Rheumatic fever and rheumatic heart disease (390-398)	7,378	7	-	-	1	-	8	3	16	16	34	70	95	125
Male	2,469	2	-	-	1	-	3	1	7	9	22	27	39	48
Female	4,909	5	-	-	-	-	5	2	9	7	12	43	56	77
White	6,798	4	-	-	1	-	5	1	12	8	22	43	69	97
Male	2,254	2	-	-	1	-	3	-	6	3	13	17	30	39
Female	4,544	2	-	-	-	-	2	1	6	5	9	26	39	58
All other	580	3	-	-	-	-	3	2	4	8	12	27	26	26
Male	215	-	-	-	-	-	-	1	1	6	9	10	9	9
Female	365	3	-	-	-	-	3	1	3	2	3	17	17	19
Black	479	3	-	-	-	-	3	1	4	4	6	23	22	23
Male	173	-	-	-	-	-	-	1	1	4	4	8	9	6
Female	306	3	-	-	-	-	3	-	3	-	2	15	13	17
Hypertensive heart disease (402)	20,793	-	-	-	-	-	-	2	1	2	12	36	93	148
Male	8,994	-	-	-	-	-	-	2	1	2	10	25	73	93
Female	11,799	-	-	-	-	-	-	-	-	-	2	11	20	55
White	15,474	-	-	-	-	-	-	2	-	2	5	11	44	58
Male	6,462	-	-	-	-	-	-	2	-	2	5	10	36	39
Female	9,012	-	-	-	-	-	-	-	-	-	-	1	8	19
All other	5,319	-	-	-	-	-	-	-	1	-	7	25	49	90
Male	2,532	-	-	-	-	-	-	-	1	-	5	15	37	54
Female	2,787	-	-	-	-	-	-	-	-	-	2	10	12	36
Black	5,160	-	-	-	-	-	-	-	1	-	7	25	48	88
Male	2,444	-	-	-	-	-	-	-	1	-	5	15	36	53
Female	2,716	-	-	-	-	-	-	-	-	-	2	10	12	35
Hypertensive heart and renal disease (404)	3,347	-	-	1	-	-	1	-	-	2	3	8	15	9
Male	1,351	-	-	-	-	-	-	-	-	2	-	5	10	4
Female	1,996	-	-	1	-	-	1	-	-	-	3	3	5	5
White	2,642	-	-	-	-	-	-	-	-	1	2	5	5	3
Male	1,059	-	-	-	-	-	-	-	-	1	-	4	3	2
Female	1,583	-	-	-	-	-	-	-	-	-	2	1	2	1
All other	705	-	-	1	-	-	1	-	-	1	1	3	10	6
Male	292	-	-	-	-	-	-	-	-	1	-	1	7	2
Female	413	-	-	1	-	-	1	-	-	-	1	2	3	4
Black	683	-	-	1	-	-	1	-	-	1	1	3	10	6
Male	280	-	-	-	-	-	-	-	-	1	-	1	7	2
Female	403	-	-	1	-	-	1	-	-	-	1	2	3	4

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Anemias (280-285)	64	69	75	115	160	285	357	438	473	471	255	84	5	-
Male	37	34	34	53	95	132	178	217	214	172	90	20	1	-
Female	27	35	41	62	65	153	179	221	259	299	165	64	4	-
White	30	43	48	90	131	240	319	394	430	438	245	77	4	-
Male	17	21	23	43	78	113	161	193	189	156	86	19	1	-
Female	13	22	25	47	53	127	158	201	241	282	159	58	3	-
All other	34	26	27	25	29	45	38	44	43	33	10	7	1	-
Male	20	13	11	10	17	19	17	24	25	16	4	1	-	-
Female	14	13	16	15	12	26	21	20	18	17	6	6	1	-
Black	30	26	27	21	27	43	37	43	40	30	10	7	1	-
Male	18	13	11	7	16	18	16	23	23	15	4	1	-	-
Female	12	13	16	14	11	25	21	20	17	15	6	6	1	-
Meningitis (320-322)	27	51	51	82	80	77	70	73	57	47	17	2	2	1
Male	21	30	36	46	42	41	31	31	15	18	6	-	-	1
Female	6	21	15	36	38	36	39	42	42	29	11	2	2	-
White	15	28	35	56	60	56	49	55	47	42	15	2	2	-
Male	11	23	27	33	31	26	24	23	11	17	4	-	-	-
Female	4	5	8	23	29	30	25	32	36	25	11	2	2	-
All other	12	23	16	26	20	21	21	18	10	5	2	-	-	1
Male	10	7	9	13	11	15	7	8	4	1	2	-	-	1
Female	2	16	7	13	9	6	14	10	6	4	-	-	-	-
Black	10	21	14	22	18	18	20	15	10	5	2	-	-	1
Male	8	6	8	11	9	13	6	6	4	1	2	-	-	1
Female	2	15	6	11	9	5	14	9	6	4	-	-	-	-
Major cardiovascular diseases (390-448)	9,083	16,665	30,298	50,437	73,673	101,483	129,742	147,132	155,900	136,720	78,598	25,541	4,722	174
Male	6,518	12,095	21,887	35,571	49,345	64,120	75,029	75,102	66,445	48,644	23,377	6,722	1,029	97
Female	2,565	4,570	8,411	14,866	24,328	37,363	54,713	72,030	89,455	88,076	55,221	18,819	3,693	77
White	6,837	13,020	24,631	42,149	63,167	88,744	115,050	133,384	143,541	128,616	74,153	23,770	4,017	105
Male	5,111	9,824	18,418	30,543	43,288	57,228	67,483	68,598	61,120	45,467	21,937	6,153	846	58
Female	1,726	3,196	6,213	11,606	19,879	31,516	47,567	64,786	82,421	83,149	52,216	17,617	3,171	47
All other	2,246	3,645	5,667	8,288	10,506	12,739	14,692	13,748	12,359	8,104	4,445	1,771	705	69
Male	1,407	2,271	3,469	5,028	6,057	6,892	7,546	6,504	5,325	3,177	1,440	569	183	39
Female	839	1,374	2,198	3,260	4,449	5,847	7,146	7,244	7,034	4,927	3,005	1,202	522	30
Black	2,116	3,426	5,368	7,828	9,997	12,046	13,847	12,810	11,507	7,479	4,059	1,638	661	60
Male	1,325	2,124	3,262	4,720	5,735	6,453	6,965	5,918	4,843	2,905	1,273	514	166	34
Female	791	1,302	2,106	3,108	4,262	5,593	6,882	6,892	6,664	4,574	2,786	1,124	495	26
Diseases of heart (390-398,402,404-429)	7,479	14,130	25,909	43,279	62,336	83,786	103,165	112,893	115,248	98,428	55,914	18,076	3,386	146
Male	5,690	10,769	19,475	31,540	42,827	54,114	61,004	58,822	50,527	36,147	17,268	4,911	750	79
Female	1,789	3,361	6,434	11,739	19,509	29,672	42,161	54,071	64,721	62,281	38,646	13,165	2,636	67
White	5,789	11,299	21,526	36,733	54,044	74,090	92,321	102,919	106,438	92,657	52,827	16,848	2,884	88
Male	4,580	8,940	16,681	27,428	37,953	48,752	55,285	54,024	46,630	33,834	16,226	4,503	623	47
Female	1,209	2,359	4,845	9,305	16,091	25,338	37,036	48,895	59,808	58,823	36,601	12,345	2,261	41
All other	1,690	2,831	4,383	6,546	8,292	9,696	10,844	9,974	8,810	5,771	3,087	1,228	502	58
Male	1,110	1,829	2,794	4,112	4,874	5,362	5,719	4,798	3,897	2,313	1,042	408	127	32
Female	580	1,002	1,589	2,434	3,418	4,334	5,125	5,176	4,913	3,458	2,045	820	375	26
Black	1,589	2,664	4,158	6,203	7,879	9,178	10,198	9,281	8,198	5,335	2,825	1,134	477	50
Male	1,041	1,708	2,630	3,866	4,604	5,027	5,269	4,354	3,539	2,109	923	370	115	28
Female	548	956	1,528	2,337	3,275	4,151	4,929	4,927	4,659	3,226	1,902	764	362	22
Rheumatic fever and rheumatic heart disease (390-398)	185	281	423	691	840	1,122	1,223	1,011	665	417	123	28	2	-
Male	79	113	171	267	302	393	383	301	175	99	26	4	-	-
Female	106	168	252	424	538	729	840	710	490	318	97	24	2	-
White	144	237	375	624	772	1,063	1,170	967	640	401	119	27	2	-
Male	62	97	155	241	277	371	362	288	167	95	24	4	-	-
Female	82	140	220	383	495	692	808	679	473	306	95	23	2	-
All other	41	44	48	67	68	59	53	44	25	16	4	1	-	-
Male	17	16	16	26	25	22	21	13	8	4	2	-	-	-
Female	24	28	32	41	43	37	32	31	17	12	2	1	-	-
Black	36	38	39	58	58	46	44	37	19	15	2	1	-	-
Male	16	15	11	24	23	15	17	9	6	4	-	-	-	-
Female	20	23	28	34	35	31	27	28	13	11	2	1	-	-
Hypertensive heart disease (402)	326	576	961	1,501	1,935	2,395	2,884	3,012	2,942	2,385	1,210	338	30	4
Male	198	338	617	925	1,086	1,312	1,342	1,190	903	584	241	44	5	3
Female	128	238	344	576	849	1,083	1,542	1,822	2,039	1,801	969	294	25	1
White	134	271	525	921	1,300	1,704	2,160	2,404	2,456	2,096	1,064	293	24	-
Male	92	173	367	599	757	957	1,005	949	742	481	208	34	4	-
Female	42	98	158	322	543	747	1,155	1,455	1,714	1,615	856	259	20	-
All other	192	305	436	580	635	691	724	608	486	289	146	45	6	4
Male	106	165	250	326	329	355	337	241	161	103	33	10	1	3
Female	86	140	186	254	306	336	387	367	325	186	113	35	5	1
Black	188	296	429	569	621	674	700	582	461	278	140	44	5	4
Male	104	160	246	322	321	341	322	225	149	98	32	10	1	3
Female	84	136	183	247	300	333	378	357	312	180	108	34	4	1
Hypertensive heart and renal disease (404)	26	29	60	125	141	278	416	555	627	590	324	108	29	1
Male	18	16	32	62	79	140	199	234	236	208	82	17	7	-
Female	8	13	28	63	62	138	217	321	391	382	242	91	22	1
White	9	12	31	61	81	188	298	450	542	534	301	96	23	-
Male	7	7	20	32	47	111	142	194	210	187	70	16	6	-
Female	2	5	11	29	34	77	156	256	332	347	231	80	17	-
All other	17	17	29	64	60	90	118	105	85	56	23	12	6	1
Male	11	9	12	30	32	29	57	40	26	21	12	1	1	-
Female	6	8	17	34	28	61	61	65	59	35	11	11	5	1
Black	15	16	28	62	60	90	114	102	83	52	21	12	5	1
Male	11	9	12	29	32	29	54	38	25	19	10	1	-	-
Female	4	7	16	33	28	61	60	64	58	33	11	11	5	1

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Diseases of heart-Con														
Ischemic heart disease (410-414)	555,158	26	5	-	3	1	35	32	10	33	111	319	919	2,389
Male	303,929	19	2	-	2	1	24	20	6	17	81	250	737	1,980
Female	251,229	7	3	-	1	-	11	12	4	16	30	69	182	409
White	509,351	18	3	-	2	1	24	26	10	20	79	228	715	1,960
Male	279,602	14	1	-	2	1	18	18	6	10	56	184	581	1,652
Female	229,749	4	2	-	-	-	6	8	4	10	23	44	134	308
All other	45,807	8	2	-	1	-	11	6	-	13	32	91	204	429
Male	24,327	5	1	-	-	-	6	2	-	7	25	66	156	328
Female	21,480	3	1	-	1	-	5	4	-	6	7	25	48	101
Black	42,481	4	2	-	-	-	6	5	-	13	29	83	186	393
Male	22,184	2	1	-	-	-	3	2	-	7	23	60	140	296
Female	20,297	2	1	-	-	-	3	3	-	6	6	23	46	97
Acute myocardial infarction (410)	292,504	14	2	-	1	1	18	16	3	22	82	195	618	1,575
Male	172,898	10	-	-	-	1	11	11	2	10	61	146	498	1,310
Female	119,606	4	2	-	1	-	7	5	1	12	21	49	120	265
White	269,389	11	2	-	-	1	14	13	3	13	56	145	498	1,325
Male	160,102	9	-	-	-	1	10	10	2	5	41	112	406	1,119
Female	109,287	2	2	-	-	-	4	3	1	8	15	33	92	206
All other	23,115	3	-	-	1	-	4	3	-	9	26	50	120	250
Male	12,796	1	-	-	-	-	1	1	-	5	20	34	92	191
Female	10,319	2	-	-	1	-	3	2	-	4	6	16	28	59
Black	21,363	2	-	-	-	-	2	3	-	9	24	47	112	225
Male	11,638	1	-	-	-	-	1	1	-	5	19	31	85	170
Female	9,725	1	-	-	-	-	1	2	-	4	5	16	27	55
Other acute and subacute forms of ischemic heart disease (411)	4,549	2	-	-	-	-	2	-	-	2	2	11	16	58
Male	2,801	2	-	-	-	-	2	-	-	1	1	7	11	48
Female	1,748	-	-	-	-	-	-	-	-	1	1	4	5	10
White	3,835	1	-	-	-	-	1	-	-	2	2	9	14	45
Male	2,383	1	-	-	-	-	1	-	-	1	1	6	9	39
Female	1,452	-	-	-	-	-	-	-	-	1	1	3	5	6
All other	714	1	-	-	-	-	1	-	-	-	-	2	2	13
Male	418	1	-	-	-	-	1	-	-	-	-	1	2	9
Female	296	-	-	-	-	-	-	-	-	-	-	1	-	4
Black	673	-	-	-	-	-	-	-	-	-	-	1	2	13
Male	394	-	-	-	-	-	-	-	-	-	-	1	2	9
Female	279	-	-	-	-	-	-	-	-	-	-	-	-	4
Angina pectoris (413)	569	-	-	-	-	-	-	-	-	-	-	-	-	5
Male	301	-	-	-	-	-	-	-	-	-	-	-	-	3
Female	268	-	-	-	-	-	-	-	-	-	-	-	-	2
White	515	-	-	-	-	-	-	-	-	-	-	-	-	4
Male	271	-	-	-	-	-	-	-	-	-	-	-	-	2
Female	244	-	-	-	-	-	-	-	-	-	-	-	-	2
All other	54	-	-	-	-	-	-	-	-	-	-	-	-	1
Male	30	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	24	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	51	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	27	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	24	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	257,536	10	3	-	2	-	15	16	7	9	27	113	285	751
Male	127,929	7	2	-	2	-	11	9	4	6	19	97	228	619
Female	129,607	3	1	-	-	-	4	7	3	3	8	16	57	132
White	235,612	6	1	-	2	-	9	13	7	5	21	74	203	586
Male	116,846	4	1	-	2	-	7	8	4	4	14	66	166	492
Female	118,766	2	-	-	-	-	2	5	3	1	7	8	37	94
All other	21,924	4	2	-	-	-	6	3	-	4	6	39	82	165
Male	11,083	3	1	-	-	-	4	1	-	2	5	31	62	127
Female	10,841	1	1	-	-	-	2	2	-	2	1	8	20	38
Black	20,394	2	2	-	-	-	4	2	-	4	5	35	72	155
Male	10,125	1	1	-	-	-	2	1	-	2	4	28	53	117
Female	10,269	1	1	-	-	-	2	1	-	2	1	7	19	38
Other diseases of endocardium (424)	7,346	14	4	1	1	1	21	5	10	18	24	44	53	63
Male	3,654	5	3	1	-	1	10	1	5	14	16	28	33	37
Female	3,692	9	1	-	1	-	11	4	5	4	8	16	20	26
White	6,648	11	3	1	1	1	17	5	7	15	17	28	35	50
Male	3,291	4	2	1	-	1	8	1	5	12	12	17	22	30
Female	3,357	7	1	-	1	-	9	4	2	3	5	11	13	20
All other	698	3	1	-	-	-	4	-	3	3	7	16	18	13
Male	363	1	1	-	-	-	2	-	-	2	4	11	11	7
Female	335	2	-	-	-	-	2	-	3	1	3	5	7	6
Black	632	3	1	-	-	-	4	-	3	3	6	14	18	13
Male	326	1	1	-	-	-	2	-	-	2	3	9	11	7
Female	306	2	-	-	-	-	2	-	3	1	3	5	7	6
All other forms of heart disease (415-423,425-429)	159,862	716	150	79	50	41	1,036	102	142	316	508	674	931	1,215
Male	80,138	389	81	32	26	24	552	53	84	190	309	419	569	794
Female	79,724	327	69	47	24	17	484	49	58	126	199	255	362	421
White	136,536	513	92	61	37	36	739	80	97	226	346	432	632	803
Male	67,718	274	49	23	21	21	388	38	59	141	213	269	384	541
Female	68,818	239	43	38	16	15	351	42	38	85	133	163	248	262
All other	23,326	203	58	18	13	5	297	22	45	90	162	242	299	412
Male	12,420	115	32	9	5	3	164	15	25	49	96	150	185	253
Female	10,906	88	26	9	8	2	133	7	20	41	66	92	114	159
Black	22,262	181	54	16	8	3	262	22	43	85	159	233	280	391
Male	11,781	103	30	8	2	3	146	15	24	48	94	144	175	240
Female	10,481	78	24	8	6	-	116	7	19	37	65	89	105	151

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Diseases of heart-Con														
Ischemic heart disease (410-414)	5,073	10,104	18,844	32,023	46,927	63,589	78,256	84,741	85,318	71,250	39,925	12,822	2,333	105
Male	4,150	8,125	14,753	24,159	33,218	42,133	47,529	45,190	38,199	26,665	12,533	3,601	501	58
Female	923	1,979	4,091	7,864	13,709	21,456	30,727	39,551	47,119	44,585	27,392	9,221	1,832	47
White	4,221	8,555	16,356	28,142	41,883	57,489	71,429	78,552	79,824	67,725	37,985	12,044	2,017	67
Male	3,539	7,043	13,106	21,654	30,223	38,738	43,864	42,187	35,746	25,277	11,892	3,345	427	36
Female	682	1,512	3,250	6,488	11,660	18,751	27,565	36,365	44,078	42,448	26,093	8,699	1,590	31
All other	852	1,549	2,488	3,881	5,044	6,100	6,827	6,189	5,494	3,525	1,940	778	316	38
Male	611	1,082	1,647	2,505	2,995	3,395	3,665	3,003	2,453	1,388	641	256	74	22
Female	241	467	841	1,376	2,049	2,705	3,162	3,186	3,041	2,137	1,299	522	242	16
Black	791	1,434	2,326	3,631	4,747	5,712	6,355	5,706	5,054	3,215	1,752	705	304	34
Male	562	990	1,516	2,309	2,797	3,141	3,321	2,693	2,197	1,251	558	228	69	21
Female	229	444	810	1,322	1,950	2,571	3,034	3,013	2,857	1,964	1,194	477	235	13
Acute myocardial infarction (410)	3,419	6,851	12,579	21,009	30,214	39,896	46,415	45,829	39,813	27,492	12,415	3,448	547	48
Male	2,846	5,552	9,888	15,919	21,499	26,574	28,538	25,083	18,547	11,029	4,161	1,057	128	28
Female	573	1,299	2,691	5,090	8,715	13,322	17,877	20,746	21,266	16,463	8,254	2,391	419	20
White	2,921	5,934	11,124	18,745	27,389	36,459	42,851	42,868	37,432	26,148	11,784	3,182	453	32
Male	2,484	4,903	8,930	14,469	19,834	24,636	26,576	23,589	17,468	10,461	3,947	970	109	21
Female	437	1,031	2,194	4,276	7,555	11,823	16,275	19,279	19,964	15,687	7,837	2,212	344	11
All other	498	917	1,455	2,264	2,825	3,437	3,564	2,961	2,381	1,344	631	266	94	16
Male	362	649	958	1,450	1,665	1,938	1,962	1,494	1,079	568	214	87	19	7
Female	136	268	497	814	1,160	1,499	1,602	1,467	1,302	776	417	179	75	9
Black	461	839	1,363	2,112	2,644	3,198	3,299	2,712	2,175	1,221	573	240	90	14
Male	332	584	885	1,332	1,543	1,784	1,770	1,330	962	516	189	75	17	7
Female	129	255	478	780	1,101	1,414	1,529	1,382	1,213	705	384	165	73	7
Other acute and subacute forms of ischemic heart disease (411)	84	145	282	435	538	594	613	550	528	402	196	74	17	-
Male	57	119	225	332	399	423	390	293	242	165	59	23	4	-
Female	27	26	57	103	139	171	223	257	286	237	137	51	13	-
White	59	115	220	346	447	512	499	474	461	373	176	65	15	-
Male	43	97	182	270	338	376	328	250	211	153	54	21	3	-
Female	16	18	38	76	109	136	171	224	250	220	122	44	12	-
All other	25	30	62	89	91	82	114	76	67	29	20	9	2	-
Male	14	22	43	62	61	47	62	43	31	12	5	2	1	-
Female	11	8	19	27	30	35	52	33	36	17	15	7	1	-
Black	23	27	57	84	84	77	113	71	65	27	18	9	2	-
Male	12	19	39	59	58	45	61	40	30	11	5	2	1	-
Female	11	8	18	25	26	32	52	31	35	16	13	7	1	-
Angina pectoris (413)	7	12	24	27	42	52	83	105	91	71	43	3	4	-
Male	4	6	15	21	26	30	50	58	38	32	18	-	-	-
Female	3	6	9	6	16	22	33	47	53	39	25	3	4	-
White	5	7	18	24	33	46	77	101	85	69	41	3	2	-
Male	3	3	12	19	22	27	46	56	35	30	16	-	-	-
Female	2	4	6	5	11	19	31	45	50	39	25	3	2	-
All other	2	5	6	3	9	6	6	4	6	2	2	-	2	-
Male	1	3	3	2	4	3	4	2	3	2	2	-	-	-
Female	1	2	3	1	5	3	2	2	3	-	-	-	2	-
Black	2	5	6	3	9	6	6	4	5	1	2	-	2	-
Male	1	3	3	2	4	3	4	2	2	1	2	-	-	-
Female	1	2	3	1	5	3	2	2	3	-	-	-	2	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,563	3,096	5,959	10,552	16,133	23,047	31,145	38,257	44,886	43,285	27,271	9,297	1,765	57
Male	1,243	2,448	4,625	7,887	11,294	15,106	18,551	19,756	19,372	15,439	8,295	2,521	369	30
Female	320	648	1,334	2,665	4,839	7,941	12,594	18,501	25,514	27,846	18,976	6,776	1,396	27
White	1,236	2,499	4,994	9,027	14,014	20,472	28,002	35,109	41,846	41,135	25,984	8,794	1,547	35
Male	1,009	2,040	3,982	6,896	10,029	13,699	16,914	18,292	18,032	14,633	7,875	2,354	315	15
Female	227	459	1,012	2,131	3,985	6,773	11,088	16,817	23,814	26,502	18,109	6,440	1,232	20
All other	327	597	965	1,525	2,119	2,575	3,143	3,148	3,040	2,150	1,287	503	218	22
Male	234	408	643	991	1,265	1,407	1,637	1,464	1,340	806	420	167	54	15
Female	93	189	322	534	854	1,168	1,506	1,684	1,700	1,344	867	336	164	7
Black	305	563	900	1,432	2,010	2,431	2,937	2,919	2,809	1,966	1,159	456	210	20
Male	217	384	589	916	1,192	1,309	1,486	1,321	1,203	723	362	151	51	14
Female	88	179	311	516	818	1,122	1,451	1,598	1,606	1,243	797	305	159	6
Other diseases of endocardium (424)	83	140	243	369	546	846	1,066	1,204	1,199	886	403	101	20	2
Male	62	85	163	233	340	474	583	586	527	311	120	22	3	1
Female	21	55	80	136	206	372	483	618	672	575	283	79	17	1
White	64	110	207	316	482	765	973	1,111	1,114	842	379	94	15	2
Male	49	67	141	206	307	431	531	538	488	294	112	18	1	1
Female	15	43	66	110	175	334	442	573	626	548	267	76	14	1
All other	19	30	36	53	64	81	93	93	85	44	24	7	5	-
Male	13	18	22	27	33	43	52	48	39	17	8	4	2	-
Female	6	12	14	26	31	38	41	45	46	27	16	3	3	-
Black	17	28	35	48	57	77	87	77	77	39	19	6	4	-
Male	12	17	22	24	30	40	49	39	35	15	5	3	1	-
Female	5	11	13	24	27	37	38	38	42	24	14	3	3	-
All other forms of heart disease (415-423,425-429)	1,786	3,000	5,378	8,570	11,947	15,556	19,320	22,370	24,497	22,900	13,929	4,679	972	34
Male	1,183	2,092	3,739	5,894	7,802	9,662	10,968	11,321	10,487	8,280	4,266	1,223	234	17
Female	603	908	1,639	2,676	4,145	5,894	8,352	11,049	14,010	14,620	9,663	3,456	738	17
White	1,217	2,114	4,032	6,669	9,526	12,881	16,291	19,435	21,862	21,059	12,979	4,294	803	19
Male	831	1,553	2,892	4,696	6,342	8,144	9,381	9,868	9,277	7,500	3,920	1,086	185	10
Female	386	561	1,140	1,973	3,184	4,737	6,910	9,567	12,585	13,559	9,059	3,208	618	9
All other	569	886	1,346	1,901	2,421	2,675	3,029	2,935	2,635	1,841	950	385	169	15
Male	352	539	847	1,198	1,460	1,518	1,587	1,453	1,210	780	346	137	49	7
Female	217	347	499	703	961	1,157	1,442	1,482	1,425	1,061	604	248	120	8
Black	542	852	1,301	1,835	2,336	2,579	2,898	2,777	2,504	1,736	891	366	159	11
Male	336	517	823	1,158	1,401	1,461	1,506	1,350	1,127	722	318	128	44	4
Female	206	335	478	677	935	1,118	1,392	1,427	1,377	1,014	573	238	115	7

NEWARK PUBLIC LIBRARY

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Major cardiovascular diseases-Con.														
Hypertension with or without renal disease (401,403)	7,587	3	1	-	-	-	4	1	-	7	6	27	36	47
Male	3,477	1	-	-	-	-	1	1	-	4	2	14	19	26
Female	4,110	2	1	-	-	-	3	-	-	3	4	13	17	21
White	5,894	2	1	-	-	-	3	1	-	5	2	15	14	19
Male	2,718	1	-	-	-	-	1	1	-	2	-	8	6	11
Female	3,176	1	1	-	-	-	2	-	-	3	2	7	8	8
All other	1,693	1	-	-	-	-	1	-	-	2	4	12	22	28
Male	759	-	-	-	-	-	-	-	-	2	2	6	13	15
Female	934	1	-	-	-	-	1	-	-	-	2	6	9	13
Black	1,633	-	-	-	-	-	-	-	-	2	4	11	22	28
Male	727	-	-	-	-	-	-	-	-	2	2	6	13	15
Female	906	-	-	-	-	-	-	-	-	-	2	5	9	13
Cerebrovascular diseases (430-438)	163,504	132	19	13	6	6	176	42	50	116	253	389	625	916
Male	66,429	81	8	7	2	5	103	23	22	57	130	193	318	463
Female	97,075	51	11	6	4	1	73	19	28	59	123	196	307	453
White	142,765	83	15	10	5	5	118	35	38	88	183	257	427	628
Male	57,000	51	6	5	2	4	68	20	18	44	93	136	214	309
Female	85,765	32	9	5	3	1	50	15	20	44	90	121	213	319
All other	20,739	49	4	3	1	1	58	7	12	28	70	132	198	288
Male	9,429	30	2	2	-	1	35	3	4	13	37	57	104	154
Female	11,310	19	2	1	1	-	23	4	8	15	33	75	94	134
Black	19,416	45	3	2	1	1	52	7	11	24	66	124	187	275
Male	8,760	27	2	1	-	1	31	3	4	10	34	53	99	150
Female	10,656	18	1	1	1	-	21	4	7	14	32	71	88	125
Intracerebral and other intracranial hemorrhage (431-432)	20,188	86	6	4	-	3	99	22	23	48	92	137	197	312
Male	9,037	46	1	3	-	2	52	10	6	21	52	77	112	169
Female	11,151	40	5	1	-	1	47	12	17	27	40	60	85	143
White	16,824	49	5	4	-	3	61	18	18	40	61	80	115	193
Male	7,293	26	1	3	-	2	32	9	4	18	34	44	61	97
Female	9,531	23	4	1	-	1	29	9	14	22	27	36	54	96
All other	3,364	37	1	-	-	-	38	4	5	8	31	57	82	119
Male	1,744	20	-	-	-	-	20	1	2	3	18	33	51	72
Female	1,620	17	1	-	-	-	18	3	3	5	13	24	31	47
Black	3,053	34	1	-	-	-	35	4	4	6	30	54	80	117
Male	1,579	18	-	-	-	-	18	1	2	1	17	31	51	72
Female	1,474	16	1	-	-	-	17	3	2	5	13	23	29	45
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	31,013	14	2	1	-	-	17	1	6	11	12	15	36	54
Male	12,346	10	2	-	-	-	12	-	2	4	8	5	19	29
Female	18,667	4	-	1	-	-	5	1	4	7	4	10	17	25
White	27,795	12	2	-	-	-	14	1	4	7	9	13	24	34
Male	10,907	9	2	-	-	-	11	-	2	3	5	5	9	18
Female	16,888	3	-	-	-	-	3	1	2	4	4	8	15	16
All other	3,218	2	-	1	-	-	3	-	2	4	3	2	12	20
Male	1,439	1	-	-	-	-	1	-	-	1	3	-	10	11
Female	1,779	1	-	1	-	-	2	-	2	3	-	2	2	9
Black	3,018	2	-	1	-	-	3	-	2	4	3	2	10	19
Male	1,328	1	-	-	-	-	1	-	-	1	3	-	8	11
Female	1,690	1	-	1	-	-	2	-	2	3	-	2	2	8
Cerebral embolism (434.1)	806	-	-	-	-	-	-	-	-	-	1	4	2	4
Male	328	-	-	-	-	-	-	-	-	-	-	3	1	3
Female	478	-	-	-	-	-	-	-	-	-	1	1	1	1
White	739	-	-	-	-	-	-	-	-	-	1	2	1	3
Male	294	-	-	-	-	-	-	-	-	-	-	1	1	3
Female	445	-	-	-	-	-	-	-	-	-	1	1	-	-
All other	67	-	-	-	-	-	-	-	-	-	-	2	1	1
Male	34	-	-	-	-	-	-	-	-	-	-	2	-	-
Female	33	-	-	-	-	-	-	-	-	-	-	-	1	1
Black	66	-	-	-	-	-	-	-	-	-	-	2	1	1
Male	33	-	-	-	-	-	-	-	-	-	-	2	-	
Female	33	-	-	-	-	-	-	-	-	-	-	-	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	111,497	32	11	8	6	3	60	19	21	57	148	233	390	546
Male	44,718	25	5	4	2	3	39	13	14	32	70	108	186	262
Female	66,779	7	6	4	4	-	21	6	7	25	78	125	204	284
White	97,407	22	8	6	5	2	43	16	16	41	112	162	287	398
Male	38,506	16	3	2	2	2	25	11	12	23	54	86	143	191
Female	58,901	6	5	4	3	-	18	5	4	18	58	76	144	207
All other	14,090	10	3	2	1	1	17	3	5	16	36	71	103	148
Male	6,212	9	2	2	-	1	14	2	2	9	16	22	43	71
Female	7,878	1	1	-	1	-	3	1	3	7	20	49	60	77
Black	13,279	9	2	1	1	1	14	3	5	14	33	66	96	138
Male	5,820	8	2	1	-	1	12	2	2	8	14	20	40	67
Female	7,459	1	-	-	1	-	2	1	3	6	19	46	56	71
Atherosclerosis (440)	28,004	-	1	1	-	-	2	-	-	-	2	1	4	17
Male	10,969	-	-	-	-	-	-	-	-	-	1	1	3	11
Female	17,035	-	1	1	-	-	2	-	-	-	1	-	1	6
White	25,824	-	1	1	-	-	2	-	-	-	2	-	4	10
Male	10,028	-	-	-	-	-	-	-	-	-	1	-	3	8
Female	15,796	-	1	1	-	-	2	-	-	-	1	-	1	2
All other	2,180	-	-	-	-	-	-	-	-	-	-	1	-	7
Male	941	-	-	-	-	-	-	-	-	-	-	1	-	3
Female	1,239	-	-	-	-	-	-	-	-	-	-	-	-	4
Black	2,062	-	-	-	-	-	-	-	-	-	-	1	-	7
Male	880	-	-	-	-	-	-	-	-	-	-	1	-	3
Female	1,182	-	-	-	-	-	-	-	-	-	-	-	-	4

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Major cardiovascular diseases-Con														
Hypertension with or without renal disease (401,403)	92	143	240	372	523	739	955	1,162	1,248	1,133	628	189	35	-
Male	54	79	142	220	280	379	468	534	539	445	199	60	11	-
Female	38	64	98	152	243	360	487	628	709	688	429	129	24	-
White	35	66	121	228	347	527	721	952	1,060	1,017	562	169	30	-
Male	23	38	81	151	191	285	368	450	459	397	179	56	11	-
Female	12	28	40	77	156	242	353	502	601	620	383	113	19	-
All other	57	77	119	144	176	212	234	210	188	116	66	20	5	-
Male	31	41	61	69	89	94	100	84	80	48	20	4	-	-
Female	26	36	58	75	87	118	134	126	108	68	46	16	5	-
Black	56	74	116	138	170	209	229	200	176	109	64	20	5	-
Male	30	39	59	66	83	94	97	78	73	46	20	4	-	-
Female	26	35	57	72	87	115	132	122	103	63	44	16	5	-
Cerebrovascular diseases (430-438)	1,315	2,102	3,498	5,433	8,366	12,899	19,900	26,090	31,187	28,550	15,936	4,896	747	18
Male	650	1,067	1,822	2,872	4,467	6,844	9,859	11,694	11,575	8,890	4,057	1,161	149	13
Female	665	1,035	1,676	2,561	3,899	6,055	10,041	14,396	19,612	19,660	11,879	3,735	598	5
White	870	1,432	2,452	4,033	6,614	10,492	16,804	23,069	28,402	26,754	14,932	4,518	607	12
Male	417	699	1,278	2,133	3,548	5,624	8,410	10,333	10,477	8,237	3,771	1,050	112	9
Female	453	733	1,174	1,900	3,066	4,868	8,394	12,736	17,925	18,517	11,161	3,468	495	3
All other	445	670	1,046	1,400	1,752	2,407	3,096	3,021	2,785	1,796	1,004	378	140	6
Male	233	368	544	739	919	1,220	1,449	1,361	1,098	653	286	111	37	4
Female	212	302	502	661	833	1,187	1,647	1,660	1,687	1,143	718	267	103	2
Black	419	625	984	1,301	1,680	2,257	2,944	2,823	2,597	1,647	907	352	129	5
Male	222	347	510	688	885	1,132	1,350	1,248	1,008	599	252	98	34	3
Female	197	278	474	613	795	1,125	1,594	1,575	1,589	1,048	655	254	95	2
Intracerebral and other intracranial hemorrhage (431-432)	483	742	1,145	1,530	1,864	2,191	2,761	2,867	2,681	1,967	775	223	26	3
Male	265	404	588	806	954	1,119	1,299	1,229	979	619	212	56	5	3
Female	218	338	557	724	910	1,072	1,462	1,638	1,702	1,348	563	167	21	-
White	271	450	777	1,107	1,526	1,848	2,420	2,593	2,454	1,838	723	210	19	2
Male	133	239	395	578	770	946	1,133	1,092	888	571	192	51	4	2
Female	138	211	382	529	756	902	1,287	1,501	1,566	1,267	531	159	15	-
All other	212	292	368	423	338	343	341	274	227	129	52	13	7	1
Male	132	165	193	228	184	173	166	137	91	48	20	5	1	1
Female	80	127	175	195	154	170	175	137	136	81	32	8	6	-
Black	201	268	339	378	312	300	307	242	201	112	45	10	7	1
Male	127	153	178	208	168	146	143	119	84	39	15	4	1	1
Female	74	115	161	170	144	154	164	123	117	73	30	6	6	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	82	167	385	717	1,233	2,247	3,710	5,203	6,439	5,964	3,449	1,098	165	2
Male	46	107	245	426	718	1,236	1,865	2,286	2,411	1,772	855	270	28	2
Female	36	60	140	291	515	1,011	1,845	2,917	4,028	4,192	2,594	828	137	-
White	54	113	267	535	986	1,861	3,166	4,689	5,942	5,640	3,266	1,034	135	1
Male	30	74	178	321	578	1,040	1,612	2,054	2,227	1,662	808	249	20	1
Female	24	39	89	214	408	821	1,554	2,635	3,715	3,978	2,458	785	115	-
All other	28	54	118	182	247	386	544	514	497	324	183	64	30	1
Male	16	33	67	105	140	196	253	232	184	110	47	21	8	1
Female	12	21	51	77	107	190	291	282	313	214	136	43	22	-
Black	27	49	113	176	238	361	515	484	459	296	167	61	28	1
Male	15	30	63	99	137	178	236	213	163	101	41	19	8	1
Female	12	19	50	77	101	183	279	271	296	195	126	42	20	-
Cerebral embolism (434.1)	4	8	19	28	75	90	132	134	141	116	37	10	1	-
Male	-	6	12	18	38	45	55	62	44	30	9	2	-	-
Female	4	2	7	10	37	45	77	72	97	86	28	8	1	-
White	3	8	17	24	60	85	121	119	134	113	37	10	1	-
Male	-	6	10	15	29	42	50	56	40	30	9	2	-	-
Female	3	2	7	9	31	43	71	63	94	83	28	8	1	-
All other	1	-	2	4	15	5	11	15	7	3	-	-	-	-
Male	-	-	2	3	9	3	5	6	4	-	-	-	-	-
Female	1	-	-	1	6	2	6	9	3	3	-	-	-	-
Black	1	-	2	4	15	5	11	14	7	3	-	-	-	-
Male	-	-	2	3	9	3	5	5	4	-	-	-	-	-
Female	1	-	-	1	6	2	6	9	3	3	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	746	1,185	1,949	3,158	5,194	8,371	13,297	17,886	21,926	20,503	11,675	3,565	555	13
Male	339	550	977	1,622	2,757	4,444	6,640	8,117	8,141	6,469	2,981	833	116	8
Female	407	635	972	1,536	2,437	3,927	6,657	9,769	13,785	14,034	8,694	2,732	439	5
White	542	861	1,391	2,367	4,042	6,698	11,097	15,668	19,872	19,163	10,906	3,264	452	9
Male	254	380	695	1,219	2,171	3,596	5,615	7,131	7,322	5,974	2,762	748	88	6
Female	288	481	696	1,148	1,871	3,102	5,482	8,537	12,550	13,189	8,144	2,516	364	3
All other	204	324	558	791	1,152	1,673	2,200	2,218	2,054	1,340	769	301	103	4
Male	85	170	282	403	586	848	1,025	986	819	495	219	85	28	2
Female	119	154	276	388	566	825	1,175	1,232	1,235	845	550	216	75	2
Black	190	308	530	743	1,115	1,591	2,111	2,083	1,930	1,236	695	281	94	3
Male	80	164	267	378	571	805	966	911	757	459	196	75	25	1
Female	110	144	263	365	544	786	1,145	1,172	1,173	777	499	206	69	2
Atherosclerosis (440)	42	52	165	328	661	1,251	2,147	3,596	5,380	6,519	5,176	2,132	519	10
Male	29	31	108	214	417	735	1,192	1,743	2,169	2,172	1,511	522	105	5
Female	13	21	57	114	244	516	955	1,853	3,211	4,347	3,665	1,610	414	5
White	32	38	132	273	554	1,062	1,870	3,256	4,971	6,211	4,928	2,004	470	5
Male	25	25	90	181	354	649	1,045	1,591	1,999	2,054	1,432	480	89	2
Female	7	13	42	92	200	413	825	1,665	2,972	4,157	3,496	1,524	381	3
All other	10	14	33	55	107	189	277	340	409	308	248	128	49	5
Male	4	6	18	33	63	86	147	152	170	118	79	42	16	3
Female	6	8	15	22	44	103	130	188	239	190	169	86	33	2
Black	10	13	33	54	104	184	262	324	389	286	227	116	47	5
Male	4	5	18	32	61	84	137	143	157	110	68	38	16	3
Female	6	8	15	22	43	100	125	181	232	176	159	78	31	2

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Major cardiovascular diseases-Con														
Other diseases of arteries, arterioles, and capillaries (441-448)	20,013	18	2	3	2	1	26	7	7	30	47	72	90	115
Male	12,794	13	2	2	1	1	19	3	3	18	24	41	47	64
Female	7,219	5	-	1	1	-	7	4	4	12	23	31	43	51
White	18,374	16	1	1	2	1	21	7	4	24	36	56	57	80
Male	11,934	12	1	1	1	1	16	3	3	15	19	38	29	46
Female	6,440	4	-	-	1	-	5	4	1	9	17	18	28	34
All other	1,639	2	1	2	-	-	5	-	3	6	11	16	33	35
Male	860	1	1	1	-	-	3	-	-	3	5	3	18	18
Female	779	1	-	1	-	-	2	-	3	3	6	13	15	17
Black	1,485	2	1	2	-	-	5	-	3	6	7	14	32	35
Male	760	1	1	1	-	-	3	-	-	3	4	2	17	18
Female	725	1	-	1	-	-	2	-	3	3	3	12	15	17
Acute bronchitis and bronchiolitis (466)	573	86	10	7	2	3	108	5	5	2	3	4	3	3
Male	277	52	4	-	2	2	60	1	2	1	2	4	1	2
Female	296	34	6	7	-	1	48	4	3	1	1	-	2	1
White	507	57	5	3	1	3	69	5	5	2	3	4	3	2
Male	242	34	2	-	1	2	39	1	2	1	2	4	1	1
Female	265	23	3	3	-	1	30	4	3	1	1	-	2	1
All other	66	29	5	4	1	-	39	-	-	-	-	-	-	1
Male	35	18	2	-	1	-	21	-	-	-	-	-	-	1
Female	31	11	3	4	-	-	18	-	-	-	-	-	-	-
Black	56	25	3	4	-	-	32	-	-	-	-	-	-	1
Male	28	15	1	-	-	-	16	-	-	-	-	-	-	1
Female	28	10	2	4	-	-	16	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	53,731	809	130	55	33	22	1,049	84	77	133	194	260	311	404
Male	27,059	468	74	28	22	12	604	45	35	83	112	152	185	255
Female	26,672	341	56	27	11	10	445	39	42	50	82	108	126	149
White	47,919	507	84	40	29	14	674	73	64	111	147	179	206	226
Male	23,531	296	45	21	19	7	388	38	30	68	86	108	119	129
Female	24,388	211	39	19	10	7	286	35	34	43	61	71	87	97
All other	5,812	302	46	15	4	8	375	11	13	22	47	81	105	178
Male	3,528	172	29	7	3	5	216	7	5	15	26	44	66	126
Female	2,284	130	17	8	1	3	159	4	8	7	21	37	39	52
Black	5,276	274	38	15	2	7	336	9	11	21	43	78	99	171
Male	3,201	155	24	7	2	4	192	5	3	14	23	41	64	122
Female	2,075	119	14	8	-	3	144	4	8	7	20	37	35	49
Pneumonia (480-486)	50,725	796	125	54	32	21	1,028	80	69	124	185	246	294	395
Male	25,954	459	73	28	21	11	592	41	33	76	105	143	180	252
Female	24,771	337	52	26	11	10	436	39	36	48	80	103	114	143
White	45,079	498	81	39	29	13	660	70	56	104	139	167	193	220
Male	22,498	290	44	21	19	6	380	35	28	63	80	100	116	128
Female	22,581	208	37	18	10	7	280	35	28	41	59	67	77	92
All other	5,646	298	44	15	3	8	368	10	13	20	46	79	101	175
Male	3,456	169	29	7	2	5	212	6	5	13	25	43	64	124
Female	2,190	129	15	8	1	3	156	4	8	7	21	36	37	51
Black	5,130	272	36	15	1	7	331	8	11	19	42	77	95	168
Male	3,137	154	24	7	1	4	190	4	3	12	22	41	62	120
Female	1,993	118	12	8	-	3	141	4	8	7	20	36	33	48
Influenza (487)	3,006	13	5	1	1	1	21	4	8	9	9	14	17	9
Male	1,105	9	1	-	1	1	12	4	2	7	7	9	5	3
Female	1,901	4	4	1	-	-	9	-	6	2	2	5	12	6
White	2,840	9	3	1	-	1	14	3	8	7	8	12	13	6
Male	1,033	6	1	-	-	1	8	3	2	5	6	8	3	1
Female	1,807	3	2	1	-	-	6	-	6	2	2	4	10	5
All other	166	4	2	-	1	-	7	1	-	2	1	2	4	3
Male	72	3	-	-	1	-	4	1	-	2	1	1	2	2
Female	94	1	2	-	-	-	3	-	-	-	-	1	2	1
Black	146	2	2	-	1	-	5	1	-	2	1	1	4	3
Male	64	1	-	-	1	-	2	1	-	2	1	-	2	2
Female	82	1	2	-	-	-	3	-	-	-	-	1	2	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	58,832	61	16	13	13	1	104	36	61	64	85	102	111	167
Male	39,773	38	13	9	9	-	69	22	36	40	48	59	54	74
Female	19,059	23	3	4	4	1	35	14	25	24	37	43	57	93
White	54,982	45	7	8	10	-	70	25	38	35	57	63	70	110
Male	36,991	29	4	5	6	-	44	17	23	17	30	39	30	50
Female	17,991	16	3	3	4	-	26	8	15	18	27	24	40	60
All other	3,850	16	9	5	3	1	34	11	23	29	28	39	41	57
Male	2,782	9	9	4	3	-	25	5	13	23	18	20	24	24
Female	1,068	7	-	1	-	1	9	6	10	6	10	19	17	33
Black	3,517	16	9	5	3	1	34	11	22	26	25	38	35	54
Male	2,545	9	9	4	3	-	25	5	12	20	16	20	20	22
Female	972	7	-	1	-	1	9	6	10	6	9	18	15	32
Bronchitis, chronic and unspecified (490-491)	3,685	44	9	8	7	-	68	5	9	3	11	8	6	13
Male	2,344	31	7	6	5	-	49	1	7	1	7	6	4	8
Female	1,341	13	2	2	2	-	19	4	2	2	4	2	2	5
White	3,486	33	6	5	5	-	49	5	7	2	10	6	6	10
Male	2,193	23	4	4	3	-	34	1	5	-	6	5	4	6
Female	1,293	10	2	1	2	-	15	4	2	2	4	1	2	4
All other	199	11	3	3	2	-	19	-	2	1	1	2	-	3
Male	151	8	3	2	2	-	15	-	2	1	1	1	-	2
Female	48	3	-	1	-	-	4	-	-	-	-	1	-	1
Black	178	11	3	3	2	-	19	-	2	1	1	2	-	3
Male	133	8	3	2	2	-	15	-	2	1	1	1	-	2
Female	45	3	-	1	-	-	4	-	-	-	-	1	-	1

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Major cardiovascular diseases-Con														
Other diseases of arteries, arterioles, and capillaries (441-448)	155	238	486	1,025	1,787	2,808	3,575	3,391	2,837	2,090	944	248	35	-
Male	95	149	340	725	1,354	2,048	2,506	2,309	1,635	990	342	68	14	-
Female	60	89	146	300	433	760	1,069	1,082	1,202	1,100	602	180	21	-
White	111	185	400	882	1,608	2,573	3,334	3,186	2,670	1,977	904	231	26	-
Male	66	122	288	650	1,242	1,918	2,375	2,200	1,555	945	329	64	11	-
Female	45	63	112	232	366	655	959	986	1,115	1,032	575	167	15	-
All other	44	53	86	143	179	235	241	203	167	113	40	17	9	-
Male	29	27	52	75	112	130	131	109	80	45	13	4	3	-
Female	15	26	34	68	67	105	110	94	87	68	27	13	6	-
Black	42	50	77	132	164	218	214	182	147	102	36	16	3	-
Male	28	25	45	68	102	116	112	95	66	41	10	4	1	-
Female	14	25	32	64	62	102	102	87	81	61	26	12	2	-
Acute bronchitis and bronchiolitis (466)	10	7	13	23	28	39	49	63	70	71	39	22	6	-
Male	5	5	6	15	15	23	24	34	32	28	12	5	-	-
Female	5	2	7	8	3	16	25	29	38	43	27	17	6	-
White	10	5	12	22	26	35	43	60	67	67	39	22	6	-
Male	5	4	5	14	14	20	22	33	31	26	12	5	-	-
Female	5	1	7	8	12	15	21	27	36	41	27	17	6	-
All other	-	2	1	1	2	4	6	3	3	4	-	-	-	-
Male	-	1	1	1	1	3	2	1	1	2	-	-	-	-
Female	-	1	-	-	1	1	4	2	2	2	-	-	-	-
Black	-	2	1	1	2	4	6	2	3	2	-	-	-	-
Male	-	1	1	1	1	3	2	-	1	1	-	-	-	-
Female	-	1	-	-	1	1	4	2	2	1	-	-	-	-
Pneumonia and influenza (480-487)	460	670	1,007	1,688	2,345	3,398	4,951	7,272	9,479	10,237	6,727	2,436	535	14
Male	295	417	630	1,102	1,528	2,176	2,960	4,058	4,711	4,346	2,450	749	154	12
Female	165	253	377	586	817	1,222	1,991	3,214	4,768	5,891	4,277	1,687	381	2
White	273	439	718	1,292	1,903	2,863	4,366	6,634	8,807	9,700	6,453	2,306	478	7
Male	172	258	421	826	1,228	1,820	2,579	3,690	4,342	4,074	2,322	698	130	5
Female	101	181	297	466	675	1,043	1,787	2,944	4,465	5,626	4,131	1,608	348	2
All other	187	231	289	396	442	535	585	638	672	537	274	130	57	7
Male	123	159	209	276	300	356	381	368	369	272	128	51	24	7
Female	64	72	80	120	142	179	204	270	303	265	146	79	33	-
Black	180	221	275	381	414	498	531	569	588	462	223	110	49	7
Male	120	152	201	269	283	331	341	327	315	232	99	41	19	7
Female	60	69	74	112	131	167	190	242	273	230	124	69	30	-
Pneumonia (480-486)	450	653	976	1,628	2,258	3,247	4,703	6,882	8,930	9,588	6,238	2,247	490	14
Male	291	411	617	1,073	1,488	2,105	2,849	3,881	4,498	4,149	2,312	702	144	12
Female	159	242	359	555	770	1,142	1,854	3,001	4,432	5,439	3,926	1,545	346	2
White	264	425	691	1,242	1,826	2,733	4,130	6,264	8,289	9,068	5,973	2,123	435	7
Male	168	252	411	802	1,191	1,761	2,474	3,520	4,139	3,885	2,187	652	121	5
Female	96	173	280	440	635	972	1,656	2,744	4,150	5,183	3,786	1,471	314	2
All other	186	228	285	386	432	514	573	618	641	520	265	124	55	7
Male	123	159	206	271	297	344	375	361	359	264	125	50	23	7
Female	63	69	79	115	135	170	198	257	282	256	140	74	32	-
Black	179	218	272	371	405	477	521	553	560	448	215	106	47	7
Male	120	152	198	264	280	319	337	320	305	227	96	40	18	7
Female	59	66	74	107	125	158	184	233	255	221	119	66	29	-
Influenza (487)	10	17	31	60	87	151	248	390	549	649	489	189	45	-
Male	4	6	13	29	40	71	111	177	213	197	138	47	10	-
Female	6	11	18	31	47	80	137	213	336	452	351	142	35	-
White	9	14	27	50	77	130	236	370	518	632	480	183	43	-
Male	4	6	10	24	37	59	105	170	203	189	135	46	9	-
Female	5	8	17	26	40	71	131	200	315	443	345	137	34	-
All other	1	3	4	10	10	21	12	20	31	17	9	6	2	-
Male	-	-	3	5	3	12	6	7	10	8	3	1	1	-
Female	1	3	1	5	7	9	6	13	21	9	6	5	1	-
Black	1	3	3	10	9	21	10	16	28	14	8	4	2	-
Male	-	-	3	5	3	12	4	7	10	5	3	1	1	-
Female	1	3	-	5	6	9	6	9	18	9	5	3	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	273	650	1,596	3,394	6,097	9,401	11,683	10,808	7,719	4,458	1,616	354	46	7
Male	146	347	957	2,132	3,981	6,359	8,182	7,727	5,326	2,996	991	201	22	4
Female	127	303	639	1,262	2,116	3,042	3,501	3,081	2,393	1,462	625	153	24	3
White	204	530	1,371	3,053	5,611	8,788	11,075	10,289	7,357	4,290	1,572	326	42	6
Male	108	271	813	1,905	3,633	5,892	7,702	7,328	5,054	2,868	964	179	20	4
Female	96	259	558	1,148	1,978	2,896	3,373	2,961	2,303	1,422	608	147	22	2
All other	69	120	225	341	486	613	608	519	362	168	44	28	4	1
Male	38	76	144	227	348	467	480	399	272	128	27	22	2	-
Female	31	44	81	114	138	146	128	120	90	40	17	6	2	1
Black	64	115	211	327	452	564	551	462	318	145	38	21	3	1
Male	38	73	135	217	325	435	436	357	237	111	24	16	1	-
Female	26	42	76	110	127	129	115	105	81	34	14	5	2	1
Bronchitis, chronic and unspecified (490-491)	14	39	79	203	350	504	643	633	468	382	182	55	10	-
Male	7	23	47	137	229	321	437	423	299	222	88	24	4	-
Female	7	16	32	66	121	183	206	210	169	160	94	31	6	-
White	14	36	68	183	334	482	611	604	447	369	181	53	9	-
Male	7	21	39	123	219	301	408	401	286	214	87	22	4	-
Female	7	15	29	60	115	181	203	203	161	155	94	31	5	-
All other	-	3	11	20	16	22	32	29	21	13	1	2	1	-
Male	-	2	8	14	10	20	29	22	13	8	1	2	-	-
Female	-	1	3	6	6	2	3	7	8	5	-	-	1	-
Black	-	3	9	19	14	22	28	27	17	9	1	-	1	-
Male	-	2	6	13	8	20	25	20	11	5	1	-	-	-
Female	-	1	3	6	6	2	3	7	6	4	-	-	1	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Chronic obstructive pulmonary diseases, etc.-Con.														
Emphysema (492)	13,369	2	-	1	-	-	3	1	-	2	4	6	8	20
Male	9,592	-	-	1	-	-	1	1	-	2	3	6	3	12
Female	3,777	2	-	-	-	-	2	-	-	-	1	-	5	8
White	12,683	1	-	1	-	-	2	1	-	1	2	4	6	10
Male	9,026	-	-	1	-	-	1	1	-	1	1	4	1	5
Female	3,657	1	-	-	-	-	1	-	-	-	1	-	5	5
All other	686	1	-	-	-	-	1	-	-	1	2	2	2	10
Male	566	-	-	-	-	-	-	-	-	1	2	2	2	7
Female	120	1	-	-	-	-	1	-	-	-	-	-	-	3
Black	643	1	-	-	-	-	1	-	-	1	1	2	1	10
Male	531	-	-	-	-	-	-	-	-	1	1	2	1	7
Female	112	1	-	-	-	-	1	-	-	-	-	-	-	3
Asthma (493)	3,054	3	5	4	2	1	15	25	47	55	57	78	77	91
Male	1,287	1	5	2	2	-	10	16	26	36	28	40	34	30
Female	1,767	2	-	2	-	1	5	9	21	19	29	38	43	61
White	2,426	1	-	2	1	-	4	16	27	29	36	45	43	54
Male	977	1	-	-	1	-	2	12	15	15	16	24	16	17
Female	1,449	-	-	2	-	-	2	4	12	14	20	21	27	37
All other	628	2	5	2	1	1	11	9	20	26	21	33	34	37
Male	310	-	5	2	1	-	8	4	11	21	12	16	18	13
Female	318	2	-	-	-	1	3	5	9	5	9	17	16	24
Black	576	2	5	2	1	1	11	9	19	23	21	32	29	34
Male	281	-	5	2	1	-	8	4	10	18	12	16	15	11
Female	295	2	-	-	-	1	3	5	9	5	9	16	14	23
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	38,724	12	2	-	4	-	18	5	5	4	13	10	20	43
Male	26,550	6	1	-	2	-	9	4	3	1	10	7	13	24
Female	12,174	6	1	-	2	-	9	1	2	3	3	3	7	19
White	36,387	10	1	-	4	-	15	3	4	3	9	8	15	36
Male	24,795	5	-	-	2	-	7	3	3	1	7	6	9	22
Female	11,592	5	1	-	2	-	8	-	1	2	2	2	6	14
All other	2,337	2	1	-	-	-	3	2	1	1	4	2	5	7
Male	1,755	1	1	-	-	-	2	1	-	-	3	1	4	2
Female	582	1	-	-	-	-	1	1	1	1	1	1	1	5
Black	2,120	2	1	-	-	-	3	2	1	1	2	2	5	7
Male	1,600	1	1	-	-	-	2	1	-	-	2	1	4	2
Female	520	1	-	-	-	-	1	1	1	1	-	1	1	5
Ulcer of stomach and duodenum (531-533)	6,489	14	2	1	1	1	19	3	2	8	15	24	39	62
Male	3,432	9	2	1	-	1	13	2	1	6	11	15	26	45
Female	3,057	5	-	-	1	-	6	1	1	2	4	9	13	17
White	5,834	7	2	-	-	1	10	3	1	5	12	19	20	45
Male	3,035	5	2	-	-	1	8	2	1	4	9	13	13	29
Female	2,799	2	-	-	-	-	2	1	-	1	3	6	7	16
All other	655	7	-	1	1	-	9	-	1	3	3	5	19	17
Male	397	4	-	1	-	-	5	-	-	2	2	2	13	16
Female	258	3	-	-	1	-	4	-	1	1	1	3	6	1
Black	593	7	-	1	-	-	8	-	1	3	3	5	19	16
Male	357	4	-	1	-	-	5	-	-	2	2	2	13	15
Female	236	3	-	-	-	-	3	-	1	1	1	3	6	1
Appendicitis (540-543)	589	3	1	1	-	3	8	3	14	10	12	14	7	13
Male	329	1	1	1	-	1	4	1	9	4	10	10	3	10
Female	260	2	-	-	-	2	4	2	5	6	2	4	4	3
White	466	2	1	1	-	2	6	3	11	6	11	13	5	9
Male	260	-	1	1	-	-	2	1	7	3	9	9	3	7
Female	206	2	-	-	-	2	4	2	4	3	2	4	2	2
All other	123	1	-	-	-	1	2	-	3	4	1	1	2	4
Male	69	1	-	-	-	1	2	-	2	1	1	1	-	3
Female	54	-	-	-	-	-	-	-	1	3	-	-	2	1
Black	117	1	-	-	-	1	2	-	3	4	1	1	2	4
Male	64	1	-	-	-	1	2	-	2	1	1	1	-	3
Female	53	-	-	-	-	-	-	-	1	3	-	-	2	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5,282	126	15	7	4	4	156	18	11	8	21	20	19	29
Male	2,079	80	7	5	4	2	98	11	5	5	11	13	7	16
Female	3,203	46	8	2	-	2	58	7	6	3	10	7	12	13
White	4,605	93	12	4	3	2	114	15	7	6	15	16	15	16
Male	1,734	57	6	3	3	2	71	8	4	3	7	11	5	8
Female	2,871	36	6	1	-	-	43	7	3	3	8	5	10	8
All other	677	33	3	3	1	2	42	3	4	2	6	4	4	13
Male	345	23	1	2	1	-	27	3	1	2	4	2	2	8
Female	332	10	2	1	-	2	15	-	3	-	2	2	2	5
Black	643	28	3	3	1	2	37	3	4	2	6	3	4	13
Male	324	19	1	2	1	-	23	3	1	2	4	2	2	8
Female	319	9	2	1	-	2	14	-	3	-	2	1	2	5
Chronic liver disease and cirrhosis (571)	29,308	28	6	4	1	1	40	8	6	14	87	388	802	1,359
Male	18,894	14	2	4	1	1	22	3	1	7	48	252	562	910
Female	10,414	14	4	-	-	-	18	5	5	7	39	136	240	449
White	24,465	19	4	4	1	1	29	6	2	10	60	232	468	871
Male	15,868	10	1	4	1	1	17	3	-	5	34	163	359	618
Female	8,597	9	3	-	-	-	12	3	2	5	26	69	109	253
All other	4,843	9	2	-	-	-	11	2	4	4	27	156	334	488
Male	3,026	4	1	-	-	-	5	-	1	2	14	89	203	292
Female	1,817	5	1	-	-	-	6	2	3	2	13	67	131	196
Black	4,349	7	2	-	-	-	9	2	4	4	22	134	300	439
Male	2,740	3	1	-	-	-	4	-	1	2	13	82	181	263
Female	1,609	4	1	-	-	-	5	2	3	2	9	52	119	176

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Chronic obstructive pulmonary diseases, etc.-Con.														
Emphysema (492)	64	141	399	853	1,466	2,383	2,804	2,399	1,644	826	275	61	9	1
Male	40	86	270	555	1,007	1,701	2,051	1,823	1,187	609	193	39	3	-
Female	24	55	129	298	459	682	753	576	457	217	82	22	6	1
White	51	119	362	786	1,373	2,255	2,692	2,301	1,589	800	267	53	8	1
Male	31	71	237	502	930	1,595	1,954	1,738	1,144	587	187	33	3	-
Female	20	48	125	284	443	660	738	563	445	213	80	20	5	1
All other	13	22	37	67	93	128	112	98	55	26	8	8	1	-
Male	9	15	33	53	77	106	97	85	43	22	6	6	-	-
Female	4	7	4	14	16	22	15	13	12	4	2	2	1	-
Black	12	22	35	66	88	124	101	87	51	26	8	6	1	-
Male	9	15	31	52	74	103	89	75	39	22	6	4	-	-
Female	3	7	4	14	14	21	12	12	12	4	2	2	1	-
Asthma (493)	87	126	182	265	342	417	386	334	241	146	67	15	1	-
Male	37	54	69	101	162	174	162	140	93	46	24	5	-	-
Female	50	72	113	164	180	243	224	194	148	100	43	10	1	-
White	54	83	131	210	284	338	333	304	220	135	64	15	1	-
Male	23	34	51	80	129	134	131	123	86	41	23	5	-	-
Female	31	49	80	130	155	204	202	181	134	94	41	10	1	-
All other	33	43	51	55	58	79	53	30	21	11	3	-	-	-
Male	14	20	18	21	33	40	31	17	7	5	1	-	-	-
Female	19	23	33	34	25	39	22	13	14	6	2	-	-	-
Black	31	39	50	50	56	70	47	25	19	8	3	-	-	-
Male	14	18	18	19	32	35	27	12	7	4	1	-	-	-
Female	17	21	32	31	24	35	20	13	12	4	2	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	108	344	936	2,073	3,939	6,097	7,850	7,442	5,366	3,104	1,092	223	26	6
Male	62	184	571	1,339	2,583	4,163	5,532	5,341	3,747	2,119	686	133	15	4
Female	46	160	365	734	1,356	1,934	2,318	2,101	1,619	985	406	90	11	2
White	85	292	810	1,874	3,620	5,713	7,439	7,080	5,101	2,986	1,060	205	24	5
Male	47	145	486	1,200	2,355	3,862	5,209	5,066	3,538	2,026	667	119	13	4
Female	38	147	324	674	1,265	1,851	2,230	2,014	1,563	960	393	86	11	1
All other	23	52	126	199	319	384	411	362	265	118	32	18	2	1
Male	15	39	85	139	228	301	323	275	209	93	19	14	2	-
Female	8	13	41	60	91	83	88	87	56	25	13	4	-	1
Black	21	51	117	192	294	348	375	323	231	102	26	15	1	1
Male	15	38	80	133	211	277	295	250	180	80	16	12	1	-
Female	6	13	37	59	83	71	80	73	51	22	10	3	-	1
Ulcer of stomach and duodenum (531-533)	72	143	211	392	502	684	902	1,015	969	843	471	98	14	1
Male	49	101	133	240	316	425	525	566	435	332	150	35	5	1
Female	23	42	78	152	186	259	377	449	534	511	321	63	9	-
White	52	109	172	332	427	613	808	948	898	801	454	91	13	1
Male	33	76	108	202	270	380	468	525	400	311	145	32	5	1
Female	19	33	64	130	157	233	340	423	498	490	309	59	8	-
All other	20	34	39	60	75	71	94	67	71	42	17	7	1	-
Male	16	25	25	38	46	45	57	41	35	21	5	3	-	-
Female	4	9	14	22	29	26	37	26	36	21	12	4	1	-
Black	19	32	34	55	71	62	84	59	63	37	14	7	1	-
Male	16	24	22	35	43	38	50	34	28	20	5	3	-	-
Female	3	8	12	20	28	24	34	25	35	17	9	4	1	-
Appendicitis (540-543)	15	18	19	35	49	72	90	71	62	43	23	10	1	-
Male	11	11	13	22	29	41	53	32	34	18	9	4	1	-
Female	4	7	6	13	20	31	37	39	28	25	14	6	-	-
White	14	14	15	22	37	52	77	58	49	35	21	8	-	-
Male	10	10	11	14	22	34	43	26	23	15	8	3	-	-
Female	4	4	4	8	15	18	34	32	26	20	13	5	-	-
All other	1	4	4	13	12	20	13	13	13	8	2	2	1	-
Male	1	1	2	8	7	7	10	6	11	3	1	1	1	-
Female	-	3	2	5	5	13	3	7	2	5	1	1	-	-
Black	1	4	4	12	10	20	12	13	12	8	1	2	1	-
Male	1	1	2	7	5	7	10	6	10	3	-	1	1	-
Female	-	3	2	5	5	13	2	7	2	5	1	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	47	75	123	168	233	413	627	769	948	896	524	147	30	-
Male	24	38	57	82	101	208	280	338	316	301	133	28	7	-
Female	23	37	66	86	132	205	347	431	632	595	391	119	23	-
White	32	56	93	139	195	339	530	686	843	828	497	140	23	-
Male	18	29	43	62	84	167	231	289	268	267	128	27	4	-
Female	14	27	50	77	111	172	299	397	575	561	369	113	19	-
All other	15	19	30	29	38	74	97	83	105	68	27	7	7	-
Male	6	9	14	20	17	41	49	49	48	34	5	1	3	-
Female	9	10	16	9	21	33	48	34	57	34	22	6	4	-
Black	15	18	28	28	36	73	92	77	102	65	24	6	7	-
Male	6	8	13	19	17	40	44	44	46	33	5	1	3	-
Female	9	10	15	9	19	33	48	33	56	32	19	5	4	-
Chronic liver disease and cirrhosis (571)	1,873	2,576	3,811	4,326	4,300	3,980	2,762	1,644	834	377	98	11	3	9
Male	1,302	1,710	2,538	2,853	2,819	2,589	1,660	955	420	180	55	3	-	5
Female	571	866	1,273	1,473	1,481	1,391	1,102	689	414	197	43	8	3	4
White	1,303	1,967	3,073	3,718	3,806	3,594	2,532	1,531	792	355	96	10	3	7
Male	907	1,322	2,058	2,476	2,506	2,357	1,527	891	396	169	54	3	-	3
Female	396	645	1,015	1,242	1,300	1,237	1,005	640	396	186	42	7	3	4
All other	570	609	738	608	494	386	230	113	42	22	2	1	-	2
Male	395	388	480	377	313	232	133	64	24	11	1	-	-	2
Female	175	221	258	231	181	154	97	49	18	11	1	1	-	-
Black	512	548	662	566	439	355	202	95	36	15	2	1	-	2
Male	357	355	437	352	274	218	117	56	20	5	1	-	-	2
Female	155	193	225	214	165	137	85	39	16	10	1	1	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Cholelithiasis and other disorders of gallbladder (574-575)	3,084	1	-	-	-	-	1	-	3	4	6	7	12	17
Male	1,345	1	-	-	-	-	1	-	1	-	-	1	4	8
Female	1,739	-	-	-	-	-	-	-	2	4	6	6	8	9
White	2,811	1	-	-	-	-	1	-	3	4	3	6	11	13
Male	1,255	1	-	-	-	-	1	-	1	-	-	1	3	7
Female	1,556	-	-	-	-	-	-	-	2	4	3	5	8	6
All other	273	-	-	-	-	-	-	-	-	-	3	1	1	4
Male	90	-	-	-	-	-	-	-	-	-	-	-	1	1
Female	183	-	-	-	-	-	-	-	-	-	3	1	-	3
Black	215	-	-	-	-	-	-	-	-	-	1	1	-	4
Male	65	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	150	-	-	-	-	-	-	-	-	-	1	1	-	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	17,277	258	11	8	3	4	284	22	14	36	75	105	122	171
Male	8,720	144	3	3	2	2	154	14	10	20	40	67	73	108
Female	8,557	114	8	5	1	2	130	8	4	16	35	38	49	63
White	13,828	184	9	6	3	3	205	20	10	29	55	63	79	106
Male	7,018	101	2	2	2	1	108	13	8	19	30	43	46	73
Female	6,810	83	7	4	1	2	97	7	2	10	25	20	33	33
All other	3,449	74	2	2	-	1	79	2	4	7	20	42	43	65
Male	1,702	43	1	1	-	1	46	1	2	1	10	24	27	35
Female	1,747	31	1	1	-	-	33	1	2	6	10	18	16	30
Black	3,262	69	2	1	-	1	73	2	3	7	20	40	40	64
Male	1,609	41	1	-	-	1	43	1	2	1	10	22	26	35
Female	1,653	28	1	1	-	-	30	1	1	6	10	18	14	29
Acute glomerulonephritis and nephrotic syndrome (580-581)	302	9	2	3	-	1	15	3	1	1	2	1	4	4
Male	142	5	-	2	-	1	8	1	-	1	1	1	1	2
Female	160	4	2	1	-	-	7	2	1	-	1	-	3	2
White	251	8	2	1	-	1	12	2	-	1	1	-	3	2
Male	119	5	-	1	-	1	7	1	-	1	1	-	-	1
Female	132	3	2	-	-	-	5	1	-	-	-	-	3	1
All other	51	1	-	2	-	-	3	1	1	-	1	1	1	2
Male	23	-	-	1	-	-	1	-	-	-	-	1	1	1
Female	28	1	-	1	-	-	2	1	1	-	1	-	-	1
Black	47	-	-	1	-	-	1	1	-	-	1	1	1	2
Male	22	-	-	-	-	-	-	-	-	-	-	1	1	1
Female	25	-	-	1	-	-	1	1	-	-	1	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2,055	5	-	-	-	2	7	2	3	5	22	25	22	30
Male	963	3	-	-	-	1	4	1	3	4	14	16	13	14
Female	1,092	2	-	-	-	1	3	1	-	1	8	9	9	16
White	1,670	5	-	-	-	1	6	2	2	4	17	18	13	18
Male	785	3	-	-	-	-	3	1	2	4	10	12	7	10
Female	885	2	-	-	-	1	3	1	-	-	7	6	6	8
All other	385	-	-	-	-	1	1	-	1	1	5	7	9	12
Male	178	-	-	-	-	1	1	-	1	-	4	4	6	4
Female	207	-	-	-	-	-	-	-	-	1	1	3	3	8
Black	359	-	-	-	-	1	1	-	1	1	5	7	8	12
Male	166	-	-	-	-	1	1	-	1	-	4	4	5	4
Female	193	-	-	-	-	-	-	-	-	1	1	3	3	8
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	14,920	244	9	5	3	1	262	17	10	30	51	79	96	137
Male	7,615	136	3	1	2	-	142	12	7	15	25	50	59	92
Female	7,305	108	6	4	1	1	120	5	3	15	26	29	37	45
White	11,907	171	7	5	3	1	187	16	8	24	37	45	63	86
Male	6,114	93	2	1	2	-	98	11	6	14	19	31	39	62
Female	5,793	78	5	4	1	1	89	5	2	10	18	14	24	24
All other	3,013	73	2	-	-	-	75	1	2	6	14	34	33	51
Male	1,501	43	1	-	-	-	44	1	1	1	6	19	20	30
Female	1,512	30	1	-	-	-	31	-	1	5	8	15	13	21
Black	2,856	69	2	-	-	-	71	1	2	6	14	32	31	50
Male	1,421	41	1	-	-	-	42	1	1	1	6	17	20	30
Female	1,435	28	1	-	-	-	29	-	1	5	8	15	11	20
Infections of kidney (590)	2,305	3	-	-	1	-	4	1	-	1	9	12	11	10
Male	838	3	-	-	-	-	3	1	-	1	6	6	3	3
Female	1,467	-	-	-	1	-	1	-	-	-	3	6	8	7
White	2,022	2	-	-	1	-	3	1	-	1	8	7	7	7
Male	741	2	-	-	-	-	2	1	-	1	5	3	1	3
Female	1,281	-	-	-	1	-	1	-	-	-	3	4	6	4
All other	283	1	-	-	-	-	1	-	-	-	1	5	4	3
Male	97	1	-	-	-	-	1	-	-	-	1	3	2	-
Female	186	-	-	-	-	-	-	-	-	-	-	2	2	3
Black	267	1	-	-	-	-	1	-	-	-	1	3	4	3
Male	93	1	-	-	-	-	1	-	-	-	1	1	2	-
Female	174	-	-	-	-	-	-	-	-	-	-	2	2	3
Hyperplasia of prostate (600)	693	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	693	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
White	600	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	600	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	93	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	93	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Black	88	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	88	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Cholelithiasis and other disorders of gallbladder (574-575)	20	37	58	116	179	305	393	474	572	493	278	98	10	1
Male	8	19	30	64	91	161	186	233	243	181	92	19	3	-
Female	12	18	28	52	88	144	207	241	329	312	186	79	7	1
White	15	28	49	96	155	274	348	437	530	466	271	93	8	-
Male	5	15	27	53	80	153	171	220	233	173	90	19	3	-
Female	10	13	22	43	75	121	177	217	297	293	181	74	5	-
All other	5	9	9	20	24	31	45	37	42	27	7	5	2	1
Male	3	4	3	11	11	8	15	13	10	8	2	-	-	-
Female	2	5	6	9	13	23	30	24	32	19	5	5	2	1
Black	4	7	8	16	20	22	36	27	34	22	7	4	1	1
Male	2	3	3	9	9	6	8	9	7	6	2	-	-	-
Female	2	4	5	7	11	16	28	18	27	16	5	4	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	186	277	462	791	1,144	1,695	2,332	2,676	2,829	2,349	1,239	405	60	3
Male	100	157	253	446	633	897	1,273	1,387	1,319	1,088	505	160	16	-
Female	86	120	209	345	511	798	1,059	1,289	1,510	1,261	734	245	44	3
White	111	173	297	526	815	1,249	1,811	2,249	2,416	2,109	1,117	345	42	1
Male	58	98	170	299	473	683	1,013	1,191	1,139	955	458	133	8	-
Female	53	75	127	227	342	566	798	1,058	1,277	1,154	659	212	34	1
All other	75	104	165	265	329	446	521	427	413	240	122	60	18	2
Male	42	59	83	147	160	214	260	196	180	133	47	27	8	-
Female	33	45	82	118	169	232	261	231	233	107	75	33	10	2
Black	69	98	156	253	314	427	490	405	391	223	111	57	17	2
Male	40	56	77	142	152	206	240	189	166	124	42	27	8	-
Female	29	42	79	111	162	221	250	216	225	99	69	30	9	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	4	6	13	17	34	47	48	41	32	18	5	-	-
Male	4	1	4	8	8	14	23	26	15	15	7	2	-	-
Female	2	3	2	5	9	20	24	22	26	17	11	3	-	-
White	5	2	4	9	12	27	39	43	37	29	18	5	-	-
Male	3	1	3	6	7	11	19	24	13	12	7	2	-	-
Female	2	1	1	3	5	16	20	19	24	17	11	3	-	-
All other	1	2	2	4	5	7	8	5	4	3	-	-	-	-
Male	1	-	1	2	1	3	4	2	2	3	-	-	-	-
Female	-	2	1	2	4	4	4	3	2	-	-	-	-	-
Black	1	1	2	4	5	7	8	5	4	3	-	-	-	-
Male	1	-	1	2	1	3	4	2	2	3	-	-	-	-
Female	-	1	1	2	4	4	4	3	2	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	34	47	62	94	128	189	267	353	341	243	139	35	6	1
Male	15	27	32	44	70	97	127	169	135	111	52	15	-	-
Female	19	20	30	50	58	92	140	184	206	132	87	20	6	1
White	16	32	48	73	95	148	206	301	297	219	122	29	4	-
Male	8	20	26	34	58	75	95	151	114	98	45	12	-	-
Female	8	12	22	39	37	73	111	150	183	121	77	17	4	-
All other	18	15	14	21	33	41	61	52	44	24	17	6	2	1
Male	7	7	6	10	12	22	32	18	21	13	7	3	-	-
Female	11	8	8	11	21	19	29	34	23	11	10	3	2	1
Black	15	14	13	20	30	38	58	46	43	22	16	6	2	1
Male	6	6	6	10	12	20	30	16	20	12	6	3	-	-
Female	9	8	7	10	18	18	28	30	23	10	10	3	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	146	226	394	684	999	1,472	2,018	2,275	2,447	2,074	1,082	365	54	2
Male	81	129	217	394	555	786	1,123	1,192	1,169	962	446	143	16	-
Female	65	97	177	290	444	686	895	1,083	1,278	1,112	636	222	38	2
White	90	139	245	444	708	1,074	1,566	1,905	2,082	1,861	977	311	38	1
Male	47	77	141	259	408	597	899	1,016	1,012	845	406	119	8	-
Female	43	62	104	185	300	477	667	889	1,070	1,016	571	192	30	1
All other	56	87	149	240	291	398	452	370	365	213	105	54	16	1
Male	34	52	76	135	147	189	224	176	157	117	40	24	8	-
Female	22	35	73	105	144	209	228	194	208	96	65	30	8	1
Black	53	83	141	229	279	382	424	354	344	198	95	51	15	1
Male	33	50	70	130	139	183	206	171	144	109	36	24	8	-
Female	20	33	71	99	140	199	218	183	200	89	59	27	7	1
Infections of kidney (590)	22	32	49	73	102	152	239	402	487	395	219	68	17	-
Male	7	8	12	30	44	54	94	147	189	138	62	24	6	-
Female	15	24	37	43	58	98	145	255	298	257	157	44	11	-
White	16	23	36	53	90	120	205	350	446	366	204	64	15	-
Male	6	5	11	23	38	42	82	128	177	128	57	22	6	-
Female	10	18	25	30	52	78	123	222	269	238	147	42	9	-
All other	6	9	13	20	12	32	34	52	41	29	15	4	2	-
Male	1	3	1	7	6	12	12	19	12	10	5	2	-	-
Female	5	6	12	13	6	20	22	33	29	19	10	2	2	-
Black	6	7	12	19	12	29	31	49	41	28	15	4	2	-
Male	1	3	1	6	6	12	11	19	12	10	5	2	-	-
Female	5	4	11	13	6	17	20	30	29	18	10	2	2	-
Hyperplasia of prostate (600)	-	-	1	10	15	44	82	112	167	151	74	31	5	1
Male	-	-	1	10	15	44	82	112	167	151	74	31	5	1
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	1	6	11	35	68	90	152	136	68	29	4	-
Male	-	-	1	6	11	35	68	90	152	136	68	29	4	-
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	4	4	9	14	22	15	15	6	2	1	1
Male	-	-	-	4	4	9	14	22	15	15	6	2	1	1
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	4	4	8	14	20	15	14	5	2	1	1
Male	-	-	-	4	4	8	14	20	15	14	5	2	1	1
Female	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Complications of pregnancy, childbirth, and the puerperium (630-676)	309	...	...	...	...	...	...	...	1	40	79	74	66	33
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	309	...	...	...	...	...	...	...	1	40	79	74	66	33
White	184	...	...	...	...	...	...	...	-	16	51	48	42	19
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	184	...	...	...	...	...	...	...	-	16	51	48	42	19
All other	125	...	...	...	...	...	...	...	1	24	28	26	24	14
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	125	...	...	...	...	...	...	...	1	24	28	26	24	14
Black	120	...	...	...	...	...	...	...	1	24	27	25	23	13
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	120	...	...	...	...	...	...	...	1	24	27	25	23	13
Pregnancy with abortive outcome (630-638)	47	...	...	...	...	...	...	...	-	6	11	11	12	5
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	47	...	...	...	...	...	...	...	-	6	11	11	12	5
White	24	...	...	...	...	...	...	...	-	1	7	7	5	3
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	24	...	...	...	...	...	...	...	-	1	7	7	5	3
All other	23	...	...	...	...	...	...	...	-	5	4	4	7	2
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	23	...	...	...	...	...	...	...	-	5	4	4	7	2
Black	22	...	...	...	...	...	...	...	-	5	4	4	7	1
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	22	...	...	...	...	...	...	...	-	5	4	4	7	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	262	...	...	...	...	...	...	...	1	34	68	63	54	28
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	262	...	...	...	...	...	...	...	1	34	68	63	54	28
White	160	...	...	...	...	...	...	...	-	15	44	41	37	16
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	160	...	...	...	...	...	...	...	-	15	44	41	37	16
All other	102	...	...	...	...	...	...	...	1	19	24	22	17	12
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	102	...	...	...	...	...	...	...	1	19	24	22	17	12
Black	98	...	...	...	...	...	...	...	1	19	23	21	16	12
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	98	...	...	...	...	...	...	...	1	19	23	21	16	12
Congenital anomalies (740-759)	13,527	8,914	546	231	145	96	9,932	284	258	300	294	282	213	183
Male	7,128	4,769	270	126	77	54	5,296	141	137	183	172	164	119	98
Female	6,399	4,145	276	105	68	42	4,636	143	121	117	122	118	94	85
White	11,145	7,224	413	195	109	80	8,021	242	218	248	255	235	177	163
Male	5,906	3,902	206	109	57	47	4,321	123	121	151	147	138	97	87
Female	5,239	3,322	207	86	52	33	3,700	119	97	97	108	97	80	76
All other	2,382	1,690	133	36	36	16	1,911	42	40	52	39	47	36	20
Male	1,222	867	64	17	20	7	975	18	16	32	25	26	22	11
Female	1,160	823	69	19	16	9	936	24	24	20	14	21	14	9
Black	2,064	1,443	120	32	28	13	1,636	40	36	47	34	44	33	16
Male	1,064	748	59	14	15	6	842	18	13	28	22	23	19	9
Female	1,000	695	61	18	13	7	794	22	23	19	12	21	14	7
Certain conditions originating in the perinatal period (760-779)	21,626	21,510	49	17	5	6	21,587	13	4	4	2	1	1	-
Male	12,302	12,228	31	8	4	5	12,276	9	4	2	1	-	1	-
Female	9,324	9,282	18	9	1	1	9,311	4	-	2	1	1	-	-
White	14,551	14,472	28	12	5	4	14,521	10	4	4	2	1	-	-
Male	8,380	8,326	21	6	4	3	8,360	7	4	2	1	-	-	-
Female	6,171	6,146	7	6	1	1	6,161	3	-	2	1	1	-	-
All other	7,075	7,038	21	5	-	2	7,066	3	-	-	-	-	1	-
Male	3,922	3,902	10	2	-	2	3,916	2	-	-	-	-	1	-
Female	3,153	3,136	11	3	-	-	3,150	1	-	-	-	-	-	-
Black	6,658	6,623	20	5	-	2	6,650	3	-	-	-	-	1	-
Male	3,688	3,670	9	2	-	2	3,683	2	-	-	-	-	1	-
Female	2,970	2,953	11	3	-	-	2,967	1	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6,677	6,642	10	6	1	3	6,662	7	1	4	-	1	-	-
Male	4,009	3,986	8	3	1	3	4,001	5	1	2	-	-	-	-
Female	2,668	2,656	2	3	-	-	2,661	2	-	2	-	1	-	-
White	4,834	4,809	3	6	1	3	4,822	4	1	4	-	1	-	-
Male	2,920	2,904	3	3	1	3	2,914	3	1	2	-	-	-	-
Female	1,914	1,905	-	3	-	-	1,908	1	-	2	-	1	-	-
All other	1,843	1,833	7	-	-	-	1,840	3	-	-	-	-	-	-
Male	1,089	1,082	5	-	-	-	1,087	2	-	-	-	-	-	-
Female	754	751	2	-	-	-	753	1	-	-	-	-	-	-
Black	1,712	1,703	6	-	-	-	1,709	3	-	-	-	-	-	-
Male	1,011	1,005	4	-	-	-	1,009	2	-	-	-	-	-	-
Female	701	698	2	-	-	-	700	1	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	14,949	14,868	39	11	4	3	14,925	6	3	-	2	-	1	-
Male	8,293	8,242	23	5	3	2	8,275	4	3	-	1	-	1	-
Female	6,656	6,626	16	6	1	1	6,650	2	-	-	1	-	-	-
White	9,717	9,663	25	6	4	1	9,699	6	3	-	2	-	-	-
Male	5,460	5,422	18	3	3	-	5,446	4	3	-	1	-	-	-
Female	4,257	4,241	7	3	1	1	4,253	2	-	-	1	-	-	-
All other	5,232	5,205	14	5	-	2	5,226	-	-	-	-	-	1	-
Male	2,833	2,820	5	2	-	2	2,829	-	-	-	-	-	1	-
Female	2,399	2,385	9	3	-	-	2,397	-	-	-	-	-	-	-
Black	4,946	4,920	14	5	-	2	4,941	-	-	-	-	-	1	-
Male	2,677	2,665	5	2	-	2	2,674	-	-	-	-	-	1	-
Female	2,269	2,255	9	3	-	-	2,267	-	-	-	-	-	-	-

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Complications of pregnancy, childbirth, and the puerperium (630-676)	15	1	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	15	1	-	...	...	...	...	...	...	...	...	...	...	-
White	8	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	8	-	-	...	...	...	...	...	...	...	...	...	...	-
All other	7	1	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	7	1	-	...	...	...	...	...	...	...	...	...	...	-
Black	6	1	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	6	1	-	...	...	...	...	...	...	...	...	...	...	-
Pregnancy with abortive outcome (630-638)	2	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	2	-	-	...	...	...	...	...	...	...	...	...	...	-
White	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	...	...	...	...	...	...	...	...	...	...	-
All other	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Black	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	1	-	-	...	...	...	...	...	...	...	...	...	...	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	13	1	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	13	1	-	...	...	...	...	...	...	...	...	...	...	-
White	7	-	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	7	-	-	...	...	...	...	...	...	...	...	...	...	-
All other	6	1	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	6	1	-	...	...	...	...	...	...	...	...	...	...	-
Black	5	1	-	...	...	...	...	...	...	...	...	...	...	-
Male	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Female	5	1	-	...	...	...	...	...	...	...	...	...	...	-
Congenital anomalies (740-759)	142	152	187	223	208	225	195	188	131	75	32	6	6	11
Male	72	84	88	107	99	101	90	73	50	28	14	4	1	7
Female	70	68	99	116	109	124	105	115	81	47	18	2	5	4
White	120	132	166	193	190	200	175	166	127	71	29	5	3	9
Male	63	71	78	90	88	86	82	65	49	27	12	4	1	5
Female	57	61	88	103	102	114	93	101	78	44	17	1	2	4
All other	22	20	21	30	18	25	20	22	4	4	3	1	3	2
Male	9	13	10	17	11	15	8	8	1	1	2	-	-	2
Female	13	7	11	13	7	10	12	14	3	3	1	1	3	-
Black	21	16	20	26	17	22	20	20	4	4	3	1	2	2
Male	9	12	9	15	10	13	8	8	1	1	2	-	-	2
Female	12	4	11	11	7	9	12	12	3	3	1	1	2	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	2	1	-	-	-	-	-	-	-	2	9
Male	-	-	-	-	1	-	-	-	-	-	-	-	2	6
Female	-	-	-	2	-	-	-	-	-	-	-	-	-	3
White	-	-	-	2	1	-	-	-	-	-	-	-	-	6
Male	-	-	-	-	1	-	-	-	-	-	-	-	-	5
Female	-	-	-	2	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	3
Male	-	-	-	-	-	-	-	-	-	-	-	-	2	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	2
Male	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	2	-	-	-	-	-	-	-	-	-	-
White	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	2	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	-	-	-	-	1	-	-	-	-	-	-	-	2	9
Male	-	-	-	-	1	-	-	-	-	-	-	-	2	6
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	3
White	-	-	-	-	1	-	-	-	-	-	-	-	-	6
Male	-	-	-	-	1	-	-	-	-	-	-	-	-	5
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	3
Male	-	-	-	-	-	-	-	-	-	-	-	-	2	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	2
Male	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	2

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Symptoms, signs, and ill-defined conditions (780-799)	29,472	5,954	175	63	19	23	6,234	75	85	312	604	763	738	630
Male	17,127	3,553	102	40	11	15	3,721	48	49	191	383	523	492	412
Female	12,345	2,401	73	23	8	8	2,513	27	36	121	221	240	246	218
White	22,036	4,089	107	32	11	15	4,254	47	60	247	449	557	474	418
Male	12,786	2,516	60	19	6	10	2,611	28	35	157	286	391	318	274
Female	9,250	1,573	47	13	5	5	1,643	19	25	90	163	166	156	144
All other	7,436	1,865	68	31	8	8	1,980	28	25	65	155	206	264	212
Male	4,341	1,037	42	21	5	5	1,110	20	14	34	97	132	174	138
Female	3,095	828	26	10	3	3	870	8	11	31	58	74	90	74
Black	6,886	1,686	63	28	7	8	1,792	19	22	48	131	184	231	195
Male	3,982	929	40	18	4	5	996	13	12	21	77	118	149	128
Female	2,904	757	23	10	3	3	796	6	10	27	54	66	82	67
All other diseases (Residual)	117,795	1,949	466	269	168	159	3,011	548	624	1,020	1,345	1,693	2,061	2,205
Male	58,974	1,117	254	150	92	95	1,708	297	311	592	788	989	1,221	1,341
Female	58,821	832	212	119	76	64	1,303	251	313	428	557	704	840	864
White	100,230	1,332	338	200	133	133	2,136	453	502	820	1,024	1,121	1,291	1,404
Male	49,610	776	187	110	72	76	1,221	242	254	489	635	663	760	843
Female	50,620	556	151	90	61	57	915	211	248	331	389	458	531	561
All other	17,565	617	128	69	35	26	875	95	122	200	321	572	770	801
Male	9,364	341	67	40	20	19	487	55	57	103	153	326	461	498
Female	8,201	276	61	29	15	7	388	40	65	97	168	246	309	303
Black	16,274	559	110	58	29	23	779	86	111	174	288	533	723	744
Male	8,625	308	61	33	17	16	435	49	49	87	132	307	434	465
Female	7,649	251	49	25	12	7	344	37	62	87	156	226	289	279
Accidents and adverse effects (E800-E949)	100,704	981	978	853	718	600	4,130	2,244	2,622	10,537	13,045	9,959	7,537	5,210
Male	70,881	542	564	526	443	383	2,458	1,478	1,896	8,016	10,551	8,082	6,032	4,052
Female	29,823	439	414	327	275	217	1,672	766	726	2,521	2,494	1,877	1,505	1,158
White	86,432	689	737	660	523	432	3,041	1,682	2,130	9,546	11,554	8,565	6,320	4,331
Male	60,491	381	435	413	323	266	1,818	1,117	1,542	7,221	9,354	6,994	5,087	3,365
Female	25,941	308	302	247	200	166	1,223	565	588	2,325	2,200	1,571	1,233	966
All other	14,272	292	241	193	195	168	1,089	562	492	991	1,491	1,394	1,217	879
Male	10,390	161	129	113	120	117	640	361	354	795	1,197	1,088	945	687
Female	3,882	131	112	80	75	51	449	201	138	196	294	306	272	192
Black	12,310	259	210	174	166	155	966	491	422	784	1,219	1,161	1,009	759
Male	9,014	143	113	98	101	109	564	315	304	644	991	926	801	604
Female	3,296	116	97	76	67	46	402	176	118	140	228	235	208	155
Motor vehicle accidents (E810-E825)	51,385	220	282	274	231	249	1,256	1,183	1,392	7,948	9,415	6,519	4,597	3,028
Male	37,533	116	147	159	125	140	687	771	935	5,802	7,435	5,181	3,591	2,304
Female	13,852	104	135	115	106	109	569	412	457	2,146	1,980	1,338	1,006	724
White	45,424	182	223	222	172	199	998	921	1,215	7,397	8,509	5,765	3,994	2,606
Male	33,067	91	118	131	94	109	543	605	824	5,387	6,723	4,587	3,124	1,971
Female	12,357	91	105	91	78	90	455	316	391	2,010	1,786	1,178	870	635
All other	5,961	38	59	52	59	50	258	262	177	551	906	754	603	422
Male	4,466	25	29	28	31	31	144	166	111	415	712	594	467	333
Female	1,495	13	30	24	28	19	114	96	66	136	194	160	136	89
Black	4,809	27	48	44	46	47	212	224	146	391	714	601	481	340
Male	3,702	18	24	23	21	30	116	145	93	304	574	492	394	280
Female	1,107	9	24	21	25	17	96	79	53	87	140	109	87	60
All other accidents and adverse effects (E800-E807,E826 E949)	49,319	761	696	579	487	351	2,874	1,061	1,230	2,589	3,630	3,440	2,940	2,182
Male	33,348	426	417	367	318	243	1,771	707	961	2,214	3,116	2,901	2,441	1,748
Female	15,971	335	279	212	169	108	1,103	354	269	375	514	539	499	434
White	41,008	507	514	438	351	233	2,043	761	915	2,149	3,045	2,800	2,326	1,725
Male	27,424	290	317	282	229	157	1,275	512	718	1,834	2,631	2,407	1,963	1,394
Female	13,584	217	197	156	122	76	768	249	197	315	414	393	363	331
All other	8,311	254	182	141	136	118	831	300	315	440	585	640	614	457
Male	5,924	136	100	85	89	86	496	195	243	380	485	494	478	354
Female	2,387	118	82	56	47	32	335	105	72	60	100	146	136	103
Black	7,501	232	162	130	122	108	754	267	276	393	505	560	528	419
Male	5,312	125	89	75	80	79	448	170	211	340	417	434	407	324
Female	2,189	107	73	55	42	29	306	97	65	53	88	126	121	95
Suicide (E950-E959)	27,596	...	...	...	...	...	...	4	163	1,770	3,391	3,435	2,908	2,279
Male	20,809	...	...	...	...	...	...	4	115	1,413	2,788	2,677	2,229	1,659
Female	6,787	...	...	...	...	...	...	-	48	357	603	758	679	620
White	25,452	...	...	...	...	...	...	3	153	1,607	3,024	3,056	2,585	2,080
Male	19,166	...	...	...	...	...	...	3	110	1,288	2,487	2,373	1,988	1,510
Female	6,286	...	...	...	...	...	...	-	43	319	537	683	597	570
All other	2,144	...	...	...	...	...	...	1	10	163	367	379	323	199
Male	1,643	...	...	...	...	...	...	1	5	125	301	304	241	149
Female	501	...	...	...	...	...	...	-	5	38	66	75	82	50
Black	1,658	...	...	...	...	...	...	1	6	105	282	315	253	151
Male	1,315	...	...	...	...	...	...	1	4	81	235	260	197	119
Female	343	...	...	...	...	...	...	-	2	24	47	55	56	32
Homicide and legal intervention (E960-E978)	23,646	218	130	102	63	46	559	156	284	2,071	4,101	3,966	3,213	2,185
Male	18,572	106	72	55	30	26	289	88	159	1,612	3,276	3,261	2,622	1,796
Female	5,074	112	58	47	33	20	270	68	125	459	825	705	591	389
White	13,066	137	71	57	33	27	325	94	170	1,156	2,168	1,987	1,646	1,201
Male	9,941	69	36	26	13	15	159	50	82	864	1,711	1,597	1,326	976
Female	3,125	68	35	31	20	12	166	44	88	292	457	390	320	225
All other	10,580	81	59	45	30	19	234	62	114	915	1,933	1,979	1,567	984
Male	8,631	37	36	29	17	11	130	38	77	748	1,565	1,664	1,296	820
Female	1,949	44	23	16	13	8	104	24	37	167	368	315	271	164
Black	10,137	71	57	43	29	18	218	57	106	874	1,856	1,919	1,515	938
Male	8,312	33	36	28	16	10	123	35	71	714	1,517	1,617	1,260	790
Female	1,825	38	21	15	13	8	95	22	35	160	339	302	255	148

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Symptoms, signs, and ill-defined conditions (780-799)	626	843	1,202	1,522	1,980	2,303	2,629	2,452	2,445	1,970	1,309	510	177	63
Male	407	535	811	1,022	1,362	1,515	1,622	1,329	1,158	826	469	155	52	45
Female	219	308	391	500	618	788	1,007	1,123	1,287	1,144	840	355	125	18
White	417	553	871	1,108	1,527	1,788	2,054	1,906	1,947	1,663	1,118	417	116	45
Male	266	344	578	758	1,078	1,193	1,281	1,036	908	676	388	122	26	32
Female	151	209	293	350	449	595	773	870	1,039	987	730	295	90	13
All other	209	290	331	414	453	515	575	546	498	307	191	93	61	18
Male	141	191	233	264	284	322	341	293	250	150	81	33	26	13
Female	68	99	98	150	169	193	234	253	248	157	110	60	35	5
Black	196	269	316	392	431	486	550	516	471	296	178	90	55	18
Male	130	182	220	251	270	300	323	271	229	147	77	32	23	13
Female	66	87	96	141	161	186	227	245	242	149	101	58	32	5
All other diseases (Residual)	2,725	3,498	4,958	7,138	9,126	11,588	13,891	15,219	15,211	12,813	6,680	2,067	335	39
Male	1,614	2,026	2,954	4,115	5,203	6,546	7,466	7,502	6,603	4,852	2,160	589	76	21
Female	1,111	1,472	2,004	3,023	3,923	5,042	6,425	7,717	8,608	7,961	4,520	1,478	259	18
White	1,863	2,520	3,809	5,689	7,687	10,037	12,227	13,604	13,822	11,877	6,200	1,851	271	22
Male	1,099	1,448	2,277	3,260	4,400	5,697	6,598	6,726	5,968	4,458	1,978	522	60	12
Female	764	1,072	1,532	2,429	3,287	4,340	5,629	6,878	7,854	7,419	4,222	1,329	211	10
All other	862	978	1,149	1,449	1,439	1,551	1,664	1,615	1,389	936	480	216	64	17
Male	515	578	677	855	803	849	868	776	635	394	182	67	16	9
Female	347	400	472	594	636	702	796	839	754	542	298	149	48	8
Black	796	903	1,082	1,349	1,363	1,446	1,553	1,465	1,291	869	425	199	60	15
Male	480	535	643	799	759	788	807	689	573	361	154	58	14	7
Female	316	368	439	550	604	658	746	796	718	508	271	141	46	8
Accidents and adverse effects (E800-E949)	4,222	3,984	4,502	4,530	4,323	4,193	4,446	4,336	4,326	3,703	2,023	610	106	116
Male	3,218	2,984	3,332	3,232	3,022	2,763	2,643	2,402	2,046	1,577	761	199	33	104
Female	1,004	1,000	1,170	1,298	1,301	1,430	1,803	1,934	2,280	2,126	1,262	411	73	12
White	3,442	3,243	3,734	3,809	3,669	3,576	3,881	3,882	3,939	3,455	1,895	563	85	90
Male	2,607	2,409	2,748	2,685	2,545	2,328	2,265	2,123	1,839	1,452	707	181	23	81
Female	835	834	986	1,124	1,124	1,248	1,616	1,759	2,100	2,003	1,188	382	62	9
All other	780	741	768	721	654	617	565	454	387	248	128	47	21	26
Male	611	575	584	547	477	435	378	279	207	125	54	18	10	23
Female	169	166	184	174	177	182	187	175	180	123	74	29	11	3
Black	661	655	683	660	598	546	523	405	349	220	120	43	15	21
Male	523	518	524	501	437	382	348	248	184	110	50	14	8	18
Female	138	137	159	159	161	164	175	157	165	110	70	29	7	3
Motor vehicle accidents (E810-E825)	2,303	1,991	2,030	2,062	1,735	1,567	1,523	1,272	910	471	115	17	4	47
Male	1,717	1,465	1,456	1,417	1,142	1,007	911	757	540	289	72	11	1	42
Female	586	526	574	645	593	560	612	515	370	182	43	6	3	5
White	1,936	1,679	1,743	1,798	1,534	1,382	1,333	1,160	844	446	112	13	3	36
Male	1,430	1,219	1,242	1,220	994	868	771	675	501	272	70	8	–	33
Female	506	460	501	578	540	514	562	485	343	174	42	5	3	3
All other	367	312	287	264	201	185	190	112	66	25	3	4	1	11
Male	287	246	214	197	148	139	140	82	39	17	2	3	1	9
Female	80	66	73	67	53	46	50	30	27	8	1	1	–	2
Black	287	257	243	232	176	151	170	93	57	20	2	4	1	7
Male	229	209	188	176	131	116	125	70	35	14	2	3	1	5
Female	58	48	55	56	45	35	45	23	22	6	–	1	–	2
All other accidents and adverse effects (E800-E807,E826-E949)	1,919	1,993	2,472	2,468	2,588	2,626	2,923	3,064	3,416	3,232	1,908	593	102	69
Male	1,501	1,519	1,876	1,815	1,880	1,756	1,732	1,645	1,506	1,288	689	188	32	62
Female	418	474	596	653	708	870	1,191	1,419	1,910	1,944	1,219	405	70	7
White	1,506	1,564	1,991	2,011	2,135	2,194	2,548	2,722	3,095	3,009	1,783	550	82	54
Male	1,177	1,190	1,506	1,465	1,551	1,460	1,494	1,448	1,338	1,180	637	173	23	48
Female	329	374	485	546	584	734	1,054	1,274	1,757	1,829	1,146	377	59	6
All other	413	429	481	457	453	432	375	342	321	223	125	43	20	15
Male	324	329	370	350	329	296	238	197	168	108	52	15	9	14
Female	89	100	111	107	124	136	137	145	153	115	73	28	11	1
Black	374	398	440	428	422	395	353	312	292	200	118	39	14	14
Male	294	309	336	325	306	266	223	178	149	96	48	11	7	13
Female	80	89	104	103	116	129	130	134	143	104	70	28	7	1
Suicide (E950-E959)	1,928	1,752	1,877	1,989	1,600	1,389	1,185	910	577	300	97	19	1	22
Male	1,348	1,184	1,271	1,374	1,191	1,033	925	742	484	263	76	15	–	18
Female	580	568	606	615	409	356	260	168	93	37	21	4	1	4
White	1,779	1,632	1,795	1,882	1,531	1,333	1,142	872	558	293	91	16	1	19
Male	1,247	1,091	1,215	1,297	1,134	989	898	710	466	260	71	13	–	16
Female	532	541	580	585	397	344	244	162	92	33	20	3	1	3
All other	149	120	82	107	69	56	43	38	19	7	6	3	–	3
Male	101	93	56	77	57	44	27	32	18	3	5	2	–	2
Female	48	27	26	30	12	12	16	6	1	4	1	1	–	1
Black	110	94	63	85	55	43	36	33	14	5	3	1	–	3
Male	78	78	47	62	46	34	21	29	14	3	3	1	–	2
Female	32	16	16	23	9	9	15	4	–	2	–	–	–	1
Homicide and legal intervention (E960-E978)	1,632	1,392	1,156	918	643	445	320	265	156	79	30	15	2	58
Male	1,325	1,112	951	718	486	322	221	145	74	43	17	8	1	46
Female	307	280	205	200	157	123	99	120	82	36	13	7	1	12
White	933	795	695	552	405	278	214	183	120	65	23	13	1	42
Male	737	619	548	424	305	187	136	85	51	32	12	7	–	33
Female	196	176	147	128	100	91	78	98	69	33	11	6	1	9
All other	699	597	461	366	238	167	106	82	36	14	7	2	1	16
Male	588	493	403	294	181	135	85	60	23	11	5	1	1	13
Female	111	104	58	72	57	32	21	22	13	3	2	1	–	3
Black	661	565	438	353	230	161	97	80	35	14	4	2	1	13
Male	559	467	386	285	176	129	77	58	22	11	3	1	1	10
Female	102	98	52	68	54	32	20	22	13	3	1	1	–	3

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other external causes (E980-E999)	3,630	81	36	25	14	9	165	23	48	241	421	436	400	304
Male	2,549	36	16	13	10	8	83	13	35	186	317	337	310	216
Female	1,081	45	20	12	4	1	82	10	13	55	104	99	90	88
White	2,741	47	18	12	9	6	92	16	38	192	319	344	273	221
Male	1,907	22	8	6	8	5	49	8	27	153	234	262	215	151
Female	834	25	10	6	1	1	43	8	11	39	85	82	58	70
All other	889	34	18	13	5	3	73	7	10	49	102	92	127	83
Male	642	14	8	7	2	3	34	5	8	33	83	75	95	65
Female	247	20	10	6	3	-	39	2	2	16	19	17	32	18
Black	797	31	17	12	5	3	68	7	10	38	88	87	114	77
Male	583	13	7	6	2	3	31	5	8	27	74	73	83	61
Female	214	18	10	6	3	-	37	2	2	11	14	14	31	16

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All other external causes (E980-E999)	232	217	224	234	181	151	116	74	76	42	21	6	2	16
Male	159	142	153	148	114	105	76	51	46	25	13	5	1	14
Female	73	75	71	86	67	46	40	23	30	17	8	1	1	2
White	156	159	177	195	143	131	93	59	62	36	21	3	-	11
Male	105	103	117	117	90	91	60	42	37	22	13	2	-	9
Female	51	56	60	78	53	40	33	17	25	14	8	1	-	2
All other	76	58	47	39	38	20	23	15	14	6	-	3	2	5
Male	54	39	36	31	24	14	16	9	9	3	-	3	1	5
Female	22	19	11	8	14	6	7	6	5	3	-	-	1	-
Black	69	50	43	34	34	16	22	15	11	6	-	2	1	5
Male	50	34	34	28	22	11	15	9	7	3	-	2	1	5
Female	19	16	9	6	12	5	7	6	4	3	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA																								
All causes	19,456	428	74	140	586	671	787	1,790	3,396	5,307	4,430	1,845	15,956	371	71	63	203	257	416	920	1,960	3,491	4,564	3,638
White	14,092	217	36	81	404	383	508	1,274	2,513	3,903	3,359	1,414	11,444	187	36	36	130	148	251	610	1,376	2,430	3,414	2,826
All other	5,364	211	38	59	182	288	279	516	883	1,404	1,071	431	4,512	184	35	27	73	109	165	310	584	1,061	1,150	812
Black	5,353	209	38	59	181	288	278	516	881	1,401	1,071	431	4,504	183	35	26	73	107	165	308	584	1,061	1,149	811
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	2	1	-	-	-	-	-	-	-	1	-	8	4	1	-	-	-	-	-	-	1	-	2
White	2	-	1	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	-	-	-	-	-	2
All other	2	2	-	-	-	-	-	-	-	-	-	-	5	4	-	-	-	-	-	-	-	1	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	5	4	-	-	-	-	-	-	-	1	-	-
Tuberculosis (010-018)	55	-	-	-	-	2	6	6	5	12	18	6	22	-	-	-	1	-	-	2	2	7	7	3
White	25	-	-	-	-	-	-	2	3	7	9	4	11	-	-	-	-	-	-	-	-	4	4	3
All other	30	-	-	-	-	2	6	4	2	5	9	2	11	-	-	-	1	-	-	2	2	3	3	-
Black	30	-	-	-	-	2	6	4	2	5	9	2	11	-	-	-	1	-	-	2	2	3	3	-
Tuberculosis of respiratory system (010-012)	48	-	-	-	-	1	6	5	4	9	17	6	18	-	-	-	1	-	-	2	2	6	5	2
White	20	-	-	-	-	-	-	2	2	4	8	4	7	-	-	-	-	-	-	-	-	3	2	2
All other	28	-	-	-	-	1	6	3	2	5	9	2	11	-	-	-	1	-	-	2	2	3	3	-
Black	28	-	-	-	-	1	6	3	2	5	9	2	11	-	-	-	1	-	-	2	2	3	3	-
Other tuberculosis (013-018)	7	-	-	-	-	1	-	1	1	3	1	-	4	-	-	-	-	-	-	-	-	1	2	1
White	5	-	-	-	-	-	-	-	1	3	1	-	4	-	-	-	-	-	-	-	-	1	2	1
All other	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	-	-	1	1	-	-	-	-	-	3	-	2	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Septicemia (038)	76	4	-	-	-	1	3	6	8	20	20	14	92	5	1	-	-	2	-	7	14	23	23	17
White	55	1	-	-	-	1	3	5	5	16	17	7	50	2	1	-	-	2	-	6	7	11	15	6
All other	21	3	-	-	-	-	-	1	3	4	3	7	42	3	-	-	-	-	-	1	7	12	8	11
Black	20	2	-	-	-	-	-	1	3	4	3	7	42	3	-	-	-	-	-	1	7	12	8	11
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	-	-	-	1	-	-	1	2	-	-	-	9	-	-	-	1	-	2	-	1	3	2	-
White	3	-	-	-	-	-	-	1	2	-	-	-	7	-	-	-	-	-	2	-	1	3	1	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-
Syphilis (090-097)	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	51	3	1	-	2	3	2	6	13	12	6	3	38	-	-	1	1	3	3	5	4	8	7	6
White	32	2	1	-	-	1	-	5	6	10	5	2	26	-	-	1	1	1	2	2	2	6	6	5
All other	19	1	-	-	2	2	2	1	7	2	1	1	12	-	-	-	-	2	1	3	2	2	1	1
Black	19	1	-	-	2	2	2	1	7	2	1	1	12	-	-	-	-	2	1	3	2	2	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,046	-	9	18	15	41	99	435	931	1,400	870	228	3,130	1	2	10	16	40	150	331	689	866	683	342
White	3,023	-	7	9	11	35	80	334	721	1,009	644	173	2,342	-	1	8	9	31	104	251	511	635	523	269
All other	1,023	-	2	9	4	6	19	101	210	391	226	55	788	1	1	2	7	9	46	80	178	231	160	73
Black	1,023	-	2	9	4	6	19	101	210	391	226	55	788	1	1	2	7	9	46	80	178	231	160	73

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	99	-	-	-	-	1	5	14	29	27	18	5	42	-	-	-	-	-	1	4	12	6	10	9
White	73	-	-	-	-	1	3	10	18	20	16	5	36	-	-	-	-	-	1	3	10	5	9	8
All other	26	-	-	-	-	-	2	4	11	7	2	-	6	-	-	-	-	-	-	1	2	1	1	1
Black	26	-	-	-	-	-	2	4	11	7	2	-	6	-	-	-	-	-	-	1	2	1	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	868	-	-	-	2	8	23	67	177	329	204	58	845	-	-	-	1	4	27	45	141	252	248	127
White	606	-	-	-	1	6	18	47	133	208	148	45	602	-	-	-	1	3	14	32	100	165	188	99
All other	262	-	-	-	1	2	5	20	44	121	56	13	243	-	-	-	-	1	13	13	41	87	60	28
Black	262	-	-	-	1	2	5	20	44	121	56	13	243	-	-	-	-	1	13	13	41	87	60	28
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,539	-	-	-	-	3	27	224	460	549	239	37	456	-	-	-	1	-	19	72	140	134	71	19
White	1,217	-	-	-	-	3	22	172	363	434	192	31	372	-	-	-	-	-	15	60	107	116	60	14
All other	322	-	-	-	-	-	5	52	97	115	47	6	84	-	-	-	1	-	4	12	33	18	11	5
Black	322	-	-	-	-	-	5	52	97	115	47	6	84	-	-	-	1	-	4	12	33	18	11	5
Malignant neoplasm of breast (174-175)	7	-	-	-	-	-	1	1	-	2	2	1	518	-	-	-	-	8	39	92	138	112	97	32
White	5	-	-	-	-	-	1	-	-	2	1	1	398	-	-	-	-	6	28	74	106	93	68	23
All other	2	-	-	-	-	-	-	1	-	-	1	-	120	-	-	-	-	2	11	18	32	19	29	9
Black	2	-	-	-	-	-	-	1	-	-	1	-	120	-	-	-	-	2	11	18	32	19	29	9
Malignant neoplasms of genital organs (179-187)	447	-	-	-	-	1	1	8	41	153	183	60	427	-	-	-	3	11	20	50	103	134	68	38
White	260	-	-	-	-	1	-	3	24	84	107	41	301	-	-	-	2	8	15	31	74	91	51	29
All other	187	-	-	-	-	-	1	5	17	69	76	19	126	-	-	-	1	3	5	19	29	43	17	9
Black	187	-	-	-	-	-	1	5	17	69	76	19	126	-	-	-	1	3	5	19	29	43	17	9
Malignant neoplasms of urinary organs (188-189)	167	-	-	-	-	1	4	5	37	60	44	16	106	-	-	1	1	1	2	7	13	39	31	11
White	135	-	-	-	-	1	4	4	32	46	34	14	79	-	-	1	1	1	2	6	8	29	21	10
All other	32	-	-	-	-	-	-	1	5	14	10	2	27	-	-	-	-	-	-	1	5	10	10	1
Black	32	-	-	-	-	-	-	1	5	14	10	2	27	-	-	-	-	-	-	1	5	10	10	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	548	-	6	11	7	12	29	82	129	148	93	31	447	-	1	6	2	5	31	38	96	107	95	66
White	437	-	6	5	5	10	26	67	106	112	77	23	333	-	1	5	1	4	24	29	70	71	73	55
All other	111	-	-	6	2	2	3	15	23	36	16	8	114	-	-	1	1	1	7	9	26	36	22	11
Black	111	-	-	6	2	2	3	15	23	36	16	8	114	-	-	1	1	1	7	9	26	36	22	11
Leukemia (204-208)	175	-	3	6	3	7	5	11	20	71	39	10	106	1	1	3	4	6	7	7	10	27	21	19
White	140	-	1	4	3	6	3	11	14	61	30	7	76	-	-	2	1	5	3	6	9	17	17	16
All other	35	-	2	2	-	1	2	-	6	10	9	3	30	1	1	1	3	1	4	1	1	10	4	3
Black	35	-	2	2	-	1	2	-	6	10	9	3	30	1	1	1	3	1	4	1	1	10	4	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	196	-	-	1	3	8	4	23	38	61	48	10	183	-	-	-	4	5	4	16	36	55	42	21
White	150	-	-	-	2	7	3	20	31	42	39	6	145	-	-	-	3	4	2	10	27	48	36	15
All other	46	-	-	1	1	1	1	3	7	19	9	4	38	-	-	-	1	1	2	6	9	7	6	6
Black	46	-	-	1	1	1	1	3	7	19	9	4	38	-	-	-	1	1	2	6	9	7	6	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	30	1	1	-	-	1	1	2	7	9	6	2	60	-	-	-	2	1	7	4	7	23	12	4
White	24	-	-	-	-	1	1	2	6	8	4	2	41	-	-	-	-	-	3	3	4	17	10	4
All other	6	1	1	-	-	-	-	-	1	1	2	-	19	-	-	-	2	1	4	1	3	6	2	-
Black	6	1	1	-	-	-	-	-	1	1	2	-	19	-	-	-	2	1	4	1	3	6	2	-
Diabetes mellitus (250)	221	-	-	1	2	4	9	17	43	81	53	11	406	-	-	-	5	3	5	18	55	112	145	63
White	157	-	-	1	1	1	7	13	29	54	42	9	235	-	-	-	2	3	3	8	24	57	94	44
All other	64	-	-	-	1	3	2	4	14	27	11	2	171	-	-	-	3	-	2	10	31	55	51	19
Black	63	-	-	-	1	3	2	4	14	26	11	2	171	-	-	-	3	-	2	10	31	55	51	19
Nutritional deficiencies (260-269)	12	-	-	-	-	-	-	1	-	2	6	3	25	-	-	-	-	-	1	-	1	4	5	14
White	5	-	-	-	-	-	-	-	-	1	3	1	13	-	-	-	-	-	1	-	1	1	4	6
All other	7	-	-	-	-	-	-	1	-	1	3	2	12	-	-	-	-	-	-	-	-	3	1	8
Black	7	-	-	-	-	-	-	1	-	1	3	2	12	-	-	-	-	-	-	-	-	3	1	8
Anemias (280-285)	36	-	-	1	2	1	4	2	3	10	10	3	56	-	1	1	2	2	4	2	1	17	17	9
White	17	-	-	-	-	-	2	-	1	5	7	2	38	-	-	-	1	1	1	-	-	11	17	7
All other	19	-	-	1	2	1	2	2	2	5	3	1	18	-	1	1	1	1	3	2	1	6	-	2
Black	19	-	-	1	2	1	2	2	2	5	3	1	18	-	1	1	1	1	3	2	1	6	-	2
Meningitis (320-322)	22	12	-	1	1	1	1	-	2	-	2	1	14	6	1	1	-	-	-	1	2	2	-	1
White	10	5	-	1	1	-	1	-	1	-	1	-	5	2	-	1	-	-	-	-	1	1	-	-
All other	12	7	-	-	-	1	-	-	1	-	1	1	9	4	1	-	-	-	-	1	1	1	-	1
Black	12	7	-	-	-	1	-	-	1	-	1	1	9	4	1	-	-	-	-	1	1	1	-	1
Major cardiovascular diseases (390-448)	8,393	15	4	7	22	58	202	682	1,434	2,505	2,388	1,076	8,003	9	3	1	8	35	81	280	712	1,705	2,726	2,441
White	6,386	12	3	6	10	32	136	491	1,078	1,900	1,855	863	5,885	6	3	1	3	14	46	166	472	1,180	2,059	1,935
All other	2,007	3	1	1	12	26	66	191	356	605	533	213	2,118	3	-	-	5	21	35	114	240	525	667	506
Black	2,002	3	1	1	12	25	66	191	354	603	533	213	2,116	3	-	-	5	21	35	114	240	525	666	505

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Diseases of heart (390-398,402,404-429)	6,494	13	4	5	19	47	170	579	1,204	1,973	1,740	740	5,562	7	3	1	6	25	57	206	544	1,240	1,874	1,598
White	5,100	10	3	4	8	26	118	443	941	1,551	1,397	599	4,211	6	3	1	1	9	33	130	378	911	1,447	1,292
All other	1,394	3	1	1	11	21	52	136	263	422	343	141	1,351	1	-	-	5	16	24	76	166	329	427	306
Black	1,389	3	1	1	11	20	52	136	261	420	343	141	1,350	1	-	-	5	16	24	76	166	329	427	306
Rheumatic fever and rheumatic heart disease (390-398)	23	-	-	-	1	3	-	2	4	9	4	-	45	-	-	-	-	1	-	9	9	13	11	2
White	16	-	-	-	-	1	-	2	3	7	3	-	32	-	-	-	-	-	-	3	7	11	9	2
All other	7	-	-	-	1	2	-	-	1	2	1	-	13	-	-	-	-	1	-	6	2	2	2	-
Black	7	-	-	-	1	2	-	-	1	2	1	-	13	-	-	-	-	1	-	6	2	2	2	-
Hypertensive heart disease (402)	158	-	-	-	-	3	3	17	31	44	42	18	240	-	-	-	-	2	3	10	27	59	82	57
White	85	-	-	-	-	1	1	5	14	24	29	11	137	-	-	-	-	1	1	3	15	28	49	40
All other	73	-	-	-	-	2	2	12	17	20	13	7	103	-	-	-	-	1	2	7	12	31	33	17
Black	73	-	-	-	-	2	2	12	17	20	13	7	103	-	-	-	-	1	2	7	12	31	33	17
Hypertensive heart and renal disease (404)	38	-	-	-	-	-	1	2	5	12	13	5	55	-	-	-	-	-	-	3	5	14	24	9
White	19	-	-	-	-	-	-	1	4	3	7	4	29	-	-	-	-	-	-	1	1	4	16	7
All other	19	-	-	-	-	-	1	1	1	9	6	1	26	-	-	-	-	-	-	2	4	10	8	2
Black	19	-	-	-	-	-	1	1	1	9	6	1	26	-	-	-	-	-	-	2	4	10	8	2
Ischemic heart disease (410-414)	4,762	-	-	-	2	19	126	444	943	1,497	1,252	479	3,656	-	-	-	2	4	29	125	378	865	1,233	1,020
White	3,917	-	-	-	1	13	91	360	777	1,230	1,047	398	2,907	-	-	-	-	3	19	86	274	674	1,003	848
All other	845	-	-	-	1	6	35	84	166	267	205	81	749	-	-	-	2	1	10	39	104	191	230	172
Black	841	-	-	-	1	5	35	84	164	266	205	81	748	-	-	-	2	1	10	39	104	191	230	171
Acute myocardial infarction (410)	3,346	-	-	-	1	12	104	355	742	1,074	814	244	2,220	-	-	-	1	4	22	95	288	627	716	467
White	2,762	-	-	-	1	8	78	289	609	890	674	213	1,734	-	-	-	-	3	14	69	213	488	569	378
All other	584	-	-	-	-	4	26	66	133	184	140	31	486	-	-	-	1	1	8	26	75	139	147	89
Black	580	-	-	-	-	3	26	66	131	183	140	31	486	-	-	-	1	1	8	26	75	139	147	89
Other acute and subacute forms of ischemic heart disease (411)	54	-	-	-	-	-	1	5	11	23	11	3	30	-	-	-	-	-	-	1	1	9	15	4
White	31	-	-	-	-	-	-	1	3	15	9	3	21	-	-	-	-	-	-	1	-	7	10	3
All other	23	-	-	-	-	-	1	4	8	8	2	-	9	-	-	-	-	-	-	-	1	2	5	1
Black	23	-	-	-	-	-	1	4	8	8	2	-	9	-	-	-	-	-	-	-	1	2	5	1
Angina pectoris (413)	3	-	-	-	-	-	-	-	1	-	1	1	9	-	-	-	-	-	-	-	1	2	3	3
White	3	-	-	-	-	-	-	-	1	-	1	1	8	-	-	-	-	-	-	-	1	2	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,359	-	-	-	1	7	21	84	189	400	426	231	1,397	-	-	-	1	-	7	29	88	227	499	546
White	1,121	-	-	-	-	5	13	70	164	325	363	181	1,144	-	-	-	-	-	5	16	60	177	422	464
All other	238	-	-	-	1	2	8	14	25	75	63	50	253	-	-	-	1	-	2	13	28	50	77	82
Black	238	-	-	-	1	2	8	14	25	75	63	50	252	-	-	-	1	-	2	13	28	50	77	81
Other diseases of endocardium (424)	58	-	-	1	1	-	1	6	5	16	26	2	48	-	-	-	-	2	1	1	4	9	21	10
White	41	-	-	1	1	-	1	3	4	12	18	1	28	-	-	-	-	1	-	-	3	5	14	5
All other	17	-	-	-	-	-	-	3	1	4	8	1	20	-	-	-	-	1	1	1	1	4	7	5
Black	17	-	-	-	-	-	-	3	1	4	8	1	20	-	-	-	-	1	1	1	1	4	7	5
All other forms of heart disease (415-423,425-429)	1,455	13	4	4	15	22	39	108	216	395	403	236	1,518	7	3	1	4	16	24	58	121	260	503	500
White	1,022	10	3	3	6	11	25	72	139	275	293	185	1,078	6	3	1	1	4	13	37	78	169	356	390
All other	433	3	1	1	9	11	14	36	77	120	110	51	440	1	-	-	3	12	11	21	43	91	147	110
Black	432	3	1	1	9	11	14	36	77	119	110	51	440	1	-	-	3	12	11	21	43	91	147	110
Hypertension with or without renal disease (401,403)	78	-	-	-	-	2	1	7	18	23	20	7	109	-	-	-	-	1	2	6	16	32	26	26
White	36	-	-	-	-	2	-	3	6	14	8	3	44	-	-	-	-	-	-	1	6	15	12	10
All other	42	-	-	-	-	-	1	4	12	9	12	4	65	-	-	-	-	1	2	5	10	17	14	16
Black	42	-	-	-	-	-	1	4	12	9	12	4	65	-	-	-	-	1	2	5	10	17	14	16
Cerebrovascular diseases (430-438)	1,456	2	-	2	2	8	25	81	163	395	509	269	1,989	2	-	-	2	9	20	61	138	384	712	661
White	974	2	-	2	2	4	15	37	96	248	355	213	1,363	-	-	-	2	5	11	29	77	219	516	504
All other	482	-	-	-	-	4	10	44	67	147	154	56	626	2	-	-	-	4	9	32	61	165	196	157
Black	482	-	-	-	-	4	10	44	67	147	154	56	625	2	-	-	-	4	9	32	61	165	195	157
Intracerebral and other intracranial hemorrhage (431-432)	189	1	-	1	1	2	11	24	42	49	39	19	231	2	-	-	1	3	8	22	35	52	72	36
White	110	1	-	1	1	-	4	7	26	28	28	14	147	-	-	-	1	1	3	7	24	30	58	23
All other	79	-	-	-	-	2	7	17	16	21	11	5	84	2	-	-	-	2	5	15	11	22	14	13
Black	79	-	-	-	-	2	7	17	16	21	11	5	84	2	-	-	-	2	5	15	11	22	14	13
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	252	-	-	-	-	1	1	7	17	77	89	60	383	-	-	-	-	2	-	4	14	80	125	158
White	175	-	-	-	-	1	1	2	8	47	64	52	289	-	-	-	-	2	-	1	9	55	96	126
All other	77	-	-	-	-	-	-	5	9	30	25	8	94	-	-	-	-	-	-	3	5	25	29	32
Black	77	-	-	-	-	-	-	5	9	30	25	8	94	-	-	-	-	-	-	3	5	25	29	32

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Cerebral embolism (434.1)	8	-	-	-	-	1	1	-	1	2	3	-	5	-	-	-	-	-	-	-	-	1	4	-
White	5	-	-	-	-	-	1	-	-	1	3	-	4	-	-	-	-	-	-	-	-	1	3	-
All other	3	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,007	1	-	1	1	4	12	50	103	267	378	190	1,370	-	-	-	1	4	12	35	89	251	511	467
White	684	1	-	1	1	3	9	28	62	172	260	147	923	-	-	-	1	2	8	21	44	133	359	355
All other	323	-	-	-	-	1	3	22	41	95	118	43	447	-	-	-	-	2	4	14	45	118	152	112
Black	323	-	-	-	-	1	3	22	41	95	118	43	446	-	-	-	-	2	4	14	45	118	151	112
Atherosclerosis (440)	151	-	-	-	-	-	1	2	7	39	54	48	232	-	-	-	-	-	1	2	3	20	76	129
White	114	-	-	-	-	-	-	-	6	27	41	40	176	-	-	-	-	-	1	2	2	13	51	107
All other	37	-	-	-	-	-	1	2	1	12	13	8	56	-	-	-	-	-	-	-	1	7	25	22
Black	37	-	-	-	-	-	1	2	1	12	13	8	56	-	-	-	-	-	-	-	1	7	25	22
Other diseases of arteries, arterioles, and capillaries (441-448)	214	-	-	-	1	1	5	13	42	75	65	12	111	-	-	-	-	-	1	5	11	29	38	27
White	162	-	-	-	-	-	3	8	29	60	54	8	91	-	-	-	-	-	1	4	9	22	33	22
All other	52	-	-	-	1	1	2	5	13	15	11	4	20	-	-	-	-	-	-	1	2	7	5	5
Black	52	-	-	-	1	1	2	5	13	15	11	4	20	-	-	-	-	-	-	1	2	7	5	5
Acute bronchitis and bronchiolitis (466)	7	2	-	-	-	-	-	-	1	2	-	2	3	1	-	-	-	-	-	1	1	-	-	-
White	5	-	-	-	-	-	-	-	1	2	-	2	2	-	-	-	-	-	-	1	1	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	386	6	-	-	4	7	10	19	46	77	128	89	396	6	2	2	5	5	9	10	19	50	135	153
White	261	1	-	-	3	4	5	12	24	40	97	75	312	3	1	2	4	-	5	8	16	36	104	133
All other	125	5	-	-	1	3	5	7	22	37	31	14	84	3	1	-	1	5	4	2	3	14	31	20
Black	125	5	-	-	1	3	5	7	22	37	31	14	84	3	1	-	1	5	4	2	3	14	31	20
Pneumonia (480-486)	374	6	-	-	3	7	10	19	45	76	125	83	367	6	2	2	4	5	9	9	16	48	125	141
White	250	1	-	-	2	4	5	12	24	39	94	69	285	3	1	2	3	-	5	7	13	35	95	121
All other	124	5	-	-	1	3	5	7	21	37	31	14	82	3	1	-	1	5	4	2	3	13	30	20
Black	124	5	-	-	1	3	5	7	21	37	31	14	82	3	1	-	1	5	4	2	3	13	30	20
Influenza (487)	12	-	-	-	1	-	-	-	1	1	3	6	29	-	-	-	1	-	-	1	3	2	10	12
White	11	-	-	-	1	-	-	-	-	1	3	6	27	-	-	-	1	-	-	1	3	1	9	12
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	734	1	-	-	1	1	4	29	122	289	220	67	270	-	-	2	-	3	2	16	63	79	74	31
White	621	-	-	-	1	1	4	22	94	255	185	59	244	-	-	-	-	3	1	15	55	75	66	29
All other	113	1	-	-	-	-	-	7	28	34	35	8	26	-	-	2	-	-	1	1	8	4	8	2
Black	113	1	-	-	-	-	-	7	28	34	35	8	26	-	-	2	-	-	1	1	8	4	8	2
Bronchitis, chronic and unspecified (490-491)	33	1	-	-	-	-	1	2	7	9	10	3	17	-	-	-	-	-	-	1	4	3	6	3
White	31	-	-	-	-	-	1	1	7	9	10	3	17	-	-	-	-	-	-	1	4	3	6	3
All other	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	185	-	-	-	-	-	-	6	32	82	47	18	45	-	-	-	-	-	-	5	12	13	10	5
White	166	-	-	-	-	-	-	5	27	74	44	16	43	-	-	-	-	-	-	5	11	13	9	5
All other	19	-	-	-	-	-	-	1	5	8	3	2	2	-	-	-	-	-	-	-	1	-	1	-
Black	19	-	-	-	-	-	-	1	5	8	3	2	2	-	-	-	-	-	-	-	1	-	1	-
Asthma (493)	17	-	-	-	1	-	-	2	4	6	2	2	23	-	-	2	-	3	-	1	4	7	3	3
White	8	-	-	-	1	-	-	1	2	3	-	1	17	-	-	-	-	3	-	1	3	6	1	3
All other	9	-	-	-	-	-	-	1	2	3	2	1	6	-	-	2	-	-	-	-	1	1	2	-
Black	9	-	-	-	-	-	-	1	2	3	2	1	6	-	-	2	-	-	-	-	1	1	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	499	-	-	-	-	1	3	19	79	192	161	44	185	-	-	-	-	-	2	9	43	56	55	20
White	416	-	-	-	-	1	3	15	58	169	131	39	167	-	-	-	-	-	1	8	37	53	50	18
All other	83	-	-	-	-	-	-	4	21	23	30	5	18	-	-	-	-	-	1	1	6	3	5	2
Black	83	-	-	-	-	-	-	4	21	23	30	5	18	-	-	-	-	-	1	1	6	3	5	2
Ulcer of stomach and duodenum (531-533)	58	-	-	-	1	1	3	4	13	15	13	8	38	-	-	-	-	-	1	1	4	10	14	8
White	46	-	-	-	1	-	2	3	10	11	12	7	28	-	-	-	-	-	1	1	4	7	10	5
All other	12	-	-	-	-	1	1	1	3	4	1	1	10	-	-	-	-	-	-	-	-	3	4	3
Black	12	-	-	-	-	1	1	1	3	4	1	1	10	-	-	-	-	-	-	-	-	3	4	3
Appendicitis (540-543)	7	-	-	1	-	-	1	-	1	2	1	1	7	-	-	1	-	-	-	-	1	1	3	1
White	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	1	-	-	-	-	1	1	2	-
All other	7	-	-	1	-	-	1	-	1	2	1	1	2	-	-	-	-	-	-	-	-	-	1	1
Black	7	-	-	1	-	-	1	-	1	2	1	1	2	-	-	-	-	-	-	-	-	-	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	47	1	1	-	1	-	2	2	6	8	12	14	56	-	1	-	-	-	-	6	4	12	22	11
White	25	1	-	-	-	-	1	2	4	2	6	9	39	-	-	-	-	-	-	4	3	8	16	8
All other	22	-	1	-	1	-	1	-	2	6	6	5	17	-	1	-	-	-	-	2	1	4	6	3
Black	22	-	1	-	1	-	1	-	2	6	6	5	17	-	1	-	-	-	-	2	1	4	6	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Chronic liver disease and cirrhosis (571)	255	-	1	-	2	13	12	59	75	65	26	2	139	-	-	-	2	2	16	20	39	37	18	5
White	203	-	-	-	1	6	8	47	60	56	23	2	106	-	-	-	1	-	7	16	33	28	17	4
All other	52	-	1	-	1	7	4	12	15	9	3	-	33	-	-	-	1	2	9	4	6	9	1	1
Black	52	-	1	-	1	7	4	12	15	9	3	-	32	-	-	-	1	2	9	3	6	9	1	1
Cholelithiasis and other disorders of gallbladder (574-575)	24	-	-	-	-	-	-	4	1	7	8	4	31	-	-	-	2	-	-	-	2	6	13	8
White	20	-	-	-	-	-	-	3	1	7	7	2	24	-	-	-	2	-	-	-	2	3	10	7
All other	4	-	-	-	-	-	-	1	-	-	1	2	7	-	-	-	-	-	-	-	-	3	3	1
Black	4	-	-	-	-	-	-	1	-	-	1	2	7	-	-	-	-	-	-	-	-	3	3	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	170	1	-	1	2	3	3	9	17	49	50	35	143	2	-	-	-	2	3	4	17	33	51	31
White	99	-	-	1	2	2	1	6	8	25	31	23	75	1	-	-	-	1	1	1	4	15	28	24
All other	71	1	-	-	-	1	2	3	9	24	19	12	68	1	-	-	-	1	2	3	13	18	23	7
Black	71	1	-	-	-	1	2	3	9	24	19	12	68	1	-	-	-	1	2	3	13	18	23	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	21	-	-	-	-	-	-	-	1	9	8	3	11	-	-	-	-	-	-	-	3	1	4	3
White	14	-	-	-	-	-	-	-	1	5	6	2	7	-	-	-	-	-	-	-	2	-	3	2
All other	7	-	-	-	-	-	-	-	-	4	2	1	4	-	-	-	-	-	-	-	1	1	1	1
Black	7	-	-	-	-	-	-	-	-	4	2	1	4	-	-	-	-	-	-	-	1	1	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	148	1	-	1	2	3	3	9	16	40	41	32	130	2	-	-	-	2	3	4	14	31	46	28
White	85	-	-	1	2	2	1	6	7	20	25	21	67	1	-	-	-	1	1	1	2	14	25	22
All other	63	1	-	-	-	1	2	3	9	20	16	11	63	1	-	-	-	1	2	3	12	17	21	6
Black	63	1	-	-	-	1	2	3	9	20	16	11	63	1	-	-	-	1	2	3	12	17	21	6
Infections of kidney (590)	23	-	-	-	-	-	-	1	-	5	13	4	54	-	-	-	-	-	1	4	1	6	27	15
White	14	-	-	-	-	-	-	-	-	3	9	2	36	-	-	-	-	-	1	1	1	3	19	11
All other	9	-	-	-	-	-	-	1	-	2	4	2	18	-	-	-	-	-	-	3	-	3	8	4
Black	9	-	-	-	-	-	-	1	-	2	4	2	18	-	-	-	-	-	-	3	-	3	8	4
Hyperplasia of prostate (600)	23	-	-	-	-	-	-	-	1	9	6	7	...	...	...	...	...	...	...	...	...	...	...	...
White	14	-	-	-	-	-	-	-	-	5	4	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	9	-	-	-	-	-	-	-	1	4	2	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	9	-	-	-	-	-	-	-	1	4	2	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	2	4	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
Congenital anomalies (740-759)	126	81	9	7	3	7	3	3	6	4	1	2	129	95	12	4	3	1	2	2	4	4	-	2
White	90	59	7	5	3	5	3	2	2	3	1	-	81	59	7	1	2	1	1	2	4	2	-	2
All other	36	22	2	2	-	2	-	1	4	1	-	2	48	36	5	3	1	-	1	-	-	2	-	-
Black	36	22	2	2	-	2	-	1	4	1	-	2	47	35	5	3	1	-	1	-	-	2	-	-
Certain conditions originating in the perinatal period (760-779)	209	207	1	1	-	-	-	-	-	-	-	-	169	168	-	1	-	-	-	-	-	-	-	-
White	96	95	-	1	-	-	-	-	-	-	-	-	74	74	-	-	-	-	-	-	-	-	-	-
All other	113	112	1	-	-	-	-	-	-	-	-	-	95	94	-	1	-	-	-	-	-	-	-	-
Black	112	111	1	-	-	-	-	-	-	-	-	-	95	94	-	1	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	65	65	-	-	-	-	-	-	-	-	-	-	57	56	-	1	-	-	-	-	-	-	-	-
White	34	34	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
All other	31	31	-	-	-	-	-	-	-	-	-	-	30	29	-	1	-	-	-	-	-	-	-	-
Black	31	31	-	-	-	-	-	-	-	-	-	-	30	29	-	1	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	144	142	1	1	-	-	-	-	-	-	-	-	112	112	-	-	-	-	-	-	-	-	-	-
White	62	61	-	1	-	-	-	-	-	-	-	-	47	47	-	-	-	-	-	-	-	-	-	-
All other	82	81	1	-	-	-	-	-	-	-	-	-	65	65	-	-	-	-	-	-	-	-	-	-
Black	81	80	1	-	-	-	-	-	-	-	-	-	65	65	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1,036	55	1	3	6	25	34	113	222	272	191	114	705	50	3	2	3	13	18	52	76	145	180	163
White	612	21	-	1	2	12	18	71	144	167	118	58	385	27	1	1	1	7	6	24	46	83	101	88
All other	424	34	1	2	4	13	16	42	78	105	73	56	320	23	2	1	2	6	12	28	30	62	79	75
Black	423	34	1	2	4	12	16	42	78	105	73	56	320	23	2	1	2	6	12	28	30	62	79	75
All other diseases (Residual)	1,033	20	12	17	14	25	54	99	176	254	254	107	1,113	10	11	7	21	35	37	74	127	241	315	235
White	690	9	6	10	11	7	29	56	121	181	185	75	769	8	4	5	7	13	16	41	92	174	237	172
All other	343	11	6	7	3	18	25	43	55	73	69	32	344	2	7	2	14	22	21	33	35	67	78	63
Black	343	11	6	7	3	18	25	43	55	73	69	32	344	2	7	2	14	22	21	33	35	67	78	63
Accidents and adverse effects (E800-E949)	1,546	12	27	76	354	270	191	169	174	139	99	35	610	12	29	27	92	62	40	48	77	79	74	70
White	1,091	9	10	44	268	193	127	120	127	93	74	26	451	5	14	14	75	45	28	34	57	55	63	61
All other	455	3	17	32	86	77	64	49	47	46	25	9	159	7	15	13	17	17	12	14	20	24	11	9
Black	454	3	17	32	85	77	64	49	47	46	25	9	155	7	15	12	17	15	12	13	20	24	11	9
Motor vehicle accidents (E810-E825)	611	3	5	31	247	176	101	86	81	50	29	2	291	1	15	16	73	47	27	30	41	27	13	1
White	404	2	3	18	200	127	72	62	62	36	20	2	230	1	8	10	62	37	21	24	32	22	12	1
All other	207	1	2	13	47	49	29	24	19	14	9	-	61	-	7	6	11	10	6	6	9	5	1	-
Black	206	1	2	13	46	49	29	24	19	14	9	-	57	-	7	5	11	8	6	5	9	5	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	735	9	22	45	107	94	90	83	93	89	70	33	319	11	14	11	19	15	13	18	36	52	61	69
White	487	7	7	26	68	66	55	58	65	57	54	24	221	4	6	4	13	8	7	10	25	33	51	60
All other	248	2	15	19	39	28	35	25	28	32	16	9	98	7	8	7	6	7	6	8	11	19	10	9
Black	248	2	15	19	39	28	35	25	28	32	16	9	98	7	8	7	6	7	6	8	11	19	10	9
Suicide (E950-E959)	302	...	...	2	54	45	50	48	48	34	18	5	91	...	...	-	10	16	11	20	21	12	-	1
White	264	...	...	2	48	37	44	40	43	30	15	5	84	...	...	-	8	12	11	20	21	11	-	1
All other	38	...	...	-	6	8	6	8	5	4	3	-	7	...	...	-	2	4	-	-	-	1	-	-
Black	38	...	...	-	6	8	6	8	5	4	3	-	7	...	...	-	2	4	-	-	-	1	-	-
Homicide and legal intervention (E960-E978)	450	2	5	4	84	145	83	64	34	19	8	2	108	2	1	3	25	25	21	12	9	2	8	-
White	164	1	1	-	33	36	29	31	18	10	4	1	54	-	1	1	11	11	10	6	8	1	5	-
All other	286	1	4	4	51	109	54	33	16	9	4	1	54	2	-	2	14	14	11	6	1	1	3	-
Black	285	1	4	4	51	109	53	33	16	9	4	1	54	2	-	2	14	14	11	6	1	1	3	-
All other external causes (E980-E999)	65	3	1	-	15	16	9	11	5	5	-	-	20	-	1	-	2	3	1	-	6	3	3	1
White	37	1	-	-	8	9	6	6	4	3	-	-	14	-	1	-	2	1	1	-	4	2	3	-
All other	28	2	1	-	7	7	3	5	1	2	-	-	6	-	-	-	-	2	-	-	2	1	-	1
Black	28	2	1	-	7	7	3	5	1	2	-	-	6	-	-	-	-	2	-	-	2	1	-	1
ALASKA																								
All causes	1,121	72	16	30	121	147	107	116	185	166	101	56	602	56	12	13	38	47	35	66	89	103	84	59
White	757	48	6	20	74	95	73	79	143	122	62	33	410	31	8	8	19	27	22	47	62	76	61	49
All other	364	24	10	10	47	52	34	37	42	44	39	23	192	25	4	5	19	20	13	19	27	27	23	10
Black	30	7	-	-	4	1	4	3	3	3	4	-	14	4	-	1	1	1	-	-	2	2	2	1
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	2	-	-	-	-	-	-	1	-	-	1	-	4	-	-	-	-	-	1	1	-	-	-	2
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	1	-	-	-	-	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	3	1	-	1	-	-	-	-	1	-	-	-	3	1	-	-	-	1	1	-	-	-	-	-
White	2	1	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	166	1	-	2	-	5	13	16	60	47	18	4	126	-	-	1	4	5	5	25	28	31	23	4
White	121	1	-	2	-	3	10	11	49	33	9	3	102	-	-	-	1	2	4	22	25	27	17	4
All other	45	-	-	-	-	2	3	5	11	14	9	1	24	-	-	1	3	3	1	3	3	4	6	-
Black	3	-	-	-	-	-	-	1	1	-	1	-	2	-	-	1	-	-	-	-	-	-	1	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	-	-	-	-	1	-	1	1	1	2	-	4	-	-	-	-	-	1	-	2	1	-	-
White	3	-	-	-	-	1	-	-	1	1	-	-	3	-	-	-	-	-	1	-	1	1	-	-
All other	3	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	40	-	-	-	-	2	1	5	17	10	5	-	27	-	-	-	-	1	1	3	4	6	11	1
White	25	-	-	-	-	1	1	3	12	5	3	-	20	-	-	-	-	-	1	3	3	5	7	1
All other	15	-	-	-	-	1	-	2	5	5	2	-	7	-	-	-	-	1	-	-	1	1	4	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	67	-	-	-	-	-	4	6	26	23	8	-	26	-	-	-	-	-	-	6	6	11	3	-
White	53	-	-	-	-	-	2	6	22	18	5	-	24	-	-	-	-	-	-	5	6	10	3	-
All other	14	-	-	-	-	-	2	-	4	5	3	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	27	-	-	-	-	1	1	8	7	5	4	1
White	-	-	-	-	-	-	-	-	-	-	-	-	26	-	-	-	-	-	1	8	7	5	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	14	-	-	-	-	1	1	-	4	6	1	1	18	-	-	-	1	1	1	4	7	2	1	1
White	11	-	-	-	-	1	-	-	4	4	1	1	11	-	-	-	-	1	-	3	6	-	-	1
All other	3	-	-	-	-	-	1	-	-	2	-	-	7	-	-	-	1	-	1	1	1	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Malignant neoplasms of urinary organs (188-189)	10	-	-	1	-	-	1	1	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	9	-	-	1	-	-	1	1	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	21	1	-	-	-	1	4	2	4	5	2	2	17	-	-	1	1	2	1	3	1	5	2	1
White	13	1	-	-	-	-	4	1	2	4	-	1	12	-	-	-	-	1	1	2	1	5	1	1
All other	8	-	-	-	-	1	-	1	2	1	2	1	5	-	-	1	1	1	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Leukemia (204-208)	4	-	-	1	-	-	-	1	2	-	-	-	4	-	-	-	2	-	-	-	-	1	1	-
White	3	-	-	1	-	-	-	-	2	-	-	-	3	-	-	-	1	-	-	-	-	1	1	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	4	-	-	-	-	-	2	-	2	-	-	-	3	-	-	-	-	-	-	1	1	-	1	-
White	4	-	-	-	-	-	2	-	2	-	-	-	3	-	-	-	-	-	-	1	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	-	-	-	-	2	-	1	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	1
White	4	-	-	-	-	2	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	8	-	-	-	-	1	-	-	3	3	-	1	12	-	-	-	-	-	-	3	4	4	1	-
White	6	-	-	-	-	1	-	-	2	2	-	1	11	-	-	-	-	-	-	3	4	3	1	-
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Nutritional deficiencies (260-269)	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	1	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	314	-	1	2	3	5	21	35	74	83	50	39	165	1	1	1	2	2	4	13	22	40	39	40
White	233	-	1	2	1	5	14	27	60	64	34	25	118	1	-	1	2	1	1	10	11	30	29	32
All other	81	-	-	-	2	-	7	8	14	19	16	14	47	-	1	-	-	1	3	3	11	10	10	8
Black	8	-	-	-	-	-	4	1	-	1	2	-	5	-	-	-	-	-	-	-	2	1	1	1
Diseases of heart (390-398,402,404-429)	260	-	1	2	2	4	18	32	65	69	40	26	111	1	1	1	1	1	1	8	14	26	28	29
White	192	-	1	2	1	4	12	24	53	53	27	15	79	1	-	1	1	1	1	6	7	19	18	24
All other	68	-	-	-	1	-	6	8	12	16	13	11	32	-	1	-	-	-	-	2	7	7	10	5
Black	8	-	-	-	-	-	4	1	-	1	2	-	2	-	-	-	-	-	-	-	1	-	1	-
Rheumatic fever and rheumatic heart disease (390-398)	5	-	-	-	1	-	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	3	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	2	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-	-	-	-	1	-	1	1	-
White	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	1	-	1	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	186	-	-	-	-	1	15	26	54	51	30	9	65	-	-	1	-	1	1	4	12	17	15	14
White	146	-	-	-	-	1	11	20	47	40	22	5	51	-	-	1	-	1	1	4	6	13	11	14
All other	40	-	-	-	-	-	4	6	7	11	8	4	14	-	-	-	-	-	-	-	6	4	4	-
Black	6	-	-	-	-	-	3	1	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Acute myocardial infarction (410)	106	-	-	-	-	1	6	16	29	31	19	4	40	-	-	-	-	-	1	1	12	11	6	9
White	83	-	-	-	-	1	4	12	25	24	15	2	28	-	-	-	-	-	1	1	6	7	4	9
All other	23	-	-	-	-	-	2	4	4	7	4	2	12	-	-	-	-	-	-	-	6	4	2	-
Black	3	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	80	-	-	-	-	-	9	10	25	20	11	5	25	-	-	1	-	1	-	3	-	6	9	5
White	63	-	-	-	-	-	7	8	22	16	7	3	23	-	-	1	-	1	-	3	-	6	7	5
All other	17	-	-	-	-	-	2	2	3	4	4	2	2	-	-	-	-	-	-	-	-	-	2	-
Black	3	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	9	-	-	-	-	-	-	-	1	4	2	2	3	-	-	-	-	-	-	-	-	-	2	1
White	4	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	5	-	-	-	-	-	-	-	1	1	2	1	2	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	58	-	1	2	1	3	1	5	10	11	8	15	39	1	1	-	1	-	-	3	2	8	9	14
White	39	-	1	2	1	3	-	3	6	9	5	9	23	1	-	-	1	-	-	1	1	5	5	9
All other	19	-	-	-	-	-	1	2	4	2	3	6	16	-	1	-	-	-	-	2	1	3	4	5
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertension with or without renal disease (401,403)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	28	-	-	-	1	1	1	2	5	7	5	6	46	-	-	-	1	1	3	5	8	12	9	7
White	17	-	-	-	-	1	-	2	3	5	2	4	32	-	-	-	1	-	-	4	4	9	9	5
All other	11	-	-	-	1	-	1	-	2	2	3	2	14	-	-	-	-	1	3	1	4	3	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Intracerebral and other intracranial hemorrhage (431-432)	4	-	-	-	1	-	-	-	-	2	1	-	8	-	-	-	1	-	1	1	2	2	1	-
White	3	-	-	-	-	-	-	-	-	2	1	-	5	-	-	-	1	-	-	1	1	1	1	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	5	-	-	-	-	-	-	-	1	1	1	2	3	-	-	-	-	-	-	-	-	2	-	1
White	4	-	-	-	-	-	-	-	1	1	-	2	3	-	-	-	-	-	-	-	-	2	-	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	19	-	-	-	-	1	1	2	4	4	3	4	35	-	-	-	-	1	2	4	6	8	8	6
White	10	-	-	-	-	1	-	2	2	2	1	2	24	-	-	-	-	-	-	3	3	6	8	4
All other	9	-	-	-	-	-	1	-	2	2	2	2	11	-	-	-	-	1	2	1	3	2	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Atherosclerosis (440)	9	-	-	-	-	-	-	-	1	-	2	6	5	-	-	-	-	-	-	-	-	1	1	3
White	8	-	-	-	-	-	-	-	1	-	2	5	4	-	-	-	-	-	-	-	-	1	1	2
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	17	-	-	-	-	-	2	1	3	7	3	1	2	-	-	-	-	-	-	-	-	-	1	1
White	16	-	-	-	-	-	2	1	3	6	3	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	19	1	2	-	1	1	-	2	1	1	7	3	16	-	1	-	-	-	1	-	3	4	3	4
White	7	-	-	-	-	1	-	1	-	-	4	1	11	-	1	-	-	-	-	-	1	3	3	3
All other	12	1	2	-	1	-	-	1	1	1	3	2	5	-	-	-	-	-	1	-	2	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Pneumonia (480-486)	19	1	2	-	1	1	-	2	1	1	7	3	16	-	1	-	-	-	1	-	3	4	3	4
White	7	-	-	-	-	1	-	1	-	-	4	1	11	-	1	-	-	-	-	-	1	3	3	3
All other	12	1	2	-	1	-	-	1	1	1	3	2	5	-	-	-	-	-	1	-	2	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	20	-	-	-	1	-	-	-	4	4	9	2	14	-	-	-	-	-	-	2	4	5	2	1
White	15	-	-	-	-	-	-	-	4	3	8	-	11	-	-	-	-	-	-	1	4	4	1	1
All other	5	-	-	-	1	-	-	-	-	1	1	2	3	-	-	-	-	-	-	1	-	1	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	3	-	-	-	1	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	-	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	15	-	-	-	-	-	-	-	4	3	6	2	12	-	-	-	-	-	-	2	3	5	1	1
White	12	-	-	-	-	-	-	-	4	3	5	-	9	-	-	-	-	-	-	1	3	4	-	1
All other	3	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-	-	1	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	5	-	-	-	-	-	-	1	1	2	1	-	2	-	-	-	-	-	-	-	1	1	-	-
White	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	22	-	-	-	-	-	4	7	5	6	-	-	18	-	-	-	-	5	3	4	4	1	1	-
White	17	-	-	-	-	-	3	5	4	5	-	-	10	-	-	-	-	2	1	2	3	1	1	-
All other	5	-	-	-	-	-	1	2	1	1	-	-	8	-	-	-	-	3	2	2	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	-	-	-	-	-	-	-	1	2	-	1	6	-	-	-	-	-	-	-	1	1	2	2
White	3	-	-	-	-	-	-	-	1	1	-	1	3	-	-	-	-	-	-	-	1	-	-	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	3	-	-	-	-	-	-	-	-	2	-	1	6	-	-	-	-	-	-	-	1	1	2	2
White	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	1	-	-	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	12	10	1	-	-	-	-	-	-	-	-	-	17	14	1	1	-	-	-	-	1	-	-	-
White	9	8	-	-	-	-	-	-	-	-	-	-	13	10	1	1	-	-	-	-	1	-	-	-
All other	3	2	1	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	42	42	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
White	27	27	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
All other	15	15	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Black	5	5	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	18	18	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
White	12	12	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	24	24	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
White	15	15	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
All other	9	9	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	24	13	-	-	-	2	2	-	2	1	1	3	15	12	-	-	-	1	-	-	1	-	1	-
White	13	9	-	-	-	-	1	-	1	-	1	1	6	5	-	-	-	-	-	-	-	-	1	-
All other	11	4	-	-	-	2	1	-	1	1	-	2	9	7	-	-	-	1	-	-	1	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	73	1	3	-	6	9	6	14	14	9	9	2	52	-	1	4	2	2	4	7	10	10	9	3
White	33	-	1	-	2	3	3	7	9	5	2	1	25	-	-	3	-	1	1	3	5	4	5	3
All other	40	1	2	-	4	6	3	7	5	4	7	1	27	-	1	1	2	1	3	4	5	6	4	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	291	1	8	23	79	88	48	26	11	3	2	-	84	3	6	5	18	20	9	7	8	3	3	2
White	190	1	4	13	53	59	31	18	8	2	2	-	56	2	4	3	11	12	6	4	6	3	3	2
All other	101	-	4	10	26	29	17	10	3	1	-	-	28	1	2	2	7	8	3	3	2	-	-	-
Black	3	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALASKA—Con.																								
Motor vehicle accidents (E810-E825)	71	1	1	5	33	21	6	2	1	-	1	-	25	1	1	2	8	4	4	1	3	1	-	-
White	53	1	-	2	25	17	4	2	1	-	1	-	22	1	1	2	6	3	4	1	3	1	-	-
All other	18	-	1	3	8	4	2	-	-	-	-	-	3	-	-	-	2	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	220	-	7	18	46	67	42	24	10	3	1	-	59	2	5	3	10	16	5	6	5	2	3	2
White	137	-	4	11	28	42	27	14	7	2	1	-	34	1	3	1	5	9	2	3	3	2	3	2
All other	83	-	3	7	18	25	15	10	3	1	-	-	25	1	2	2	5	7	3	3	2	-	-	-
Black	3	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Suicide (E950-E959)	49	...	...	1	15	14	6	6	3	3	1	-	12	...	...	-	3	5	4	-	-	-	-	-
White	40	...	...	1	11	10	5	6	3	3	1	-	9	...	...	-	1	4	4	-	-	-	-	-
All other	9	...	...	-	4	4	1	-	-	-	-	-	3	...	...	-	2	1	-	-	-	-	-	-
Black	1	...	...	-	-	1	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	37	1	1	-	9	14	6	5	1	-	-	-	16	1	-	1	5	3	2	3	-	1	-	-
White	25	1	-	-	4	8	6	5	1	-	-	-	10	-	-	-	3	2	2	2	-	1	-	-
All other	12	-	1	-	5	6	-	-	-	-	-	-	6	1	-	1	2	1	-	1	-	-	-	-
Black	2	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other external causes (E980-E999)	17	-	-	1	7	6	-	2	1	-	-	-	8	1	-	-	4	2	1	-	-	-	-	-
White	8	-	-	1	3	3	-	-	1	-	-	-	3	-	-	-	1	1	1	-	-	-	-	-
All other	9	-	-	-	4	3	-	2	-	-	-	-	5	1	-	-	3	1	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA																								
All causes	12,422	364	87	98	506	508	456	932	2,033	3,335	2,870	1,220	8,936	242	56	47	157	185	240	473	1,158	2,134	2,425	1,817
White	11,440	291	71	74	408	398	368	829	1,905	3,184	2,742	1,158	8,374	188	44	43	126	156	197	421	1,084	2,043	2,339	1,732
All other	982	73	16	24	98	110	88	103	128	151	128	62	562	54	12	4	31	29	43	52	74	91	86	85
Black	350	30	7	10	13	23	16	38	65	78	52	18	202	17	7	1	6	7	9	14	29	45	31	35
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	1	-	-	-	-	-	-	1	1	1	-	4	-	-	-	-	-	-	-	1	1	2	-
White	4	1	-	-	-	-	-	-	1	1	1	-	4	-	-	-	-	-	-	-	1	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	26	-	-	-	-	-	1	3	7	7	7	1	12	-	-	-	-	1	1	1	1	6	1	1
White	20	-	-	-	-	-	-	1	4	7	7	1	9	-	-	-	-	1	-	1	1	4	1	1
All other	6	-	-	-	-	-	1	2	3	-	-	-	3	-	-	-	-	-	1	-	-	2	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	24	-	-	-	-	-	-	2	7	7	7	1	10	-	-	-	-	1	-	1	1	5	1	1
White	20	-	-	-	-	-	-	1	4	7	7	1	8	-	-	-	-	1	-	1	1	3	1	1
All other	4	-	-	-	-	-	-	1	3	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	1	-	-	-	-	-	2	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
White	2	-	-	-	-	-	-	2	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	59	6	-	-	-	2	1	5	9	7	21	8	50	2	-	-	-	-	1	3	9	8	15	12
White	50	4	-	-	-	2	1	5	7	7	19	5	40	-	-	-	-	-	-	3	6	7	14	10
All other	9	2	-	-	-	-	-	-	2	-	2	3	10	2	-	-	-	-	1	-	3	1	1	2
Black	5	1	-	-	-	-	-	-	1	-	1	2	4	-	-	-	-	-	1	-	2	-	-	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Viral hepatitis (070)	10	-	-	-	-	4	3	-	2	-	1	-	3	-	-	-	-	-	1	1	-	1	-	-
White	9	-	-	-	-	3	3	-	2	-	1	-	3	-	-	-	-	-	1	1	-	1	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	3	-	-	-	-	1	-	-	-	2	-	-	3	-	-	-	-	-	-	-	1	-	2	-
White	2	-	-	-	-	1	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	-	2	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	52	3	-	2	1	3	5	1	6	16	8	5	36	-	-	1	-	4	1	4	8	11	4	3
White	46	3	-	2	1	2	4	1	6	16	8	3	30	-	-	1	-	2	1	2	6	11	4	3
All other	6	-	-	-	-	1	1	-	-	2	-	2	6	-	-	-	-	2	-	2	2	-	-	-
Black	3	-	-	-	-	1	1	-	-	-	-	1	4	-	-	-	-	2	-	1	1	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,552	-	3	11	17	23	51	194	568	868	628	189	2,022	-	6	8	5	28	65	172	476	646	440	176
White	2,430	-	3	10	14	21	50	181	534	835	602	180	1,945	-	4	8	4	27	58	165	458	626	429	166
All other	122	-	-	1	3	2	1	13	34	33	26	9	77	-	2	-	1	1	7	7	18	20	11	10
Black	74	-	-	-	-	-	-	7	23	21	18	5	30	-	2	-	-	-	2	4	4	10	4	4
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	57	-	-	-	-	1	3	9	15	19	7	3	30	-	-	-	-	-	1	2	5	13	7	2
White	54	-	-	-	-	1	3	9	13	18	7	3	28	-	-	-	-	-	1	2	4	13	6	2
All other	3	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	654	-	-	-	-	5	14	55	128	237	169	46	510	-	-	-	-	1	7	30	88	175	150	59
White	608	-	-	-	-	5	13	49	113	226	159	43	483	-	-	-	-	1	5	29	85	166	144	53
All other	46	-	-	-	-	-	1	6	15	11	10	3	27	-	-	-	-	-	2	1	3	9	6	6
Black	21	-	-	-	-	-	-	2	8	4	6	1	8	-	-	-	-	-	-	-	1	4	1	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	859	-	-	1	-	2	10	67	232	325	180	42	384	-	-	-	-	-	7	45	123	123	62	24
White	828	-	-	1	-	2	10	63	222	316	174	40	376	-	-	-	-	-	7	40	122	121	62	24
All other	31	-	-	-	-	-	-	4	10	9	6	2	8	-	-	-	-	-	-	5	1	2	-	-
Black	28	-	-	-	-	-	-	4	9	8	5	2	5	-	-	-	-	-	-	4	-	1	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	401	-	-	-	-	4	29	49	106	111	78	24
White	-	-	-	-	-	-	-	-	-	-	-	-	390	-	-	-	-	4	25	49	104	108	76	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	4	-	2	3	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	2	-	1	3	2	-
Malignant neoplasms of genital organs (179-187)	281	-	-	-	-	1	1	3	30	100	99	47	210	-	1	1	-	5	9	18	56	69	37	14
White	267	-	-	-	-	1	1	3	27	94	96	45	201	-	1	1	-	4	9	17	51	68	36	14
All other	14	-	-	-	-	-	-	-	3	6	3	2	9	-	-	-	-	1	-	1	5	1	1	-
Black	12	-	-	-	-	-	-	-	2	6	2	2	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of urinary organs (188-189)	147	-	-	-	-	1	2	12	26	44	53	9	68	-	-	1	-	-	1	4	8	27	17	10
White	139	-	-	-	-	1	2	10	25	41	51	9	65	-	-	1	-	-	1	4	8	25	16	10
All other	8	-	-	-	-	-	-	2	1	3	2	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	6	-	-	-	-	-	-	1	-	3	2	-	2	-	-	-	-	-	-	-	-	1	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	302	-	1	1	8	4	10	31	79	87	59	22	246	-	1	2	3	9	5	15	60	77	46	28
White	292	-	1	1	7	3	10	30	78	86	56	20	233	-	-	2	3	9	5	15	55	74	46	24
All other	10	-	-	-	1	1	-	1	1	1	3	2	13	-	1	-	-	-	-	-	5	3	-	4
Black	2	-	-	-	-	-	-	-	1	-	1	-	4	-	1	-	-	-	-	-	1	-	-	2
Leukemia (204-208)	125	-	1	8	5	6	6	7	18	29	31	14	79	-	2	2	1	7	5	3	11	20	19	9
White	122	-	1	7	4	5	6	7	18	29	31	14	75	-	1	2	-	7	4	3	10	20	19	9
All other	3	-	-	1	1	1	-	-	-	-	-	-	4	-	1	-	1	-	1	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	127	-	1	1	4	3	5	10	40	27	30	6	94	-	2	2	1	2	1	6	19	31	24	6
White	120	-	1	1	3	3	5	10	38	25	28	6	94	-	2	2	1	2	1	6	19	31	24	6
All other	7	-	-	-	1	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	46	1	-	-	1	-	2	4	9	15	10	4	32	-	-	1	-	1	2	1	2	14	8	3
White	44	1	-	-	-	-	2	4	9	15	10	3	31	-	-	1	-	1	2	1	2	14	7	3
All other	2	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Diabetes mellitus (250)	165	-	1	-	-	8	3	18	26	57	42	10	173	-	-	-	1	4	3	8	26	45	62	24
White	145	-	1	-	-	6	3	15	22	48	40	10	153	-	-	-	1	4	3	6	20	40	56	23
All other	20	-	-	-	-	2	-	3	4	9	2	-	20	-	-	-	-	-	-	2	6	5	6	1
Black	11	-	-	-	-	1	-	2	1	6	1	-	5	-	-	-	-	-	-	-	1	2	2	-
Nutritional deficiencies (260-269)	16	-	-	-	-	-	-	-	2	2	5	7	13	-	-	-	-	-	-	-	-	1	2	10
White	15	-	-	-	-	-	-	-	2	1	5	7	12	-	-	-	-	-	-	-	-	1	2	9
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	21	1	-	2	-	-	-	1	1	6	7	3	9	-	-	-	-	-	-	-	3	2	4	-
White	18	1	-	-	-	-	-	1	1	5	7	3	8	-	-	-	-	-	-	-	3	1	4	-
All other	3	-	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Meningitis (320-322)	17	6	3	-	-	2	1	-	1	-	2	2	6	4	-	-	-	-	-	-	1	-	1	-
White	13	4	3	-	-	1	1	-	1	-	1	2	5	3	-	-	-	-	-	-	1	-	1	-
All other	4	2	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,090	10	2	4	13	29	99	349	866	1,585	1,452	681	4,092	7	2	1	3	16	48	108	357	933	1,392	1,225
White	4,893	8	2	2	9	22	90	326	833	1,531	1,407	663	3,917	5	2	1	3	11	41	93	329	896	1,355	1,181
All other	197	2	-	2	4	7	9	23	33	54	45	18	175	2	-	-	-	5	7	15	28	37	37	44
Black	104	-	-	1	3	2	4	13	19	33	23	6	94	1	-	-	-	3	3	5	16	24	20	22
Diseases of heart (390-398,402,404-429)	4,167	9	1	4	13	20	88	317	755	1,317	1,140	503	3,086	5	2	-	2	14	35	84	292	739	1,023	890
White	4,018	7	1	2	9	16	79	299	735	1,275	1,103	492	2,961	3	2	-	2	9	30	74	268	713	998	862
All other	149	2	-	2	4	4	9	18	20	42	37	11	125	2	-	-	-	5	5	10	24	26	25	28
Black	81	-	-	1	3	-	4	11	12	26	20	4	69	1	-	-	-	3	2	3	14	17	13	16
Rheumatic fever and rheumatic heart disease (390-398)	35	-	-	1	-	2	1	2	10	9	8	2	75	-	-	-	-	-	3	10	20	20	21	1
White	33	-	-	1	-	1	-	2	10	9	8	2	68	-	-	-	-	-	2	9	17	19	20	1
All other	2	-	-	-	-	1	1	-	-	-	-	-	7	-	-	-	-	-	1	1	3	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hypertensive heart disease (402)	68	-	-	-	-	1	2	12	19	17	14	3	55	-	-	-	-	-	-	2	6	10	20	17
White	66	-	-	-	-	1	2	12	18	17	14	2	51	-	-	-	-	-	-	1	5	10	18	17
All other	2	-	-	-	-	-	-	-	1	-	-	1	4	-	-	-	-	-	-	1	1	-	2	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	1	-	2	-
Hypertensive heart and renal disease (404)	4	-	-	-	-	-	1	-	-	1	2	-	7	-	-	-	-	-	-	-	2	2	1	2
White	4	-	-	-	-	-	1	-	-	1	2	-	6	-	-	-	-	-	-	-	2	2	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Ischemic heart disease (410-414)	3,279	2	-	1	3	9	68	251	618	1,054	902	371	2,198	-	-	-	-	5	20	57	215	550	751	600
White	3,181	1	-	1	3	8	64	236	603	1,023	878	364	2,134	-	-	-	-	3	18	53	199	535	742	584
All other	98	1	-	-	-	1	4	15	15	31	24	7	64	-	-	-	-	2	2	4	16	15	9	16
Black	60	-	-	-	-	-	3	10	10	21	14	2	38	-	-	-	-	1	2	2	8	11	5	9
Acute myocardial infarction (410)	1,602	-	-	-	2	4	48	129	320	543	420	136	980	-	-	-	-	3	13	29	118	274	350	193
White	1,564	-	-	-	2	4	45	125	314	531	409	134	958	-	-	-	-	2	13	27	109	272	345	190
All other	38	-	-	-	-	-	3	4	6	12	11	2	22	-	-	-	-	1	-	2	9	2	5	3
Black	21	-	-	-	-	-	2	2	4	8	3	2	14	-	-	-	-	1	-	2	4	2	3	2
Other acute and subacute forms of ischemic heart disease (411)	288	1	-	-	-	2	7	61	99	81	25	12	90	-	-	-	-	2	3	9	27	25	16	8
White	277	-	-	-	-	2	7	56	98	79	23	12	83	-	-	-	-	1	1	8	25	25	15	8
All other	11	1	-	-	-	-	-	5	1	2	2	-	7	-	-	-	-	1	2	1	2	-	1	-
Black	7	-	-	-	-	-	-	3	1	2	1	-	5	-	-	-	-	-	2	-	2	-	1	-
Angina pectoris (413)	3	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
White	3	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,386	1	-	1	1	3	13	60	198	429	457	223	1,126	-	-	-	-	-	4	18	70	251	384	399
White	1,337	1	-	1	1	2	12	54	190	412	446	218	1,091	-	-	-	-	-	4	17	65	238	381	386
All other	49	-	-	-	-	1	1	6	8	17	11	5	35	-	-	-	-	-	-	1	5	13	3	13
Black	32	-	-	-	-	-	1	5	5	11	10	-	19	-	-	-	-	-	-	-	2	9	1	7
Other diseases of endocardium (424)	44	-	-	-	1	-	2	1	3	15	12	10	48	-	-	-	-	-	1	2	1	11	22	11
White	41	-	-	-	1	-	-	-	3	15	12	10	47	-	-	-	-	-	1	2	1	10	22	11
All other	3	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
All other forms of heart disease (415-423,425-429)	737	7	1	2	9	8	14	51	105	221	202	117	703	5	2	-	2	9	11	13	48	146	208	259
White	693	6	1	-	5	6	12	49	101	210	189	114	655	3	2	-	2	6	9	9	44	137	196	247
All other	44	1	-	2	4	2	2	2	4	11	13	3	48	2	-	-	-	3	2	4	4	9	12	12
Black	17	-	-	1	3	-	-	-	1	5	6	1	25	1	-	-	-	2	-	1	4	5	5	7
Hypertension with or without renal disease (401,403)	35	-	-	-	-	1	-	4	4	9	12	5	29	-	-	-	-	-	-	1	1	6	13	8
White	29	-	-	-	-	-	-	1	3	9	11	5	28	-	-	-	-	-	-	1	1	5	13	8
All other	6	-	-	-	-	1	-	3	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	596	1	1	-	-	8	8	23	74	162	200	119	764	2	-	1	1	2	13	20	51	155	284	235
White	566	1	1	-	-	6	8	22	66	154	194	114	723	2	-	1	1	2	11	15	48	147	273	223
All other	30	-	-	-	-	2	-	1	8	8	6	5	41	-	-	-	-	-	2	5	3	8	11	12
Black	16	-	-	-	-	1	-	1	5	5	2	2	21	-	-	-	-	-	1	2	2	5	6	5
Intracerebral and other intracranial hemorrhage (431-432)	93	1	-	-	-	3	5	8	18	32	21	5	98	1	-	1	-	1	4	7	16	31	28	9
White	87	1	-	-	-	2	5	8	16	29	21	5	92	1	-	1	-	1	3	3	16	30	28	9
All other	6	-	-	-	-	1	-	-	2	3	-	-	6	-	-	-	-	-	1	4	-	1	-	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	3	-	-	-	-	-	1	1	-	1	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	96	-	-	-	-	-	2	-	9	26	38	21	128	-	-	-	-	-	1	1	6	24	54	42
White	94	-	-	-	-	-	2	-	9	25	38	20	122	-	-	-	-	-	1	1	5	24	51	40
All other	2	-	-	-	-	-	-	-	-	1	-	1	6	-	-	-	-	-	-	-	1	-	3	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	-	1	-	2	2
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	2	1	-	-	6	-	-	-	-	-	-	1	-	4	1	-
White	3	-	-	-	-	-	-	-	2	1	-	-	6	-	-	-	-	-	-	1	-	4	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	404	-	1	-	-	5	1	15	45	103	141	93	532	1	-	-	1	1	8	11	29	96	201	184
White	382	-	1	-	-	4	1	14	39	99	135	89	503	1	-	-	1	1	7	10	27	89	193	174
All other	22	-	-	-	-	1	-	1	6	4	6	4	29	-	-	-	-	-	1	1	2	7	8	10
Black	13	-	-	-	-	-	-	1	5	3	2	2	13	-	-	-	-	-	-	1	1	4	4	3
Atherosclerosis (440)	109	-	-	-	-	-	2	1	8	22	38	38	152	-	-	-	-	-	-	-	6	20	53	73
White	103	-	-	-	-	-	2	1	6	20	38	36	146	-	-	-	-	-	-	-	6	18	52	70
All other	6	-	-	-	-	-	-	-	2	2	-	2	6	-	-	-	-	-	-	-	-	2	1	3
Black	2	-	-	-	-	-	-	-	1	1	-	-	4	-	-	-	-	-	-	-	-	2	1	1
Other diseases of arteries, arterioles, and capillaries (441-448)	183	-	-	-	-	-	1	4	25	75	62	16	61	-	-	-	-	-	-	3	7	13	19	19
White	177	-	-	-	-	-	1	3	23	73	61	16	59	-	-	-	-	-	-	3	6	13	19	18
All other	6	-	-	-	-	-	-	1	2	2	1	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	2	-	1	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	335	10	3	-	2	1	3	12	31	67	114	92	281	6	-	-	-	4	5	5	13	37	104	107
White	297	6	2	-	2	1	1	10	28	62	100	85	253	4	-	-	-	4	4	1	10	35	96	99
All other	38	4	1	-	-	-	2	2	3	5	14	7	28	2	-	-	-	-	1	4	3	2	8	8
Black	13	1	1	-	-	-	1	2	1	3	4	-	6	-	-	-	-	-	-	1	1	-	1	3
Pneumonia (480-486)	320	9	3	-	2	1	3	12	29	63	109	89	259	6	-	-	-	4	4	5	11	36	94	99
White	284	6	2	-	2	1	1	10	26	58	96	82	232	4	-	-	-	4	3	1	8	34	87	91
All other	36	3	1	-	-	-	2	2	3	5	13	7	27	2	-	-	-	-	1	4	3	2	7	8
Black	12	1	1	-	-	-	1	2	1	3	3	-	6	-	-	-	-	-	-	1	1	-	1	3
Influenza (487)	15	1	-	-	-	-	-	-	2	4	5	3	22	-	-	-	-	-	1	-	2	1	10	8
White	13	-	-	-	-	-	-	-	2	4	4	3	21	-	-	-	-	-	1	-	2	1	9	8
All other	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	707	1	-	4	2	3	5	24	155	271	186	56	307	2	-	-	3	4	3	22	57	118	71	27
White	687	1	-	3	1	3	5	23	150	267	183	51	303	2	-	-	3	4	3	22	57	116	70	26
All other	20	-	-	1	1	-	-	1	5	4	3	5	4	-	-	-	-	-	-	-	-	2	1	1
Black	12	-	-	1	1	-	-	1	4	3	-	2	1	-	-	-	-	-	-	-	-	-	1	-
Bronchitis, chronic and unspecified (490-491)	35	1	-	-	1	-	1	1	2	15	9	5	9	1	-	-	-	-	-	-	1	3	1	3
White	35	1	-	-	1	-	1	1	2	15	9	5	9	1	-	-	-	-	-	-	1	3	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	184	-	-	1	-	-	-	6	33	83	51	10	65	-	-	-	-	1	-	3	16	29	15	1
White	183	-	-	1	-	-	-	6	32	83	51	10	65	-	-	-	-	1	-	3	16	29	15	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Asthma (493)	32	-	-	2	1	2	1	2	10	10	2	2	33	-	-	-	3	3	3	4	3	12	4	1
White	28	-	-	1	-	2	1	2	9	9	2	2	31	-	-	-	3	3	3	4	3	11	3	1
All other	4	-	-	1	1	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	4	-	-	1	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	456	-	-	1	-	1	3	15	110	163	124	39	200	1	-	-	-	-	-	15	37	74	51	22
White	441	-	-	1	-	1	3	14	107	160	121	34	198	1	-	-	-	-	-	15	37	73	51	21
All other	15	-	-	-	-	-	-	1	3	3	3	5	2	-	-	-	-	-	-	-	-	1	-	1
Black	7	-	-	-	-	-	-	1	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	38	-	-	1	-	-	-	1	6	13	14	3	32	-	-	-	-	-	-	4	1	12	8	7
White	36	-	-	1	-	-	-	1	6	12	13	3	32	-	-	-	-	-	-	4	1	12	8	7
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	4	-	-	-	-	1	-	2	1	-	-	-	6	-	-	-	1	-	-	-	-	1	3	1
White	4	-	-	-	-	1	-	2	1	-	-	-	6	-	-	-	1	-	-	-	-	1	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	19	-	2	1	1	-	-	1	-	7	5	2	19	1	-	-	-	1	1	-	4	2	4	6
White	16	-	1	-	1	-	-	1	-	7	4	2	16	1	-	-	-	-	1	-	3	2	4	5
All other	3	-	1	1	-	-	-	-	-	-	1	-	3	-	-	-	-	1	-	-	1	-	-	1
Black	3	-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Chronic liver disease and cirrhosis (571)	236	-	1	-	1	11	31	58	65	54	14	1	123	-	-	1	1	2	17	32	34	23	13	-
White	204	-	1	-	1	8	20	47	59	53	14	1	107	-	-	1	-	1	12	24	33	23	13	-
All other	32	-	-	-	-	3	11	11	6	1	-	-	16	-	-	-	1	1	5	8	1	-	-	-
Black	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	13	-	-	-	-	-	-	-	3	1	7	2	18	-	-	-	-	1	-	-	3	6	3	5
White	10	-	-	-	-	-	-	-	2	1	6	1	14	-	-	-	-	1	-	-	3	5	1	4
All other	3	-	-	-	-	-	-	-	1	-	1	1	4	-	-	-	-	-	-	-	-	1	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	98	3	1	-	1	1	1	6	13	25	24	23	78	2	1	-	-	1	3	4	13	17	17	20
White	85	3	-	-	1	1	-	4	11	21	22	22	71	2	1	-	-	1	2	3	12	15	15	20
All other	13	-	1	-	-	-	1	2	2	4	2	1	7	-	-	-	-	-	1	1	1	2	2	-
Black	6	-	1	-	-	-	1	-	1	2	1	-	2	-	-	-	-	-	1	-	-	1	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	13	-	-	-	-	-	-	2	3	-	7	1	11	-	-	-	-	-	2	-	2	2	4	1
White	12	-	-	-	-	-	-	1	3	-	7	1	10	-	-	-	-	-	1	-	2	2	4	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	85	3	1	-	1	1	1	4	10	25	17	22	65	2	-	-	-	1	1	4	11	15	13	18
White	73	3	-	-	1	1	-	3	8	21	15	21	59	2	-	-	-	1	1	3	10	13	11	18
All other	12	-	1	-	-	-	1	1	2	4	2	1	6	-	-	-	-	-	-	1	1	2	2	-
Black	6	-	1	-	-	-	1	-	1	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Infections of kidney (590)	6	-	-	-	-	1	-	-	-	3	-	2	16	-	-	-	1	-	-	-	2	4	3	6
White	5	-	-	-	-	-	-	-	-	3	-	2	16	-	-	-	1	-	-	-	2	4	3	6
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	9	-	-	-	-	-	-	-	-	-	4	5	...	...	...	...	...	...	...	...	...	...	...	...
White	9	-	-	-	-	-	-	-	-	-	4	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	105	78	6	6	4	2	2	1	2	4	-	-	107	77	7	2	3	3	3	2	6	-	4	-
White	93	69	5	6	3	1	2	1	2	4	-	-	86	60	6	2	3	3	1	2	6	-	3	-
All other	12	9	1	-	1	1	-	-	-	-	-	-	21	17	1	-	-	-	2	-	-	-	1	-
Black	4	2	1	-	1	-	-	-	-	-	-	-	4	2	-	-	-	-	2	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	151	151	-	-	-	-	-	-	-	-	-	-	99	99	-	-	-	-	-	-	-	-	-	-
White	123	123	-	-	-	-	-	-	-	-	-	-	84	84	-	-	-	-	-	-	-	-	-	-
All other	28	28	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Black	22	22	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	55	55	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
White	43	43	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
All other	12	12	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	8	8	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	96	96	-	-	-	-	-	-	-	-	-	-	71	71	-	-	-	-	-	-	-	-	-	-
White	80	80	-	-	-	-	-	-	-	-	-	-	60	60	-	-	-	-	-	-	-	-	-	-
All other	16	16	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Black	14	14	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	210	62	1	5	19	14	12	10	17	26	31	9	98	25	4	-	3	7	3	8	6	12	15	15
White	129	49	-	2	6	8	8	5	11	14	17	5	58	17	4	-	1	5	2	4	3	5	9	8
All other	81	13	1	3	13	6	4	5	6	12	14	4	40	8	-	-	2	2	1	4	3	7	6	7
Black	6	3	-	1	-	-	-	-	-	2	-	-	6	3	-	-	-	-	-	-	-	2	-	1
All other diseases (Residual)	741	15	7	9	20	28	47	66	112	173	191	73	652	9	7	2	17	11	19	37	80	171	179	120
White	641	8	5	9	12	17	30	52	99	163	181	65	601	4	5	2	13	10	13	33	74	162	172	113
All other	100	7	2	-	8	11	17	14	13	10	10	8	51	5	2	-	4	1	6	4	6	9	7	7
Black	19	-	1	-	1	2	1	3	4	3	2	2	15	-	1	-	1	-	-	2	2	4	2	3
Accidents and adverse effects (E800-E949)	1,113	13	52	47	292	241	98	104	77	82	64	36	440	5	26	26	83	57	26	31	33	50	59	44
White	923	8	44	36	249	192	72	87	68	70	58	33	384	3	20	23	71	43	21	26	31	48	56	42
All other	190	5	8	11	43	49	26	17	9	12	6	3	56	2	6	3	12	14	5	5	2	2	3	2
Black	34	1	2	4	4	8	4	5	4	1	1	-	10	-	3	1	1	1	-	1	2	1	-	-
Motor vehicle accidents (E810-E825)	649	5	12	22	210	161	64	65	36	38	26	9	246	2	5	19	68	48	17	22	19	18	19	9
White	544	4	9	20	182	130	48	55	33	31	24	8	207	2	5	17	57	35	13	18	18	16	17	9
All other	105	1	3	2	28	31	16	10	3	7	2	1	39	-	-	2	11	13	4	4	1	2	2	-
Black	13	-	-	-	3	5	1	3	-	1	-	-	4	-	-	-	-	1	-	1	1	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	464	8	40	25	82	80	34	39	41	44	38	27	194	3	21	7	15	9	9	9	14	32	40	35
White	379	4	35	16	67	62	24	32	35	39	34	25	177	1	15	6	14	8	8	8	13	32	39	33
All other	85	4	5	9	15	18	10	7	6	5	4	2	17	2	6	1	1	1	1	1	1	-	1	2
Black	21	1	2	4	1	3	3	2	4	-	1	-	6	-	3	1	1	-	-	-	1	-	-	-
Suicide (E950-E959)	338			-	79	78	47	40	32	31	25	4	121			3	19	22	22	25	16	9	5	-
White	299			-	67	63	42	36	29	31	25	4	112			2	15	20	20	25	16	9	5	-
All other	39			-	12	15	5	4	3	-	-	-	9			1	4	2	2	-	-	-	-	-
Black	8			-	1	4	1	1	1	-	-	-	3			-	2	1	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	208	2	2	5	49	50	40	28	16	9	5	2	68	2	2	1	14	15	15	4	3	4	4	3
White	165	2	2	2	38	42	30	22	12	8	5	2	58	2	2	1	9	15	11	4	3	4	4	3
All other	43	-	-	3	11	8	10	6	4	1	-	-	10	-	-	-	5	-	4	-	-	-	-	-
Black	18	-	-	1	2	5	3	4	3	-	-	-	3	-	-	-	2	-	-	-	-	-	-	-
All other external causes (E980-E999)	25	-	2	1	4	5	4	1	5	1	2	-	10	-	1	-	2	2	1	1	1	-	-	1
White	22	-	2	1	3	3	4	1	5	1	2	-	8	-	-	-	1	2	1	1	1	-	-	1
All other	3	-	-	-	1	2	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS																								
All causes	12,604	245	42	79	318	333	430	843	1,965	3,447	3,232	1,662	9,768	180	39	62	97	142	211	446	1,031	2,176	2,885	2,496
White	10,438	146	30	64	240	245	346	673	1,701	2,927	2,684	1,379	8,108	115	28	49	78	110	171	343	830	1,767	2,426	2,189
All other	2,166	99	12	15	78	88	84	170	264	520	548	283	1,660	65	11	13	19	32	40	103	201	409	459	307
Black	2,145	99	12	14	78	86	84	165	260	516	544	282	1,647	64	11	13	19	30	40	102	201	407	455	304
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
White	3	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	17	-	-	-	-	-	2	-	4	4	5	2	9	-	-	-	-	-	-	-	1	2	4	2
White	9	-	-	-	-	-	-	-	4	2	2	1	8	-	-	-	-	-	-	-	1	2	4	1
All other	8	-	-	-	-	-	2	-	-	2	3	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	8	-	-	-	-	-	2	-	-	2	3	1	1	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis of respiratory system (010-012)	15	-	-	-	-	-	2	-	4	4	3	2	9	-	-	-	-	-	-	-	1	2	4	2
White	9	-	-	-	-	-	-	-	4	2	2	1	8	-	-	-	-	-	-	-	1	2	4	1
All other	6	-	-	-	-	-	2	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	6	-	-	-	-	-	2	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	2	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	5	2	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	61	3	-	1	1	1	1	1	5	18	22	8	67	2	-	-	-	1	4	3	5	12	26	14
White	46	1	-	-	1	1	1	1	4	16	14	7	49	-	-	-	-	-	3	2	3	8	21	12
All other	15	2	-	1	-	-	-	-	1	2	8	1	18	2	-	-	-	1	1	1	2	4	5	2
Black	15	2	-	1	-	-	-	-	1	2	8	1	18	2	-	-	-	1	1	1	2	4	5	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	-	-	-	-	-	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	4	-	-	-	-	-	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	29	-	1	-	1	-	2	3	4	6	9	3	20	-	-	2	3	2	-	3	2	5	3	-
White	24	-	1	-	-	-	1	3	4	6	7	2	12	-	-	2	3	1	-	-	2	2	2	-
All other	5	-	-	-	1	-	1	-	-	-	2	1	8	-	-	-	-	1	-	3	-	3	1	-
Black	5	-	-	-	1	-	1	-	-	-	2	1	7	-	-	-	-	-	-	3	-	3	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,657	2	2	7	18	24	81	222	569	881	651	198	1,937	-	5	7	5	26	72	184	409	567	439	223
White	2,235	1	2	7	14	21	67	183	496	758	526	159	1,675	-	4	6	5	23	62	161	355	487	377	195
All other	422	1	-	-	4	3	14	39	73	123	125	39	262	-	1	1	-	3	10	23	54	80	62	28
Black	421	1	-	-	4	3	14	39	73	122	125	39	261	-	1	1	-	3	10	23	54	80	61	28

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	49	-	-	-	-	1	2	5	17	11	7	6	28	-	-	-	-	-	-	2	9	9	5	3
White	42	-	-	-	-	1	1	3	16	10	6	5	27	-	-	-	-	-	-	2	8	9	5	3
All other	7	-	-	-	-	-	1	2	1	1	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	7	-	-	-	-	-	1	2	1	1	1	1	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	583	-	-	-	1	3	14	40	121	179	166	59	545	-	-	1	-	1	9	41	78	143	175	97
White	483	-	-	-	-	3	12	27	104	150	136	51	461	-	-	1	-	1	8	32	67	119	151	82
All other	100	-	-	-	1	-	2	13	17	29	30	8	84	-	-	-	-	-	1	9	11	24	24	15
Black	99	-	-	-	1	-	2	13	17	28	30	8	84	-	-	-	-	-	1	9	11	24	24	15
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	990	-	-	-	-	3	31	92	279	385	177	22	299	-	-	-	-	-	4	35	84	117	41	18
White	860	-	-	-	-	2	28	81	240	342	150	17	273	-	-	-	-	-	4	33	78	105	36	17
All other	130	-	-	-	-	1	3	11	39	43	27	5	26	-	-	-	-	-	-	2	6	12	5	1
Black	130	-	-	-	-	1	3	11	39	43	27	5	25	-	-	-	-	-	-	2	6	12	4	1
Malignant neoplasm of breast (174-175)	8	-	-	-	-	-	-	1	-	3	3	1	289	-	-	-	-	5	25	45	79	74	37	24
White	6	-	-	-	-	-	-	-	-	3	2	1	261	-	-	-	-	5	23	40	70	67	35	21
All other	2	-	-	-	-	-	-	1	-	-	1	-	28	-	-	-	-	-	2	5	9	7	2	3
Black	2	-	-	-	-	-	-	1	-	-	1	-	28	-	-	-	-	-	2	5	9	7	2	3
Malignant neoplasms of genital organs (179-187)	290	-	-	-	2	-	-	2	20	77	140	49	203	-	-	-	1	4	13	26	58	57	34	10
White	206	-	-	-	2	-	-	1	17	55	96	35	160	-	-	-	1	3	10	21	47	42	30	6
All other	84	-	-	-	-	-	-	1	3	22	44	14	43	-	-	-	-	1	3	5	11	15	4	4
Black	84	-	-	-	-	-	-	1	3	22	44	14	43	-	-	-	-	1	3	5	11	15	4	4
Malignant neoplasms of urinary organs (188-189)	123	-	-	-	-	1	1	8	21	38	36	18	56	-	1	-	-	-	1	2	8	18	17	9
White	107	-	-	-	-	1	1	8	19	32	31	15	48	-	-	-	-	-	1	2	8	16	12	9
All other	16	-	-	-	-	-	-	-	2	6	5	3	8	-	1	-	-	-	-	-	-	2	5	-
Black	16	-	-	-	-	-	-	-	2	6	5	3	8	-	1	-	-	-	-	-	-	2	5	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	399	1	1	-	10	9	24	60	69	125	75	24	317	-	2	4	2	8	14	23	64	95	68	37
White	348	1	1	-	8	9	18	50	64	113	63	20	277	-	2	3	2	8	11	22	54	85	56	34
All other	51	-	-	-	2	-	6	10	5	12	12	4	40	-	-	1	-	-	3	1	10	10	12	3
Black	51	-	-	-	2	-	6	10	5	12	12	4	40	-	-	1	-	-	3	1	10	10	12	3
Leukemia (204-208)	101	1	-	7	1	4	3	5	19	31	18	12	83	-	1	2	1	6	5	5	9	18	27	9
White	88	-	-	7	1	2	3	5	18	27	16	9	71	-	1	2	1	5	4	4	5	16	24	9
All other	13	1	-	-	-	2	-	-	1	4	2	3	12	-	-	-	-	1	1	1	4	2	3	-
Black	13	1	-	-	-	2	-	-	1	4	2	3	12	-	-	-	-	1	1	1	4	2	3	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	114	-	1	-	4	3	6	9	23	32	29	7	117	-	1	-	1	2	1	5	20	36	35	16
White	95	-	1	-	3	3	4	8	18	26	26	6	97	-	1	-	1	1	1	5	18	28	28	14
All other	19	-	-	-	1	-	2	1	5	6	3	1	20	-	-	-	-	1	-	-	2	8	7	2
Black	19	-	-	-	1	-	2	1	5	6	3	1	20	-	-	-	-	1	-	-	2	8	7	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	33	-	-	-	-	1	3	1	3	14	11	-	32	1	-	2	-	-	1	2	5	13	5	3
White	27	-	-	-	-	1	2	1	3	9	11	-	27	-	-	2	-	-	1	2	5	9	5	3
All other	6	-	-	-	-	-	1	-	-	5	-	-	5	1	-	-	-	-	-	-	-	4	-	-
Black	6	-	-	-	-	-	1	-	-	5	-	-	5	1	-	-	-	-	-	-	-	4	-	-
Diabetes mellitus (250)	156	-	-	-	-	7	4	16	25	48	39	17	214	-	-	-	1	4	3	7	27	68	73	31
White	131	-	-	-	-	7	4	11	21	39	33	16	161	-	-	-	1	3	3	3	22	51	53	25
All other	25	-	-	-	-	-	-	5	4	9	6	1	53	-	-	-	-	1	-	4	5	17	20	6
Black	25	-	-	-	-	-	-	5	4	9	6	1	53	-	-	-	-	1	-	4	5	17	20	6
Nutritional deficiencies (260-269)	7	-	-	-	-	-	-	-	-	2	2	3	12	-	-	-	-	-	-	-	1	3	6	2
White	6	-	-	-	-	-	-	-	-	1	2	3	11	-	-	-	-	-	-	-	1	2	6	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Anemias (280-285)	12	-	-	1	1	-	1	-	1	2	5	1	12	-	-	1	1	-	-	1	1	-	6	2
White	8	-	-	1	-	-	1	-	1	2	2	1	8	-	-	-	-	-	-	1	1	-	4	2
All other	4	-	-	-	1	-	-	-	-	-	3	-	4	-	-	1	1	-	-	-	-	-	2	-
Black	4	-	-	-	1	-	-	-	-	-	3	-	4	-	-	1	1	-	-	-	-	-	2	-
Meningitis (320-322)	12	5	-	1	1	-	1	1	1	-	2	-	9	2	1	-	-	1	-	-	2	3	-	-
White	9	3	-	1	1	-	1	-	1	-	2	-	6	1	-	-	-	1	-	-	1	3	-	-
All other	3	2	-	-	-	-	-	1	-	-	-	-	3	1	1	-	-	-	-	-	1	-	-	-
Black	3	2	-	-	-	-	-	1	-	-	-	-	3	1	1	-	-	-	-	-	1	-	-	-
Major cardiovascular diseases (390-448)	5,986	2	1	-	12	27	114	341	920	1,757	1,797	1,014	5,209	6	3	-	8	23	52	133	378	1,102	1,784	1,721
White	5,016	1	1	-	7	17	89	269	795	1,490	1,500	847	4,340	3	2	-	5	20	35	85	288	872	1,509	1,520
All other	970	1	-	-	5	10	25	72	125	267	297	167	869	3	1	-	3	3	17	48	88	230	275	201
Black	961	1	-	-	5	10	25	69	122	267	295	166	862	3	1	-	3	2	17	47	88	229	272	200

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con																								
Diseases of heart (390-398,402,404-429)	4,650	2	1	-	7	22	105	305	791	1,406	1,323	688	3,657	6	3	-	8	17	40	101	301	805	1,262	1,113
White	3,983	1	1	-	4	15	86	244	700	1,218	1,131	583	3,093	3	2	-	5	14	27	68	240	650	1,097	986
All other	667	1	-	-	3	7	19	61	91	188	192	105	564	3	1	-	3	3	13	33	61	155	165	127
Black	659	1	-	-	3	7	19	58	89	188	190	104	559	3	1	-	3	2	13	32	61	154	164	126
Rheumatic fever and rheumatic heart disease (390-398)	24	-	-	-	-	-	2	2	6	9	4	1	23	-	-	-	-	2	4	4	2	9	2	-
White	23	-	-	-	-	-	2	2	6	8	4	1	22	-	-	-	-	1	4	4	2	9	2	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	77	-	-	-	-	-	3	9	11	21	22	11	89	-	-	-	-	1	2	3	4	27	28	24
White	48	-	-	-	-	-	1	3	9	13	14	8	60	-	-	-	-	1	1	-	3	17	19	19
All other	29	-	-	-	-	-	2	6	2	8	8	3	29	-	-	-	-	-	1	3	1	10	9	5
Black	28	-	-	-	-	-	2	5	2	8	8	3	29	-	-	-	-	-	1	3	1	10	9	5
Hypertensive heart and renal disease (404)	20	-	-	-	-	-	-	1	4	3	6	6	17	-	-	-	1	-	-	-	1	3	7	5
White	14	-	-	-	-	-	-	1	1	1	5	6	15	-	-	-	1	-	-	-	1	2	6	5
All other	6	-	-	-	-	-	-	-	3	2	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	6	-	-	-	-	-	-	-	3	2	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Ischemic heart disease (410-414)	3,298	-	-	-	2	12	74	203	554	1,040	931	482	2,399	-	-	-	1	3	15	56	207	560	847	710
White	2,869	-	-	-	1	7	63	170	506	918	793	411	2,072	-	-	-	1	2	11	40	169	463	748	638
All other	429	-	-	-	1	5	11	33	48	122	138	71	327	-	-	-	-	1	4	16	38	97	99	72
Black	425	-	-	-	1	5	11	31	47	122	137	71	324	-	-	-	-	1	4	16	38	96	98	71
Acute myocardial infarction (410)	2,241	-	-	-	2	11	65	171	433	772	553	234	1,391	-	-	-	1	2	13	47	155	398	498	277
White	1,957	-	-	-	1	6	56	146	399	686	466	197	1,191	-	-	-	1	1	10	33	129	331	439	247
All other	284	-	-	-	1	5	9	25	34	86	87	37	200	-	-	-	-	1	3	14	26	67	59	30
Black	280	-	-	-	1	5	9	23	33	86	86	37	197	-	-	-	-	1	3	14	26	66	58	29
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,055	-	-	-	-	1	9	32	120	268	377	248	1,005	-	-	-	-	1	2	9	51	162	347	433
White	910	-	-	-	-	1	7	24	106	232	326	214	878	-	-	-	-	1	1	7	39	132	307	391
All other	145	-	-	-	-	-	2	8	14	36	51	34	127	-	-	-	-	-	1	2	12	30	40	42
Black	145	-	-	-	-	-	2	8	14	36	51	34	127	-	-	-	-	-	1	2	12	30	40	42
Other diseases of endocardium (424)	30	1	-	-	-	-	1	1	6	7	13	1	21	-	-	-	-	1	-	-	1	4	9	6
White	25	-	-	-	-	-	-	1	5	5	13	1	20	-	-	-	-	1	-	-	1	4	8	6
All other	5	1	-	-	-	-	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	5	1	-	-	-	-	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other forms of heart disease (415-423,425-429)	1,201	1	1	-	5	10	25	89	210	326	347	187	1,108	6	3	-	6	10	19	38	86	202	369	368
White	1,004	1	1	-	3	8	20	67	173	273	302	156	904	3	2	-	3	9	11	24	64	155	314	318
All other	197	-	-	-	2	2	5	22	37	53	45	31	204	3	1	-	3	1	8	14	22	47	55	50
Black	194	-	-	-	2	2	5	22	36	53	44	30	203	3	1	-	3	1	8	13	22	47	55	50
Hypertension with or without renal disease (401,403)	30	-	-	-	-	-	-	-	5	7	9	9	40	-	-	-	-	-	-	1	3	7	16	13
White	19	-	-	-	-	-	-	-	4	3	5	7	25	-	-	-	-	-	-	-	-	2	12	11
All other	11	-	-	-	-	-	-	-	1	4	4	2	15	-	-	-	-	-	-	1	3	5	4	2
Black	11	-	-	-	-	-	-	-	1	4	4	2	15	-	-	-	-	-	-	1	3	5	4	2
Cerebrovascular diseases (430-438)	1,025	-	-	-	5	4	7	30	98	269	369	243	1,241	-	-	-	-	6	11	28	64	245	417	470
White	769	-	-	-	3	1	2	20	67	201	282	193	989	-	-	-	-	6	8	14	40	181	327	413
All other	256	-	-	-	2	3	5	10	31	68	87	50	252	-	-	-	-	-	3	14	24	64	90	57
Black	255	-	-	-	2	3	5	10	30	68	87	50	250	-	-	-	-	-	3	14	24	64	88	57
Intracerebral and other intracranial hemorrhage (431-432)	110	-	-	-	3	1	4	10	20	25	30	17	101	-	-	-	-	2	3	6	10	19	31	30
White	80	-	-	-	2	-	1	7	15	20	23	12	85	-	-	-	-	2	2	5	8	14	24	30
All other	30	-	-	-	1	1	3	3	5	5	7	5	16	-	-	-	-	-	1	1	2	5	7	-
Black	29	-	-	-	1	1	3	3	4	5	7	5	16	-	-	-	-	-	1	1	2	5	7	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	102	-	-	-	-	1	-	2	7	32	33	27	157	-	-	-	-	1	-	2	8	22	51	73
White	70	-	-	-	-	-	-	2	2	21	24	21	13[illegible]	-	-	-	-	1	-	-	4	18	44	65
All other	32	-	-	-	-	1	-	-	5	11	9	6	25	-	-	-	-	-	-	2	4	4	7	8
Black	32	-	-	-	-	1	-	-	5	11	9	6	25	-	-	-	-	-	-	2	4	4	7	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Cerebral embolism (434.1)	7	-	-	-	-	-	-	1	2	3	-	1	4	-	-	-	-	-	-	-	-	2	2	-
White	6	-	-	-	-	-	-	1	2	2	-	1	3	-	-	-	-	-	-	-	-	2	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	806	-	-	-	2	2	3	17	69	209	306	198	979	-	-	-	-	3	8	20	46	202	333	367
White	613	-	-	-	1	1	1	10	48	158	235	159	769	-	-	-	-	3	6	9	28	147	258	318
All other	193	-	-	-	1	1	2	7	21	51	71	39	210	-	-	-	-	-	2	11	18	55	75	49
Black	193	-	-	-	1	1	2	7	21	51	71	39	208	-	-	-	-	-	2	11	18	55	73	49
Atherosclerosis (440)	145	-	-	-	-	1	2	1	5	25	55	55	203	-	-	-	-	-	-	-	2	24	68	109
White	121	-	-	-	-	1	1	1	5	22	44	47	171	-	-	-	-	-	-	-	2	20	54	95
All other	24	-	-	-	-	-	1	-	-	3	11	8	32	-	-	-	-	-	-	-	-	4	14	14
Black	24	-	-	-	-	-	1	-	-	3	11	8	32	-	-	-	-	-	-	-	-	4	14	14
Other diseases of arteries, arterioles, and capillaries (441-448)	136	-	-	-	-	-	-	5	21	50	41	19	68	-	-	-	-	-	1	3	6	21	21	16
White	124	-	-	-	-	-	-	4	19	46	38	17	62	-	-	-	-	-	-	3	6	19	19	15
All other	12	-	-	-	-	-	-	1	2	4	3	2	6	-	-	-	-	-	1	-	-	2	2	1
Black	12	-	-	-	-	-	-	1	2	4	3	2	6	-	-	-	-	-	1	-	-	2	2	1
Acute bronchitis and bronchiolitis (466)	4	1	-	1	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
White	3	-	-	1	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	303	6	2	1	2	2	5	9	32	67	93	84	258	5	1	2	-	4	3	6	12	27	78	120
White	259	5	-	1	2	2	4	8	25	58	85	69	232	4	1	1	-	4	3	3	8	25	67	116
All other	44	1	2	-	-	-	1	1	7	9	8	15	26	1	-	1	-	-	-	3	4	2	11	4
Black	41	1	2	-	-	-	1	1	6	9	6	15	25	1	-	1	-	-	-	3	4	2	11	3
Pneumonia (480-486)	282	6	2	1	2	2	5	8	31	63	84	78	215	4	1	2	-	2	3	6	10	24	65	98
White	238	5	-	1	2	2	4	7	24	54	76	63	190	3	1	1	-	2	3	3	6	22	55	94
All other	44	1	2	-	-	-	1	1	7	9	8	15	25	1	-	1	-	-	-	3	4	2	10	4
Black	41	1	2	-	-	-	1	1	6	9	6	15	24	1	-	1	-	-	-	3	4	2	10	3
Influenza (487)	21	-	-	-	-	-	-	1	1	4	9	6	43	1	-	-	-	2	-	-	2	3	13	22
White	21	-	-	-	-	-	-	1	1	4	9	6	42	1	-	-	-	2	-	-	2	3	12	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	434	-	-	1	-	-	1	16	63	179	134	40	191	1	-	-	-	-	3	11	30	66	61	19
White	402	-	-	-	-	-	1	13	59	160	131	38	187	-	-	-	-	-	3	10	30	66	59	19
All other	32	-	-	1	-	-	-	3	4	19	3	2	4	1	-	-	-	-	-	1	-	-	2	-
Black	30	-	-	1	-	-	-	2	4	18	3	2	4	1	-	-	-	-	-	1	-	-	2	-
Bronchitis, chronic and unspecified (490-491)	27	-	-	-	-	-	-	-	9	7	6	5	17	1	-	-	-	-	1	1	2	3	6	3
White	23	-	-	-	-	-	-	-	8	5	6	4	16	-	-	-	-	-	1	1	2	3	6	3
All other	4	-	-	-	-	-	-	-	1	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	105	-	-	-	-	-	-	3	14	56	23	9	48	-	-	-	-	-	-	5	12	14	14	3
White	98	-	-	-	-	-	-	3	14	50	22	9	47	-	-	-	-	-	-	5	12	14	13	3
All other	7	-	-	-	-	-	-	-	-	6	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	7	-	-	-	-	-	-	-	-	6	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Asthma (493)	11	-	-	1	-	-	-	2	2	1	4	1	9	-	-	-	-	-	1	1	2	4	1	-
White	6	-	-	-	-	-	-	-	1	-	4	1	8	-	-	-	-	-	1	-	2	4	1	-
All other	5	-	-	1	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	4	-	-	1	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	291	-	-	-	-	-	1	11	38	115	101	25	117	-	-	-	-	-	1	4	14	45	40	13
White	275	-	-	-	-	-	1	10	36	105	99	24	116	-	-	-	-	-	1	4	14	45	39	13
All other	16	-	-	-	-	-	-	1	2	10	2	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	16	-	-	-	-	-	-	1	2	10	2	1	1	-	-	-	-	-	-	-	-	-	1	-
Ulcer of stomach and duodenum (531-533)	28	-	-	-	-	-	-	2	3	10	9	4	18	-	-	-	-	-	1	2	-	5	8	2
White	28	-	-	-	-	-	-	2	3	10	9	4	16	-	-	-	-	-	1	2	-	3	8	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Appendicitis (540-543)	2	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	-	-	1	2	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	2	1	-	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	2	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	24	-	-	-	-	-	-	1	1	8	7	7	27	-	-	1	-	-	-	1	3	7	3	12
White	20	-	-	-	-	-	-	1	1	6	6	6	20	-	-	-	-	-	-	1	2	3	3	11
All other	4	-	-	-	-	-	-	-	-	2	1	1	7	-	-	1	-	-	-	-	1	4	-	1
Black	3	-	-	-	-	-	-	-	-	1	1	1	7	-	-	1	-	-	-	-	1	4	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Chronic liver disease and cirrhosis (571)	154	-	-	-	3	1	14	30	48	35	19	4	70	-	-	-	1	2	5	15	20	14	12	1
White	137	-	-	-	1	-	11	26	46	32	17	4	57	-	-	-	1	2	3	12	16	12	10	1
All other	17	-	-	-	2	1	3	4	2	3	2	-	13	-	-	-	-	-	2	3	4	2	2	-
Black	17	-	-	-	2	1	3	4	2	3	2	-	13	-	-	-	-	-	2	3	4	2	2	-
Cholelithiasis and other disorders of gallbladder (574-575)	11	-	-	-	-	-	-	-	-	2	7	2	18	-	-	-	-	-	-	1	-	4	7	6
White	11	-	-	-	-	-	-	-	-	2	7	2	14	-	-	-	-	-	-	-	-	2	6	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	-	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	-	2	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	146	5	-	2	2	1	2	3	21	34	51	25	135	2	1	-	1	-	4	3	13	24	42	45
White	112	3	-	2	2	1	2	3	13	23	41	22	101	-	1	-	-	-	2	2	10	20	33	33
All other	34	2	-	-	-	-	-	-	8	11	10	3	34	2	-	-	1	-	2	1	3	4	9	12
Black	34	2	-	-	-	-	-	-	8	11	10	3	34	2	-	-	1	-	2	1	3	4	9	12
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	1	-	-	1	4	-	-	-	-	-	-	-	1	2	1	-
White	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	1	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	22	-	-	-	1	-	1	-	2	5	9	4	14	-	-	-	-	-	-	-	2	2	2	8
White	16	-	-	-	1	-	1	-	-	3	8	3	11	-	-	-	-	-	-	-	2	2	2	5
All other	6	-	-	-	-	-	-	-	2	2	1	1	3	-	-	-	-	-	-	-	-	-	-	3
Black	6	-	-	-	-	-	-	-	2	2	1	1	3	-	-	-	-	-	-	-	-	-	-	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	122	5	-	2	1	1	1	3	18	29	42	20	117	2	1	-	1	-	4	3	10	20	39	37
White	94	3	-	2	1	1	1	3	12	20	33	18	87	-	1	-	-	-	2	2	7	17	30	28
All other	28	2	-	-	-	-	-	-	6	9	9	2	30	2	-	-	1	-	2	1	3	3	9	9
Black	28	2	-	-	-	-	-	-	6	9	9	2	30	2	-	-	1	-	2	1	3	3	9	9
Infections of kidney (590)	9	-	-	-	-	-	-	-	-	2	7	-	16	-	-	-	-	-	-	-	-	5	7	4
White	8	-	-	-	-	-	-	-	-	2	6	-	12	-	-	-	-	-	-	-	-	4	5	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	1	2	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	1	2	1
Hyperplasia of prostate (600)	5	-	-	-	-	-	-	-	-	-	3	2	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	-	3	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Congenital anomalies (740-759)	69	48	5	3	6	3	1	2	-	-	1	-	64	48	2	1	-	2	2	3	1	3	2	-
White	55	35	4	3	6	3	1	2	-	-	1	-	49	34	2	1	-	2	2	3	1	2	2	-
All other	14	13	1	-	-	-	-	-	-	-	-	-	15	14	-	-	-	-	-	-	-	1	-	-
Black	14	13	1	-	-	-	-	-	-	-	-	-	15	14	-	-	-	-	-	-	-	1	-	-
Certain conditions originating in the perinatal period (760-779)	92	92	-	-	-	-	-	-	-	-	-	-	66	66	-	-	-	-	-	-	-	-	-	-
White	58	58	-	-	-	-	-	-	-	-	-	-	42	42	-	-	-	-	-	-	-	-	-	-
All other	34	34	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
Black	34	34	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	27	27	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
White	18	18	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
All other	9	9	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	9	9	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	65	65	-	-	-	-	-	-	-	-	-	-	48	48	-	-	-	-	-	-	-	-	-	-
White	40	40	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
All other	25	25	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
Black	25	25	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	474	52	3	2	2	3	10	18	60	109	123	91	350	26	-	1	3	3	4	10	30	72	94	107
White	342	24	2	2	1	1	8	12	51	88	88	65	245	17	-	1	1	2	3	7	16	52	62	84
All other	132	28	1	-	1	2	2	6	9	21	35	26	105	9	-	-	2	1	1	3	14	20	32	23
Black	132	28	1	-	1	2	2	6	9	21	35	26	105	9	-	-	2	1	1	3	14	20	32	23
All other diseases (Residual)	645	11	7	8	12	14	32	55	69	165	161	111	612	14	8	9	7	17	20	30	62	123	184	138
White	535	5	5	5	10	11	24	48	58	142	130	97	498	8	6	6	5	8	17	22	45	105	155	119
All other	110	6	2	3	2	3	8	7	11	23	31	14	110	6	2	3	2	9	3	8	17	18	29	19
Black	110	6	2	3	2	3	8	7	11	23	31	14	114	6	2	3	2	9	3	8	17	17	29	18
Accidents and adverse effects (E800-E949)	784	11	18	43	183	140	98	67	76	64	49	33	290	5	17	34	45	24	22	13	23	43	31	41
White	638	4	12	33	149	119	86	53	68	46	40	27	240	4	12	29	42	18	20	11	20	33	26	34
All other	146	7	6	10	34	21	12	14	8	18	9	6	50	1	5	5	3	6	2	2	3	10	5	7
Black	142	7	6	9	34	19	12	14	8	17	9	6	50	1	5	5	3	6	2	2	3	10	5	7
Motor vehicle accidents (E810-E825)	405	-	4	23	129	81	53	30	34	25	18	7	143	2	9	23	38	14	15	8	12	15	3	3
White	349	-	3	20	112	71	49	25	31	17	14	6	131	2	7	21	36	12	15	7	12	13	3	3
All other	56	-	1	3	17	10	4	5	3	8	4	1	12	-	2	2	2	2	-	1	-	2	-	-
Black	54	-	1	3	17	8	4	5	3	8	4	1	12	-	2	2	2	2	-	1	-	2	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	379	11	14	20	54	59	45	37	42	39	31	26	156	3	8	11	7	10	7	5	11	28	28	38
White	289	4	9	13	37	48	37	28	37	29	26	21	118	2	5	8	6	6	5	4	8	20	23	31
All other	90	7	5	7	17	11	8	9	5	10	5	5	38	1	3	3	1	4	2	1	3	8	5	7
Black	88	7	5	6	17	11	8	9	5	9	5	5	38	1	3	3	1	4	2	1	3	8	5	7
Suicide (E950-E959)	219	...	...	2	37	39	26	24	33	29	20	7	42	...	...	-	8	15	5	7	3	3	1	-
White	200	...	...	2	33	33	26	21	31	28	18	6	40	...	...	-	8	14	5	7	3	2	1	-
All other	19	...	...	-	4	6	-	3	2	1	2	1	2	...	...	-	-	1	-	-	-	1	-	-
Black	18	...	...	-	4	6	-	2	2	1	2	1	2	...	...	-	-	1	-	-	-	1	-	-
Homicide and legal intervention (E960-E978)	194	1	2	3	36	64	24	27	22	8	3	3	56	2	1	2	11	15	7	6	2	2	4	2
White	87	1	2	3	13	25	10	12	13	5	1	1	32	2	-	1	5	9	6	5	-	-	3	-
All other	107	-	-	-	23	39	14	15	9	3	2	2	23	-	1	1	6	6	1	1	2	2	1	2
Black	107	-	-	-	23	39	14	15	9	3	2	2	23	-	1	1	6	6	1	1	2	2	1	2
All other external causes (E980-E999)	23	2	-	2	1	6	4	3	3	-	-	1	12	-	-	-	2	2	2	3	1	1	1	-
White	14	1	-	2	-	3	3	3	2	-	-	-	9	-	-	-	1	2	2	2	-	1	1	-
All other	9	1	-	-	1	3	1	-	1	-	-	1	3	-	-	-	1	-	-	1	1	-	-	-
Black	9	1	-	-	1	3	1	-	1	-	-	1	3	-	-	-	1	-	-	1	1	-	-	-
CALIFORNIA																								
All causes	98,600	2,410	520	645	3,740	4,363	3,905	7,705	16,441	24,289	22,606	11,872	86,387	1,887	368	352	1,237	1,728	2,207	4,685	10,435	17,116	23,589	22,760
White	88,004	1,916	420	518	3,147	3,568	3,157	6,501	14,579	22,063	20,898	11,153	78,660	1,473	297	296	1,043	1,361	1,741	3,944	9,189	15,559	22,004	21,721
All other	10,596	494	100	127	593	795	748	1,204	1,862	2,226	1,708	719	7,727	414	71	56	194	367	466	741	1,246	1,557	1,585	1,039
Black	7,755	377	77	101	488	668	605	961	1,465	1,542	1,022	442	5,875	320	59	44	153	280	348	553	1,091	1,211	1,169	732
Shigellosis and amebiasis (004,006)	7	-	2	-	-	-	-	1	1	2	1	-	3	-	-	1	-	-	1	-	-	-	1	-
White	5	-	1	-	-	-	-	1	1	1	1	-	3	-	-	1	-	-	1	-	-	-	1	-
All other	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	22	11	5	1	1	-	-	1	-	-	2	1	37	9	4	-	-	-	-	2	2	4	5	11
White	17	10	2	-	1	-	-	1	-	-	2	1	33	6	4	-	-	-	-	2	2	4	5	10
All other	5	1	3	1	-	-	-	-	-	-	-	-	4	3	-	-	-	-	-	-	-	-	-	1
Black	4	1	2	1	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	1
Tuberculosis (010-018)	110	-	-	1	-	1	6	14	20	29	25	14	47	-	-	-	1	2	3	2	8	16	12	3
White	85	-	-	1	-	1	3	11	17	21	20	11	38	-	-	-	1	2	2	1	7	12	10	3
All other	25	-	-	-	-	-	3	3	3	8	5	3	9	-	-	-	-	-	1	1	1	4	2	-
Black	12	-	-	-	-	-	2	3	2	2	1	2	3	-	-	-	-	-	1	1	-	1	-	-
Tuberculosis of respiratory system (010-012)	94	-	-	-	-	1	4	12	17	25	24	11	29	-	-	-	-	2	1	1	6	9	8	2
White	77	-	-	-	-	1	2	10	15	19	20	10	24	-	-	-	-	2	-	1	6	6	7	2
All other	17	-	-	-	-	-	2	2	2	6	4	1	5	-	-	-	-	-	1	-	-	3	1	-
Black	7	-	-	-	-	-	2	2	1	2	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Other tuberculosis (013-018)	16	-	-	1	-	-	2	2	3	4	1	3	18	-	-	-	1	-	2	1	2	7	4	1
White	8	-	-	1	-	-	1	1	2	2	-	1	14	-	-	-	1	-	2	-	1	6	3	1
All other	8	-	-	-	-	-	-	1	1	2	1	2	4	-	-	-	-	-	-	1	1	1	1	-
Black	5	-	-	-	-	-	-	1	1	-	1	2	1	-	-	-	-	-	-	1	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
White	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	14	4	3	1	2	-	-	1	2	-	1	-	16	6	3	1	2	1	-	1	-	2	-	-
White	14	4	3	1	2	-	-	1	2	-	1	-	14	6	2	-	2	1	-	1	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Septicemia (038)	252	15	2	2	2	4	11	18	36	62	69	31	258	5	3	-	3	4	7	22	20	65	61	68
White	209	12	2	2	2	3	8	11	33	52	59	25	222	3	1	-	3	2	6	15	17	57	55	63
All other	43	3	-	-	-	1	3	7	3	10	10	6	36	2	2	-	-	2	1	7	3	8	6	5
Black	32	1	-	-	-	1	3	6	3	6	8	4	25	2	2	-	-	1	1	5	3	3	4	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	65	2	1	-	4	14	5	13	12	5	9	-	59	-	1	1	7	7	11	9	8	7	5	3
White	57	1	1	-	4	12	5	9	12	5	8	-	47	-	1	1	5	5	9	5	8	6	5	2
All other	8	1	-	-	-	2	-	4	-	-	1	-	12	-	-	-	2	2	2	4	-	1	-	1
Black	3	-	-	-	-	2	-	1	-	-	-	-	7	-	-	-	2	1	1	2	-	1	-	-
Syphilis (090-097)	5	-	-	-	-	-	-	-	-	1	3	1	8	1	-	-	1	-	-	-	1	3	1	1
White	4	-	-	-	-	-	-	-	-	1	2	1	6	-	-	-	1	-	-	-	1	2	1	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	246	8	4	4	6	15	16	28	49	46	46	24	214	8	3	3	5	10	13	24	40	35	50	23
White	202	6	2	4	4	10	7	21	45	40	42	21	183	8	2	3	5	5	8	20	32	30	48	22
All other	44	2	2	-	2	5	9	7	4	6	4	3	31	-	1	-	-	5	5	4	8	5	2	1
Black	29	1	2	-	1	5	7	6	2	4	-	1	24	-	1	-	-	5	4	3	8	3	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	21,482	10	31	85	170	267	557	1,962	4,958	6,916	4,899	1,616	19,442	7	28	72	105	284	756	2,014	4,328	5,553	4,349	1,937
White	19,167	4	27	70	145	236	445	1,649	4,339	6,247	4,503	1,498	17,699	6	22	60	92	245	618	1,726	3,914	5,135	4,056	1,819
All other	2,315	6	4	15	25	31	112	313	619	669	396	118	1,743	1	6	12	13	39	138	288	414	418	293	118
Black	1,667	-	2	9	15	21	80	229	471	498	259	82	1,248	-	6	9	10	26	90	200	320	299	207	80
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	611	1	-	-	1	7	28	90	191	178	90	25	334	-	-	2	1	3	8	38	105	94	51	32
White	513	-	-	-	1	4	18	67	152	164	84	23	301	-	-	1	-	1	4	29	93	92	49	32
All other	98	1	-	-	-	3	10	23	39	14	6	2	33	-	-	1	1	2	4	9	12	2	2	-
Black	63	-	-	-	-	2	5	14	28	9	3	2	23	-	-	1	1	1	1	8	9	2	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	5,639	1	1	1	8	44	141	474	1,287	1,887	1,353	439	4,975	-	1	2	4	23	82	343	863	1,428	1,480	747
White	4,937	-	1	1	6	38	101	386	1,106	1,664	1,231	402	4,448	-	1	2	3	19	65	274	737	1,293	1,361	692
All other	702	1	-	-	2	6	40	88	181	223	122	37	527	-	-	-	1	4	17	69	126	135	119	55
Black	447	-	-	-	1	3	27	55	116	152	70	23	356	-	-	-	1	2	9	47	87	88	83	39
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	7,207	2	-	1	1	17	134	783	1,968	2,574	1,423	300	3,603	1	-	2	-	8	106	430	998	1,192	671	194
White	6,439	1	-	1	1	15	107	646	1,710	2,357	1,320	279	3,323	-	-	2	-	6	85	363	925	1,124	633	184
All other	768	1	-	-	-	2	27	137	258	217	103	21	280	1	-	-	-	2	21	67	73	68	38	10
Black	594	-	-	-	-	1	24	109	211	186	69	14	216	-	-	-	-	2	20	56	66	47	21	4
Malignant neoplasm of breast (174-175)	25	-	-	-	-	-	3	-	5	9	6	2	3,582	1	-	-	2	79	249	539	962	934	563	251
White	23	-	-	-	-	-	3	-	4	8	6	2	3,295	1	-	-	2	72	206	477	877	888	534	237
All other	2	-	-	-	-	-	-	-	1	1	-	-	287	-	-	-	-	7	43	62	85	46	29	14
Black	1	-	-	-	-	-	-	-	1	-	-	-	215	-	-	-	-	6	30	46	67	32	22	11
Malignant neoplasms of genital organs (179-187)	2,314	-	1	2	23	20	9	35	262	709	838	415	2,248	2	-	2	5	31	116	282	529	667	445	168
White	2,053	-	1	2	23	20	6	32	228	612	747	382	2,037	2	-	2	3	27	90	245	481	611	413	162
All other	261	-	-	-	-	-	3	3	34	97	91	33	211	-	-	-	2	4	26	37	48	56	32	6
Black	226	-	-	-	-	-	3	3	30	85	74	27	139	-	-	-	1	1	13	16	35	45	25	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	1,073	1	2	-	4	5	13	82	217	306	310	131	543	-	-	2	-	5	8	24	93	157	158	96
White	991	-	2	-	1	3	11	76	199	283	289	126	497	-	-	-	-	5	6	22	86	140	146	92
All other	82	1	-	-	3	2	2	6	18	23	21	5	46	-	-	2	-	-	2	2	7	17	12	4
Black	56	-	-	-	2	2	1	4	13	17	12	4	38	-	-	2	-	-	1	2	4	17	10	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2,592	4	15	31	57	91	131	327	621	707	453	154	2,468	1	11	28	42	81	114	236	509	662	529	256
White	2,371	2	12	25	47	88	117	296	567	653	422	142	2,250	1	8	23	39	71	100	213	466	604	492	233
All other	221	2	3	6	10	3	14	31	54	54	31	12	218	-	3	5	3	10	14	23	43	58	36	23
Black	157	-	2	4	4	2	11	26	40	38	22	8	160	-	3	4	2	7	10	15	37	38	25	18
Leukemia (204-208)	921	1	10	37	46	44	50	64	162	225	202	79	697	1	15	31	26	29	35	51	98	145	176	89
White	833	1	9	29	39	34	40	51	150	211	192	77	640	1	13	28	24	22	30	44	92	132	166	88
All other	88	-	1	8	7	10	10	13	12	14	10	2	57	-	2	3	2	7	5	7	6	13	10	1
Black	54	-	-	4	6	7	6	7	9	9	4	1	43	-	2	1	1	5	2	5	3	13	10	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,100	-	2	13	30	39	48	107	245	321	224	71	992	1	1	3	25	25	38	71	171	274	277	104
White	1,007	-	2	12	27	34	42	95	223	295	212	65	908	1	-	2	21	22	32	59	157	251	262	99
All other	93	-	-	1	3	5	6	12	22	26	12	6	84	-	1	1	4	3	6	12	14	23	15	5
Black	70	-	-	1	2	4	3	11	19	22	5	3	58	-	1	1	4	2	4	5	12	16	11	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	317	4	4	6	6	9	15	34	47	93	72	27	316	4	3	3	5	15	8	27	49	64	83	54
White	293	4	3	5	6	8	14	29	42	86	70	26	288	4	3	2	5	13	8	26	44	60	74	48
All other	24	-	1	1	-	1	1	5	5	7	2	1	28	-	-	1	-	2	-	1	5	4	9	6
Black	14	-	1	1	-	-	1	4	2	5	-	-	27	-	-	1	-	2	-	1	5	4	8	6
Diabetes mellitus (250)	1,130	1	-	1	12	34	44	94	209	324	278	133	1,490	-	1	1	5	33	49	77	236	394	459	235
White	965	1	-	1	8	29	35	72	180	274	242	123	1,246	-	1	1	5	27	38	63	176	324	399	212
All other	165	-	-	-	4	5	9	22	29	50	36	10	244	-	-	-	-	6	11	14	60	70	60	23
Black	115	-	-	-	4	5	6	21	20	33	20	6	197	-	-	-	-	6	11	12	52	52	47	16
Nutritional deficiencies (260-269)	89	2	-	1	-	-	2	4	10	16	28	25	121	-	-	-	-	1	3	2	2	10	31	72
White	75	2	-	1	-	-	2	4	10	13	22	20	117	-	-	-	-	1	2	2	2	10	29	71
All other	14	-	-	-	-	-	-	-	-	3	6	5	4	-	-	-	-	-	1	-	-	-	2	1
Black	8	-	-	-	-	-	-	-	-	3	2	3	2	-	-	-	-	-	1	-	-	-	1	-
Anemias (280-285)	118	4	4	3	3	8	6	4	18	21	22	25	127	1	2	6	8	3	4	4	9	18	32	40
White	94	1	2	3	3	2	2	1	16	20	20	24	104	-	1	4	3	1	-	3	7	16	30	39
All other	24	3	2	-	-	6	4	3	2	1	2	1	23	1	1	2	5	2	4	1	2	2	2	1
Black	16	1	2	-	-	6	3	3	1	-	-	-	20	1	1	2	5	2	4	1	1	1	1	1
Meningitis (320-322)	82	22	10	2	2	2	5	6	12	10	6	5	63	10	10	2	2	1	3	6	6	8	10	5
White	67	18	8	1	2	1	4	6	10	6	6	5	54	9	9	2	2	1	3	4	6	4	9	5
All other	15	4	2	1	-	1	1	-	2	4	-	-	9	1	1	-	-	-	-	2	-	4	1	-
Black	9	4	2	1	-	-	1	-	-	1	-	-	7	1	1	-	-	-	-	1	-	3	1	-
Major cardiovascular diseases (390-448)	43,246	54	15	39	71	251	813	2,972	7,284	11,829	12,451	7,447	43,549	47	18	28	48	170	352	1,124	3,346	7,613	14,273	16,515
White	39,402	38	8	33	53	198	659	2,560	6,486	10,786	11,546	7,019	40,182	39	14	22	35	125	252	900	2,820	6,836	13,326	15,805
All other	3,844	16	7	6	18	53	154	412	798	1,043	905	428	3,367	8	4	6	13	45	100	224	526	777	947	710
Black	2,698	8	5	6	13	46	128	326	640	696	534	296	2,864	3	3	4	10	39	84	183	440	849	735	513
Diseases of heart (390-398,402,404-429)	34,568	45	12	28	53	202	681	2,637	6,364	9,656	9,447	5,427	30,868	36	15	23	27	98	230	802	2,575	5,742	10,095	11,211
White	31,654	32	6	25	41	162	563	2,294	5,710	8,870	8,800	5,138	28,529	31	11	18	19	71	162	652	2,188	5,177	9,449	10,743
All other	2,914	13	6	3	12	40	118	343	654	786	647	289	2,339	5	4	5	8	27	68	150	387	565	646	468
Black	2,052	6	4	3	8	35	97	276	529	529	391	173	1,897	1	3	3	7	23	58	133	338	477	500	348
Rheumatic fever and rheumatic heart disease (390-398)	290	-	-	2	4	5	14	28	68	88	63	18	555	-	-	-	3	11	23	33	86	163	168	68
White	263	-	-	2	2	4	11	25	63	82	57	17	515	-	-	-	2	8	16	26	78	157	162	66
All other	27	-	-	-	2	1	3	3	5	6	6	1	40	-	-	-	1	3	7	7	8	6	6	2
Black	12	-	-	-	-	1	2	1	3	1	4	-	24	-	-	-	-	2	5	4	5	1	5	2
Hypertensive heart disease (402)	1,180	-	-	1	1	19	21	118	300	333	268	119	1,350	-	-	-	-	1	18	76	169	290	418	377
White	922	-	-	1	1	12	10	77	223	269	224	105	1,127	-	-	-	-	1	3	52	122	233	367	349
All other	258	-	-	-	-	7	11	41	77	64	44	14	223	-	-	-	-	-	15	24	47	57	51	28
Black	216	-	-	-	-	6	9	37	70	52	31	11	196	-	-	-	-	-	14	20	44	51	45	21
Hypertensive heart and renal disease (404)	104	-	-	-	1	4	2	7	13	19	32	26	143	-	1	-	-	2	2	4	14	25	54	41
White	90	-	-	-	1	2	2	5	10	17	30	23	117	-	-	-	-	2	1	2	9	18	47	38
All other	14	-	-	-	-	2	-	2	3	2	2	3	26	-	1	-	-	-	1	2	5	7	7	3
Black	10	-	-	-	-	2	-	2	2	1	1	2	24	-	1	-	-	-	-	2	5	7	7	2
Ischemic heart disease (410-414)	25,120	8	1	13	8	72	468	1,798	4,536	7,187	7,040	3,979	21,502	3	-	10	3	21	109	454	1,675	3,975	7,226	8,016
White	23,369	6	1	13	6	61	403	1,626	4,164	6,666	6,622	3,793	20,063	3	-	8	2	16	85	387	1,455	3,617	6,804	7,679
All other	1,751	2	-	-	2	11	65	172	372	521	418	186	1,439	-	-	2	1	5	24	67	220	358	422	337
Black	1,170	-	-	-	2	9	52	129	290	334	245	108	1,136	-	-	1	1	4	19	61	189	300	320	240
Acute myocardial infarction (410)	12,409	4	-	8	6	43	259	1,047	2,540	3,889	3,216	1,390	9,180	2	-	3	3	9	59	266	988	2,169	3,209	2,468
White	11,575	4	-	8	4	38	230	961	2,334	3,629	3,028	1,332	8,549	2	-	3	2	7	49	233	864	1,983	3,046	2,358
All other	834	-	-	-	2	5	29	86	206	260	188	58	631	-	-	-	1	2	10	33	124	186	163	110
Black	540	-	-	-	2	5	22	64	152	158	102	34	495	-	-	-	1	1	7	29	108	151	116	82

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	164	-	-	-	-	3	5	18	42	48	30	18	126	-	-	-	-	1	1	6	9	19	35	55
White	161	-	-	-	-	3	5	18	41	46	30	18	121	-	-	-	-	1	1	5	7	19	34	54
All other	3	-	-	-	-	-	-	-	1	2	-	-	5	-	-	-	-	-	-	1	2	-	1	1
Black	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	-	-	1	2	-	-	-
Angina pectoris (413)	25	-	-	-	-	-	-	4	5	5	6	5	24	-	-	-	-	-	1	1	3	6	11	2
White	21	-	-	-	-	-	-	3	4	4	5	5	23	-	-	-	-	-	1	1	3	5	11	2
All other	4	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	12,522	4	1	5	2	26	204	729	1,949	3,245	3,788	2,566	12,172	1	-	7	-	11	48	181	675	1,781	3,971	5,491
White	11,612	2	1	5	2	20	168	644	1,785	2,987	3,559	2,438	11,370	1	-	5	-	8	34	148	581	1,610	3,713	5,265
All other	910	2	-	-	-	6	36	85	164	258	229	128	802	-	-	2	-	3	14	33	94	171	258	226
Black	624	-	-	-	-	4	30	64	138	172	143	74	636	-	-	1	-	3	12	31	79	149	204	156
Other diseases of endocardium (424)	424	-	-	1	1	4	8	22	55	107	159	67	398	-	-	1	-	1	5	11	31	92	133	124
White	388	-	-	1	-	4	8	20	52	95	145	63	373	-	-	1	-	1	4	7	29	84	124	123
All other	36	-	-	-	1	-	-	2	3	12	14	4	25	-	-	-	-	-	1	4	2	8	9	1
Black	22	-	-	-	-	-	-	1	2	9	8	2	19	-	-	-	-	-	-	4	1	7	7	-
All other forms of heart disease (415-423,425-429)	7,450	37	11	11	38	98	168	664	1,392	1,922	1,885	1,218	6,918	33	14	12	21	62	73	224	600	1,197	2,096	2,585
White	6,622	26	5	8	31	79	129	541	1,198	1,741	1,722	1,137	6,333	28	11	9	15	43	53	178	495	1,068	1,945	2,488
All other	828	11	6	3	7	19	39	123	194	181	163	81	585	5	3	3	6	19	20	46	105	129	151	97
Black	622	6	4	3	6	17	34	106	162	132	102	50	499	1	2	2	6	17	18	42	92	111	125	83
Hypertension with or without renal disease (401,403)	313	-	-	1	2	1	2	12	43	63	111	78	362	-	-	-	1	2	9	14	20	60	130	126
White	269	-	-	1	1	1	-	5	33	57	97	74	300	-	-	-	1	1	6	8	15	48	108	113
All other	44	-	-	-	1	-	2	7	10	6	14	4	62	-	-	-	-	1	3	6	5	12	22	13
Black	39	-	-	-	1	-	2	6	10	6	10	4	56	-	-	-	-	1	3	6	5	12	18	11
Cerebrovascular diseases (430-438)	6,023	5	2	7	15	42	118	256	621	1,458	2,103	1,393	9,606	9	1	2	17	61	104	274	626	1,470	3,334	3,907
White	5,298	2	1	4	10	31	85	203	509	1,257	1,904	1,290	8,986	6	1	2	14	47	74	215	515	1,297	3,098	3,716
All other	725	3	1	3	5	11	33	53	112	201	199	103	620	3	-	-	3	14	30	59	111	173	236	191
Black	462	2	1	3	4	6	28	37	84	129	108	58	589	2	-	-	2	12	23	36	82	139	166	127
Intracerebral and other intracranial hemorrhage (431-432)	824	3	-	3	3	14	44	89	171	227	192	78	1,147	7	-	2	8	9	37	91	172	246	365	210
White	667	1	-	2	1	6	24	68	135	192	168	70	997	5	-	2	8	6	22	61	141	223	328	201
All other	157	2	-	1	2	8	20	21	36	35	24	8	150	2	-	-	-	3	15	30	31	23	37	9
Black	93	2	-	1	1	6	18	14	23	17	9	2	102	1	-	-	-	3	11	19	21	14	27	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	1,195	1	-	-	2	3	4	27	107	274	464	312	2,056	1	-	-	3	2	4	15	70	280	730	951
White	1,058	1	-	-	2	2	3	20	88	230	425	286	1,907	-	-	-	2	2	3	15	59	241	679	906
All other	137	-	-	-	-	1	1	7	19	44	39	26	149	1	-	-	1	-	1	-	11	39	51	45
Black	89	-	-	-	-	-	1	4	15	30	22	17	112	1	-	-	1	-	1	-	10	34	36	29
Cerebral embolism (434.1)	31	-	-	-	-	1	-	-	7	11	9	3	41	-	-	-	-	1	-	-	1	12	15	12
White	31	-	-	-	-	1	-	-	7	11	9	3	40	-	-	-	-	-	-	-	1	12	15	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	3,973	1	2	4	10	24	70	140	336	946	1,438	1,000	6,562	1	1	-	6	49	63	168	383	932	2,224	2,734
White	3,542	-	1	2	7	22	58	115	279	824	1,302	931	6,042	1	1	-	4	39	49	139	314	821	2,076	2,597
All other	431	1	1	2	3	2	12	25	57	122	136	69	520	-	-	-	2	10	14	29	69	111	148	137
Black	280	-	1	2	3	2	9	19	46	82	77	39	374	-	-	-	1	8	11	17	51	91	103	92
Atherosclerosis (440)	991	-	-	-	-	-	1	13	44	176	370	386	1,737	-	2	-	-	-	2	10	35	129	484	1,073
White	926	-	-	-	-	-	1	13	40	162	347	362	1,671	-	2	-	-	-	1	9	33	113	464	1,047
All other	65	-	-	-	-	-	-	-	4	14	23	24	66	-	-	-	-	-	1	1	2	16	20	26
Black	48	-	-	-	-	-	-	-	4	13	15	16	51	-	-	-	-	-	1	1	2	14	15	18
Other diseases of arteries, arterioles, and capillaries (441-448)	1,351	4	1	3	1	6	11	54	212	476	420	163	778	2	-	3	3	9	8	24	89	212	230	198
White	1,255	4	1	3	1	4	10	45	194	440	398	155	697	2	-	2	1	6	7	16	69	201	207	186
All other	96	-	-	-	-	2	1	9	18	36	22	8	81	-	-	1	2	3	1	8	20	11	23	12
Black	59	-	-	-	-	2	1	7	13	21	10	5	61	-	-	1	1	3	1	7	15	7	17	9
Acute bronchitis and bronchiolitis (466)	39	5	-	-	-	2	2	2	6	7	11	4	37	4	-	-	-	-	1	1	4	2	15	10
White	35	2	-	-	-	2	2	2	6	7	11	3	33	4	-	-	-	-	1	-	4	1	14	9
All other	4	3	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	1	-	1	1	1
Black	1	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Pneumonia and influenza (480-487)	2,736	47	15	10	20	48	48	112	265	534	852	783	2,910	31	13	12	13	19	26	64	166	322	874	1,370
White	2,492	36	10	8	16	41	38	94	231	475	795	747	2,738	27	10	10	10	16	19	52	151	296	826	1,321
All other	244	11	5	2	4	7	10	18	34	59	57	36	172	4	3	2	3	3	7	12	15	26	48	49
Black	165	7	4	1	3	6	9	17	30	43	30	14	120	3	1	2	3	2	5	10	13	21	35	25

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Pneumonia (480-486)	2,660	45	15	10	20	47	48	111	259	524	821	758	2,761	31	13	11	13	19	25	61	160	311	825	1,292
White	2,420	35	10	8	16	40	38	93	226	465	766	722	2,599	27	10	9	10	16	18	50	145	285	783	1,246
All other	240	10	5	2	4	7	10	18	33	59	55	36	162	4	3	2	3	3	7	11	15	26	42	46
Black	162	7	4	1	3	6	9	17	29	43	29	14	117	3	1	2	3	2	5	10	13	21	32	25
Influenza (487)	76	2	-	-	-	1	-	1	6	10	31	25	149	-	-	1	-	-	1	3	6	11	49	78
White	72	1	-	-	-	1	-	1	5	10	29	25	139	-	-	1	-	-	1	2	6	11	43	75
All other	4	1	-	-	-	-	-	-	1	-	2	-	10	-	-	-	-	-	-	1	-	-	6	3
Black	3	-	-	-	-	-	-	-	1	-	2	-	3	-	-	-	-	-	-	-	-	-	3	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	3,948	6	2	7	5	14	16	125	575	1,451	1,286	460	2,349	5	2	5	7	9	20	71	367	832	730	301
White	3,666	6	2	4	3	3	14	101	519	1,356	1,215	442	2,254	3	2	3	7	5	16	58	344	805	718	293
All other	282	-	-	3	2	11	2	24	56	95	71	18	95	2	-	2	-	4	4	13	23	27	12	8
Black	200	-	-	2	2	7	2	23	45	63	45	11	64	2	-	2	-	3	2	11	18	14	5	6
Bronchitis, chronic and unspecified (490-491)	279	4	-	3	-	-	2	8	45	89	88	40	193	1	1	1	3	1	-	3	33	61	54	35
White	261	4	-	2	-	-	2	8	40	85	82	38	191	-	1	1	3	1	-	3	33	61	53	35
All other	18	-	-	1	-	-	-	-	5	4	6	2	2	1	-	-	-	-	-	-	-	-	1	-
Black	10	-	-	1	-	-	-	-	2	3	4	-	1	1	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	1,065	-	1	-	1	1	3	38	157	412	339	113	540	2	-	-	-	-	3	18	105	208	148	56
White	1,006	-	1	-	1	-	3	30	145	390	326	110	522	1	-	-	-	-	3	16	99	202	147	54
All other	59	-	-	-	-	1	-	8	12	22	13	3	18	1	-	-	-	-	-	2	6	6	1	2
Black	43	-	-	-	-	-	-	7	11	15	8	2	16	1	-	-	-	-	-	2	5	5	1	2
Asthma (493)	155	1	1	2	4	13	6	13	25	46	32	12	192	-	-	4	4	6	12	21	33	56	41	15
White	121	1	1	-	2	3	6	9	23	36	29	11	169	-	-	2	4	2	9	14	30	53	41	14
All other	34	-	-	2	2	10	-	4	2	10	3	1	23	-	-	2	-	4	3	7	3	3	-	1
Black	23	-	-	1	2	7	-	4	1	5	3	-	15	-	-	2	-	3	1	6	2	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,449	1	-	2	-	-	5	66	348	904	827	296	1,424	2	1	-	-	2	5	29	196	507	487	195
White	2,278	1	-	2	-	-	3	54	311	845	778	283	1,372	2	1	-	-	2	4	25	182	489	477	190
All other	171	-	-	-	-	-	2	12	37	59	49	12	52	-	-	-	-	-	1	4	14	18	10	5
Black	124	-	-	-	-	-	2	12	31	40	30	9	32	-	-	-	-	-	1	3	12	8	4	4
Ulcer of stomach and duodenum (531-533)	375	2	-	1	2	5	6	17	60	113	108	61	353	-	-	-	1	4	8	11	48	64	96	121
White	330	2	-	1	1	1	5	13	50	99	97	61	326	-	-	-	1	4	7	11	42	57	89	115
All other	45	-	-	-	1	4	1	4	10	14	11	-	27	-	-	-	-	-	1	-	6	7	7	6
Black	28	-	-	-	1	4	1	3	9	8	3	-	19	-	-	-	-	-	-	-	5	6	6	2
Appendicitis (540-543)	39	-	-	2	1	3	2	3	4	12	5	7	27	-	1	-	-	1	1	2	1	9	4	8
White	34	-	-	1	1	3	2	3	4	12	2	6	23	-	1	-	-	1	1	2	1	8	3	6
All other	5	-	-	1	-	-	-	-	-	-	3	1	4	-	-	-	-	-	-	-	-	1	1	2
Black	4	-	-	1	-	-	-	-	-	-	2	1	4	-	-	-	-	-	-	-	-	1	1	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	193	8	1	2	3	2	3	6	22	38	60	48	300	11	2	-	2	2	3	10	22	63	90	95
White	168	7	1	2	2	2	2	5	20	30	50	47	284	9	1	-	2	1	3	9	22	57	88	92
All other	25	1	-	-	1	-	1	1	2	8	10	1	16	2	1	-	-	1	-	1	-	6	2	3
Black	21	1	-	-	1	-	1	1	2	6	8	1	15	2	1	-	-	1	-	1	-	6	2	2
Chronic liver disease and cirrhosis (571)	2,732	3	-	1	10	141	368	626	835	561	162	23	1,462	2	-	-	5	60	157	315	441	326	126	29
White	2,438	2	-	1	9	110	300	539	772	532	150	22	1,303	2	-	-	5	39	120	277	410	304	118	27
All other	294	1	-	-	1	31	68	87	63	29	12	1	159	-	-	-	-	21	37	38	31	22	8	2
Black	241	-	-	-	1	29	58	71	51	25	7	-	127	-	-	-	-	16	32	31	25	18	4	1
Cholelithiasis and other disorders of gallbladder (574-575)	131	-	-	1	-	1	2	4	15	33	47	28	165	-	-	-	-	-	5	4	15	31	49	61
White	121	-	-	1	-	1	1	4	15	30	42	27	147	-	-	-	-	-	4	3	11	26	43	60
All other	10	-	-	-	-	-	1	-	-	3	5	1	18	-	-	-	-	-	1	1	4	5	6	1
Black	3	-	-	-	-	-	1	-	-	-	1	1	8	-	-	-	-	-	1	-	1	3	3	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	548	9	-	1	6	11	11	32	68	131	181	98	556	12	1	1	8	6	9	27	56	113	189	132
White	471	6	-	1	5	10	6	27	52	114	164	86	478	9	1	1	5	3	5	22	43	96	167	124
All other	77	3	-	-	1	1	5	5	16	17	17	12	79	3	-	-	3	3	4	5	13	17	22	8
Black	56	2	-	-	1	1	4	5	12	12	10	9	54	1	-	-	3	2	3	3	8	13	14	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	10	2	-	-	-	-	-	-	1	2	2	3	9	-	-	-	-	1	-	1	1	3	3	-
White	10	2	-	-	-	-	-	-	1	2	2	3	7	-	-	-	-	1	-	-	-	3	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	67	-	-	-	2	-	3	8	3	13	27	11	100	-	-	-	1	3	4	5	8	26	35	18
White	53	-	-	-	2	-	1	6	3	12	22	7	83	-	-	-	1	1	2	4	5	23	30	17
All other	14	-	-	-	-	-	2	2	-	1	5	4	17	-	-	-	-	2	2	1	3	3	5	1
Black	10	-	-	-	-	-	1	2	-	1	3	3	10	-	-	-	-	2	1	-	-	3	3	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	471	7	-	1	4	11	8	24	64	116	152	84	446	12	1	1	7	2	5	21	47	84	151	114
White	408	4	-	1	3	10	5	21	48	100	140	76	386	9	1	1	4	1	3	18	38	70	134	107
All other	63	3	-	-	1	1	3	3	16	16	12	8	60	3	-	-	3	1	2	3	9	14	17	7
Black	46	2	-	-	1	1	3	3	12	11	7	6	43	1	-	-	3	-	2	3	7	10	11	5
Infections of kidney (590)	87	-	-	-	1	2	1	4	13	13	27	26	147	-	-	-	-	-	4	5	15	19	48	56
White	80	-	-	-	1	1	-	4	12	11	26	25	133	-	-	-	-	-	3	4	14	14	47	51
All other	7	-	-	-	-	1	1	-	1	2	1	1	14	-	-	-	-	-	1	1	1	5	1	5
Black	6	-	-	-	-	-	1	-	1	2	1	1	11	-	-	-	-	-	1	1	1	3	1	4
Hyperplasia of prostate (600)	65	-	-	-	-	-	-	-	3	10	23	29	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
White	54	-	-	-	-	-	-	-	2	8	19	25	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
All other	11	-	-	-	-	-	-	-	1	2	4	4	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
Black	7	-	-	-	-	-	-	-	1	1	2	3	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
Complications of pregnancy, childbirth, and the puerperium (630-676)	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	38	. . .	. . .	-	11	19	8	-	. . .	. . .	. . .	. . .
White	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	32	. . .	. . .	-	10	16	6	-	. . .	. . .	. . .	. . .
All other	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	6	. . .	. . .	-	1	3	2	-	. . .	. . .	. . .	. . .
Black	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	6	. . .	. . .	-	1	3	2	-	. . .	. . .	. . .	. . .
Pregnancy with abortive outcome (630-638)	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	7	. . .	. . .	-	2	5	-	-	. . .	. . .	. . .	. . .
White	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	5	. . .	. . .	-	2	3	-	-	. . .	. . .	. . .	. . .
All other	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2	. . .	. . .	-	-	2	-	-	. . .	. . .	. . .	. . .
Black	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2	. . .	. . .	-	-	2	-	-	. . .	. . .	. . .	. . .
Other complications of pregnancy, childbirth, and the puerperium (640-676)	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	31	. . .	. . .	-	9	14	8	-	. . .	. . .	. . .	. . .
White	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	27	. . .	. . .	-	8	13	6	-	. . .	. . .	. . .	. . .
All other	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	4	. . .	. . .	-	1	1	2	-	. . .	. . .	. . .	. . .
Black	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	4	. . .	. . .	-	1	1	2	-	. . .	. . .	. . .	. . .
Congenital anomalies (740-759)	848	580	64	30	46	36	21	13	18	18	14	5	762	480	60	27	31	29	17	21	25	35	27	10
White	731	490	54	29	41	31	17	13	18	17	14	5	637	397	47	20	28	25	15	17	23	31	26	8
All other	117	90	10	1	5	5	4	-	-	1	-	-	125	83	13	7	3	4	2	4	2	4	1	2
Black	77	57	9	-	4	3	2	-	-	1	-	-	85	51	11	5	3	4	2	2	2	3	1	1
Certain conditions originating in the perinatal period (760-779)	1,056	1,046	7	-	1	-	-	-	-	-	-	-	826	824	1	-	1	-	-	-	-	-	-	-
White	820	812	6	-	1	-	-	-	-	-	-	-	613	611	1	-	1	-	-	-	-	-	-	-
All other	236	234	1	-	-	-	-	-	-	-	-	-	213	213	-	-	-	-	-	-	-	-	-	-
Black	196	196	-	-	-	-	-	-	-	-	-	-	175	175	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	403	401	1	-	1	-	-	-	-	-	-	-	263	262	-	-	1	-	-	-	-	-	-	-
White	318	317	-	-	1	-	-	-	-	-	-	-	211	210	-	-	1	-	-	-	-	-	-	-
All other	85	84	1	-	-	-	-	-	-	-	-	-	52	52	-	-	-	-	-	-	-	-	-	-
Black	73	73	-	-	-	-	-	-	-	-	-	-	39	39	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	653	645	6	-	-	-	-	-	-	-	-	-	563	562	1	-	-	-	-	-	-	-	-	-
White	502	495	6	-	-	-	-	-	-	-	-	-	402	401	1	-	-	-	-	-	-	-	-	-
All other	151	150	-	-	-	-	-	-	-	-	-	-	161	161	-	-	-	-	-	-	-	-	-	-
Black	123	123	-	-	-	-	-	-	-	-	-	-	136	136	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	704	381	15	6	38	72	45	32	35	34	26	12	533	260	11	1	25	49	30	24	22	34	27	46
White	562	302	9	6	26	55	30	27	31	33	23	12	444	203	10	1	23	34	29	22	22	29	24	43
All other	142	79	6	-	12	17	15	5	4	1	3	-	89	57	1	-	2	15	1	2	-	5	3	3
Black	116	69	6	-	7	11	12	4	4	1	2	-	77	48	1	-	2	14	1	1	-	5	3	2
All other diseases (Residual)	5,242	112	72	57	125	232	277	411	802	1,204	1,288	658	5,403	90	49	46	86	150	176	323	671	1,037	1,494	1,275
White	4,611	86	60	48	105	179	216	323	710	1,083	1,186	611	4,858	71	39	44	68	105	124	270	592	935	1,396	1,209
All other	631	26	12	9	20	53	61	88	92	121	102	47	545	19	10	2	18	45	52	53	79	102	98	66
Black	479	20	9	8	16	47	54	72	70	87	62	34	427	16	7	2	16	37	39	39	61	77	82	50
Accidents and adverse effects (E800-E949)	7,362	57	242	321	1,857	1,705	813	631	603	466	413	214	3,041	52	133	117	536	455	270	266	299	309	361	241
White	6,525	49	202	259	1,685	1,520	699	530	537	426	381	200	2,706	46	111	100	485	387	225	231	273	282	336	228
All other	837	8	40	62	172	185	114	101	66	40	32	14	335	6	22	17	51	68	45	35	26	27	25	13
Black	632	6	28	48	132	137	92	86	53	23	16	8	230	5	19	12	34	43	35	27	18	17	12	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Motor vehicle accidents (E810-E825)	4,028	17	79	168	1,347	1,039	468	283	260	181	135	43	1,502	18	44	75	431	310	146	127	121	115	93	21
White	3,640	14	69	144	1,244	947	410	245	234	160	126	41	1,346	17	35	68	399	269	126	114	108	103	87	19
All other	388	3	10	24	103	92	58	38	26	21	9	2	156	1	9	7	32	41	20	13	13	12	6	2
Black	268	2	7	16	77	60	41	29	18	10	4	1	92	1	7	5	22	20	12	8	8	7	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	3,334	40	163	153	520	666	345	348	343	285	278	171	1,539	34	89	42	105	145	124	139	178	194	268	220
White	2,885	35	133	115	451	573	289	285	303	266	255	159	1,360	29	76	32	86	118	99	117	165	179	249	209
All other	449	5	30	38	69	93	56	63	40	19	23	12	179	5	13	10	19	27	25	22	13	15	19	11
Black	384	4	22	30	55	77	51	57	35	13	12	7	138	4	12	7	12	23	23	19	10	10	11	7
Suicide (E950-E959)	2,547	...	...	14	473	621	390	297	289	240	160	49	1,006	...	...	5	144	215	174	156	148	100	42	21
White	2,349	...	...	13	428	549	365	282	275	229	155	48	907	...	...	4	125	182	153	146	141	96	40	19
All other	198	...	...	1	45	72	34	15	14	11	5	1	99	...	...	1	19	33	21	10	7	4	2	2
Black	137	...	...	1	29	55	22	11	10	6	3	-	44			1	10	17	10	2	1	2	1	-
Homicide and legal intervention (E960-E978)	2,568	13	18	41	826	811	375	217	151	61	27	14	641	13	19	19	164	165	75	60	62	25	20	16
White	1,710	11	14	17	558	522	252	139	115	40	21	9	437	7	14	16	103	103	57	41	42	21	16	15
All other	858	2	4	24	268	289	123	78	36	21	6	5	204	6	5	3	61	62	18	19	20	4	4	1
Black	779	2	3	22	248	273	107	67	35	14	4	4	176	5	4	3	54	55	14	15	17	4	4	-
All other external causes (E980-E999)	194	4	3	5	37	52	35	21	19	9	4	4	80	5	-	1	11	14	11	11	19	3	4	1
White	150	4	3	5	25	38	23	19	17	9	3	3	71	3	-	1	11	12	7	11	18	3	4	1
All other	44	-	-	-	12	14	12	2	2	-	1	1	9	2	-	-	-	2	4	-	1	-	-	-
Black	35	-	-	-	10	10	10	2	1	-	1	1	9	2	-	-	-	2	4	-	1	-	-	-
COLORADO																								
All causes	10,463	283	61	70	461	564	433	768	1,640	2,419	2,389	1,372	8,925	236	38	59	186	199	258	527	992	1,572	2,318	2,540
White	10,048	261	60	66	439	526	406	712	1,565	2,335	2,335	1,340	8,628	219	36	56	171	182	230	496	952	1,526	2,275	2,485
All other	415	22	1	4	22	38	27	56	75	84	54	32	297	17	2	3	15	17	28	31	40	46	43	55
Black	346	18	1	-	16	33	26	50	67	69	44	24	238	13	2	2	10	9	21	24	33	42	36	46
Shigellosis and amebiasis (004,006)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	5	-	-	-	-	-	-	1	2	1	1	-	3	-	-	-	-	2	1	-	-	-	-	-
White	4	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	1	1	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	5	-	-	-	-	-	-	1	2	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
White	4	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	-	-	-	1	-	-	-	-	-	-	4	3	-	-	1	-	-	-	-	-	-	-
White	2	1	-	-	-	1	-	-	-	-	-	-	4	3	-	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	61	1	-	-	-	1	1	3	13	13	22	7	63	1	1	-	1	-	4	1	11	6	20	18
White	58	1	-	-	-	1	1	3	10	13	22	7	61	1	1	-	1	-	4	1	9	6	20	18
All other	3	-	-	-	-	-	-	-	3	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	3	-	-	-	-	-	-	-	3	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con																								
Viral hepatitis (070)	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	1	1	1	-
White	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	1	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	36	4	1	1	1	1	2	2	6	9	5	4	19	3	-	2	-	1	1	1	1	4	4	2
White	33	3	1	1	1	1	1	2	6	8	5	4	18	3	-	2	-	1	1	1	1	4	3	2
All other	3	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	3	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,975	-	8	10	24	35	60	164	451	613	432	178	1,745	-	2	5	13	26	66	212	374	443	383	221
White	1,887	-	8	10	23	33	55	149	430	586	418	175	1,685	-	2	4	12	25	62	203	363	430	372	212
All other	88	-	-	-	1	2	5	15	21	27	14	3	60	-	-	1	1	1	4	9	11	13	11	9
Black	75	-	-	-	1	2	4	14	18	22	11	3	58	-	-	1	1	1	4	9	10	13	10	9
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	35	-	-	-	1	-	1	5	12	8	7	1	26	-	-	-	-	-	-	3	7	8	3	5
White	33	-	-	-	1	-	1	5	11	7	7	1	26	-	-	-	-	-	-	3	7	8	3	5
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	470	-	-	-	1	4	14	35	109	166	95	46	464	-	-	-	-	1	10	39	82	118	129	85
White	447	-	-	-	1	2	13	30	106	158	91	46	445	-	-	-	-	1	10	37	78	114	126	79
All other	23	-	-	-	-	2	1	5	3	8	4	-	19	-	-	-	-	-	-	2	4	4	3	6
Black	16	-	-	-	-	2	-	4	3	5	2	-	17	-	-	-	-	-	-	2	3	4	2	6
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	635	-	-	-	2	2	13	62	176	215	132	33	258	-	-	-	-	1	9	41	69	80	43	15
White	606	-	-	-	2	2	12	55	168	205	130	32	250	-	-	-	-	1	8	40	68	78	40	15
All other	29	-	-	-	-	-	1	7	8	10	2	1	8	-	-	-	-	-	1	1	1	2	3	-
Black	26	-	-	-	-	-	1	7	6	9	2	1	8	-	-	-	-	-	1	1	1	2	3	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	1	-	-	310	-	-	-	1	2	16	56	69	73	56	37
White	1	-	-	-	-	-	-	-	-	1	-	-	298	-	-	-	-	2	16	52	66	72	54	36
All other	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	1	-	-	4	3	1	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	1	-	-	4	3	1	2	1
Malignant neoplasms of genital organs (179-187)	257	-	-	-	-	4	-	4	24	68	97	60	226	-	-	-	2	6	8	29	62	58	41	20
White	247	-	-	-	-	4	-	4	22	66	92	59	218	-	-	-	2	6	7	29	59	55	40	20
All other	10	-	-	-	-	-	-	-	2	2	5	1	8	-	-	-	-	-	1	-	3	3	1	-
Black	10	-	-	-	-	-	-	-	2	2	5	1	8	-	-	-	-	-	1	-	3	3	1	-
Malignant neoplasms of urinary organs (188-189)	107	-	-	-	-	1	1	7	31	29	24	14	67	-	-	-	-	2	-	3	9	19	19	15
White	106	-	-	-	-	1	1	6	31	29	24	14	65	-	-	-	-	2	-	3	9	18	18	15
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	253	-	4	4	9	13	17	34	57	67	38	10	228	-	1	3	5	8	9	24	50	50	48	30
White	238	-	4	4	8	13	15	34	54	61	35	10	223	-	1	2	5	7	9	23	50	50	47	29
All other	15	-	-	-	1	-	2	-	3	6	3	-	5	-	-	1	-	1	-	1	-	-	1	1
Black	14	-	-	-	1	-	2	-	3	6	2	-	5	-	-	1	-	1	-	1	-	-	1	1
Leukemia (204-208)	99	-	4	6	8	7	6	6	14	24	17	7	72	-	1	2	4	5	8	11	6	12	15	8
White	97	-	4	6	8	7	6	5	14	24	17	6	72	-	1	2	4	5	8	11	6	12	15	8
All other	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	118	-	-	-	3	4	8	11	28	35	22	7	94	-	-	-	1	1	6	6	20	25	29	6
White	112	-	-	-	3	4	7	10	24	35	22	7	88	-	-	-	1	1	4	5	20	23	29	5
All other	6	-	-	-	-	-	1	1	4	-	-	-	6	-	-	-	-	-	2	1	-	2	-	1
Black	5	-	-	-	-	-	1	1	3	-	-	-	6	-	-	-	-	-	2	1	-	2	-	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	24	-	1	-	1	-	1	3	4	7	4	3	28	-	-	-	3	2	2	1	3	7	5	5
White	24	-	1	-	1	-	1	3	4	7	4	3	28	-	-	-	3	2	2	1	3	7	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

READEX FICHE

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Diabetes mellitus (250)	107	1	-	-	2	4	8	4	21	31	24	12	173	-	-	1	1	6	6	13	16	46	52	32
White	97	1	-	-	2	4	7	2	20	27	22	12	163	-	-	1	1	5	6	12	15	43	48	32
All other	10	-	-	-	-	-	1	2	1	4	2	-	10	-	-	-	-	1	-	1	1	3	4	-
Black	8	-	-	-	-	-	1	2	1	2	2	-	9	-	-	-	-	1	-	1	1	3	3	-
Nutritional deficiencies (260-269)	15	-	-	-	-	-	-	-	-	1	8	6	26	-	-	-	-	1	1	-	-	5	4	15
White	15	-	-	-	-	-	-	-	-	1	8	6	25	-	-	-	-	1	-	-	-	5	4	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Anemias (280-285)	18	-	-	-	-	-	-	1	1	6	7	3	17	-	1	-	1	1	-	2	3	-	5	4
White	16	-	-	-	-	-	-	-	1	6	6	3	16	-	1	-	1	1	-	1	3	-	5	4
All other	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Meningitis (320-322)	8	1	-	-	-	1	-	2	1	2	1	-	10	4	1	-	-	-	-	1	2	-	1	1
White	6	1	-	-	-	-	-	1	1	2	1	-	9	3	1	-	-	-	-	1	2	-	1	1
All other	2	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	4,338	5	5	2	10	26	81	331	724	1,100	1,253	801	4,261	8	2	4	13	14	37	126	320	695	1,342	1,700
White	4,207	5	4	2	9	23	75	313	696	1,067	1,229	784	4,151	8	2	4	12	13	34	117	307	673	1,317	1,664
All other	131	-	1	-	1	3	6	18	28	33	24	17	110	-	-	-	1	1	3	9	13	22	25	36
Black	110	-	1	-	1	2	6	16	26	26	18	14	93	-	-	-	1	1	2	8	10	20	21	30
Diseases of heart (390-398,402,404-429)	3,525	4	4	2	7	20	69	293	644	910	996	576	3,072	8	1	3	8	10	31	95	262	554	954	1,146
White	3,424	4	3	2	7	17	64	278	621	889	976	563	2,994	8	1	3	7	9	28	89	249	536	935	1,129
All other	101	-	1	-	-	3	5	15	23	21	20	13	78	-	-	-	1	1	3	6	13	18	19	17
Black	84	-	1	-	-	2	5	13	21	17	15	10	66	-	-	-	1	1	2	5	10	16	17	14
Rheumatic fever and rheumatic heart disease (390-398)	34	-	-	-	-	-	4	1	9	10	9	1	81	-	-	1	1	1	1	5	11	29	23	9
White	33	-	-	-	-	-	4	1	9	10	8	1	76	-	-	1	1	1	-	4	10	28	22	9
All other	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	1	1	1	1	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	1	-	1	1	1	-
Hypertensive heart disease (402)	38	-	-	-	-	1	-	3	9	10	10	5	55	-	-	-	-	-	-	-	8	13	19	15
White	32	-	-	-	-	-	-	1	7	10	10	4	49	-	-	-	-	-	-	-	5	11	19	14
All other	6	-	-	-	-	1	-	2	2	-	-	1	6	-	-	-	-	-	-	-	3	2	-	1
Black	6	-	-	-	-	1	-	2	2	-	-	1	6	-	-	-	-	-	-	-	3	2	-	1
Hypertensive heart and renal disease (404)	14	-	-	-	-	1	-	1	-	2	6	4	28	-	-	-	-	-	-	-	1	5	9	13
White	12	-	-	-	-	1	-	-	-	2	5	4	27	-	-	-	-	-	-	-	1	4	9	13
All other	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Ischemic heart disease (410-414)	2,649	-	-	-	2	8	48	237	512	691	755	396	1,995	-	-	-	-	3	21	63	178	367	641	722
White	2,592	-	-	-	2	7	45	228	498	681	743	388	1,955	-	-	-	-	3	20	60	170	361	630	711
All other	57	-	-	-	-	1	3	9	14	10	12	8	40	-	-	-	-	-	1	3	8	6	11	11
Black	43	-	-	-	-	-	3	7	12	6	10	5	31	-	-	-	-	-	1	3	5	5	9	8
Acute myocardial infarction (410)	1,555	-	-	-	1	4	35	165	349	423	412	166	920	-	-	-	-	3	8	47	123	209	310	220
White	1,527	-	-	-	1	4	35	161	338	419	408	161	903	-	-	-	-	3	8	45	117	207	307	216
All other	28	-	-	-	-	-	-	4	11	4	4	5	17	-	-	-	-	-	-	2	6	2	3	4
Black	20	-	-	-	-	-	-	3	9	1	2	5	11	-	-	-	-	-	-	2	4	2	1	2
Other acute and subacute forms of ischemic heart disease (411)	42	-	-	-	1	-	4	-	13	13	7	4	20	-	-	-	-	-	1	-	2	5	9	3
White	40	-	-	-	1	-	2	-	13	13	7	4	20	-	-	-	-	-	1	-	2	5	9	3
All other	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,052	-	-	-	-	4	9	72	150	255	336	226	1,053	-	-	-	-	-	12	16	53	151	322	499
White	1,025	-	-	-	-	3	8	67	147	249	328	223	1,030	-	-	-	-	-	11	15	51	147	314	492
All other	27	-	-	-	-	1	1	5	3	6	8	3	23	-	-	-	-	-	1	1	2	4	8	7
Black	21	-	-	-	-	-	1	4	3	5	8	-	20	-	-	-	-	-	1	1	1	3	8	6
Other diseases of endocardium (424)	39	-	-	-	-	3	2	2	6	12	12	2	42	1	-	-	-	2	-	-	2	11	15	11
White	34	-	-	-	-	3	2	2	6	10	10	1	42	1	-	-	-	2	-	-	2	11	15	11
All other	5	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
All other forms of heart disease (415-423,425-429)	751	4	4	2	5	7	15	49	108	185	204	168	871	7	1	2	7	4	9	27	62	129	247	376
White	721	4	3	2	5	6	13	46	101	176	200	165	845	7	1	2	6	3	8	25	61	121	240	371
All other	30	-	1	-	-	1	2	3	7	9	4	3	26	-	-	-	1	1	1	2	1	8	7	5
Black	28	-	1	-	-	1	2	3	7	9	2	3	24	-	-	-	1	1	-	2	1	7	7	5
Hypertension with or without renal disease (401,403)	32	-	-	-	-	-	2	4	5	7	7	7	33	-	-	-	-	-	-	-	2	5	15	10
White	32	-	-	-	-	-	2	4	5	7	7	7	31	-	-	-	-	-	-	-	2	5	15	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Cerebrovascular diseases (430-438)	510	1	1	-	3	6	7	26	44	122	155	143	883	-	1	1	5	3	6	28	49	106	296	388
White	493	1	1	-	2	6	7	26	41	113	155	141	840	-	1	1	5	3	6	26	49	103	292	354
All other	17	-	-	-	1	-	-	2	3	9	-	2	23	-	-	-	-	-	-	2	-	3	4	14
Black	14	-	-	-	1	-	-	2	3	6	-	2	19	-	-	-	-	-	-	2	-	3	2	12
Intracerebral and other intracranial hemorrhage (431-432)	74	-	1	-	1	2	-	10	12	27	17	4	94	-	1	-	-	2	1	11	14	12	32	21
White	69	-	1	-	-	2	-	8	11	26	17	4	91	-	1	-	-	2	1	10	14	12	32	19
All other	5	-	-	-	1	-	-	2	1	1	-	-	3	-	-	-	-	-	-	1	-	-	-	2
Black	5	-	-	-	1	-	-	2	1	1	-	-	3	-	-	-	-	-	-	1	-	-	-	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	79	-	-	-	-	-	1	1	10	15	26	26	128	-	-	-	2	-	-	1	2	16	36	71
White	78	-	-	-	-	-	1	1	9	15	26	26	124	-	-	-	2	-	-	1	2	16	36	67
All other	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	-	-	-	4
Black	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	-	-	-	4
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	1	-	-	-	1	-	2	-
White	3	-	-	-	-	-	-	-	-	-	2	1	4	-	-	-	1	-	-	-	1	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	354	1	-	-	2	4	6	17	22	80	110	112	637	-	-	1	2	1	5	16	32	78	226	276
White	343	1	-	-	2	4	6	17	21	72	110	110	621	-	-	1	2	1	5	15	32	75	222	268
All other	11	-	-	-	-	-	-	-	1	8	-	2	16	-	-	-	-	-	-	1	-	3	4	8
Black	8	-	-	-	-	-	-	-	1	5	-	2	12	-	-	-	-	-	-	1	-	3	2	6
Atherosclerosis (440)	140	-	-	-	-	-	-	3	8	20	53	56	214	-	-	-	-	-	-	1	-	16	49	148
White	133	-	-	-	-	-	-	3	7	17	51	55	208	-	-	-	-	-	-	-	-	16	48	144
All other	7	-	-	-	-	-	-	-	1	3	2	1	6	-	-	-	-	-	-	1	-	-	1	4
Black	6	-	-	-	-	-	-	-	1	3	1	1	5	-	-	-	-	-	-	1	-	-	1	3
Other diseases of arteries, arterioles, and capillaries (441-448)	131	-	-	-	-	-	3	3	23	41	42	19	79	-	-	-	-	1	-	2	7	13	26	28
White	125	-	-	-	-	-	2	2	22	41	40	18	78	-	-	-	-	1	-	2	7	13	27	28
All other	6	-	-	-	-	-	1	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	6	-	-	-	-	-	1	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-	1	-
Acute bronchitis and bronchiolitis (466)	1	1	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	-	2	1
White	1	1	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	325	7	3	-	2	8	5	14	25	59	106	96	345	5	-	1	-	3	4	7	21	28	88	188
White	308	7	3	-	2	8	3	10	22	56	103	94	339	3	-	1	-	3	4	6	20	28	88	186
All other	17	-	-	-	-	-	2	4	3	3	3	2	6	2	-	-	-	-	-	1	1	-	-	2
Black	15	-	-	-	-	-	2	4	3	2	3	1	4	1	-	-	-	-	-	1	-	-	-	2
Pneumonia (480-486)	311	6	3	-	2	8	5	13	23	57	102	92	325	5	-	1	-	2	4	7	21	26	82	177
White	295	6	3	-	2	8	3	9	20	55	99	90	319	3	-	1	-	2	4	6	20	26	82	175
All other	16	-	-	-	-	-	2	4	3	2	3	2	6	2	-	-	-	-	-	1	1	-	-	2
Black	15	-	-	-	-	-	2	4	3	2	3	1	4	1	-	-	-	-	-	1	-	-	-	2
Influenza (487)	14	1	-	-	-	-	-	1	2	2	4	4	20	-	-	-	-	1	-	-	-	2	6	11
White	13	1	-	-	-	-	-	1	2	1	4	4	20	-	-	-	-	1	-	-	-	2	6	11
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	622	-	2	1	1	-	2	7	81	244	220	64	291	-	-	1	2	1	2	11	50	95	96	33
White	615	-	2	1	1	-	2	7	80	241	218	63	289	-	-	1	2	1	2	11	50	93	96	33
All other	7	-	-	-	-	-	-	-	1	3	2	1	2	-	-	-	-	-	-	-	-	2	-	-
Black	7	-	-	-	-	-	-	-	1	3	2	1	2	-	-	-	-	-	-	-	-	2	-	-
Bronchitis, chronic and unspecified (490-491)	25	-	2	-	-	-	-	1	5	6	6	5	18	-	-	-	-	-	-	1	1	6	5	5
White	25	-	2	-	-	-	-	1	5	6	6	5	18	-	-	-	-	-	-	1	1	6	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	129	-	-	-	-	-	-	-	17	58	43	11	54	-	-	-	-	-	-	3	11	21	14	5
White	128	-	-	-	-	-	-	-	16	58	43	11	54	-	-	-	-	-	-	3	11	21	14	5
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Asthma (493)	13	-	-	1	1	-	2	1	2	3	3	-	37	-	-	1	2	1	1	3	7	12	7	3
White	13	-	-	1	1	-	2	1	2	3	3	-	36	-	-	1	2	1	1	3	7	11	7	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	455	-	-	-	-	-	-	5	57	177	168	48	182	-	-	-	-	-	1	4	31	56	70	20
White	449	-	-	-	-	-	-	5	57	174	166	47	181	-	-	-	-	-	1	4	31	55	70	20
All other	6	-	-	-	-	-	-	-	-	3	2	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	6	-	-	-	-	-	-	-	-	3	2	1	1	-	-	-	-	-	-	-	-	1	-	-
Ulcer of stomach and duodenum (531-533)	33	-	-	-	-	-	2	2	3	11	7	8	34	-	-	-	-	-	-	3	2	5	9	15
White	32	-	-	-	-	-	1	2	3	11	7	8	32	-	-	-	-	-	-	2	1	5	9	15
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	1	-	-	-	-	-	-	2	1
White	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	1	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	14	-	-	-	-	1	-	-	3	2	2	6	45	-	-	-	-	-	-	1	3	5	11	25
White	14	-	-	-	-	1	-	-	3	2	2	6	43	-	-	-	-	-	-	1	2	5	11	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Chronic liver disease and cirrhosis (571)	152	-	-	-	1	7	26	34	56	22	4	2	114	-	-	-	-	6	12	27	32	25	8	4
White	141	-	-	-	1	6	24	29	54	22	3	2	100	-	-	-	-	5	6	22	31	24	8	4
All other	11	-	-	-	-	1	2	5	2	-	1	-	14	-	-	-	-	1	6	5	1	1	-	-
Black	11	-	-	-	-	1	2	5	2	-	1	-	7	-	-	-	-	1	3	2	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	22	-	-	-	-	-	-	-	4	5	9	4	17	-	-	-	-	-	-	-	2	5	8	2
White	22	-	-	-	-	-	-	-	4	5	9	4	17	-	-	-	-	-	-	-	2	5	8	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	82	4	-	1	1	3	-	-	7	20	26	20	77	1	1	-	2	1	-	3	11	14	23	21
White	76	4	-	1	1	3	-	-	5	17	25	20	73	1	1	-	2	1	-	3	9	13	23	20
All other	6	-	-	-	-	-	-	-	2	3	1	-	4	-	-	-	-	-	-	-	2	1	-	1
Black	6	-	-	-	-	-	-	-	2	3	1	-	2	-	-	-	-	-	-	-	2	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	-	-	-	-	-	-	-	1	2	3	-	16	-	-	-	-	-	-	-	1	7	5	3
White	5	-	-	-	-	-	-	-	1	1	3	-	15	-	-	-	-	-	-	-	1	6	5	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	75	4	-	1	1	3	-	-	6	17	23	20	59	1	1	-	2	1	-	3	10	6	17	18
White	70	4	-	1	1	3	-	-	4	15	22	20	56	1	1	-	2	1	-	3	8	6	17	17
All other	5	-	-	-	-	-	-	-	2	2	1	-	3	-	-	-	-	-	-	-	2	-	-	1
Black	5	-	-	-	-	-	-	-	2	2	1	-	2	-	-	-	-	-	-	-	2	-	-	-
Infections of kidney (590)	5	-	-	-	-	-	-	-	1	-	3	1	13	-	-	-	-	-	-	-	-	3	8	2
White	5	-	-	-	-	-	-	-	1	-	3	1	13	-	-	-	-	-	-	-	-	3	8	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	-	-	1	4	2	...	...	...	...	...	...	...	...	...	...	...	...
White	6	-	-	-	-	-	-	-	-	-	4	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	-	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	-	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	-	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	-	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Congenital anomalies (740-759)	90	66	2	3	5	5	1	1	5	-	2	-	83	56	7	5	2	2	2	2	-	2	4	1
White	84	61	2	3	5	5	1	1	4	-	2	-	81	54	7	5	2	2	2	2	-	2	4	1
All other	6	5	-	-	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	3	2	-	-	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	132	132	-	-	-	-	-	-	-	-	-	-	98	95	3	-	-	-	-	-	-	-	-	-
White	119	119	-	-	-	-	-	-	-	-	-	-	89	86	3	-	-	-	-	-	-	-	-	-
All other	13	13	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
Black	10	10	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	36	36	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
White	35	35	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	96	96	-	-	-	-	-	-	-	-	-	-	70	67	3	-	-	-	-	-	-	-	-	-
White	84	84	-	-	-	-	-	-	-	-	-	-	63	60	3	-	-	-	-	-	-	-	-	-
All other	12	12	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Black	9	9	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	101	44	1	-	4	4	2	4	6	15	11	10	86	40	1	2	3	-	4	3	2	6	11	14
White	93	42	1	-	1	2	2	4	6	15	10	10	81	38	1	1	2	-	3	3	2	6	11	14
All other	8	2	-	-	3	2	-	-	-	-	1	-	5	2	-	1	1	-	1	-	-	-	-	-
Black	7	2	-	-	2	2	-	-	-	-	1	-	2	1	-	-	-	-	1	-	-	-	-	-
All other diseases (Residual)	680	7	11	7	19	22	29	49	106	161	166	103	708	13	3	11	9	19	30	44	85	131	180	183
White	642	6	11	7	19	19	25	45	97	155	162	96	681	12	3	11	8	19	23	42	78	128	178	179
All other	38	1	-	-	-	3	4	4	9	6	4	7	27	1	-	-	1	-	7	2	7	3	2	4
Black	31	1	-	-	-	3	4	3	7	6	3	4	23	1	-	-	1	-	6	2	5	3	1	4
Accidents and adverse effects (E800-E949)	1,003	6	25	41	266	259	121	86	60	54	48	35	415	2	13	20	87	61	38	33	32	38	42	49
White	971	6	25	37	258	252	118	83	58	52	47	33	398	2	12	20	81	57	36	32	32	37	42	47
All other	32	-	-	4	8	7	3	3	2	2	1	2	17	-	1	-	6	4	2	1	-	1	-	2
Black	20	-	-	-	5	4	3	2	2	2	1	1	7	-	1	-	3	-	1	-	-	1	-	1
Motor vehicle accidents (E810-E825)	554	1	7	17	185	171	58	42	29	19	16	7	210	-	4	12	70	47	24	14	16	19	3	1
White	536	1	7	15	178	165	56	42	29	18	16	7	200	-	3	12	66	44	23	14	16	19	3	-
All other	18	-	-	2	7	6	2	-	-	1	-	-	10	-	1	-	4	3	1	-	-	-	-	1
Black	11	-	-	-	5	3	2	-	-	1	-	-	3	-	1	-	2	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	449	5	18	24	81	88	63	44	31	35	32	28	205	2	9	8	17	14	14	19	16	19	39	48
White	435	5	18	22	80	87	62	41	29	34	31	26	198	2	9	8	15	13	13	18	16	18	39	47
All other	14	-	-	2	1	1	1	3	2	1	1	2	7	-	-	-	2	1	1	1	-	1	-	1
Black	9	-	-	-	-	1	1	2	2	1	1	1	4	-	-	-	1	-	1	-	-	1	-	1
Suicide (E950-E959)	398	...	...	1	76	114	61	40	47	34	19	6	137	...	...	2	25	28	29	27	14	7	5	-
White	389	...	...	1	72	110	60	40	47	34	19	6	133	...	...	2	25	25	29	26	14	7	5	-
All other	9	...	...	-	4	4	1	-	-	-	-	-	4	...	...	-	-	3	-	1	-	-	-	-
Black	7	...	...	-	2	4	1	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	172	3	2	2	42	61	28	14	11	6	2	-	72	2	2	4	20	20	12	6	3	-	2	1
White	149	3	2	2	38	47	27	11	11	5	2	-	58	2	2	3	16	15	8	6	3	-	2	1
All other	23	-	-	-	4	14	1	3	-	1	-	-	14	-	-	1	4	5	4	-	-	-	-	-
Black	22	-	-	-	4	13	1	3	-	1	-	-	11	-	-	1	3	4	3	-	-	-	-	-
All other external causes (E980-E999)	30	-	-	1	6	10	3	5	2	1	2	-	23	1	1	-	1	5	5	3	3	1	2	1
White	28	-	-	1	5	10	3	5	1	1	2	-	22	1	-	-	1	5	5	3	3	1	2	1
All other	2	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT																								
All causes	13,943	279	34	73	378	387	414	938	2,495	3,807	3,295	2,042	12,825	203	27	42	133	136	234	635	1,458	2,508	3,715	3,733
White	13,111	207	27	65	348	329	328	833	2,325	3,445	3,200	2,003	12,200	156	18	34	116	116	179	569	1,357	2,400	3,593	3,661
All other	832	72	7	8	30	58	86	105	170	162	95	39	625	47	9	8	17	20	55	66	101	108	122	72
Black	807	66	6	7	30	56	84	104	164	157	94	39	610	45	9	6	16	20	54	64	101	105	119	71
Shigellosis and amebiasis (004,006)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	1	-	2	1
White	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	1	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	5	-	-	-	-	-	1	2	1	-	-	1	4	-	-	-	-	-	1	1	-	-	2	-
White	3	-	-	-	-	-	-	1	1	-	-	1	3	-	-	-	-	-	-	1	-	-	2	-
All other	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	1	1	1	-	-	1	3	-	-	-	-	-	1	-	-	-	2	-
White	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	2	-
All other	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	6	-	-	1	2	1	-	1	-	-	1	-	7	3	2	-	-	-	-	2	-	-	-	-
White	4	-	-	1	1	1	-	-	-	-	1	-	6	3	1	-	-	-	-	2	-	-	-	-
All other	2	-	-	-	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Septicemia (038)	77	-	1	-	1	2	1	4	11	21	27	9	104	-	1	-	1	-	7	4	10	20	28	33
White	73	-	1	-	-	1	1	3	10	21	27	9	96	-	1	-	1	-	3	4	10	20	26	31
All other	4	-	-	-	1	1	-	1	1	-	-	-	8	-	-	-	-	-	4	-	-	-	2	2
Black	4	-	-	-	1	1	-	1	1	-	-	-	8	-	-	-	-	-	4	-	-	-	2	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	7	-	-	-	-	1	2	-	1	2	1	-	4	-	-	-	-	-	-	2	-	-	2	-
White	7	-	-	-	-	1	2	-	1	2	1	-	4	-	-	-	-	-	-	2	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	26	-	-	1	1	-	-	2	5	7	4	6	34	1	-	1	-	1	3	2	6	5	6	9
White	24	-	-	-	1	-	-	2	5	6	4	6	28	1	-	-	-	-	2	1	6	4	6	8
All other	2	-	-	1	-	-	-	-	-	1	-	-	6	-	-	1	-	1	1	1	-	1	-	1
Black	2	-	-	1	-	-	-	-	-	1	-	-	5	-	-	-	-	1	1	1	-	1	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,259	-	1	9	16	34	65	277	802	1,029	746	280	2,984	-	3	7	12	30	87	298	639	831	714	363
White	3,083	-	1	9	14	31	58	253	747	974	720	276	2,852	-	2	5	11	28	73	277	604	805	693	354
All other	176	-	-	-	2	3	7	24	55	55	26	4	132	-	1	2	1	2	14	21	35	26	21	9
Black	170	-	-	-	2	2	6	24	53	54	25	4	128	-	1	1	1	2	13	21	35	26	20	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	102	-	-	-	1	1	3	12	38	24	18	5	47	-	-	-	-	1	-	3	12	14	8	9
White	86	-	-	-	-	-	1	8	33	22	17	5	41	-	-	-	-	1	-	2	8	13	8	9
All other	16	-	-	-	1	1	2	4	5	2	1	-	6	-	-	-	-	-	-	1	4	1	-	-
Black	15	-	-	-	1	-	2	4	5	2	1	-	6	-	-	-	-	-	-	1	4	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	913	-	-	-	2	4	9	70	231	287	219	91	818	-	-	-	-	3	14	48	124	225	267	137
White	856	-	-	-	2	4	8	60	209	272	211	90	776	-	-	-	-	2	10	43	115	217	255	134
All other	57	-	-	-	-	-	1	10	22	15	8	1	42	-	-	-	-	1	4	5	9	8	12	3
Black	55	-	-	-	-	-	1	10	20	15	8	1	40	-	-	-	-	1	3	5	9	8	11	3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,047	-	-	-	-	5	17	99	307	379	197	43	440	-	-	-	-	-	11	55	147	128	71	28
White	999	-	-	-	-	5	15	93	291	360	192	43	430	-	-	-	-	-	11	54	144	125	68	28
All other	48	-	-	-	-	-	2	6	16	19	5	-	10	-	-	-	-	-	-	1	3	3	3	-
Black	48	-	-	-	-	-	2	6	16	19	5	-	10	-	-	-	-	-	-	1	3	3	3	-
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	1	1	-	583	-	-	-	-	8	37	87	135	170	96	50
White	2	-	-	-	-	-	-	-	-	1	1	-	563	-	-	-	-	8	31	85	130	166	95	48
All other	-	-	-	-	-	-	-	-	-	-	-	-	20	-	-	-	-	-	6	2	5	4	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	20	-	-	-	-	-	6	2	5	4	1	2
Malignant neoplasms of genital organs (179-187)	322	-	-	-	1	3	3	3	35	79	133	65	341	-	-	-	1	4	6	42	84	97	75	32
White	305	-	-	-	1	3	3	3	31	73	128	63	324	-	-	-	1	4	5	35	79	94	75	31
All other	17	-	-	-	-	-	-	-	4	6	5	2	17	-	-	-	-	-	1	7	5	3	-	1
Black	17	-	-	-	-	-	-	-	4	6	5	2	17	-	-	-	-	-	1	7	5	3	-	1
Malignant neoplasms of urinary organs (188-189)	197	-	-	-	-	1	2	17	43	57	53	24	97	-	-	1	-	1	2	5	14	27	31	16
White	189	-	-	-	-	1	1	17	40	55	51	24	94	-	-	1	-	1	2	4	13	27	30	16
All other	8	-	-	-	-	-	1	-	3	2	2	-	3	-	-	-	-	-	-	1	1	-	1	-
Black	6	-	-	-	-	-	-	-	3	1	2	-	3	-	-	-	-	-	-	1	1	-	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	404	-	1	1	7	13	21	48	93	128	64	28	377	-	2	2	6	8	11	36	64	95	98	55
White	385	-	1	1	6	12	21	44	91	120	61	28	357	-	2	1	6	8	10	32	60	90	94	54
All other	19	-	-	-	1	1	-	4	2	8	3	-	20	-	-	1	-	-	1	4	4	5	4	1
Black	19	-	-	-	1	1	-	4	2	8	3	-	20	-	-	1	-	-	1	4	4	5	4	1
Leukemia (204-208)	119	-	-	7	3	3	5	7	23	33	26	12	114	-	1	4	2	3	4	11	22	26	25	16
White	113	-	-	7	3	3	4	7	21	31	25	12	107	-	-	3	2	3	2	11	21	24	25	16
All other	6	-	-	-	-	-	1	-	2	2	1	-	7	-	1	1	-	-	2	-	1	2	-	-
Black	6	-	-	-	-	-	1	-	2	2	1	-	6	-	1	-	-	-	2	-	1	2	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	153	-	-	1	2	4	5	21	32	41	35	12	167	-	-	-	3	2	2	11	37	49	43	20
White	148	-	-	1	2	3	5	21	31	40	34	11	160	-	-	-	2	1	2	11	34	49	43	18
All other	5	-	-	-	-	1	-	-	1	1	1	1	7	-	-	-	1	1	-	-	3	-	-	2
Black	4	-	-	-	-	1	-	-	1	1	-	1	6	-	-	-	1	1	-	-	3	-	-	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	47	-	1	-	-	1	-	2	7	15	11	10	58	-	-	-	-	1	-	3	6	12	26	10
White	43	-	1	-	-	1	-	1	7	12	11	10	54	-	-	-	-	1	-	2	6	11	24	10
All other	4	-	-	-	-	-	-	1	-	3	-	-	4	-	-	-	-	-	-	1	-	1	2	-
Black	4	-	-	-	-	-	-	1	-	3	-	-	4	-	-	-	-	-	-	1	-	1	2	-
Diabetes mellitus (250)	185	-	-	-	1	1	4	13	25	59	57	25	251	-	-	-	-	1	2	11	28	66	79	64
White	174	-	-	-	1	1	3	12	21	57	54	25	228	-	-	-	-	1	1	10	24	56	72	64
All other	11	-	-	-	-	-	1	1	4	2	3	-	23	-	-	-	-	-	1	1	4	10	7	-
Black	10	-	-	-	-	-	1	1	3	2	3	-	23	-	-	-	-	-	1	1	4	10	7	-
Nutritional deficiencies (260-269)	11	1	-	-	-	-	-	-	1	3	4	2	5	-	-	-	-	-	-	-	1	-	3	1
White	11	1	-	-	-	-	-	-	1	3	4	2	5	-	-	-	-	-	-	-	1	-	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	20	-	-	-	2	1	-	-	2	2	6	7	17	-	-	-	-	-	-	1	2	4	1	9
White	19	-	-	-	2	1	-	-	1	2	6	7	17	-	-	-	-	-	-	1	2	4	1	9
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	5	-	1	-	-	-	-	1	1	2	-	-	6	1	1	-	-	-	-	-	2	2	-	-
White	5	-	1	-	-	-	-	1	1	2	-	-	5	1	1	-	-	-	-	-	2	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Major cardiovascular diseases (390-448)	6,646	6	4	4	15	26	120	400	1,174	1,812	1,808	1,277	6,634	4	1	4	8	10	40	146	455	1,146	2,209	2,610
White	6,367	4	2	4	10	19	102	365	1,110	1,741	1,760	1,250	6,387	3	-	4	8	7	27	124	419	1,090	2,139	2,565
All other	279	2	2	-	5	7	18	35	64	71	48	27	247	1	1	-	-	3	13	22	36	56	70	45
Black	273	2	2	-	5	7	18	34	62	68	48	27	243	1	1	-	-	3	13	20	36	54	70	45

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Diseases of heart (390-398,402,404-429)	5,401	4	4	4	11	22	99	359	1,025	1,524	1,383	966	4,953	4	1	3	7	6	24	117	359	922	1,630	1,879
White	5,190	3	2	4	9	17	83	330	977	1,473	1,346	946	4,765	3	-	3	7	5	16	97	331	883	1,578	1,841
All other	211	1	2	-	2	5	16	29	48	51	37	20	188	1	1	-	-	1	8	20	28	39	52	38
Black	206	1	2	-	2	5	16	28	46	49	37	20	185	1	1	-	-	1	8	18	28	38	52	38
Rheumatic fever and rheumatic heart disease (390-398)	31	-	-	-	1	-	2	-	8	7	11	2	73	-	-	-	-	-	4	5	12	31	18	3
White	31	-	-	-	1	-	2	-	8	7	11	2	71	-	-	-	-	-	3	5	12	31	17	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Hypertensive heart disease (402)	130	-	-	-	-	2	8	12	32	32	35	9	122	-	-	-	-	-	3	7	15	25	44	28
White	112	-	-	-	-	1	3	8	28	30	33	9	104	-	-	-	-	-	-	3	14	21	38	28
All other	18	-	-	-	-	1	5	4	4	2	2	-	18	-	-	-	-	-	3	4	1	4	6	-
Black	18	-	-	-	-	1	5	4	4	2	2	-	18	-	-	-	-	-	3	4	1	4	6	-
Hypertensive heart and renal disease (404)	20	-	-	-	-	-	-	-	2	6	9	3	19	-	-	-	-	-	-	-	1	3	4	11
White	19	-	-	-	-	-	-	-	1	6	9	3	19	-	-	-	-	-	-	-	1	3	4	11
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	4,218	-	-	1	1	7	76	279	809	1,242	1,057	746	3,762	-	-	-	1	-	7	77	259	699	1,250	1,468
White	4,083	-	-	1	1	6	69	260	776	1,204	1,032	734	3,640	-	-	-	1	-	6	65	243	671	1,220	1,433
All other	135	-	-	-	-	1	7	19	33	38	25	12	122	-	-	-	-	-	1	12	16	28	30	35
Black	130	-	-	-	-	1	7	18	31	36	25	12	119	-	-	-	-	-	1	10	16	27	30	35
Acute myocardial infarction (410)	2,049	-	-	-	1	5	48	179	500	658	443	215	1,457	-	-	-	-	-	6	53	142	384	494	377
White	1,999	-	-	-	1	5	46	168	481	647	439	212	1,415	-	-	-	-	-	5	48	136	374	482	369
All other	50	-	-	-	-	-	2	11	19	11	4	3	42	-	-	-	-	-	1	5	6	10	12	8
Black	46	-	-	-	-	-	2	10	17	10	4	3	40	-	-	-	-	-	1	4	6	9	12	8
Other acute and subacute forms of ischemic heart disease (411)	15	-	-	-	-	-	1	-	4	3	4	3	5	-	-	-	-	-	-	-	1	1	2	1
White	15	-	-	-	-	-	1	-	4	3	4	3	5	-	-	-	-	-	-	-	1	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	12	-	-	-	-	-	-	-	3	7	1	1	6	-	-	-	-	-	-	-	1	2	2	1
White	11	-	-	-	-	-	-	-	3	6	1	1	6	-	-	-	-	-	-	-	1	2	2	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,142	-	-	1	-	2	27	100	302	574	609	527	2,294	-	-	-	1	-	1	24	115	312	752	1,089
White	2,058	-	-	1	-	1	22	92	288	548	588	518	2,214	-	-	-	1	-	1	17	105	294	734	1,062
All other	84	-	-	-	-	1	5	8	14	26	21	9	80	-	-	-	-	-	-	7	10	18	18	27
Black	83	-	-	-	-	1	5	8	14	25	21	9	79	-	-	-	-	-	-	6	10	18	18	27
Other diseases of endocardium (424)	47	-	1	-	-	-	-	8	9	8	13	8	63	-	-	-	-	-	-	3	3	16	23	18
White	45	-	-	-	-	-	-	8	8	8	13	8	62	-	-	-	-	-	-	3	3	16	22	18
All other	2	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other forms of heart disease (415-423,425-429)	955	4	3	3	9	13	13	60	165	229	258	198	914	4	1	3	6	6	10	25	69	148	291	351
White	900	3	2	3	7	10	9	54	156	218	248	190	869	3	-	3	6	5	7	21	58	141	277	348
All other	55	1	1	-	2	3	4	6	9	11	10	8	45	1	1	-	-	1	3	4	11	7	14	3
Black	55	1	1	-	2	3	4	6	9	11	10	8	45	1	1	-	-	1	3	4	11	7	14	3
Hypertension with or without renal disease (401,403)	50	-	-	-	-	-	2	2	8	9	17	12	56	-	-	-	-	-	1	2	5	11	14	23
White	47	-	-	-	-	-	2	1	6	9	17	12	52	-	-	-	-	-	1	2	5	9	13	22
All other	3	-	-	-	-	-	-	1	2	-	-	-	4	-	-	-	-	-	-	-	-	2	1	1
Black	3	-	-	-	-	-	-	1	2	-	-	-	4	-	-	-	-	-	-	-	-	2	1	1
Cerebrovascular diseases (430-438)	841	2	-	-	3	4	17	26	107	196	277	209	1,248	-	-	1	1	4	13	23	74	169	439	524
White	795	1	-	-	1	2	15	24	95	179	271	207	1,203	-	-	1	1	2	10	21	66	158	424	520
All other	46	1	-	-	2	2	2	2	12	17	6	2	45	-	-	-	-	2	3	2	8	11	15	4
Black	45	1	-	-	2	2	2	2	12	16	6	2	44	-	-	-	-	2	3	2	8	10	15	4
Intracerebral and other intracranial hemorrhage (431-432)	134	1	-	-	1	2	5	12	31	36	28	18	136	-	-	1	-	-	3	7	18	36	41	30
White	119	1	-	-	-	1	4	11	25	31	28	18	127	-	-	1	-	-	2	6	17	32	39	30
All other	15	-	-	-	1	1	1	1	6	5	-	-	9	-	-	-	-	-	1	1	1	4	2	-
Black	14	-	-	-	1	1	1	1	6	4	-	-	9	-	-	-	-	-	1	1	1	4	2	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	185	-	-	-	-	-	3	4	15	37	71	55	296	-	-	-	-	-	1	1	9	35	118	132
White	180	-	-	-	-	-	3	4	15	33	70	55	287	-	-	-	-	-	1	1	6	32	116	131
All other	5	-	-	-	-	-	-	-	-	4	1	-	9	-	-	-	-	-	-	-	3	3	2	1
Black	5	-	-	-	-	-	-	-	-	4	1	-	9	-	-	-	-	-	-	-	3	3	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con																								
Cerebral embolism (434 1)	7	-	-	-	-	-	-	-	1	2	1	3	8	-	-	-	-	-	-	-	-	-	3	5
White	7	-	-	-	-	-	-	-	1	2	1	3	8	-	-	-	-	-	-	-	-	-	3	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	515	1	-	-	2	2	9	10	60	121	177	133	808	-	-	-	1	4	9	15	47	98	277	357
White	489	-	-	-	1	1	8	9	54	113	172	131	781	-	-	-	1	2	7	14	43	94	266	354
All other	26	1	-	-	1	1	1	1	6	8	5	2	27	-	-	-	-	2	2	1	4	4	11	3
Black	26	1	-	-	1	1	1	1	6	8	5	2	26	-	-	-	-	2	2	1	4	3	11	3
Atherosclerosis (440)	165	-	-	-	-	-	-	8	9	18	58	72	258	-	-	-	-	-	1	2	7	18	82	148
White	157	-	-	-	-	-	-	6	8	18	56	69	252	-	-	-	-	-	-	2	7	16	81	146
All other	8	-	-	-	-	-	-	2	1	-	2	3	6	-	-	-	-	-	1	-	-	2	1	2
Black	8	-	-	-	-	-	-	2	1	-	2	3	6	-	-	-	-	-	1	-	-	2	1	2
Other diseases of arteries, arterioles, and capillaries (441-448)	189	-	-	-	1	-	2	5	25	65	73	18	119	-	-	-	-	-	1	2	10	26	44	36
White	178	-	-	-	-	-	2	4	24	62	70	16	115	-	-	-	-	-	-	2	10	24	43	36
All other	11	-	-	-	1	-	-	1	1	3	3	2	4	-	-	-	-	-	1	-	-	2	1	-
Black	11	-	-	-	1	-	-	1	1	3	3	2	4	-	-	-	-	-	1	-	-	2	1	-
Acute bronchitis and bronchiolitis (466)	3	-	1	-	-	-	-	1	-	-	-	1	11	2	-	-	-	-	-	-	-	1	2	6
White	3	-	1	-	-	-	-	1	-	-	-	1	11	2	-	-	-	-	-	-	-	1	2	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	377	1	-	3	3	2	9	7	25	75	128	124	386	-	1	-	-	2	4	11	12	43	107	206
White	356	1	-	3	3	2	4	4	22	71	123	123	378	-	1	-	-	2	2	11	11	43	105	203
All other	21	-	-	-	-	-	5	3	3	4	5	1	8	-	-	-	-	-	2	-	1	-	2	3
Black	21	-	-	-	-	-	5	3	3	4	5	1	7	-	-	-	-	-	2	-	1	-	1	3
Pneumonia (480-486)	363	1	-	3	3	1	9	7	24	73	123	119	352	-	1	-	-	2	4	10	11	38	98	188
White	342	1	-	3	3	1	4	4	21	69	118	118	344	-	1	-	-	2	2	10	10	38	96	185
All other	21	-	-	-	-	-	5	3	3	4	5	1	8	-	-	-	-	-	2	-	1	-	2	3
Black	21	-	-	-	-	-	5	3	3	4	5	1	7	-	-	-	-	-	2	-	1	-	1	3
Influenza (487)	14	-	-	-	-	1	-	-	1	2	5	5	34	-	-	-	-	-	-	1	1	5	9	18
White	14	-	-	-	-	1	-	-	1	2	5	5	34	-	-	-	-	-	-	1	1	5	9	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	459	-	1	-	-	1	4	10	63	133	174	73	292	-	-	-	1	-	1	10	47	94	101	38
White	447	-	1	-	-	1	1	10	61	130	171	72	284	-	-	-	-	-	-	10	45	92	100	37
All other	12	-	-	-	-	-	3	-	2	3	3	1	8	-	-	-	1	-	1	-	2	2	1	1
Black	12	-	-	-	-	-	3	-	2	3	3	1	8	-	-	-	1	-	1	-	2	2	1	1
Bronchitis, chronic and unspecified (490-491)	32	-	-	-	-	-	1	-	4	3	9	15	24	-	-	-	-	-	-	2	3	5	8	6
White	32	-	-	-	-	-	1	-	4	3	9	15	24	-	-	-	-	-	-	2	3	5	8	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	71	-	-	-	-	1	-	-	10	24	29	7	24	-	-	-	-	-	-	-	6	5	11	2
White	71	-	-	-	-	1	-	-	10	24	29	7	24	-	-	-	-	-	-	-	6	5	11	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	12	-	-	-	-	-	3	-	5	1	3	-	20	-	-	-	1	-	1	3	5	6	1	3
White	8	-	-	-	-	-	-	-	4	1	3	-	18	-	-	-	-	-	-	3	5	6	1	3
All other	4	-	-	-	-	-	3	-	1	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Black	4	-	-	-	-	-	3	-	1	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	344	-	1	-	-	-	-	10	44	105	133	51	224	-	-	-	-	-	-	5	33	78	81	27
White	336	-	1	-	-	-	-	10	43	102	130	50	218	-	-	-	-	-	-	5	31	76	80	26
All other	8	-	-	-	-	-	-	-	1	3	3	1	6	-	-	-	-	-	-	-	2	2	1	1
Black	8	-	-	-	-	-	-	-	1	3	3	1	6	-	-	-	-	-	-	-	2	2	1	1
Ulcer of stomach and duodenum (531-533)	34	-	-	-	1	1	-	3	6	6	9	8	43	-	-	-	-	-	-	-	5	10	11	17
White	31	-	-	-	1	1	-	1	5	6	9	8	42	-	-	-	-	-	-	-	5	10	11	16
All other	3	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	3	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Appendicitis (540-543)	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	28	-	-	-	1	-	-	-	4	6	9	8	42	1	-	-	-	-	-	1	4	7	10	19
White	27	-	-	-	1	-	-	-	3	6	9	8	41	1	-	-	-	-	-	1	4	7	10	18
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con																								
Chronic liver disease and cirrhosis (571)	267	-	-	-	-	15	35	43	73	70	30	1	153	-	-	-	1	5	12	37	42	34	20	2
White	235	-	-	-	-	11	24	39	63	68	29	1	139	-	-	-	-	3	10	33	39	33	19	2
All other	32	-	-	-	-	4	11	4	10	2	1	-	14	-	-	-	1	2	2	4	3	1	1	-
Black	30	-	-	-	-	4	10	4	9	2	1	-	13	-	-	-	1	2	2	4	3	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	16	-	-	-	-	-	-	-	3	7	3	3	17	-	-	-	-	-	-	-	-	2	5	10
White	15	-	-	-	-	-	-	-	3	6	3	3	17	-	-	-	-	-	-	-	-	2	5	10
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	126	1	-	-	2	1	3	6	16	37	34	26	82	1	-	-	1	-	-	2	9	20	33	16
White	115	-	-	-	2	1	3	5	14	36	29	25	74	1	-	-	1	-	-	1	7	19	29	16
All other	11	1	-	-	-	-	-	1	2	1	5	1	8	-	-	-	-	-	-	1	2	1	4	-
Black	11	1	-	-	-	-	-	1	2	1	5	1	8	-	-	-	-	-	-	1	2	1	4	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	15	-	-	-	1	1	-	-	2	5	6	-	12	-	-	-	1	-	-	-	-	2	5	4
White	13	-	-	-	1	1	-	-	2	5	4	-	11	-	-	-	1	-	-	-	-	2	4	4
All other	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	110	1	-	-	1	-	3	6	14	31	28	26	70	1	-	-	-	-	-	2	9	18	28	12
White	101	-	-	-	1	-	3	5	12	30	25	25	63	1	-	-	-	-	-	1	7	17	25	12
All other	9	1	-	-	-	-	-	1	2	1	3	1	7	-	-	-	-	-	-	1	2	1	3	-
Black	9	1	-	-	-	-	-	1	2	1	3	1	7	-	-	-	-	-	-	1	2	1	3	-
Infections of kidney (590)	5	-	-	-	-	-	-	-	2	2	-	1	10	-	-	-	-	1	-	-	-	-	6	3
White	5	-	-	-	-	-	-	-	2	2	-	1	9	-	-	-	-	1	-	-	-	-	6	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Hyperplasia of prostate (600)	8	-	-	-	-	-	-	-	-	1	3	4	...	...	...	...	...	...	...	...	...	...	...	...
White	8	-	-	-	-	-	-	-	-	1	3	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	91	64	4	3	5	5	1	1	3	3	1	1	86	58	4	4	8	2	3	1	4	-	2	-
White	79	53	4	3	5	4	1	1	3	3	1	1	74	49	3	3	7	2	3	1	4	-	2	-
All other	12	11	-	-	-	1	-	-	-	-	-	-	12	9	1	1	1	-	-	-	-	-	-	-
Black	9	8	-	-	-	1	-	-	-	-	-	-	11	8	1	1	1	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	164	164	-	-	-	-	-	-	-	-	-	-	116	113	1	2	-	-	-	-	-	-	-	-
White	120	120	-	-	-	-	-	-	-	-	-	-	83	81	-	2	-	-	-	-	-	-	-	-
All other	44	44	-	-	-	-	-	-	-	-	-	-	33	32	1	-	-	-	-	-	-	-	-	-
Black	42	42	-	-	-	-	-	-	-	-	-	-	32	31	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	47	47	-	-	-	-	-	-	-	-	-	-	19	18	1	-	-	-	-	-	-	-	-	-
White	39	39	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
All other	8	8	-	-	-	-	-	-	-	-	-	-	5	4	1	-	-	-	-	-	-	-	-	-
Black	8	8	-	-	-	-	-	-	-	-	-	-	5	4	1	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	117	117	-	-	-	-	-	-	-	-	-	-	97	95	-	2	-	-	-	-	-	-	-	-
White	81	81	-	-	-	-	-	-	-	-	-	-	69	67	-	2	-	-	-	-	-	-	-	-
All other	36	36	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
Black	34	34	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	202	26	2	2	15	33	21	10	25	27	14	27	159	12	3	4	11	15	14	19	20	14	23	24
White	181	18	-	2	14	29	17	10	24	26	14	27	139	9	2	3	6	13	11	19	18	14	21	23
All other	21	8	2	-	1	4	4	-	1	1	-	-	20	3	1	1	5	2	3	-	2	-	2	1
Black	20	7	2	-	1	4	4	-	1	1	-	-	20	3	1	1	5	2	3	-	2	-	2	1
All other diseases (Residual)	780	11	8	3	16	36	35	58	137	209	162	105	841	1	3	5	7	16	19	41	116	148	258	227
White	702	8	6	3	16	28	22	43	123	193	158	102	788	1	2	5	6	13	13	31	105	141	250	221
All other	78	3	2	-	-	8	13	15	14	16	4	3	53	-	1	-	1	3	6	10	11	7	8	6
Black	76	3	1	-	-	8	13	15	14	15	4	3	52	-	1	-	1	3	6	10	11	6	8	6
Accidents and adverse effects (E800-E949)	723	4	9	39	219	129	58	62	66	57	46	34	352	2	5	11	61	35	22	23	31	40	60	62
White	667	2	8	34	209	118	51	52	58	56	46	33	324	-	4	9	60	30	16	20	28	38	58	61
All other	56	2	1	5	10	11	7	10	8	1	-	1	28	2	1	2	1	5	6	3	3	2	2	1
Black	54	2	1	4	10	10	7	10	8	1	-	1	28	2	1	2	1	5	6	3	3	2	2	1
Motor vehicle accidents (E810-E825)	379	1	2	16	171	83	35	19	23	14	10	5	150	-	2	5	51	24	14	14	11	12	16	1
White	353	-	2	13	166	77	30	16	21	13	10	5	139	-	1	4	50	23	11	13	9	11	16	1
All other	26	1	-	3	5	6	5	3	2	1	-	-	11	-	1	1	1	1	3	1	2	1	-	-
Black	24	1	-	2	5	5	5	3	2	1	-	-	11	-	1	1	1	1	3	1	2	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	344	3	7	23	48	46	23	43	43	43	36	29	202	2	3	6	10	11	8	9	20	28	44	61
White	314	2	6	21	43	41	21	36	37	43	36	28	185	-	3	5	10	7	5	7	19	27	42	60
All other	30	1	1	2	5	5	2	7	6	-	-	1	17	2	-	1	-	4	3	2	1	1	2	1
Black	30	1	1	2	5	5	2	7	6	-	-	1	17	2	-	1	-	4	3	2	1	1	2	1
Suicide (E950-E959)	225	...	...	4	45	54	29	23	28	19	17	6	74	...	...	-	10	13	11	15	14	8	2	1
White	218	...	...	3	44	53	29	20	27	19	17	6	73	...	...	-	9	13	11	15	14	8	2	1
All other	7	...	...	1	1	1	-	3	1	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Black	7	...	...	1	1	1	-	3	1	-	-	-	1	...	...	-	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	114	1	-	4	30	36	24	8	8	2	-	-	36	4	1	4	10	3	7	3	2	-	2	-
White	65	-	-	3	21	18	9	6	6	1	-	-	23	4	-	3	5	1	6	1	1	-	2	-
All other	49	1	-	1	9	18	15	2	2	1	-	-	13	-	1	1	5	2	1	2	1	-	-	-
Black	49	1	-	1	9	18	15	2	2	1	-	-	12	-	1	1	4	2	1	2	1	-	-	-
All other external causes (E980-E999)	23	-	-	-	3	7	2	4	3	1	-	3	9	-	1	-	1	1	1	2	1	-	-	2
White	20	-	-	-	3	7	1	3	3	1	-	2	9	-	1	-	1	1	1	2	1	-	-	2
All other	3	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE																								
All causes	2,667	73	8	24	81	73	84	216	508	733	563	302	2,406	50	10	9	29	27	60	144	328	497	660	592
White	2,235	43	4	16	67	56	59	166	416	639	496	273	2,087	26	6	7	22	18	49	112	277	427	597	546
All other	432	30	4	8	14	17	25	50	92	94	67	29	319	24	4	2	7	9	11	32	51	70	63	46
Black	425	30	3	8	14	16	23	50	91	92	67	29	318	24	4	2	7	9	11	32	51	69	63	46
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	16	-	-	-	-	-	-	-	6	3	1	6	15	-	-	-	-	-	-	2	-	2	6	5
White	14	-	-	-	-	-	-	-	6	2	1	5	12	-	-	-	-	-	-	2	-	1	6	3
All other	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-	1	-	2
Black	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-	1	-	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	4	-	-	-	-	-	1	-	2	-	-	1	4	-	-	1	-	-	-	-	1	-	1	1
White	3	-	-	-	-	-	1	-	1	-	-	1	4	-	-	1	-	-	-	-	1	-	1	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	667	1	-	4	4	8	12	60	173	226	138	40	575	-	1	2	6	4	33	63	130	155	118	63
White	566	-	-	3	4	6	9	47	142	200	121	34	503	-	1	1	5	3	27	56	112	138	104	56
All other	101	1	-	1	-	2	3	13	31	26	17	6	72	-	-	1	1	1	6	7	18	17	14	7
Black	101	1	-	1	-	2	3	13	31	26	17	6	71	-	-	1	1	1	6	7	18	16	14	7
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	19	-	-	-	-	-	-	3	7	8	1	-	7	-	-	-	-	-	-	-	3	3	1	-
White	14	-	-	-	-	-	-	2	4	8	-	-	6	-	-	-	-	-	-	-	2	3	1	-
All other	5	-	-	-	-	-	-	1	3	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	5	-	-	-	-	-	-	1	3	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	165	-	-	-	-	1	4	17	36	65	30	12	145	-	-	-	-	-	7	9	28	40	34	27
White	139	-	-	-	-	1	4	12	26	59	25	12	132	-	-	-	-	-	7	8	26	34	32	25
All other	26	-	-	-	-	-	-	5	10	6	5	-	13	-	-	-	-	-	-	1	2	6	2	2
Black	26	-	-	-	-	-	-	5	10	6	5	-	13	-	-	-	-	-	-	1	2	6	2	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	270	-	-	-	-	-	4	25	84	96	52	8	111	-	-	-	-	-	3	10	39	37	16	6
White	229	-	-	-	-	-	2	20	72	81	47	7	95	-	-	-	-	-	2	9	32	32	14	6
All other	41	-	-	-	-	-	2	5	12	15	5	1	16	-	-	-	-	-	1	1	7	5	2	-
Black	41	-	-	-	-	-	2	5	12	15	5	1	15	-	-	-	-	-	1	1	7	4	2	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	101	-	-	-	-	1	10	29	21	15	14	11
White	-	-	-	-	-	-	-	-	-	-	-	-	92	-	-	-	-	1	6	28	21	15	12	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	4	1	-	-	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	4	1	-	-	2	2
Malignant neoplasms of genital organs (179-187)	62	-	-	-	-	1	-	2	8	17	22	12	80	-	-	-	1	2	7	7	18	21	16	8
White	50	-	-	-	-	1	-	2	5	14	20	8	68	-	-	-	1	2	7	6	14	18	13	7
All other	12	-	-	-	-	-	-	-	3	3	2	4	12	-	-	-	-	-	-	1	4	3	3	1
Black	12	-	-	-	-	-	-	-	3	3	2	4	12	-	-	-	-	-	-	1	4	3	3	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Malignant neoplasms of urinary organs (188-189)	32	-	-	-	-	-	1	2	2	13	13	1	12	-	-	-	-	-	1	-	2	7	2	-
White	26	-	-	-	-	-	1	2	2	11	10	-	9	-	-	-	-	-	-	-	2	6	1	-
All other	6	-	-	-	-	-	-	-	-	2	3	1	3	-	-	-	-	-	1	-	-	1	1	-
Black	6	-	-	-	-	-	-	-	-	2	3	1	3	-	-	-	-	-	1	-	-	1	1	-
Malignant neoplasms of all other and unspecified sites (170-173, 190-199)	72	1	-	2	1	3	-	7	26	18	12	2	73	-	1	1	4	-	1	6	10	20	23	7
White	66	-	-	2	1	2	-	5	25	18	11	2	62	-	1	-	3	-	1	4	9	19	19	6
All other	6	1	-	-	-	1	-	2	1	-	1	-	11	-	-	1	1	-	-	2	1	1	4	1
Black	6	1	-	-	-	1	-	2	1	-	1	-	11	-	-	1	1	-	-	2	1	1	4	1
Leukemia (204-208)	22	-	-	1	2	-	1	2	6	3	4	3	17	-	-	1	1	-	-	1	4	2	5	3
White	19	-	-	-	2	-	-	2	5	3	4	3	15	-	-	1	1	-	-	1	3	2	5	2
All other	3	-	-	1	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	3	-	-	1	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	25	-	-	1	1	3	2	2	4	6	4	2	29	-	-	-	-	1	4	1	5	10	7	1
White	23	-	-	1	1	2	2	2	3	6	4	2	24	-	-	-	-	-	4	-	3	9	7	1
All other	2	-	-	-	-	1	-	-	1	-	-	-	5	-	-	-	-	1	-	1	2	1	-	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	5	-	-	-	-	1	-	1	2	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	-	-	-	-	-	1	1	2	2	1	1	12	-	-	-	-	-	-	2	2	2	4	2
White	7	-	-	-	-	-	1	1	1	2	1	1	11	-	-	-	-	-	-	1	2	2	4	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Diabetes mellitus (250)	51	-	-	-	-	1	1	5	8	19	13	4	77	-	-	-	-	-	-	3	10	22	28	14
White	46	-	-	-	-	1	1	5	7	17	12	3	67	-	-	-	-	-	-	2	8	18	27	12
All other	5	-	-	-	-	-	-	-	1	2	1	1	10	-	-	-	-	-	-	1	2	4	1	2
Black	5	-	-	-	-	-	-	-	1	2	1	1	10	-	-	-	-	-	-	1	2	4	1	2
Nutritional deficiencies (260-269)	2	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	-	-	-	-	1	4	1
White	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	1	3	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Anemias (280-285)	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	1	-	-	-	-	1	1
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	1	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Major cardiovascular diseases (390-448)	1,215	1	-	3	1	9	32	84	229	361	301	194	1,229	-	-	-	1	5	9	45	129	228	405	407
White	1,036	1	-	1	-	6	22	64	190	313	264	175	1,084	-	-	-	-	3	7	30	106	193	365	380
All other	179	-	-	2	1	3	10	20	39	48	37	19	145	-	-	-	1	2	2	15	23	35	40	27
Black	178	-	-	2	1	3	10	20	39	47	37	19	145	-	-	-	1	2	2	15	23	35	40	27
Diseases of heart (390-398,402,404-429)	1,001	-	-	1	1	5	25	73	206	300	243	147	993	-	-	-	1	4	7	38	99	194	321	329
White	858	-	-	-	-	3	18	56	176	259	213	133	874	-	-	-	-	3	5	25	81	163	291	306
All other	143	-	-	1	1	2	7	17	30	41	30	14	119	-	-	-	1	1	2	13	18	31	30	23
Black	142	-	-	1	1	2	7	17	30	40	30	14	119	-	-	-	1	1	2	13	18	31	30	23
Rheumatic fever and rheumatic heart disease (390-398)	4	-	-	-	-	-	-	-	1	3	-	-	12	-	-	-	-	-	1	-	3	5	3	-
White	3	-	-	-	-	-	-	-	1	2	-	-	11	-	-	-	-	-	-	-	3	5	3	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Hypertensive heart disease (402)	38	-	-	-	-	-	2	3	11	13	7	2	69	-	-	-	-	-	1	3	12	12	25	16
White	23	-	-	-	-	-	2	2	6	9	2	2	56	-	-	-	-	-	-	2	10	10	21	13
All other	15	-	-	-	-	-	-	1	5	4	5	-	13	-	-	-	-	-	1	1	2	2	4	3
Black	15	-	-		-	-	-	1	5	4	5	-	13	-	-	-	-	-	1	1	2	2	4	3
Hypertensive heart and renal disease (404)	7	-	-	-	-	-	-	-	-	2	5	-	5	-	-	-	-	-	-	-	1	2	-	2
White	4	-	-	-	-	-	-	-	-	2	2	-	5	-	-	-	-	-	-	-	1	2	-	2
All other	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	614	-	-	-	-	2	19	51	135	190	144	73	485	-	-	-	-	2	2	20	60	115	168	118
White	559	-	-	-	-	2	14	45	118	172	136	72	434	-	-	-	-	1	2	16	50	98	158	109
All other	55	-	-	-	-	-	5	6	17	18	8	1	51	-	-	-	-	1	-	4	10	17	10	9
Black	55	-	-	-	-	-	5	6	17	18	8	1	51	-	-	-	-	1	-	4	10	17	10	9
Acute myocardial infarction (410)	391	-	-	-	-	1	7	36	99	130	84	34	271	-	-	-	-	2	-	12	47	80	90	40
White	365	-	-	-	-	1	6	34	89	121	80	34	244	-	-	-	-	1	-	12	40	68	87	36
All other	26	-	-	-	-	-	1	2	10	9	4	-	27	-	-	-	-	1	-	-	7	12	3	4
Black	26	-	-	-	-	-	1	2	10	9	4	-	27	-	-	-	-	1	-	-	7	12	3	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	12	-	-	-	-	-	3	1	2	2	2	2	4	-	-	-	-	-	-	-	1	1	2	-
White	10	-	-	-	-	-	2	1	1	2	2	2	2	-	-	-	-	-	-	-	-	1	1	-
All other	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	211	-	-	-	-	1	9	14	34	58	58	37	209	-	-	-	-	-	2	8	12	34	76	77
White	184	-	-	-	-	1	6	10	28	49	54	36	187	-	-	-	-	-	2	4	10	29	70	72
All other	27	-	-	-	-	-	3	4	6	9	4	1	22	-	-	-	-	-	-	4	2	5	6	5
Black	27	-	-	-	-	-	3	4	6	9	4	1	22	-	-	-	-	-	-	4	2	5	6	5
Other diseases of endocardium (424)	9	-	-	-	-	-	-	2	1	4	1	1	4	-	-	-	-	-	-	-	1	1	1	1
White	7	-	-	-	-	-	-	1	1	4	-	1	3	-	-	-	-	-	-	-	-	1	1	1
All other	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other forms of heart disease (415-423,425-429)	329	-	-	1	1	3	4	17	58	88	86	71	418	-	-	-	1	2	3	15	22	59	124	192
White	262	-	-	-	-	1	2	8	50	70	73	58	365	-	-	-	-	2	3	7	17	47	108	181
All other	67	-	-	1	1	2	2	9	8	18	13	13	53	-	-	-	1	-	-	8	5	12	16	11
Black	66	-	-	1	1	2	2	9	8	17	13	13	53	-	-	-	1	-	-	8	5	12	16	11
Hypertension with or without renal disease (401,403)	8	-	-	-	-	-	-	-	2	1	2	3	8	-	-	-	-	-	-	-	-	-	7	1
White	5	-	-	-	-	-	-	-	-	1	1	3	7	-	-	-	-	-	-	-	-	-	6	1
All other	3	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Cerebrovascular diseases (430-438)	148	1	-	2	-	4	6	10	17	39	40	29	174	-	-	-	-	1	2	6	28	24	62	51
White	121	1	-	1	-	3	4	7	10	34	34	27	152	-	-	-	-	-	2	4	23	22	53	48
All other	27	-	-	1	-	1	2	3	7	5	6	2	22	-	-	-	-	1	-	2	5	2	9	3
Black	27	-	-	1	-	1	2	3	7	5	6	2	22	-	-	-	-	1	-	2	5	2	9	3
Intracerebral and other intracranial hemorrhage (431-432)	24	1	-	-	-	1	2	5	4	6	4	1	21	-	-	-	-	1	1	-	10	4	3	2
White	22	1	-	-	-	1	1	4	4	6	4	1	19	-	-	-	-	-	1	-	10	4	2	2
All other	2	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	32	-	-	-	-	-	2	-	3	12	6	9	33	-	-	-	-	-	-	-	3	6	14	10
White	30	-	-	-	-	-	2	-	2	11	6	9	30	-	-	-	-	-	-	-	2	5	13	10
All other	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	91	-	-	2	-	3	2	4	10	21	30	19	120	-	-	-	-	-	1	6	15	14	45	39
White	68	-	-	1	-	2	1	2	4	17	24	17	103	-	-	-	-	-	1	4	11	13	38	36
All other	23	-	-	1	-	1	1	2	6	4	6	2	17	-	-	-	-	-	-	2	4	1	7	3
Black	23	-	-	1	-	1	1	2	6	4	6	2	17	-	-	-	-	-	-	2	4	1	7	3
Atherosclerosis (440)	23	-	-	-	-	-	-	-	-	6	6	11	36	-	-	-	-	-	-	-	1	6	10	19
White	20	-	-	-	-	-	-	-	-	5	6	9	34	-	-	-	-	-	-	-	1	5	10	18
All other	3	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	1	-	1
Black	3	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	1	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	35	-	-	-	-	-	1	1	4	15	10	4	18	-	-	-	-	-	-	1	1	4	5	7
White	32	-	-	-	-	-	-	1	4	14	10	3	17	-	-	-	-	-	-	1	1	3	5	7
All other	3	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	62	2	1	1	-	-	2	7	9	11	11	18	48	-	-	-	1	-	-	-	3	7	14	23
White	51	-	1	1	-	-	1	7	6	10	9	16	43	-	-	-	1	-	-	-	2	5	14	21
All other	11	2	-	-	-	-	1	-	3	1	2	2	5	-	-	-	-	-	-	-	1	2	-	2
Black	11	2	-	-	-	-	1	-	3	1	2	2	5	-	-	-	-	-	-	-	1	2	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Pneumonia (480-486)	62	2	1	1	-	-	2	7	9	11	11	18	45	-	-	-	1	-	-	-	3	5	13	23
White	51	-	1	1	-	-	1	7	6	10	9	16	41	-	-	-	1	-	-	-	2	4	13	21
All other	11	2	-	-	-	-	1	-	3	1	2	2	4	-	-	-	-	-	-	-	1	1	-	2
Black	11	2	-	-	-	-	1	-	3	1	2	2	4	-	-	-	-	-	-	-	1	1	-	2
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	83	-	-	-	-	-	-	-	13	29	28	13	54	1	-	-	-	-	1	2	10	19	9	12
White	77	-	-	-	-	-	-	-	12	26	26	13	52	1	-	-	-	-	1	2	9	19	8	12
All other	6	-	-	-	-	-	-	-	1	3	2	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	5	-	-	-	-	-	-	-	1	2	2	-	2	-	-	-	-	-	-	-	1	-	1	-
Bronchitis, chronic and unspecified (490-491)	4	-	-	-	-	-	-	-	1	2	1	-	3	1	-	-	-	-	-	-	-	1	-	1
White	4	-	-	-	-	-	-	-	1	2	1	-	3	1	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	18	-	-	-	-	-	-	-	2	7	8	1	17	-	-	-	-	-	1	2	3	6	4	1
White	18	-	-	-	-	-	-	-	2	7	8	1	17	-	-	-	-	-	1	2	3	6	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	61	-	-	-	-	-	-	-	10	20	19	12	33	-	-	-	-	-	-	-	6	12	5	10
White	55	-	-	-	-	-	-	-	9	17	17	12	32	-	-	-	-	-	-	-	6	12	4	10
All other	6	-	-	-	-	-	-	-	1	3	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	5	-	-	-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Ulcer of stomach and duodenum (531-533)	6	-	-	-	-	-	-	2	1	2	-	1	8	-	-	-	-	-	-	-	-	4	2	2
White	5	-	-	-	-	-	-	1	1	2	-	1	5	-	-	-	-	-	-	-	-	2	1	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Appendicitis (540-543)	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	-	-	-	-	-	-	1	2	-	1	-	6	-	-	-	-	-	-	-	-	2	2	2
White	4	-	-	-	-	-	-	1	2	-	1	-	5	-	-	-	-	-	-	-	-	2	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic liver disease and cirrhosis (571)	40	-	-	-	-	2	4	11	11	9	2	1	22	-	-	-	-	-	2	7	5	6	1	1
White	36	-	-	-	-	-	4	10	11	8	2	1	20	-	-	-	-	-	2	6	5	5	1	1
All other	4	-	-	-	-	2	-	1	-	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	4	-	-	-	-	2	-	1	-	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	31	-	-	-	-	-	3	2	4	9	9	4	29	-	-	-	-	-	-	2	2	8	10	7
White	23	-	-	-	-	-	1	2	2	7	7	4	24	-	-	-	-	-	-	1	2	6	9	6
All other	8	-	-	-	-	-	2	-	2	2	2	-	5	-	-	-	-	-	-	1	-	2	1	1
Black	8	-	-	-	-	-	2	-	2	2	2	-	5	-	-	-	-	-	-	1	-	2	1	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	-	-	-	-	-	1	-	1	-	-	5	-	-	-	-	-	-	1	-	2	1	1
White	2	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	29	-	-	-	-	-	3	1	4	8	9	4	23	-	-	-	-	-	-	1	2	5	9	6
White	21	-	-	-	-	-	1	1	2	6	7	4	20	-	-	-	-	-	-	1	2	4	8	5
All other	8	-	-	-	-	-	2	-	2	2	2	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	8	-	-	-	-	-	2	-	2	2	2	-	3	-	-	-	-	-	-	-	-	1	1	1
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	2	-	-	1
White	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	-	2	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	2	-	-	-	-	-	-	-	-	2	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	20	13	2	1	1	1	-	-	-	1	-	1	18	9	1	-	-	1	2	-	2	1	1	1
White	16	10	1	1	1	1	-	-	-	1	-	1	14	7	-	-	-	1	1	-	2	1	1	1
All other	4	3	1	-	-	-	-	-	-	-	-	-	4	2	1	-	-	-	1	-	-	-	-	-
Black	4	3	1	-	-	-	-	-	-	-	-	-	4	2	1	-	-	-	1	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	44	44	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
White	25	25	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
All other	19	19	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Black	19	19	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	7	7	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
White	5	5	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	37	37	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
White	20	20	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
All other	17	17	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Black	17	17	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	22	7	-	1	-	2	-	2	-	2	6	2	8	-	-	1	-	-	-	1	1	-	3	2
White	15	2	-	1	-	2	-	1	-	1	6	2	8	-	-	1	-	-	-	1	1	-	3	2
All other	7	5	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	7	5	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	148	4	2	2	5	4	7	14	27	33	39	11	152	3	1	-	2	3	6	8	23	31	42	33
White	121	4	1	1	5	2	5	8	19	30	35	11	127	1	1	-	1	2	5	4	19	25	39	30
All other	27	-	1	1	-	2	2	6	8	3	4	-	25	2	-	-	1	1	1	4	4	6	3	3
Black	26	-	1	1	-	2	2	6	7	3	4	-	25	2	-	-	1	1	1	4	4	6	3	3
Accidents and adverse effects (E800-E949)	138	1	2	10	40	30	11	16	6	12	6	4	65	2	5	5	14	5	4	2	2	7	7	12
White	106	1	-	6	34	25	8	9	4	9	6	4	53	1	3	4	11	3	3	2	2	7	7	10
All other	32	-	2	4	6	5	3	7	2	3	-	-	12	1	2	1	3	2	1	-	-	-	-	2
Black	28	-	1	4	6	4	1	7	2	3	-	-	12	1	2	1	3	2	1	-	-	-	-	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Motor vehicle accidents (E810-E825)	79	-	-	5	33	20	6	7	2	5	-	1	31	1	1	4	13	3	3	1	1	2	2	-
White	64	-	-	3	28	18	4	6	1	3	-	1	25	-	1	3	10	2	3	1	1	2	2	-
All other	15	-	-	2	5	2	2	1	1	2	-	-	6	1	-	1	3	1	-	-	-	-	-	-
Black	13	-	-	2	5	2	-	1	1	2	-	-	6	1	-	1	3	1	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	59	1	2	5	7	10	5	9	4	7	6	3	34	1	4	1	1	2	1	1	1	5	5	12
White	42	1	-	3	6	7	4	3	3	6	6	3	28	1	2	1	1	1	-	1	1	5	5	10
All other	17	-	2	2	1	3	1	6	1	1	-	-	6	-	2	-	-	1	1	-	-	-	-	2
Black	15	-	1	2	1	2	1	6	1	1	-	-	6	-	2	-	-	1	1	-	-	-	-	2
Suicide (E950-E959)	61	...	...	2	20	8	6	7	9	7	2	-	14	...	...	-	2	3	1	3	4	1	-	-
White	54	...	...	2	16	8	4	7	9	6	2	-	14	...	...	-	2	3	1	3	4	1	-	-
All other	7	...	...	-	4	-	2	-	-	1	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	7	...	...	-	4	-	2	-	-	1	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	27	-	1	-	6	5	3	3	4	1	1	-	16	1	2	-	3	5	2	2	-	1	-	-
White	15	-	1	-	5	2	2	2	3	-	-	-	11	1	1	-	2	3	2	1	-	1	-	-
All other	12	-	-	-	3	3	1	1	1	1	1	-	5	-	1	-	1	2	-	1	-	-	-	-
Black	12	-	-	-	3	3	1	1	1	1	1	-	5	-	1	-	1	2	-	1	-	-	-	-
All other external causes (E980-E999)	6	-	-	-	2	3	1	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
White	5	-	-	-	2	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA																								
All causes	3,726	124	13	18	102	216	237	434	760	824	693	295	3,228	107	8	16	32	92	106	231	473	702	800	657
White	931	17	-	1	12	18	19	61	148	203	296	152	1,050	10	-	2	8	9	12	23	99	186	346	355
All other	2,795	107	13	17	90	196	218	373	612	621	397	143	2,178	97	8	14	24	83	96	208	374	516	454	302
Black	2,771	106	13	17	89	197	217	371	608	615	390	142	2,170	96	8	14	23	83	95	208	374	514	453	300
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	8	-	-	-	-	-	2	1	-	3	2	-	2	-	-	-	-	-	1	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	8	-	-	-	-	-	2	1	-	3	2	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	8	-	-	-	-	-	2	1	-	3	2	-	2	-	-	-	-	-	1	-	-	1	-	-
Tuberculosis of respiratory system (010-012)	8	-	-	-	-	-	2	1	-	3	2	-	1	-	-	-	-	-	1	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	8	-	-	-	-	-	2	1	-	3	2	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	8	-	-	-	-	-	2	1	-	3	2	-	1	-	-	-	-	-	1	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	45	1	-	-	-	1	-	3	9	10	13	7	49	-	-	-	-	1	-	4	7	12	11	14
White	12	-	-	-	-	-	-	1	2	-	7	2	8	-	-	-	-	-	-	-	1	1	2	4
All other	33	1	-	-	-	1	-	2	7	10	6	5	41	-	-	-	-	1	-	4	6	11	9	10
Black	32	1	-	-	-	1	-	2	7	10	6	4	41	-	-	-	-	1	-	4	6	11	9	10
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con																								
Viral hepatitis (070)	6	-	-	-	3	-	1	1	-	1	-	-	5	-	-	-	-	-	1	-	-	-	3	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	6	-	-	-	3	-	1	1	-	1	-	-	4	-	-	-	-	-	1	-	-	-	2	1
Black	6	-	-	-	3	-	1	1	-	1	-	-	4	-	-	-	-	-	1	-	-	-	2	1
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	12	-	-	-	1	-	2	2	2	1	2	2	7	-	-	-	-	3	-	1	-	1	2	-
White	4	-	-	-	-	-	1	-	2	-	1	-	3	-	-	-	-	-	-	1	-	1	1	-
All other	8	-	-	-	1	-	1	2	-	1	1	2	4	-	-	-	-	3	-	-	-	-	1	-
Black	8	-	-	-	1	-	1	2	-	1	1	2	4	-	-	-	-	3	-	-	-	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	908	-	1	1	8	9	35	117	248	267	165	56	701	-	-	3	3	12	29	79	150	208	151	66
White	213	-	-	-	-	1	3	17	47	52	65	27	243	-	-	2	-	1	4	8	44	69	80	35
All other	695	-	1	1	8	8	32	100	201	215	100	29	458	-	-	1	3	11	25	71	106	139	71	31
Black	687	-	1	1	8	8	32	100	199	212	97	29	457	-	-	1	3	11	25	71	106	138	71	31
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	51	-	-	-	-	1	4	15	17	5	6	3	20	-	-	-	-	-	1	5	9	1	3	1
White	7	-	-	-	-	-	-	-	2	2	2	1	6	-	-	-	-	-	-	-	5	-	1	-
All other	44	-	-	-	-	1	4	15	15	3	4	2	14	-	-	-	-	-	1	5	4	1	2	1
Black	44	-	-	-	-	1	4	15	15	3	4	2	14	-	-	-	-	-	1	5	4	1	2	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	258	-	-	-	-	4	9	32	68	76	56	13	198	-	-	-	-	-	2	14	33	75	50	24
White	57	-	-	-	-	-	1	4	9	14	23	6	59	-	-	-	-	-	-	-	5	19	25	10
All other	201	-	-	-	-	4	8	28	59	62	33	7	139	-	-	-	-	-	2	14	28	56	25	14
Black	198	-	-	-	-	4	8	28	59	60	32	7	138	-	-	-	-	-	2	14	28	55	25	14
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	282	-	-	-	-	-	11	35	107	85	32	11	114	-	-	-	-	-	1	18	36	43	14	2
White	62	-	-	-	-	-	1	3	20	13	16	8	39	-	-	-	-	-	-	3	14	13	8	1
All other	220	-	-	-	-	-	10	32	87	72	16	3	75	-	-	-	-	-	1	15	22	30	6	1
Black	220	-	-	-	-	-	10	32	87	72	16	3	75	-	-	-	-	-	1	15	22	30	6	1
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	1	-	-	-	127	-	-	-	-	5	13	15	26	33	26	9
White	1	-	-	-	-	-	-	-	1	-	-	-	51	-	-	-	-	-	2	-	9	18	17	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	76	-	-	-	-	5	11	15	17	15	9	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	76	-	-	-	-	5	11	15	17	15	9	4
Malignant neoplasms of genital organs (179-187)	104	-	-	-	-	-	-	2	9	44	34	15	74	-	-	-	-	2	5	10	19	14	19	5
White	21	-	-	-	-	-	-	1	3	6	6	5	28	-	-	-	-	-	1	1	5	7	11	3
All other	83	-	-	-	-	-	-	1	6	38	28	10	46	-	-	-	-	2	4	9	14	7	8	2
Black	82	-	-	-	-	-	-	1	6	38	27	10	46	-	-	-	-	2	4	9	14	7	8	2
Malignant neoplasms of urinary organs (188-189)	41	-	-	-	1	-	-	6	10	11	10	3	24	-	-	-	-	-	-	2	2	10	7	3
White	15	-	-	-	-	-	-	2	3	2	6	2	8	-	-	-	-	-	-	-	-	4	2	2
All other	26	-	-	-	1	-	-	4	7	9	4	1	16	-	-	-	-	-	-	2	2	6	5	1
Black	25	-	-	-	1	-	-	4	6	9	4	1	16	-	-	-	-	-	-	2	2	6	5	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	105	-	-	-	3	3	5	20	25	29	13	7	81	-	-	1	2	2	1	11	14	23	18	9
White	28	-	-	-	-	-	-	4	5	11	7	1	27	-	-	1	-	-	-	4	2	6	8	6
All other	77	-	-	-	3	3	5	16	20	18	6	6	54	-	-	-	2	2	1	7	12	17	10	3
Black	75	-	-	-	3	3	5	16	19	17	6	6	54	-	-	-	2	2	1	7	12	17	10	3
Leukemia (204-208)	25	-	1	1	3	1	-	5	3	6	3	2	23	-	-	1	-	2	3	1	3	3	3	7
White	11	-	-	-	-	1	-	3	1	1	3	2	10	-	-	-	-	-	1	-	2	-	2	5
All other	14	-	1	1	3	-	-	2	2	5	-	-	13	-	-	1	-	2	2	1	1	3	1	2
Black	14	-	1	1	3	-	-	2	2	5	-	-	13	-	-	1	-	2	2	1	1	3	1	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	41	-	-	-	1	-	6	2	8	11	11	2	40	-	-	1	1	1	3	3	8	6	11	6
White	11	-	-	-	-	-	1	-	3	3	2	2	15	-	-	1	-	1	-	-	2	2	6	3
All other	30	-	-	-	1	-	5	2	5	8	9	-	25	-	-	-	1	-	3	3	6	4	5	3
Black	29	-	-	-	1	-	5	2	5	8	8	-	25	-	-	-	1	-	3	3	6	4	5	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	1	-	-	-	-	-	1	2	1	1	1	11	-	-	-	1	2	-	-	-	4	2	2
White	4	1	-	-	-	-	-	-	1	-	1	1	4	-	-	-	-	1	-	-	-	-	1	2
All other	3	-	-	-	-	-	-	1	1	1	-	-	7	-	-	-	1	1	-	-	-	4	1	-
Black	3	-	-	-	-	-	-	1	1	1	-	-	7	-	-	-	1	1	-	-	-	4	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con																								
Diabetes mellitus (250)	37	-	-	2	-	2	1	5	6	11	9	1	74	-	-	-	-	1	-	4	13	22	16	16
White	9	-	-	1	-	-	-	1	3	3	1	-	14	-	-	-	-	-	-	-	1	2	7	4
All other	28	-	-	1	-	2	1	4	3	8	8	1	60	-	-	-	-	1	-	4	12	20	11	12
Black	28	-	-	1	-	2	1	4	3	8	8	1	60	-	-	-	-	1	-	4	12	20	11	12
Nutritional deficiencies (260-269)	6	-	-	-	-	-	1	1	1	-	2	1	10	-	-	-	-	-	-	1	1	1	3	4
White	2	-	-	-	-	-	-	-	1	-	1	-	6	-	-	-	-	-	-	-	1	-	1	4
All other	4	-	-	-	-	-	1	1	-	-	1	1	4	-	-	-	-	-	-	1	-	1	2	-
Black	4	-	-	-	-	-	1	1	-	-	1	1	4	-	-	-	-	-	-	1	-	1	2	-
Anemias (280-285)	11	-	-	-	-	4	1	1	-	-	2	3	10	-	-	2	-	-	1	2	1	2	-	2
White	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	1
All other	9	-	-	-	-	4	1	1	-	-	2	1	9	-	-	2	-	-	1	2	1	2	-	1
Black	9	-	-	-	-	4	1	1	-	-	2	1	9	-	-	2	-	-	1	2	1	2	-	1
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Major cardiovascular diseases (390-448)	1,372	2	-	1	5	17	50	138	293	359	347	157	1,501	2	-	2	5	11	23	79	189	326	454	409
White	429	-	-	-	1	2	5	26	59	97	157	81	543	-	-	-	1	-	5	7	32	73	195	230
All other	943	2	-	1	4	15	45	112	234	262	190	76	958	2	-	2	4	11	18	72	157	253	259	179
Black	935	2	-	1	4	15	44	112	233	259	187	76	955	2	-	2	4	11	18	72	157	252	258	178
Diseases of heart (390-398,402,404-429)	1,103	-	-	1	5	14	37	115	250	294	266	118	1,102	2	-	2	3	8	16	65	158	255	316	276
White	354	-	-	-	1	2	5	24	50	84	126	61	390	-	-	-	1	-	1	5	28	59	139	157
All other	749	-	-	1	4	12	32	91	200	210	140	57	712	2	-	2	2	8	15	60	130	196	177	119
Black	746	-	-	1	4	12	31	91	200	209	139	57	709	2	-	2	2	8	15	60	130	195	176	118
Rheumatic fever and rheumatic heart disease (390-398)	7	-	-	-	-	-	1	1	3	1	1	-	12	-	-	-	-	1	-	4	1	2	4	-
White	3	-	-	-	-	-	-	-	1	1	1	-	3	-	-	-	-	-	-	-	-	-	3	-
All other	4	-	-	-	-	-	1	1	2	-	-	-	9	-	-	-	-	1	-	4	1	2	1	-
Black	4	-	-	-	-	-	1	1	2	-	-	-	9	-	-	-	-	1	-	4	1	2	1	-
Hypertensive heart disease (402)	95	-	-	-	-	1	6	18	31	23	9	7	100	-	-	-	-	-	5	18	20	28	17	12
White	13	-	-	-	-	-	-	1	3	4	2	3	15	-	-	-	-	-	-	-	3	5	4	3
All other	82	-	-	-	-	1	6	17	28	19	7	4	85	-	-	-	-	-	5	18	17	23	13	9
Black	82	-	-	-	-	1	6	17	28	19	7	4	85	-	-	-	-	-	5	18	17	23	13	9
Hypertensive heart and renal disease (404)	4	-	-	-	-	-	1	1	-	1	1	-	15	-	-	-	-	-	-	-	1	4	4	6
White	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	-	1	4
All other	3	-	-	-	-	-	1	1	-	1	-	-	10	-	-	-	-	-	-	-	1	4	3	2
Black	3	-	-	-	-	-	1	1	-	1	-	-	9	-	-	-	-	-	-	-	1	4	3	1
Ischemic heart disease (410-414)	694	-	-	-	-	7	17	56	158	200	180	74	645	-	-	-	1	-	1	28	97	155	198	164
White	242	-	-	-	-	1	4	17	37	59	88	35	262	-	-	-	-	-	-	2	21	43	94	102
All other	452	-	-	-	-	6	13	39	121	141	92	39	383	-	-	-	1	-	1	26	76	112	104	62
Black	449	-	-	-	-	6	12	39	121	140	91	39	382	-	-	-	1	-	1	26	76	111	104	62
Acute myocardial infarction (410)	244	-	-	-	-	3	7	25	45	68	70	25	222	-	-	-	1	-	1	6	33	57	81	42
White	115	-	-	-	-	1	1	9	19	28	41	15	109	-	-	-	-	-	-	-	6	25	50	28
All other	129	-	-	-	-	2	6	16	26	40	29	10	113	-	-	-	1	-	1	6	27	32	31	14
Black	128	-	-	-	-	2	6	16	26	39	29	10	112	-	-	-	1	-	1	6	27	31	31	14
Other acute and subacute forms of ischemic heart disease (411)	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	448	-	-	-	-	4	10	31	112	131	110	49	422	-	-	-	-	-	-	22	64	97	117	122
White	126	-	-	-	-	-	3	8	17	31	47	20	153	-	-	-	-	-	-	2	15	18	44	74
All other	322	-	-	-	-	4	7	23	95	100	63	29	269	-	-	-	-	-	-	20	49	79	73	48
Black	320	-	-	-	-	4	6	23	95	100	62	29	269	-	-	-	-	-	-	20	49	79	73	48
Other diseases of endocardium (424)	6	-	-	-	-	-	-	3	-	2	1	-	11	-	-	-	-	-	1	1	-	3	4	2
White	1	-	-	-	-	-	-	1	-	-	-	-	6	-	-	-	-	-	-	-	-	1	3	2
All other	5	-	-	-	-	-	-	2	-	2	1	-	5	-	-	-	-	-	1	1	-	2	1	-
Black	5	-	-	-	-	-	-	2	-	2	1	-	5	-	-	-	-	-	1	1	-	2	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con																								
All other forms of heart disease (415-423,425-429)	297	-	-	1	5	6	12	36	58	67	74	37	319	2	-	2	2	7	9	14	39	63	89	92
White	94	-	-	-	1	1	1	5	9	20	34	23	99	-	-	-	1	-	1	3	4	10	34	46
All other	203	-	-	1	4	5	11	31	49	47	40	14	220	2	-	2	1	7	8	11	35	53	55	46
Black	203	-	-	1	4	5	11	31	49	47	40	14	219	2	-	2	1	7	8	11	35	53	54	46
Hypertension with or without renal disease (401,403)	19	-	-	-	-	1	1	4	5	2	6	-	12	-	-	-	-	-	-	-	1	6	4	1
White	4	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	15	-	-	-	-	1	1	3	4	2	4	-	11	-	-	-	-	-	-	-	1	5	4	1
Black	15	-	-	-	-	1	1	3	4	2	4	-	11	-	-	-	-	-	-	-	1	5	4	1
Cerebrovascular diseases (430-438)	163	2	-	-	-	2	11	16	26	46	37	23	252	-	-	-	2	2	7	12	21	47	83	78
White	40	-	-	-	-	-	-	1	3	9	17	10	110	-	-	-	-	-	4	2	4	9	40	51
All other	123	2	-	-	-	2	11	15	23	37	20	13	142	-	-	-	2	2	3	10	17	38	43	27
Black	120	2	-	-	-	2	11	15	22	35	20	13	142	-	-	-	2	2	3	10	17	38	43	27
Intracerebral and other intracranial hemorrhage (431-432)	38	2	-	-	-	1	6	11	8	4	4	2	30	-	-	-	-	-	2	4	4	4	10	6
White	5	-	-	-	-	-	-	1	-	2	1	1	14	-	-	-	-	-	1	-	1	1	6	5
All other	33	2	-	-	-	1	6	10	8	2	3	1	16	-	-	-	-	-	1	4	3	3	4	1
Black	32	2	-	-	-	1	6	10	7	2	3	1	16	-	-	-	-	-	1	4	3	3	4	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	30	-	-	-	-	1	1	1	1	12	11	3	55	-	-	-	1	-	-	2	2	11	18	21
White	7	-	-	-	-	-	-	-	-	2	4	1	24	-	-	-	-	-	-	-	-	2	9	13
All other	23	-	-	-	-	1	1	1	1	10	7	2	31	-	-	-	1	-	-	2	2	9	9	8
Black	22	-	-	-	-	1	1	1	1	9	7	2	31	-	-	-	1	-	-	2	2	9	9	8
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	95	-	-	-	-	-	4	4	17	30	22	18	166	-	-	-	1	2	5	6	15	31	55	51
White	28	-	-	-	-	-	-	-	3	5	12	8	72	-	-	-	-	-	3	2	3	6	25	33
All other	67	-	-	-	-	-	4	4	14	25	10	10	94	-	-	-	1	2	2	4	12	25	30	18
Black	66	-	-	-	-	-	4	4	14	24	10	10	94	-	-	-	1	2	2	4	12	25	30	18
Atherosclerosis (440)	59	-	-	-	-	-	-	2	5	9	31	12	103	-	-	-	-	-	-	2	4	9	43	45
White	21	-	-	-	-	-	-	-	3	2	10	6	34	-	-	-	-	-	-	-	-	2	15	17
All other	38	-	-	-	-	-	-	2	2	7	21	6	69	-	-	-	-	-	-	2	4	7	28	28
Black	37	-	-	-	-	-	-	2	2	7	20	6	69	-	-	-	-	-	-	2	4	7	28	28
Other diseases of arteries, arterioles, and capillaries (441-448)	28	-	-	-	-	-	1	1	7	8	7	4	32	-	-	-	-	1	-	-	5	9	8	9
White	10	-	-	-	-	-	-	-	2	2	2	4	8	-	-	-	-	-	-	-	-	2	1	5
All other	18	-	-	-	-	-	1	1	5	6	5	-	24	-	-	-	-	1	-	-	5	7	7	4
Black	17	-	-	-	-	-	1	1	5	6	4	-	24	-	-	-	-	1	-	-	5	7	7	4
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia and influenza (480-487)	101	1	-	-	-	5	10	10	20	12	24	19	60	-	-	-	-	2	1	3	7	10	12	25
White	31	-	-	-	-	-	-	-	4	4	11	12	33	-	-	-	-	-	-	-	1	5	7	20
All other	70	1	-	-	-	5	10	10	16	8	13	7	27	-	-	-	-	2	1	3	6	5	5	5
Black	70	1	-	-	-	5	10	10	16	8	13	7	27	-	-	-	-	2	1	3	6	5	5	5
Pneumonia (480-486)	100	1	-	-	-	5	10	10	20	11	24	19	58	-	-	-	-	2	1	3	7	9	12	24
White	31	-	-	-	-	-	-	-	4	4	11	12	31	-	-	-	-	-	-	-	1	4	7	19
All other	69	1	-	-	-	5	10	10	16	7	13	7	27	-	-	-	-	2	1	3	6	5	5	5
Black	69	1	-	-	-	5	10	10	16	7	13	7	27	-	-	-	-	2	1	3	6	5	5	5
Influenza (487)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	88	-	-	1	1	1	2	2	11	32	28	10	49	-	-	-	-	1	-	2	8	14	17	7
White	41	-	-	-	-	-	-	-	4	13	17	7	24	-	-	-	-	-	-	-	4	5	10	5
All other	47	-	-	1	1	1	2	2	7	19	11	3	25	-	-	-	-	1	-	2	4	9	7	2
Black	46	-	-	1	1	1	2	2	6	19	11	3	25	-	-	-	-	1	-	2	4	9	7	2
Bronchitis, chronic and unspecified (490-491)	4	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-	1	1
White	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	14	-	-	-	-	-	-	-	2	7	4	1	14	-	-	-	-	-	-	-	2	6	4	2
White	5	-	-	-	-	-	-	-	-	2	2	1	8	-	-	-	-	-	-	-	2	2	2	2
All other	9	-	-	-	-	-	-	-	2	5	2	-	6	-	-	-	-	-	-	-	-	4	2	-
Black	9	-	-	-	-	-	-	-	2	5	2	-	6	-	-	-	-	-	-	-	-	4	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Asthma (493)	6	-	-	1	1	1	-	-	1	2	-	-	7	-	-	-	-	1	-	2	2	1	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	5	-	-	1	1	1	-	-	1	1	-	-	7	-	-	-	-	1	-	2	2	1	1	-
Black	5	-	-	1	1	1	-	-	1	1	-	-	7	-	-	-	-	1	-	2	2	1	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	64	-	-	-	-	-	2	1	8	22	23	8	26	-	-	-	-	-	-	-	4	7	11	4
White	33	-	-	-	-	-	-	-	4	9	15	5	14	-	-	-	-	-	-	-	2	3	7	2
All other	31	-	-	-	-	-	2	1	4	13	8	3	12	-	-	-	-	-	-	-	2	4	4	2
Black	30	-	-	-	-	-	2	1	3	13	8	3	12	-	-	-	-	-	-	-	2	4	4	2
Ulcer of stomach and duodenum (531-533)	13	-	-	-	-	-	-	1	5	3	2	2	11	-	-	-	-	-	-	-	1	1	4	5
White	5	-	-	-	-	-	-	-	2	1	1	1	4	-	-	-	-	-	-	-	-	-	1	3
All other	8	-	-	-	-	-	-	1	3	2	1	1	7	-	-	-	-	-	-	-	1	1	3	2
Black	8	-	-	-	-	-	-	1	3	2	1	1	7	-	-	-	-	-	-	-	1	1	3	2
Appendicitis (540-543)	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	-	-	-	-	-	1	1	-	1	2	2	10	-	-	-	-	-	-	1	2	3	3	1
White	3	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	1	-	1
All other	4	-	-	-	-	-	1	1	-	1	1	-	8	-	-	-	-	-	-	1	2	2	3	-
Black	4	-	-	-	-	-	1	1	-	1	1	-	8	-	-	-	-	-	-	1	2	2	3	-
Chronic liver disease and cirrhosis (571)	162	-	-	-	-	9	30	49	45	23	4	1	85	-	-	-	-	4	8	19	28	20	5	1
White	23	-	-	-	-	1	1	4	9	5	1	1	15	-	-	-	-	-	-	3	4	6	2	-
All other	139	-	-	-	-	8	29	45	36	18	3	-	70	-	-	-	-	4	8	16	24	14	3	1
Black	139	-	-	-	-	8	29	45	36	18	3	-	70	-	-	-	-	4	8	16	24	14	3	1
Cholelithiasis and other disorders of gallbladder (574-575)	5	-	-	-	-	-	-	-	1	-	3	1	4	-	-	-	-	-	-	-	-	1	3	-
White	4	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	2	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	51	-	-	-	-	-	1	2	13	20	12	3	40	1	-	-	-	1	2	2	7	16	6	5
White	10	-	-	-	-	-	-	-	1	5	4	-	8	-	-	-	-	-	-	-	2	3	1	2
All other	41	-	-	-	-	-	1	2	12	15	8	3	32	1	-	-	-	1	2	2	5	13	5	3
Black	40	-	-	-	-	-	1	2	12	15	7	3	32	1	-	-	-	1	2	2	5	13	5	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	2	2	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	1	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	51	-	-	-	-	-	1	2	13	20	12	3	35	1	-	-	-	1	2	2	5	14	6	4
White	10	-	-	-	-	-	-	-	1	5	4	-	6	-	-	-	-	-	-	-	2	2	1	1
All other	41	-	-	-	-	-	1	2	12	15	8	3	29	1	-	-	-	1	2	2	3	12	5	3
Black	40	-	-	-	-	-	1	2	12	15	7	3	29	1	-	-	-	1	2	2	3	12	5	3
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Congenital anomalies (740-759)	14	12	-	-	1	1	-	-	-	-	-	-	31	23	3	1	1	1	-	-	1	1	-	-
White	4	4	-	-	-	-	-	-	-	-	-	-	4	3	-	-	-	-	-	-	1	-	-	-
All other	10	8	-	-	1	1	-	-	-	-	-	-	27	20	3	1	1	1	-	-	-	1	-	-
Black	10	8	-	-	1	1	-	-	-	-	-	-	26	19	3	1	1	1	-	-	-	1	-	-
Certain conditions originating in the perinatal period (760-779)	81	81	-	-	-	-	-	-	-	-	-	-	69	69	-	-	-	-	-	-	-	-	-	-
White	11	11	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
All other	70	70	-	-	-	-	-	-	-	-	-	-	62	62	-	-	-	-	-	-	-	-	-	-
Black	69	69	-	-	-	-	-	-	-	-	-	-	62	62	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	20	20	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
White	6	6	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other	14	14	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
Black	13	13	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	61	61	-	-	-	-	-	-	-	-	-	-	49	49	-	-	-	-	-	-	-	-	-	-
White	5	5	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other	56	56	-	-	-	-	-	-	-	-	-	-	46	46	-	-	-	-	-	-	-	-	-	-
Black	56	56	-	-	-	-	-	-	-	-	-	-	46	46	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	62	17	2	1	2	16	4	9	4	3	2	2	32	7	-	-	2	8	4	1	4	1	2	3
White	8	1	-	-	-	1	-	1	-	1	2	2	7	-	-	-	-	1	1	-	1	1	1	2
All other	54	16	2	1	2	15	4	8	4	2	-	-	25	7	-	-	2	7	3	1	3	-	1	1
Black	54	16	2	1	2	15	4	8	4	2	-	-	25	7	-	-	2	7	3	1	3	-	1	1
All other diseases (Residual)	300	4	3	2	4	30	33	36	58	55	54	18	307	2	1	4	2	16	21	22	37	46	80	75
White	49	-	-	-	-	-	1	-	8	17	15	7	76	-	-	-	1	2	-	2	3	12	25	31
All other	251	4	3	2	4	30	32	36	50	38	39	11	231	2	1	4	1	14	21	20	34	34	55	44
Black	250	4	3	2	4	30	32	35	50	38	39	11	230	2	1	4	1	14	21	20	34	34	55	43
Accidents and adverse effects (E800-E949)	158	4	5	6	18	29	20	20	18	17	13	8	84	1	2	3	9	11	5	4	11	4	18	16
White	31	-	-	-	4	3	5	2	1	5	5	6	26	-	-	-	5	1	-	1	2	1	7	9
All other	127	4	5	6	14	26	15	18	17	12	8	2	58	1	2	3	4	10	5	3	9	3	11	7
Black	126	4	5	6	13	26	15	18	17	12	8	2	58	1	2	3	4	10	5	3	9	3	11	7
Motor vehicle accidents (E810-E825)	49	-	-	3	14	13	5	6	4	1	3	-	19	-	2	1	5	4	3	-	2	1	1	-
White	9	-	-	-	3	3	2	-	-	-	1	-	7	-	-	-	4	1	-	-	1	1	-	-
All other	40	-	-	3	11	10	3	6	4	1	2	-	12	-	2	1	1	3	3	-	1	-	1	-
Black	39	-	-	3	10	10	3	6	4	1	2	-	12	-	2	1	1	3	3	-	1	-	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	109	4	5	3	4	16	15	14	14	16	10	8	65	1	-	2	4	7	2	4	9	3	17	16
White	22	-	-	-	1	-	3	2	1	5	4	6	19	-	-	-	1	-	-	1	1	-	7	9
All other	87	4	5	3	3	16	12	12	13	11	6	2	46	1	-	2	3	7	2	3	8	3	10	7
Black	87	4	5	3	3	16	12	12	13	11	6	2	46	1	-	2	3	7	2	3	8	3	10	7
Suicide (E950-E959)	33	...	...	-	10	10	2	6	3	1	1	-	12	...	...	-	-	3	4	2	-	3	-	-
White	10	...	...	-	3	3	-	2	1	-	1	-	8	...	...	-	-	2	2	1	-	3	-	-
All other	23	...	...	-	7	7	2	4	2	1	-	-	4	...	...	-	-	1	2	1	-	-	-	-
Black	22	...	...	-	7	7	2	3	2	1	-	-	4	...	...	-	-	1	2	1	-	-	-	-
Homicide and legal intervention (E960-E978)	185	-	2	3	43	61	32	19	19	3	3	-	38	2	2	1	6	7	8	3	2	2	3	2
White	19	-	-	-	2	6	2	6	2	-	1	-	5	-	-	-	-	-	-	-	-	2	2	1
All other	166	-	2	3	41	55	30	13	17	3	2	-	33	2	2	1	6	7	8	3	2	-	1	1
Black	165	-	2	3	41	54	30	13	17	3	2	-	31	2	2	1	5	7	7	3	2	-	1	1
All other external causes (E980-E999)	49	1	-	1	5	21	9	8	1	-	1	1	17	-	-	-	2	7	-	1	4	2	-	1
White	6	-	-	-	2	1	1	1	-	-	-	1	5	-	-	-	1	1	-	-	2	-	-	1
All other	43	1	-	1	3	20	8	7	1	-	1	-	12	-	-	-	1	6	-	1	2	2	-	-
Black	43	1	-	1	3	20	8	7	1	-	1	-	12	-	-	-	1	6	-	1	2	2	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA																								
All causes	61,199	1,035	208	271	1,603	1,865	1,826	3,940	9,230	16,945	16,672	7,582	47,928	811	143	165	603	694	1,008	2,254	5,587	11,180	14,570	10,903
White	54,364	608	140	192	1,298	1,419	1,381	3,175	7,893	15,305	15,663	7,272	42,661	445	98	117	466	505	734	1,761	4,700	9,885	13,525	10,417
All other	6,835	427	68	79	305	446	445	765	1,337	1,640	1,009	310	5,267	366	45	48	137	189	274	493	887	1,295	1,045	486
Black	6,774	425	64	76	299	439	441	758	1,330	1,627	1,004	307	5,211	364	45	48	136	182	270	480	881	1,287	1,036	480
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	15	9	-	-	-	-	-	-	-	2	3	1	18	9	1	-	-	-	1	-	2	-	1	4
White	8	3	-	-	-	-	-	-	-	1	3	1	14	5	1	-	-	-	1	-	2	-	1	4
All other	7	6	-	-	-	-	-	-	-	1	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	7	6	-	-	-	-	-	-	-	1	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	112	-	-	-	-	2	12	8	30	34	19	7	34	1	-	-	-	-	2	4	8	9	9	1
White	62	-	-	-	-	-	3	2	18	18	15	6	13	-	-	-	-	-	-	-	3	5	4	1
All other	50	-	-	-	-	2	9	6	12	16	4	1	21	1	-	-	-	-	2	4	5	4	5	-
Black	50	-	-	-	-	2	9	6	12	16	4	1	20	1	-	-	-	-	2	3	5	4	5	-
Tuberculosis of respiratory system (010-012)	102	-	-	-	-	1	12	7	29	33	14	6	26	-	-	-	-	-	2	3	7	5	8	1
White	58	-	-	-	-	-	3	2	18	18	12	5	10	-	-	-	-	-	-	-	2	3	4	1
All other	44	-	-	-	-	1	9	5	11	15	2	1	16	-	-	-	-	-	2	3	5	2	4	-
Black	44	-	-	-	-	1	9	5	11	15	2	1	15	-	-	-	-	-	2	2	5	2	4	-
Other tuberculosis (013-018)	10	-	-	-	-	1	-	1	1	1	5	1	8	1	-	-	-	-	-	1	1	4	1	-
White	4	-	-	-	-	-	-	-	-	-	3	1	3	-	-	-	-	-	-	-	1	2	-	-
All other	6	-	-	-	-	1	-	1	1	1	2	-	5	1	-	-	-	-	-	1	-	2	1	-
Black	6	-	-	-	-	1	-	1	1	1	2	-	5	1	-	-	-	-	-	1	-	2	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	19	4	6	1	1	-	2	2	2	-	1	-	16	4	3	1	-	1	-	2	1	2	2	-
White	17	4	5	1	1	-	2	2	1	-	1	-	14	4	3	-	-	1	-	1	1	2	2	-
All other	2	-	1	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-
Black	2	-	1	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-
Septicemia (038)	243	9	3	-	3	2	3	14	37	56	66	50	248	7	2	-	1	6	6	11	27	59	79	50
White	198	5	1	-	1	2	2	11	28	45	59	44	196	1	2	-	1	2	4	7	20	43	72	44
All other	45	4	2	-	2	-	1	3	9	11	7	6	52	6	-	-	-	4	2	4	7	16	7	6
Black	45	4	2	-	2	-	1	3	9	11	7	6	52	6	-	-	-	4	2	4	7	16	7	6
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	26	-	-	1	1	2	1	3	6	5	7	-	28	2	-	-	2	4	3	2	6	6	2	-
White	19	-	-	-	-	-	1	2	4	5	7	-	22	2	-	-	1	2	3	2	6	3	2	-
All other	7	-	-	1	1	2	-	1	2	-	-	-	6	-	-	-	1	2	-	-	-	3	-	-
Black	6	-	-	1	1	2	-	1	1	-	-	-	6	-	-	-	1	2	-	-	-	3	-	-
Syphilis (090-097)	6	1	-	-	-	-	-	-	1	2	1	1	4	1	-	-	-	-	-	-	1	-	1	1
White	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	4	1	-	-	-	-	-	-	1	2	-	-	3	1	-	-	-	-	-	-	1	-	-	1
Black	4	1	-	-	-	-	-	-	1	2	-	-	3	1	-	-	-	-	-	-	1	-	-	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	132	3	3	2	1	5	6	19	28	29	26	10	102	8	3	2	2	8	7	4	21	29	12	6
White	115	1	2	2	1	2	5	15	25	27	25	10	74	4	1	1	1	3	3	3	16	25	12	5
All other	17	2	1	-	-	3	1	4	3	2	1	-	28	4	2	1	1	5	4	1	5	4	-	1
Black	14	1	1	-	-	3	1	4	3	1	-	-	28	4	2	1	1	5	4	1	5	4	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	13,637	-	13	22	57	94	264	970	2,670	4,803	3,670	1,073	10,641	-	11	26	39	96	297	901	2,227	3,424	2,696	924
White	12,323	-	10	18	46	83	215	792	2,313	4,374	3,450	1,022	9,731	-	7	20	32	78	233	769	1,984	3,164	2,557	887
All other	1,314	-	3	4	11	11	49	178	357	429	220	51	910	-	4	6	7	18	64	132	243	260	139	37
Black	1,302	-	3	4	11	10	48	174	356	425	219	51	893	-	4	6	7	17	61	127	241	258	136	36

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	368	-	-	-	-	1	9	55	97	121	69	16	193	-	-	-	-	2	5	19	50	70	33	14
White	309	-	-	-	-	1	4	36	81	110	63	14	172	-	-	-	-	2	1	16	40	69	30	14
All other	59	-	-	-	-	-	5	19	16	11	6	2	21	-	-	-	-	-	4	3	10	1	3	-
Black	59	-	-	-	-	-	5	19	16	11	6	2	21	-	-	-	-	-	4	3	10	1	3	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,450	-	2	-	5	16	43	208	623	1,257	1,017	279	2,944	-	-	-	4	7	34	145	481	961	951	361
White	3,109	-	1	-	4	10	32	157	533	1,143	960	269	2,711	-	-	-	4	5	25	123	429	876	899	350
All other	341	-	1	-	1	6	11	51	90	114	57	10	233	-	-	-	-	2	9	22	52	85	52	11
Black	338	-	1	-	1	6	10	51	90	113	56	10	227	-	-	-	-	2	8	20	52	84	51	10
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,941	-	-	-	-	9	88	451	1,194	1,903	1,098	198	1,968	-	-	-	3	2	46	185	580	715	345	92
White	4,476	-	-	-	-	9	70	372	1,042	1,739	1,053	191	1,848	-	-	-	3	2	35	162	538	684	334	90
All other	465	-	-	-	-	-	18	79	152	164	45	7	120	-	-	-	-	-	11	23	42	31	11	2
Black	460	-	-	-	-	-	18	77	151	162	45	7	118	-	-	-	-	-	10	23	42	30	11	2
Malignant neoplasm of breast (174-175)	10	-	-	-	-	-	-	-	2	3	4	1	1,856	-	-	-	-	32	88	248	448	552	364	124
White	9	-	-	-	-	-	-	-	1	3	4	1	1,695	-	-	-	-	23	75	214	401	519	346	117
All other	1	-	-	-	-	-	-	-	1	-	-	-	161	-	-	-	-	9	13	34	47	33	18	7
Black	1	-	-	-	-	-	-	-	1	-	-	-	159	-	-	-	-	9	13	33	47	33	17	7
Malignant neoplasms of genital organs (179-187)	1,476	-	-	-	3	4	7	21	117	434	599	291	1,204	-	-	1	4	13	45	128	265	391	276	81
White	1,254	-	-	-	2	4	6	18	80	355	524	265	1,041	-	-	1	3	8	31	103	222	340	258	75
All other	222	-	-	-	1	-	1	3	37	79	75	26	163	-	-	-	1	5	14	25	43	51	18	6
Black	221	-	-	-	1	-	1	3	37	78	75	26	160	-	-	-	1	4	13	25	43	51	17	6
Malignant neoplasms of urinary organs (188-189)	760	-	-	1	-	3	10	25	127	260	239	95	360	-	-	1	1	2	4	23	45	111	122	51
White	720	-	-	1	-	3	8	23	112	250	230	93	328	-	-	1	-	2	3	17	38	100	118	49
All other	40	-	-	-	-	-	2	2	15	10	9	2	32	-	-	-	1	-	1	6	7	11	4	2
Black	40	-	-	-	-	-	2	2	15	10	9	2	29	-	-	-	1	-	1	4	6	11	4	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,513	-	6	11	21	36	69	144	323	477	331	95	1,220	-	5	14	12	23	49	104	213	370	319	111
White	1,413	-	5	9	16	35	62	127	297	452	317	93	1,112	-	5	10	9	22	43	88	190	338	301	106
All other	100	-	1	2	5	1	7	17	26	25	14	2	108	-	-	4	3	1	6	16	23	32	18	5
Black	98	-	1	2	5	1	7	15	26	25	14	2	108	-	-	4	3	1	6	16	23	32	18	5
Leukemia (204-208)	512	-	5	8	18	15	18	29	70	149	144	55	316	-	6	7	11	9	13	13	46	78	91	42
White	482	-	4	6	15	13	15	25	68	143	139	54	287	-	2	5	10	8	10	13	41	74	84	40
All other	30	-	1	2	3	2	3	4	2	6	5	1	29	-	4	2	1	1	3	-	5	4	7	2
Black	29	-	1	2	3	1	3	4	2	6	5	1	29	-	4	2	1	1	3	-	5	4	7	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	607	-	-	2	10	10	20	37	117	199	169	43	580	-	-	3	4	6	13	36	99	176	195	48
White	551	-	-	2	9	8	18	34	99	179	160	42	537	-	-	3	3	6	10	33	85	164	187	46
All other	56	-	-	-	1	2	2	3	18	20	9	1	43	-	-	-	1	-	3	3	14	12	8	2
Black	56	-	-	-	1	2	2	3	18	20	9	1	42	-	-	-	1	-	3	3	13	12	8	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	170	1	-	2	1	7	5	7	16	53	59	19	193	2	-	3	1	3	7	12	27	54	62	22
White	154	-	-	1	1	5	5	5	13	50	56	18	171	1	-	3	1	2	5	9	20	49	59	22
All other	16	1	-	1	-	2	-	2	3	3	3	1	22	1	-	-	-	1	2	3	7	5	3	-
Black	15	1	-	1	-	2	-	2	3	3	2	1	22	1	-	-	-	1	2	3	7	5	3	-
Diabetes mellitus (250)	710	-	-	-	1	8	10	48	118	222	237	66	885	1	-	-	3	5	12	30	120	283	298	132
White	613	-	-	-	-	7	8	32	102	186	215	63	705	1	-	-	3	4	6	20	80	213	257	120
All other	97	-	-	-	1	1	2	16	16	36	22	3	180	-	-	-	-	1	6	10	40	70	41	12
Black	97	-	-	-	1	1	2	16	16	36	22	3	180	-	-	-	-	1	6	10	40	70	41	12
Nutritional deficiencies (260-269)	44	2	-	1	-	-	-	1	4	12	9	15	68	-	-	-	1	-	2	2	5	4	25	29
White	36	-	-	1	-	-	-	1	1	10	8	15	59	-	-	-	1	-	2	2	2	3	22	27
All other	8	2	-	-	-	-	-	-	3	2	1	-	9	-	-	-	-	-	-	-	3	1	3	2
Black	8	2	-	-	-	-	-	-	3	2	1	-	9	-	-	-	-	-	-	-	3	1	3	2
Anemias (280-285)	87	1	2	5	3	3	5	2	7	14	31	14	121	1	1	1	4	2	2	6	9	29	35	31
White	67	1	1	4	2	-	1	1	4	14	27	12	101	-	-	-	-	2	1	3	7	26	32	30
All other	20	-	1	1	1	3	4	1	3	-	4	2	20	1	1	1	4	-	1	3	2	3	3	1
Black	20	-	1	1	1	3	4	1	3	-	4	2	20	1	1	1	4	-	1	3	2	3	3	1
Meningitis (320-322)	36	11	2	-	1	1	1	3	6	7	4	-	31	8	2	-	-	3	1	3	3	8	1	2
White	22	5	1	-	-	1	-	3	4	5	3	-	18	4	1	-	-	2	1	-	2	5	1	2
All other	14	6	1	-	1	-	1	-	2	2	1	-	13	4	1	-	-	1	-	3	1	3	-	-
Black	14	6	1	-	1	-	1	-	2	2	1	-	13	4	1	-	-	1	-	3	1	3	-	-
Major cardiovascular diseases (390-448)	28,599	19	4	3	35	109	415	1,456	4,131	8,366	9,289	4,771	24,630	11	4	10	32	65	175	545	1,876	5,181	8,876	7,852
White	26,160	7	4	2	20	68	318	1,208	3,579	7,607	8,751	4,595	22,253	10	-	7	18	41	110	377	1,480	4,470	8,221	7,516
All other	2,439	12	-	1	15	41	97	248	552	759	538	176	2,377	1	4	3	14	24	65	168	396	711	655	336
Black	2,427	12	-	1	15	41	97	246	549	753	538	175	2,358	1	4	3	14	23	65	164	393	707	652	332

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Diseases of heart (390-398,402,404-429)	22,969	17	3	3	23	87	342	1,296	3,595	6,901	7,199	3,502	17,953	8	4	5	22	40	113	380	1,461	3,925	6,460	5,533
White	21,142	6	3	2	12	52	270	1,099	3,158	6,332	6,825	3,382	16,268	8	-	3	12	26	72	274	1,166	3,416	5,995	5,294
All other	1,827	11	-	1	11	35	72	197	437	569	374	120	1,685	-	4	2	10	14	41	106	295	509	465	239
Black	1,818	11	-	1	11	35	72	195	436	564	374	119	1,673	-	4	2	10	14	41	105	293	505	463	236
Rheumatic fever and rheumatic heart disease (390-398)	156	-	-	1	-	5	5	8	26	55	43	13	283	-	-	1	-	1	3	16	49	101	84	28
White	146	-	-	-	-	2	4	8	25	53	42	12	268	-	-	-	-	-	1	13	46	97	83	28
All other	10	-	-	1	-	3	1	-	1	2	1	1	15	-	-	1	-	1	2	3	3	4	1	-
Black	10	-	-	1	-	3	1	-	1	2	1	1	15	-	-	1	-	1	2	3	3	4	1	-
Hypertensive heart disease (402)	548	-	-	-	2	4	12	61	134	171	123	41	608	-	-	-	-	3	10	31	82	161	197	124
White	415	-	-	-	-	2	5	37	89	139	106	37	453	-	-	-	-	1	3	12	45	117	164	111
All other	133	-	-	-	2	2	7	24	45	32	17	4	155	-	-	-	-	2	7	19	37	44	33	13
Black	132	-	-	-	2	2	7	23	45	32	17	4	153	-	-	-	-	2	7	19	37	43	33	12
Hypertensive heart and renal disease (404)	53	-	-	-	-	-	1	-	3	17	21	11	68	-	-	-	-	-	2	1	5	14	24	22
White	44	-	-	-	-	-	-	-	2	14	17	11	49	-	-	-	-	-	-	-	1	9	19	20
All other	9	-	-	-	-	-	1	-	1	3	4	-	19	-	-	-	-	-	2	1	4	5	5	2
Black	9	-	-	-	-	-	1	-	1	3	4	-	18	-	-	-	-	-	2	-	4	5	5	2
Ischemic heart disease (410-414)	17,855	-	-	-	3	38	226	995	2,779	5,486	5,669	2,658	12,888	-	-	-	-	11	50	233	1,014	2,843	4,774	3,961
White	16,782	-	-	-	3	31	191	882	2,522	5,128	5,438	2,586	11,911	-	-	-	-	7	42	183	840	2,528	4,490	3,819
All other	1,073	-	-	-	-	7	35	113	257	358	231	72	977	-	-	-	-	4	8	50	174	315	284	142
Black	1,066	-	-	-	-	7	35	112	256	354	231	71	971	-	-	-	-	4	8	50	173	313	282	141
Acute myocardial infarction (410)	9,132	-	-	-	2	24	137	552	1,596	3,060	2,827	934	5,808	-	-	-	-	6	27	143	598	1,609	2,172	1,252
White	8,679	-	-	-	2	21	120	493	1,478	2,902	2,750	913	5,387	-	-	-	-	3	21	118	509	1,456	2,070	1,209
All other	453	-	-	-	-	3	17	59	118	158	77	21	421	-	-	-	-	3	6	25	89	153	102	43
Black	448	-	-	-	-	3	17	59	117	155	77	20	415	-	-	-	-	3	6	25	88	151	100	42
Other acute and subacute forms of ischemic heart disease (411)	192	-	-	-	-	1	6	18	35	54	52	26	131	-	-	-	-	-	1	4	20	32	46	28
White	166	-	-	-	-	1	4	15	30	46	45	25	111	-	-	-	-	-	1	3	11	28	42	26
All other	26	-	-	-	-	-	2	3	5	8	7	1	20	-	-	-	-	-	-	1	9	4	4	2
Black	26	-	-	-	-	-	2	3	5	8	7	1	20	-	-	-	-	-	-	1	9	4	4	2
Angina pectoris (413)	17	-	-	-	-	-	-	1	7	2	4	3	16	-	-	-	-	-	-	2	1	6	3	4
White	15	-	-	-	-	-	-	-	7	2	4	2	12	-	-	-	-	-	-	1	-	4	3	4
All other	2	-	-	-	-	-	-	1	-	-	-	1	4	-	-	-	-	-	-	1	1	2	-	-
Black	2	-	-	-	-	-	-	1	-	-	-	1	4	-	-	-	-	-	-	1	1	2	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	8,514	-	-	-	1	13	83	424	1,141	2,370	2,786	1,695	6,933	-	-	-	-	5	22	84	395	1,196	2,553	2,677
White	7,922	-	-	-	1	9	67	374	1,007	2,178	2,639	1,646	6,401	-	-	-	-	4	20	61	320	1,040	2,375	2,580
All other	592	-	-	-	-	4	16	50	134	192	147	49	532	-	-	-	-	1	2	23	75	156	178	97
Black	590	-	-	-	-	4	16	49	134	191	147	49	532	-	-	-	-	1	2	23	75	156	178	97
Other diseases of endocardium (424)	245	-	-	-	-	5	3	10	33	74	87	33	220	-	-	1	1	2	-	4	15	64	89	44
White	219	-	-	-	-	2	1	9	24	68	83	32	202	-	-	-	-	2	-	4	11	57	86	42
All other	26	-	-	-	-	3	2	1	9	6	4	1	18	-	-	1	1	-	-	-	4	7	3	2
Black	26	-	-	-	-	3	2	1	9	6	4	1	17	-	-	1	1	-	-	-	3	7	3	2
All other forms of heart disease (415-423,425-429)	4,112	17	3	2	18	35	95	222	620	1,098	1,256	746	3,886	8	4	3	21	23	48	95	296	742	1,292	1,354
White	3,536	6	3	2	9	15	69	163	496	930	1,139	704	3,385	8	-	3	12	16	26	62	223	608	1,153	1,274
All other	576	11	-	-	9	20	26	59	124	168	117	42	501	-	4	-	9	7	22	33	73	134	139	80
Black	575	11	-	-	9	20	26	59	124	167	117	42	499	-	4	-	9	7	22	33	73	133	139	79
Hypertension with or without renal disease (401,403)	236	1	-	-	1	1	3	7	29	58	77	59	232	-	-	-	-	1	1	8	25	48	78	71
White	194	1	-	-	-	-	3	4	19	44	68	55	186	-	-	-	-	1	-	2	16	31	68	68
All other	42	-	-	-	1	1	-	3	10	14	9	4	46	-	-	-	-	-	1	6	9	17	10	3
Black	40	-	-	-	1	1	-	3	9	13	9	4	44	-	-	-	-	-	1	5	8	17	10	3
Cerebrovascular diseases (430-438)	4,047	1	1	-	11	18	59	127	378	1,025	1,544	883	5,228	3	-	4	8	23	54	145	345	996	1,915	1,734
White	3,556	-	1	-	8	14	39	81	288	875	1,412	838	4,667	2	-	3	4	13	33	92	259	834	1,765	1,661
All other	491	1	-	-	3	4	20	46	90	150	132	45	561	1	-	1	4	10	21	53	86	162	150	73
Black	490	1	-	-	3	4	20	46	89	150	132	45	557	1	-	1	4	9	21	51	86	162	150	72
Intracerebral and other intracranial hemorrhage (431-432)	513	1	1	-	6	5	20	49	94	147	138	52	608	2	-	3	3	7	23	49	84	174	175	88
White	423	-	1	-	4	2	13	32	62	134	124	51	528	1	-	2	1	2	14	29	70	157	167	85
All other	90	1	-	-	2	3	7	17	32	13	14	1	80	1	-	1	2	5	9	20	14	17	8	3
Black	89	1	-	-	2	3	7	17	31	13	14	1	79	1	-	1	2	4	9	20	14	17	8	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	939	-	-	-	-	-	2	21	67	214	418	217	1,244	-	-	1	-	1	4	13	60	205	502	458
White	851	-	-	-	-	-	1	15	58	185	385	207	1,145	-	-	1	-	1	2	7	45	173	475	441
All other	88	-	-	-	-	-	1	6	9	29	33	10	99	-	-	-	-	-	2	6	15	32	27	17
Black	88	-	-	-	-	-	1	6	9	29	33	10	98	-	-	-	-	-	2	5	15	32	27	17

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Cerebral embolism (434.1)	18	-	-	-	-	-	-	1	3	4	7	3	28	-	-	-	-	-	1	-	3	7	9	8
White	16	-	-	-	-	-	-	1	1	4	7	3	24	-	-	-	-	-	-	-	1	7	8	8
All other	2	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-	-	-	1	-	2	-	1	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-	-	-	1	-	2	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,577	-	-	-	5	13	37	56	214	660	981	611	3,348	1	-	-	5	15	26	83	198	610	1,229	1,180
White	2,266	-	-	-	4	12	25	33	167	552	896	577	2,970	1	-	-	3	10	17	56	143	497	1,115	1,127
All other	311	-	-	-	1	1	12	23	47	108	85	34	378	-	-	-	2	5	9	27	55	113	114	53
Black	311	-	-	-	1	1	12	23	47	108	85	34	376	-	-	-	2	5	9	26	55	113	114	52
Atherosclerosis (440)	587	-	-	-	-	-	3	3	27	101	216	237	798	-	-	-	-	-	-	3	15	70	282	428
White	541	-	-	-	-	-	2	2	21	86	200	230	747	-	-	-	-	-	-	2	12	61	260	412
All other	46	-	-	-	-	-	1	1	6	15	16	7	51	-	-	-	-	-	-	1	3	9	22	16
Black	46	-	-	-	-	-	1	1	6	15	16	7	51	-	-	-	-	-	-	1	3	9	22	16
Other diseases of arteries, arterioles, and capillaries (441-448)	760	-	-	-	-	3	8	23	102	281	253	90	419	-	-	1	2	1	7	9	30	142	141	86
White	727	-	-	-	-	2	4	22	93	270	246	90	385	-	-	1	2	1	5	7	27	128	133	81
All other	33	-	-	-	-	1	4	1	9	11	7	-	34	-	-	-	-	-	2	2	3	14	8	5
Black	33	-	-	-	-	1	4	1	9	11	7	-	33	-	-	-	-	-	2	2	3	14	7	5
Acute bronchitis and bronchiolitis (466)	16	2	1	-	-	-	-	1	1	3	6	2	17	2	1	-	-	-	-	-	2	1	5	6
White	14	2	1	-	-	-	-	1	1	2	5	2	14	-	-	-	-	-	-	-	2	1	5	6
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	2	1	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	3	2	1	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,295	29	6	5	8	15	23	51	120	265	431	342	1,008	19	3	3	7	7	16	39	67	157	329	361
White	1,134	15	4	3	6	8	12	27	93	220	410	336	912	7	2	3	5	4	10	25	54	144	310	348
All other	161	14	2	2	2	7	11	24	27	45	21	6	96	12	1	-	2	3	6	14	13	13	19	13
Black	160	14	2	2	2	6	11	24	27	45	21	6	95	12	1	-	2	3	6	14	13	13	18	13
Pneumonia (480-486)	1,258	29	6	5	8	15	22	51	118	257	420	327	965	19	2	3	7	7	15	38	64	150	313	347
White	1,100	15	4	3	6	8	12	27	91	213	399	322	873	7	1	3	5	4	10	24	51	139	295	334
All other	158	14	2	2	2	7	10	24	27	44	21	5	92	12	1	-	2	3	5	14	13	11	18	13
Black	157	14	2	2	2	6	10	24	27	44	21	5	91	12	1	-	2	3	5	14	13	11	17	13
Influenza (487)	37	-	-	-	-	-	1	-	2	8	11	15	43	-	1	-	-	-	1	1	3	7	16	14
White	34	-	-	-	-	-	-	-	2	7	11	14	39	-	1	-	-	-	-	1	3	5	15	14
All other	3	-	-	-	-	-	1	-	-	1	-	1	4	-	-	-	-	-	1	-	-	2	1	-
Black	3	-	-	-	-	-	1	-	-	1	-	1	4	-	-	-	-	-	1	-	-	2	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,438	1	4	1	2	8	13	82	359	881	844	243	1,232	-	-	-	5	8	15	47	196	438	387	136
White	2,249	1	-	1	1	4	8	63	310	814	809	238	1,177	-	-	-	4	7	10	41	183	422	375	135
All other	189	-	4	-	1	4	5	19	49	67	35	5	55	-	-	-	1	1	5	6	13	16	12	1
Black	186	-	4	-	1	4	5	19	49	66	34	4	55	-	-	-	1	1	5	6	13	16	12	1
Bronchitis, chronic and unspecified (490-491)	149	1	2	-	-	1	1	2	24	53	47	18	87	-	-	-	-	-	2	4	6	28	32	15
White	142	1	-	-	-	1	1	2	23	51	45	18	83	-	-	-	-	-	2	2	6	28	30	15
All other	7	-	2	-	-	-	-	-	1	2	2	-	4	-	-	-	-	-	-	2	-	-	2	-
Black	7	-	2	-	-	-	-	-	1	2	2	-	4	-	-	-	-	-	-	2	-	-	2	-
Emphysema (492)	655	-	-	-	-	-	6	28	110	244	215	52	285	-	-	-	-	2	1	12	58	115	81	16
White	606	-	-	-	-	-	4	20	98	224	208	52	277	-	-	-	-	2	1	11	55	114	78	16
All other	49	-	-	-	-	-	2	8	12	20	7	-	8	-	-	-	-	-	-	1	3	1	3	-
Black	49	-	-	-	-	-	2	8	12	20	7	-	8	-	-	-	-	-	-	1	3	1	3	-
Asthma (493)	60	-	2	1	1	7	3	4	11	21	6	4	98	-	-	-	4	5	8	8	18	32	17	6
White	43	-	-	1	1	3	2	2	7	18	6	3	81	-	-	-	3	4	4	7	16	26	16	5
All other	17	-	2	-	-	4	1	2	4	3	-	1	17	-	-	-	1	1	4	1	2	6	1	1
Black	17	-	2	-	-	4	1	2	4	3	-	1	17	-	-	-	1	1	4	1	2	6	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,574	-	-	-	1	-	3	48	214	563	576	169	762	-	-	-	1	1	4	23	114	263	257	99
White	1,458	-	-	-	-	-	1	39	182	521	550	165	736	-	-	-	1	1	3	21	106	254	251	99
All other	116	-	-	-	1	-	2	9	32	42	26	4	26	-	-	-	-	-	1	2	8	9	6	-
Black	113	-	-	-	1	-	2	9	32	41	25	3	26	-	-	-	-	-	1	2	8	9	6	-
Ulcer of stomach and duodenum (531-533)	217	-	-	-	1	4	4	12	32	64	62	37	150	-	-	-	1	1	4	4	11	43	52	34
White	191	-	-	-	1	2	3	8	26	57	57	36	140	-	-	-	-	1	4	3	10	39	50	33
All other	26	-	-	-	-	2	1	4	6	7	5	1	10	-	-	-	1	-	-	1	1	4	2	1
Black	26	-	-	-	-	2	1	4	6	7	5	1	10	-	-	-	1	-	-	1	1	4	2	1
Appendicitis (540-543)	11	-	-	-	1	-	-	2	3	2	3	-	9	-	-	-	-	-	1	-	1	3	3	1
White	11	-	-	-	1	-	-	2	3	2	3	-	7	-	-	-	-	-	1	-	1	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	108	3	-	1	1	2	2	5	13	29	33	19	152	-	-	2	-	-	1	5	16	24	54	50
White	88	1	-	1	1	2	2	4	8	22	29	18	139	-	-	2	-	-	-	3	15	20	51	48
All other	20	2	-	-	-	-	-	1	5	7	4	1	13	-	-	-	-	-	1	2	1	4	3	2
Black	20	2	-	-	-	-	-	1	5	7	4	1	13	-	-	-	-	-	1	2	1	4	3	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con																								
Chronic liver disease and cirrhosis (571)	1,090	-	-	-	-	18	80	221	321	314	120	16	699	1	-	-	3	11	60	134	196	206	71	17
White	966	-	-	-	-	16	53	185	283	296	118	15	618	1	-	-	2	6	44	106	181	195	67	16
All other	124	-	-	-	-	2	27	36	38	18	2	1	81	-	-	-	1	5	16	28	15	11	4	1
Black	123	-	-	-	-	2	27	36	38	18	2	-	81	-	-	-	1	5	16	28	15	11	4	1
Cholelithiasis and other disorders of gallbladder (574-575)	79	-	-	-	-	-	1	1	6	15	35	21	69	-	-	-	-	-	-	3	7	11	25	23
White	76	-	-	-	-	-	-	1	4	15	35	21	61	-	-	-	-	-	-	2	5	11	21	22
All other	3	-	-	-	-	-	1	-	2	-	-	-	8	-	-	-	-	-	-	1	2	-	4	1
Black	3	-	-	-	-	-	1	-	2	-	-	-	8	-	-	-	-	-	-	1	2	-	4	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	523	12	-	-	1	8	13	18	61	141	154	115	434	6	-	1	2	6	9	14	39	108	144	105
White	452	8	-	-	1	5	11	12	50	121	138	106	331	3	-	1	2	2	6	9	23	76	117	92
All other	71	4	-	-	-	3	2	6	11	20	16	9	103	3	-	-	-	4	3	5	16	32	27	13
Black	71	4	-	-	-	3	2	6	11	20	16	9	102	3	-	-	-	4	3	5	16	32	27	12
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	-	-	-	1	-	1	1	-	1	1	2	7	-	-	-	-	-	-	-	-	3	3	1
White	7	-	-	-	1	-	1	1	-	1	1	2	5	-	-	-	-	-	-	-	-	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	51	-	-	-	-	2	2	2	2	12	11	20	61	-	-	-	-	1	3	2	7	15	21	12
White	41	-	-	-	-	1	2	1	-	6	11	20	49	-	-	-	-	-	1	-	6	12	20	10
All other	10	-	-	-	-	1	-	1	2	6	-	-	12	-	-	-	-	1	2	2	1	3	1	2
Black	10	-	-	-	-	1	-	1	2	6	-	-	12	-	-	-	-	1	2	2	1	3	1	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	465	12	-	-	-	6	10	15	59	128	142	93	366	6	-	1	2	5	8	12	32	90	120	92
White	404	8	-	-	-	4	8	10	50	114	126	84	277	3	-	1	2	2	5	9	17	62	95	81
All other	61	4	-	-	-	2	2	5	9	14	16	9	89	3	-	-	-	3	1	3	15	28	25	11
Black	61	4	-	-	-	2	2	5	9	14	16	9	88	3	-	-	-	3	1	3	15	28	25	10
Infections of kidney (590)	47	-	-	-	1	-	1	-	7	9	14	15	52	-	-	-	-	-	2	3	2	11	21	13
White	38	-	-	-	-	-	1	-	4	5	13	15	44	-	-	-	-	-	1	3	1	10	17	12
All other	9	-	-	-	1	-	-	-	3	4	1	-	8	-	-	-	-	-	1	-	1	1	4	1
Black	9	-	-	-	1	-	-	-	3	4	1	-	8	-	-	-	-	-	1	-	1	1	4	1
Hyperplasia of prostate (600)	35	-	-	-	-	-	-	1	-	7	14	13	...	...	...	...	...	...	...	...	...	...	...	...
White	29	-	-	-	-	-	-	1	-	5	12	11	...	...	...	...	...	...	...	...	...	...	...	...
All other	6	-	-	-	-	-	-	-	-	2	2	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	6	-	-	-	-	-	-	-	-	2	2	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	15	...	...	-	5	9	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	4	4	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	5	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	5	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	3	3	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	2	6	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	-	4	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	-	4	-	-	...	...	...	...
Congenital anomalies (740-759)	282	172	24	12	12	10	4	4	11	20	9	4	239	143	19	3	13	5	8	7	13	14	12	2
White	216	126	17	8	12	7	4	4	11	15	8	4	184	102	15	2	11	3	7	6	11	13	12	2
All other	66	46	7	4	-	3	-	-	-	5	1	-	55	41	4	1	2	2	1	1	2	1	-	-
Black	65	46	6	4	-	3	-	-	-	5	1	-	55	41	4	1	2	2	1	1	2	1	-	-
Certain conditions originating in the perinatal period (760-779)	539	539	-	-	-	-	-	-	-	-	-	-	407	407	-	-	-	-	-	-	-	-	-	-
White	307	307	-	-	-	-	-	-	-	-	-	-	212	212	-	-	-	-	-	-	-	-	-	-
All other	232	232	-	-	-	-	-	-	-	-	-	-	195	195	-	-	-	-	-	-	-	-	-	-
Black	231	231	-	-	-	-	-	-	-	-	-	-	193	193	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	190	190	-	-	-	-	-	-	-	-	-	-	111	111	-	-	-	-	-	-	-	-	-	-
White	118	118	-	-	-	-	-	-	-	-	-	-	55	55	-	-	-	-	-	-	-	-	-	-
All other	72	72	-	-	-	-	-	-	-	-	-	-	56	56	-	-	-	-	-	-	-	-	-	-
Black	71	71	-	-	-	-	-	-	-	-	-	-	55	55	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	349	349	-	-	-	-	-	-	-	-	-	-	296	296	-	-	-	-	-	-	-	-	-	-
White	189	189	-	-	-	-	-	-	-	-	-	-	157	157	-	-	-	-	-	-	-	-	-	-
All other	160	160	-	-	-	-	-	-	-	-	-	-	139	139	-	-	-	-	-	-	-	-	-	-
Black	160	160	-	-	-	-	-	-	-	-	-	-	138	138	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	995	145	9	1	29	66	41	76	148	207	164	110	780	105	4	3	25	26	28	43	79	116	150	199
White	791	87	5	1	23	50	30	58	119	177	144	96	612	50	1	1	19	16	20	33	60	88	135	187
All other	204	58	4	-	6	16	11	18	27	30	20	14	168	55	3	2	6	10	8	10	19	28	15	12
Black	202	58	4	-	6	16	11	18	26	30	19	14	167	55	3	2	6	9	8	10	19	28	15	12
All other diseases (Residual)	3,482	45	14	27	67	104	132	273	555	866	965	431	3,224	44	21	25	35	61	112	199	368	701	947	711
White	2,968	20	9	18	49	63	87	202	446	761	900	410	2,763	20	14	20	21	31	70	132	291	619	869	676
All other	514	25	5	9	18	41	45	71	109	105	65	21	461	24	7	5	14	30	42	67	77	82	78	35
Black	512	25	5	9	18	40	45	71	109	104	65	21	457	24	7	5	14	30	42	66	77	81	76	35
Accidents and adverse effects (E800-E949)	3,695	22	105	169	875	749	355	374	289	333	275	139	1,626	23	59	71	260	208	128	121	161	186	228	180
White	3,101	14	77	121	770	634	290	301	226	280	248	131	1,424	14	45	46	229	182	103	105	149	168	212	170
All other	594	8	28	48	105	115	65	73	63	53	27	8	202	9	14	25	31	26	25	16	12	18	16	10
Black	580	8	25	45	101	114	63	72	63	53	27	8	197	9	14	25	30	24	24	16	11	18	16	10
Motor vehicle accidents (E810-E825)	2,119	6	32	94	649	479	226	203	143	149	95	35	896	4	23	49	218	159	81	69	103	95	82	13
White	1,864	5	25	72	595	418	193	170	122	134	90	32	794	2	15	33	197	143	68	61	98	88	76	13
All other	255	1	7	22	54	61	33	33	21	15	5	3	102	2	8	16	21	16	13	8	5	7	6	-
Black	247	1	6	19	51	61	32	33	21	15	5	3	98	2	8	16	21	14	12	8	4	7	6	-
All other accidents and adverse effects (E800-E807, E826-E949)	1,576	16	73	75	226	270	129	171	146	184	180	104	730	19	36	22	42	49	47	52	58	91	146	167
White	1,237	9	52	49	175	216	97	131	104	146	158	99	630	12	30	13	32	39	35	44	51	80	136	157
All other	339	7	21	26	51	54	32	40	42	38	22	5	100	7	6	9	10	10	12	8	7	11	10	10
Black	333	7	19	26	50	53	31	39	42	38	22	5	99	7	6	9	9	10	12	8	7	11	10	10
Suicide (E950-E959)	1,176	...	...	5	197	235	164	118	168	140	106	42	410	...	...	4	60	72	45	73	72	52	25	6
White	1,123	...	...	4	182	221	155	117	163	138	101	42	392	...	...	4	56	65	43	70	72	51	25	6
All other	53	...	...	1	15	14	9	1	5	2	5	-	18	...	...	-	4	7	2	3	-	1	-	-
Black	48	...	...	1	14	12	8	1	4	2	5	-	13	...	...	-	4	5	2	1	-	-	-	-
Homicide and legal intervention (E960-E978)	1,245	3	12	11	281	395	255	160	76	35	10	5	332	4	7	10	95	75	55	32	18	16	15	4
White	743	1	3	5	159	224	156	107	48	26	9	3	205	3	5	7	49	37	38	22	14	14	12	4
All other	502	2	9	6	122	171	99	53	28	9	1	2	127	1	2	3	46	38	17	10	4	2	3	-
Black	502	2	9	6	122	171	99	53	28	9	1	2	127	1	2	3	46	38	17	10	4	2	3	-
All other external causes (E980-E999)	90	2	-	2	23	18	14	8	6	9	5	1	53	2	2	-	6	12	8	8	6	5	3	1
White	71	-	-	1	20	15	9	8	6	7	3	1	44	1	1	-	5	10	7	8	5	4	2	1
All other	19	2	-	1	3	3	5	-	-	2	2	-	9	1	1	-	1	2	1	-	1	1	1	-
Black	17	2	-	1	2	2	5	-	-	2	2	-	9	1	1	-	1	2	1	-	1	1	1	-
GEORGIA																								
All causes	24,445	665	139	207	917	1,030	1,213	2,386	4,704	6,472	4,805	1,898	20,447	573	97	135	326	415	670	1,288	2,727	4,605	5,417	4,183
White	17,387	315	74	123	639	608	729	1,571	3,353	4,690	3,725	1,556	14,407	268	49	75	219	220	357	791	1,749	3,087	4,119	3,468
All other	7,058	350	65	84	278	422	484	815	1,351	1,782	1,080	342	6,040	305	48	60	107	195	313	497	978	1,518	1,298	715
Black	7,033	349	64	84	277	422	479	813	1,345	1,777	1,076	342	6,014	300	48	59	107	190	309	495	974	1,516	1,294	714
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	-	-	-	-	-	-	1	1	-	1	-	3	-	-	-	-	-	-	-	1	-	-	2
White	3	-	-	-	-	-	-	1	1	-	1	-	3	-	-	-	-	-	-	-	1	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	38	-	-	-		-	4	6	10	10	7	1	17	-	-	-	-	-	-	5	3	6	3	-
White	14	-	-	-	-	-	-	2	4	4	4	-	7	-	-	-	-	-	-	1	-	3	3	-
All other	24	-	-	-	-	-	4	4	6	6	3	1	10	-	-	-	-	-	-	4	3	3	-	-
Black	24	-	-	-	-	-	4	4	6	6	3	1	10	-	-	-	-	-	-	4	3	3	-	-
Tuberculosis of respiratory system (010-012)	34	-	-	-	-	-	3	6	8	10	6	1	12	-	-	-	-	-	-	3	2	5	2	-
White	13	-	-	-	-	-	-	2	4	4	3	-	6	-	-	-	-	-	-	1	-	3	2	-
All other	21	-	-	-	-	-	3	4	4	6	3	1	6	-	-	-	-	-	-	2	2	2	-	-
Black	21	-	-	-	-	-	3	4	4	6	3	1	6	-	-	-	-	-	-	2	2	2	-	-
Other tuberculosis (013-018)	4	-	-	-	-	-	1	-	2	-	1	-	5	-	-	-	-	-	-	2	1	1	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	3	-	-	-	-	-	1	-	2	-	-	-	4	-	-	-	-	-	-	2	1	1	-	-
Black	3	-	-	-	-	-	1	-	2	-	-	-	4	-	-	-	-	-	-	2	1	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Whooping cough (033)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal infection (036)	11	4	4	–	–	2	–	–	1	–	–	–	8	1	1	1	–	–	–	–	1	1	2	1
White	9	3	4	–	–	1	–	–	1	–	–	–	5	1	–	–	–	–	–	–	1	1	2	–
All other	2	1	–	–	–	1	–	–	–	–	–	–	3	–	1	1	–	–	–	–	–	–	–	1
Black	2	1	–	–	–	1	–	–	–	–	–	–	3	–	1	1	–	–	–	–	–	–	–	1
Septicemia (038)	147	2	1	1	–	6	7	16	21	38	35	20	174	6	3	–	–	8	5	18	21	38	46	29
White	75	1	–	1	–	1	3	8	9	19	21	12	99	3	–	–	–	2	3	6	12	24	29	20
All other	72	1	1	–	–	5	4	8	12	19	14	8	75	3	3	–	–	6	2	12	9	14	17	9
Black	72	1	1	–	–	5	4	8	12	19	14	8	75	3	3	–	–	6	2	12	9	14	17	9
Acute poliomyelitis (045)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles (055)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Viral hepatitis (070)	9	–	–	–	–	1	3	–	3	1	–	1	12	1	–	–	2	–	1	3	1	–	2	2
White	8	–	–	–	–	1	3	–	2	1	–	1	8	1	–	–	1	–	1	1	–	–	2	2
All other	1	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	1	–	–	2	1	–	–	–
Black	1	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	1	–	–	2	1	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	1	2	–
White	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	66	6	4	1	3	5	2	10	13	13	8	1	53	4	3	1	4	1	2	4	6	9	12	7
White	49	4	2	1	2	3	1	9	10	10	6	1	41	3	2	1	4	1	1	2	5	7	9	6
All other	17	2	2	–	1	2	1	1	3	3	2	–	12	1	1	–	–	–	1	2	1	2	3	1
Black	16	2	1	–	1	2	1	1	3	3	2	–	12	1	1	–	–	–	1	2	1	2	3	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,846	1	7	22	40	48	155	508	1,262	1,663	917	223	3,756	1	9	17	20	64	190	447	815	1,031	822	340
White	3,554	1	2	12	23	32	97	364	933	1,194	718	178	2,858	1	7	8	12	39	127	331	608	777	645	303
All other	1,292	–	5	10	17	16	58	144	329	469	199	45	898	–	2	9	8	25	63	116	207	254	177	37
Black	1,286	–	5	10	17	16	57	143	325	469	199	45	890	–	2	9	8	24	61	115	205	254	175	37
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	137	–	–	–	1	2	6	16	44	40	21	7	57	–	–	–	–	1	2	4	15	10	16	9
White	100	–	–	–	1	1	3	10	26	32	20	7	41	–	–	–	–	–	–	2	10	10	11	8
All other	37	–	–	–	–	1	3	6	18	8	1	–	16	–	–	–	–	1	2	2	5	–	5	1
Black	37	–	–	–	–	1	3	6	18	8	1	–	16	–	–	–	–	1	2	2	5	–	5	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,056	–	–	–	5	12	30	112	283	347	217	50	932	1	–	–	1	7	26	60	189	274	254	120
White	723	–	–	–	–	5	16	63	198	235	165	41	673	1	–	–	–	2	16	38	121	188	195	112
All other	333	–	–	–	5	7	14	49	85	112	52	9	259	–	–	–	1	5	10	22	68	86	59	8
Black	332	–	–	–	5	7	13	49	85	112	52	9	258	–	–	–	1	5	10	22	68	86	58	8
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,957	–	–	1	1	4	57	240	587	724	296	47	532	–	–	–	–	5	20	90	180	138	79	20
White	1,521	–	–	–	1	1	41	185	451	559	249	34	450	–	–	–	–	3	16	76	144	123	69	19
All other	436	–	–	1	–	3	16	55	136	165	47	13	82	–	–	–	–	2	4	14	36	15	10	1
Black	433	–	–	1	–	3	16	55	133	165	47	13	80	–	–	–	–	2	4	14	34	15	10	1
Malignant neoplasm of breast (174-175)	7	–	–	–	–	–	–	1	3	1	2	–	680	–	1	1	–	15	63	125	159	167	98	51
White	3	–	–	–	–	–	–	–	2	–	1	–	521	–	1	1	–	9	42	93	130	121	78	46
All other	4	–	–	–	–	–	–	1	1	1	1	–	159	–	–	–	–	6	21	32	29	46	20	5
Black	4	–	–	–	–	–	–	1	1	1	1	–	159	–	–	–	–	6	21	32	29	46	20	5
Malignant neoplasms of genital organs (179-187)	474	–	–	1	1	2	1	10	57	184	165	53	483	–	–	–	–	21	35	63	108	130	105	21
White	284	–	–	–	1	2	1	6	31	94	110	39	347	–	–	–	–	13	20	43	83	100	72	16
All other	190	–	–	1	–	–	–	4	26	90	55	14	136	–	–	–	–	8	15	20	25	30	33	5
Black	190	–	–	1	–	–	–	4	26	90	55	14	132	–	–	–	–	7	13	20	25	30	32	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	237	-	1	1	-	2	4	13	60	76	61	19	133	-	2	-	-	-	2	7	20	40	38	24
White	181	-	1	1	-	1	2	8	46	54	53	15	107	-	1	-	-	-	2	3	14	33	31	23
All other	56	-	-	-	-	1	2	5	14	22	8	4	26	-	1	-	-	-	-	4	6	7	7	1
Black	55	-	-	-	-	1	2	5	13	22	8	4	26	-	1	-	-	-	-	4	6	7	7	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	650	-	3	7	18	16	35	81	167	202	91	30	600	-	5	10	12	10	31	67	83	180	140	62
White	506	-	-	4	11	13	24	65	134	157	71	27	468	-	5	5	6	8	22	54	64	133	116	55
All other	144	-	3	3	7	3	11	16	33	45	20	3	132	-	-	5	6	2	9	13	19	47	24	7
Black	143	-	3	3	7	3	11	15	33	45	20	3	131	-	-	5	6	2	9	12	19	47	24	7
Leukemia (204-208)	164	-	3	10	10	8	9	10	27	45	34	8	144	-	1	6	5	4	7	15	17	38	32	19
White	123	-	1	6	7	7	4	9	20	34	28	7	102	-	-	2	4	3	6	10	10	33	22	12
All other	41	-	2	4	3	1	5	1	7	11	6	1	42	-	1	4	1	1	1	5	7	5	10	7
Black	41	-	2	4	3	1	5	1	7	11	6	1	42	-	1	4	1	1	1	5	7	5	10	7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	164	1	-	2	4	2	13	25	34	44	30	9	195	-	-	-	2	1	4	16	44	54	60	14
White	113	1	-	1	2	2	6	18	25	29	21	8	149	-	-	-	2	1	3	12	32	36	51	12
All other	51	-	-	1	2	-	7	7	9	15	9	1	46	-	-	-	-	-	1	4	12	18	9	2
Black	51	-	-	1	2	-	7	7	9	15	9	1	46	-	-	-	-	-	1	4	12	18	9	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	78	-	1	2	4	2	9	10	14	21	15	-	83	-	3	3	3	2	4	14	8	17	18	11
White	54	-	-	2	1	2	8	5	10	13	13	-	58	-	-	2	1	1	2	10	3	13	17	9
All other	24	-	1	-	3	-	1	5	4	8	2	-	25	-	3	1	2	1	2	4	5	4	1	2
Black	24	-	1	-	3	-	1	5	4	8	2	-	24	-	3	-	2	1	2	4	5	4	1	2
Diabetes mellitus (250)	267	-	-	-	3	13	15	20	65	80	55	16	454	-	-	1	-	8	20	22	80	140	124	57
White	163	-	-	-	-	8	10	10	32	50	40	13	256	-	-	-	-	4	10	7	31	76	83	45
All other	104	-	-	-	3	5	5	10	33	30	15	3	198	-	-	1	-	4	10	15	49	64	41	12
Black	104	-	-	-	3	5	5	10	33	30	15	3	198	-	-	1	-	4	10	15	49	64	41	12
Nutritional deficiencies (260-269)	14	1	-	-	-	-	-	-	3	4	5	1	39	-	-	-	-	1	2	-	5	5	11	15
White	6	-	-	-	-	-	-	-	1	1	3	1	24	-	-	-	-	1	-	-	4	4	6	9
All other	8	1	-	-	-	-	-	-	2	3	2	-	15	-	-	-	-	-	2	-	1	1	5	6
Black	8	1	-	-	-	-	-	-	2	3	2	-	15	-	-	-	-	-	2	-	1	1	5	6
Anemias (280-285)	37	-	3	-	1	4	3	3	5	3	13	2	41	2	1	2	1	1	4	6	1	8	6	9
White	19	-	-	-	-	-	-	1	3	2	11	2	22	-	-	-	-	-	1	-	1	8	5	7
All other	18	-	3	-	1	4	3	2	2	1	2	-	19	2	1	2	1	1	3	6	-	-	1	2
Black	18	-	3	-	1	4	3	2	2	1	2	-	19	2	1	2	1	1	3	6	-	-	1	2
Meningitis (320-322)	24	11	2	2	1	-	1	2	2	1	2	-	23	6	1	2	-	1	1	2	4	2	3	1
White	12	5	2	-	1	-	-	2	1	-	1	-	9	2	1	1	-	-	1	-	1	1	1	1
All other	12	6	-	2	-	-	1	-	1	1	1	-	14	4	-	1	-	1	-	2	3	1	2	-
Black	12	6	-	2	-	-	1	-	1	1	1	-	14	4	-	1	-	1	-	2	3	1	2	-
Major cardiovascular diseases (390-448)	10,975	18	11	13	23	106	325	1,002	2,215	3,366	2,697	1,196	10,630	18	4	9	27	51	144	385	1,195	2,522	3,399	2,871
White	8,101	8	7	8	11	56	202	669	1,605	2,472	2,072	990	7,528	5	1	3	16	20	61	197	692	1,604	2,550	2,376
All other	2,874	10	4	5	12	50	123	333	610	894	625	206	3,102	13	3	6	11	31	83	188	503	918	849	495
Black	2,866	10	4	5	12	50	122	332	609	889	625	206	3,093	11	3	6	11	29	82	186	502	918	847	494
Diseases of heart (390-398,402,404-429)	8,645	15	8	10	19	84	269	866	1,898	2,653	1,399	822	7,473	17	2	6	14	32	102	286	914	1,881	2,324	1,891
White	6,524	7	6	5	8	44	181	604	1,420	2,006	1,557	685	5,314	5	-	2	9	13	42	150	533	1,236	1,765	1,557
All other	2,121	8	2	5	11	40	88	262	478	647	442	137	2,159	12	2	4	5	19	60	136	381	645	559	334
Black	2,115	8	2	5	11	40	88	261	477	643	442	137	2,155	10	2	4	5	18	60	136	381	645	559	333
Rheumatic fever and rheumatic heart disease (390-398)	30	-	-	-	1	3	3	4	5	10	3	1	49	2	-	1	1	2	3	6	9	14	6	5
White	24	-	-	-	-	1	3	3	4	9	3	1	39	-	-	-	1	2	2	4	9	10	6	5
All other	6	-	-	-	1	2	-	1	1	1	-	-	10	2	-	1	-	-	1	2	-	4	-	-
Black	6	-	-	-	1	2	-	1	1	1	-	-	10	2	-	1	-	-	1	2	-	4	-	-
Hypertensive heart disease (402)	237	-	-	1	1	3	8	25	50	72	59	17	324	-	-	-	-	-	7	24	53	82	92	66
White	96	-	-	1	-	1	2	5	18	26	31	12	165	-	-	-	-	-	1	4	16	38	60	46
All other	141	-	-	-	1	2	6	20	32	46	28	5	159	-	-	-	-	-	6	20	37	44	32	20
Black	141	-	-	-	1	2	6	20	32	46	28	5	159	-	-	-	-	-	6	20	37	44	32	20
Hypertensive heart and renal disease (404)	38	-	-	-	1	-	-	3	3	8	15	8	73	-	-	-	-	-	2	3	4	18	23	23
White	22	-	-	-	-	-	-	1	1	5	9	6	46	-	-	-	-	-	1	1	1	8	17	18
All other	16	-	-	-	1	-	-	2	2	3	6	2	27	-	-	-	-	-	1	2	3	10	6	5
Black	16	-	-	-	1	-	-	2	2	3	6	2	27	-	-	-	-	-	1	2	3	10	6	5
Ischemic heart disease (410-414)	5,991	2	2	4	3	36	163	598	1,390	1,920	1,366	506	4,650	1	-	1	1	10	32	166	585	1,220	1,483	1,139
White	4,797	2	2	2	1	22	128	443	1,106	1,536	1,121	433	3,499	-	-	-	1	3	18	99	363	863	1,195	956
All other	1,194	-	-	2	2	14	35	155	284	384	245	73	1,151	1	-	1	-	7	14	67	222	357	298	183
Black	1,190	-	-	2	2	14	35	154	283	382	245	73	1,150	-	-	1	-	7	14	67	222	357	298	183
Acute myocardial infarction (410)	4,181	1	1	2	2	27	131	475	1,050	1,360	870	261	2,851	1	-	1	1	7	22	133	441	838	904	502
White	3,370	1	1	1	-	18	102	353	844	1,091	735	223	2,121	-	-	-	1	2	11	76	278	604	729	419
All other	811	-	-	1	2	9	29	122	206	269	135	38	730	1	-	1	-	5	11	57	163	234	175	83
Black	808	-	-	1	2	9	29	121	206	267	135	38	729	-	-	1	-	5	11	57	163	234	175	83

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	111	-	-	-	-	1	5	18	33	27	23	4	61	-	-	-	-	-	4	4	11	24	13	5
White	75	-	-	-	-	1	4	11	22	21	13	3	31	-	-	-	-	-	2	-	4	14	7	4
All other	36	-	-	-	-	-	1	7	11	6	10	1	30	-	-	-	-	-	2	4	7	10	6	1
Black	36	-	-	-	-	-	1	7	11	6	10	1	30	-	-	-	-	-	2	4	7	10	6	1
Angina pectoris (413)	7	-	-	-	-	-	-	2	-	4	-	1	9	-	-	-	-	-	-	1	-	-	4	4
White	6	-	-	-	-	-	-	1	-	4	-	1	8	-	-	-	-	-	-	-	-	-	4	4
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,692	1	1	2	1	8	27	103	307	529	473	240	1,729	-	-	-	-	3	6	28	133	358	572	628
White	1,346	1	1	1	1	3	22	78	240	420	373	206	1,339	-	-	-	-	1	5	23	81	245	455	529
All other	346	-	-	1	-	5	5	25	67	109	100	34	390	-	-	-	-	2	1	5	52	113	117	99
Black	345	-	-	1	-	5	5	25	66	109	100	34	390	-	-	-	-	2	1	5	52	113	117	99
Other diseases of endocardium (424)	59	-	-	-	1	2	1	8	7	17	17	6	70	-	-	-	-	2	3	1	5	21	20	18
White	42	-	-	-	1	1	1	6	5	12	11	5	49	-	-	-	-	-	2	-	2	14	16	15
All other	17	-	-	-	-	1	-	2	2	5	6	1	21	-	-	-	-	2	1	1	3	7	4	3
Black	17	-	-	-	-	1	-	2	2	5	6	1	21	-	-	-	-	2	1	1	3	7	4	3
All other forms of heart disease (415-423,425-429)	2,290	13	6	5	12	40	94	228	443	626	539	284	2,307	14	2	4	12	18	55	86	258	526	690	640
White	1,543	5	4	2	6	19	47	146	286	418	382	228	1,516	5	-	2	7	8	18	42	142	303	471	517
All other	747	8	2	3	6	21	47	82	157	208	157	56	791	9	2	2	5	10	37	44	116	223	219	123
Black	745	8	2	3	6	21	47	82	157	206	157	56	788	8	2	2	5	9	37	44	116	223	219	122
Hypertension with or without renal disease (401,403)	91	-	-	-	-	1	5	5	16	28	20	16	122	-	-	-	-	1	2	4	11	24	51	29
White	42	-	-	-	-	1	1	2	8	9	11	10	70	-	-	-	-	-	1	1	5	10	31	22
All other	49	-	-	-	-	-	4	3	8	19	9	6	52	-	-	-	-	1	1	3	6	14	20	7
Black	49	-	-	-	-	-	4	3	8	19	9	6	52	-	-	-	-	1	1	3	6	14	20	7
Cerebrovascular diseases (430-438)	1,810	2	2	3	4	18	46	114	243	539	551	288	2,629	1	2	3	11	15	35	85	246	543	894	793
White	1,190	-	1	3	3	9	17	53	130	338	400	236	1,837	-	1	1	5	6	16	41	139	311	652	664
All other	620	2	1	-	1	9	29	61	113	201	151	52	792	1	1	2	6	9	19	44	107	232	242	129
Black	619	2	1	-	1	9	28	61	113	201	151	52	787	1	1	2	6	8	18	44	106	232	240	129
Intracerebral and other intracranial hemorrhage (431-432)	278	-	1	1	3	10	15	41	53	76	55	23	314	-	-	1	2	9	16	28	61	81	70	46
White	163	-	1	1	2	4	5	16	35	50	33	16	203	-	-	1	1	4	7	14	38	44	55	39
All other	115	-	-	-	1	6	10	25	18	26	22	7	111	-	-	-	1	5	9	14	23	37	15	7
Black	114	-	-	-	1	6	9	25	18	26	22	7	110	-	-	-	1	5	8	14	23	37	15	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	301	-	-	-	-	1	3	8	35	82	108	64	451	-	1	1	-	-	3	9	21	98	167	151
White	221	-	-	-	-	1	-	6	15	57	86	56	331	-	-	-	-	-	2	2	14	55	129	129
All other	80	-	-	-	-	-	3	2	20	25	22	8	120	-	1	1	-	-	1	7	7	43	38	22
Black	80	-	-	-	-	-	3	2	20	25	22	8	120	-	1	1	-	-	1	7	7	43	38	22
Cerebral embolism (434.1)	8	-	-	-	-	-	-	1	2	1	4	-	12	-	-	-	-	-	1	1	4	3	3	-
White	6	-	-	-	-	-	-	1	2	1	2	-	9	-	-	-	-	-	-	1	4	2	2	-
All other	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	1	-	-	1	1	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	1	-	-	1	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,223	2	1	2	1	7	28	64	153	380	384	201	1,852	1	1	1	9	6	15	47	160	361	654	596
White	800	-	-	2	1	4	12	30	78	230	279	164	1,294	-	1	-	4	2	7	24	83	210	466	496
All other	423	2	1	-	-	3	16	34	75	150	105	37	558	1	-	1	5	4	8	23	77	151	188	100
Black	423	2	1	-	-	3	16	34	75	150	105	37	554	1	-	1	5	3	8	23	76	151	186	100
Atherosclerosis (440)	178	-	-	-	-	-	1	2	15	46	64	49	261	-	-	-	-	-	-	3	5	30	96	127
White	129	-	-	-	-	-	1	1	9	28	51	39	204	-	-	-	-	-	-	1	3	15	75	110
All other	49	-	-	-	-	-	-	1	6	18	13	10	57	-	-	-	-	-	-	2	2	15	21	17
Black	48	-	-	-	-	-	-	1	6	17	13	10	57	-	-	-	-	-	-	2	2	15	21	17
Other diseases of arteries, arterioles, and capillaries (441-448)	251	1	1	-	-	3	4	15	43	100	63	21	145	-	-	-	2	3	5	7	19	44	34	31
White	216	1	-	-	-	2	2	9	38	91	53	20	103	-	-	-	2	1	2	4	12	32	27	23
All other	35	-	1	-	-	1	2	6	5	9	10	1	42	-	-	-	-	2	3	3	7	12	7	8
Black	35	-	1	-	-	1	2	6	5	9	10	1	42	-	-	-	-	2	3	3	7	12	7	8
Acute bronchitis and bronchiolitis (466)	4	-	-	-	-	-	-	-	1	-	2	1	5	-	1	-	-	1	-	-	-	1	-	2
White	4	-	-	-	-	-	-	-	1	-	2	1	4	-	1	-	-	1	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia and influenza (480-487)	644	35	7	2	3	8	25	34	74	132	204	118	570	17	2	3	3	8	12	20	44	70	161	230
White	432	13	5	2	2	4	8	13	33	89	163	99	423	5	-	2	2	4	5	10	26	39	132	198
All other	212	22	2	-	1	4	17	21	41	43	41	19	147	12	2	1	1	4	7	10	18	31	29	32
Black	212	22	2	-	1	4	17	21	41	43	41	19	147	12	2	1	1	4	7	10	18	31	29	32

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Pneumonia (480-486)	627	34	7	2	3	8	25	33	72	130	195	116	533	17	2	2	3	8	12	20	41	68	152	208
White	417	13	5	2	2	4	8	12	31	87	155	97	392	5	-	1	2	4	5	10	24	38	124	179
All other	210	21	2	-	1	4	17	21	41	43	40	19	141	12	2	1	1	4	7	10	17	30	28	29
Black	210	21	2	-	1	4	17	21	41	43	40	19	141	12	2	1	1	4	7	10	17	30	28	29
Influenza (487)	17	1	-	-	-	-	-	1	2	2	9	2	37	-	-	1	-	-	-	-	3	2	9	22
White	15	-	-	-	-	-	-	1	2	2	8	2	31	-	-	1	-	-	-	-	2	1	8	19
All other	2	1	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	-	-	1	1	1	3
Black	2	1	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	-	-	1	1	1	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	881	1	1	1	2	2	6	45	186	328	254	55	344	-	2	5	1	-	11	29	76	105	79	35
White	770	-	1	1	-	1	4	40	145	290	236	52	300	-	1	2	-	-	6	24	65	94	74	34
All other	111	1	-	-	2	1	2	5	41	38	18	3	44	-	1	3	1	-	5	5	11	11	5	1
Black	110	1	-	-	2	1	2	5	41	38	17	3	44	-	1	3	1	-	5	5	11	11	5	1
Bronchitis, chronic and unspecified (490-491)	72	1	-	-	-	-	2	3	19	26	19	2	22	-	2	-	-	-	-	1	5	7	3	4
White	62	-	-	-	-	-	1	3	16	21	19	2	20	-	1	-	-	-	-	1	4	7	3	4
All other	10	1	-	-	-	-	1	-	3	5	-	-	2	-	1	-	-	-	-	-	1	-	-	-
Black	10	1	-	-	-	-	1	-	3	5	-	-	2	-	1	-	-	-	-	-	1	-	-	-
Emphysema (492)	228	-	-	-	-	-	1	18	56	87	49	17	67	-	-	-	-	-	1	6	15	27	14	4
White	206	-	-	-	-	-	1	16	45	80	48	16	64	-	-	-	-	-	1	6	14	25	14	4
All other	22	-	-	-	-	-	-	2	11	7	1	1	3	-	-	-	-	-	-	-	1	2	-	-
Black	22	-	-	-	-	-	-	2	11	7	1	1	3	-	-	-	-	-	-	-	1	2	-	-
Asthma (493)	24	-	-	-	1	2	1	-	8	6	5	1	64	-	-	4	1	-	7	7	17	20	6	2
White	12	-	-	-	-	1	-	-	2	4	4	1	41	-	-	2	-	-	3	4	10	15	5	2
All other	12	-	-	-	1	1	1	-	6	2	1	-	23	-	-	2	1	-	4	3	7	5	1	-
Black	12	-	-	-	1	1	1	-	6	2	1	-	23	-	-	2	1	-	4	3	7	5	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	557	-	1	1	1	-	2	24	103	209	181	35	191	-	-	1	-	-	3	15	39	51	56	25
White	490	-	1	1	-	-	2	21	82	185	165	33	175	-	-	-	-	-	2	13	37	47	52	24
All other	67	-	-	-	1	-	-	3	21	24	16	2	16	-	-	1	-	-	1	2	2	4	4	1
Black	66	-	-	-	1	-	-	3	21	24	15	2	16	-	-	1	-	-	1	2	2	4	4	1
Ulcer of stomach and duodenum (531-533)	85	1	-	-	1	3	9	6	16	27	17	5	74	-	-	-	-	1	-	4	13	8	25	23
White	62	-	-	-	1	1	5	6	13	17	15	4	60	-	-	-	-	1	-	2	10	7	19	21
All other	23	1	-	-	-	2	4	-	3	10	2	1	14	-	-	-	-	-	-	2	3	1	6	2
Black	23	1	-	-	-	2	4	-	3	10	2	1	14	-	-	-	-	-	-	2	3	1	6	2
Appendicitis (540-543)	12	-	-	-	-	1	1	1	2	4	2	1	6	-	-	-	1	-	-	1	-	1	2	1
White	5	-	-	-	-	1	1	-	1	1	-	1	3	-	-	-	1	-	-	-	-	-	2	-
All other	7	-	-	-	-	-	-	1	1	3	2	-	3	-	-	-	-	-	-	1	-	1	-	1
Black	7	-	-	-	-	-	-	1	1	3	2	-	3	-	-	-	-	-	-	1	-	1	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	61	2	1	1	-	1	2	2	11	13	21	7	78	1	-	1	1	-	3	4	6	20	26	16
White	38	-	-	1	-	1	1	1	5	7	17	5	60	1	-	1	1	-	1	3	4	11	23	15
All other	23	2	1	-	-	-	1	1	6	6	4	2	18	-	-	-	-	-	2	1	2	9	3	1
Black	22	2	1	-	-	-	1	1	6	6	3	2	18	-	-	-	-	-	2	1	2	9	3	1
Chronic liver disease and cirrhosis (571)	339	2	-	-	1	20	52	92	101	56	12	3	245	1	-	-	2	7	33	58	63	52	23	6
White	245	1	-	-	-	5	34	63	84	44	11	3	149	-	-	-	2	1	12	27	45	35	21	6
All other	94	1	-	-	1	15	18	29	17	12	1	-	96	1	-	-	-	6	21	31	18	17	2	-
Black	94	1	-	-	1	15	18	29	17	12	1	-	95	1	-	-	-	6	21	30	18	17	2	-
Cholelithiasis and other disorders of gallbladder (574-575)	32	-	-	-	-	-	-	1	4	10	14	3	52	-	-	1	2	-	1	-	4	15	16	13
White	22	-	-	-	-	-	-	1	-	8	10	3	39	-	-	1	2	-	1	-	4	6	16	9
All other	10	-	-	-	-	-	-	-	4	2	4	-	13	-	-	-	-	-	-	-	-	9	-	4
Black	10	-	-	-	-	-	-	-	4	2	4	-	13	-	-	-	-	-	-	-	-	9	-	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	189	1	-	1	4	4	7	8	33	58	50	23	250	4	-	-	-	2	7	16	34	64	68	55
White	108	-	-	-	3	2	2	4	14	30	33	20	132	2	-	-	-	1	1	3	10	24	49	42
All other	81	1	-	1	1	2	5	4	19	28	17	3	118	2	-	-	-	1	6	13	24	40	19	13
Black	81	1	-	1	1	2	5	4	19	28	17	3	118	2	-	-	-	1	6	13	24	40	19	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	-	-	-	-	-	-	-	2	2	2	-	7	-	-	-	-	-	1	-	2	2	2	-
White	4	-	-	-	-	-	-	-	2	1	1	-	3	-	-	-	-	-	-	-	-	1	2	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	1	-	2	1	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	1	-	2	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	26	-	-	-	3	-	1	-	4	5	7	6	34	-	-	-	-	1	2	2	3	10	10	6
White	17	-	-	-	2	-	1	-	3	2	4	5	19	-	-	-	-	1	-	-	2	3	8	5
All other	9	-	-	-	1	-	-	-	1	3	3	1	15	-	-	-	-	-	2	2	1	7	2	1
Black	9	-	-	-	1	-	-	-	1	3	3	1	15	-	-	-	-	-	2	2	1	7	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	157	1	-	1	1	4	6	8	27	51	41	17	209	4	-	-	-	1	4	14	29	52	56	49
White	87	-	-	-	1	2	1	4	9	27	28	15	110	2	-	-	-	-	1	3	8	20	39	37
All other	70	1	-	1	-	2	5	4	18	24	13	2	99	2	-	-	-	1	3	11	21	32	17	12
Black	70	1	-	1	-	2	5	4	18	24	13	2	99	2	-	-	-	1	3	11	21	32	17	12
Infections of kidney (590)	23	-	-	-	-	1	-	-	2	3	10	7	42	-	-	-	-	-	-	4	3	9	18	8
White	16	-	-	-	-	-	-	-	1	1	8	6	33	-	-	-	-	-	-	2	2	7	14	8
All other	7	-	-	-	-	1	-	-	1	2	2	1	9	-	-	-	-	-	-	2	1	2	4	-
Black	7	-	-	-	-	1	-	-	1	2	2	1	9	-	-	-	-	-	-	2	1	2	4	-
Hyperplasia of prostate (600)	28	-	-	-	-	-	-	-	2	4	14	8	...	...	...	...	...	...	...	...	...	...	...	...
White	17	-	-	-	-	-	-	-	-	3	9	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	11	-	-	-	-	-	-	-	2	1	5	3	...	...	...	...	...	...	...	...	...	...	...	...
Black	11	-	-	-	-	-	-	-	2	1	5	3	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	5	4	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	5	3	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	5	3	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	4	4	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	4	3	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	4	3	-	-	...	...	...	...
Congenital anomalies (740-759)	146	92	16	11	8	3	3	6	3	3	-	-	167	99	10	8	9	6	4	3	8	5	10	5
White	87	58	6	8	4	1	2	3	2	2	-	-	108	63	4	5	5	4	4	2	5	5	8	3
All other	59	34	10	3	4	2	1	3	1	1	-	-	59	36	6	3	4	2	-	1	3	-	2	2
Black	59	34	10	3	4	2	1	3	1	1	-	-	58	35	6	3	4	2	-	1	3	-	2	2
Certain conditions originating in the perinatal period (760-779)	344	340	1	1	-	1	-	-	-	-	-	1	275	275	-	-	-	-	-	-	-	-	-	-
White	145	145	-	-	-	-	-	-	-	-	-	-	121	121	-	-	-	-	-	-	-	-	-	-
All other	199	195	1	1	-	1	-	-	-	-	-	1	154	154	-	-	-	-	-	-	-	-	-	-
Black	199	195	1	1	-	1	-	-	-	-	-	1	153	153	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	116	114	1	1	-	-	-	-	-	-	-	-	79	79	-	-	-	-	-	-	-	-	-	-
White	60	60	-	-	-	-	-	-	-	-	-	-	43	43	-	-	-	-	-	-	-	-	-	-
All other	56	54	1	1	-	-	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-
Black	56	54	1	1	-	-	-	-	-	-	-	-	35	35	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	228	226	-	-	-	1	-	-	-	-	-	1	196	196	-	-	-	-	-	-	-	-	-	-
White	85	85	-	-	-	-	-	-	-	-	-	-	78	78	-	-	-	-	-	-	-	-	-	-
All other	143	141	-	-	-	1	-	-	-	-	-	1	118	118	-	-	-	-	-	-	-	-	-	-
Black	143	141	-	-	-	1	-	-	-	-	-	1	118	118	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	243	96	5	2	4	14	15	18	36	21	22	10	235	77	1	1	4	6	6	8	17	30	27	57
White	126	49	2	1	3	7	7	7	20	11	15	4	121	32	-	1	3	3	1	5	11	19	13	33
All other	117	47	3	1	1	7	8	11	16	10	7	6	114	45	1	-	1	3	5	3	6	11	14	24
Black	117	47	3	1	1	7	8	11	16	10	7	6	114	45	1	-	1	3	5	3	6	11	14	24
All other diseases (Residual)	1,579	28	19	22	34	72	120	205	290	363	287	138	1,562	28	13	17	34	52	72	116	199	339	388	304
White	1,018	15	10	14	21	29	59	111	186	258	206	109	1,067	14	5	9	16	23	21	69	124	241	299	246
All other	561	13	9	8	13	43	61	94	104	105	81	29	495	14	8	8	18	29	51	47	75	98	89	58
Black	557	13	9	8	13	43	60	94	103	105	79	29	495	14	8	8	18	29	51	47	75	98	89	58
Accidents and adverse effects (E800-E949)	2,103	22	50	109	540	394	223	227	200	180	105	51	815	22	35	56	133	89	69	57	74	85	114	81
White	1,488	12	32	68	428	281	146	154	135	109	81	41	596	11	22	33	112	59	44	37	54	63	90	70
All other	615	10	18	41	112	113	77	73	65	71	24	10	219	11	13	22	21	30	25	20	20	22	24	11
Black	612	9	18	41	111	113	76	73	65	71	24	10	215	10	13	22	21	29	24	20	19	22	24	11

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Motor vehicle accidents (E810-E825)	1,107	6	13	56	373	247	119	103	87	63	30	9	383	5	13	30	112	68	35	27	40	27	19	6
White	856	4	11	41	321	180	85	76	71	38	22	7	307	4	8	20	96	48	29	18	33	25	19	6
All other	251	2	2	15	52	67	34	27	16	25	8	2	76	1	5	10	16	20	6	9	7	2	-	-
Black	249	1	2	15	51	67	34	27	16	25	8	2	73	1	5	10	16	19	5	9	6	2	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	996	16	37	53	167	147	104	124	113	117	75	42	432	17	22	25	21	21	34	30	34	58	95	75
White	632	8	21	27	107	101	61	78	64	71	59	34	289	7	14	13	16	11	15	19	21	38	71	64
All other	364	8	16	26	60	46	43	46	49	46	16	8	143	10	8	12	5	10	19	11	13	20	24	11
Black	363	8	16	26	60	46	42	46	49	46	16	8	142	9	8	12	5	10	19	11	13	20	24	11
Suicide (E950-E959)	522	. . .	. . .	2	92	123	90	68	78	40	26	3	182	. . .	. . .	1	28	38	37	36	23	13	6	-
White	453	. . .	. . .	2	79	100	75	59	72	40	23	3	158	. . .	. . .	1	22	31	34	33	21	11	5	-
All other	69	. . .	. . .	-	13	23	15	9	6	-	3	-	24	. . .	. . .	-	6	7	3	3	2	2	1	-
Black	68	. . .	. . .	-	13	23	14	9	6	-	3	-	23	. . .	. . .	-	6	6	3	3	2	2	1	-
Homicide and legal intervention (E960-E978)	619	2	6	12	136	181	123	82	40	27	9	1	203	5	6	7	37	60	40	21	17	5	3	1
White	226	-	1	2	46	59	52	30	20	11	5	-	82	2	4	5	10	19	18	14	4	3	2	-
All other	393	2	5	10	90	122	71	52	20	16	4	1	121	3	2	2	27	41	22	7	13	2	1	1
Black	393	2	5	10	90	122	71	52	20	16	4	1	121	3	2	2	27	41	22	7	13	2	1	1
All other external causes (E980-E999)	76	-	-	2	17	15	13	13	10	3	1	2	36	5	1	-	9	4	2	5	5	3	1	1
White	58	-	-	-	14	12	9	8	9	3	1	2	31	1	1	-	9	4	2	5	5	3	-	1
All other	18	-	-	2	3	3	4	5	1	-	-	-	5	4	-	-	-	-	-	-	-	-	1	-
Black	18	-	-	2	3	3	4	5	1	-	-	-	5	4	-	-	-	-	-	-	-	-	1	-
HAWAII																								
All causes	3,042	97	25	18	121	119	121	276	523	717	691	330	1,949	81	11	12	43	44	78	122	281	355	458	464
White	993	18	8	4	48	56	49	91	200	243	192	82	644	21	2	2	18	18	24	31	97	129	156	146
All other	2,049	79	17	14	73	63	72	185	323	474	499	248	1,305	60	9	10	25	26	54	91	184	226	302	318
Black	28	3	-	-	5	5	2	3	3	4	2	1	7	3	-	-	-	1	-	-	-	2	1	-
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	6	-	-	-	-	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	5	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	6	-	-	-	-	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	5	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	15	-	-	-	-	-	2	1	5	3	4	-	15	2	-	1	-	1	1	1	3	1	5	-
White	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	1	-	-	-	-	2	-
All other	14	-	-	-	-	-	2	1	4	3	4	-	12	2	-	1	-	-	1	1	3	1	3	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Viral hepatitis (070)	6	-	-	-	-	1	-	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	6	-	-	-	-	1	-	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	11	-	-	-	1	-	1	-	2	3	-	4	9	2	-	-	-	-	1	2	2	1	-	1
White	3	-	-	-	1	-	-	-	1	-	-	1	3	-	-	-	-	-	-	1	1	1	-	-
All other	8	-	-	-	-	-	1	-	1	3	-	3	6	2	-	-	-	-	1	1	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	720	-	4	1	7	9	18	72	170	223	168	48	491	-	1	4	4	8	28	61	120	99	111	55
White	224	-	2	1	1	-	4	20	56	83	47	10	172	-	-	1	1	4	9	15	48	37	35	22
All other	496	-	2	-	6	9	14	52	114	140	121	38	319	-	1	3	3	4	19	46	72	62	76	33
Black	6	-	-	-	-	1	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	31	-	-	-	1	-	-	3	9	11	3	4	9	-	-	-	-	-	-	1	1	5	2	-
White	15	-	-	-	-	-	-	2	6	5	2	-	4	-	-	-	-	-	-	1	1	1	1	-
All other	16	-	-	-	1	-	-	1	3	6	1	4	5	-	-	-	-	-	-	-	-	4	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	265	-	-	-	1	2	4	30	66	77	66	19	161	-	-	-	-	-	7	17	32	35	48	22
White	55	-	-	-	-	-	1	7	14	17	12	4	41	-	-	-	-	-	3	2	9	9	12	6
All other	210	-	-	-	1	2	3	23	52	60	54	15	120	-	-	-	-	-	4	15	23	26	36	16
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	210	-	-	-	1	1	8	18	58	73	42	9	72	-	-	-	-	-	2	3	27	19	17	4
White	74	-	-	-	-	-	2	7	24	29	10	2	30	-	-	-	-	-	1	1	14	8	4	2
All other	136	-	-	-	1	1	6	11	34	44	32	7	42	-	-	-	-	-	1	2	13	11	13	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	86	-	-	-	-	3	7	15	22	19	11	9
White	-	-	-	-	-	-	-	-	-	-	-	-	37	-	-	-	-	2	1	3	10	8	6	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	49	-	-	-	-	1	6	12	12	11	5	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	55	-	-	-	-	-	-	-	6	16	24	9	44	-	-	-	1	2	5	9	17	2	5	3
White	21	-	-	-	-	-	-	-	1	9	9	2	12	-	-	-	-	1	1	1	5	1	3	-
All other	34	-	-	-	-	-	-	-	5	7	15	7	32	-	-	-	1	1	4	8	12	1	2	3
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	32	-	-	-	-	-	2	7	3	8	9	3	6	-	-	-	-	-	-	1	-	-	2	3
White	15	-	-	-	-	-	-	2	2	5	5	1	2	-	-	-	-	-	-	1	-	-	-	1
All other	17	-	-	-	-	-	2	5	1	3	4	2	4	-	-	-	-	-	-	-	-	-	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	75	-	2	1	2	3	-	6	18	23	18	2	75	-	1	3	2	1	3	11	11	12	21	10
White	30	-	-	1	1	-	-	1	6	14	7	-	30	-	-	1	-	-	2	3	4	7	8	5
All other	45	-	2	-	1	3	-	5	12	9	11	2	45	-	1	2	2	1	1	8	7	5	13	5
Black	3	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	18	-	2	-	1	-	2	2	3	5	2	1	14	-	-	1	-	1	1	3	2	3	1	2
White	5	-	2	-	-	-	-	-	1	1	-	1	6	-	-	-	-	1	-	3	1	1	-	-
All other	13	-	-	-	1	-	2	2	2	4	2	-	8	-	-	1	-	-	1	-	1	2	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	34	-	-	-	1	3	2	6	7	10	4	1	24	-	-	-	1	1	3	1	8	4	4	2
White	9	-	-	-	-	-	1	1	2	3	2	-	10	-	-	-	1	-	1	-	4	2	1	1
All other	25	-	-	-	1	3	1	5	5	7	2	1	14	-	-	-	-	1	2	1	4	2	3	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	-	-	-	-	-	1	1	2	5	1	1	10	-	-	-	-	-	1	2	-	4	3	-
White	3	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	8	-	-	-	-	-	-	-	2	4	1	1	9	-	-	-	-	-	1	2	-	3	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Diabetes mellitus (250)	63	-	-	-	-	1	2	7	11	18	17	7	58	-	-	-	-	-	-	5	10	15	15	13
White	13	-	-	-	-	1	1	-	4	3	3	1	13	-	-	-	-	-	-	1	3	3	5	1
All other	50	-	-	-	-	-	1	7	7	15	14	6	45	-	-	-	-	-	-	4	7	12	10	12
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	7	-	-	-	-	-	-	-	-	2	-	5	7	-	-	-	-	-	-	-	-	-	3	4
White	3	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	1	-
All other	4	-	-	-	-	-	-	-	-	1	-	3	6	-	-	-	-	-	-	-	-	-	2	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	2	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	3	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,226	1	-	-	3	9	33	124	230	313	331	182	829	-	-	2	1	7	16	19	90	159	239	296
White	406	-	-	-	1	4	13	42	91	111	96	48	265	-	-	1	1	3	3	2	26	61	76	92
All other	820	1	-	-	2	5	20	82	139	202	235	134	564	-	-	1	-	4	13	17	64	98	163	204
Black	7	-	-	-	-	-	1	-	2	2	2	-	3	-	-	-	-	1	-	-	-	1	1	-
Diseases of heart (390-398,402,404-429)	987	1	-	-	2	8	28	105	192	249	257	145	599	-	-	1	1	5	12	16	68	123	168	205
White	347	-	-	-	-	4	11	37	80	95	79	41	194	-	-	1	1	2	2	2	21	50	51	64
All other	640	1	-	-	2	4	17	68	112	154	178	104	405	-	-	-	-	3	10	14	47	73	117	141
Black	5	-	-	-	-	-	1	-	1	2	1	-	2	-	-	-	-	1	-	-	-	1	-	-
Rheumatic fever and rheumatic heart disease (390-398)	10	-	-	-	2	-	1	-	1	3	2	1	7	-	-	-	-	1	1	-	3	-	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	-	1	-
All other	10	-	-	-	2	-	1	-	1	3	2	1	4	-	-	-	-	1	1	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	24	-	-	-	-	-	-	4	5	6	6	3	30	-	-	-	-	-	1	1	6	3	13	6
White	6	-	-	-	-	-	-	2	2	1	1	-	5	-	-	-	-	-	-	-	-	-	2	3
All other	18	-	-	-	-	-	-	2	3	5	5	3	25	-	-	-	-	-	1	1	6	3	11	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	742	-	-	-	-	3	23	90	152	195	177	102	426	-	-	-	1	1	6	10	43	91	121	153
White	260	-	-	-	-	1	11	31	62	74	54	27	137	-	-	-	1	-	1	2	12	40	37	44
All other	482	-	-	-	-	2	12	59	90	121	123	75	289	-	-	-	-	1	5	8	31	51	84	109
Black	5	-	-	-	-	-	1	-	1	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Acute myocardial infarction (410)	360	-	-	-	-	1	13	45	72	107	88	34	192	-	-	-	-	1	4	6	23	50	59	49
White	116	-	-	-	-	-	6	10	30	35	27	8	59	-	-	-	-	-	1	1	6	21	18	12
All other	244	-	-	-	-	1	7	35	42	72	61	26	133	-	-	-	-	1	3	5	17	29	41	37
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	13	-	-	-	-	-	-	4	1	3	3	2	5	-	-	-	-	-	-	-	2	2	-	1
White	3	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
All other	10	-	-	-	-	-	-	3	1	2	3	1	4	-	-	-	-	-	-	-	2	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	368	-	-	-	-	2	9	41	79	85	86	66	229	-	-	-	1	-	2	4	18	39	62	103
White	141	-	-	-	-	1	5	20	32	38	27	18	77	-	-	-	1	-	-	1	6	18	19	32
All other	227	-	-	-	-	1	4	21	47	47	59	48	152	-	-	-	-	-	2	3	12	21	43	71
Black	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	12	-	-	-	-	-	-	1	1	3	4	3	18	-	-	-	-	-	-	1	3	3	8	3
White	5	-	-	-	-	-	-	1	1	2	1	-	7	-	-	-	-	-	-	-	1	1	4	1
All other	7	-	-	-	-	-	-	-	-	1	3	3	11	-	-	-	-	-	-	1	2	2	4	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
All other forms of heart disease (415-423,425-429)	197	1	-	-	-	5	4	10	33	41	67	36	116	-	-	1	-	3	3	4	13	25	24	43
White	76	-	-	-	-	3	-	3	15	18	23	14	42	-	-	1	-	2	1	-	6	9	7	16
All other	121	1	-	-	-	2	4	7	18	23	44	22	74	-	-	-	-	1	2	4	7	16	17	27
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	10	-	-	-	-	-	1	-	4	1	2	2	5	-	-	-	-	-	-	-	-	-	2	3
White	3	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	7	-	-	-	-	-	1	-	3	-	2	1	4	-	-	-	-	-	-	-	-	-	2	2
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	177	-	-	-	1	1	4	16	24	52	54	25	195	-	-	1	-	1	4	3	21	32	61	72
White	44	-	-	-	1	-	2	4	8	12	12	5	61	-	-	-	-	1	1	-	5	10	22	22
All other	133	-	-	-	-	1	2	12	16	40	42	20	134	-	-	1	-	-	3	3	16	22	39	50
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Intracerebral and other intracranial hemorrhage (431-432)	39	-	-	-	1	-	-	10	7	14	5	2	33	-	-	1	-	1	2	2	7	4	10	6
White	6	-	-	-	1	-	-	2	1	2	-	-	8	-	-	-	-	1	1	-	-	1	2	3
All other	33	-	-	-	-	-	-	8	6	12	5	2	25	-	-	1	-	-	1	2	7	3	8	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	31	-	-	-	-	-	-	2	4	13	9	3	27	-	-	-	-	-	-	-	2	4	7	14
White	6	-	-	-	-	-	-	1	1	3	1	-	5	-	-	-	-	-	-	-	-	1	2	2
All other	25	-	-	-	-	-	-	1	3	10	8	3	22	-	-	-	-	-	-	-	2	3	5	12
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	105	-	-	-	-	1	4	4	12	25	39	20	135	-	-	-	-	-	2	1	12	24	44	52
White	31	-	-	-	-	-	2	1	5	7	11	5	48	-	-	-	-	-	-	-	5	8	18	17
All other	74	-	-	-	-	1	2	3	7	18	28	15	87	-	-	-	-	-	2	1	7	16	26	35
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	14	-	-	-	-	-	-	-	-	2	6	6	16	-	-	-	-	-	-	-	-	2	4	10
White	3	-	-	-	-	-	-	-	-	1	1	1	6	-	-	-	-	-	-	-	-	-	2	4
All other	11	-	-	-	-	-	-	-	-	1	5	5	10	-	-	-	-	-	-	-	-	2	2	6
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	38	-	-	-	-	-	-	3	10	9	12	4	14	-	-	-	-	1	-	-	1	2	4	6
White	9	-	-	-	-	-	-	1	2	2	4	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	29	-	-	-	-	-	-	2	8	7	8	4	11	-	-	-	-	1	-	-	1	1	3	5
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	87	1	2	1	-	1	1	3	11	20	30	17	59	-	-	-	-	-	-	2	4	8	17	28
White	23	-	-	-	-	-	-	1	3	6	8	5	19	-	-	-	-	-	-	-	-	2	8	9
All other	64	1	2	1	-	1	1	2	8	14	22	12	40	-	-	-	-	-	-	2	4	6	9	19
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	85	1	2	1	-	-	1	3	11	20	29	17	59	-	-	-	-	-	-	2	4	8	17	28
White	22	-	-	-	-	-	-	1	3	6	7	5	19	-	-	-	-	-	-	-	-	2	8	9
All other	63	1	2	1	-	-	1	2	8	14	22	12	40	-	-	-	-	-	-	2	4	6	9	19
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	88	-	-	-	3	1	-	5	16	19	34	10	45	-	-	-	-	2	3	1	6	12	14	7
White	31	-	-	-	-	1	-	-	7	8	14	1	18	-	-	-	-	-	-	-	4	6	6	2
All other	57	-	-	-	3	-	-	5	9	11	20	9	27	-	-	-	-	2	3	1	2	6	8	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis, chronic and unspecified (490-491)	6	-	-	-	-	-	-	-	-	1	2	3	2	-	-	-	-	-	-	-	-	-	1	1
White	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	4	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	15	-	-	-	-	-	-	1	2	4	7	1	7	-	-	-	-	-	1	-	2	3	-	1
White	6	-	-	-	-	-	-	-	1	2	3	-	5	-	-	-	-	-	-	-	1	3	-	1
All other	9	-	-	-	-	-	-	1	1	2	4	1	2	-	-	-	-	-	1	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Asthma (493)	12	-	-	-	3	1	-	1	2	1	3	1	9	-	-	-	-	2	1	1	1	2	1	1
White	3	-	-	-	-	1	-	-	1	-	-	1	2	-	-	-	-	-	-	-	1	-	1	-
All other	9	-	-	-	3	-	-	1	1	1	3	-	7	-	-	-	-	2	1	1	-	2	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	55	-	-	-	-	-	-	3	12	13	22	5	27	-	-	-	-	-	1	-	3	7	12	4
White	20	-	-	-	-	-	-	-	5	5	10	-	10	-	-	-	-	-	-	-	2	3	5	-
All other	35	-	-	-	-	-	-	3	7	8	12	5	17	-	-	-	-	-	1	-	1	4	7	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	8	-	-	-	-	-	-	-	2	2	3	1	6	-	1	-	-	-	-	-	-	2	-	3
White	4	-	-	-	-	-	-	-	2	-	1	1	2	-	-	-	-	-	-	-	-	-	-	2
All other	4	-	-	-	-	-	-	-	-	2	2	-	4	-	1	-	-	-	-	-	-	2	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	2	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	2	-	-	-	-	-	1	-	1	3	1	3	1	-	-	-	-	-	-	1	-	-	1
White	3	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	5	2	-	-	-	-	-	1	-	1	1	-	2	1	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	49	-	-	-	-	3	4	11	13	13	4	1	19	-	-	-	-	-	1	5	3	5	5	-
White	27	-	-	-	-	1	3	6	9	5	2	1	11	-	-	-	-	-	1	4	1	1	4	-
All other	22	-	-	-	-	2	1	5	4	8	2	-	8	-	-	-	-	-	-	1	2	4	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	3	-	-	-	-	-	-	1	-	1	1	-	3	-	-	-	-	-	-	-	1	-	1	1
White	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	19	-	1	-	-	-	-	2	-	6	6	4	26	-	-	1	-	-	2	1	2	6	7	7
White	6	-	-	-	-	-	-	-	-	2	3	1	6	-	-	-	-	-	1	-	1	2	1	1
All other	13	-	1	-	-	-	-	2	-	4	3	3	20	-	-	1	-	-	1	1	1	4	6	6
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	4	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	14	-	-	-	-	-	-	2	-	4	5	3	24	-	-	-	-	-	2	1	2	6	7	6
White	6	-	-	-	-	-	-	-	-	2	3	1	6	-	-	-	-	-	1	-	1	2	1	1
All other	8	-	-	-	-	-	-	2	-	2	2	2	18	-	-	-	-	-	1	1	1	4	6	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
HAWAII—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	40	25	6	1	2	1	-	2	1	1	-	-	29	22	2	-	2	-	2	-	1	-	-	-
White	7	6	-	-	-	-	-	-	-	-	-	-	10	8	1	-	-	-	1	-	-	-	-	-
All other	33	19	6	1	2	1	-	2	1	1	-	-	19	14	1	-	2	-	1	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	47	47	-	-	-	-	-	-	-	-	-	-	39	39	-	-	-	-	-	-	-	-	-	-
White	10	10	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
All other	37	37	-	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	15	15	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
White	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	12	12	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	32	32	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
White	7	7	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
All other	25	25	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	70	13	3	1	4	11	6	7	4	8	10	3	40	12	-	1	4	3	2	1	2	5	2	8
White	22	1	2	-	1	8	3	2	-	2	2	1	15	2	-	-	4	-	-	-	1	4	2	2
All other	48	12	1	1	3	3	3	5	4	6	8	2	25	10	-	1	-	3	2	1	1	1	-	6
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	183	4	1	1	4	3	5	10	27	47	49	31	129	1	2	2	3	2	7	6	19	30	28	29
White	52	-	1	-	2	1	2	6	12	14	8	6	42	-	-	-	-	-	2	3	7	9	12	9
All other	131	4	-	1	2	2	3	4	15	33	41	25	87	1	2	2	3	2	5	3	12	21	16	20
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	236	1	7	13	65	49	25	15	15	21	18	7	81	1	5	1	17	13	7	7	10	6	6	8
White	100	1	2	3	30	25	13	7	8	5	5	1	29	1	1	-	6	7	3	2	2	2	3	2
All other	136	-	5	10	35	24	12	8	7	16	13	6	52	-	4	1	11	6	4	5	8	4	3	6
Black	6	-	-	-	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	120	-	2	6	43	29	14	8	3	9	6	-	46	1	3	1	13	7	5	4	7	3	1	1
White	55	-	-	1	22	14	8	3	2	2	3	-	12	1	1	-	2	3	2	-	2	1	-	-
All other	65	-	2	5	21	15	6	5	1	7	3	-	34	-	2	1	11	4	3	4	5	2	1	1
Black	3	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	116	1	5	7	22	20	11	7	12	12	12	7	35	-	2	-	4	6	2	3	3	3	5	7
White	45	1	2	2	8	11	5	4	6	3	2	1	17	-	-	-	4	4	1	2	-	1	3	2
All other	71	-	3	5	14	9	6	3	6	9	10	6	18	-	2	-	-	2	1	1	3	2	2	5
Black	3	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	63	...	...	-	15	16	9	4	7	4	4	4	22	...	...	-	6	3	1	7	5	-	-	-
White	22	...	...	-	4	7	4	2	3	-	-	2	9	...	...	-	2	2	-	3	2	-	-	-
All other	41	...	...	-	11	9	5	2	4	4	4	2	13	...	...	-	4	1	1	4	3	-	-	-
Black	1	...	...	-	-	1	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	38	1	1	-	11	8	10	3	2	-	1	-	10	-	-	-	3	3	2	1	-	-	-	1
White	15	-	1	-	5	3	4	1	1	-	-	-	4	-	-	-	2	-	1	-	-	-	-	1
All other	23	1	-	-	6	5	6	2	1	-	1	-	6	-	-	-	1	3	1	1	-	-	-	-
Black	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	26	-	-	-	5	6	4	2	2	2	3	1	11	-	-	-	3	2	3	1	1	-	-	1
White	15	-	-	-	3	5	1	1	2	1	1	-	6	-	-	-	2	1	3	-	-	-	-	-
All other	11	-	-	-	2	1	3	1	-	1	2	1	5	-	-	-	1	1	-	1	1	-	-	1
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO																								
All causes	3,967	111	38	36	165	156	130	248	587	990	958	546	2,962	70	25	21	47	58	61	133	312	556	855	822
White	3,897	109	37	33	161	148	125	241	573	979	951	538	2,917	69	25	21	44	52	57	130	309	550	844	816
All other	70	2	1	3	4	8	5	7	14	11	7	8	45	1	-	-	3	6	4	3	3	6	11	6
Black	11	-	-	-	-	1	1	-	5	2	2	-	8	1	-	-	-	-	1	-	-	4	-	2
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	7	-	1	-	-	-	-	-	-	3	1	2	12	-	1	-	-	-	-	-	2	1	4	4
White	7	-	1	-	-	-	-	-	-	3	1	2	12	-	1	-	-	-	-	-	2	1	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	3	-	-	-	-	-	1	-	-	2	-	-	10	1	-	1	-	3	-	-	-	1	2	2
White	3	-	-	-	-	-	1	-	-	2	-	-	10	1	-	1	-	3	-	-	-	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	751	-	6	4	4	15	20	42	154	276	166	64	594	-	2	2	3	7	18	59	114	172	142	75
White	740	-	6	4	4	15	20	42	149	271	165	64	589	-	2	2	3	7	18	56	114	171	141	75
All other	11	-	-	-	-	-	-	-	5	5	1	-	5	-	-	-	-	-	-	3	-	1	1	-
Black	3	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	13	-	-	-	-	-	-	1	6	4	1	1	6	-	-	-	-	-	-	-	-	5	1	-
White	13	-	-	-	-	-	-	1	6	4	1	1	6	-	-	-	-	-	-	-	-	5	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	166	-	-	-	-	4	1	13	40	56	31	21	153	-	-	-	-	-	1	9	19	45	50	29
White	164	-	-	-	-	4	1	13	39	55	31	21	152	-	-	-	-	-	1	8	19	45	50	29
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	237	-	-	-	-	1	6	15	60	113	37	5	82	-	-	-	-	-	3	11	27	20	17	4
White	233	-	-	-	-	1	6	15	57	112	37	5	82	-	-	-	-	-	3	11	27	20	17	4
All other	4	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	1	1	-	121	-	-	-	-	-	8	23	32	34	16	8
White	2	-	-	-	-	-	-	-	-	1	1	-	119	-	-	-	-	-	8	22	32	34	15	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	101	-	-	-	-	1	1	1	9	32	38	19	72	-	-	-	2	3	3	5	11	23	17	8
White	99	-	-	-	-	1	1	1	9	31	37	19	72	-	-	-	2	3	3	5	11	23	17	8
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	41	-	-	-	-	-	3	3	1	18	12	4	13	-	-	-	-	-	1	-	2	3	5	2
White	40	-	-	-	-	-	3	3	1	17	12	4	13	-	-	-	-	-	1	-	2	3	5	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	107	-	1	-	3	6	7	8	27	28	21	6	92	-	-	1	-	3	2	8	17	28	22	11
White	107	-	1	-	3	6	7	8	27	28	21	6	91	-	-	1	-	3	2	7	17	28	22	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	45	-	5	4	1	-	1	1	3	10	14	6	25	-	2	1	1	-	-	2	1	7	5	6
White	45	-	5	4	1	-	1	1	3	10	14	6	25	-	2	1	1	-	-	2	1	7	5	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	39	-	-	-	-	3	1	-	8	14	11	2	30	-	-	-	-	1	-	1	5	7	9	7
White	37	-	-	-	-	3	1	-	7	13	11	2	29	-	-	-	-	1	-	1	5	6	9	7
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	17	-	2	-	-	1	1	-	2	6	4	1	15	-	-	-	-	-	-	2	-	7	3	3
White	17	-	2	-	-	1	1	-	2	6	4	1	15	-	-	-	-	-	-	2	-	7	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	43	-	-	-	-	3	4	6	7	6	10	7	79	-	1	1	-	3	-	1	7	18	25	23
White	40	-	-	-	-	3	2	5	7	6	10	7	76	-	1	1	-	3	-	1	7	16	24	23
All other	3	-	-	-	-	-	2	1	-	-	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Nutritional deficiencies (260-269)	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-	-	2	1
White	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	5	-	-	-	-	-	-	-	-	1	1	3	12	-	-	1	-	-	-	1	-	1	3	6
White	5	-	-	-	-	-	-	-	-	1	1	3	12	-	-	1	-	-	-	1	-	1	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,760	7	-	-	2	3	35	101	285	466	546	315	1,452	1	1	-	3	4	9	34	116	247	509	528
White	1,742	7	-	-	2	3	34	99	282	462	541	312	1,438	1	1	-	3	4	9	34	114	244	503	525
All other	18	-	-	-	-	-	1	2	3	4	5	3	14	-	-	-	-	-	-	-	2	3	6	3
Black	5	-	-	-	-	-	1	-	2	1	1	-	3	-	-	-	-	-	-	-	-	2	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Diseases of heart (390-398,402,404-429)	1,385	6	-	-	2	3	30	89	251	378	400	226	998	1	1	-	2	2	5	26	83	192	350	336
White	1,372	6	-	-	2	3	29	87	249	374	397	225	988	1	1	-	2	2	5	26	81	190	345	335
All other	13	-	-	-	-	-	1	2	2	4	3	1	10	-	-	-	-	-	-	-	2	2	5	1
Black	5	-	-	-	-	-	1	-	2	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic fever and rheumatic heart disease (390-398)	14	-	-	-	-	-	-	1	6	4	2	1	25	-	-	-	-	-	-	4	4	5	5	7
White	14	-	-	-	-	-	-	1	6	4	2	1	24	-	-	-	-	-	-	4	3	5	5	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	10	-	-	-	-	-	-	-	-	3	3	4	24	-	-	-	-	-	-	-	1	5	8	10
White	10	-	-	-	-	-	-	-	-	3	3	4	23	-	-	-	-	-	-	-	1	5	7	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	6	-	-	-	-	1	1	-	2	-	-	2	4	-	-	-	-	-	-	-	-	-	2	2
White	5	-	-	-	-	1	1	-	1	-	-	2	4	-	-	-	-	-	-	-	-	-	2	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,038	-	-	-	-	1	19	68	201	290	299	160	656	-	-	-	-	-	3	15	55	142	233	208
White	1,027	-	-	-	-	1	18	66	200	286	297	159	651	-	-	-	-	-	3	15	54	142	230	207
All other	11	-	-	-	-	-	1	2	1	4	2	1	5	-	-	-	-	-	-	-	1	-	3	1
Black	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	657	-	-	-	-	-	17	46	154	185	193	62	340	-	-	-	-	-	3	11	39	89	125	73
White	650	-	-	-	-	-	16	44	154	182	192	62	338	-	-	-	-	-	3	11	39	89	123	73
All other	7	-	-	-	-	-	1	2	-	3	1	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	9	-	-	-	-	-	1	-	3	3	1	1	1	-	-	-	-	-	-	-	-	-	1	-
White	9	-	-	-	-	-	1	-	3	3	1	1	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
White	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	370	-	-	-	-	1	1	22	43	102	105	96	313	-	-	-	-	-	-	4	16	53	106	134
White	366	-	-	-	-	1	1	22	42	101	104	95	310	-	-	-	-	-	-	4	15	53	105	133
All other	4	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	1	-	1	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	22	1	-	-	-	-	-	-	1	4	15	1	15	-	-	-	-	-	-	-	1	3	8	3
White	21	1	-	-	-	-	-	-	1	4	14	1	15	-	-	-	-	-	-	-	1	3	8	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	295	5	-	-	2	1	10	20	41	77	81	58	274	1	1	-	2	2	2	7	22	37	94	106
White	295	5	-	-	2	1	10	20	41	77	81	58	271	1	1	-	2	2	2	7	22	35	93	106
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hypertension with or without renal disease (401,403)	13	-	-	-	-	-	-	1	1	3	3	5	12	-	-	-	-	-	-	-	-	3	5	4
White	13	-	-	-	-	-	-	1	1	3	3	5	12	-	-	-	-	-	-	-	-	3	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	266	1	-	-	-	-	5	11	27	60	105	57	349	-	-	-	1	2	4	7	28	46	121	140
White	263	1	-	-	-	-	5	11	27	60	103	56	347	-	-	-	1	2	4	7	28	46	120	139
All other	3	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	37	1	-	-	-	-	1	3	12	9	9	2	35	-	-	-	-	1	2	2	11	6	6	7
White	37	1	-	-	-	-	1	3	12	9	9	2	35	-	-	-	-	1	2	2	11	6	6	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	38	-	-	-	-	-	-	1	1	11	17	8	51	-	-	-	-	1	-	-	4	9	17	20
White	37	-	-	-	-	-	-	1	1	11	16	8	50	-	-	-	-	1	-	-	4	9	17	19
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	-	3	-	4	-	-	-	-	-	-	-	-	2	2	-
White	3	-	-	-	-	-	-	-	-	-	3	-	4	-	-	-	-	-	-	-	-	2	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	188	-	-	-	-	-	4	7	14	40	76	47	259	-	-	-	1	-	2	5	13	29	96	113
White	186	-	-	-	-	-	4	7	14	40	75	46	258	-	-	-	1	-	2	5	13	29	95	113
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	51	-	-	-	-	-	-	-	2	7	20	22	70	-	-	-	-	-	-	-	1	3	24	42
White	50	-	-	-	-	-	-	-	2	7	20	21	69	-	-	-	-	-	-	-	1	3	24	41
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	45	-	-	-	-	-	-	-	4	18	18	5	23	-	-	-	-	-	-	1	4	3	9	6
White	44	-	-	-	-	-	-	-	3	18	18	5	22	-	-	-	-	-	-	1	4	2	9	6
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	107	4	2	-	-	-	1	1	5	13	38	43	117	2	-	1	1	2	1	3	5	12	21	69
White	103	4	2	-	-	-	1	-	4	12	38	42	115	2	-	1	1	2	1	3	5	11	21	68
All other	4	-	-	-	-	-	-	1	1	1	-	1	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	94	3	2	-	-	-	1	1	5	13	29	40	100	2	-	-	1	2	1	2	5	10	19	58
White	90	3	2	-	-	-	1	-	4	12	29	39	98	2	-	-	1	2	1	2	5	9	19	57
All other	4	-	-	-	-	-	-	1	1	1	-	1	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	13	1	-	-	-	-	-	-	-	-	9	3	17	-	-	1	-	-	-	1	-	2	2	11
White	13	1	-	-	-	-	-	-	-	-	9	3	17	-	-	1	-	-	-	1	-	2	2	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	188	-	-	-	-	-	-	5	22	77	62	22	72	-	-	-	-	-	-	4	13	31	19	5
White	187	-	-	-	-	-	-	5	22	77	62	21	72	-	-	-	-	-	-	4	13	31	19	5
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	7	-	-	-	-	-	-	-	-	1	4	2	7	-	-	-	-	-	-	-	1	3	2	1
White	7	-	-	-	-	-	-	-	-	1	4	2	7	-	-	-	-	-	-	-	1	3	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	49	-	-	-	-	-	-	1	6	23	15	4	15	-	-	-	-	-	-	-	2	8	4	1
White	49	-	-	-	-	-	-	1	6	23	15	4	15	-	-	-	-	-	-	-	2	8	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	3	-	-	-	-	-	-	-	-	1	2	-	7	-	-	-	-	-	-	1	2	1	3	-
White	3	-	-	-	-	-	-	-	-	1	2	-	7	-	-	-	-	-	-	1	2	1	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	129	-	-	-	-	-	-	4	16	52	41	16	43	-	-	-	-	-	-	3	8	19	10	3
White	128	-	-	-	-	-	-	4	16	52	41	15	43	-	-	-	-	-	-	3	8	19	10	3
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	13	-	-	-	-	-	1	-	3	1	7	1	17	-	-	-	-	-	-	-	2	4	6	5
White	13	-	-	-	-	-	1	-	3	1	7	1	16	-	-	-	-	-	-	-	2	4	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	1	-	-	-
White	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	1	-	-	-	-	-	1	1	1	3	3	9	-	-	-	-	-	-	-	1	2	3	3
White	10	1	-	-	-	-	-	1	1	1	3	3	9	-	-	-	-	-	-	-	1	2	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Chronic liver disease and cirrhosis (571)	41	-	-	-	-	1	1	13	12	11	2	1	18	-	-	-	-	-	3	6	5	1	3	-
White	38	-	-	-	-	-	1	11	12	11	2	1	16	-	-	-	-	-	2	6	5	1	2	-
All other	3	-	-	-	-	1	-	2	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	11	-	-	-	-	-	-	-	1	-	9	1	5	-	-	-	-	-	1	-	-	1	1	2
White	11	-	-	-	-	-	-	-	1	-	9	1	5	-	-	-	-	-	1	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	25	2	-	1	-	1	-	-	3	5	9	4	26	1	2	-	-	-	1	-	2	6	9	5
White	24	2	-	1	-	1	-	-	3	4	9	4	26	1	2	-	-	-	1	-	2	6	9	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	24	2	-	1	-	1	-	-	2	5	9	4	24	1	2	-	-	-	1	-	2	6	7	5
White	23	2	-	1	-	1	-	-	2	4	9	4	24	1	2	-	-	-	1	-	2	6	7	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	1	-	1	7	-	-	-	-	-	-	-	-	-	4	3
White	2	-	-	-	-	-	-	-	-	1	-	1	7	-	-	-	-	-	-	-	-	-	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	-	-	-	2	...	...	...	...	...	...	...	...	...	...	...	...
White	2	-	-	-	-	-	-	-	-	-	-	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	40	29	1	2	2	-	3	-	1	-	1	1	29	21	4	1	1	1	-	-	-	1	-	-
White	40	29	1	2	2	-	3	-	1	-	1	1	28	21	4	1	-	1	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	33	33	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
White	33	33	-	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	11	11	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
White	11	11	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IDAHO—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	22	22	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
White	22	22	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	77	24	1	-	-	-	1	1	4	15	16	15	61	18	-	-	2	-	-	1	5	6	12	18
White	75	23	1	-	-	-	1	1	3	15	16	15	58	17	-	-	2	-	-	1	4	4	12	18
All other	2	1	-	-	-	-	-	-	1	-	-	-	3	1	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	236	4	5	3	10	7	4	14	33	57	56	43	200	3	4	2	2	3	12	5	24	38	63	44
White	226	4	4	3	9	5	3	14	32	57	55	40	194	3	4	2	2	1	11	5	24	38	62	42
All other	10	-	1	-	1	2	1	-	1	-	1	3	6	-	-	-	-	2	1	-	-	-	1	2
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	1
Accidents and adverse effects (E800-E949)	421	4	18	23	108	86	40	45	35	30	15	15	156	-	10	10	30	25	7	11	10	7	21	25
White	408	3	18	20	106	82	40	44	33	30	15	15	149	-	10	10	28	21	6	11	10	7	21	25
All other	13	1	-	3	2	4	-	1	2	-	-	-	7	-	-	-	2	4	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	227	-	6	11	80	47	22	18	19	12	7	3	81	-	4	5	25	21	5	6	6	3	5	1
White	221	-	6	10	79	44	22	18	18	12	7	3	74	-	4	5	23	17	4	6	6	3	5	1
All other	6	-	-	1	1	3	-	-	1	-	-	-	7	-	-	-	2	4	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	194	4	12	12	28	39	18	27	16	18	8	12	75	-	6	5	5	4	2	5	4	4	16	24
White	187	3	12	10	27	38	18	26	15	18	8	12	75	-	6	5	5	4	2	5	4	4	16	24
All other	7	1	-	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	123	...	...	2	30	27	11	17	13	13	9	1	25	...	...	-	2	5	5	5	3	2	3	-
White	119	...	...	2	29	26	10	17	12	13	9	1	25	...	...	-	2	5	5	5	3	2	3	-
All other	4	...	...	-	1	1	1	-	1	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	1	...	...	-	-	1	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	32	-	-	-	7	12	5	2	4	2	-	-	8	-	-	-	1	4	1	1	1	-	-	-
White	32	-	-	-	7	12	5	2	4	2	-	-	8	-	-	-	1	4	1	1	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E99	7	-	-	-	2	-	2	-	1	-	2	-	6	-	-	-	1	1	3	-	-	1	-	-
White	7	-	-	-	2	-	2	-	1	-	2	-	5	-	-	-	1	1	2	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS																								
All causes	53,898	1,436	203	308	1,683	1,820	1,931	4,274	9,350	13,687	12,708	6,497	47,921	1,137	168	175	546	698	1,128	2,549	5,576	9,650	13,656	12,637
White	46,055	919	130	229	1,277	1,249	1,369	3,297	7,855	12,134	11,525	6,071	41,701	667	117	124	416	471	785	1,892	4,527	8,337	12,405	11,959
All other	7,843	517	73	79	406	571	562	977	1,495	1,553	1,183	426	6,220	470	51	51	130	227	343	657	1,049	1,313	1,251	678
Black	7,647	507	72	76	396	562	549	953	1,461	1,515	1,147	409	6,075	457	50	51	129	216	328	644	1,026	1,289	1,232	653
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	11	2	-	-	1	-	-	1	1	3	2	1	8	2	-	-	-	-	-	-	-	2	3	1
White	9	1	-	-	1	-	-	1	1	3	1	1	5	-	-	-	-	-	-	-	-	1	3	1
All other	2	1	-	-	-	-	-	-	-	-	1	-	3	2	-	-	-	-	-	-	-	1	-	-
Black	2	1	-	-	-	-	-	-	-	-	1	-	3	2	-	-	-	-	-	-	-	1	-	-
Tuberculosis (010-018)	75	-	1	-	2	4	8	9	21	13	13	4	29	-	1	-	2	-	2	4	5	4	6	5
White	38	-	-	-	-	1	2	3	11	10	8	3	22	-	1	-	2	-	-	3	4	3	4	5
All other	37	-	1	-	2	3	6	6	10	3	5	1	7	-	-	-	-	-	2	1	1	1	2	-
Black	36	-	1	-	2	3	6	6	10	2	5	1	6	-	-	-	-	-	2	1	1	-	2	-
Tuberculosis of respiratory system (010-012)	71	-			2	4	7	8	21	13	12	4	20	-	-	-	1	-	2	2	4	4	4	3
White	36	-			-	1	2	2	11	10	7	3	15	-	-	-	1	-	-	2	4	3	2	3
All other	35	-			2	3	5	6	10	3	5	1	5	-	-	-	-	-	2	-	-	1	2	-
Black	34	-			2	3	5	6	10	2	5	1	4	-	-	-	-	-	2	-	-	-	2	-
Other tuberculosis (013-018)	4	-	1	-	-	-	1	1	-	-	1	-	9	-	1	-	1	-	-	2	1	-	2	2
White	2	-	-	-	-	-	-	1	-	-	1	-	7	-	1	-	1	-	-	1	-	-	2	2
All other	2	-	1	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	2	-	1	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	2	1	-	-	-	-	-	-	-	-	-	10	1	-	2	1	1	3	-	-	1	1	-
White	3	2	1	-	-	-	-	-	-	-	-	-	7	-	-	2	-	1	2	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	1	-	-	-	-	-
Septicemia (038)	207	7	2	2	-	6	8	8	26	53	64	31	222	10	3	-	2	2	11	8	32	40	49	65
White	171	5	1	2	-	2	5	5	24	46	56	25	157	4	3	-	1	2	5	4	22	32	33	51
All other	36	2	1	-	-	4	3	3	2	7	8	6	65	6	-	-	1	-	6	4	10	8	16	14
Black	36	2	1	-	-	4	3	3	2	7	8	6	65	6	-	-	1	-	6	4	10	8	16	14
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	17	1	-	-	-	3	1	4	3	2	3	-	24	-	-	-	4	2	4	3	2	7	2	-
White	16	1	-	-	-	2	1	4	3	2	3	-	18	-	-	-	3	2	3	1	1	6	2	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	6	-	-	-	1	-	1	2	1	1	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	4	-	-	-	1	-	-	2	-	1	-	-
Syphilis (090-097)	5	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	86	3	3	6	2	7	5	9	16	14	12	9	97	5	3	2	3	11	9	11	12	15	12	14
White	64	2	2	5	2	4	2	3	14	10	11	9	67	4	2	2	3	4	4	5	10	11	9	13
All other	22	1	1	1	-	3	3	6	2	4	1	-	30	1	1	-	-	7	5	6	2	4	3	1
Black	21	1	1	1	-	3	3	6	2	3	1	-	30	1	1	-	-	7	5	6	2	4	3	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	11,518	1	16	40	64	121	287	1,082	2,817	3,761	2,572	756	10,117	-	26	29	49	131	379	1,059	2,215	2,820	2,330	1,079
White	9,941	1	11	34	50	98	222	838	2,400	3,306	2,290	691	8,858	-	22	23	43	100	293	843	1,897	2,495	2,129	1,013
All other	1,577	-	5	6	14	23	65	244	417	455	282	65	1,259	-	4	6	6	31	86	216	318	325	201	66
Black	1,526	-	5	6	13	21	63	233	406	444	274	61	1,230	-	4	6	6	28	82	212	311	317	199	65
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	351	-	-	-	-	4	10	54	128	103	40	12	154	-	-	-	-	-	7	18	44	45	26	14
White	273	-	-	-	-	2	4	33	97	86	39	12	131	-	-	-	-	-	3	11	38	40	25	14
All other	78	-	-	-	-	2	6	21	31	17	1	-	23	-	-	-	-	-	4	7	6	5	1	-
Black	72	-	-	-	-	1	6	20	29	15	1	-	22	-	-	-	-	-	4	7	5	5	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,205	1	2	1	5	16	62	284	759	1,113	725	237	2,861	-	1	-	3	15	39	201	474	829	856	443
White	2,741	1	2	-	4	12	46	208	634	973	637	224	2,455	-	1	-	2	9	22	140	390	704	777	410
All other	464	-	-	1	1	4	16	76	125	140	88	13	406	-	-	-	1	6	17	61	84	125	79	33
Black	450	-	-	1	1	4	16	71	123	137	85	12	393	-	-	-	1	6	16	59	81	120	78	32
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,003	-	-	-	5	12	88	454	1,170	1,368	782	123	1,484	-	-	-	2	7	47	219	440	482	215	72
White	3,468	-	-	-	3	9	61	355	1,009	1,210	713	108	1,283	-	-	-	2	4	35	169	375	438	193	67
All other	535	-	-	-	2	3	27	99	161	158	69	15	201	-	-	-	-	3	12	50	65	44	22	5
Black	521	-	-	-	2	3	27	97	157	156	68	13	198	-	-	-	-	3	11	50	64	43	22	5
Malignant neoplasm of breast (174-175)	12	-	-	-	-	-	-	1	5	4	1	1	1,982	-	-	-	4	37	117	280	488	532	338	177
White	10	-	-	-	-	-	-	1	4	3	1	1	1,760	-	-	-	1	28	95	240	420	488	311	168
All other	2	-	-	-	-	-	-	-	1	1	-	-	222	-	-	-	3	9	22	40	68	44	27	9
Black	2	-	-	-	-	-	-	-	1	1	-	-	218	-	-	-	3	8	22	38	67	43	27	9
Malignant neoplasms of genital organs (179-187)	1,163	-	1	1	1	11	6	15	125	375	427	201	1,199	-	-	-	2	23	66	135	321	310	251	91
White	952	-	1	1	1	11	6	7	97	301	356	171	1,050	-	-	-	2	19	56	107	281	273	228	84
All other	211	-	-	-	-	-	-	8	28	74	71	30	149	-	-	-	-	4	10	28	40	37	23	7
Black	210	-	-	-	-	-	-	8	28	74	71	29	140	-	-	-	-	4	10	28	40	37	23	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Malignant neoplasms of urinary organs (188-189)	565	-	3	-	-	2	7	50	114	166	169	54	329	-	-	-	1	-	10	23	57	89	98	51
White	519	-	1	-	-	1	6	45	97	155	161	53	300	-	-	-	1	-	6	18	54	78	93	50
All other	46	-	2	-	-	1	1	5	17	11	8	1	29	-	-	-	-	-	4	5	3	11	5	1
Black	44	-	2	-	-	1	1	5	16	10	8	1	28	-	-	-	-	-	4	5	3	10	5	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,236	-	5	15	20	37	69	135	332	335	211	77	1,216	-	15	18	17	31	48	106	242	308	283	148
White	1,095	-	4	13	15	30	61	116	294	309	181	72	1,082	-	11	13	15	27	38	92	210	276	260	140
All other	141	-	1	2	5	7	8	19	38	26	30	5	134	-	4	5	2	4	10	14	32	32	23	8
Black	135	-	1	2	5	7	7	18	37	24	29	5	127	-	4	5	2	2	8	13	31	32	22	8
Leukemia (204-208)	435	-	4	18	19	16	19	38	71	125	100	25	383	-	10	8	11	9	22	28	51	85	116	43
White	398	-	3	15	15	13	16	32	65	117	97	25	336	-	10	7	11	7	18	20	43	74	106	40
All other	37	-	1	3	4	3	3	6	6	8	3	-	47	-	-	1	-	2	4	8	8	11	10	3
Black	32	-	1	3	3	2	2	6	5	8	2	-	47	-	-	1	-	2	4	8	8	11	10	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	548	-	1	5	14	23	26	51	113	172	117	26	509	-	-	3	9	9	23	40	98	140	147	40
White	485	-	-	5	12	20	22	41	103	152	105	25	461	-	-	3	9	6	20	37	86	124	136	40
All other	63	-	1	-	2	3	4	10	10	20	12	1	48	-	-	-	-	3	3	3	12	16	11	-
Black	60	-	1	-	2	3	4	8	10	19	12	1	48	-	-	-	-	3	3	3	12	16	11	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	157	2	1	4	2	2	9	15	27	39	43	13	159	1	2	2	2	3	11	11	33	33	42	19
White	141	1	1	4	2	1	7	15	25	35	37	13	138	1	2	1	2	3	10	9	25	31	38	16
All other	16	1	-	-	-	1	2	-	2	4	6	-	21	-	-	1	-	-	1	2	8	2	4	3
Black	14	1	-	-	-	-	2	-	2	3	6	-	21	-	-	1	-	-	1	2	8	2	4	3
Diabetes mellitus (250)	726	-	-	1	2	16	33	58	124	234	191	67	1,044	-	-	-	-	13	21	74	162	280	336	158
White	607	-	-	-	1	10	23	41	100	207	169	56	862	-	-	-	-	11	13	48	120	227	296	147
All other	119	-	-	1	1	6	10	17	24	27	22	11	182	-	-	-	-	2	8	26	42	53	40	11
Black	118	-	-	1	1	6	10	17	23	27	22	11	179	-	-	-	-	2	8	26	41	53	39	10
Nutritional deficiencies (260-269)	39	-	-	-	-	-	-	3	5	5	10	16	50	-	-	-	-	-	-	1	5	10	12	22
White	34	-	-	-	-	-	-	3	3	5	10	13	42	-	-	-	-	-	-	-	5	8	9	20
All other	5	-	-	-	-	-	-	-	2	-	-	3	8	-	-	-	-	-	-	1	-	2	3	2
Black	5	-	-	-	-	-	-	-	2	-	-	3	8	-	-	-	-	-	-	1	-	2	3	2
Anemias (280-285)	76	-	1	3	5	2	1	4	5	16	26	13	94	2	1	2	1	4	9	2	7	18	19	29
White	66	-	-	2	2	-	-	4	5	16	25	12	69	1	-	-	1	-	2	1	7	14	16	27
All other	10	-	1	1	3	2	1	-	-	-	1	1	25	1	1	2	-	4	7	1	-	4	3	2
Black	10	-	1	1	3	2	1	-	-	-	1	1	25	1	1	2	-	4	7	1	-	4	3	2
Meningitis (320-322)	44	15	5	1	-	3	3	2	7	5	1	2	28	7	5	-	1	3	1	-	4	2	4	1
White	27	6	3	1	-	2	1	2	5	4	1	2	16	4	2	-	1	2	-	-	2	2	2	1
All other	17	9	2	-	-	1	2	-	2	1	-	-	12	3	3	-	-	1	1	-	2	-	2	-
Black	16	9	1	-	-	1	2	-	2	1	-	-	12	3	3	-	-	1	1	-	2	-	2	-
Major cardiovascular diseases (390-448)	26,135	19	8	18	56	156	534	1,889	4,482	7,260	7,408	4,305	26,123	18	13	5	24	81	234	755	2,086	4,892	8,723	9,292
White	23,142	11	4	15	36	103	389	1,496	3,782	6,480	6,777	4,049	23,310	9	7	5	12	52	146	504	1,618	4,187	7,945	8,825
All other	2,993	8	4	3	20	53	145	393	700	780	631	256	2,813	9	6	-	12	29	88	251	468	705	778	467
Black	2,913	8	4	3	19	51	141	382	683	766	609	247	2,751	9	6	-	12	29	86	246	458	692	764	449
Diseases of heart (390-398,402,404-429)	21,641	14	8	16	42	120	457	1,684	3,958	6,073	5,886	3,383	20,105	16	11	4	15	45	161	589	1,701	3,942	6,657	6,964
White	19,135	7	4	13	26	79	342	1,352	3,351	5,434	5,360	3,167	17,878	7	6	4	7	23	100	388	1,320	3,389	6,054	6,580
All other	2,506	7	4	3	16	41	115	332	607	639	526	216	2,227	9	5	-	8	22	61	201	381	553	603	384
Black	2,440	7	4	3	15	40	111	324	591	630	508	207	2,179	9	5	-	8	22	59	199	372	544	593	368
Rheumatic fever and rheumatic heart disease (390-398)	133	-	-	-	2	4	7	15	30	47	25	3	231	-	-	-	2	8	6	22	50	80	37	26
White	117	-	-	-	-	1	6	11	26	45	25	3	212	-	-	-	1	5	6	17	46	76	37	24
All other	16	-	-	-	2	3	1	4	4	2	-	-	19	-	-	-	1	3	-	5	4	4	-	2
Black	16	-	-	-	2	3	1	4	4	2	-	-	19	-	-	-	1	3	-	5	4	4	-	2
Hypertensive heart disease (402)	526	-	-	-	2	8	25	60	124	144	117	46	675	-	-	-	-	5	13	45	91	154	224	143
White	364	-	-	-	2	3	9	30	79	102	102	37	481	-	-	-	-	1	1	16	46	105	182	130
All other	162	-	-	-	-	5	16	30	45	42	15	9	194	-	-	-	-	4	12	29	45	49	42	13
Black	161	-	-	-	-	5	16	30	45	42	14	9	192	-	-	-	-	4	12	29	44	48	42	13
Hypertensive heart and renal disease (404)	83	-	-	-	-	-	-	2	6	26	26	23	102	-	-	-	-	-	1	2	9	16	37	37
White	69	-	-	-	-	-	-	1	5	18	23	22	85	-	-	-	-	-	1	1	5	11	32	35
All other	14	-	-	-	-	-	-	1	1	8	3	1	17	-	-	-	-	-	-	1	4	5	5	2
Black	14	-	-	-	-	-	-	1	1	8	3	1	16	-	-	-	-	-	-	1	4	5	4	2
Ischemic heart disease (410-414)	15,769	-	-	2	8	55	281	1,058	2,727	4,472	4,547	2,619	14,689	-	1	-	3	6	71	300	1,069	2,858	4,972	5,409
White	14,579	-	-	2	4	40	239	940	2,461	4,164	4,235	2,494	13,479	-	-	-	1	1	53	231	890	2,540	4,612	5,151
All other	1,190	-	-	-	4	15	42	118	266	308	312	125	1,210	-	1	-	2	5	18	69	179	318	360	258
Black	1,144	-	-	-	3	15	38	111	257	302	300	118	1,181	-	1	-	2	5	17	69	172	313	352	250
Acute myocardial infarction (410)	8,913	-	-	-	6	42	200	779	1,858	2,791	2,284	953	6,440	-	-	-	3	4	52	206	691	1,674	2,237	1,573
White	8,270	-	-	-	2	33	173	701	1,701	2,622	2,137	901	5,920	-	-	-	1	1	38	166	590	1,527	2,094	1,503
All other	643	-	-	-	4	9	27	78	157	169	147	52	520	-	-	-	2	3	14	40	101	147	143	70
Black	616	-	-	-	3	9	24	72	152	165	142	49	508	-	-	-	2	3	13	40	97	144	140	67

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	156	-	-	-	-	-	2	14	50	44	34	12	116	-	-	-	-	-	-	4	15	26	34	37
White	141	-	-	-	-	-	2	13	41	43	30	12	97	-	-	-	-	-	-	2	13	17	30	35
All other	15	-	-	-	-	-	-	1	9	1	4	-	19	-	-	-	-	-	-	2	2	9	4	2
Black	15	-	-	-	-	-	-	1	9	1	4	-	19	-	-	-	-	-	-	2	2	9	4	2
Angina pectoris (413)	9	-	-	-	-	-	1	2	-	1	4	1	9	-	-	-	-	-	-	1	2	1	1	4
White	8	-	-	-	-	-	1	1	-	1	4	1	8	-	-	-	-	-	-	1	1	1	1	4
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,691	-	-	2	2	13	78	263	819	1,636	2,225	1,653	8,124	-	1	-	-	2	19	89	361	1,157	2,700	3,795
White	6,160	-	-	2	2	7	63	225	719	1,498	2,064	1,580	7,454	-	-	-	-	-	15	62	286	995	2,487	3,609
All other	531	-	-	-	-	6	15	38	100	138	161	73	670	-	1	-	-	2	4	27	75	162	213	186
Black	512	-	-	-	-	6	14	37	96	136	154	69	655	-	1	-	-	2	4	27	72	160	208	181
Other diseases of endocardium (424)	153	-	-	-	2	3	8	17	27	41	43	12	182	-	-	1	-	2	3	8	17	53	53	45
White	135	-	-	-	-	3	6	16	23	36	41	10	169	-	-	1	-	1	3	7	16	48	48	45
All other	18	-	-	-	2	-	2	1	4	5	2	2	13	-	-	-	-	1	-	1	1	5	5	-
Black	18	-	-	-	2	-	2	1	4	5	2	2	13	-	-	-	-	1	-	1	1	5	5	-
All other forms of heart disease (415-423,425-429)	4,977	14	8	14	28	50	136	532	1,044	1,343	1,128	680	4,226	16	10	3	10	24	67	212	465	781	1,334	1,304
White	3,871	7	4	11	20	32	82	354	757	1,069	934	601	3,452	7	6	3	5	15	36	116	317	609	1,143	1,195
All other	1,106	7	4	3	8	18	54	178	287	274	194	79	774	9	4	-	5	9	31	96	148	172	191	109
Black	1,087	7	4	3	8	17	54	177	280	271	189	77	758	9	4	-	5	9	30	94	147	169	190	101
Hypertension with or without renal disease (401,403)	223	-	-	-	1	2	9	13	29	60	63	46	276	-	-	-	-	6	2	4	21	64	86	93
White	169	-	-	-	-	-	3	2	21	47	56	40	234	-	-	-	-	4	-	2	15	50	75	88
All other	54	-	-	-	1	2	6	11	8	13	7	6	42	-	-	-	-	2	2	2	6	14	11	5
Black	54	-	-	-	1	2	6	11	8	13	7	6	42	-	-	-	-	2	2	2	6	14	11	5
Cerebrovascular diseases (430-438)	3,154	4	-	2	10	29	54	150	358	847	1,096	604	4,620	2	1	1	5	26	65	147	316	752	1,617	1,688
White	2,792	3	-	2	8	19	35	110	285	732	1,019	579	4,151	2	1	1	1	21	42	106	244	634	1,473	1,626
All other	362	1	-	-	2	10	19	40	73	115	77	25	469	-	-	-	4	5	23	41	72	118	144	62
Black	349	1	-	-	2	9	19	38	72	110	73	25	457	-	-	-	4	5	23	38	71	115	141	60
Intracerebral and other intracranial hemorrhage (431-432)	529	2	-	1	3	12	23	58	98	146	131	55	621	-	-	-	3	11	17	50	91	141	178	130
White	446	2	-	1	3	6	12	41	74	128	125	54	544	-	-	-	-	11	11	34	69	126	168	125
All other	83	-	-	-	-	6	11	17	24	18	6	1	77	-	-	-	3	-	6	16	22	15	10	5
Black	80	-	-	-	-	6	11	16	23	17	6	1	73	-	-	-	3	-	6	13	22	15	9	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	764	1	-	-	2	3	5	19	59	209	313	153	1,082	1	-	-	-	1	2	11	48	161	410	448
White	686	-	-	-	1	2	3	12	50	185	287	146	983	1	-	-	-	1	-	6	37	138	368	432
All other	78	1	-	-	1	1	2	7	9	24	26	7	99	-	-	-	-	-	2	5	11	23	42	16
Black	72	1	-	-	1	-	2	6	9	23	23	7	99	-	-	-	-	-	2	5	11	23	42	16
Cerebral embolism (434.1)	10	-	-	-	-	-	-	-	-	6	4	-	12	-	-	-	-	-	-	1	2	3	3	3
White	10	-	-	-	-	-	-	-	-	6	4	-	12	-	-	-	-	-	-	1	2	3	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,851	1	-	1	5	14	26	73	201	486	648	396	2,905	1	1	1	2	14	46	85	175	447	1,026	1,107
White	1,650	1	-	1	4	11	20	57	161	413	603	379	2,612	1	1	1	1	9	31	65	136	367	934	1,066
All other	201	-	-	-	1	3	6	16	40	73	45	17	293	-	-	-	1	5	15	20	39	80	92	41
Black	197	-	-	-	1	3	6	16	40	70	44	17	285	-	-	-	1	5	15	20	38	77	90	39
Atherosclerosis (440)	537	-	-	-	-	-	2	14	28	79	198	216	809	-	-	-	-	-	2	3	19	60	259	466
White	504	-	-	-	-	-	2	10	26	76	181	209	766	-	-	-	-	-	1	1	17	48	245	454
All other	33	-	-	-	-	-	-	4	2	3	17	7	43	-	-	-	-	-	1	2	2	12	14	12
Black	33	-	-	-	-	-	-	4	2	3	17	7	43	-	-	-	-	-	1	2	2	12	14	12
Other diseases of arteries, arterioles, and capillaries (441-448)	580	1	-	-	3	5	12	28	109	201	165	56	313	-	1	-	4	4	4	12	29	74	104	81
White	542	1	-	-	2	5	7	22	99	191	161	54	281	-	-	-	4	4	3	7	22	66	98	77
All other	38	-	-	-	1	-	5	6	10	10	4	2	32	-	1	-	-	-	1	5	7	8	6	4
Black	37	-	-	-	1	-	5	5	10	10	4	2	30	-	1	-	-	-	1	5	7	7	5	4
Acute bronchitis and bronchiolitis (466)	8	5	-	-	-	-	-	-	-	1	1	1	12	3	1	1	-	-	-	1	1	1	4	-
White	7	4	-	-	-	-	-	-	-	1	1	1	8	-	-	1	-	-	-	1	1	1	4	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,429	39	8	3	10	20	36	55	178	252	429	399	1,431	22	5	4	7	26	18	33	76	177	437	626
White	1,209	21	6	3	7	15	15	36	135	211	388	372	1,271	5	2	2	5	15	7	30	59	144	402	600
All other	220	18	2	-	3	5	21	19	43	41	41	27	160	17	3	2	2	11	11	3	17	33	35	26
Black	217	18	2	-	3	5	21	19	43	39	41	26	156	17	3	2	2	10	11	3	17	33	34	24

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Pneumonia (480-486)	1,386	39	8	3	8	19	35	55	176	246	412	384	1,335	22	4	3	7	24	18	32	73	166	414	572
White	1,167	21	6	3	6	14	14	36	133	205	371	358	1,180	5	2	1	5	13	7	29	57	134	380	547
All other	219	18	2	-	3	5	21	19	43	41	41	26	155	17	2	2	2	11	11	3	16	32	34	25
Black	216	18	2	-	3	5	21	19	43	39	41	25	151	17	2	2	2	10	11	3	16	32	33	23
Influenza (487)	43	-	-	-	1	1	1	-	2	6	17	15	96	-	1	1	-	2	-	1	3	11	23	54
White	42	-	-	-	1	1	1	-	2	6	17	14	91	-	-	1	-	2	-	1	2	10	22	53
All other	1	-	-	-	-	-	-	-	-	-	-	1	5	-	1	-	-	-	-	-	1	1	1	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	5	-	1	-	-	-	-	-	1	1	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,827	4	3	5	11	8	20	57	281	592	648	198	860	1	1	4	6	4	15	53	147	288	227	114
White	1,671	3	1	1	6	5	11	43	256	544	614	187	791	-	1	1	4	3	11	46	131	268	215	111
All other	156	1	2	4	5	3	9	14	25	48	34	11	69	1	-	3	2	1	4	7	16	20	12	3
Black	153	1	2	4	5	3	8	14	25	47	34	10	68	1	-	3	2	1	4	7	15	20	12	3
Bronchitis, chronic and unspecified (490-491)	128	4	1	-	2	2	-	2	23	37	43	14	62	-	-	-	1	-	2	4	10	17	17	11
White	118	3	1	-	2	2	-	2	22	34	39	13	60	-	-	-	1	-	2	4	10	17	15	11
All other	10	1	-	-	-	-	-	-	1	3	4	1	2	-	-	-	-	-	-	-	-	-	2	-
Black	10	1	-	-	-	-	-	-	1	3	4	1	2	-	-	-	-	-	-	-	-	-	2	-
Emphysema (492)	520	-	-	-	1	-	3	18	88	178	190	42	199	-	-	-	-	1	2	11	42	72	54	17
White	496	-	-	-	-	-	2	15	83	172	183	41	193	-	-	-	-	1	2	11	40	69	53	17
All other	24	-	-	-	1	-	1	3	5	6	7	1	6	-	-	-	-	-	-	-	2	3	1	-
Black	24	-	-	-	1	-	1	3	5	6	7	1	6	-	-	-	-	-	-	-	2	3	1	-
Asthma (493)	67	-	2	5	7	5	10	3	6	12	14	3	80	-	1	4	5	3	5	9	13	14	18	8
White	44	-	-	1	3	2	6	1	6	9	14	2	58	-	1	1	3	2	3	5	9	12	14	8
All other	23	-	2	4	4	3	4	2	-	3	-	1	22	-	-	3	2	1	2	4	4	2	4	-
Black	22	-	2	4	4	3	3	2	-	3	-	1	21	-	-	3	2	1	2	4	3	2	4	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,112	-	-	-	1	1	7	34	164	365	401	139	519	1	-	-	-	-	6	29	82	185	138	78
White	1,013	-	-	-	1	1	3	25	145	329	378	131	480	-	-	-	-	-	4	26	72	170	133	75
All other	99	-	-	-	-	-	4	9	19	36	23	8	39	1	-	-	-	-	2	3	10	15	5	3
Black	97	-	-	-	-	-	4	9	19	35	23	7	39	1	-	-	-	-	2	3	10	15	5	3
Ulcer of stomach and duodenum (531-533)	172	-	1	-	1	2	4	6	24	44	68	22	190	1	-	-	-	1	4	10	22	45	67	40
White	157	-	1	-	-	2	4	4	21	40	64	21	165	-	-	-	-	-	2	7	20	38	61	37
All other	15	-	-	-	1	-	-	2	3	4	4	1	25	1	-	-	-	1	2	3	2	7	6	3
Black	14	-	-	-	1	-	-	2	3	3	4	1	24	1	-	-	-	1	2	3	2	7	6	2
Appendicitis (540-543)	15	1	-	-	-	-	-	-	3	6	4	1	13	-	-	-	-	1	-	-	1	4	4	3
White	12	-	-	-	-	-	-	-	3	5	3	1	9	-	-	-	-	1	-	-	-	2	4	2
All other	3	1	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	1	2	-	1
Black	3	1	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	1	2	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	104	5	-	1	1	2	1	6	17	23	29	19	176	4	-	-	-	-	2	6	12	30	67	55
White	84	5	-	1	-	2	1	5	14	19	18	19	160	2	-	-	-	-	2	4	11	26	63	52
All other	20	-	-	-	1	-	-	1	3	4	11	-	16	2	-	-	-	-	-	2	1	4	4	3
Black	20	-	-	-	1	-	-	1	3	4	11	-	16	2	-	-	-	-	-	2	1	4	4	3
Chronic liver disease and cirrhosis (571)	1,003	-	-	-	3	70	153	237	240	221	66	13	546	-	1	-	4	29	55	126	149	116	50	16
White	790	-	-	-	1	40	89	181	211	195	60	13	437	-	1	-	3	11	32	97	127	105	47	14
All other	213	-	-	-	2	30	64	56	29	26	6	-	109	-	-	-	1	18	23	29	22	11	3	2
Black	208	-	-	-	2	30	62	56	28	25	5	-	103	-	-	-	1	15	23	28	21	10	3	2
Cholelithiasis and other disorders of gallbladder (574-575)	73	-	-	-	-	-	-	3	14	21	21	14	91	-	-	-	-	2	2	2	9	18	30	28
White	70	-	-	-	-	-	-	2	14	20	20	14	83	-	-	-	-	1	2	1	5	18	28	28
All other	3	-	-	-	-	-	-	1	-	1	1	-	8	-	-	-	-	1	-	1	4	-	2	-
Black	3	-	-	-	-	-	-	1	-	1	1	-	8	-	-	-	-	1	-	1	4	-	2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	440	12	-	2	-	12	9	17	59	103	125	101	433	6	-	-	1	8	10	26	36	86	138	122
White	351	6	-	2	-	5	4	12	38	82	108	94	324	2	-	-	-	5	3	15	21	61	108	109
All other	89	6	-	-	-	7	5	5	21	21	17	7	109	4	-	-	1	3	7	11	15	25	30	13
Black	86	6	-	-	-	7	5	5	21	20	15	7	108	4	-	-	1	3	7	11	15	25	30	12
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	-	-	1	-	-	-	-	-	-	2	1	8	-	-	-	-	1	-	-	-	2	5	-
White	4	-	-	1	-	-	-	-	-	-	2	1	7	-	-	-	-	1	-	-	-	2	4	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	50	-	-	-	-	1	1	2	3	12	16	15	56	-	-	-	-	3	3	4	3	10	19	14
White	44	-	-	-	-	1	-	2	2	11	16	12	46	-	-	-	-	2	1	3	3	8	15	14
All other	6	-	-	-	-	-	1	-	1	1	-	3	10	-	-	-	-	1	2	1	-	2	4	-
Black	6	-	-	-	-	-	1	-	1	1	-	3	10	-	-	-	-	1	2	1	-	2	4	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	386	12	-	1	-	11	8	15	56	91	107	85	369	6	-	-	1	4	7	22	33	74	114	108
White	303	6	-	1	-	4	4	10	36	71	90	81	271	2	-	-	-	2	2	12	18	51	89	95
All other	83	6	-	-	-	7	4	5	20	20	17	4	98	4	-	-	1	2	5	10	15	23	25	13
Black	80	6	-	-	-	7	4	5	20	19	15	4	97	4	-	-	1	2	5	10	15	23	25	12
Infections of kidney (590)	55	-	-	-	-	1	1	4	4	8	25	12	64	-	-	-	-	-	1	5	4	10	23	21
White	50	-	-	-	-	1	1	3	4	7	24	10	54	-	-	-	-	-	-	2	2	10	21	19
All other	5	-	-	-	-	-	-	1	-	1	1	2	10	-	-	-	-	-	1	3	2	-	2	2
Black	5	-	-	-	-	-	-	1	-	1	1	2	10	-	-	-	-	-	1	3	2	-	2	2
Hyperplasia of prostate (600)	46	-	-	-	-	-	-	-	4	7	22	13	...	...	...	...	...	...	...	...	...	...	...	...
White	42	-	-	-	-	-	-	-	3	5	21	13	...	...	...	...	...	...	...	...	...	...	...	...
All other	4	-	-	-	-	-	-	-	1	2	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	4	-	-	-	-	-	-	-	1	2	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	24	...	...	-	11	11	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	1	7	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	15	...	...	-	10	4	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	15	...	...	-	10	4	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	22	...	...	-	10	10	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	1	6	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	14	...	...	-	9	4	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	14	...	...	-	9	4	1	-	...	...	...	...
Congenital anomalies (740-759)	388	257	19	14	20	25	13	11	12	12	3	2	326	206	26	13	13	13	9	8	12	13	12	1
White	318	208	14	10	16	21	13	11	11	9	3	2	264	158	22	11	11	9	9	8	12	12	11	1
All other	70	49	5	4	4	4	-	-	1	3	-	-	62	48	4	2	2	4	-	-	-	1	1	-
Black	66	46	5	4	4	3	-	-	1	3	-	-	56	43	3	2	2	4	-	-	-	1	1	-
Certain conditions originating in the perinatal period (760-779)	759	756	3	-	-	-	-	-	-	-	-	-	623	621	2	-	-	-	-	-	-	-	-	-
White	463	461	2	-	-	-	-	-	-	-	-	-	371	371	-	-	-	-	-	-	-	-	-	-
All other	296	295	1	-	-	-	-	-	-	-	-	-	252	250	2	-	-	-	-	-	-	-	-	-
Black	290	289	1	-	-	-	-	-	-	-	-	-	247	245	2	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	259	258	1	-	-	-	-	-	-	-	-	-	184	184	-	-	-	-	-	-	-	-	-	-
White	170	170	-	-	-	-	-	-	-	-	-	-	126	126	-	-	-	-	-	-	-	-	-	-
All other	89	88	1	-	-	-	-	-	-	-	-	-	58	58	-	-	-	-	-	-	-	-	-	-
Black	87	86	1	-	-	-	-	-	-	-	-	-	56	56	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	500	498	2	-	-	-	-	-	-	-	-	-	439	437	2	-	-	-	-	-	-	-	-	-
White	293	291	2	-	-	-	-	-	-	-	-	-	245	245	-	-	-	-	-	-	-	-	-	-
All other	207	207	-	-	-	-	-	-	-	-	-	-	194	192	2	-	-	-	-	-	-	-	-	-
Black	203	203	-	-	-	-	-	-	-	-	-	-	191	189	2	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	421	209	4	3	23	43	21	15	32	25	30	16	307	154	6	1	9	14	17	14	8	14	32	38
White	280	118	2	2	19	28	11	11	26	22	26	15	201	71	2	1	6	7	13	13	5	14	32	37
All other	141	91	2	1	4	15	10	4	6	3	4	1	106	83	4	-	3	7	4	1	3	-	-	1
Black	139	91	2	1	4	14	9	4	6	3	4	1	104	81	4	-	3	7	4	1	3	-	-	1
All other diseases (Residual)	2,753	59	28	41	63	97	144	252	453	637	616	363	2,898	42	15	28	55	77	99	156	363	542	807	714
White	2,267	38	19	31	47	59	93	186	348	563	546	337	2,438	22	13	21	43	50	66	105	278	460	714	666
All other	486	21	9	10	16	38	51	66	105	74	70	26	460	20	2	7	12	27	33	51	85	82	93	48
Black	476	20	9	10	14	38	51	66	104	72	67	25	449	19	2	7	12	27	29	49	83	82	92	47
Accidents and adverse effects (E800-E949)	2,974	30	81	148	790	559	306	271	292	199	211	87	1,275	16	45	68	216	133	94	101	108	136	187	171
White	2,548	22	56	111	721	471	266	211	243	176	189	82	1,096	7	31	47	190	108	75	86	88	122	181	161
All other	426	8	25	37	69	88	40	60	49	23	22	5	179	9	14	21	26	25	19	15	20	14	6	10
Black	416	8	25	34	66	88	38	59	48	23	22	5	174	9	14	21	25	23	19	14	20	13	6	10

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Motor vehicle accidents (E810-E825)	1,480	5	22	66	532	326	171	109	119	56	60	14	551	4	18	39	165	77	48	53	44	48	44	11
White	1,335	5	15	54	502	293	154	90	101	52	55	14	496	2	12	33	155	70	42	48	39	42	42	11
All other	145	-	7	12	30	33	17	19	18	4	5	-	55	2	6	6	10	7	6	5	5	6	2	-
Black	142	-	7	12	29	33	15	19	18	4	5	-	52	2	6	6	9	7	6	4	5	5	2	-
All other accidents and adverse effects (E800-E807, E826-E949)	1,494	25	59	82	258	233	135	162	173	143	151	73	724	12	27	29	51	56	46	48	64	88	143	160
White	1,213	17	41	57	219	178	112	121	142	124	134	68	600	5	19	14	35	38	33	38	49	80	139	150
All other	281	8	18	25	39	55	23	41	31	19	17	5	124	7	8	15	16	18	13	10	15	8	4	10
Black	274	8	18	22	37	55	23	40	30	19	17	5	122	7	8	15	16	16	13	10	15	8	4	10
Suicide (E950-E959)	820	...	...	2	183	199	109	102	98	71	41	15	261	...	...	2	47	47	59	40	36	24	6	-
White	737	...	...	2	157	171	100	94	90	70	39	14	238	...	...	2	39	42	53	38	35	23	6	-
All other	83	...	...	-	26	28	9	8	8	1	2	1	23	...	...	-	8	5	6	2	1	1	-	-
Black	80	...	...	-	26	28	9	8	6	-	2	1	22	...	...	-	8	5	5	2	1	1	-	-
Homicide and legal intervention (E960-E978)	1,159	6	11	10	369	366	173	112	70	30	10	2	258	11	7	10	67	60	37	23	15	11	15	1
White	479	3	1	2	156	133	75	53	36	16	4	-	123	5	3	4	31	23	18	11	9	5	12	1
All other	680	3	10	8	213	233	98	59	34	14	6	2	135	6	4	6	36	37	19	12	6	6	3	-
Black	674	3	10	8	211	232	97	59	34	13	6	1	132	6	4	6	36	36	17	12	6	6	3	-
All other external causes (E980-E999)	353	1	7	4	75	96	52	42	34	29	11	2	128	4	5	2	21	21	20	17	14	11	11	2
White	258	-	5	1	53	73	34	30	28	24	8	2	88	1	3	1	15	12	13	10	12	10	9	2
All other	95	1	2	3	22	23	18	12	6	5	3	-	40	3	2	1	6	9	7	7	2	1	2	-
Black	92	1	2	3	21	22	18	11	6	5	3	-	38	3	2	1	6	8	6	7	2	1	2	-
INDIANA																								
All causes	25,106	557	122	139	775	730	785	1,819	4,314	6,513	6,294	3,056	22,203	436	95	101	269	315	455	1,150	2,663	4,384	6,386	5,947
White	23,229	458	96	125	685	621	684	1,621	3,965	6,082	5,974	2,918	20,729	351	82	90	234	258	393	1,004	2,421	4,066	6,086	5,742
All other	1,877	99	26	14	90	109	101	198	349	431	320	138	1,474	85	13	11	35	57	62	146	242	318	300	205
Black	1,865	97	26	14	89	108	101	197	346	429	318	138	1,455	85	12	10	34	53	62	145	239	314	297	204
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	2	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	1	2
White	1	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	19	1	-	-	-	1	2	2	3	6	4	-	10	-	-	-	-	2	-	-	2	1	5	-
White	12	-	-	-	-	-	1	1	2	4	4	-	9	-	-	-	-	1	-	-	2	1	5	-
All other	7	1	-	-	-	1	1	1	1	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	7	1	-	-	-	1	1	1	1	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	15	-	-	-	-	1	1	2	3	5	3	-	8	-	-	-	-	-	-	-	2	1	5	-
White	10	-	-	-	-	-	1	1	2	3	3	-	8	-	-	-	-	-	-	-	2	1	5	-
All other	5	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	5	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	4	1	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	2	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
All other	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	2	1	-	1	1	-	-	-	-	-	-	9	3	2	2	-	-	-	-	-	2	-	-
White	5	2	1	-	1	1	-	-	-	-	-	-	9	3	2	2	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	134	3	1	-	2	5	5	6	14	34	44	20	141	1	2	-	2	4	1	7	17	37	39	31
White	120	1	-	-	2	5	4	5	12	29	42	20	116	1	1	-	-	3	1	5	14	29	35	27
All other	14	2	1	-	-	-	1	1	2	5	2	-	25	-	1	-	2	1	-	2	3	8	4	4
Black	14	2	1	-	-	-	1	1	2	5	2	-	25	-	1	-	2	1	-	2	3	8	4	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Viral hepatitis (070)	9	-	-	-	1	1	-	1	2	4	-	-	6	-	-	-	2	-	-	1	2	-	1	-
White	8	-	-	-	-	1	-	1	2	4	-	-	4	-	-	-	1	-	-	1	1	-	1	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
Syphilis (090-097)	4	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	46	3	1	2	4	3	4	3	10	7	6	3	38	1	-	2	2	3	3	6	5	8	5	3
White	37	2	1	2	3	2	2	2	9	6	6	2	34	1	-	2	2	1	2	6	4	8	5	3
All other	9	1	-	-	1	1	2	1	1	1	-	1	4	-	-	-	-	2	1	-	1	-	-	-
Black	9	1	-	-	1	1	2	1	1	1	-	1	4	-	-	-	-	2	1	-	1	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,432	2	10	17	42	57	110	497	1,334	1,734	1,261	368	4,627	2	7	18	15	63	187	484	1,072	1,199	1,088	492
White	4,991	2	10	16	37	55	100	441	1,220	1,590	1,168	352	4,299	2	7	16	13	55	168	436	991	1,114	1,030	467
All other	441	-	-	1	5	2	10	56	114	144	93	16	328	-	-	2	2	8	19	48	81	85	58	25
Black	438	-	-	1	5	1	10	56	113	144	92	16	324	-	-	1	2	8	19	48	80	83	58	25
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	107	-	-	-	-	1	3	9	36	35	18	5	46	-	-	-	-	-	1	4	13	14	7	7
White	92	-	-	-	-	1	1	7	31	32	16	4	44	-	-	-	-	-	1	4	11	14	7	7
All other	15	-	-	-	-	-	2	2	5	3	2	1	2	-	-	-	-	-	-	-	2	-	-	-
Black	15	-	-	-	-	-	2	2	5	3	2	1	2	-	-	-	-	-	-	-	2	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,357	-	1	-	3	8	30	114	321	430	329	121	1,158	-	1	-	2	2	28	76	201	284	362	202
White	1,244	-	1	-	3	7	28	104	287	397	302	115	1,078	-	1	-	1	2	24	66	180	268	342	194
All other	113	-	-	-	-	1	2	10	34	33	27	6	80	-	-	-	1	-	4	10	21	16	20	8
Black	111	-	-	-	-	1	2	10	33	33	26	6	80	-	-	-	1	-	4	10	21	16	20	8
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,055	-	-	-	1	3	30	237	616	721	378	69	782	-	-	-	-	4	22	107	268	231	121	29
White	1,880	-	-	-	1	2	25	206	568	656	356	66	720	-	-	-	-	4	20	92	248	212	117	27
All other	175	-	-	-	-	1	5	31	48	65	22	3	62	-	-	-	-	-	2	15	20	19	4	2
Black	174	-	-	-	-	-	5	31	48	65	22	3	61	-	-	-	-	-	2	15	20	18	4	2
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	-	3	-	3	-	868	-	-	-	1	17	59	134	223	231	145	58
White	6	-	-	-	-	-	-	-	3	-	3	-	813	-	-	-	-	14	54	126	210	214	141	54
All other	-	-	-	-	-	-	-	-	-	-	-	-	55	-	-	-	1	3	5	8	13	17	4	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	54	-	-	-	1	3	5	8	12	17	4	4
Malignant neoplasms of genital organs (179-187)	531	-	-	-	2	10	1	9	48	155	213	93	583	-	-	1	3	11	25	61	139	166	127	50
White	481	-	-	-	2	10	1	7	45	134	192	90	535	-	-	1	3	10	23	54	131	152	115	46
All other	50	-	-	-	-	-	-	2	3	21	21	3	48	-	-	-	-	1	2	7	8	14	12	4
Black	50	-	-	-	-	-	-	2	3	21	21	3	47	-	-	-	-	1	2	7	8	13	12	4
Malignant neoplasms of urinary organs (188-189)	266	1	-	-	-	-	3	21	55	87	82	17	150	-	-	-	-	1	4	12	28	28	54	23
White	255	1	-	-	-	-	3	19	54	84	77	17	142	-	-	-	-	1	4	12	26	26	50	23
All other	11	-	-	-	-	-	-	2	1	3	5	-	8	-	-	-	-	-	-	-	2	2	4	-
Black	11	-	-	-	-	-	-	2	1	3	5	-	8	-	-	-	-	-	-	-	2	2	4	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	637	1	7	8	19	18	29	76	161	173	110	35	595	2	3	9	5	12	29	52	121	146	148	68
White	588	1	7	8	16	18	28	68	146	163	100	33	555	2	3	8	5	11	26	50	109	138	138	65
All other	49	-	-	-	3	-	1	8	15	10	10	2	40	-	-	1	-	1	3	2	12	8	10	3
Black	49	-	-	-	3	-	1	8	15	10	10	2	40	-	-	1	-	1	3	2	12	8	10	3
Leukemia (204-208)	220	-	2	6	11	8	6	14	32	56	71	14	187	-	3	8	2	6	8	14	27	39	49	31
White	210	-	2	6	10	8	6	14	31	51	68	14	174	-	3	7	2	4	7	12	27	35	47	30
All other	10	-	-	-	1	-	-	-	1	5	3	-	13	-	-	1	-	2	1	2	-	4	2	1
Black	10	-	-	-	1	-	-	-	1	5	3	-	12	-	-	-	-	2	1	2	-	4	2	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	253	-	-	3	6	9	8	17	62	77	57	14	258	-	-	-	2	10	11	24	52	60	75	24
White	235	-	-	2	5	9	8	16	55	73	54	13	238	-	-	-	2	9	9	20	49	55	73	21
All other	18	-	-	1	1	-	-	1	7	4	3	1	20	-	-	-	-	1	2	4	3	5	2	3
Black	18	-	-	1	1	-	-	1	7	4	3	1	20	-	-	-	-	1	2	4	3	5	2	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	70	-	-	-	2	1	3	3	22	18	14	7	65	-	-	-	1	-	2	4	8	15	17	18
White	66	-	-	-	2	1	3	3	18	18	14	7	55	-	-	-	-	-	1	3	6	11	17	17
All other	4	-	-	-	-	-	-	-	4	-	-	-	10	-	-	-	1	-	1	1	2	4	-	1
Black	4	-	-	-	-	-	-	-	4	-	-	-	10	-	-	-	1	-	1	1	2	4	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Diabetes mellitus (250)	417	-	-	1	4	5	13	29	87	137	101	40	615	-	-	-	2	9	9	24	95	184	175	117
White	376	-	-	1	3	4	10	26	80	119	93	40	531	-	-	-	2	6	4	17	80	156	156	110
All other	41	-	-	-	1	1	3	3	7	18	8	-	84	-	-	-	-	3	5	7	15	28	19	7
Black	41	-	-	-	1	1	3	3	7	18	8	-	84	-	-	-	-	3	5	7	15	28	19	7
Nutritional deficiencies (260-269)	19	1	1	-	-	-	-	-	4	5	2	6	26	2	-	-	1	-	-	1	3	7	5	7
White	18	1	1	-	-	-	-	-	4	5	2	5	23	1	-	-	-	-	-	1	3	6	5	7
All other	1	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	1	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	1	-	-	-	-	1	-	-
Anemias (280-285)	38	1	-	2	2	-	2	1	5	8	9	8	45	-	1	3	1	-	-	1	3	10	14	12
White	34	1	-	1	1	-	2	-	4	8	9	8	38	-	-	3	1	-	-	1	-	9	13	11
All other	4	-	-	1	1	-	-	1	1	-	-	-	7	-	1	-	-	-	-	-	3	1	1	1
Black	4	-	-	1	1	-	-	1	1	-	-	-	7	-	1	-	-	-	-	-	3	1	1	1
Meningitis (320-322)	17	9	4	1	1	-	-	1	-	1	-	-	12	1	2	-	3	-	-	-	2	-	4	-
White	15	8	3	1	1	-	-	1	-	1	-	-	12	1	2	-	3	-	-	-	2	-	4	-
All other	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	12,117	14	5	6	24	75	250	801	2,032	3,379	3,591	1,940	11,950	8	6	3	23	38	91	325	923	2,208	4,016	4,308
White	11,416	10	4	5	20	63	218	730	1,879	3,200	3,434	1,853	11,300	6	6	2	19	27	76	274	843	2,048	3,832	4,166
All other	701	4	1	1	4	12	32	71	153	179	157	87	650	2	-	1	4	11	15	51	80	160	184	142
Black	697	4	1	1	4	12	32	71	152	177	156	87	644	2	-	1	4	10	15	51	79	158	182	142
Diseases of heart (390-398,402,404-429)	9,503	11	5	6	17	57	214	719	1,777	2,731	2,664	1,302	8,451	6	5	3	17	29	57	259	728	1,663	2,805	2,878
White	8,973	8	4	5	14	48	191	660	1,649	2,600	2,553	1,241	7,981	5	5	2	15	21	48	224	665	1,537	2,671	2,787
All other	530	3	1	1	3	9	23	59	128	131	111	61	470	1	-	1	2	8	9	35	63	126	134	91
Black	528	3	1	1	3	9	23	59	127	130	111	61	466	1	-	1	2	7	9	35	63	124	133	91
Rheumatic fever and rheumatic heart disease (390-398)	61	-	-	-	2	3	3	5	13	22	11	2	110	-	-	-	1	2	5	14	24	20	31	13
White	58	-	-	-	2	3	3	5	12	20	11	2	107	-	-	-	1	1	4	14	24	19	31	13
All other	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	1	1	-	-	1	-	-
Black	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	1	1	-	-	1	-	-
Hypertensive heart disease (402)	173	-	-	-	-	-	6	21	42	45	44	15	234	-	-	-	-	-	2	9	23	59	80	61
White	130	-	-	-	-	-	3	10	32	37	34	14	187	-	-	-	-	-	-	2	18	41	69	57
All other	43	-	-	-	-	-	3	11	10	8	10	1	47	-	-	-	-	-	2	7	5	18	11	4
Black	43	-	-	-	-	-	3	11	10	8	10	1	47	-	-	-	-	-	2	7	5	18	11	4
Hypertensive heart and renal disease (404)	86	-	-	-	-	1	-	4	4	17	39	21	105	-	-	-	-	1	-	-	1	9	36	58
White	78	-	-	-	-	-	-	2	3	15	39	19	99	-	-	-	-	1	-	-	1	7	34	56
All other	8	-	-	-	-	1	-	2	1	2	-	2	6	-	-	-	-	-	-	-	-	2	2	2
Black	8	-	-	-	-	1	-	2	1	2	-	2	6	-	-	-	-	-	-	-	-	2	2	2
Ischemic heart disease (410-414)	7,405	-	-	2	1	25	155	569	1,433	2,192	2,062	966	6,107	-	-	-	3	10	26	176	521	1,244	2,066	2,060
White	7,109	-	-	2	1	23	146	538	1,345	2,124	1,999	931	5,840	-	-	-	3	8	24	161	482	1,174	1,989	1,998
All other	296	-	-	-	-	2	9	31	88	68	63	35	267	-	-	-	-	2	2	15	39	70	77	62
Black	295	-	-	-	-	2	9	31	87	68	63	35	264	-	-	-	-	1	2	15	39	69	76	62
Acute myocardial infarction (410)	4,458	-	-	1	1	19	112	399	1,016	1,400	1,123	387	2,945	-	-	-	3	7	16	123	366	771	975	683
White	4,306	-	-	1	1	18	108	376	954	1,368	1,104	376	2,825	-	-	-	3	7	16	113	345	735	941	664
All other	152	-	-	-	-	1	4	23	62	32	19	11	120	-	-	-	-	-	-	10	21	36	34	19
Black	151	-	-	-	-	1	4	23	61	32	19	11	119	-	-	-	-	-	-	10	21	36	33	19
Other acute and subacute forms of ischemic heart disease (411)	17	-	-	-	-	-	3	1	5	4	2	2	16	-	-	-	-	-	-	-	-	1	7	8
White	17	-	-	-	-	-	3	1	5	4	2	2	15	-	-	-	-	-	-	-	-	-	7	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,928	-	-	1	-	6	40	169	411	787	937	577	3,145	-	-	-	-	3	10	53	155	471	1,084	1,369
White	2,785	-	-	1	-	5	35	161	386	751	893	553	2,999	-	-	-	-	1	8	48	137	438	1,041	1,326
All other	143	-	-	-	-	1	5	8	25	36	44	24	146	-	-	-	-	2	2	5	18	33	43	43
Black	143	-	-	-	-	1	5	8	25	36	44	24	144	-	-	-	-	1	2	5	18	32	43	43
Other diseases of endocardium (424)	91	-	-	-	3	1	6	8	13	22	26	12	101	-	-	-	-	1	1	2	15	20	42	20
White	83	-	-	-	3	1	4	8	13	20	23	11	94	-	-	-	-	1	1	1	11	20	40	20
All other	8	-	-	-	-	-	2	-	-	2	3	1	7	-	-	-	-	-	-	1	4	-	2	-
Black	8	-	-	-	-	-	2	-	-	2	3	1	7	-	-	-	-	-	-	1	4	-	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
All other forms of heart disease (415-423,425-429)	1,687	11	5	4	11	27	44	112	272	433	482	286	1,794	6	5	3	13	15	23	58	144	311	550	666
White	1,515	8	4	3	8	21	35	97	244	384	447	264	1,654	5	5	2	11	10	19	46	129	276	508	643
All other	172	3	1	1	3	6	9	15	28	49	35	22	140	1	-	1	2	5	4	12	15	35	42	23
Black	171	3	1	1	3	6	9	15	28	48	35	22	139	1	-	1	2	5	4	12	15	34	42	23
Hypertension with or without renal disease (401,403)	99	-	-	-	-	-	1	2	20	24	26	26	95	-	-	-	-	-	1	3	10	26	26	29
White	90	-	-	-	-	-	1	2	16	20	25	26	77	-	-	-	-	-	1	2	8	19	22	25
All other	9	-	-	-	-	-	-	-	4	4	1	-	18	-	-	-	-	-	-	1	2	7	4	4
Black	9	-	-	-	-	-	-	-	4	4	1	-	18	-	-	-	-	-	-	1	2	7	4	4
Cerebrovascular diseases (430-438)	1,792	3	-	-	5	14	29	68	171	450	642	410	2,611	1	1	-	4	9	29	56	148	433	951	979
White	1,650	2	-	-	4	12	21	57	152	412	604	386	2,484	-	1	-	4	6	23	42	140	409	917	942
All other	142	1	-	-	1	2	8	11	19	38	38	24	127	1	-	-	-	3	6	14	8	24	34	37
Black	140	1	-	-	1	2	8	11	19	37	37	24	126	1	-	-	-	3	6	14	8	24	33	37
Intracerebral and other intracranial hemorrhage (431-432)	228	2	-	-	1	4	10	21	39	72	55	24	283	1	-	-	2	2	8	21	33	68	95	53
White	199	1	-	-	-	2	5	17	33	65	53	23	257	-	-	-	2	-	6	14	31	63	90	51
All other	29	1	-	-	1	2	5	4	6	7	2	1	26	1	-	-	-	2	2	7	2	5	5	2
Black	29	1	-	-	1	2	5	4	6	7	2	1	26	1	-	-	-	2	2	7	2	5	5	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	315	-	-	-	-	-	4	9	28	69	122	83	439	-	-	-	-	-	1	4	9	70	164	191
White	288	-	-	-	-	-	3	6	25	63	112	79	418	-	-	-	-	-	1	2	9	65	158	183
All other	27	-	-	-	-	-	1	3	3	6	10	4	21	-	-	-	-	-	-	2	-	5	6	8
Black	27	-	-	-	-	-	1	3	3	6	10	4	21	-	-	-	-	-	-	2	-	5	6	8
Cerebral embolism (434.1)	5	-	-	-	-	-	-	1	-	2	2	-	5	-	-	-	-	-	-	-	-	3	-	2
White	5	-	-	-	-	-	-	1	-	2	2	-	5	-	-	-	-	-	-	-	-	3	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,244	1	-	-	4	10	15	37	104	307	463	303	1,884	-	1	-	2	7	20	31	106	292	692	733
White	1,158	1	-	-	4	10	13	33	94	282	437	284	1,804	-	1	-	2	6	16	26	100	278	669	706
All other	86	-	-	-	-	-	2	4	10	25	26	19	80	-	-	-	-	1	4	5	6	14	23	27
Black	84	-	-	-	-	-	2	4	10	24	25	19	79	-	-	-	-	1	4	5	6	14	22	27
Atherosclerosis (440)	408	-	-	-	-	-	1	4	13	63	156	171	647	-	-	-	-	-	1	3	15	50	186	392
White	399	-	-	-	-	-	1	4	13	60	151	170	623	-	-	-	-	-	1	3	12	48	177	382
All other	9	-	-	-	-	-	-	-	-	3	5	1	24	-	-	-	-	-	-	-	3	2	9	10
Black	9	-	-	-	-	-	-	-	-	3	5	1	23	-	-	-	-	-	-	-	2	2	9	10
Other diseases of arteries, arterioles, and capillaries (441-448)	315	-	-	-	2	4	5	8	51	111	103	31	146	1	-	-	2	-	3	4	22	36	48	30
White	304	-	-	-	2	3	4	7	49	108	101	30	135	1	-	-	-	-	3	3	18	35	45	30
All other	11	-	-	-	-	1	1	1	2	3	2	1	11	-	-	-	2	-	-	1	4	1	3	-
Black	11	-	-	-	-	1	1	1	2	3	2	1	11	-	-	-	2	-	-	1	4	1	3	-
Acute bronchitis and bronchiolitis (466)	7	1	1	-	-	-	-	-	-	1	2	2	8	1	-	-	-	-	-	-	-	3	1	3
White	7	1	1	-	-	-	-	-	-	1	2	2	8	1	-	-	-	-	-	-	-	3	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	567	8	3	1	5	4	10	15	66	105	188	162	579	11	4	1	2	7	3	11	29	81	173	257
White	519	6	3	1	3	1	7	12	56	96	178	156	552	6	4	1	1	7	2	9	21	77	170	254
All other	48	2	-	-	2	3	3	3	10	9	10	6	27	5	-	-	1	-	1	2	8	4	3	3
Black	48	2	-	-	2	3	3	3	10	9	10	6	27	5	-	-	1	-	1	2	8	4	3	3
Pneumonia (480-486)	528	8	3	1	3	4	10	14	63	95	180	147	508	11	4	1	2	5	3	11	26	75	153	217
White	481	6	3	1	1	1	7	11	54	86	170	141	483	6	4	1	1	5	2	9	18	71	152	214
All other	47	2	-	-	2	3	3	3	9	9	10	6	25	5	-	-	1	-	1	2	8	4	1	3
Black	47	2	-	-	2	3	3	3	9	9	10	6	25	5	-	-	1	-	1	2	8	4	1	3
Influenza (487)	39	-	-	-	2	-	-	1	3	10	8	15	71	-	-	-	-	2	-	-	3	6	20	40
White	38	-	-	-	2	-	-	1	2	10	8	15	69	-	-	-	-	2	-	-	3	6	18	40
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,060	2	-	2	1	3	8	31	158	361	380	114	464	1	1	2	-	4	3	28	95	161	116	53
White	1,013	-	-	2	1	2	7	29	146	344	373	109	447	-	1	1	-	4	2	27	89	160	110	53
All other	47	2	-	-	-	1	1	2	12	17	7	5	17	1	-	1	-	-	1	1	6	1	6	-
Black	47	2	-	-	-	1	1	2	12	17	7	5	16	1	-	1	-	-	1	1	5	1	6	-
Bronchitis, chronic and unspecified (490-491)	39	2	-	-	-	-	-	1	10	11	10	5	24	-	1	-	-	-	-	1	7	9	3	3
White	32	-	-	-	-	-	-	1	8	8	10	5	23	-	1	-	-	-	-	1	6	9	3	3
All other	7	2	-	-	-	-	-	-	2	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	7	2	-	-	-	-	-	-	2	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Emphysema (492)	258	-	-	-	-	-	1	12	34	104	88	19	94	-	-	-	-	-	-	8	20	30	27	9
White	248	-	-	-	-	-	1	12	33	99	85	18	92	-	-	-	-	-	-	8	19	29	27	9
All other	10	-	-	-	-	-	-	-	1	5	3	1	2	-	-	-	-	-	-	-	1	1	-	-
Black	10	-	-	-	-	-	-	-	1	5	3	1	2	-	-	-	-	-	-	-	1	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Asthma (493)	36	-	-	2	1	1	2	1	9	10	8	2	34	1	-	2	-	2	1	5	8	5	4	6
White	30	-	-	2	1	-	1	1	7	8	8	2	30	-	-	1	-	2	1	4	7	5	4	6
All other	6	-	-	-	-	1	1	-	2	2	-	-	4	1	-	1	-	-	-	1	1	-	-	-
Black	6	-	-	-	-	1	1	-	2	2	-	-	4	1	-	1	-	-	-	1	1	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	727	-	-	-	-	2	5	17	105	236	274	88	312	-	-	-	-	2	2	14	60	117	82	35
White	703	-	-	-	-	2	5	15	98	229	270	84	302	-	-	-	-	2	1	14	57	117	76	35
All other	24	-	-	-	-	-	-	2	7	7	4	4	10	-	-	-	-	-	1	-	3	-	6	-
Black	24	-	-	-	-	-	-	2	7	7	4	4	9	-	-	-	-	-	1	-	2	-	6	-
Ulcer of stomach and duodenum (531-533)	93	-	-	-	-	1	5	6	10	19	37	15	73	-	-	-	-	1	-	1	10	12	23	26
White	86	-	-	-	-	1	4	5	10	18	33	15	66	-	-	-	-	-	-	1	8	12	20	25
All other	7	-	-	-	-	-	1	1	-	1	4	-	7	-	-	-	-	1	-	-	2	-	3	1
Black	7	-	-	-	-	-	1	1	-	1	4	-	7	-	-	-	-	1	-	-	2	-	3	1
Appendicitis (540-543)	9	-	1	1	-	-	-	1	1	4	-	1	10	-	-	-	-	1	2	-	3	4	-	-
White	9	-	1	1	-	-	-	1	1	4	-	1	10	-	-	-	-	1	2	-	3	4	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	48	1	-	2	-	1	1	3	3	13	17	7	81	-	-	1	-	-	1	3	7	7	32	30
White	46	1	-	2	-	1	1	2	3	12	17	7	78	-	-	1	-	-	1	2	7	6	32	29
All other	2	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	1	-	1	-	1
Black	2	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	1	-	1	-	1
Chronic liver disease and cirrhosis (571)	315	-	-	-	1	5	24	59	113	75	34	4	220	-	-	-	1	2	16	41	68	53	34	5
White	290	-	-	-	1	5	19	51	106	70	34	4	203	-	-	-	1	-	13	36	63	51	34	5
All other	25	-	-	-	-	-	5	8	7	5	-	-	17	-	-	-	-	2	3	5	5	2	-	-
Black	24	-	-	-	-	-	5	7	7	5	-	-	17	-	-	-	-	2	3	5	5	2	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	25	-	-	-	-	-	-	1	2	6	9	7	32	-	-	-	-	-	-	1	-	8	11	12
White	24	-	-	-	-	-	-	1	2	6	8	7	31	-	-	-	-	-	-	1	-	8	10	12
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	219	1	-	1	-	2	6	12	20	57	69	51	200	-	-	1	1	1	4	12	19	40	64	58
White	198	1	-	1	-	2	6	8	18	48	66	48	174	-	-	-	1	1	3	9	15	34	57	54
All other	21	-	-	-	-	-	-	4	2	9	3	3	26	-	-	1	-	-	1	3	4	6	7	4
Black	21	-	-	-	-	-	-	4	2	9	3	3	26	-	-	1	-	-	1	3	4	6	7	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	-	-	-	-	-	-	-	-	2	3	1	2	-	-	1	-	-	-	-	-	-	-	1
White	6	-	-	-	-	-	-	-	-	2	3	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	25	-	-	1	-	1	1	1	1	5	9	6	24	-	-	-	-	-	-	3	2	2	10	7
White	25	-	-	1	-	1	1	1	1	5	9	6	21	-	-	-	-	-	-	2	2	2	9	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	188	1	-	-	-	1	5	11	19	50	57	44	174	-	-	-	1	1	4	9	17	38	54	50
White	167	1	-	-	-	1	5	7	17	41	54	41	152	-	-	-	1	1	3	7	13	32	48	47
All other	21	-	-	-	-	-	-	4	2	9	3	3	22	-	-	-	-	-	1	2	4	6	6	3
Black	21	-	-	-	-	-	-	4	2	9	3	3	22	-	-	-	-	-	1	2	4	6	6	3
Infections of kidney (590)	18	-	-	-	1	-	-	-	-	3	9	5	30	-	-	-	-	2	-	2	1	5	10	10
White	18	-	-	-	1	-	-	-	-	3	9	5	27	-	-	-	-	1	-	-	1	5	10	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	2	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	2	-	-	-	-
Hyperplasia of prostate (600)	9	-	-	-	-	-	-	-	-	1	3	5	...	...	...	...	...	...	...	...	...	...	...	...
White	9	-	-	-	-	-	-	-	-	1	3	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	4	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	4	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Congenital anomalies (740-759)	166	114	14	7	5	6	4	4	4	7	1	-	156	98	8	8	12	7	4	-	7	4	7	1
White	149	102	12	7	5	5	4	3	4	6	1	-	140	85	7	7	12	6	4	-	7	4	7	1
All other	17	12	2	-	-	1	-	1	-	1	-	-	16	13	1	1	-	1	-	-	-	-	-	-
Black	16	11	2	-	-	1	-	1	-	1	-	-	15	13	-	1	-	1	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	269	269	-	-	-	-	-	-	-	-	-	-	213	212	1	-	-	-	-	-	-	-	-	-
White	220	220	-	-	-	-	-	-	-	-	-	-	173	172	1	-	-	-	-	-	-	-	-	-
All other	49	49	-	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
Black	49	49	-	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	84	84	-	-	-	-	-	-	-	-	-	-	53	53	-	-	-	-	-	-	-	-	-	-
White	69	69	-	-	-	-	-	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
All other	15	15	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Black	15	15	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	185	185	-	-	-	-	-	-	-	-	-	-	160	159	1	-	-	-	-	-	-	-	-	-
White	151	151	-	-	-	-	-	-	-	-	-	-	135	134	1	-	-	-	-	-	-	-	-	-
All other	34	34	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
Black	34	34	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	301	95	3	1	17	14	9	15	32	42	39	34	211	53	2	-	4	4	6	12	17	19	31	63
White	257	75	-	1	14	11	7	12	28	40	36	33	187	41	1	-	3	2	5	10	13	19	30	63
All other	44	20	3	-	3	3	2	3	4	2	3	1	24	12	1	-	1	2	1	2	4	-	1	-
Black	43	19	3	-	3	3	2	3	4	2	3	1	24	12	1	-	1	2	1	2	4	-	1	-
All other diseases (Residual)	1,275	17	16	18	35	34	59	79	183	319	335	180	1,369	26	13	13	20	21	44	90	179	235	396	332
White	1,170	15	13	14	32	27	52	67	173	301	311	165	1,274	19	11	11	17	18	38	77	159	221	384	319
All other	105	2	3	4	3	7	7	12	10	18	24	15	95	7	2	2	3	3	6	13	20	14	12	13
Black	105	2	3	4	3	7	7	12	10	18	24	15	95	7	2	2	3	3	6	13	20	14	12	13
Accidents and adverse effects (E800-E949)	1,583	7	57	70	439	294	159	151	132	108	99	67	753	13	38	42	130	88	46	52	67	68	107	102
White	1,472	6	44	64	419	282	149	135	119	96	94	64	707	10	34	40	119	81	42	47	63	66	106	99
All other	111	1	13	6	20	12	10	16	13	12	5	3	46	3	4	2	11	7	4	5	4	2	1	3
Black	110	1	13	6	20	12	10	16	12	12	5	3	41	3	4	2	11	5	4	4	4	2	-	2
Motor vehicle accidents (E810-E825)	900	2	14	42	344	199	107	74	52	30	26	10	338	3	18	19	103	69	23	21	30	26	20	6
White	857	2	11	39	332	195	100	70	48	27	24	9	324	3	16	19	97	65	22	21	29	26	20	6
All other	43	-	3	3	12	4	7	4	4	3	2	1	14	-	2	-	6	4	1	-	1	-	-	-
Black	43	-	3	3	12	4	7	4	4	3	2	1	12	-	2	-	6	2	1	-	1	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	683	5	43	28	95	95	52	77	80	78	73	57	415	10	20	23	27	19	23	31	37	42	87	96
White	615	4	33	25	87	87	49	65	71	69	70	55	383	7	18	21	22	16	20	26	34	40	86	93
All other	68	1	10	3	8	8	3	12	9	9	3	2	32	3	2	2	5	3	3	5	3	2	1	3
Black	67	1	10	3	8	8	3	12	8	9	3	2	29	3	2	2	5	3	3	4	3	2	-	2
Suicide (E950-E959)	467	...	...	4	101	105	63	52	60	40	35	7	137	...	...	-	17	22	23	33	24	8	7	3
White	446	...	...	4	94	97	62	50	58	40	34	7	134	...	...	-	16	21	22	33	24	8	7	3
All other	21	...	...	-	7	8	1	2	2	-	1	-	3	...	...	-	1	1	1	-	-	-	-	-
Black	20	...	...	-	6	8	1	2	2	-	1	-	2	...	...	-	-	1	1	-	-	-	-	-
Homicide and legal intervention (E960-E978)	280	4	3	3	72	95	39	35	11	11	2	3	90	1	7	5	22	28	6	9	3	4	3	2
White	140	3	1	2	34	41	19	25	6	5	1	3	61	1	4	4	16	17	3	7	1	3	3	2
All other	140	1	2	1	38	54	20	10	5	6	1	-	29	-	3	1	6	11	3	2	2	1	-	-
Black	140	1	2	1	38	54	20	10	5	6	1	-	29	-	3	1	6	11	3	2	2	1	-	-
All other external causes (E980-E999)	65	-	1	-	15	17	9	10	6	5	2	-	22	1	1	-	6	4	4	2	2	1	-	-
White	54	-	1	-	11	14	7	9	5	5	2	-	19	1	1	-	6	3	4	1	1	1	-	-
All other	11	-	-	-	4	3	2	1	1	-	-	-	3	-	-	-	-	1	-	1	1	-	-	-
Black	11	-	-	-	4	3	2	1	1	-	-	-	3	-	-	-	-	1	-	1	1	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA																								
All causes	14,077	247	56	84	345	301	308	796	2,036	3,423	3,955	2,526	12,872	212	45	48	134	125	195	402	1,122	2,241	3,843	4,507
White	13,874	234	54	83	328	288	295	777	2,002	3,382	3,919	2,512	12,714	200	41	48	129	121	186	391	1,105	2,209	3,806	4,480
All other	203	13	2	1	17	13	13	19	34	41	36	14	158	12	4	-	5	4	9	11	17	32	37	27
Black	169	11	2	-	11	10	10	14	32	38	30	11	137	10	4	-	2	2	7	9	11	31	34	27
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
White	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	1	-	-	-	-	-	-	-	3	-	-	3	-	-	-	1	-	-	1	-	-	1	-
White	4	1	-	-	-	-	-	-	-	3	-	-	3	-	-	-	1	-	-	1	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	65	3	-	-	-	-	2	3	4	20	23	10	69	2	1	-	-	1	1	3	5	16	22	18
White	64	3	-	-	-	-	1	3	4	20	23	10	67	2	1	-	-	1	1	3	4	16	21	18
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
White	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	38	1	1	3	-	-	1	3	9	10	9	1	34	3	-	3	-	-	1	2	4	7	11	3
White	35	1	1	2	-	-	-	3	8	10	9	1	32	2	-	3	-	-	1	1	4	7	11	3
All other	3	-	-	1	-	-	1	-	1	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,036	1	4	14	15	28	56	195	666	946	789	322	2,656	-	4	7	11	27	85	190	489	715	688	440
White	2,997	-	4	14	15	27	56	193	657	930	780	321	2,623	-	3	7	10	27	82	187	480	707	685	435
All other	39	1	-	-	-	1	-	2	9	16	9	1	33	-	1	-	1	-	3	3	9	8	3	5
Black	38	1	-	-	-	1	-	2	9	16	8	1	30	-	1	-	-	-	3	3	7	8	3	5

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	49	-	-	-	-	-	1	2	15	12	12	7	28	-	-	-	-	1	-	1	4	8	10	4
White	48	-	-	-	-	-	1	2	15	12	11	7	28	-	-	-	-	1	-	1	4	8	10	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	800	-	-	1	2	7	9	56	183	248	211	83	831	-	-	-	3	6	13	38	119	208	267	177
White	795	-	-	1	2	7	9	56	183	246	208	83	819	-	-	-	3	6	11	36	117	204	267	175
All other	5	-	-	-	-	-	-	-	-	2	3	-	12	-	-	-	-	-	2	2	2	4	-	2
Black	5	-	-	-	-	-	-	-	-	2	3	-	12	-	-	-	-	-	2	2	2	4	-	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,042	-	-	-	1	1	19	78	277	379	236	51	305	-	-	-	1	1	12	34	88	91	59	19
White	1,027	-	-	-	1	1	19	77	272	371	235	51	302	-	-	-	1	1	11	34	88	89	59	19
All other	15	-	-	-	-	-	-	1	5	8	1	-	3	-	-	-	-	-	1	-	-	2	-	-
Black	15	-	-	-	-	-	-	1	5	8	1	-	3	-	-	-	-	-	1	-	-	2	-	-
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	1	1	2	1	491	-	-	-	-	5	26	49	97	139	100	75
White	5	-	-	-	-	-	-	-	1	1	2	1	489	-	-	-	-	5	26	49	95	139	100	75
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	372	-	-	-	2	-	-	2	35	106	135	92	326	-	-	1	-	4	14	30	75	97	75	30
White	366	-	-	-	2	-	-	2	33	103	134	92	318	-	-	1	-	4	14	30	72	95	74	28
All other	6	-	-	-	-	-	-	-	2	3	1	-	8	-	-	-	-	-	-	-	3	2	1	2
Black	6	-	-	-	-	-	-	-	2	3	1	-	8	-	-	-	-	-	-	-	3	2	1	2
Malignant neoplasms of urinary organs (188-189)	171	-	-	-	-	1	1	7	24	51	54	33	106	-	-	2	1	1	1	8	11	29	30	23
White	168	-	-	-	-	-	1	7	24	50	54	32	106	-	-	2	1	1	1	8	11	29	30	23
All other	3	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	289	1	2	8	2	10	15	21	79	75	49	27	291	-	4	2	3	6	12	18	52	79	60	55
White	283	-	2	8	2	10	15	21	77	74	47	27	287	-	3	2	3	6	12	17	51	79	59	55
All other	6	1	-	-	-	-	-	-	2	1	2	-	4	-	1	-	-	-	-	1	1	-	1	-
Black	6	1	-	-	-	-	-	-	2	1	2	-	4	-	1	-	-	-	-	1	1	-	1	-
Leukemia (204-208)	122	-	2	4	5	4	2	10	15	24	39	17	105	-	-	2	2	3	2	6	17	21	27	25
White	120	-	2	4	5	4	2	10	15	23	38	17	104	-	-	2	1	3	2	6	17	21	27	25
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	186	-	-	1	3	5	9	19	37	50	51	11	173	-	-	-	1	-	5	6	26	43	60	32
White	185	-	-	1	3	5	9	18	37	50	51	11	170	-	-	-	1	-	5	6	25	43	59	31
All other	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	33	-	-	1	2	-	1	3	5	9	8	4	22	-	-	-	-	1	1	-	2	4	11	3
White	33	-	-	1	2	-	1	3	5	9	8	4	22	-	-	-	-	1	1	-	2	4	11	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	199	-	-	-	-	4	6	19	26	46	63	35	271	-	-	-	1	1	7	7	31	55	95	74
White	198	-	-	-	-	4	5	19	26	46	63	35	261	-	-	-	1	1	7	7	27	53	91	74
All other	1	-	-	-	-	-	1	-	-	-	-	-	10	-	-	-	-	-	-	-	4	2	4	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	7	-	-	-	-	-	-	-	1	2	4	-
Nutritional deficiencies (260-269)	11	-	-	-	-	-	-	1	-	2	2	6	24	-	-	-	-	-	1	-	-	2	4	17
White	11	-	-	-	-	-	-	1	-	2	2	6	24	-	-	-	-	-	1	-	-	2	4	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	29	-	1	-	-	-	-	1	2	2	12	11	28	-	-	-	-	-	1	-	-	5	7	15
White	29	-	1	-	-	-	-	1	2	2	12	11	27	-	-	-	-	-	-	-	-	5	7	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	2	-	-	-	-	-	-	-	-	-	-	9	-	1	-	-	-	1	-	1	3	3	-
White	2	2	-	-	-	-	-	-	-	-	-	-	9	-	1	-	-	-	1	-	1	3	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	7,086	7	-	3	9	19	94	341	956	1,760	2,259	1,638	7,151	8	1	5	7	19	35	107	378	1,051	2,371	3,169
White	7,011	7	-	3	8	19	90	332	940	1,742	2,242	1,628	7,083	8	1	5	6	19	33	102	376	1,035	2,349	3,149
All other	75	-	-	-	1	-	4	9	16	18	17	10	68	-	-	-	1	-	2	5	2	16	22	20
Black	62	-	-	-	1	-	4	7	14	16	13	7	63	-	-	-	-	-	2	4	2	15	20	20

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Diseases of heart (390-398,402,404-429)	5,512	7	-	2	7	16	85	316	833	1,447	1,676	1,123	5,073	7	1	4	6	15	22	81	308	828	1,699	2,102
White	5,452	7	-	2	6	16	81	309	821	1,429	1,664	1,117	5,019	7	1	4	5	15	20	76	306	814	1,682	2,089
All other	60	-	-	-	1	-	4	7	12	18	12	6	54	-	-	-	1	-	2	5	2	14	17	13
Black	51	-	-	-	1	-	4	6	10	16	9	5	49	-	-	-	-	-	2	4	2	13	16	13
Rheumatic fever and rheumatic heart disease (390-398)	37	1	-	-	1	-	3	4	9	9	6	4	62	-	-	1	-	1	-	4	12	22	17	5
White	34	1	-	-	-	-	3	4	9	8	5	4	62	-	-	1	-	1	-	4	12	22	17	5
All other	3	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	64	-	-	-	-	-	2	3	7	16	23	13	137	-	-	-	-	-	-	3	10	24	45	55
White	63	-	-	-	-	-	1	3	7	16	23	13	136	-	-	-	-	-	-	3	10	24	44	55
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertensive heart and renal disease (404)	35	-	-	-	-	-	-	-	1	7	11	16	41	-	-	-	-	-	-	-	3	4	17	17
White	34	-	-	-	-	-	-	-	1	7	11	15	41	-	-	-	-	-	-	-	3	4	17	17
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	4,494	-	-	-	-	12	68	276	724	1,213	1,380	821	3,716	-	-	-	1	6	18	58	220	638	1,293	1,482
White	4,445	-	-	-	-	12	65	270	713	1,197	1,371	817	3,677	-	-	-	1	6	16	53	218	628	1,282	1,473
All other	49	-	-	-	-	-	3	6	11	16	9	4	39	-	-	-	-	-	2	5	2	10	11	9
Black	42	-	-	-	-	-	3	5	9	14	7	4	36	-	-	-	-	-	2	4	2	9	10	9
Acute myocardial infarction (410)	2,847	-	-	-	-	11	54	226	544	836	827	349	1,901	-	-	-	1	5	11	47	165	423	747	502
White	2,819	-	-	-	-	11	51	222	538	827	822	348	1,876	-	-	-	1	5	9	43	163	415	740	500
All other	28	-	-	-	-	-	3	4	6	9	5	1	25	-	-	-	-	-	2	4	2	8	7	2
Black	23	-	-	-	-	-	3	3	5	7	4	1	23	-	-	-	-	-	2	3	2	7	7	2
Other acute and subacute forms of ischemic heart disease (411)	25	-	-	-	-	-	1	-	3	6	8	7	13	-	-	-	-	-	1	-	-	1	4	7
White	25	-	-	-	-	-	1	-	3	6	8	7	13	-	-	-	-	-	1	-	-	1	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	5	-	-	-	-	-	1	-	1	2	1	-	2	-	-	-	-	-	-	-	-	-	1	1
White	5	-	-	-	-	-	1	-	1	2	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,617	-	-	-	-	1	12	50	176	369	544	465	1,800	-	-	-	-	1	6	11	55	214	541	972
White	1,596	-	-	-	-	1	12	48	171	362	540	462	1,786	-	-	-	-	1	6	10	55	212	537	965
All other	21	-	-	-	-	-	-	2	5	7	4	3	14	-	-	-	-	-	-	1	-	2	4	7
Black	19	-	-	-	-	-	-	2	4	7	3	3	13	-	-	-	-	-	-	1	-	2	3	7
Other diseases of endocardium (424)	61	-	-	1	-	-	-	3	8	23	16	10	38	-	-	-	-	-	-	1	4	10	14	9
White	60	-	-	1	-	-	-	3	7	23	16	10	38	-	-	-	-	-	-	1	4	10	14	9
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	821	6	-	1	6	4	12	30	84	179	240	259	1,079	7	1	3	5	8	4	15	59	130	313	534
White	816	6	-	1	6	4	12	29	84	178	238	258	1,065	7	1	3	4	8	4	15	59	126	308	530
All other	5	-	-	-	-	-	-	1	-	1	2	1	14	-	-	-	1	-	-	-	-	4	5	4
Black	5	-	-	-	-	-	-	1	-	1	2	1	12	-	-	-	-	-	-	-	-	4	4	4
Hypertension with or without renal disease (401,403)	59	-	-	-	-	-	-	1	2	11	27	18	60	-	-	-	-	-	-	2	3	11	18	26
White	58	-	-	-	-	-	-	1	2	11	26	18	57	-	-	-	-	-	-	2	3	11	17	24
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	1	2
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	1	2
Cerebrovascular diseases (430-438)	1,043	-	-	1	2	2	8	18	76	194	398	344	1,583	1	-	1	1	1	11	21	52	174	538	783
White	1,033	-	-	1	2	2	8	16	73	194	395	342	1,576	1	-	1	1	1	11	21	52	173	536	779
All other	10	-	-	-	-	-	-	2	3	-	3	2	7	-	-	-	-	-	-	-	-	1	2	4
Black	8	-	-	-	-	-	-	1	3	-	3	1	7	-	-	-	-	-	-	-	-	1	2	4
Intracerebral and other intracranial hemorrhage (431-432)	90	-	-	-	1	1	1	5	17	22	28	15	133	1	-	1	1	-	3	4	15	26	51	31
White	86	-	-	-	1	1	1	4	16	22	28	13	132	1	-	1	1	-	3	4	15	26	50	31
All other	4	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	180	-	-	-	1	1	1	5	10	37	71	54	260	-	-	-	-	-	-	-	6	22	86	148
White	179	-	-	-	1	1	1	5	10	37	70	54	260	-	-	-	-	-	-	-	6	22	86	148
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	1	-	1	1	6	-	-	-	-	-	-	-	-	2	2	2
White	2	-	-	-	-	-	-	-	1	-	-	1	6	-	-	-	-	-	-	-	-	2	2	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	770	-	-	1	-	-	6	8	48	135	298	274	1,184	-	-	-	-	1	8	17	31	124	399	604
White	766	-	-	1	-	-	6	7	46	135	297	274	1,178	-	-	-	-	1	8	17	31	123	398	600
All other	4	-	-	-	-	-	-	1	2	-	1	-	6	-	-	-	-	-	-	-	-	1	1	4
Black	3	-	-	-	-	-	-	-	2	-	1	-	6	-	-	-	-	-	-	-	-	1	1	4
Atherosclerosis (440)	241	-	-	-	-	-	-	-	11	39	77	114	318	-	-	-	-	-	1	-	5	17	75	220
White	238	-	-	-	-	-	-	-	11	39	76	112	316	-	-	-	-	-	1	-	5	16	75	219
All other	3	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	231	-	-	-	-	1	1	6	34	69	81	39	117	-	-	-	-	3	1	3	10	21	41	38
White	230	-	-	-	-	1	1	6	33	69	81	39	115	-	-	-	-	3	1	3	10	21	39	38
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	1	-	3
White	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	1	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	451	1	-	2	3	1	7	7	27	62	174	167	557	3	-	1	1	1	-	3	20	48	171	309
White	445	1	-	2	2	1	6	7	25	62	174	165	557	3	-	1	1	1	-	3	20	48	171	309
All other	6	-	-	-	1	-	1	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	5	-	-	-	1	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	419	1	-	2	2	1	7	7	27	59	162	151	486	3	-	1	1	1	-	3	18	43	149	267
White	414	1	-	2	2	1	6	7	25	59	162	149	486	3	-	1	1	1	-	3	18	43	149	267
All other	5	-	-	-	-	-	1	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	32	-	-	-	1	-	-	-	-	3	12	16	71	-	-	-	-	-	-	-	2	5	22	42
White	31	-	-	-	-	-	-	-	-	3	12	16	71	-	-	-	-	-	-	-	2	5	22	42
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	604	1	2	2	2	-	2	19	70	209	222	75	227	-	-	-	2	-	1	6	41	73	75	29
White	599	1	2	2	2	-	2	19	70	206	220	75	225	-	-	-	2	-	1	6	41	72	74	29
All other	5	-	-	-	-	-	-	-	-	3	2	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	5	-	-	-	-	-	-	-	-	3	2	-	2	-	-	-	-	-	-	-	-	1	1	-
Bronchitis, chronic and unspecified (490-491)	25	1	2	1	-	-	-	1	3	7	6	4	18	-	-	-	-	-	-	-	2	3	8	5
White	24	1	2	1	-	-	-	1	3	6	6	4	18	-	-	-	-	-	-	-	2	3	8	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	147	-	-	-	-	-	1	8	18	47	58	15	37	-	-	-	-	-	-	3	4	14	12	4
White	146	-	-	-	-	-	1	8	18	47	57	15	37	-	-	-	-	-	-	3	4	14	12	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	22	-	-	1	2	-	-	-	4	5	10	-	21	-	-	-	2	-	1	-	7	8	2	1
White	21	-	-	1	2	-	-	-	4	5	9	-	21	-	-	-	2	-	1	-	7	8	2	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	410	-	-	-	-	-	1	10	45	150	148	56	151	-	-	-	-	-	-	3	28	48	53	19
White	408	-	-	-	-	-	1	10	45	148	148	56	149	-	-	-	-	-	-	3	28	47	52	19
All other	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Ulcer of stomach and duodenum (531-533)	61	-	-	-	1	1	1	4	8	12	23	11	52	-	-	-	-	-	-	-	-	15	13	24
White	60	-	-	-	1	1	1	4	8	12	22	11	52	-	-	-	-	-	-	-	-	15	13	24
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	2	-	-	-	-	-	-	1	-	-	1	-	8	-	-	1	-	-	-	-	1	2	2	2
White	2	-	-	-	-	-	-	1	-	-	1	-	8	-	-	1	-	-	-	-	1	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	26	2	-	-	-	-	-	-	1	5	10	8	49	-	-	-	-	-	-	1	1	5	17	25
White	26	2	-	-	-	-	-	-	1	5	10	8	48	-	-	-	-	-	-	1	1	5	17	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Chronic liver disease and cirrhosis (571)	133	-	-	-	-	1	7	25	45	42	9	4	91	-	-	-	-	1	8	9	22	32	15	4
White	130	-	-	-	-	1	6	24	44	42	9	4	87	-	-	-	-	1	7	9	21	30	15	4
All other	3	-	-	-	-	-	1	1	1	-	-	-	4	-	-	-	-	-	1	-	1	2	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	23	-	-	-	-	-	-	1	2	7	7	6	25	-	-	-	-	-	-	1	1	4	10	9
White	22	-	-	-	-	-	-	-	2	7	7	6	25	-	-	-	-	-	-	1	1	4	10	9
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	70	1	-	-	-	-	1	5	8	10	28	17	64	-	-	-	-	1	1	1	5	9	19	28
White	70	1	-	-	-	-	1	5	8	10	28	17	64	-	-	-	-	1	1	1	5	9	19	28
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	20	-	-	-	-	-	-	3	2	4	9	2	10	-	-	-	-	-	-	-	-	3	3	4
White	20	-	-	-	-	-	-	3	2	4	9	2	10	-	-	-	-	-	-	-	-	3	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	48	1	-	-	-	-	1	2	6	6	18	14	53	-	-	-	-	1	1	1	5	6	16	23
White	48	1	-	-	-	-	1	2	6	6	18	14	53	-	-	-	-	1	1	1	5	6	16	23
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	16	-	-	-	-	-	1	1	-	-	9	5	24	-	-	-	-	1	-	1	-	2	9	11
White	16	-	-	-	-	-	1	1	-	-	9	5	24	-	-	-	-	1	-	1	-	2	9	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	19	-	-	-	-	-	-	-	-	1	10	8	...	...	...	...	...	...	...	...	...	...	...	...
White	19	-	-	-	-	-	-	-	-	1	10	8	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	108	73	5	4	3	2	5	5	3	5	3	-	96	59	7	2	6	4	2	1	4	6	2	3
White	103	68	5	4	3	2	5	5	3	5	3	-	93	56	7	2	6	4	2	1	4	6	2	3
All other	5	5	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	106	104	2	-	-	-	-	-	-	-	-	-	97	97	-	-	-	-	-	-	-	-	-	-
White	104	102	2	-	-	-	-	-	-	-	-	-	92	92	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	41	41	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
White	41	41	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
IOWA—Con.																								
Other conditions originating in the perinatal period (760-768,770-779)	65	63	2	-	-	-	-	-	-	-	-	-	65	65	-	-	-	-	-	-	-	-	-	-
White	63	61	2	-	-	-	-	-	-	-	-	-	60	60	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	58	35	2	-	2	-	-	1	3	4	5	6	51	25	1	1	1	-	-	3	2	1	8	9
White	53	31	2	-	2	-	-	1	2	4	5	6	47	22	1	1	-	-	-	3	2	1	8	9
All other	5	4	-	-	-	-	-	-	1	-	-	-	4	3	-	-	1	-	-	-	-	-	-	-
Black	4	3	-	-	-	-	-	-	1	-	-	-	4	3	-	-	1	-	-	-	-	-	-	-
All other diseases (Residual)	711	9	5	8	11	16	24	50	94	158	210	126	739	8	7	6	10	13	17	31	75	139	206	227
White	694	8	5	8	10	15	24	49	92	154	203	126	728	8	7	6	10	12	15	30	75	137	202	226
All other	17	1	-	-	1	1	-	1	2	4	7	-	11	-	-	-	-	1	2	1	-	2	4	1
Black	14	1	-	-	1	1	-	-	2	3	6	-	10	-	-	-	-	-	2	1	-	2	4	1
Accidents and adverse effects (E800-E949)	862	6	32	45	233	157	61	77	64	72	63	52	423	6	21	16	79	32	25	18	30	38	74	84
White	845	6	30	45	225	153	60	75	64	72	63	52	415	6	19	16	78	29	25	18	30	37	73	84
All other	17	-	2	-	8	4	1	2	-	-	-	-	8	-	2	-	1	3	-	-	-	1	1	-
Black	9	-	2	-	3	2	-	2	-	-	-	-	5	-	2	-	-	2	-	-	-	1	-	-
Motor vehicle accidents (E810-E825)	462	-	4	19	184	114	36	36	28	25	11	5	194	2	12	12	72	23	17	8	16	13	17	2
White	451	-	4	19	177	111	35	36	28	25	11	5	192	2	12	12	71	23	17	8	16	13	16	2
All other	11	-	-	-	7	3	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-
Black	5	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	400	6	28	26	49	43	25	41	36	47	52	47	229	4	9	4	7	9	8	10	14	25	57	82
White	394	6	26	26	48	42	25	39	36	47	52	47	223	4	7	4	7	6	8	10	14	24	57	82
All other	6	-	2	-	1	1	-	2	-	-	-	-	6	-	2	-	-	3	-	-	-	1	-	-
Black	4	-	2	-	-	-	-	2	-	-	-	-	5	-	2	-	-	2	-	-	-	1	-	-
Suicide (E950-E959)	244	...	...	1	48	50	30	27	36	31	12	9	60	...	...	-	5	16	7	14	9	6	3	-
White	235	...	...	1	45	48	29	26	35	31	12	8	59	...	...	-	5	16	7	13	9	6	3	-
All other	9	...	...	-	3	2	1	1	1	-	-	1	1	...	...	-	-	-	-	1	-	-	-	-
Black	7	...	...	-	3	1	-	1	1	-	-	1	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	56	-	2	1	11	18	8	7	5	2	-	2	24	1	-	2	9	6	-	3	1	1	1	-
White	44	-	2	1	9	13	6	5	4	2	-	2	23	1	-	2	8	6	-	3	1	1	1	-
All other	12	-	-	-	2	5	2	2	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	12	-	-	-	2	5	2	2	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other external causes (E980-E999)	18	-	-	-	5	4	-	-	1	5	2	1	8	-	2	2	-	1	1	-	-	1	-	1
White	17	-	-	-	4	4	-	-	1	5	2	1	7	-	1	2	-	1	1	-	-	1	-	1
All other	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
KANSAS																								
All causes	11,435	270	47	56	380	341	301	669	1,674	2,735	3,070	1,891	10,266	200	51	41	102	134	181	401	980	1,779	3,035	3,361
White	10,850	223	41	51	349	294	268	622	1,592	2,634	2,957	1,818	9,748	167	43	34	93	112	160	371	924	1,673	2,910	3,260
All other	585	47	6	5	31	47	33	47	82	101	113	73	518	33	8	7	9	22	21	30	56	106	125	101
Black	534	39	3	4	28	41	30	46	75	94	107	67	479	31	7	5	8	21	18	27	54	99	111	98
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	1	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	1	-	-
White	2	1	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	8	-	-	-	-	-	-	-	1	2	1	4	5	-	-	-	-	-	-	1	-	1	1	2
White	7	-	-	-	-	-	-	-	1	1	1	4	4	-	-	-	-	-	-	-	-	1	1	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis of respiratory system (010-012)	8	-	-	-	-	-	-	-	1	2	1	4	3	-	-	-	-	-	-	-	-	1	-	2
White	7	-	-	-	-	-	-	-	1	1	1	4	3	-	-	-	-	-	-	-	-	1	-	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	49	4	1	-	-	-	2	2	8	11	10	11	55	1	2	-	1	1	3	1	3	10	15	18
White	44	3	1	-	-	-	2	2	7	10	10	9	49	1	2	-	1	1	3	1	2	6	14	18
All other	5	1	-	-	-	-	-	-	1	1	-	2	6	-	-	-	-	-	-	-	1	4	1	-
Black	5	1	-	-	-	-	-	-	1	1	-	2	6	-	-	-	-	-	-	-	1	4	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	1	1	-	-	-
White	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	1	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	23	5	-	1	2	1	-	1	1	8	3	1	26	1	-	1	-	-	2	1	6	10	4	1
White	21	4	-	1	2	1	-	1	1	7	3	1	24	1	-	1	-	-	1	1	5	10	4	1
All other	2	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	2	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,317	-	4	11	18	22	34	185	484	752	571	235	1,969	1	2	13	5	22	69	171	415	500	526	244
White	2,205	-	3	10	18	21	31	176	459	716	542	228	1,876	1	2	12	4	19	62	161	396	476	505	237
All other	112	-	1	1	-	1	3	9	25	36	29	7	93	-	-	1	1	3	7	10	19	24	21	7
Black	103	-	1	1	-	1	2	9	25	32	26	6	87	-	-	-	-	3	6	10	19	23	19	7
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	70	-	-	-	-	-	-	15	17	29	6	3	20	-	-	-	-	-	-	1	12	3	2	2
White	67	-	-	-	-	-	-	14	17	28	5	3	19	-	-	-	-	-	-	1	12	2	2	2
All other	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	560	-	-	-	-	5	11	31	115	174	164	60	554	-	-	1	-	3	14	27	79	140	181	109
White	527	-	-	-	-	5	8	28	109	164	157	56	524	-	-	1	-	2	14	24	75	134	170	104
All other	33	-	-	-	-	-	3	3	6	10	7	4	30	-	-	-	-	1	-	3	4	6	11	5
Black	30	-	-	-	-	-	2	3	6	10	6	3	30	-	-	-	-	1	-	3	4	6	11	5
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	790	-	-	-	-	-	10	94	198	294	153	41	311	1	-	-	-	-	16	38	99	81	64	12
White	760	-	-	-	-	-	10	90	189	283	149	39	289	1	-	-	-	-	14	34	92	75	61	12
All other	30	-	-	-	-	-	-	4	9	11	4	2	22	-	-	-	-	-	2	4	7	6	3	-
Black	27	-	-	-	-	-	-	4	9	9	3	2	21	-	-	-	-	-	2	4	7	5	3	-
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	1	-	1	-	362	-	-	-	-	8	19	50	82	92	74	36
White	2	-	-	-	-	-	-	-	1	-	1	-	349	-	-	-	-	8	17	48	78	90	73	34
All other	-	-	-	-	-	-	-	-	-	-	-	-	13	-	-	-	-	-	2	2	4	2	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	13	-	-	-	-	-	2	2	4	2	1	2
Malignant neoplasms of genital organs (179-187)	283	-	-	-	3	1	-	1	17	86	110	65	267	-	-	-	2	5	12	23	62	66	72	25
White	268	-	-	-	3	1	-	1	15	82	101	65	254	-	-	-	2	3	10	23	60	62	69	25
All other	15	-	-	-	-	-	-	-	2	4	9	-	13	-	-	-	-	2	2	-	2	4	3	-
Black	15	-	-	-	-	-	-	-	2	4	9	-	12	-	-	-	-	2	2	-	2	4	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5–14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5–14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Malignant neoplasms of urinary organs (188-189)	137	–	–	–	–	–	2	9	26	41	40	19	70	–	–	1	1	–	–	3	16	20	19	10
White	132	–	–	–	–	–	2	9	25	40	37	19	65	–	–	1	–	–	–	3	15	18	18	10
All other	5	–	–	–	–	–	–	–	1	1	3	–	5	–	–	–	1	–	–	–	1	2	1	–
Black	5	–	–	–	–	–	–	–	1	1	3	–	3	–	–	–	–	–	–	–	1	2	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	245	–	3	5	8	8	7	20	63	70	44	16	182	–	1	6	1	4	5	13	35	44	54	19
White	228	–	2	4	8	8	7	20	58	63	41	16	177	–	1	6	1	4	4	13	35	41	53	19
All other	17	–	1	1	–	–	–	–	5	7	3	–	5	–	–	–	–	–	1	–	–	3	1	–
Black	16	–	1	1	–	–	–	–	5	6	3	–	4	–	–	–	–	–	–	–	–	3	1	–
Leukemia (204-208)	99	–	1	5	3	4	1	6	19	23	23	14	83	–	1	4	1	2	2	4	9	22	23	15
White	96	–	1	5	3	3	1	6	18	23	22	14	81	–	1	4	1	2	2	3	8	22	23	15
All other	3	–	–	–	–	1	–	–	1	–	1	–	2	–	–	–	–	–	–	1	1	–	–	–
Black	2	–	–	–	–	1	–	–	1	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	131	–	–	1	4	4	3	9	28	35	30	17	120	–	–	1	–	–	1	12	21	32	37	16
White	125	–	–	1	4	4	3	8	27	33	29	16	118	–	–	–	–	–	1	12	21	32	36	16
All other	6	–	–	–	–	–	–	1	1	2	1	1	2	–	–	1	–	–	–	–	–	–	1	–
Black	6	–	–	–	–	–	–	1	1	2	1	1	1	–	–	–	–	–	–	–	–	–	1	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	31	–	–	–	–	–	1	3	5	9	12	1	26	–	1	1	1	–	2	2	1	6	4	8
White	29	–	–	–	–	–	1	2	5	8	12	1	20	–	1	1	–	–	2	1	–	5	4	6
All other	2	–	–	–	–	–	–	1	–	1	–	–	6	–	–	–	1	–	–	1	1	1	–	2
Black	2	–	–	–	–	–	–	1	–	1	–	–	5	–	–	–	1	–	–	1	–	1	–	2
Diabetes mellitus (250)	180	–	–	1	–	2	5	18	33	46	45	30	210	–	–	1	2	2	1	4	24	62	64	50
White	164	–	–	1	–	2	4	16	30	46	42	23	196	–	–	–	2	2	1	4	20	59	61	47
All other	16	–	–	–	–	–	1	2	3	–	3	7	14	–	–	1	–	–	–	–	4	3	3	3
Black	15	–	–	–	–	–	1	2	3	–	3	6	14	–	–	1	–	–	–	–	4	3	3	3
Nutritional deficiencies (260-269)	8	–	–	–	–	–	–	–	–	1	4	3	25	–	–	–	–	–	1	–	1	1	7	15
White	8	–	–	–	–	–	–	–	–	1	4	3	23	–	–	–	–	–	1	–	1	1	7	13
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2
Anemias (280-285)	23	–	–	–	–	–	–	4	1	4	9	5	17	–	–	–	–	–	–	–	2	3	6	6
White	23	–	–	–	–	–	–	4	1	4	9	5	16	–	–	–	–	–	–	–	2	3	5	6
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Meningitis (320-322)	9	2	3	–	–	–	1	–	1	2	–	–	4	3	–	–	–	–	–	–	–	–	–	1
White	6	1	3	–	–	–	–	–	1	1	–	–	4	3	–	–	–	–	–	–	–	–	–	1
All other	3	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	3	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Major cardiovascular diseases (390-448)	5,270	1	2	1	5	14	83	261	734	1,306	1,708	1,155	5,515	2	2	2	6	18	25	94	321	845	1,855	2,345
White	5,077	1	2	1	5	12	71	247	706	1,266	1,658	1,108	5,284	2	2	1	3	13	21	83	305	788	1,784	2,282
All other	193	–	–	–	–	2	12	14	28	40	50	47	231	–	–	1	3	5	4	11	16	57	71	63
Black	180	–	–	–	–	2	11	14	24	37	48	44	215	–	–	1	3	5	4	11	15	52	63	61
Diseases of heart (390-398,402,404-429)	4,179	1	2	–	3	9	71	238	654	1,058	1,301	842	3,997	2	1	1	4	12	18	71	239	660	1,329	1,660
White	4,036	1	2	–	3	7	61	227	629	1,029	1,268	809	3,830	2	1	1	2	10	14	64	226	620	1,277	1,613
All other	143	–	–	–	–	2	10	11	25	29	33	33	167	–	–	–	2	2	4	7	13	40	52	47
Black	135	–	–	–	–	2	9	11	22	27	32	32	155	–	–	–	2	2	4	7	12	38	44	46
Rheumatic fever and rheumatic heart disease (390-398)	21	–	–	–	–	–	–	1	9	2	6	3	49	–	–	–	–	2	1	3	8	13	15	7
White	21	–	–	–	–	–	–	1	9	2	6	3	46	–	–	–	–	1	1	3	8	12	14	7
All other	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	–	–	–	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	1	–
Hypertensive heart disease (402)	59	–	–	–	–	–	1	1	8	15	18	16	119	–	–	–	–	–	–	–	6	26	40	47
White	48	–	–	–	–	–	–	–	3	12	17	16	107	–	–	–	–	–	–	–	5	20	36	46
All other	11	–	–	–	–	–	1	1	5	3	1	–	12	–	–	–	–	–	–	–	1	6	4	1
Black	11	–	–	–	–	–	1	1	5	3	1	–	12	–	–	–	–	–	–	–	1	6	4	1
Hypertensive heart and renal disease (404)	17	–	–	–	–	–	–	1	1	5	5	5	15	–	–	–	–	–	–	–	–	1	9	5
White	16	–	–	–	–	–	–	1	1	5	5	4	14	–	–	–	–	–	–	–	–	1	9	4
All other	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Black	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Ischemic heart disease (410-414)	3,314	–	–	–	2	4	57	210	543	871	1,024	603	2,893	–	–	–	–	2	9	43	165	500	991	1,183
White	3,229	–	–	–	2	4	52	202	533	852	1,005	579	2,797	–	–	–	–	2	6	39	157	478	960	1,155
All other	85	–	–	–	–	–	5	8	10	19	19	24	96	–	–	–	–	–	3	4	8	22	31	28
Black	79	–	–	–	–	–	4	8	8	17	19	23	88	–	–	–	–	–	3	4	7	21	26	27
Acute myocardial infarction (410)	2,027	–	–	–	2	3	45	159	398	594	579	247	1,411	–	–	–	–	2	6	33	118	333	517	402
White	1,982	–	–	–	2	3	40	153	393	580	571	240	1,367	–	–	–	–	2	4	31	111	321	504	394
All other	45	–	–	–	–	–	5	6	5	14	8	7	44	–	–	–	–	–	2	2	7	12	13	8
Black	40	–	–	–	–	–	4	6	3	12	8	7	39	–	–	–	–	–	2	2	6	11	10	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	9	-	-	-	-	-	-	1	3	3	1	1	7	-	-	-	-	-	-	-	-	1	3	3
White	9	-	-	-	-	-	-	1	3	3	1	1	7	-	-	-	-	-	-	-	-	1	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	-	-	1	1	7	-	-	-	-	-	-	-	1	1	4	1
White	2	-	-	-	-	-	-	-	-	-	1	1	7	-	-	-	-	-	-	-	1	1	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,276	-	-	-	-	1	12	50	142	274	443	354	1,468	-	-	-	-	-	3	10	46	165	467	777
White	1,236	-	-	-	-	1	12	48	137	269	432	337	1,416	-	-	-	-	-	2	8	45	155	449	757
All other	40	-	-	-	-	-	-	2	5	5	11	17	52	-	-	-	-	-	1	2	1	10	18	20
Black	39	-	-	-	-	-	-	2	5	5	11	16	49	-	-	-	-	-	1	2	1	10	16	19
Other diseases of endocardium (424)	40	-	1	-	-	-	1	1	9	13	11	4	48	-	-	-	1	-	-	2	5	8	20	12
White	39	-	1	-	-	-	1	1	9	13	10	4	46	-	-	-	1	-	-	2	5	8	19	11
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other forms of heart disease (415-423,425-429)	728	1	1	-	1	5	12	24	84	152	237	211	873	2	1	1	3	8	8	23	55	112	254	406
White	683	1	1	-	1	3	8	22	74	145	225	203	820	2	1	1	1	7	7	20	51	101	239	390
All other	45	-	-	-	-	2	4	2	10	7	12	8	53	-	-	-	2	1	1	3	4	11	15	16
Black	43	-	-	-	-	2	4	2	9	7	11	8	51	-	-	-	2	1	1	3	4	11	13	16
Hypertension with or without renal disease (401,403)	30	-	-	-	-	1	-	2	5	6	7	9	38	-	-	-	-	1	-	1	3	5	15	13
White	29	-	-	-	-	1	-	2	5	6	7	8	35	-	-	-	-	1	-	-	2	4	15	13
All other	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	1	1	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	1	1	1	-	-
Cerebrovascular diseases (430-438)	756	-	-	1	1	4	10	15	47	177	300	201	1,128	-	1	-	2	4	6	21	65	150	413	466
White	713	-	-	1	1	4	8	12	45	167	286	189	1,078	-	1	-	1	1	6	18	64	135	397	455
All other	43	-	-	-	-	-	2	3	2	10	14	12	50	-	-	-	1	3	-	3	1	15	16	11
Black	39	-	-	-	-	-	2	3	2	9	13	10	47	-	-	-	1	3	-	3	1	12	16	11
Intracerebral and other intracranial hemorrhage (431-432)	81	-	-	-	-	2	3	5	9	20	30	12	109	-	-	-	1	3	2	4	7	19	46	27
White	75	-	-	-	-	2	1	4	8	20	28	12	102	-	-	-	1	1	2	3	7	17	44	27
All other	6	-	-	-	-	-	2	1	1	-	2	-	7	-	-	-	-	2	-	1	-	2	2	-
Black	5	-	-	-	-	-	2	1	1	-	1	-	7	-	-	-	-	2	-	1	-	2	2	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	127	-	-	-	-	-	-	1	10	27	62	27	195	-	-	-	-	-	1	4	6	27	65	92
White	118	-	-	-	-	-	-	1	9	26	56	26	181	-	-	-	-	-	1	4	6	23	61	86
All other	9	-	-	-	-	-	-	-	1	1	6	1	14	-	-	-	-	-	-	-	-	4	4	6
Black	8	-	-	-	-	-	-	-	1	-	6	1	13	-	-	-	-	-	-	-	-	3	4	6
Cerebral embolism (434.1)	8	-	-	-	-	-	-	-	-	4	3	1	7	-	-	-	-	-	-	-	-	2	4	1
White	8	-	-	-	-	-	-	-	-	4	3	1	7	-	-	-	-	-	-	-	-	2	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	540	-	-	1	1	2	7	9	28	126	205	161	817	-	1	-	1	1	3	13	52	102	298	346
White	512	-	-	1	1	2	7	7	28	117	199	150	788	-	1	-	-	-	3	11	51	93	288	341
All other	28	-	-	-	-	-	-	2	-	9	6	11	29	-	-	-	1	1	-	2	1	9	10	5
Black	26	-	-	-	-	-	-	2	-	9	6	9	27	-	-	-	1	1	-	2	1	7	10	5
Atherosclerosis (440)	158	-	-	-	-	-	-	-	7	17	57	77	255	-	-	-	-	-	-	-	2	14	65	174
White	153	-	-	-	-	-	-	-	6	17	54	76	250	-	-	-	-	-	-	-	2	13	65	170
All other	5	-	-	-	-	-	-	-	1	-	3	1	5	-	-	-	-	-	-	-	-	1	-	4
Black	4	-	-	-	-	-	-	-	-	-	3	1	4	-	-	-	-	-	-	-	-	1	-	3
Other diseases of arteries, arterioles, and capillaries (441-448)	147	-	-	-	1	-	2	6	21	48	43	26	97	-	-	1	-	1	1	1	12	16	33	32
White	146	-	-	-	1	-	2	6	21	47	43	26	91	-	-	-	-	1	1	1	11	16	30	31
All other	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-	1	-	-	-	-	1	-	3	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-	1	-	-	-	-	1	-	3	1
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	1	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	1	-	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	297	5	2	-	5	4	2	3	22	53	98	103	361	4	2	-	1	2	3	6	13	40	103	187
White	279	3	1	-	5	3	2	2	21	49	91	102	348	3	2	-	1	-	2	6	12	38	100	184
All other	18	2	1	-	-	1	-	1	1	4	7	1	13	1	-	-	-	2	1	-	1	2	3	3
Black	15	-	1	-	-	1	-	1	1	4	6	1	11	1	-	-	-	2	-	-	1	2	2	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Pneumonia (480-486)	282	5	2	-	5	3	2	3	21	50	94	97	328	4	2	-	1	2	3	6	13	35	99	163
White	265	3	1	-	5	2	2	2	20	47	87	96	315	3	2	-	1	-	2	6	12	33	96	160
All other	17	2	1	-	-	1	-	1	1	3	7	1	13	1	-	-	-	2	1	-	1	2	3	3
Black	14	-	1	-	-	1	-	1	1	3	6	1	11	1	-	-	-	2	-	-	1	2	2	3
Influenza (487)	15	-	-	-	-	1	-	-	1	3	4	6	33	-	-	-	-	-	-	-	-	5	4	24
White	14	-	-	-	-	1	-	-	1	2	4	6	33	-	-	-	-	-	-	-	-	5	4	24
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	585	1	-	-	2	1	1	13	75	191	236	65	216	-	-	-	1	-	-	11	37	72	60	35
White	576	1	-	-	2	1	1	12	75	188	232	64	210	-	-	-	1	-	-	11	37	71	56	34
All other	9	-	-	-	-	-	-	1	-	3	4	1	6	-	-	-	-	-	-	-	-	1	4	1
Black	9	-	-	-	-	-	-	1	-	3	4	1	4	-	-	-	-	-	-	-	-	-	3	1
Bronchitis, chronic and unspecified (490-491)	33	1	-	-	1	-	-	-	1	10	18	2	22	-	-	-	1	-	-	-	3	7	3	8
White	33	1	-	-	1	-	-	-	1	10	18	2	22	-	-	-	1	-	-	-	3	7	3	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	112	-	-	-	-	-	1	4	17	44	34	12	24	-	-	-	-	-	-	1	6	7	6	4
White	110	-	-	-	-	-	1	4	17	42	34	12	24	-	-	-	-	-	-	1	6	7	6	4
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	9	-	-	-	-	1	-	-	1	3	3	1	15	-	-	-	-	-	-	-	1	6	4	4
White	9	-	-	-	-	1	-	-	1	3	3	1	15	-	-	-	-	-	-	-	1	6	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	431	-	-	-	1	-	-	9	56	134	181	50	155	-	-	-	-	-	-	10	27	52	47	19
White	424	-	-	-	1	-	-	8	56	133	177	49	149	-	-	-	-	-	-	10	27	51	43	18
All other	7	-	-	-	-	-	-	1	-	1	4	1	6	-	-	-	-	-	-	-	-	1	4	1
Black	7	-	-	-	-	-	-	1	-	1	4	1	4	-	-	-	-	-	-	-	-	-	3	1
Ulcer of stomach and duodenum (531-533)	37	-	-	-	-	-	1	-	7	11	11	7	46	-	-	-	-	1	-	1	3	10	15	16
White	35	-	-	-	-	-	1	-	6	11	10	7	45	-	-	-	-	1	-	1	3	10	15	15
All other	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Appendicitis (540-543)	3	-	-	-	-	-	-	-	1	-	2	-	3	-	-	-	-	-	-	-	1	-	1	1
White	3	-	-	-	-	-	-	-	1	-	2	-	3	-	-	-	-	-	-	-	1	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	28	4	-	-	-	-	-	-	-	9	5	10	60	1	-	-	-	-	-	1	3	7	21	27
White	27	3	-	-	-	-	-	-	-	9	5	10	59	1	-	-	-	-	-	1	3	7	21	26
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Chronic liver disease and cirrhosis (571)	141	-	1	-	-	4	8	25	56	26	18	3	70	-	-	-	-	2	5	11	25	18	9	-
White	134	-	1	-	-	4	8	23	52	26	17	3	61	-	-	-	-	1	5	11	20	16	8	-
All other	7	-	-	-	-	-	-	2	4	-	1	-	9	-	-	-	-	1	-	-	5	2	1	-
Black	7	-	-	-	-	-	-	2	4	-	1	-	8	-	-	-	-	1	-	-	5	2	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	15	-	-	-	-	-	1	-	3	2	7	2	17	-	-	-	-	1	-	-	-	4	6	6
White	15	-	-	-	-	-	1	-	3	2	7	2	15	-	-	-	-	1	-	-	-	4	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	98	-	-	1	-	-	2	1	9	20	36	29	119	1	-	-	1	-	-	3	8	15	49	42
White	94	-	-	1	-	-	1	1	8	19	35	29	108	1	-	-	1	-	-	3	8	10	44	41
All other	4	-	-	-	-	-	1	-	1	1	1	-	11	-	-	-	-	-	-	-	-	5	5	1
Black	3	-	-	-	-	-	1	-	-	1	1	-	11	-	-	-	-	-	-	-	-	5	5	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	2	2
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	12	-	-	-	-	-	-	-	1	-	7	4	16	-	-	-	-	-	-	-	2	-	5	9
White	12	-	-	-	-	-	-	-	1	-	7	4	15	-	-	-	-	-	-	-	2	-	4	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	86	-	-	1	-	-	2	1	8	20	29	25	99	1	-	-	1	-	-	3	6	15	42	31
White	82	-	-	1	-	-	1	1	7	19	28	25	89	1	-	-	1	-	-	3	6	10	38	30
All other	4	-	-	-	-	-	1	-	1	1	1	-	10	-	-	-	-	-	-	-	-	5	4	1
Black	3	-	-	-	-	-	1	-	-	1	1	-	10	-	-	-	-	-	-	-	-	5	4	1
Infections of kidney (590)	12	-	-	-	-	-	-	-	2	2	2	6	19	-	-	-	-	1	-	2	-	1	6	9
White	12	-	-	-	-	-	-	-	2	2	2	6	17	-	-	-	-	-	-	1	-	1	6	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Hyperplasia of prostate (600)	12	-	-	-	-	-	-	-	1	3	1	7	...	...	...	...	...	...	...	...	...	...	...	...
White	11	-	-	-	-	-	-	-	1	3	-	7	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	3	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	3	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	1	1	-	...	...	...	...
Congenital anomalies (740-759)	87	55	4	4	5	6	-	5	-	2	4	2	86	55	9	2	5	4	1	1	2	3	4	-
White	80	51	3	3	5	6	-	4	-	2	4	2	78	49	8	2	4	4	1	1	2	3	4	-
All other	7	4	1	1	-	-	-	1	-	-	-	-	8	6	1	-	1	-	-	-	-	-	-	-
Black	4	2	-	1	-	-	-	1	-	-	-	-	7	5	1	-	1	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	138	138	-	-	-	-	-	-	-	-	-	-	98	98	-	-	-	-	-	-	-	-	-	-
White	109	109	-	-	-	-	-	-	-	-	-	-	79	79	-	-	-	-	-	-	-	-	-	-
All other	29	29	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
Black	26	26	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	47	47	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
White	38	38	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
All other	9	9	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	8	8	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	91	91	-	-	-	-	-	-	-	-	-	-	72	72	-	-	-	-	-	-	-	-	-	-
White	71	71	-	-	-	-	-	-	-	-	-	-	58	58	-	-	-	-	-	-	-	-	-	-
All other	20	20	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Black	18	18	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	180	34	2	1	-	2	4	12	30	28	39	28	144	23	2	1	1	3	2	3	10	22	26	51
White	156	29	1	1	-	2	4	9	24	26	34	26	115	17	2	-	1	2	1	2	8	18	20	44
All other	24	5	1	-	-	-	-	3	6	2	5	2	29	6	-	1	-	1	1	1	2	4	6	7
Black	22	4	-	-	-	-	-	3	6	2	5	2	28	6	-	1	-	1	1	-	2	4	6	7
All other diseases (Residual)	658	9	2	2	20	22	26	44	76	163	175	119	665	3	7	3	10	9	19	32	56	105	191	230
White	617	8	2	2	19	18	23	38	68	158	167	114	639	3	6	3	10	8	17	29	54	103	183	223
All other	41	1	-	-	1	4	3	6	8	5	8	5	26	-	1	-	-	1	2	3	2	2	8	7
Black	37	1	-	-	1	3	2	6	7	5	8	4	26	-	1	-	-	1	2	3	2	2	8	7
Accidents and adverse effects (E800-E949)	875	11	25	32	245	155	87	56	92	61	53	58	380	5	20	16	51	35	27	33	36	36	56	65
White	835	9	23	29	237	146	80	54	91	57	52	57	365	4	15	14	49	35	27	32	34	35	56	64
All other	40	2	2	3	8	9	7	2	1	4	1	1	15	1	5	2	2	-	-	1	2	1	-	1
Black	34	2	1	2	7	8	7	1	-	4	1	1	14	1	4	2	2	-	-	1	2	1	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Motor vehicle accidents (E810-E825)	453	2	10	18	169	108	46	24	29	24	15	8	154	-	10	10	35	20	16	11	16	17	13	6
White	432	2	9	15	163	100	44	23	29	24	15	8	147	-	8	8	34	20	16	11	14	17	13	6
All other	21	-	1	3	6	8	2	1	-	-	-	-	7	-	2	2	1	-	-	-	2	-	-	-
Black	18	-	1	2	5	8	2	-	-	-	-	-	6	-	1	2	1	-	-	-	2	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	422	9	15	14	76	47	41	32	63	37	38	50	226	5	10	6	16	15	11	22	20	19	43	59
White	403	7	14	14	74	46	36	31	62	33	37	49	218	4	7	6	15	15	11	21	20	18	43	58
All other	19	2	1	-	2	1	5	1	1	4	1	1	8	1	3	-	1	-	-	1	-	1	-	1
Black	16	2	-	-	2	-	5	1	-	4	1	1	8	1	3	-	1	-	-	1	-	1	-	1
Suicide (E950-E959)	211	...	...	1	44	58	24	20	24	20	15	5	63	...	...	-	6	13	10	14	9	4	4	1
White	199	...	...	1	42	49	24	20	24	20	14	5	58	...	...	-	8	12	9	13	8	4	4	-
All other	12	...	...	-	2	9	-	-	-	-	1	-	5	...	...	-	-	1	1	1	1	-	-	1
Black	10	...	...	-	2	7	-	-	-	-	1	-	2	...	...	-	-	-	1	-	1	-	-	-
Homicide and legal intervention (E960-E978)	119	-	1	1	33	45	16	12	8	2	1	-	46	1	2	1	6	16	6	7	2	3	2	-
White	65	-	1	1	13	25	11	8	5	1	-	-	34	1	1	-	5	10	4	7	1	3	2	-
All other	54	-	-	-	20	20	5	4	3	1	1	-	12	-	1	1	1	6	2	-	1	-	-	-
Black	50	-	-	-	18	18	5	4	3	1	1	-	11	-	1	-	1	6	2	-	1	-	-	-
All other external causes (E980-E999)	13	-	-	-	1	5	3	2	-	-	1	1	7	1	1	-	2	-	2	1	-	-	-	-
White	12	-	-	-	1	4	3	2	-	-	1	1	6	1	1	-	2	-	1	1	-	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KENTUCKY																								
All causes	18,286	382	73	101	532	534	619	1,410	3,260	4,831	4,443	2,101	14,997	315	69	60	186	219	332	805	1,707	3,107	4,516	3,681
White	16,890	334	64	99	495	504	558	1,291	2,981	4,446	4,164	1,954	13,820	270	64	54	174	196	299	712	1,540	2,819	4,217	3,475
All other	1,396	48	9	2	37	30	61	119	279	385	279	147	1,177	45	5	6	12	23	33	93	167	288	299	206
Black	1,393	48	9	2	36	30	60	119	279	384	279	147	1,171	44	5	6	12	22	32	93	166	287	298	206
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	1	-	2
White	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	1	-	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	31	-	-	-	-	-	-	3	6	7	11	4	18	-	-	-	-	-	-	2	1	1	8	6
White	28	-	-	-	-	-	-	3	6	6	11	2	16	-	-	-	-	-	-	1	1	1	7	6
All other	3	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	1	-	-	1	-
Black	3	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	1	-	-	1	-
Tuberculosis of respiratory system (010-012)	27	-	-	-	-	-	-	3	5	7	10	2	10	-	-	-	-	-	-	-	-	1	4	5
White	26	-	-	-	-	-	-	3	5	6	10	2	9	-	-	-	-	-	-	-	-	1	3	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other tuberculosis (013-018)	4	-	-	-	-	-	-	-	1	-	1	2	8	-	-	-	-	-	-	2	1	-	4	1
White	2	-	-	-	-	-	-	-	1	-	1	-	7	-	-	-	-	-	-	1	1	-	4	1
All other	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	6	4	1	1	-	-	-	-	-	-	-	-	6	1	1	1	2	-	-	-	-	1	-	-
White	6	4	1	1	-	-	-	-	-	-	-	-	6	1	1	1	2	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	85	2	-	-	1	1	3	4	20	15	16	23	73	3	-	-	-	1	1	3	11	14	21	19
White	76	1	-	-	1	1	3	3	18	14	14	21	64	3	-	-	-	1	1	2	8	13	19	17
All other	9	1	-	-	-	-	-	1	2	1	2	2	9	-	-	-	-	-	-	1	3	1	2	2
Black	9	1	-	-	-	-	-	1	2	1	2	2	9	-	-	-	-	-	-	1	3	1	2	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Viral hepatitis (070)	11	-	-	-	-	2	1	-	3	4	1	-	8	-	-	-	3	-	1	-	-	2	-	2
White	11	-	-	-	-	2	1	-	3	4	1	-	7	-	-	-	2	-	1	-	-	2	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	35	-	1	-	1	2	3	4	9	10	2	3	34	1	1	2	1	6	1	2	4	7	5	4
White	33	-	1	-	1	2	3	3	9	10	2	2	28	1	1	2	1	4	1	2	4	3	5	4
All other	2	-	-	-	-	-	-	1	-	-	-	1	6	-	-	-	-	2	-	-	-	4	-	-
Black	2	-	-	-	-	-	-	1	-	-	-	1	6	-	-	-	-	2	-	-	-	4	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,856	1	4	16	21	49	98	366	955	1,268	835	243	3,083	-	4	7	16	44	123	348	649	812	734	346
White	3,514	1	3	15	19	46	90	342	867	1,146	766	219	2,844	-	4	6	16	40	106	323	596	744	686	323
All other	342	-	1	1	2	3	8	24	88	122	69	24	239	-	-	1	-	4	17	25	53	68	48	23
Black	341	-	1	1	2	3	7	24	88	122	69	24	238	-	-	1	-	4	16	25	53	68	48	23
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	85	-	-	-	-	1	3	11	33	24	12	1	38	-	-	-	1	-	1	5	6	12	6	7
White	76	-	-	-	-	1	2	10	29	22	11	1	33	-	-	-	1	-	-	5	6	8	6	7
All other	9	-	-	-	-	-	1	1	4	2	1	-	5	-	-	-	-	-	1	-	-	4	-	-
Black	9	-	-	-	-	-	1	1	4	2	1	-	5	-	-	-	-	-	1	-	-	4	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	930	-	-	-	1	11	19	86	207	297	226	83	844	-	-	-	1	3	11	55	136	246	269	123
White	832	-	-	-	1	11	18	82	181	260	206	73	773	-	-	-	1	3	10	48	124	222	250	115
All other	98	-	-	-	-	-	1	4	26	37	20	10	71	-	-	-	-	-	1	7	12	24	19	8
Black	98	-	-	-	-	-	1	4	26	37	20	10	71	-	-	-	-	-	1	7	12	24	19	8
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,578	-	-	-	1	3	33	175	492	558	276	40	549	-	-	-	1	-	20	89	164	161	82	32
White	1,453	-	-	-	1	1	30	162	453	510	256	40	495	-	-	-	1	-	17	80	144	148	77	28
All other	125	-	-	-	-	2	3	13	39	48	20	-	54	-	-	-	-	-	3	9	20	13	5	4
Black	125	-	-	-	-	2	3	13	39	48	20	-	54	-	-	-	-	-	3	9	20	13	5	4
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	1	-	1	535	-	-	-	-	16	37	84	127	119	107	45
White	2	-	-	-	-	-	-	-	-	1	-	1	499	-	-	-	-	14	33	77	119	110	105	41
All other	-	-	-	-	-	-	-	-	-	-	-	-	36	-	-	-	-	2	4	7	8	9	2	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	36	-	-	-	-	2	4	7	8	9	2	4
Malignant neoplasms of genital organs (179-187)	344	-	-	-	1	3	-	8	32	107	134	59	400	-	-	1	4	6	30	54	80	97	90	38
White	297	-	-	-	1	3	-	7	28	95	114	49	369	-	-	-	4	6	25	52	74	91	82	35
All other	47	-	-	-	-	-	-	1	4	12	20	10	31	-	-	1	-	-	5	2	6	6	8	3
Black	47	-	-	-	-	-	-	1	4	12	20	10	30	-	-	1	-	-	4	2	6	6	8	3
Malignant neoplasms of urinary organs (188-189)	194	1	-	1	1	1	11	15	38	55	50	21	93	-	-	-	-	1	-	1	14	28	34	15
White	183	1	-	1	1	1	9	15	33	53	50	19	87	-	-	-	-	1	-	1	13	25	32	15
All other	11	-	-	-	-	-	2	-	5	2	-	2	6	-	-	-	-	-	-	-	1	3	2	-
Black	10	-	-	-	-	-	1	-	5	2	-	2	6	-	-	-	-	-	-	-	1	3	2	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	392	-	4	6	8	14	18	45	96	124	53	24	383	-	3	3	5	13	13	45	72	81	92	56
White	362	-	3	5	7	14	17	41	89	111	51	24	357	-	3	3	5	11	12	45	69	74	81	54
All other	30	-	1	1	1	-	1	4	7	13	2	-	26	-	-	-	-	2	1	-	3	7	11	2
Black	30	-	1	1	1	-	1	4	7	13	2	-	26	-	-	-	-	2	1	-	3	7	11	2
Leukemia (204-208)	138	-	-	8	6	10	5	6	22	34	37	10	102	-	1	3	3	2	5	9	16	29	22	12
White	132	-	-	8	6	10	5	6	22	31	34	10	101	-	1	3	3	2	4	9	16	29	22	12
All other	6	-	-	-	-	-	-	-	-	3	3	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	6	-	-	-	-	-	-	-	-	3	3	-	1	-	-	-	-	-	1	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	193	-	-	1	3	6	9	20	35	68	47	4	139	-	-	-	1	3	6	6	34	39	32	18
White	177	-	-	1	2	5	9	19	32	63	44	2	130	-	-	-	1	3	5	6	31	37	31	16
All other	16	-	-	-	1	1	-	1	3	5	3	2	9	-	-	-	-	-	1	-	3	2	1	2
Black	16	-	-	-	1	1	-	1	3	5	3	2	9	-	-	-	-	-	1	-	3	2	1	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	33	-	-	-	-	2	1	1	7	12	8	2	43	-	-	1	1	-	1	6	5	12	12	5
White	31	-	-	-	-	2	1	1	6	12	8	1	41	-	-	1	1	-	1	5	5	11	12	5
All other	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	1	-	1	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	1	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Diabetes mellitus (250)	234	-	-	1	3	4	7	14	46	79	53	27	397	-	-	2	1	3	4	13	59	109	146	60
White	213	-	-	1	2	3	6	13	42	73	48	25	351	-	-	2	1	3	4	12	50	94	131	54
All other	21	-	-	-	1	1	1	1	4	6	5	2	46	-	-	-	-	-	-	1	9	15	15	6
Black	21	-	-	-	1	1	1	1	4	6	5	2	46	-	-	-	-	-	-	1	9	15	15	6
Nutritional deficiencies (260-269)	16	-	-	-	-	-	-	-	2	5	6	3	26	-	-	-	-	1	-	1	1	-	11	12
White	15	-	-	-	-	-	-	-	2	4	6	3	22	-	-	-	-	1	-	-	-	-	10	11
All other	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	1	1	-	1	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	1	1	-	1	1
Anemias (280-285)	29	-	1	-	2	-	1	1	-	6	11	7	40	-	1	-	-	1	1	2	1	12	14	8
White	22	-	-	-	1	-	-	1	-	4	10	6	36	-	-	-	-	1	1	2	1	11	13	7
All other	7	-	1	-	1	-	1	-	-	2	1	1	4	-	1	-	-	-	-	-	-	1	1	1
Black	7	-	1	-	1	-	1	-	-	2	1	1	4	-	1	-	-	-	-	-	-	1	1	1
Meningitis (320-322)	20	7	2	-	1	1	-	3	4	1	1	-	8	-	1	-	-	1	-	-	2	-	3	1
White	16	7	2	-	1	1	-	1	3	-	1	-	8	-	1	-	-	1	-	-	2	-	3	1
All other	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	8,667	9	5	3	11	42	178	569	1,477	2,491	2,553	1,329	8,039	7	1	4	15	26	70	233	660	1,609	2,828	2,586
White	8,051	7	4	3	10	37	158	515	1,358	2,313	2,402	1,244	7,430	5	1	3	12	24	64	196	584	1,453	2,645	2,443
All other	616	2	1	-	1	5	20	54	119	178	151	85	609	2	-	1	3	2	6	37	76	156	183	143
Black	615	2	1	-	1	5	20	54	119	177	151	85	606	2	-	1	3	2	6	37	75	155	182	143
Diseases of heart (390-398,402,404-429)	6,967	7	4	3	5	33	154	510	1,311	2,056	1,934	950	5,850	6	1	3	10	16	48	177	526	1,265	2,071	1,727
White	6,484	5	4	3	5	28	137	465	1,216	1,909	1,817	895	5,418	4	1	2	8	14	45	151	473	1,150	1,943	1,627
All other	483	2	-	-	-	5	17	45	95	147	117	55	432	2	-	1	2	2	3	26	53	115	128	100
Black	482	2	-	-	-	5	17	45	95	146	117	55	430	2	-	1	2	2	3	26	52	115	127	100
Rheumatic fever and rheumatic heart disease (390-398)	22	-	-	-	-	2	3	3	6	4	3	1	53	-	-	-	-	3	4	7	12	14	10	3
White	20	-	-	-	-	2	2	3	5	4	3	1	52	-	-	-	-	3	4	7	12	13	10	3
All other	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hypertensive heart disease (402)	136	-	-	-	-	1	2	8	20	47	41	17	203	-	-	-	-	-	4	4	12	47	76	60
White	107	-	-	-	-	1	1	4	14	39	32	16	164	-	-	-	-	-	3	1	6	38	64	52
All other	29	-	-	-	-	-	1	4	6	8	9	1	39	-	-	-	-	-	1	3	6	9	12	8
Black	29	-	-	-	-	-	1	4	6	8	9	1	39	-	-	-	-	-	1	3	6	9	12	8
Hypertensive heart and renal disease (404)	16	-	-	-	-	-	-	-	3	4	5	4	16	-	-	-	-	-	-	-	1	-	6	9
White	10	-	-	-	-	-	-	-	2	2	3	3	14	-	-	-	-	-	-	-	-	-	5	9
All other	6	-	-	-	-	-	-	-	1	2	2	1	2	-	-	-	-	-	-	-	1	-	1	-
Black	6	-	-	-	-	-	-	-	1	2	2	1	2	-	-	-	-	-	-	-	1	-	1	-
Ischemic heart disease (410-414)	5,144	-	-	-	2	13	116	400	1,003	1,588	1,401	621	3,952	-	-	-	1	6	29	125	386	885	1,438	1,082
White	4,846	-	-	-	2	12	105	369	946	1,484	1,333	595	3,699	-	-	-	1	4	28	106	352	812	1,364	1,032
All other	298	-	-	-	-	1	11	31	57	104	68	26	253	-	-	-	-	2	1	19	34	73	74	50
Black	297	-	-	-	-	1	11	31	57	103	68	26	252	-	-	-	-	2	1	19	34	73	73	50
Acute myocardial infarction (410)	3,671	-	-	-	2	12	101	334	812	1,216	899	295	2,306	-	-	-	1	6	22	102	291	624	817	443
White	3,466	-	-	-	2	11	93	315	766	1,141	856	282	2,135	-	-	-	1	4	21	86	262	577	766	418
All other	205	-	-	-	-	1	8	19	46	75	43	13	171	-	-	-	-	2	1	16	29	47	51	25
Black	204	-	-	-	-	1	8	19	46	74	43	13	171	-	-	-	-	2	1	16	29	47	51	25
Other acute and subacute forms of ischemic heart disease (411)	10	-	-	-	-	-	-	1	1	1	3	4	17	-	-	-	-	-	-	-	-	2	7	8
White	7	-	-	-	-	-	-	-	1	-	3	3	17	-	-	-	-	-	-	-	-	2	7	8
All other	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	6	-	-	-	-	-	-	-	2	2	2	-	6	-	-	-	-	-	-	-	1	1	1	3
White	6	-	-	-	-	-	-	-	2	2	2	-	6	-	-	-	-	-	-	-	1	1	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,457	-	-	-	-	1	15	65	188	369	497	322	1,623	-	-	-	-	-	7	23	94	258	613	628
White	1,367	-	-	-	-	1	12	54	177	341	472	310	1,541	-	-	-	-	-	7	20	89	232	590	603
All other	90	-	-	-	-	-	3	11	11	28	25	12	82	-	-	-	-	-	-	3	5	26	23	25
Black	90	-	-	-	-	-	3	11	11	28	25	12	81	-	-	-	-	-	-	3	5	26	22	25
Other diseases of endocardium (424)	44	-	-	-	1	-	2	2	8	16	10	5	46	1	-	-	-	-	1	2	6	11	16	9
White	40	-	-	-	1	-	2	2	7	15	8	5	42	-	-	-	-	-	1	2	6	10	15	8
All other	4	-	-	-	-	-	-	-	1	1	2	-	4	1	-	-	-	-	-	-	-	1	1	1
Black	4	-	-	-	-	-	-	-	1	1	2	-	4	1	-	-	-	-	-	-	-	1	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
All other forms of heart disease (415-423,425-429)	1,605	7	4	3	2	17	31	97	271	397	474	302	1,580	5	1	3	9	7	10	39	109	308	525	564
White	1,461	5	4	3	2	13	27	87	242	365	438	275	1,447	4	1	2	7	7	9	35	97	277	485	523
All other	144	2	-	-	-	4	4	10	29	32	36	27	133	1	-	1	2	-	1	4	12	31	40	41
Black	144	2	-	-	-	4	4	10	29	32	36	27	132	1	-	1	2	-	1	4	11	31	40	41
Hypertension with or without renal disease (401,403)	48	-	-	-	-	-	3	-	5	12	17	11	51	-	-	-	1	-	1	-	9	12	14	14
White	40	-	-	-	-	-	1	-	4	10	16	9	40	-	-	-	1	-	1	-	6	8	12	12
All other	8	-	-	-	-	-	2	-	1	2	1	2	11	-	-	-	-	-	-	-	3	4	2	2
Black	8	-	-	-	-	-	2	-	1	2	1	2	11	-	-	-	-	-	-	-	3	4	2	2
Cerebrovascular diseases (430-438)	1,266	1	1	-	4	8	18	50	126	330	464	264	1,751	1	-	1	3	8	19	47	105	281	631	655
White	1,158	1	-	-	3	8	17	41	107	305	434	242	1,613	1	-	1	2	8	16	39	88	249	585	624
All other	108	-	1	-	1	-	1	9	19	25	30	22	138	-	-	-	1	-	3	8	17	32	46	31
Black	108	-	1	-	1	-	1	9	19	25	30	22	137	-	-	-	1	-	3	8	17	31	46	31
Intracerebral and other intracranial hemorrhage (431-432)	158	-	-	-	2	3	3	15	25	46	44	20	191	1	-	1	1	3	7	8	27	50	45	48
White	141	-	-	-	2	3	2	11	22	43	40	18	174	1	-	1	-	3	6	7	22	45	42	47
All other	17	-	-	-	-	-	1	4	3	3	4	2	17	-	-	-	1	-	1	1	5	5	3	1
Black	17	-	-	-	-	-	1	4	3	3	4	2	16	-	-	-	1	-	1	1	5	4	3	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	212	-	-	-	-	-	3	3	11	56	93	46	302	-	-	-	-	1	2	5	12	43	111	128
White	191	-	-	-	-	-	3	3	8	48	84	45	280	-	-	-	-	1	2	5	9	40	103	120
All other	21	-	-	-	-	-	-	-	3	8	9	1	22	-	-	-	-	-	-	-	3	3	8	8
Black	21	-	-	-	-	-	-	-	3	8	9	1	22	-	-	-	-	-	-	-	3	3	8	8
Cerebral embolism (434.1)	2	-	-	-	-	-	-	1	1	-	-	-	5	-	-	-	-	-	-	-	-	-	4	1
White	2	-	-	-	-	-	-	1	1	-	-	-	5	-	-	-	-	-	-	-	-	-	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	894	1	1	-	2	5	12	31	89	228	327	198	1,253	-	-	-	2	4	10	34	66	188	471	478
White	824	1	-	-	1	5	12	26	76	214	310	179	1,154	-	-	-	2	4	8	27	57	164	436	456
All other	70	-	1	-	1	-	-	5	13	14	17	19	99	-	-	-	-	-	2	7	9	24	35	22
Black	70	-	1	-	1	-	-	5	13	14	17	19	99	-	-	-	-	-	2	7	9	24	35	22
Atherosclerosis (440)	187	-	-	-	-	-	2	1	10	28	68	78	282	-	-	-	-	-	-	1	10	28	86	157
White	176	-	-	-	-	-	2	1	9	26	65	73	262	-	-	-	-	-	-	1	8	25	80	148
All other	11	-	-	-	-	-	-	-	1	2	3	5	20	-	-	-	-	-	-	-	2	3	6	9
Black	11	-	-	-	-	-	-	-	1	2	3	5	20	-	-	-	-	-	-	-	2	3	6	9
Other diseases of arteries, arterioles, and capillaries (441-448)	199	1	-	-	2	1	1	8	25	65	70	26	105	-	-	-	1	2	2	8	10	23	26	33
White	193	1	-	-	2	1	1	8	22	63	70	25	97	-	-	-	1	2	2	5	9	21	25	32
All other	6	-	-	-	-	-	-	-	3	2	-	1	8	-	-	-	-	-	-	3	1	2	1	1
Black	6	-	-	-	-	-	-	-	3	2	-	1	8	-	-	-	-	-	-	3	1	2	1	1
Acute bronchitis and bronchiolitis (466)	6	1	-	-	1	1	-	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-
White	6	1	-	-	1	1	-	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	516	4	-	4	4	4	9	21	48	79	198	145	489	8	4	2	4	3	4	18	31	57	139	219
White	470	4	-	4	3	4	5	16	37	73	182	142	459	7	4	2	4	3	3	16	25	52	131	212
All other	46	-	-	-	1	-	4	5	11	6	16	3	30	1	-	-	-	-	1	2	6	5	8	7
Black	46	-	-	-	1	-	4	5	11	6	16	3	30	1	-	-	-	-	1	2	6	5	8	7
Pneumonia (480-486)	487	4	-	3	4	3	9	20	47	77	187	133	439	8	4	2	3	3	3	15	28	51	128	194
White	442	4	-	3	3	3	5	15	36	71	171	131	410	7	4	2	3	3	2	13	22	46	120	188
All other	45	-	-	-	1	-	4	5	11	6	16	2	29	1	-	-	-	-	1	2	6	5	8	6
Black	45	-	-	-	1	-	4	5	11	6	16	2	29	1	-	-	-	-	1	2	6	5	8	6
Influenza (487)	29	-	-	1	-	1	-	1	1	2	11	12	50	-	-	-	1	-	1	3	3	6	11	25
White	28	-	-	1	-	1	-	1	1	2	11	11	49	-	-	-	1	-	1	3	3	6	11	24
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	802	1	-	1	1	2	9	42	139	296	248	63	347	-	-	-	-	-	3	24	88	106	103	23
White	770	1	-	1	1	2	9	38	137	280	240	61	328	-	-	-	-	-	2	22	82	99	101	22
All other	32	-	-	-	-	-	-	4	2	16	8	2	19	-	-	-	-	-	1	2	6	7	2	1
Black	32	-	-	-	-	-	-	4	2	16	8	2	19	-	-	-	-	-	1	2	6	7	2	1
Bronchitis, chronic and unspecified (490-491)	45	-	-	-	-	2	1	3	10	13	12	4	24	-	-	-	-	-	-	1	3	7	11	2
White	41	-	-	-	-	2	1	2	10	11	11	4	23	-	-	-	-	-	-	1	3	6	11	2
All other	4	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	4	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Emphysema (492)	162	-	-	-	-	-	2	12	30	69	35	14	59	-	-	-	-	-	1	1	15	15	21	6
White	156	-	-	-	-	-	2	11	30	64	35	14	56	-	-	-	-	-	1	1	15	13	21	5
All other	6	-	-	-	-	-	-	1	-	5	-	-	3	-	-	-	-	-	-	-	-	2	-	1
Black	6	-	-	-	-	-	-	1	-	5	-	-	3	-	-	-	-	-	-	-	-	2	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Asthma (493)	19	-	-	1	1	-	-	2	5	8	1	1	21	-	-	-	-	-	1	-	5	6	7	2
White	18	-	-	1	1	-	-	2	5	7	1	1	19	-	-	-	-	-	-	-	4	6	7	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	576	1	-	-	-	-	6	25	94	206	200	44	243	-	-	-	-	-	1	22	65	78	64	13
White	555	1	-	-	-	-	6	23	92	198	193	42	230	-	-	-	-	-	1	20	60	74	62	13
All other	21	-	-	-	-	-	-	2	2	8	7	2	13	-	-	-	-	-	-	2	5	4	2	-
Black	21	-	-	-	-	-	-	2	2	8	7	2	13	-	-	-	-	-	-	2	5	4	2	-
Ulcer of stomach and duodenum (531-533)	65	-	-	-	-	-	1	7	11	15	22	9	50	-	-	-	1	1	-	-	2	9	26	11
White	63	-	-	-	-	-	1	7	11	14	21	9	47	-	-	-	1	1	-	-	2	8	24	11
All other	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	1	2	-
Appendicitis (540-543)	4	-	-	1	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	1	1	-
White	4	-	-	1	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	32	-	-	-	1	-	1	1	2	12	8	7	48	1	-	1	-	2	-	2	3	11	14	14
White	30	-	-	-	1	-	1	1	2	10	8	7	43	1	-	1	-	2	-	1	2	11	12	13
All other	2	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	-	-	1	1	-	2	1
Black	2	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	-	-	1	1	-	2	1
Chronic liver disease and cirrhosis (571)	246	-	-	-	1	5	31	58	80	54	15	2	118	-	-	-	1	3	12	31	36	26	9	-
White	219	-	-	-	1	5	25	49	76	46	15	2	101	-	-	-	1	3	9	23	33	23	9	-
All other	27	-	-	-	-	-	6	9	4	8	-	-	17	-	-	-	-	-	3	8	3	3	-	-
Black	27	-	-	-	-	-	6	9	4	8	-	-	17	-	-	-	-	-	3	8	3	3	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	37	-	-	-	-	-	2	-	4	13	10	8	36	-	-	-	-	1	-	2	2	11	10	10
White	36	-	-	-	-	-	2	-	3	13	10	8	34	-	-	-	-	1	-	2	2	10	9	10
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	137	3	-	-	1	-	-	6	19	37	45	26	128	1	1	-	1	1	1	2	11	30	50	30
White	121	3	-	-	1	-	-	6	14	32	41	24	109	1	1	-	1	1	1	2	10	20	45	27
All other	16	-	-	-	-	-	-	-	5	5	4	2	19	-	-	-	-	-	-	-	1	10	5	3
Black	16	-	-	-	-	-	-	-	5	5	4	2	19	-	-	-	-	-	-	-	1	10	5	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	12	-	-	-	-	-	-	-	1	3	3	5	15	-	1	-	-	1	-	-	2	2	5	4
White	11	-	-	-	-	-	-	-	1	3	2	5	14	-	1	-	-	1	-	-	2	1	5	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	125	3	-	-	1	-	-	6	18	34	42	21	111	1	-	-	1	-	1	2	9	28	43	26
White	110	3	-	-	1	-	-	6	13	29	39	19	94	1	-	-	1	-	1	2	8	19	39	23
All other	15	-	-	-	-	-	-	-	5	5	3	2	17	-	-	-	-	-	-	-	1	9	4	3
Black	15	-	-	-	-	-	-	-	5	5	3	2	17	-	-	-	-	-	-	-	1	9	4	3
Infections of kidney (590)	20	-	-	-	-	-	-	1	1	3	10	5	36	-	-	-	-	-	-	1	1	7	16	11
White	17	-	-	-	-	-	-	1	-	3	10	3	32	-	-	-	-	-	-	1	1	6	14	10
All other	3	-	-	-	-	-	-	-	1	-	-	2	4	-	-	-	-	-	-	-	-	1	2	1
Black	3	-	-	-	-	-	-	-	1	-	-	2	4	-	-	-	-	-	-	-	-	1	2	1
Hyperplasia of prostate (600)	12	-	-	-	-	-	-	-	-	1	6	5	...	...	...	...	...	...	...	...	...	...	...	...
White	10	-	-	-	-	-	-	-	-	-	6	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	-	-	1	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	-	-	-	-	-	-	-	-	1	-	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	-	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	-	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	124	93	6	1	4	1	4	5	3	5	2	-	96	65	9	5	2	2	2	2	3	4	2	-
White	117	87	6	1	4	1	4	5	3	4	2	-	87	58	8	4	2	2	2	2	3	4	2	-
All other	7	6	-	-	-	-	-	-	-	1	-	-	9	7	1	1	-	-	-	-	-	-	-	-
Black	7	6	-	-	-	-	-	-	-	1	-	-	9	7	1	1	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	186	186	-	-	-	-	-	-	-	-	-	-	156	155	-	-	-	-	-	-	1	-	-	-
White	153	153	-	-	-	-	-	-	-	-	-	-	129	128	-	-	-	-	-	-	1	-	-	-
All other	33	33	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
Black	33	33	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	61	61	-	-	-	-	-	-	-	-	-	-	34	33	-	-	-	-	-	-	1	-	-	-
White	51	51	-	-	-	-	-	-	-	-	-	-	32	31	-	-	-	-	-	-	1	-	-	-
All other	10	10	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	10	10	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	125	125	-	-	-	-	-	-	-	-	-	-	122	122	-	-	-	-	-	-	-	-	-	-
White	102	102	-	-	-	-	-	-	-	-	-	-	97	97	-	-	-	-	-	-	-	-	-	-
All other	23	23	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
Black	23	23	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	94	43	1	-	3	5	2	4	11	9	5	11	110	49	2	-	1	3	2	1	2	7	16	27
White	87	39	1	-	3	5	1	4	11	7	5	11	100	42	2	-	1	3	1	1	1	7	16	26
All other	7	4	-	-	-	-	1	-	-	2	-	-	10	7	-	-	-	-	1	-	1	-	-	1
Black	7	4	-	-	-	-	1	-	-	2	-	-	10	7	-	-	-	-	1	-	1	-	-	1
All other diseases (Residual)	1,048	19	9	12	19	26	37	97	194	250	262	123	917	11	20	8	14	8	35	54	89	191	268	219
White	954	18	9	12	16	25	32	85	168	235	244	110	849	10	20	8	11	5	33	45	87	178	247	205
All other	94	1	-	-	3	1	5	12	26	15	18	13	68	1	-	-	3	3	2	9	2	13	21	14
Black	94	1	-	-	3	1	5	12	26	15	18	13	68	1	-	-	3	3	2	9	2	13	21	14
Accidents and adverse effects (E800-E949)	1,318	9	39	56	339	241	137	126	145	95	80	51	500	10	22	25	90	53	44	37	21	59	76	63
White	1,253	8	35	55	326	234	132	120	138	83	77	45	478	10	21	22	88	50	42	35	19	58	71	62
All other	65	1	4	1	13	7	5	6	7	12	3	6	22	-	1	3	2	3	2	2	2	1	5	1
Black	64	1	4	1	12	7	5	6	7	12	3	6	22	-	1	3	2	3	2	2	2	1	5	1
Motor vehicle accidents (E810-E825)	643	2	16	23	230	145	65	54	63	25	16	4	225	4	11	19	70	37	24	18	11	17	13	1
White	623	2	16	23	224	141	62	52	62	22	15	4	221	4	11	16	70	37	23	18	11	17	13	1
All other	20	-	-	-	6	4	3	2	1	3	1	-	4	-	-	3	-	-	1	-	-	-	-	-
Black	20	-	-	-	6	4	3	2	1	3	1	-	4	-	-	3	-	-	1	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	675	7	23	33	109	96	72	72	82	70	64	47	275	6	11	6	20	16	20	19	10	42	63	62
White	630	6	19	32	102	93	70	68	76	61	62	41	257	6	10	6	18	13	19	17	8	41	58	61
All other	45	1	4	1	7	3	2	4	6	9	2	6	18	-	1	-	2	3	1	2	2	1	5	1
Black	44	1	4	1	6	3	2	4	6	9	2	6	18	-	1	-	2	3	1	2	2	1	5	1
Suicide (E950-E959)	333	...	...	2	53	62	46	43	55	42	25	5	105	...	...	1	16	29	18	17	15	5	3	1
White	325	...	...	2	51	61	45	43	53	41	24	5	102	...	...	1	16	28	18	16	15	5	3	-
All other	8	...	...	-	2	1	1	-	2	1	1	-	3	...	...	-	-	1	-	1	-	-	-	1
Black	8	...	...	-	2	1	1	-	2	1	1	-	2	...	...	-	-	-	-	1	-	-	-	1
Homicide and legal intervention (E960-E978)	249	-	4	3	60	79	44	29	15	10	5	-	66	1	2	1	13	26	7	4	8	3	1	-
White	208	-	2	3	47	67	35	29	11	9	5	-	50	1	-	1	10	19	7	3	5	3	1	-
All other	41	-	2	-	13	12	9	-	4	1	-	-	16	-	2	-	3	7	-	1	3	-	-	-
Black	41	-	2	-	13	12	9	-	4	1	-	-	16	-	2	-	3	7	-	1	3	-	-	-
All other external causes (E980-E999)	31	-	-	-	5	5	4	5	3	7	2	-	7	-	-	-	2	1	1	-	1	-	-	2
White	29	-	-	-	5	5	4	5	2	6	2	-	7	-	-	-	2	1	1	-	1	-	-	2
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA																								
All causes	19,791	616	113	164	933	932	918	1,822	3,430	5,071	4,082	1,690	16,233	514	113	76	260	321	453	1,056	2,142	3,602	4,396	3,295
White	13,399	282	55	94	607	531	537	1,167	2,390	3,591	2,951	1,182	11,066	233	59	39	167	176	264	660	1,332	2,385	3,228	2,521
All other	6,392	334	58	70	326	401	381	655	1,040	1,480	1,131	508	5,167	281	54	37	93	145	189	396	810	1,217	1,168	774
Black	6,350	331	57	68	321	396	380	648	1,037	1,470	1,127	507	5,131	277	53	35	92	144	187	394	805	1,207	1,162	772
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	3	-	-	-	-	-	-	-	1	-	-	4	4	-	-	-	-	-	-	-	-	-	-
White	2	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	43	-	-	-	-	3	2	9	8	13	7	1	15	-	-	-	-	1	2	1	1	4	6	-
White	19	-	-	-	-	-	1	3	6	5	4	-	8	-	-	-	-	-	-	-	1	3	4	-
All other	24	-	-	-	-	3	1	6	2	8	3	1	7	-	-	-	-	1	2	1	-	1	2	-
Black	23	-	-	-	-	3	1	6	2	7	3	1	7	-	-	-	-	1	2	1	-	1	2	-
Tuberculosis of respiratory system (010-012)	37	-	-	-	-	3	2	8	6	11	6	1	14	-	-	-	-	-	2	1	1	4	6	-
White	16	-	-	-	-	-	1	3	5	4	3	-	8	-	-	-	-	-	-	-	1	3	4	-
All other	21	-	-	-	-	3	1	5	1	7	3	1	6	-	-	-	-	-	2	1	-	1	2	-
Black	20	-	-	-	-	3	1	5	1	6	3	1	6	-	-	-	-	-	2	1	-	1	2	-
Other tuberculosis (013-018)	6	-	-	-	-	-	-	1	2	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	15	5	3	2	2	2	1	-	-	-	-	-	10	3	3	-	-	1	-	1	2	-	-	-
White	8	3	2	-	2	1	-	-	-	-	-	-	7	3	2	-	-	-	-	1	1	-	-	-
All other	7	2	1	2	-	1	1	-	-	-	-	-	3	-	1	-	-	1	-	-	1	-	-	-
Black	7	2	1	2	-	1	1	-	-	-	-	-	3	-	1	-	-	1	-	-	1	-	-	-
Septicemia (038)	143	6	3	2	1	6	7	11	23	35	31	18	127	5	2	-	1	-	6	6	20	28	41	18
White	73	3	1	1	-	1	1	4	14	20	18	10	69	1	-	-	-	-	2	2	13	18	24	9
All other	70	3	2	1	1	5	6	7	9	15	13	8	58	4	2	-	1	-	4	4	7	10	17	9
Black	70	3	2	1	1	5	6	7	9	15	13	8	58	4	2	-	1	-	4	4	7	10	17	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	13	-	-	-	2	2	1	4	1	2	1	-	13	-	-	-	1	1	1	-	3	5	2	-
White	11	-	-	-	2	-	1	4	1	2	1	-	9	-	-	-	-	-	1	-	2	5	1	-
All other	2	-	-	-	-	2	-	-	-	-	-	-	4	-	-	-	1	1	-	-	1	-	1	-
Black	2	-	-	-	-	2	-	-	-	-	-	-	4	-	-	-	1	1	-	-	1	-	1	-
Syphilis (090-097)	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Black	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	35	-	1	1	1	3	2	3	8	11	3	2	36	1	1	1	2	2	2	3	7	9	7	1
White	21	-	1	1	1	1	1	1	5	7	2	1	21	1	-	1	-	1	1	2	4	8	2	1
All other	14	-	-	-	-	2	1	2	3	4	1	1	15	-	1	-	2	1	1	1	3	1	5	-
Black	14	-	-	-	-	2	1	2	3	4	1	1	14	-	1	-	2	-	1	1	3	1	5	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,063	1	7	15	28	46	136	448	988	1,325	843	223	3,133	1	4	9	18	52	132	352	693	896	647	328
White	2,821	1	4	7	18	27	89	318	671	927	601	157	2,255	1	3	6	13	34	82	249	473	632	496	265
All other	1,242	-	3	8	10	19	47	130	317	398	242	66	878	-	1	3	5	18	50	103	220	264	151	63
Black	1,234	-	3	8	10	18	47	128	315	395	242	66	870	-	1	3	5	18	49	103	218	262	148	63

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	116	-	-	-	-	-	1	17	33	38	21	6	47	-	-	1	-	-	1	9	12	10	7	7
White	78	-	-	-	-	-	-	8	23	26	15	6	35	-	-	1	-	-	1	7	8	6	6	6
All other	38	-	-	-	-	-	1	9	10	12	6	-	12	-	-	-	-	-	-	2	4	4	1	1
Black	38	-	-	-	-	-	1	9	10	12	6	-	12	-	-	-	-	-	-	2	4	4	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	914	-	1	-	2	12	37	93	211	298	196	64	822	-	-	1	-	6	19	60	155	239	224	118
White	612	-	1	-	-	6	20	64	139	202	136	44	584	-	-	1	-	4	11	46	93	173	162	94
All other	302	-	-	-	2	6	17	29	72	96	60	20	238	-	-	-	-	2	8	14	62	66	62	24
Black	296	-	-	-	2	5	17	29	71	94	60	20	235	-	-	-	-	2	7	14	62	66	60	24
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,581	-	-	1	-	-	45	205	458	563	264	44	541	-	-	-	-	1	15	78	179	177	66	25
White	1,138	-	-	1	-	-	29	151	315	411	200	30	410	-	-	-	-	1	9	49	135	142	54	20
All other	443	-	-	-	-	-	16	54	143	152	64	14	131	-	-	-	-	-	6	29	44	35	12	5
Black	440	-	-	-	-	-	16	52	142	152	64	14	129	-	-	-	-	-	6	29	43	34	12	5
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	1	1	1	1	527	-	-	-	-	19	35	96	121	136	77	43
White	3	-	-	-	-	-	-	-	1	-	1	1	372	-	-	-	-	10	23	73	80	92	60	34
All other	1	-	-	-	-	-	-	-	-	1	-	-	155	-	-	-	-	9	12	23	41	44	17	9
Black	1	-	-	-	-	-	-	-	-	1	-	-	153	-	-	-	-	9	12	23	40	44	16	9
Malignant neoplasms of genital organs (179-187)	393	-	-	-	2	1	2	13	46	112	165	52	319	-	-	-	2	9	23	34	70	101	49	30
White	234	-	-	-	1	1	2	10	29	60	99	32	200	-	-	-	1	5	13	24	42	55	39	20
All other	159	-	-	-	1	-	-	3	17	52	66	20	119	-	-	-	1	4	10	10	28	46	10	10
Black	159	-	-	-	1	-	-	3	17	52	66	20	119	-	-	-	1	4	10	10	28	46	10	10
Malignant neoplasms of urinary organs (188-189)	167	-	-	1	1	-	4	12	29	64	34	22	100	-	1	1	-	-	2	7	20	22	32	15
White	135	-	-	1	-	-	3	11	20	50	30	20	76	-	1	-	-	-	2	5	13	18	23	14
All other	32	-	-	-	1	-	1	1	9	14	4	2	24	-	-	1	-	-	-	2	7	4	9	1
Black	32	-	-	-	1	-	1	1	9	14	4	2	24	-	-	1	-	-	-	2	7	4	9	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	549	1	3	4	9	17	29	74	142	156	88	24	472	-	2	5	4	11	26	43	86	128	108	59
White	371	1	1	2	6	10	20	48	98	111	60	14	342	-	1	3	3	8	16	28	62	92	79	50
All other	178	-	2	2	3	7	9	26	44	45	28	10	130	-	1	2	1	3	10	15	24	36	29	9
Black	178	-	2	2	3	7	9	26	44	45	28	10	129	-	1	2	1	3	10	15	24	35	29	9
Leukemia (204-208)	159	-	2	9	7	8	4	12	28	50	34	5	137	-	1	1	4	4	7	12	19	31	40	18
White	119	-	1	3	6	6	3	8	17	41	29	5	108	-	1	1	3	4	6	10	14	22	33	14
All other	40	-	1	6	1	2	1	4	11	9	5	-	29	-	-	-	1	-	1	2	5	9	7	4
Black	39	-	1	6	1	2	1	4	11	8	5	-	29	-	-	-	1	-	1	2	5	9	7	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	180	-	1	-	7	8	14	22	40	43	40	5	168	1	-	-	8	2	4	13	31	52	44	13
White	131	-	1	-	5	4	12	18	29	26	31	5	128	1	-	-	6	2	1	7	26	32	40	13
All other	49	-	-	-	2	4	2	4	11	17	9	-	40	-	-	-	2	-	3	6	5	20	4	-
Black	49	-	-	-	2	4	2	4	11	17	9	-	40	-	-	-	2	-	3	6	5	20	4	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	64	-	1	1	3	4	4	10	11	16	11	3	71	-	1	1	-	2	5	8	12	20	18	4
White	43	-	1	-	2	2	3	6	7	11	8	3	48	-	1	1	-	-	1	6	9	14	13	3
All other	21	-	-	1	1	2	1	4	4	5	3	-	23	-	-	-	-	2	4	2	3	6	5	1
Black	21	-	-	1	1	2	1	4	4	5	3	-	22	-	-	-	-	2	4	2	3	5	5	1
Diabetes mellitus (250)	333	-	-	-	1	8	18	22	69	115	75	25	486	-	2	-	2	6	9	35	63	167	136	66
White	219	-	-	-	1	6	12	14	45	76	48	17	256	-	1	-	2	2	5	10	23	85	87	41
All other	114	-	-	-	-	2	6	8	24	39	27	8	230	-	1	-	-	4	4	25	40	82	49	25
Black	112	-	-	-	-	2	6	7	23	39	27	8	228	-	1	-	-	4	4	25	40	81	48	25
Nutritional deficiencies (260-269)	19	2	-	-	-	-	-	2	-	6	5	4	26	1	-	-	-	-	1	-	3	2	9	10
White	7	-	-	-	-	-	-	-	-	3	3	1	14	-	-	-	-	-	1	-	1	-	7	5
All other	12	2	-	-	-	-	-	2	-	3	2	3	12	1	-	-	-	-	-	-	2	2	2	5
Black	12	2	-	-	-	-	-	2	-	3	2	3	12	1	-	-	-	-	-	-	2	2	2	5
Anemias (280-285)	40	2	-	2	-	2	4	3	4	6	13	4	38	1	-	1	2	1	-	2	4	7	13	7
White	26	1	-	1	-	-	1	1	4	4	10	4	23	-	-	-	-	-	-	1	4	4	10	4
All other	14	1	-	1	-	2	3	2	-	2	3	-	15	1	-	1	2	1	-	1	-	3	3	3
Black	13	1	-	-	-	2	3	2	-	2	3	-	14	1	-	1	2	1	-	1	-	3	3	2
Meningitis (320-322)	21	8	-	1	-	4	1	2	1	1	3	-	14	4	1	1	-	-	1	2	3	2	-	-
White	11	5	-	-	-	2	-	2	1	-	1	-	7	1	1	-	-	-	1	1	1	2	-	-
All other	10	3	-	1	-	2	1	-	-	1	2	-	7	3	-	1	-	-	-	1	2	-	-	-
Black	10	3	-	1	-	2	1	-	-	1	2	-	7	3	-	1	-	-	-	1	2	-	-	-
Major cardiovascular diseases (390-448)	8,861	16	3	6	26	83	262	786	1,630	2,665	2,299	1,080	8,529	8	10	4	24	49	114	368	918	1,850	2,807	2,375
White	6,206	8	1	2	14	47	156	499	1,152	1,900	1,666	758	5,886	3	4	3	11	24	56	201	528	1,187	2,049	1,819
All other	2,655	8	2	4	12	36	106	287	478	765	633	322	2,643	5	6	1	13	25	58	167	390	663	758	556
Black	2,642	8	2	4	11	35	106	285	478	760	630	321	2,632	5	6	1	13	25	57	165	389	659	756	555

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Diseases of heart (390-398,402,404-429)	6,911	14	3	5	21	68	230	674	1,379	2,116	1,671	726	6,180	8	8	2	14	30	77	287	717	1,373	2,049	1,613
White	4,942	6	1	1	10	38	141	453	996	1,554	1,232	507	4,255	3	3	1	6	15	38	158	427	882	1,508	1,213
All other	1,969	8	2	4	11	30	89	221	383	562	439	219	1,925	5	5	1	8	15	39	129	290	491	541	400
Black	1,957	8	2	4	10	29	89	220	383	557	436	218	1,917	5	5	1	8	15	38	127	289	489	540	399
Rheumatic fever and rheumatic heart disease (390-398)	26	-	-	1	1	1	1	3	6	7	4	2	33	-	-	-	-	-	4	8	8	4	7	2
White	12	-	-	-	-	1	-	2	2	4	3	-	29	-	-	-	-	-	3	6	7	4	7	2
All other	14	-	-	1	1	-	1	1	4	3	1	2	4	-	-	-	-	-	1	2	1	-	-	-
Black	13	-	-	1	-	-	1	1	4	3	1	2	4	-	-	-	-	-	1	2	1	-	-	-
Hypertensive heart disease (402)	234	-	-	-	-	1	6	24	52	81	57	13	315	-	-	-	-	2	3	20	54	86	96	54
White	113	-	-	-	-	-	2	10	25	36	34	6	141	-	-	-	-	-	2	3	14	40	49	33
All other	121	-	-	-	-	1	4	14	27	45	23	7	174	-	-	-	-	2	1	17	40	46	47	21
Black	120	-	-	-	-	1	4	14	27	44	23	7	173	-	-	-	-	2	1	17	40	45	47	21
Hypertensive heart and renal disease (404)	44	-	-	-	-	-	1	2	5	15	15	6	40	-	-	-	-	1	-	1	1	13	14	10
White	23	-	-	-	-	-	-	1	1	8	10	3	15	-	-	-	-	-	-	-	-	6	5	4
All other	21	-	-	-	-	-	1	1	4	7	5	3	25	-	-	-	-	1	-	1	1	7	9	6
Black	21	-	-	-	-	-	1	1	4	7	5	3	25	-	-	-	-	1	-	1	1	7	9	6
Ischemic heart disease (410-414)	4,950	1	-	-	3	28	167	525	1,056	1,564	1,148	454	4,004	-	-	-	-	11	35	173	469	904	1,398	1,013
White	3,694	1	-	-	2	20	114	366	796	1,199	858	335	2,903	-	-	-	-	8	23	110	305	620	1,068	769
All other	1,256	-	-	-	1	8	53	159	260	365	290	119	1,101	-	-	-	-	3	12	63	164	284	330	244
Black	1,246	-	-	-	1	7	53	158	260	361	287	118	1,098	-	-	-	-	3	12	63	163	284	329	243
Acute myocardial infarction (410)	2,900	1	-	-	3	21	121	370	702	959	572	151	1,909	-	-	-	-	7	26	111	290	523	636	315
White	2,268	1	-	-	2	16	87	265	548	780	451	118	1,447	-	-	-	-	5	19	72	203	380	517	251
All other	632	-	-	-	1	5	34	105	154	179	121	33	462	-	-	-	-	2	7	39	87	143	119	64
Black	626	-	-	-	1	4	34	104	154	177	120	32	461	-	-	-	-	2	7	39	86	143	119	64
Other acute and subacute forms of ischemic heart disease (411)	8	-	-	-	-	-	-	2	1	-	3	2	6	-	-	-	-	-	-	1	1	-	3	1
White	7	-	-	-	-	-	-	2	-	-	3	2	4	-	-	-	-	-	-	-	-	-	3	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Angina pectoris (413)	9	-	-	-	-	-	-	-	3	4	2	-	7	-	-	-	-	-	-	2	1	1	2	1
White	8	-	-	-	-	-	-	-	3	3	2	-	5	-	-	-	-	-	-	1	1	1	1	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,033	-	-	-	-	7	46	153	350	601	571	301	2,082	-	-	-	-	4	9	59	177	380	757	696
White	1,411	-	-	-	-	4	27	99	245	416	402	215	1,447	-	-	-	-	3	4	37	101	239	547	516
All other	622	-	-	-	-	3	19	54	105	185	169	86	635	-	-	-	-	1	5	22	76	141	210	180
Black	618	-	-	-	-	3	19	54	105	183	167	86	633	-	-	-	-	1	5	22	76	141	209	179
Other diseases of endocardium (424)	60	1	-	-	1	2	2	3	11	19	14	7	39	-	-	-	-	-	-	2	6	11	13	7
White	39	1	-	-	1	-	1	1	7	14	10	4	30	-	-	-	-	-	-	2	2	9	11	6
All other	21	-	-	-	-	2	1	2	4	5	4	3	9	-	-	-	-	-	-	-	4	2	2	1
Black	21	-	-	-	-	2	1	2	4	5	4	3	9	-	-	-	-	-	-	-	4	2	2	1
All other forms of heart disease (415-423,425-429)	1,597	12	3	4	16	36	53	117	249	430	433	244	1,749	8	8	2	14	16	35	83	179	355	521	527
White	1,061	4	1	1	7	17	24	73	165	293	317	159	1,137	3	3	1	6	7	10	37	99	203	368	399
All other	536	8	2	3	9	19	29	44	84	137	116	85	612	5	5	1	8	9	25	46	80	152	153	128
Black	536	8	2	3	9	19	29	44	84	137	116	85	608	5	5	1	8	9	24	44	80	151	153	128
Hypertension with or without renal disease (401,403)	65	-	-	-	-	1	-	10	4	18	21	11	79	-	-	-	-	-	1	5	6	18	26	23
White	38	-	-	-	-	-	-	1	3	9	18	7	44	-	-	-	-	-	-	1	2	6	16	19
All other	27	-	-	-	-	1	-	9	1	9	3	4	35	-	-	-	-	-	1	4	4	12	10	4
Black	27	-	-	-	-	1	-	9	1	9	3	4	35	-	-	-	-	-	1	4	4	12	10	4
Cerebrovascular diseases (430-438)	1,355	2	-	-	3	11	26	80	169	361	463	240	1,780	-	2	2	7	14	30	63	160	359	596	547
White	832	2	-	-	3	6	12	32	90	207	310	170	1,224	-	1	2	4	5	16	35	79	230	426	426
All other	523	-	-	-	-	5	14	48	79	154	153	70	556	-	1	-	3	9	14	28	81	129	170	121
Black	522	-	-	-	-	5	14	47	79	154	153	70	554	-	1	-	3	9	14	28	81	129	169	121
Intracerebral and other intracranial hemorrhage (431-432)	133	1	-	-	-	5	9	19	30	32	30	7	167	-	-	-	3	7	7	21	31	33	40	25
White	79	1	-	-	-	4	2	10	13	22	22	5	113	-	-	-	1	3	4	13	16	24	33	19
All other	54	-	-	-	-	1	7	9	17	10	8	2	54	-	-	-	2	4	3	8	15	9	7	6
Black	54	-	-	-	-	1	7	9	17	10	8	2	54	-	-	-	2	4	3	8	15	9	7	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	222	1	-	-	-	1	4	10	18	61	74	53	283	-	-	1	1	2	2	4	19	48	101	105
White	143	1	-	-	-	-	3	4	10	32	53	40	207	-	-	1	1	1	-	3	9	30	75	87
All other	79	-	-	-	-	1	1	6	8	29	21	13	76	-	-	-	-	1	2	1	10	18	26	18
Black	78	-	-	-	-	1	1	5	8	29	21	13	76	-	-	-	-	1	2	1	10	18	26	18

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	1	-	2	-
White	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	1	-	2	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	997	-	-	-	3	5	13	51	121	267	358	179	1,327	-	2	1	3	5	21	38	100	278	453	417
White	608	-	-	-	3	2	7	18	67	152	235	124	901	-	1	1	2	1	12	19	53	176	316	320
All other	389	-	-	-	-	3	6	33	54	115	123	55	426	-	1	-	1	4	9	19	56	102	137	97
Black	389	-	-	-	-	3	6	33	54	115	123	55	424	-	1	-	1	4	9	19	56	101	136	97
Atherosclerosis (440)	331	-	-	-	-	1	2	13	40	88	99	87	381	-	-	-	1	-	3	6	19	68	106	178
White	233	-	-	-	-	1	2	9	27	60	74	60	282	-	-	-	1	-	-	2	9	49	74	147
All other	98	-	-	-	-	-	-	4	13	28	25	27	99	-	-	-	-	-	3	4	10	19	32	31
Black	98	-	-	-	-	-	-	4	13	28	25	27	98	-	-	-	-	-	3	4	10	18	32	31
Other diseases of arteries, arterioles, and capillaries (441-448)	199	-	-	1	2	2	4	9	38	82	45	16	109	-	-	-	2	5	3	7	16	32	30	14
White	161	-	-	1	1	2	1	4	36	70	32	14	81	-	-	-	-	4	2	5	11	20	25	14
All other	38	-	-	-	1	-	3	5	2	12	13	2	28	-	-	-	2	1	1	2	5	12	5	-
Black	38	-	-	-	1	-	3	5	2	12	13	2	28	-	-	-	2	1	1	2	5	12	5	-
Acute bronchitis and bronchiolitis (466)	6	-	1	-	-	-	1	1	-	-	2	1	7	-	-	-	1	-	1	-	-	1	2	2
White	4	-	1	-	-	-	1	-	-	-	2	-	7	-	-	-	1	-	1	-	-	1	2	2
All other	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	376	16	5	1	6	6	11	22	41	76	120	72	350	18	1	-	1	8	9	16	33	54	103	107
White	246	4	-	1	6	2	6	12	24	47	96	48	251	7	1	-	-	4	6	9	21	36	79	88
All other	130	12	5	-	-	4	5	10	17	29	24	24	99	11	-	-	1	4	3	7	12	18	24	19
Black	127	11	5	-	-	4	5	9	17	29	23	24	97	10	-	-	1	4	3	7	12	17	24	19
Pneumonia (480-486)	360	16	5	1	6	6	11	21	38	74	116	66	323	18	1	-	1	8	9	13	32	47	98	96
White	231	4	-	1	6	2	6	11	21	46	92	42	229	7	1	-	-	4	6	6	20	31	75	79
All other	129	12	5	-	-	4	5	10	17	28	24	24	94	11	-	-	1	4	3	7	12	16	23	17
Black	126	11	5	-	-	4	5	9	17	28	23	24	92	10	-	-	1	4	3	7	12	15	23	17
Influenza (487)	16	-	-	-	-	-	-	1	3	2	4	6	27	-	-	-	-	-	-	3	1	7	5	11
White	15	-	-	-	-	-	-	1	3	1	4	6	22	-	-	-	-	-	-	3	1	5	4	9
All other	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	-	-	2	1	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	-	-	2	1	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	597	1	1	-	1	5	8	33	107	225	175	41	262	-	-	-	1	2	4	20	57	91	64	23
White	469	-	-	-	-	1	3	18	81	186	143	37	223	-	-	-	-	1	1	13	49	80	58	21
All other	128	1	1	-	1	4	5	15	26	39	32	4	39	-	-	-	1	1	3	7	8	11	6	2
Black	127	1	1	-	1	4	4	15	26	39	32	4	39	-	-	-	1	1	3	7	8	11	6	2
Bronchitis, chronic and unspecified (490-491)	29	1	-	-	1	1	-	1	7	13	4	1	19	-	-	-	-	-	-	2	1	5	8	3
White	20	-	-	-	-	-	-	-	5	11	3	1	18	-	-	-	-	-	-	2	1	5	7	3
All other	9	1	-	-	1	1	-	1	2	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	9	1	-	-	1	1	-	1	2	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Emphysema (492)	143	-	-	-	-	1	2	6	25	58	46	5	50	-	-	-	-	-	2	2	12	19	12	3
White	115	-	-	-	-	-	-	5	19	48	39	4	48	-	-	-	-	-	1	1	12	19	12	3
All other	28	-	-	-	-	1	2	1	6	10	7	1	2	-	-	-	-	-	1	1	-	-	-	-
Black	28	-	-	-	-	1	2	1	6	10	7	1	2	-	-	-	-	-	1	1	-	-	-	-
Asthma (493)	23	-	1	-	-	1	2	6	6	4	3	-	35	-	-	-	1	2	2	8	8	8	4	2
White	9	-	-	-	-	-	-	2	4	1	2	-	18	-	-	-	-	1	-	4	4	4	4	1
All other	14	-	1	-	-	1	2	4	2	3	1	-	17	-	-	-	1	1	2	4	4	4	-	1
Black	13	-	1	-	-	1	1	4	2	3	1	-	17	-	-	-	1	1	2	4	4	4	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	402	-	-	-	-	2	4	20	69	150	122	35	158	-	-	-	-	-	-	8	36	59	40	15
White	325	-	-	-	-	1	3	11	53	126	99	32	139	-	-	-	-	-	-	6	32	52	35	14
All other	77	-	-	-	-	1	1	9	16	24	23	3	19	-	-	-	-	-	-	2	4	7	5	1
Black	77	-	-	-	-	1	1	9	16	24	23	3	19	-	-	-	-	-	-	2	4	7	5	1
Ulcer of stomach and duodenum (531-533)	43	-	-	-	1	-	3	5	10	8	11	5	31	-	-	-	-	1	1	2	3	7	10	7
White	30	-	-	-	-	-	1	4	7	7	7	4	24	-	-	-	-	-	1	2	-	6	8	7
All other	13	-	-	-	1	-	2	1	3	1	4	1	7	-	-	-	-	1	-	-	3	1	2	-
Black	13	-	-	-	1	-	2	1	3	1	4	1	7	-	-	-	-	1	-	-	3	1	2	-
Appendicitis (540-543)	12	-	[illegible]	[illegible]	1	1	-	1	2	3	4	-	7	-	-	1	-	-	-	-	1	3	2	-
White	3	-	-	[illegible]	-	1	-	1	-	-	1	-	6	-	-	-	-	-	-	-	1	3	2	-
All other	9	-	-	-	1	-	-	-	2	3	3	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	9	-	-	-	1	-	-	-	2	3	3	-	1	-	-	1	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	37	2	-	-	1	-	2	3	-	3	17	9	66	2	1	-	-	-	2	4	-	12	26	19
White	20	1	-	-	-	-	-	3	-	2	10	4	44	-	1	-	-	-	1	2	-	4	24	12
All other	17	1	-	-	1	-	2	-	-	1	7	5	22	2	-	-	-	-	1	2	-	8	2	7
Black	17	1	-	-	1	-	2	-	-	1	7	5	22	2	-	-	-	-	1	2	-	8	2	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Chronic liver disease and cirrhosis (571)	277	-	-	-	2	11	36	68	83	52	21	4	168	2	-	2	-	6	7	37	45	43	22	4
White	202	-	-	-	2	6	22	44	62	45	18	3	122	-	-	-	-	2	5	25	33	35	19	3
All other	75	-	-	-	-	5	14	24	21	7	3	1	46	2	-	2	-	4	2	12	12	8	3	1
Black	75	-	-	-	-	5	14	24	21	7	3	1	45	1	-	2	-	4	2	12	12	8	3	1
Cholelithiasis and other disorders of gallbladder (574-575)	16	-	-	-	-	-	-	-	-	10	6	-	37	-	-	-	-	-	1	-	3	11	15	6
White	14	-	-	-	-	-	-	-	-	9	5	-	24	-	-	-	-	-	-	-	2	5	12	5
All other	2	-	-	-	-	-	-	-	-	1	1	-	13	-	-	-	-	-	1	-	1	6	3	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	13	-	-	-	-	-	1	-	1	6	3	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	227	4	-	-	-	5	9	14	27	67	64	37	241	7	1	-	1	1	3	16	30	60	78	44
White	124	2	-	-	-	-	3	6	13	37	40	23	127	4	-	-	1	1	1	7	12	27	50	24
All other	103	2	-	-	-	5	6	8	14	30	24	14	114	3	1	-	-	-	2	9	18	33	28	20
Black	103	2	-	-	-	5	6	8	14	30	24	14	114	3	1	-	-	-	2	9	18	33	28	20
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	27	-	-	-	-	1	2	1	1	10	4	8	30	-	-	-	-	-	1	1	2	5	14	7
White	14	-	-	-	-	-	1	-	-	6	2	5	18	-	-	-	-	-	-	-	1	3	11	3
All other	13	-	-	-	-	1	1	1	1	4	2	3	12	-	-	-	-	-	1	1	1	2	3	4
Black	13	-	-	-	-	1	1	1	1	4	2	3	12	-	-	-	-	-	1	1	1	2	3	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	200	4	-	-	-	4	7	13	26	57	60	29	207	5	-	-	1	1	2	15	28	55	64	36
White	110	2	-	-	-	-	2	6	13	31	38	18	106	2	-	-	1	1	1	7	11	24	39	20
All other	90	2	-	-	-	4	5	7	13	26	22	11	101	3	-	-	-	-	1	8	17	31	25	16
Black	90	2	-	-	-	4	5	7	13	26	22	11	101	3	-	-	-	-	1	8	17	31	25	16
Infections of kidney (590)	17	-	-	-	-	1	-	-	2	2	6	6	38	-	-	-	-	-	-	-	4	6	12	16
White	11	-	-	-	-	-	-	-	2	-	4	5	32	-	-	-	-	-	-	-	3	4	10	15
All other	6	-	-	-	-	1	-	-	-	2	2	1	6	-	-	-	-	-	-	-	1	2	2	1
Black	6	-	-	-	-	1	-	-	-	2	2	1	6	-	-	-	-	-	-	-	1	2	2	1
Hyperplasia of prostate (600)	9	-	-	-	-	-	-	-	-	3	6	-	...	...	...	...	...	...	...	...	...	...	...	...
White	3	-	-	-	-	-	-	-	-	1	2	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	6	-	-	-	-	-	-	-	-	2	4	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	6	-	-	-	-	-	-	-	-	2	4	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	-	7	4	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	1	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	5	3	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	5	3	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	6	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	4	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	4	2	-	-	...	...	...	...
Congenital anomalies (740-759)	155	118	9	6	5	4	8	1	1	1	1	1	159	106	19	6	5	2	6	5	4	3	2	1
White	95	72	4	5	1	2	7	1	-	1	1	1	104	66	12	4	3	1	5	4	4	2	2	1
All other	60	46	5	1	4	2	1	-	1	-	-	-	55	40	7	2	2	1	1	1	-	1	-	-
Black	58	45	5	1	4	2	1	-	1	-	-	-	53	39	6	2	2	1	1	1	-	1	-	-
Certain conditions originating in the perinatal period (760-779)	317	313	3	-	-	-	-	-	-	-	-	1	266	265	1	-	-	-	-	-	-	-	-	-
White	137	134	3	-	-	-	-	-	-	-	-	-	111	111	-	-	-	-	-	-	-	-	-	-
All other	180	179	-	-	-	-	-	-	-	-	-	1	155	154	1	-	-	-	-	-	-	-	-	-
Black	179	178	-	-	-	-	-	-	-	-	-	1	154	153	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	86	86	-	-	-	-	-	-	-	-	-	-	66	66	-	-	-	-	-	-	-	-	-	-
White	48	48	-	-	-	-	-	-	-	-	-	-	35	35	-	-	-	-	-	-	-	-	-	-
All other	38	38	-	-	-	-	-	-	-	-	-	-	31	31	-	-	-	-	-	-	-	-	-	-
Black	38	38	-	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	231	227	3	-	-	-	-	-	-	-	-	1	200	199	1	-	-	-	-	-	-	-	-	-
White	89	86	3	-	-	-	-	-	-	-	-	-	76	76	-	-	-	-	-	-	-	-	-	-
All other	142	141	-	-	-	-	-	-	-	-	-	1	124	123	1	-	-	-	-	-	-	-	-	-
Black	141	140	-	-	-	-	-	-	-	-	-	1	124	123	1	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	199	52	4	1	3	7	6	9	26	30	40	18	148	40	-	-	2	3	3	5	23	22	25	25
White	118	17	1	-	3	4	5	6	22	20	27	11	87	19	-	-	1	2	2	3	14	16	12	18
All other	81	35	3	1	-	3	1	3	4	10	13	7	61	21	-	-	1	1	1	2	9	6	13	7
Black	81	35	3	1	-	3	1	3	4	10	13	7	59	21	-	-	1	1	1	2	7	6	13	7
All other diseases (Residual)	1,048	47	13	9	25	48	69	107	178	244	213	95	1,043	31	7	13	31	43	54	87	131	203	261	181
White	687	22	10	5	15	19	36	64	125	166	161	64	678	8	5	6	17	19	22	57	78	138	192	136
All other	361	25	3	4	10	29	33	43	53	78	52	31	365	23	2	7	14	24	32	30	53	65	69	45
Black	361	25	3	4	10	29	33	43	53	78	52	31	364	23	2	7	14	24	32	30	53	64	69	45
Accidents and adverse effects (E800-E949)	1,865	17	55	114	566	400	184	152	150	116	76	33	616	14	54	34	107	71	38	47	50	72	80	49
White	1,274	7	26	69	418	281	121	88	106	83	47	27	431	6	25	16	90	47	32	33	30	52	60	40
All other	591	10	29	45	148	119	63	64	44	33	29	6	185	8	29	18	17	24	6	14	20	20	20	9
Black	583	10	28	44	144	117	63	64	44	33	29	6	182	8	29	16	16	24	6	14	20	20	20	9
Motor vehicle accidents (E810-E825)	958	-	18	55	357	233	83	61	64	56	26	5	270	1	19	17	85	39	22	23	26	23	8	7
White	710	-	10	33	278	178	59	43	52	36	17	4	207	1	11	8	72	32	19	18	17	20	4	5
All other	248	-	8	22	79	55	24	18	12	20	9	1	63	-	8	9	13	7	3	5	9	3	4	2
Black	243	-	8	21	75	55	24	18	12	20	9	1	60	-	8	7	12	7	3	5	9	3	4	2
All other accidents and adverse effects (E800-E807, E826-E949)	907	17	37	59	209	167	101	91	86	60	50	28	346	13	35	17	22	32	16	24	24	49	72	42
White	564	7	16	36	140	103	62	45	54	47	30	23	224	5	14	8	18	15	13	15	13	32	56	35
All other	343	10	21	23	69	64	39	46	32	13	20	5	122	8	21	9	4	17	3	9	11	17	16	7
Black	340	10	20	23	69	62	39	46	32	13	20	5	122	8	21	9	4	17	3	9	11	17	16	7
Suicide (E950-E959)	350	...	...	-	81	88	50	40	33	29	24	3	137	...	...	1	17	28	29	27	17	15	1	2
White	303	...	...	-	71	72	40	36	29	28	23	2	124	...	...	1	15	24	24	27	17	13	1	2
All other	47	...	...	-	10	16	10	4	4	1	1	1	13	...	...	-	2	4	5	-	-	2	-	-
Black	46	...	...	-	10	16	10	3	4	1	1	1	13	...	...	-	2	4	5	-	-	2	-	-
Homicide and legal intervention (E960-E978)	571	2	4	3	173	191	93	62	27	4	5	2	133	1	5	2	34	37	19	11	10	8	6	-
White	179	1	-	2	47	54	27	28	13	1	2	1	56	1	3	1	9	13	10	4	6	5	4	-
All other	392	1	4	1	126	137	66	34	14	3	3	1	77	-	2	1	25	24	9	7	4	3	2	-
Black	391	1	4	1	126	136	66	34	14	3	3	1	77	-	2	1	25	24	9	7	4	3	2	-
All other external causes (E980-E999)	12	-	-	-	4	2	-	4	-	2	-	-	7	-	-	-	3	-	1	1	2	-	-	-
White	12	-	-	-	4	2	-	4	-	2	-	-	6	-	-	-	2	-	1	1	2	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
MAINE																								
All causes	5,561	116	14	18	151	116	146	397	885	1,504	1,448	796	4,826	64	15	22	52	45	78	202	475	962	1,456	1,455
White	5,545	116	13	18	150	116	145	395	882	1,500	1,446	794	4,813	63	14	21	52	44	77	199	475	961	1,452	1,455
All other	16	-	1	-	1	-	1	2	3	4	2	2	13	1	1	1	-	1	1	3	-	1	4	-
Black	6	-	-	-	-	-	-	-	-	2	2	2	3	-	1	-	-	-	-	1	-	1	-	-
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	-	-	-	-	3	2	-
White	2	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	-	-	-	-	3	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	-	-	3	1	-
White	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	-	-	3	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	27	1	-	-	-	-	-	2	3	6	8	7	19	1	-	-	-	-	-	1	3	5	4	5
White	27	1	-	-	-	-	-	2	3	6	8	7	19	1	-	-	-	-	-	1	3	5	4	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	10	-	-	1	1	-	-	2	2	-	1	3	9	-	-	-	1	-	1	1	3	-	3	-
White	10	-	-	1	1	-	-	2	2	-	1	3	9	-	-	-	1	-	1	1	3	-	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,255	-	1	2	8	11	22	99	256	424	313	119	1,059	1	1	1	6	7	30	101	194	296	265	157
White	1,253	-	1	2	8	11	22	99	255	423	313	119	1,056	1	1	1	6	7	29	101	194	295	264	157
All other	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	1	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	29	-	-	-	-	-	-	5	7	11	3	3	18	-	-	-	-	-	-	-	5	7	2	4
White	29	-	-	-	-	-	-	5	7	11	3	3	18	-	-	-	-	-	-	-	5	7	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	334	-	-	-	1	1	7	24	58	119	87	37	310	1	-	-	-	-	5	14	42	75	103	70
White	334	-	-	-	1	1	7	24	58	119	87	37	310	1	-	-	-	-	5	14	42	75	103	70
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	452	-	-	-	1	2	6	39	116	173	96	19	160	-	-	-	-	-	3	20	49	52	31	5
White	450	-	-	-	1	2	6	39	115	172	96	19	159	-	-	-	-	-	3	20	49	52	30	5
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	195	-	-	-	-	4	7	37	38	57	31	21
White	-	-	-	-	-	-	-	-	-	-	-	-	194	-	-	-	-	4	6	37	38	57	31	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	113	-	-	-	-	1	1	2	11	32	44	22	126	-	-	-	-	1	7	12	24	36	34	12
White	113	-	-	-	-	1	1	2	11	32	44	22	126	-	-	-	-	1	7	12	24	36	34	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Malignant neoplasms of urinary organs (188-189)	76	-	-	-	-	-	-	3	17	22	21	13	32	-	-	-	-	-	-	1	5	8	9	9
White	76	-	-	-	-	-	-	3	17	22	21	13	31	-	-	-	-	-	-	1	5	7	9	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	154	-	1	1	4	3	5	18	36	41	34	11	139	-	-	-	5	2	8	14	18	34	39	19
White	154	-	1	1	4	3	5	18	36	41	34	11	139	-	-	-	5	2	8	14	18	34	39	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	45	-	-	1	2	2	2	3	3	8	13	11	29	-	1	1	1	-	-	-	5	8	6	7
White	45	-	-	1	2	2	2	3	3	8	13	11	29	-	1	1	1	-	-	-	5	8	6	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	52	-	-	-	-	2	1	5	8	18	15	3	50	-	-	-	-	-	-	3	8	19	10	10
White	52	-	-	-	-	2	1	5	8	18	15	3	50	-	-	-	-	-	-	3	8	19	10	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	18	-	-	-	-	-	1	1	5	3	6	2	21	-	-	2	1	1	2	3	1	1	9	1
White	18	-	-	-	-	-	1	1	5	3	6	2	21	-	-	2	1	1	2	3	1	1	9	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	61	-	-	-	-	1	2	4	15	16	14	9	73	-	-	-	-	-	-	1	9	16	27	20
White	61	-	-	-	-	1	2	4	15	16	14	9	73	-	-	-	-	-	-	1	9	16	27	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	4	-	-	-	-	-	-	-	-	-	4	-	8	-	-	-	-	-	-	-	-	-	2	6
White	4	-	-	-	-	-	-	-	-	-	4	-	8	-	-	-	-	-	-	-	-	-	2	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	9	-	-	-	-	-	2	-	-	2	4	1	9	-	-	-	-	-	-	1	-	1	2	5
White	9	-	-	-	-	-	2	-	-	2	4	1	9	-	-	-	-	-	-	1	-	1	2	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	3	-	1	-	-	-	1	-	-	1	-	-	3	1	1	-	-	-	-	-	-	-	1	-
White	3	-	1	-	-	-	1	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,680	4	1	1	4	6	54	176	414	752	790	478	2,602	-	-	1	5	4	14	39	183	471	895	990
White	2,671	4	1	1	4	6	54	175	413	749	788	476	2,597	-	-	1	5	4	14	37	183	471	892	990
All other	9	-	-	-	-	-	-	1	1	3	2	2	5	-	-	-	-	-	-	2	-	-	3	-
Black	6	-	-	-	-	-	-	-	-	2	2	2	1	-	-	-	-	-	-	1	-	-	-	-
Diseases of heart (390-398,402,404-429)	2,163	3	1	-	3	4	49	166	365	621	610	341	1,904	-	-	1	3	2	10	33	138	390	666	661
White	2,154	3	1	-	3	4	49	165	364	618	608	339	1,902	-	-	1	3	2	10	32	138	390	665	661
All other	9	-	-	-	-	-	-	1	1	3	2	2	2	-	-	-	-	-	-	1	-	-	1	-
Black	6	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	14	-	-	-	-	-	1	1	4	5	3	-	20	-	-	-	-	-	-	-	5	5	6	4
White	14	-	-	-	-	-	1	1	4	5	3	-	20	-	-	-	-	-	-	-	5	5	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	29	-	-	-	-	-	-	2	1	9	13	4	58	-	-	-	-	-	-	3	2	11	27	15
White	29	-	-	-	-	-	-	2	1	9	13	4	58	-	-	-	-	-	-	3	2	11	27	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	8	-	-	-	-	-	-	-	-	1	7	-	11	-	-	-	-	-	-	-	1	2	4	4
White	8	-	-	-	-	-	-	-	-	1	7	-	11	-	-	-	-	-	-	-	1	2	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,700	1	-	-	-	3	38	132	304	506	469	247	1,406	-	-	-	1	2	7	22	104	306	482	482
White	1,697	1	-	-	-	3	38	132	304	504	469	246	1,404	-	-	-	1	2	7	21	104	306	481	482
All other	3	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	1	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	1,018	1	-	-	-	2	27	98	214	316	268	92	703	-	-	-	-	1	4	13	77	188	251	169
White	1,015	1	-	-	-	2	27	98	214	314	268	91	702	-	-	-	-	1	4	12	77	188	251	169
All other	3	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	6	-	-	-	-	-	-	-	4	1	-	1	5	-	-	-	-	-	-	-	-	1	3	1
White	6	-	-	-	-	-	-	-	4	1	-	1	5	-	-	-	-	-	-	-	-	1	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	2	-	1
White	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	2	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	674	-	-	-	-	1	11	34	86	189	200	153	695	-	-	-	1	1	3	9	27	115	228	311
White	674	-	-	-	-	1	11	34	86	189	200	153	694	-	-	-	1	1	3	9	27	115	227	311
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	27	-	-	-	-	-	2	2	3	7	10	3	30	-	-	-	-	-	-	-	3	7	12	8
White	27	-	-	-	-	-	2	2	3	7	10	3	30	-	-	-	-	-	-	-	3	7	12	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	385	2	1	-	3	1	8	29	53	93	108	87	379	-	-	1	2	-	3	8	23	59	135	148
White	379	2	1	-	3	1	8	28	52	92	106	86	379	-	-	1	2	-	3	8	23	59	135	148
All other	6	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	18	-	-	-	-	-	1	2	1	4	5	5	30	-	-	-	-	-	-	-	-	7	11	12
White	18	-	-	-	-	-	1	2	1	4	5	5	30	-	-	-	-	-	-	-	-	7	11	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	322	1	-	1	1	1	2	4	30	86	119	77	490	-	-	-	2	1	4	5	35	56	176	211
White	322	1	-	1	1	1	2	4	30	86	119	77	487	-	-	-	2	1	4	4	35	56	174	211
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	61	1	-	1	1	-	1	2	11	16	19	9	64	-	-	-	-	-	1	-	11	7	24	21
White	61	1	-	1	1	-	1	2	11	16	19	9	64	-	-	-	-	-	1	-	11	7	24	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	52	-	-	-	-	-	-	-	4	16	21	11	96	-	-	-	-	-	-	-	9	18	21	48
White	52	-	-	-	-	-	-	-	4	16	21	11	96	-	-	-	-	-	-	-	9	18	21	48
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	1	1	-	-	4	-	-	-	-	-	-	-	-	1	3	-
White	2	-	-	-	-	-	-	-	1	1	-	-	4	-	-	-	-	-	-	-	-	1	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	207	-	-	-	-	1	1	2	14	53	79	57	326	-	-	-	2	1	3	5	15	30	128	142
White	207	-	-	-	-	1	1	2	14	53	79	57	323	-	-	-	2	1	3	4	15	30	126	142
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Atherosclerosis (440)	81	-	-	-	-	-	-	-	7	14	20	40	119	-	-	-	-	-	-	-	2	7	24	86
White	81	-	-	-	-	-	-	-	7	14	20	40	119	-	-	-	-	-	-	-	2	7	24	86
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	96	-	-	-	-	1	2	4	11	27	36	15	59	-	-	-	-	1	-	1	8	11	18	20
White	96	-	-	-	-	1	2	4	11	27	36	15	59	-	-	-	-	1	-	1	8	11	18	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	141	3	1	1	-	1	1	2	11	27	53	41	148	2	-	-	2	-	-	-	5	16	45	78
White	141	3	1	1	-	1	1	2	11	27	53	41	147	1	-	-	2	-	-	-	5	16	45	78
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Pneumonia (480-486)	130	3	1	1	-	1	1	2	11	26	46	38	133	2	-	-	2	-	-	-	5	12	42	70
White	130	3	1	1	-	1	1	2	11	26	46	38	132	1	-	-	2	-	-	-	5	12	42	70
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	11	-	-	-	-	-	-	-	-	1	7	3	15	-	-	-	-	-	-	-	-	4	3	8
White	11	-	-	-	-	-	-	-	-	1	7	3	15	-	-	-	-	-	-	-	-	4	3	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	271	-	-	-	-	-	2	12	37	97	89	34	111	-	-	-	-	-	1	6	18	25	40	21
White	271	-	-	-	-	-	2	12	37	97	89	34	111	-	-	-	-	-	1	6	18	25	40	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	20	-	-	-	-	-	-	-	4	5	7	4	12	-	-	-	-	-	-	-	2	2	1	7
White	20	-	-	-	-	-	-	-	4	5	7	4	12	-	-	-	-	-	-	-	2	2	1	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	54	-	-	-	-	-	1	2	10	18	17	6	16	-	-	-	-	-	-	-	3	5	7	1
White	54	-	-	-	-	-	1	2	10	18	17	6	16	-	-	-	-	-	-	-	3	5	7	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	4	-	-	-	-	-	-	1	-	3	-	-	12	-	-	-	-	-	-	2	4	3	2	1
White	4	-	-	-	-	-	-	1	-	3	-	-	12	-	-	-	-	-	-	2	4	3	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	193	-	-	-	-	-	1	9	23	71	65	24	71	-	-	-	-	-	1	4	9	15	30	12
White	193	-	-	-	-	-	1	9	23	71	65	24	71	-	-	-	-	-	1	4	9	15	30	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	13	-	-	-	-	-	-	1	-	4	3	5	16	-	-	-	-	-	-	-	-	5	4	7
White	13	-	-	-	-	-	-	1	-	4	3	5	16	-	-	-	-	-	-	-	-	5	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	1	-	-	-	-	-	1	1	-	2	3	15	-	-	-	-	-	-	-	1	3	4	7
White	8	1	-	-	-	-	-	1	1	-	2	3	15	-	-	-	-	-	-	-	1	3	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	106	-	-	-	-	2	6	15	34	31	15	3	52	-	-	-	-	-	4	8	13	18	8	1
White	105	-	-	-	-	2	6	14	34	31	15	3	51	-	-	-	-	-	4	7	13	18	8	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	5	-	-	-	-	-	-	-	-	-	2	3	11	-	-	-	-	-	-	-	-	3	5	3
White	5	-	-	-	-	-	-	-	-	-	2	3	11	-	-	-	-	-	-	-	-	3	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	40	-	-	-	-	-	-	3	1	9	16	11	53	-	-	-	-	-	-	5	2	6	19	21
White	40	-	-	-	-	-	-	3	1	9	16	11	53	-	-	-	-	-	-	5	2	6	19	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	2	-
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	-	-	-	-	-	-	-	-	1	2	1	10	-	-	-	-	-	-	3	-	3	3	1
White	4	-	-	-	-	-	-	-	-	1	2	1	10	-	-	-	-	-	-	3	-	3	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	35	-	-	-	-	-	-	3	1	8	14	9	41	-	-	-	-	-	-	2	2	3	14	20
White	35	-	-	-	-	-	-	3	1	8	14	9	41	-	-	-	-	-	-	2	2	3	14	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	5	-	-	-	-	-	-	-	1	-	3	1	5	-	-	-	-	-	-	-	-	1	3	1
White	5	-	-	-	-	-	-	-	1	-	3	1	5	-	-	-	-	-	-	-	-	1	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	1	-	1	2	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	1	-	1	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	48	37	1	1	-	1	2	1	1	2	-	-	23	14	1	1	-	1	2	2	-	-	2	-
White	48	37	1	1	-	1	2	1	1	2	-	-	23	14	1	1	-	1	2	2	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	41	41	-	-	-	-	-	-	-	-	-	-	25	24	1	-	-	-	-	-	-	-	-	-
White	41	41	-	-	-	-	-	-	-	-	-	-	25	24	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	13	13	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
White	13	13	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	28	28	-	-	-	-	-	-	-	-	-	-	19	18	1	-	-	-	-	-	-	-	-	-
White	28	28	-	-	-	-	-	-	-	-	-	-	19	18	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	31	18	-	-	1	-	1	-	1	6	2	2	25	16	1	-	-	-	1	1	-	1	-	5
White	30	18	-	-	1	-	-	-	1	6	2	2	25	16	1	-	-	-	1	1	-	1	-	5
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	325	5	6	1	9	3	11	26	44	73	90	57	324	3	3	3	2	5	5	13	32	64	94	100
White	324	5	5	1	9	3	11	26	44	73	90	57	324	3	3	3	2	5	5	13	32	64	94	100
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	318	4	3	9	103	57	25	21	22	34	26	14	143	1	4	11	28	9	7	9	8	22	18	26
White	316	4	3	9	102	57	25	21	21	34	26	14	142	1	4	10	28	9	7	9	8	22	18	26
All other	2	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MAINE—Con.																								
Motor vehicle accidents (E810-E825)	154	-	2	4	70	33	14	7	7	8	8	1	63	1	3	6	26	5	5	4	4	6	2	1
White	152	-	2	4	69	33	14	7	6	8	8	1	62	1	3	5	26	5	5	4	4	6	2	1
All other	2	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	164	4	1	5	33	24	11	14	15	26	18	13	80	-	1	5	2	4	2	5	4	16	16	25
White	164	4	1	5	33	24	11	14	15	26	18	13	80	-	1	5	2	4	2	5	4	16	16	25
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	114	...	...	1	22	27	15	17	12	14	6	-	43	...	...	1	3	13	9	8	3	3	3	-
White	114	...	...	1	22	27	15	17	12	14	6	-	43	...	...	1	3	13	9	8	3	3	3	-
All other	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	17	-	-	1	3	4	1	4	3	1	-	-	19	-	2	2	4	4	1	3	-	1	1	1
White	17	-	-	1	3	4	1	4	3	1	-	-	18	-	2	2	4	3	1	3	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	2	-	-	-	-	1	-	-	1	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-
White	2	-	-	-	-	1	-	-	1	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND																								
All causes	18,124	437	71	86	597	665	745	1,620	3,542	4,691	3,891	1,764	15,825	334	55	61	237	267	397	971	2,199	3,414	4,311	3,564
White	14,027	245	40	60	412	406	428	1,120	2,735	3,788	3,245	1,539	12,691	182	36	38	159	146	226	669	1,637	2,756	3,657	3,176
All other	4,097	192	31	26	185	259	317	500	807	903	646	225	3,134	152	19	23	78	121	171	302	562	658	654	388
Black	4,017	186	31	26	180	255	304	490	790	890	638	221	3,068	150	18	22	76	115	159	295	553	649	643	383
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	2	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	1	-
White	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Tuberculosis (010-018)	22	-	-	-	-	-	2	2	6	4	6	2	11	-	-	-	-	-	-	2	1	1	4	3
White	13	-	-	-	-	-	1	-	4	3	3	2	2	-	-	-	-	-	-	-	-	-	2	-
All other	9	-	-	-	-	-	1	2	2	1	3	-	9	-	-	-	-	-	-	2	1	1	2	3
Black	9	-	-	-	-	-	1	2	2	1	3	-	9	-	-	-	-	-	-	2	1	1	2	3
Tuberculosis of respiratory system (010-012)	16	-	-	-	-	-	2	1	5	2	5	1	7	-	-	-	-	-	-	1	-	1	3	2
White	11	-	-	-	-	-	1	-	4	2	3	1	2	-	-	-	-	-	-	-	-	-	2	-
All other	5	-	-	-	-	-	1	1	1	-	2	-	5	-	-	-	-	-	-	1	-	1	1	2
Black	5	-	-	-	-	-	1	1	1	-	2	-	5	-	-	-	-	-	-	1	-	1	1	2
Other tuberculosis (013-018)	6	-	-	-	-	-	-	1	1	2	1	1	4	-	-	-	-	-	-	1	1	-	1	1
White	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	4	-	-	-	-	-	-	1	1	1	1	-	4	-	-	-	-	-	-	1	1	-	1	1
Black	4	-	-	-	-	-	-	1	1	1	1	-	4	-	-	-	-	-	-	1	1	-	1	1
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	1	-	-	-	-	-	-	-	3	1	-	1	-	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	-	-	1	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	126	3	-	1	-	1	2	8	13	37	41	20	178	4	-	-	2	3	2	4	17	31	60	55
White	82	1	-	-	-	-	-	3	8	23	32	15	119	-	-	-	1	2	-	2	9	23	38	44
All other	44	2	-	1	-	1	2	5	5	14	9	5	59	4	-	-	1	1	2	2	8	8	22	11
Black	42	2	-	1	-	1	2	4	5	13	9	5	59	4	-	-	1	1	2	2	8	8	22	11
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Viral hepatitis (070)	7	-	-	-	1	2	2	-	1	-	1	-	6	-	1	-	3	-	-	-	1	1	-	-
White	3	-	-	-	-	-	1	-	1	-	1	-	4	-	-	-	2	-	-	-	1	1	-	-
All other	4	-	-	-	1	2	1	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
Black	3	-	-	-	1	2	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	40	1	-	2	2	3	4	8	7	6	4	3	32	-	-	-	-	2	1	4	6	7	9	3
White	26	1	-	2	1	2	1	4	5	4	4	2	21	-	-	-	-	-	-	1	3	6	9	2
All other	14	-	-	-	1	1	3	4	2	2	-	1	11	-	-	-	-	2	1	3	3	1	-	1
Black	14	-	-	-	1	1	3	4	2	2	-	1	11	-	-	-	-	2	1	3	3	1	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,315	1	7	11	34	42	129	441	1,130	1,339	917	263	3,738	-	5	13	21	51	143	431	918	1,011	803	340
White	3,322	-	6	10	28	35	79	300	849	1,044	746	224	3,031	-	4	7	16	30	94	318	726	846	681	308
All other	993	1	1	1	6	7	50	141	281	295	171	39	707	-	1	6	5	21	49	113	192	165	122	32
Black	975	1	1	1	6	7	48	139	272	293	168	39	686	-	1	5	5	19	42	111	188	162	119	32
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	142	-	-	-	2	1	8	23	43	41	17	7	61	-	-	-	-	-	1	10	21	16	8	5
White	105	-	-	-	1	1	1	13	34	37	11	7	50	-	-	-	-	-	1	7	17	14	7	4
All other	37	-	-	-	1	-	7	10	9	4	6	-	11	-	-	-	-	-	-	3	4	2	1	1
Black	37	-	-	-	1	-	7	10	9	4	6	-	11	-	-	-	-	-	-	3	4	2	1	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,102	-	-	-	3	5	27	117	286	348	251	65	982	-	-	2	2	7	17	62	206	286	265	135
White	841	-	-	-	2	5	15	76	214	261	209	59	795	-	-	2	2	2	9	39	158	238	221	124
All other	261	-	-	-	1	-	12	41	72	87	42	6	187	-	-	-	-	5	8	23	48	48	44	11
Black	250	-	-	-	1	-	11	40	64	87	41	6	181	-	-	-	-	4	5	22	47	48	44	11
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,504	-	-	-	1	2	39	179	484	501	253	44	669	-	-	-	-	1	19	89	224	205	106	25
White	1,151	-	-	-	1	1	20	113	358	404	210	43	537	-	-	-	-	-	12	63	177	172	91	22
All other	353	-	-	-	-	1	19	66	126	97	43	1	132	-	-	-	-	1	7	26	47	33	15	3
Black	352	-	-	-	-	1	18	66	126	97	43	1	129	-	-	-	-	1	7	26	47	31	14	3
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	1	1	-	4	-	-	709	-	-	-	1	14	60	123	201	153	108	49
White	6	-	-	-	-	-	1	1	-	4	-	-	575	-	-	-	-	10	45	92	166	128	94	40
All other	-	-	-	-	-	-	-	-	-	-	-	-	134	-	-	-	1	4	15	31	35	25	14	9
Black	-	-	-	-	-	-	-	-	-	-	-	-	130	-	-	-	1	3	14	31	33	25	14	9
Malignant neoplasms of genital organs (179-187)	444	-	-	-	3	-	2	8	59	137	160	75	391	-	-	-	2	7	21	64	104	106	71	15
White	302	-	-	-	3	-	1	6	32	89	117	54	311	-	-	-	1	5	11	51	78	89	60	15
All other	142	-	-	-	-	-	1	2	27	48	43	21	80	-	-	-	1	2	10	13	26	17	11	-
Black	142	-	-	-	-	-	1	2	27	48	43	21	78	-	-	-	1	2	10	12	25	17	11	-
Malignant neoplasms of urinary organs (188-189)	210	-	2	1	-	-	1	18	50	55	61	22	127	-	1	-	-	3	-	10	22	35	39	17
White	182	-	2	1	-	-	1	17	45	45	54	17	107	-	-	-	-	2	-	9	18	29	33	16
All other	28	-	-	-	-	-	-	1	5	10	7	5	20	-	1	-	-	1	-	1	4	6	6	1
Black	28	-	-	-	-	-	-	1	5	10	7	5	19	-	1	-	-	1	-	1	4	6	5	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	590	1	4	2	12	19	30	67	143	174	109	29	504	-	1	5	12	9	15	55	85	132	129	61
White	472	-	3	2	11	16	25	52	111	137	88	27	413	-	1	2	10	3	8	44	69	110	110	56
All other	118	1	1	-	1	3	5	15	32	37	21	2	91	-	-	3	2	6	7	11	16	22	19	5
Black	115	1	1	-	1	3	5	15	31	36	20	2	89	-	-	2	2	6	6	11	16	22	19	5
Leukemia (204-208)	131	-	1	7	8	9	10	7	22	35	23	9	133	-	3	4	2	7	7	3	19	35	36	17
White	111	-	1	6	6	8	6	5	20	30	21	8	114	-	3	2	1	6	5	3	17	30	31	16
All other	20	-	-	1	2	1	4	2	2	5	2	1	19	-	-	2	1	1	2	-	2	5	5	1
Black	19	-	-	1	2	1	4	2	2	4	2	1	17	-	-	2	1	1	-	-	2	5	5	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	186	-	-	1	5	6	11	21	43	44	43	12	162	-	-	2	2	3	3	15	36	43	41	17
White	152	-	-	1	4	4	9	17	35	37	36	9	129	-	-	1	2	2	3	10	26	36	34	15
All other	34	-	-	-	1	2	2	4	8	7	7	3	33	-	-	1	-	1	-	5	10	7	7	2
Black	32	-	-	-	1	2	2	3	8	7	6	3	31	-	-	1	-	1	-	5	10	6	6	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	72	1	-	2	2	2	7	8	10	21	16	3	81	-	-	2	1	1	2	9	15	20	19	12
White	59	1	-	1	1	2	6	7	8	18	12	3	67	-	-	-	-	-	1	5	13	19	18	11
All other	13	-	-	1	1	-	1	1	2	3	4	-	14	-	-	2	1	1	1	4	2	1	1	1
Black	13	-	-	1	1	-	1	1	2	3	4	-	13	-	-	2	1	1	1	3	2	1	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Diabetes mellitus (250)	251	-	-	-	2	4	14	21	55	80	59	16	387	-	-	-	2	3	7	19	45	120	129	62
White	185	-	-	-	2	4	6	17	40	63	38	15	272	-	-	-	2	3	1	12	29	85	93	47
All other	66	-	-	-	-	-	8	4	15	17	21	1	115	-	-	-	-	-	6	7	16	35	36	15
Black	65	-	-	-	-	-	8	4	15	17	20	1	114	-	-	-	-	-	6	7	16	35	35	15
Nutritional deficiencies (260-269)	12	1	-	-	1	-	-	-	-	3	5	2	19	-	-	-	-	-	-	-	5	3	3	8
White	7	-	-	-	-	-	-	-	-	2	3	2	12	-	-	-	-	-	-	-	3	2	2	5
All other	5	1	-	-	1	-	-	-	-	1	2	-	7	-	-	-	-	-	-	-	2	1	1	3
Black	4	1	-	-	-	-	-	-	-	1	2	-	7	-	-	-	-	-	-	-	2	1	1	3
Anemias (280-285)	25	-	-	1	6	-	1	1	4	2	6	4	40	-	1	-	1	3	2	1	5	6	11	10
White	9	-	-	-	-	-	-	-	2	1	5	1	30	-	1	-	-	-	1	1	3	6	10	8
All other	16	-	-	1	6	-	1	1	2	1	1	3	10	-	-	-	1	3	1	-	2	-	1	2
Black	16	-	-	1	6	-	1	1	2	1	1	3	10	-	-	-	1	3	1	-	2	-	1	2
Meningitis (320-322)	9	1	-	-	1	-	-	1	2	1	2	1	13	3	-	-	-	-	-	3	-	2	3	2
White	4	-	-	-	-	-	-	-	2	1	-	1	9	2	-	-	-	-	-	1	-	2	2	2
All other	5	1	-	-	1	-	-	1	-	-	2	-	4	1	-	-	-	-	-	2	-	-	1	-
Black	5	1	-	-	1	-	-	1	-	-	2	-	4	1	-	-	-	-	-	2	-	-	1	-
Major cardiovascular diseases (390-448)	8,030	9	3	5	14	68	202	682	1,627	2,337	2,050	1,028	7,860	5	3	5	21	37	90	259	814	1,620	2,550	2,450
White	6,567	6	2	3	7	38	127	496	1,310	1,934	1,739	901	6,496	4	2	3	8	13	44	161	567	1,287	2,202	2,200
All other	1,463	3	1	2	7	30	75	186	317	403	311	127	1,364	1	1	2	13	24	46	98	247	333	348	250
Black	1,440	2	1	2	7	30	73	183	312	397	308	124	1,341	1	1	2	13	23	44	97	243	329	342	245
Diseases of heart (390-398,402,404-429)	6,745	7	3	5	10	53	177	612	1,438	1,986	1,654	796	6,058	4	3	5	11	22	60	201	682	1,326	1,949	1,789
White	5,562	5	2	3	4	30	113	459	1,172	1,658	1,413	700	5,048	4	2	3	3	10	32	128	477	1,072	1,691	1,621
All other	1,183	2	1	2	6	23	64	153	266	328	241	96	1,010	-	1	2	8	12	28	73	205	254	258	168
Black	1,164	1	1	2	6	23	63	151	262	322	238	94	993	-	1	2	8	11	27	72	201	251	254	165
Rheumatic fever and rheumatic heart disease (390-398)	36	-	-	-	-	1	1	8	8	10	5	3	88	-	-	-	-	3	2	10	18	25	22	8
White	32	-	-	-	-	1	1	6	7	10	4	3	77	-	-	-	-	2	1	9	13	22	22	8
All other	4	-	-	-	-	-	-	2	1	-	1	-	11	-	-	-	-	1	1	1	5	3	-	-
Black	4	-	-	-	-	-	-	2	1	-	1	-	10	-	-	-	-	1	-	1	5	3	-	-
Hypertensive heart disease (402)	303	-	-	1	-	4	13	42	82	92	56	13	343	-	-	-	-	1	7	15	52	85	103	80
White	172	-	-	-	-	2	3	17	49	56	35	10	249	-	-	-	-	1	2	6	26	61	78	75
All other	131	-	-	1	-	2	10	25	33	36	21	3	94	-	-	-	-	-	5	9	26	24	25	5
Black	129	-	-	1	-	2	10	25	33	35	20	3	93	-	-	-	-	-	5	9	25	24	25	5
Hypertensive heart and renal disease (404)	44	-	-	-	-	-	2	2	6	9	18	7	44	-	-	-	1	-	-	2	3	8	15	15
White	30	-	-	-	-	-	-	-	2	6	16	6	29	-	-	-	-	-	-	-	-	4	11	14
All other	14	-	-	-	-	-	2	2	4	3	2	1	15	-	-	-	1	-	-	2	3	4	4	1
Black	14	-	-	-	-	-	2	2	4	3	2	1	15	-	-	-	1	-	-	2	3	4	4	1
Ischemic heart disease (410-414)	3,712	1	-	-	1	11	82	317	843	1,189	901	365	3,078	-	-	-	-	2	19	94	362	764	1,021	814
White	3,317	1	-	-	-	5	64	270	747	1,062	830	337	2,669	-	-	-	-	1	13	64	284	638	923	744
All other	395	-	-	-	1	6	18	47	96	127	71	28	409	-	-	-	-	1	6	30	78	126	98	70
Black	386	-	-	-	1	6	17	47	92	124	70	27	400	-	-	-	-	1	6	30	77	124	96	67
Acute myocardial infarction (410)	2,432	-	-	-	1	7	58	221	606	799	548	191	1,848	-	-	-	-	2	14	64	273	533	600	361
White	2,184	-	-	-	-	3	45	190	534	723	512	176	1,593	-	-	-	-	1	9	45	217	450	541	329
All other	248	-	-	-	1	4	13	31	72	76	36	15	255	-	-	-	-	1	5	19	56	83	59	32
Black	246	-	-	-	1	4	13	31	71	75	36	15	249	-	-	-	-	1	5	19	55	81	57	31
Other acute and subacute forms of ischemic heart disease (411)	56	1	-	-	-	-	3	6	9	20	16	1	26	-	-	-	-	-	-	-	3	6	9	8
White	47	1	-	-	-	-	2	4	9	17	13	1	24	-	-	-	-	-	-	-	2	6	8	8
All other	9	-	-	-	-	-	1	2	-	3	3	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	8	-	-	-	-	-	-	2	-	3	3	-	2	-	-	-	-	-	-	-	1	-	1	-
Angina pectoris (413)	11	-	-	-	-	-	1	-	1	4	5	-	12	-	-	-	-	-	-	-	2	6	2	2
White	9	-	-	-	-	-	-	-	1	3	5	-	9	-	-	-	-	-	-	-	-	5	2	2
All other	2	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-	-	-	-	-	2	1	-	-
Black	2	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-	-	-	-	-	2	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,213	-	-	-	-	4	20	90	227	366	332	173	1,192	-	-	-	-	-	5	30	84	219	410	443
White	1,077	-	-	-	-	2	17	76	203	319	300	160	1,043	-	-	-	-	-	4	19	65	177	372	405
All other	136	-	-	-	-	2	3	14	24	47	32	13	149	-	-	-	-	-	1	11	19	42	38	38
Black	130	-	-	-	-	2	3	14	22	45	31	12	146	-	-	-	-	-	1	11	19	42	37	36
Other diseases of endocardium (424)	58	-	-	-	-	-	4	5	13	13	15	8	54	-	-	1	1	1	1	2	6	17	13	12
White	47	-	-	-	-	-	2	5	12	11	12	5	49	-	-	1	1	-	1	2	5	15	13	11
All other	11	-	-	-	-	-	2	-	1	2	3	3	5	-	-	-	-	1	-	-	1	2	-	1
Black	10	-	-	-	-	-	2	-	-	2	3	3	5	-	-	-	-	1	-	-	1	2	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
All other forms of heart disease (415-423,425-429)	2,592	6	3	4	9	37	75	238	486	673	659	400	2,451	4	3	4	9	15	31	78	241	427	775	860
White	1,964	4	2	3	4	22	43	161	355	513	516	339	1,975	4	2	2	2	6	15	47	149	332	644	769
All other	628	2	1	1	5	15	32	77	131	160	143	61	476	-	1	2	7	9	16	31	92	95	131	91
Black	621	1	1	1	5	15	32	75	131	158	142	60	470	-	1	2	7	8	16	30	90	94	130	91
Hypertension with or without renal disease (401,403)	47	-	-	-	-	-	2	6	11	12	11	5	88	-	-	-	2	2	-	1	9	18	31	25
White	30	-	-	-	-	-	-	2	7	8	9	4	49	-	-	-	-	-	-	1	4	4	21	19
All other	17	-	-	-	-	-	2	4	4	4	2	1	39	-	-	-	2	2	-	-	5	14	10	6
Black	17	-	-	-	-	-	2	4	4	4	2	1	39	-	-	-	2	2	-	-	5	14	10	6
Cerebrovascular diseases (430-438)	873	2	-	-	3	11	20	52	119	239	278	148	1,359	1	-	-	7	10	30	54	105	231	457	464
White	664	1	-	-	3	5	11	28	82	181	227	125	1,098	-	-	-	4	2	12	31	74	176	394	405
All other	209	1	-	-	-	6	9	24	37	58	51	23	261	1	-	-	3	8	18	23	31	55	63	59
Black	205	1	-	-	-	6	8	23	36	58	51	22	257	1	-	-	3	8	17	23	31	54	62	58
Intracerebral and other intracranial hemorrhage (431-432)	147	1	-	-	1	6	7	20	28	43	29	11	173	1	-	-	1	1	11	21	27	39	43	29
White	100	-	-	-	1	3	2	8	18	34	24	9	125	-	-	-	1	-	3	11	16	29	40	25
All other	47	1	-	-	-	3	5	12	10	9	5	2	48	1	-	-	-	1	8	10	11	10	3	4
Black	47	1	-	-	-	3	5	12	10	9	5	2	48	1	-	-	-	1	8	10	11	10	3	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	124	-	-	-	-	2	-	5	15	33	42	27	215	-	-	-	-	-	2	6	7	34	90	76
White	104	-	-	-	-	1	-	3	9	28	37	26	188	-	-	-	-	-	1	4	6	26	80	71
All other	20	-	-	-	-	1	-	2	6	5	5	1	27	-	-	-	-	-	1	2	1	8	10	5
Black	20	-	-	-	-	1	-	2	6	5	5	1	26	-	-	-	-	-	1	2	1	8	9	5
Cerebral embolism (434.1)	6	-	-	-	-	-	-	-	-	4	2	-	5	-	-	-	-	-	-	-	-	2	2	1
White	5	-	-	-	-	-	-	-	-	4	1	-	4	-	-	-	-	-	-	-	-	1	2	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	596	1	-	-	2	3	13	27	76	159	205	110	966	-	-	-	6	9	17	27	71	156	322	358
White	455	1	-	-	2	1	9	17	55	115	165	90	781	-	-	-	3	2	8	16	52	120	272	308
All other	141	-	-	-	-	2	4	10	21	44	40	20	185	-	-	-	3	7	9	11	19	36	50	50
Black	137	-	-	-	-	2	3	9	20	44	40	19	182	-	-	-	3	7	8	11	19	35	50	49
Atherosclerosis (440)	135	-	-	-	-	-	-	1	15	18	44	57	234	-	-	-	-	-	-	1	5	20	69	139
White	114	-	-	-	-	-	-	1	14	15	33	51	206	-	-	-	-	-	-	1	5	16	59	125
All other	21	-	-	-	-	-	-	-	1	3	11	6	28	-	-	-	-	-	-	-	-	4	10	14
Black	21	-	-	-	-	-	-	-	1	3	11	6	27	-	-	-	-	-	-	-	-	4	9	14
Other diseases of arteries, arterioles, and capillaries (441-448)	230	-	-	-	1	4	3	11	44	82	63	22	121	-	-	-	1	3	-	2	13	25	44	33
White	197	-	-	-	-	3	3	6	35	72	57	21	95	-	-	-	1	1	-	-	7	19	37	30
All other	33	-	-	-	1	1	-	5	9	10	6	1	26	-	-	-	-	2	-	2	6	6	7	3
Black	33	-	-	-	1	1	-	5	9	10	6	1	25	-	-	-	-	2	-	2	6	6	7	2
Acute bronchitis and bronchiolitis (466)	7	2	-	-	-	-	-	-	-	2	2	1	5	1	-	-	-	-	-	-	-	1	2	1
White	6	1	-	-	-	-	-	-	-	2	2	1	5	1	-	-	-	-	-	-	-	1	2	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	375	-	2	-	7	3	11	19	39	68	118	108	331	6	1	-	1	1	4	11	21	33	98	155
White	286	-	2	-	6	1	3	7	20	48	102	97	287	3	1	-	1	1	1	7	17	30	83	143
All other	89	-	-	-	1	2	8	12	19	20	16	11	44	3	-	-	-	-	3	4	4	3	15	12
Black	87	-	-	-	1	1	8	12	18	20	16	11	44	3	-	-	-	-	3	4	4	3	15	12
Pneumonia (480-486)	361	-	2	-	7	3	11	19	39	68	115	97	316	6	1	-	1	1	4	11	19	31	93	149
White	272	-	2	-	6	1	3	7	20	48	99	86	272	3	1	-	1	1	1	7	15	28	78	137
All other	89	-	-	-	1	2	8	12	19	20	16	11	44	3	-	-	-	-	3	4	4	3	15	12
Black	87	-	-	-	1	1	8	12	18	20	16	11	44	3	-	-	-	-	3	4	4	3	15	12
Influenza (487)	14	-	-	-	-	-	-	-	-	-	3	11	15	-	-	-	-	-	-	-	2	2	5	6
White	14	-	-	-	-	-	-	-	-	-	3	11	15	-	-	-	-	-	-	-	2	2	5	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	588	-	-	1	2	-	3	17	98	227	191	49	324	-	-	1	2	2	5	22	62	110	91	29
White	510	-	-	1	-	-	1	13	83	201	167	44	299	-	-	-	-	1	2	18	56	108	85	29
All other	78	-	-	-	2	-	2	4	15	26	24	5	25	-	-	1	2	1	3	4	6	2	6	-
Black	76	-	-	-	2	-	2	4	15	25	23	5	25	-	-	1	2	1	3	4	6	2	6	-
Bronchitis, chronic and unspecified (490-491)	28	-	-	1	1	-	-	-	5	10	8	3	18	-	-	-	-	-	-	1	4	8	4	1
White	24	-	-	1	-	-	-	-	5	8	7	3	18	-	-	-	-	-	-	1	4	8	4	1
All other	4	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	111	-	-	-	-	-	2	2	23	49	27	8	59	-	-	-	-	-	1	3	17	17	18	3
White	99	-	-	-	-	-	1	1	22	43	25	7	56	-	-	-	-	-	1	2	15	17	18	3
All other	12	-	-	-	-	-	1	1	1	6	2	1	3	-	-	-	-	-	-	1	2	-	-	-
Black	12	-	-	-	-	-	1	1	1	6	2	1	3	-	-	-	-	-	-	1	2	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con																								
Asthma (493)	6	-	-	-	1	-	1	1	2	-	1	-	23	-	-	-	2	2	3	4	3	5	3	1
White	2	-	-	-	-	-	-	1	-	-	1	-	15	-	-	-	-	1	-	3	2	5	3	1
All other	4	-	-	-	1	-	1	-	2	-	-	-	8	-	-	-	2	1	3	1	1	-	-	-
Black	4	-	-	-	1	-	1	-	2	-	-	-	8	-	-	-	2	1	3	1	1	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	443	-	-	-	-	-	-	14	68	168	156	38	224	-	-	1	-	-	1	14	38	80	66	24
White	385	-	-	-	-	-	-	11	56	150	134	34	210	-	-	-	-	-	1	12	35	78	60	24
All other	58	-	-	-	-	-	-	3	12	18	21	4	14	-	-	1	-	-	-	2	3	2	6	-
Black	56	-	-	-	-	-	-	3	12	17	20	4	14	-	-	1	-	-	-	2	3	2	6	-
Ulcer of stomach and duodenum (531-533)	46	-	-	-	-	2	3	4	11	9	6	11	53	1	-	-	-	-	-	3	10	10	17	12
White	41	-	-	-	-	2	1	3	10	8	6	11	47	1	-	-	-	-	-	3	7	8	16	12
All other	5	-	-	-	-	-	2	1	1	1	-	-	6	-	-	-	-	-	-	-	3	2	1	-
Black	5	-	-	-	-	-	2	1	1	1	-	-	6	-	-	-	-	-	-	-	3	2	1	-
Appendicitis (540-543)	7	-	-	-	-	-	1	-	2	-	3	1	5	-	-	-	-	1	-	-	-	1	3	-
White	6	-	-	-	-	-	1	-	1	-	3	1	3	-	-	-	-	-	-	-	-	1	2	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	41	1	1	-	2	-	1	3	6	2	12	13	55	-	-	-	1	1	1	1	3	12	20	16
White	34	-	1	-	1	-	1	3	5	2	10	11	45	-	-	-	1	-	-	-	3	10	17	14
All other	7	1	-	-	1	-	-	-	1	-	2	2	10	-	-	-	-	1	1	1	-	2	3	2
Black	7	1	-	-	1	-	-	-	1	-	2	2	10	-	-	-	-	1	1	1	-	2	3	2
Chronic liver disease and cirrhosis (571)	278	-	-	-	1	12	41	57	93	52	19	3	160	-	-	1	-	5	25	25	41	37	25	1
White	208	-	-	-	-	4	16	44	76	47	19	2	113	-	-	-	-	3	12	18	28	31	20	1
All other	70	-	-	-	1	8	25	13	17	5	-	1	47	-	-	1	-	2	13	7	13	6	5	-
Black	70	-	-	-	1	8	25	13	17	5	-	1	46	-	-	1	-	2	13	6	13	6	5	-
Cholelithiasis and other disorders of gallbladder (574-575)	14	-	-	-	-	-	-	2	3	5	1	3	34	-	-	-	-	-	-	-	3	7	15	9
White	13	-	-	-	-	-	-	1	3	5	1	3	26	-	-	-	-	-	-	-	2	4	12	8
All other	1	-	-	-	-	-	-	1	-	-	-	-	8	-	-	-	-	-	-	-	1	3	3	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	8	-	-	-	-	-	-	-	1	3	3	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	183	2	-	2	1	6	3	10	35	51	51	22	198	1	1	-	1	2	3	10	21	59	55	45
White	123	2	-	2	1	4	2	4	17	33	41	17	145	1	1	-	-	2	1	8	15	39	40	38
All other	60	-	-	-	-	2	1	6	18	18	10	5	53	-	-	-	1	-	2	2	6	20	15	7
Black	59	-	-	-	-	2	1	6	18	17	10	5	53	-	-	-	1	-	2	2	6	20	15	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	12	-	-	-	-	1	-	-	2	3	3	3	10	-	-	-	-	-	1	-	1	2	6	-
White	11	-	-	-	-	1	-	-	2	2	3	3	7	-	-	-	-	-	-	-	-	2	5	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	1	-	1	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	1	-	1	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	170	2	-	2	1	5	3	10	33	47	48	19	188	1	1	-	1	2	2	10	20	57	49	45
White	112	2	-	2	1	3	2	4	15	31	38	14	138	1	1	-	-	2	1	8	15	37	35	38
All other	58	-	-	-	-	2	1	6	18	16	10	5	50	-	-	-	1	-	1	2	5	20	14	7
Black	57	-	-	-	-	2	1	6	18	15	10	5	50	-	-	-	1	-	1	2	5	20	14	7
Infections of kidney (590)	7	-	-	-	-	-	-	-	-	-	5	2	20	-	-	-	-	-	-	2	1	4	8	5
White	7	-	-	-	-	-	-	-	-	-	5	2	11	-	-	-	-	-	-	-	-	1	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	2	1	3	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	2	1	3	3	-
Hyperplasia of prostate (600)	10	-	-	-	-	-	-	-	-	2	4	4	...	...	...	...	...	...	...	...	...	...	...	...
White	9	-	-	-	-	-	-	-	-	2	3	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	1	-	-	-	-	-	-	-	-	-	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	4	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	4	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
Congenital anomalies (740-759)	124	71	11	5	7	4	4	9	6	3	4	-	117	84	10	2	4	-	2	3	1	3	4	2
White	94	51	7	5	7	3	2	7	5	3	4	-	87	61	6	1	4	-	1	3	1	3	3	2
All other	30	20	4	-	-	1	2	2	1	-	-	-	30	23	4	1	-	-	1	-	-	-	1	-
Black	30	20	4	-	-	1	2	2	1	-	-	-	30	23	4	1	-	-	1	-	-	-	1	-
Certain conditions originating in the perinatal period (760-779)	268	266	1	-	-	-	-	-	-	-	-	-	176	173	2	-	-	-	-	-	-	-	-	-
White	155	153	1	-	-	-	-	-	-	-	-	-	79	79	-	-	-	-	-	-	-	-	-	-
All other	113	113	-	-	-	-	-	-	-	-	-	-	97	94	2	-	-	-	-	-	-	-	-	-
Black	108	108	-	-	-	-	-	-	-	-	-	-	96	93	2	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	83	82	1	-	-	-	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-
White	51	50	1	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
All other	32	32	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
Black	29	29	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	185	184	-	-	-	-	-	-	-	-	-	-	140	137	2	-	-	-	-	-	-	-	-	-
White	104	103	-	-	-	-	-	-	-	-	-	-	64	64	-	-	-	-	-	-	-	-	-	-
All other	81	81	-	-	-	-	-	-	-	-	-	-	76	73	2	-	-	-	-	-	-	-	-	-
Black	79	79	-	-	-	-	-	-	-	-	-	-	75	72	2	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	310	56	8	4	26	71	45	26	16	24	13	15	211	36	5	1	22	33	24	26	13	16	14	20
White	151	16	2	3	13	33	21	13	9	15	11	13	141	18	2	1	13	23	15	16	12	9	13	19
All other	159	42	6	1	13	38	24	13	7	9	2	2	70	18	3	-	9	10	9	10	1	7	1	1
Black	158	42	6	1	13	37	24	13	7	9	2	2	68	17	3	-	9	10	9	9	1	7	1	1
All other diseases (Residual)	1,156	14	8	4	26	36	66	110	206	280	266	139	1,100	11	7	10	16	27	23	84	143	226	293	258
White	842	9	3	3	18	18	35	59	141	221	212	123	833	5	5	9	6	16	12	57	97	170	236	220
All other	314	5	5	1	8	18	31	51	65	59	54	16	267	6	2	1	10	11	11	27	46	56	57	38
Black	312	5	5	1	8	18	30	50	65	59	54	16	263	6	2	1	9	11	11	27	45	54	57	38
Accidents and adverse effects (E800-E949)	1,080	4	28	42	281	193	98	107	111	98	69	48	444	4	16	19	94	39	29	26	33	58	62	64
White	837	3	14	29	233	145	68	80	85	77	61	41	366	4	13	12	82	27	20	21	27	49	55	56
All other	243	1	14	13	48	48	30	27	26	21	8	7	78	-	3	7	12	12	9	5	6	9	7	8
Black	234	1	14	13	46	47	29	24	26	20	8	6	75	-	2	7	12	11	9	5	6	9	6	8
Motor vehicle accidents (E810-E825)	589	2	6	25	208	136	58	57	44	31	13	8	202	2	10	8	84	26	17	13	16	17	6	3
White	483	1	5	21	176	108	46	47	32	25	13	8	172	2	8	5	75	20	14	11	15	14	5	3
All other	106	1	1	4	32	28	12	10	12	6	-	-	30	-	2	3	9	6	3	2	1	3	1	-
Black	98	1	1	4	30	27	11	7	12	5	-	-	27	-	1	3	9	5	3	2	1	3	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	491	2	22	17	73	57	40	50	67	67	56	40	242	2	6	11	10	13	12	13	17	41	56	61
White	354	2	9	8	57	37	22	33	53	52	48	33	194	2	5	7	7	7	6	10	12	35	50	53
All other	137	-	13	9	16	20	18	17	14	15	8	7	48	-	1	4	3	6	6	3	5	6	6	8
Black	136	-	13	9	16	20	18	17	14	15	8	6	48	-	1	4	3	6	6	3	5	6	6	8
Suicide (E950-E959)	348	...	...	2	76	87	48	45	40	32	15	2	89	...	...	1	8	17	21	14	15	8	4	-
White	297	...	...	1	63	72	39	41	38	28	13	2	73	...	...	1	8	13	13	10	15	8	4	-
All other	51	...	...	1	13	15	9	4	2	4	2	-	16	...	...	-	-	4	8	4	-	-	-	-
Black	47	...	...	1	13	15	7	4	1	3	2	-	11	...	...	-	-	4	4	3	-	-	-	-
Homicide and legal intervention (E960-E978)	327	-	2	4	94	112	56	35	15	5	3	1	108	1	3	5	34	31	9	11	4	4	6	-
White	109	-	2	-	26	34	17	15	10	2	2	1	49	1	1	3	13	8	5	6	2	4	6	-
All other	218	-	-	4	68	78	39	20	5	3	1	-	59	-	2	2	21	23	4	5	2	-	-	-
Black	210	-	-	4	66	77	35	20	4	3	1	-	57	-	2	2	20	22	4	5	2	-	-	-
All other external causes (E980-E999)	43	-	-	-	10	17	2	4	6	1	2	-	16	1	-	-	2	4	4	-	1	2	1	1
White	21	-	-	-	5	9	-	3	3	1	-	-	11	-	-	-	1	2	3	-	1	2	1	1
All other	22	-	-	-	5	8	2	1	3	-	2	-	5	1	-	-	1	2	1	-	-	-	-	-
Black	22	-	-	-	5	8	2	1	3	-	2	-	4	1	-	-	1	1	1	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS																								
All causes	26,692	424	74	116	639	676	743	1,920	4,560	7,086	6,692	3,757	26,290	296	47	80	203	276	416	1,107	2,757	5,138	8,113	7,856
White	25,778	366	67	105	602	601	667	1,799	4,380	6,960	6,558	3,670	25,599	250	40	74	188	252	378	1,038	2,645	5,007	7,970	7,747
All other	914	58	7	11	37	75	78	121	180	126	134	87	691	37	7	6	15	24	38	69	112	131	143	109
Black	820	54	7	11	35	67	66	113	161	112	115	77	631	32	7	5	14	21	35	61	106	120	128	102
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	16	-	-	-	-	1	-	2	4	3	5	1	12	-	-	-	-	1	1	-	1	5	4	-
White	14	-	-	-	-	1	-	2	4	2	4	1	10	-	-	-	-	-	1	-	-	5	4	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	1	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	1	-	-	-
Tuberculosis of respiratory system (010-012)	14	-	-	-	-	-	-	2	4	3	5	-	7	-	-	-	-	-	-	-	1	4	2	-
White	12	-	-	-	-	-	-	2	4	2	4	-	6	-	-	-	-	-	-	-	-	4	2	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	1	-	-	-	-	-	1	5	-	-	-	-	1	1	-	-	1	2	-
White	2	-	-	-	-	1	-	-	-	-	-	1	4	-	-	-	-	-	1	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	1	1	-	-	-	-	-	-	-	-	5	-	1	-	-	1	-	-	-	-	-	3
White	2	-	1	1	-	-	-	-	-	-	-	-	5	-	1	-	-	1	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	163	4	2	1	-	4	5	13	21	32	58	23	198	2	-	1	1	2	1	9	15	33	65	69
White	155	4	1	1	-	3	4	12	21	32	56	21	188	1	-	1	-	2	1	8	13	32	63	67
All other	8	-	1	-	-	1	1	1	-	-	2	2	10	1	-	-	1	-	-	1	2	1	2	2
Black	6	-	1	-	-	1	1	1	-	-	1	1	9	1	-	-	1	-	-	1	2	-	2	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	12	-	-	-	1	2	2	2	1	2	1	1	10	-	-	-	-	1	1	1	1	2	2	2
White	12	-	-	-	1	2	2	2	1	2	1	1	9	-	-	-	-	1	1	1	1	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	63	3	-	-	1	1	3	9	10	15	15	6	62	2	1	5	-	1	1	8	11	10	13	10
White	63	3	-	-	1	1	3	9	10	15	15	6	59	2	1	4	-	1	1	7	11	10	12	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,307	2	14	21	40	60	137	541	1,363	2,052	1,517	560	5,984	1	5	17	22	69	161	533	1,218	1,645	1,575	738
White	6,126	2	13	21	39	53	125	514	1,314	2,012	1,484	549	5,847	1	5	17	20	64	152	509	1,188	1,615	1,548	728
All other	181	-	1	-	1	7	12	27	49	40	33	11	137	-	-	-	2	5	9	24	30	30	27	10
Black	159	-	1	-	1	4	9	25	44	35	29	11	122	-	-	-	1	3	7	22	30	27	23	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	196	-	-	-	-	1	6	24	51	57	43	14	71	-	-	-	-	1	2	6	20	18	20	4
White	186	-	-	-	-	1	3	22	47	57	43	13	71	-	-	-	-	1	2	6	20	18	20	4
All other	10	-	-	-	-	-	3	2	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	9	-	-	-	-	-	2	2	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,742	-	-	-	1	11	21	131	359	589	455	175	1,731	-	-	-	2	9	23	94	256	482	555	310
White	1,694	-	-	-	1	8	19	124	347	580	442	173	1,690	-	-	-	2	7	21	86	247	476	548	303
All other	48	-	-	-	-	3	2	7	12	9	13	2	41	-	-	-	-	2	2	8	9	6	7	7
Black	39	-	-	-	-	2	1	6	11	7	10	2	39	-	-	-	-	2	2	8	9	6	6	6
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,000	-	-	-	3	8	31	218	514	712	415	99	830	-	-	1	-	1	23	108	232	265	151	49
White	1,943	-	-	-	2	7	30	207	493	699	407	98	814	-	-	1	-	1	23	105	228	259	149	48
All other	57	-	-	-	1	1	1	11	21	13	8	1	16	-	-	-	-	-	-	3	4	6	2	1
Black	51	-	-	-	1	1	1	10	19	11	7	1	16	-	-	-	-	-	-	3	4	6	2	1
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	1	1	2	1	1,194	-	-	-	1	9	52	141	299	321	242	129
White	5	-	-	-	-	-	-	-	1	1	2	1	1,171	-	-	-	1	8	49	138	294	315	237	129
All other	-	-	-	-	-	-	-	-	-	-	-	-	23	-	-	-	-	1	3	3	5	6	5	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	20	-	-	-	-	-	2	3	5	5	5	-
Malignant neoplasms of genital organs (179-187)	640	-	-	-	3	6	1	13	61	181	241	134	607	-	-	-	-	5	25	70	150	161	150	46
White	614	-	-	-	3	6	1	9	57	173	236	129	587	-	-	-	-	4	24	66	147	155	145	46
All other	26	-	-	-	-	-	-	4	4	8	5	5	20	-	-	-	-	1	1	4	3	6	5	-
Black	26	-	-	-	-	-	-	4	4	8	5	5	15	-	-	-	-	-	1	2	3	6	3	-
Malignant neoplasms of urinary organs (188-189)	370	-	-	-	1	2	7	23	79	116	96	46	206	-	-	-	1	-	4	10	20	54	72	45
White	361	-	-	-	1	2	6	22	78	114	93	45	199	-	-	-	1	-	4	10	17	53	70	44
All other	9	-	-	-	-	-	1	1	1	2	3	1	7	-	-	-	-	-	-	-	3	1	2	1
Black	9	-	-	-	-	-	1	1	1	2	3	1	7	-	-	-	-	-	-	-	3	1	2	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	824	1	6	4	12	19	54	83	199	248	143	55	816	1	3	4	7	19	25	70	148	210	236	93
White	803	1	5	4	12	17	51	81	194	242	141	55	798	1	3	4	6	18	23	67	144	207	233	92
All other	21	-	1	-	-	2	3	2	5	6	2	-	18	-	-	-	1	1	2	3	4	3	3	1
Black	18	-	1	-	-	1	2	2	4	6	2	-	15	-	-	-	1	1	1	3	4	1	3	1
Leukemia (204-208)	229	1	8	15	11	4	6	16	34	60	54	20	207	-	2	12	7	11	5	9	29	48	56	28
White	228	1	8	15	11	4	6	16	34	59	54	20	199	-	2	12	7	11	4	6	28	46	55	28
All other	1	-	-	-	-	-	-	-	-	1	-	-	8	-	-	-	-	-	1	3	1	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	1	3	1	2	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	301	-	-	2	9	9	11	33	85	68	68	16	322	-	-	-	4	14	2	25	64	86	93	34
White	292	-	-	2	9	8	9	33	83	67	66	15	318	-	-	-	3	14	2	25	63	86	91	34
All other	9	-	-	-	-	1	2	-	2	1	2	1	4	-	-	-	1	-	-	-	1	-	2	-
Black	7	-	-	-	-	-	2	-	1	1	2	1	3	-	-	-	-	-	-	-	1	-	2	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	73	-	-	3	2	-	3	4	21	20	13	7	121	-	-	3	1	3	4	8	20	30	34	18
White	72	-	-	3	2	-	2	4	21	20	13	7	118	-	-	3	1	3	3	6	20	30	34	18
All other	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	1	2	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	1	2	-	-	-	-
Diabetes mellitus (250)	402	-	-	-	2	5	9	28	74	114	109	61	534	-	-	-	-	4	18	15	53	128	182	134
White	392	-	-	-	2	5	9	25	70	113	109	59	506	-	-	-	-	4	16	13	48	117	179	129
All other	10	-	-	-	-	-	-	3	4	1	-	2	28	-	-	-	-	-	2	2	5	11	3	5
Black	10	-	-	-	-	-	-	3	4	1	-	2	28	-	-	-	-	-	2	2	5	11	3	5
Nutritional deficiencies (260-269)	23	-	-	-	-	-	1	-	4	5	4	9	31	-	-	-	-	1	-	-	1	3	8	18
White	22	-	-	-	-	-	1	-	4	5	3	9	31	-	-	-	-	1	-	-	1	3	8	18
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	25	-	-	1	-	-	-	-	4	6	11	3	61	-	1	1	1	2	1	1	-	10	19	25
White	25	-	-	1	-	-	-	-	4	6	11	3	56	-	-	-	-	2	1	1	-	9	19	24
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	1	1	1	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	1	1	1	-	-	-	-	1	-	1
Meningitis (320-322)	13	4	2	-	1	-	1	1	3	-	1	-	16	1	-	-	-	-	-	1	2	2	5	5
White	13	4	2	-	1	-	1	1	3	-	1	-	15	1	-	-	-	-	-	1	1	2	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	12,709	5	5	4	14	70	229	842	2,168	3,592	3,545	2,234	13,927	6	6	3	10	34	83	277	947	2,394	4,775	5,392
White	12,365	4	5	3	13	63	209	792	2,086	3,534	3,475	2,180	13,638	5	6	3	9	30	78	252	897	2,329	4,700	5,329
All other	344	1	-	1	1	7	20	50	82	58	70	54	289	1	-	-	1	4	5	25	50	65	75	63
Black	301	1	-	1	1	7	18	45	71	50	60	47	266	1	-	-	1	4	5	21	45	60	68	61

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Diseases of heart (390-398,402,404-429)	10,584	5	4	3	9	51	196	770	1,958	3,068	2,820	1,699	10,541	6	6	3	7	23	52	213	785	1,938	3,628	3,880
White	10,296	4	4	2	8	47	179	727	1,886	3,021	2,768	1,649	10,331	5	6	3	6	20	49	196	748	1,888	3,574	3,836
All other	288	1	-	1	1	4	17	43	72	47	52	50	210	1	-	-	1	3	3	17	37	50	54	44
Black	254	1	-	1	1	4	15	38	63	42	46	43	193	1	-	-	1	3	3	15	34	46	48	42
Rheumatic fever and rheumatic heart disease (390-398)	51	-	-	-	-	-	2	4	9	23	13	-	178	-	-	-	-	2	2	8	26	69	48	23
White	49	-	-	-	-	-	2	2	9	23	13	-	173	-	-	-	-	1	2	8	24	69	47	22
All other	2	-	-	-	-	-	-	2	-	-	-	-	5	-	-	-	-	1	-	-	2	-	1	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	1	-	-	-	-	1	1
Hypertensive heart disease (402)	139	-	-	-	-	1	4	13	31	37	41	12	232	-	-	-	-	-	3	10	16	39	81	83
White	127	-	-	-	-	-	2	9	28	35	41	12	219	-	-	-	-	-	2	5	14	38	79	81
All other	12	-	-	-	-	1	2	4	3	2	-	-	13	-	-	-	-	-	1	5	2	1	2	2
Black	12	-	-	-	-	1	2	4	3	2	-	-	12	-	-	-	-	-	1	5	2	1	1	2
Hypertensive heart and renal disease (404)	20	-	-	-	-	-	-	-	3	6	4	7	32	-	-	-	-	-	-	-	1	3	6	22
White	18	-	-	-	-	-	-	-	2	6	3	7	32	-	-	-	-	-	-	-	1	3	6	22
All other	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	8,885	1	-	-	-	31	152	675	1,704	2,605	2,339	1,377	8,346	-	-	-	-	9	25	158	595	1,570	2,903	3,086
White	8,677	-	-	-	-	30	141	645	1,645	2,572	2,303	1,340	8,207	-	-	-	-	8	24	147	574	1,534	2,866	3,054
All other	208	1	-	-	-	1	11	30	59	33	36	37	139	-	-	-	-	1	1	11	21	36	37	32
Black	185	1	-	-	-	1	10	26	51	30	33	33	130	-	-	-	-	1	1	10	20	34	34	30
Acute myocardial infarction (410)	4,975	1	-	-	-	24	102	453	1,100	1,578	1,200	517	3,857	-	-	-	-	8	16	113	387	950	1,393	990
White	4,859	-	-	-	-	23	97	431	1,067	1,555	1,183	503	3,778	-	-	-	-	8	15	104	375	932	1,370	974
All other	116	1	-	-	-	1	5	22	33	23	17	14	79	-	-	-	-	-	1	9	12	18	23	16
Black	100	1	-	-	-	1	5	18	26	22	15	12	72	-	-	-	-	-	1	8	11	16	21	15
Other acute and subacute forms of ischemic heart disease (411)	20	-	-	-	-	-	-	1	7	8	1	3	14	-	-	-	-	-	-	1	-	3	6	4
White	20	-	-	-	-	-	-	1	7	8	1	3	14	-	-	-	-	-	-	1	-	3	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	8	-	-	-	-	-	-	-	1	4	1	2	7	-	-	-	-	-	-	1	1	1	1	3
White	8	-	-	-	-	-	-	-	1	4	1	2	7	-	-	-	-	-	-	1	1	1	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,882	-	-	-	-	7	50	221	596	1,015	1,137	855	4,468	-	-	-	-	1	8	43	207	616	1,503	2,089
White	3,790	-	-	-	-	7	44	213	570	1,005	1,118	832	4,408	-	-	-	-	-	8	41	198	598	1,489	2,073
All other	92	-	-	-	-	-	6	8	26	10	19	23	60	-	-	-	-	1	-	2	9	18	14	16
Black	85	-	-	-	-	-	5	8	25	8	18	21	58	-	-	-	-	1	-	2	9	18	13	15
Other diseases of endocardium (424)	99	-	-	-	2	1	2	7	13	27	31	16	141	-	-	-	-	1	-	6	17	19	52	46
White	97	-	-	-	2	1	2	7	13	27	30	15	138	-	-	-	-	1	-	6	15	19	52	45
All other	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	2	-	-	1
Black	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	2	-	-	1
All other forms of heart disease (415-423,425-429)	1,390	4	4	3	7	18	36	71	198	370	392	287	1,612	6	6	3	7	11	22	31	130	238	538	620
White	1,328	4	4	2	6	16	32	64	189	358	378	275	1,562	5	6	3	6	10	21	30	120	225	524	612
All other	62	-	-	1	1	2	4	7	9	12	14	12	50	1	-	-	1	1	1	1	10	13	14	8
Black	52	-	-	1	1	2	3	7	8	10	11	9	45	1	-	-	1	1	1	-	10	11	12	8
Hypertension with or without renal disease (401,403)	68	-	-	-	-	-	1	2	10	11	31	13	108	-	-	-	-	-	-	2	8	14	42	42
White	64	-	-	-	-	-	1	1	10	11	28	13	104	-	-	-	-	-	-	2	7	12	41	42
All other	4	-	-	-	-	-	-	1	-	-	3	-	4	-	-	-	-	-	-	-	1	2	1	-
Black	4	-	-	-	-	-	-	1	-	-	3	-	3	-	-	-	-	-	-	-	-	2	1	-
Cerebrovascular diseases (430-438)	1,477	-	1	1	3	16	26	57	141	360	506	366	2,569	-	-	-	3	11	29	58	134	360	895	1,079
White	1,437	-	1	1	3	14	23	52	135	350	495	363	2,508	-	-	-	3	10	28	50	125	349	878	1,065
All other	40	-	-	-	-	2	3	5	6	10	11	3	61	-	-	-	-	1	1	8	9	11	17	14
Black	34	-	-	-	-	2	3	5	5	8	9	3	56	-	-	-	-	1	1	6	8	10	16	14
Intracerebral and other intracranial hemorrhage (431-432)	257	-	1	-	1	5	11	25	47	68	57	42	349	-	-	-	1	2	10	20	46	79	116	75
White	251	-	1	-	1	4	10	22	46	68	57	42	334	-	-	-	1	1	10	16	41	76	114	75
All other	6	-	-	-	-	1	1	3	1	-	-	-	15	-	-	-	-	1	-	4	5	3	2	-
Black	6	-	-	-	-	1	1	3	1	-	-	-	10	-	-	-	-	1	-	2	4	2	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	355	-	-	-	-	-	3	8	25	103	126	90	619	-	-	-	-	1	2	8	23	75	203	307
White	350	-	-	-	-	-	3	8	25	100	124	90	613	-	-	-	-	1	2	8	23	74	201	304
All other	5	-	-	-	-	-	-	-	-	3	2	-	6	-	-	-	-	-	-	-	-	1	2	3
Black	4	-	-	-	-	-	-	-	-	3	1	-	6	-	-	-	-	-	-	-	-	1	2	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Cerebral embolism (434.1)	15	-	-	-	-	-	-	-	2	3	6	4	23	-	-	-	-	-	-	-	1	5	6	11
White	14	-	-	-	-	-	-	-	1	3	6	4	23	-	-	-	-	-	-	-	1	5	6	11
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	850	-	-	1	2	11	12	24	67	186	317	230	1,578	-	-	-	2	8	17	30	64	201	570	686
White	822	-	-	1	2	10	10	22	63	179	308	227	1,538	-	-	-	2	8	16	26	60	194	557	675
All other	28	-	-	-	-	1	2	2	4	7	9	3	40	-	-	-	-	-	1	4	4	7	13	11
Black	23	-	-	-	-	1	2	2	3	5	7	3	40	-	-	-	-	-	1	4	4	7	13	11
Atherosclerosis (440)	223	-	-	-	-	-	1	4	8	30	76	104	481	-	-	-	-	-	-	-	2	29	131	319
White	220	-	-	-	-	-	1	4	7	30	75	103	476	-	-	-	-	-	-	-	2	29	129	316
All other	3	-	-	-	-	-	-	-	1	-	1	1	5	-	-	-	-	-	-	-	-	-	2	3
Black	3	-	-	-	-	-	-	-	1	-	1	1	5	-	-	-	-	-	-	-	-	-	2	3
Other diseases of arteries, arterioles, and capillaries (441-448)	357	-	-	-	2	3	5	9	51	123	112	52	228	-	-	-	-	-	2	4	18	53	79	72
White	348	-	-	-	2	2	5	8	48	122	109	52	219	-	-	-	-	-	1	4	15	51	78	70
All other	9	-	-	-	-	1	-	1	3	1	3	-	9	-	-	-	-	-	1	-	3	2	1	2
Black	6	-	-	-	-	1	-	1	2	-	2	-	9	-	-	-	-	-	1	-	3	2	1	2
Acute bronchitis and bronchiolitis (466)	6	1	-	-	-	-	1	-	1	-	2	1	8	-	1	-	-	-	-	-	-	2	1	4
White	6	1	-	-	-	-	1	-	1	-	2	1	8	-	1	-	-	-	-	-	-	2	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	934	9	6	4	1	8	16	38	80	195	292	285	1,002	8	3	2	3	8	5	15	32	96	310	520
White	895	7	5	3	1	6	12	32	72	189	288	280	978	8	3	2	3	8	1	15	30	93	303	512
All other	39	2	1	1	-	2	4	6	8	6	4	5	24	-	-	-	-	-	4	-	2	3	7	8
Black	36	2	1	1	-	2	4	6	8	5	3	4	23	-	-	-	-	-	4	-	2	3	7	7
Pneumonia (480-486)	896	9	6	4	1	8	16	38	78	189	275	272	936	8	2	2	3	8	5	15	30	90	295	478
White	857	7	5	3	1	6	12	32	70	183	271	267	912	8	2	2	3	8	1	15	28	87	288	470
All other	39	2	1	1	-	2	4	6	8	6	4	5	24	-	-	-	-	-	4	-	2	3	7	8
Black	36	2	1	1	-	2	4	6	8	5	3	4	23	-	-	-	-	-	4	-	2	3	7	7
Influenza (487)	38	-	-	-	-	-	-	-	2	6	17	13	66	-	1	-	-	-	-	-	2	6	15	42
White	38	-	-	-	-	-	-	-	2	6	17	13	66	-	1	-	-	-	-	-	2	6	15	42
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	932	1	1	1	-	-	2	28	124	288	358	128	569	-	-	-	1	2	4	21	77	202	180	82
White	916	1	1	1	-	-	2	26	122	282	352	128	559	-	-	-	1	1	3	20	74	200	178	82
All other	16	-	-	-	-	-	-	2	2	6	6	-	10	-	-	-	-	1	1	1	3	2	2	-
Black	13	-	-	-	-	-	-	2	1	5	5	-	10	-	-	-	-	1	1	1	3	2	2	-
Bronchitis, chronic and unspecified (490-491)	41	1	1	-	-	-	-	1	5	9	18	6	33	-	-	-	-	-	-	1	4	7	8	13
White	40	1	1	-	-	-	-	-	5	9	18	6	32	-	-	-	-	-	-	1	3	7	8	13
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Emphysema (492)	188	-	-	-	-	-	-	9	22	61	69	27	89	-	-	-	-	-	1	3	14	37	25	9
White	182	-	-	-	-	-	-	9	22	58	66	27	88	-	-	-	-	-	1	3	14	37	24	9
All other	6	-	-	-	-	-	-	-	-	3	3	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	5	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Asthma (493)	26	-	-	1	-	-	2	2	10	6	4	1	53	-	-	-	1	2	-	4	8	16	14	8
White	25	-	-	1	-	-	2	2	9	6	4	1	52	-	-	-	1	1	-	4	8	16	14	8
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	677	-	-	-	-	-	-	16	87	212	267	94	394	-	-	-	-	-	3	13	51	142	133	52
White	669	-	-	-	-	-	-	15	86	209	264	94	387	-	-	-	-	-	2	12	49	140	132	52
All other	8	-	-	-	-	-	-	1	1	3	3	-	7	-	-	-	-	-	1	1	2	2	1	-
Black	6	-	-	-	-	-	-	1	-	2	3	-	7	-	-	-	-	-	1	1	2	2	1	-
Ulcer of stomach and duodenum (531-533)	76	1	-	-	-	-	1	3	18	17	20	16	82	-	-	-	-	-	1	4	9	9	29	30
White	75	1	-	-	-	-	-	3	18	17	20	16	81	-	-	-	-	-	1	4	8	9	29	30
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Appendicitis (540-543)	6	-	-	-	-	1	-	-	-	3	1	1	4	1	-	-	1	-	-	-	-	-	1	1
White	6	-	-	-	-	1	-	-	-	3	1	1	3	1	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	53	-	-	-	-	-	1	-	2	11	23	16	82	-	-	-	1	-	-	2	7	11	25	36
White	49	-	-	-	-	-	1	-	2	10	22	14	81	-	-	-	1	-	-	2	7	11	25	35
All other	4	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	1
Black	3	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Chronic liver disease and cirrhosis (571)	475	-	-	-	1	13	47	100	144	111	48	11	277	-	-	-	1	4	20	42	81	78	41	10
White	451	-	-	-	1	11	39	94	141	108	47	10	261	-	-	-	-	4	17	40	76	74	40	10
All other	24	-	-	-	-	2	8	6	3	3	1	1	16	-	-	-	1	-	3	2	5	4	1	-
Black	23	-	-	-	-	2	8	6	3	3	1	-	15	-	-	-	1	-	3	2	5	3	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	31	-	-	-	-	-	-	2	4	6	15	4	55	-	-	-	-	1	-	-	3	9	17	25
White	30	-	-	-	-	-	-	2	3	6	15	4	54	-	-	-	-	1	-	-	3	8	17	25
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	243	3	1	-	1	5	5	12	25	54	85	52	226	3	-	-	3	-	3	8	22	44	77	66
White	231	3	1	-	1	4	4	12	20	51	84	51	220	3	-	-	3	-	3	6	21	43	75	66
All other	12	-	-	-	-	1	1	-	5	3	1	1	6	-	-	-	-	-	-	2	1	1	2	-
Black	11	-	-	-	-	1	1	-	4	3	1	1	3	-	-	-	-	-	-	1	1	-	1	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	-	-	-	-	1	-	1	1	1	1	1	4	-	-	-	-	-	-	-	-	2	-	2
White	4	-	-	-	-	-	-	1	-	1	1	1	4	-	-	-	-	-	-	-	-	2	-	2
All other	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	19	-	-	-	1	-	-	4	7	3	2	2	27	-	-	-	-	-	-	-	3	7	10	7
White	18	-	-	-	1	-	-	4	6	3	2	2	27	-	-	-	-	-	-	-	3	7	10	7
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	218	3	1	-	-	4	5	7	17	50	82	49	195	3	-	-	3	-	3	8	19	35	67	57
White	209	3	1	-	-	4	4	7	14	47	81	48	189	3	-	-	3	-	3	6	18	34	65	57
All other	9	-	-	-	-	-	1	-	3	3	1	1	6	-	-	-	-	-	-	2	1	1	2	-
Black	8	-	-	-	-	-	1	-	2	3	1	1	3	-	-	-	-	-	-	1	1	-	1	-
Infections of kidney (590)	15	-	-	-	-	-	-	1	2	3	5	4	35	-	-	-	-	-	-	-	-	4	16	15
White	15	-	-	-	-	-	-	1	2	3	5	4	35	-	-	-	-	-	-	-	-	4	16	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	10	-	-	-	-	-	-	-	-	-	3	7	...	...	...	...	...	...	...	...	...	...	...	...
White	10	-	-	-	-	-	-	-	-	-	3	7	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Congenital anomalies (740-759)	136	83	11	9	7	2	3	6	7	2	3	3	120	74	5	7	7	3	3	5	5	2	8	1
White	125	77	11	8	6	1	2	5	7	2	3	3	111	66	4	7	7	3	3	5	5	2	8	1
All other	11	6	-	1	1	1	1	1	-	-	-	-	9	8	1	-	-	-	-	-	-	-	-	-
Black	9	5	-	1	-	1	1	1	-	-	-	-	9	8	1	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	222	220	2	-	-	-	-	-	-	-	-	-	150	150	-	-	-	-	-	-	-	-	-	-
White	189	187	2	-	-	-	-	-	-	-	-	-	132	132	-	-	-	-	-	-	-	-	-	-
All other	33	33	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Black	32	32	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	62	61	1	-	-	-	-	-	-	-	-	-	37	37	-	-	-	-	-	-	-	-	-	-
White	60	59	1	-	-	-	-	-	-	-	-	-	35	35	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	160	159	1	-	-	-	-	-	-	-	-	-	113	113	-	-	-	-	-	-	-	-	-	-
White	129	128	1	-	-	-	-	-	-	-	-	-	97	97	-	-	-	-	-	-	-	-	-	-
All other	31	31	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
Black	30	30	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	197	53	2	1	17	25	11	16	18	26	16	12	138	29	2	-	7	8	6	12	6	11	34	23
White	181	45	1	1	16	22	10	15	18	26	16	11	128	24	2	-	7	7	5	11	6	10	34	22
All other	16	8	1	-	1	3	1	1	-	-	-	1	10	5	-	-	-	1	1	1	-	1	-	1
Black	14	6	1	-	1	3	1	1	-	-	-	1	10	5	-	-	-	1	1	1	-	1	-	1
All other diseases (Residual)	1,551	24	11	15	37	41	56	108	268	360	395	235	1,743	12	8	12	20	28	40	77	177	322	544	503
White	1,484	20	10	15	37	33	47	100	250	355	385	231	1,677	11	8	11	19	25	34	73	168	316	526	486
All other	67	4	1	-	-	8	9	8	18	5	10	4	66	1	-	1	1	3	6	4	9	6	18	17
Black	60	4	1	-	-	4	8	8	17	5	9	4	62	1	-	1	1	3	5	4	9	6	17	15
Accidents and adverse effects (E800-E949)	1,383	10	16	49	366	263	111	110	127	132	125	74	649	5	14	27	92	61	34	42	41	74	138	121
White	1,302	7	14	41	352	246	101	100	119	129	122	71	613	2	9	24	89	56	32	39	39	70	133	120
All other	81	3	2	8	14	17	10	10	8	3	3	3	36	3	5	3	3	5	2	3	2	4	5	1
Black	76	3	2	8	13	16	8	9	8	3	3	3	32	2	5	3	3	5	2	2	2	4	4	-
Motor vehicle accidents (E810-E825)	657	1	4	29	269	130	59	38	41	42	34	10	222	-	2	14	74	44	14	16	16	17	18	7
White	629	1	4	25	264	124	54	35	37	41	34	10	218	-	2	13	74	42	14	16	15	17	18	7
All other	28	-	-	4	5	6	5	3	4	1	-	-	4	-	-	1	-	2	-	-	1	-	-	-
Black	25	-	-	4	4	5	4	3	4	1	-	-	4	-	-	1	-	2	-	-	1	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	726	9	12	20	97	133	52	72	86	90	91	64	427	5	12	13	18	17	20	26	25	57	120	114
White	673	6	10	16	88	122	47	65	82	88	88	61	395	2	7	11	15	14	18	23	24	53	115	113
All other	53	3	2	4	9	11	5	7	4	2	3	3	32	3	5	2	3	3	2	3	1	4	5	1
Black	51	3	2	4	9	11	4	6	4	2	3	3	28	2	5	2	3	3	2	2	1	4	4	-
Suicide (E950-E959)	398			3	86	112	60	33	54	33	15	2	114			-	15	28	17	19	20	9	4	2
White	389			3	85	105	60	32	54	33	15	2	111			-	14	27	16	19	20	9	4	2
All other	9			-	1	7	-	1	-	-	-	-	3			-	1	1	1	-	-	-	-	-
Black	9			-	1	7	-	1	-	-	-	-	2			-	1	-	1	-	-	-	-	-
Homicide and legal intervention (E960-E978)	171	-	-	3	49	54	33	15	7	5	4	1	58	1	-	2	15	11	9	6	4	2	5	2
White	119	-	-	3	31	35	26	10	7	4	3	-	50	1	-	2	12	8	8	5	4	2	5	2
All other	52	-	-	-	18	19	7	5	-	1	1	1	8	-	-	-	3	3	1	1	-	-	-	-
Black	52	-	-	-	18	19	7	5	-	1	1	1	8	-	-	-	3	3	1	1	-	-	-	-
All other external causes (E980-E999)	43	-	-	-	12	9	6	6	6	1	3	-	15	1	-	-	2	3	2	1	4	1	1	-
White	43	-	-	-	12	9	6	6	6	1	3	-	14	1	-	-	2	3	1	1	4	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN																								
All causes	41,117	1,038	180	259	1,163	1,433	1,507	3,233	7,340	10,294	9,651	5,015	34,725	807	132	174	408	613	854	1,988	4,399	7,046	9,699	8,605
White	35,329	719	139	208	939	944	1,105	2,576	6,196	9,039	8,768	4,693	30,351	544	93	129	330	378	627	1,578	3,619	6,118	8,844	8,091
All other	5,788	319	41	51	224	489	402	657	1,144	1,255	883	322	4,374	263	39	45	78	235	227	410	780	928	855	514
Black	5,671	307	38	48	219	484	390	653	1,127	1,231	865	307	4,286	257	36	44	77	231	220	399	766	910	840	506
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	2	-	-	-	-	-	-	-	-	1	1	9	2	-	-	-	-	-	-	1	1	3	2
White	2	-	-	-	-	-	-	-	-	-	1	1	8	1	-	-	-	-	-	-	1	1	3	2
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	36	-	-	-	1	2	2	3	14	3	6	5	17	-	-	-	1	1	-	2	2	5	2	4
White	19	-	-	-	1	-	2	1	4	1	5	5	15	-	-	-	1	-	-	2	2	4	2	4
All other	17	-	-	-	-	2	-	2	10	2	1	-	2	-	-	-	-	1	-	-	-	1	-	-
Black	17	-	-	-	-	2	-	2	10	2	1	-	2	-	-	-	-	1	-	-	-	1	-	-
Tuberculosis of respiratory system (010-012)	30	-	-	-	-	2	2	2	12	2	5	5	11	-	-	-	1	1	-	1	1	3	2	2
White	15	-	-	-	-	-	2	1	3	-	4	5	9	-	-	-	1	-	-	1	1	2	2	2
All other	15	-	-	-	-	2	-	1	9	2	1	-	2	-	-	-	-	1	-	-	-	1	-	-
Black	15	-	-	-	-	2	-	1	9	2	1	-	2	-	-	-	-	1	-	-	-	1	-	-
Other tuberculosis (013-018)	6	-	-	-	1	-	-	1	2	1	1	-	6	-	-	-	-	-	-	1	1	2	-	2
White	4	-	-	-	1	-	-	-	1	1	1	-	6	-	-	-	-	-	-	1	1	2	-	2
All other	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	6	-	2	1	3	-	-	-	-	-	-	-	6	2	1	2	-	-	1	-	-	-	-	-
White	6	-	2	1	3	-	-	-	-	-	-	-	6	2	1	2	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	213	1	-	-	1	9	4	14	35	48	59	42	226	4	1	1	2	2	9	11	26	42	72	56
White	167	1	-	-	1	4	1	13	25	38	48	36	183	2	-	1	1	-	6	9	22	33	62	47
All other	46	-	-	-	-	5	3	1	10	10	11	6	43	2	1	-	1	2	3	2	4	9	10	9
Black	44	-	-	-	-	5	3	1	10	9	11	5	43	2	1	-	1	2	3	2	4	9	10	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	17	-	-	-	4	2	3	2	3	2	1	-	18	-	-	-	2	2	1	1	5	4	2	1
White	12	-	-	-	3	-	1	2	3	2	1	-	14	-	-	-	1	1	1	-	4	4	2	1
All other	5	-	-	-	1	2	2	-	-	-	-	-	4	-	-	-	1	1	-	1	1	-	-	-
Black	5	-	-	-	1	2	2	-	-	-	-	-	4	-	-	-	1	1	-	1	1	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	2	-	-
White	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	66	1	1	-	3	3	5	8	11	14	14	6	59	-	2	-	4	4	4	6	10	14	7	8
White	51	1	1	-	3	1	4	7	10	10	9	5	47	-	2	-	3	2	1	3	9	13	6	8
All other	15	-	-	-	-	2	1	1	1	4	5	1	12	-	-	-	1	2	3	3	1	1	1	-
Black	15	-	-	-	-	2	1	1	1	4	5	1	11	-	-	-	1	2	3	3	1	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	8,614	2	11	46	56	107	228	807	2,128	2,677	1,939	613	7,538	2	14	29	43	103	281	867	1,701	2,086	1,670	742
White	7,403	2	11	41	49	91	188	642	1,781	2,313	1,729	556	6,647	2	12	24	38	77	236	741	1,442	1,857	1,536	682
All other	1,211	-	-	5	7	16	40	165	347	364	210	57	891	-	2	5	5	26	45	126	259	229	134	60
Black	1,192	-	-	5	7	16	38	165	341	360	207	53	880	-	2	5	5	26	44	125	254	226	133	60
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	185	-	-	2	-	1	8	25	63	51	25	10	86	-	-	1	1	-	-	7	31	20	16	10
White	155	-	-	2	-	-	6	18	55	44	20	10	75	-	-	1	1	-	-	3	26	18	16	10
All other	30	-	-	-	-	1	2	7	8	7	5	-	11	-	-	-	-	-	-	4	5	2	-	-
Black	30	-	-	-	-	1	2	7	8	7	5	-	11	-	-	-	-	-	-	4	5	2	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,198	-	1	-	3	17	59	206	546	675	532	159	1,962	-	-	1	3	14	40	138	361	545	571	289
White	1,880	-	1	-	3	13	51	165	437	586	477	147	1,698	-	-	1	1	6	31	112	286	470	526	265
All other	318	-	-	-	-	4	8	41	109	89	55	12	264	-	-	-	2	8	9	26	75	75	45	24
Black	311	-	-	-	-	4	8	41	107	88	53	10	262	-	-	-	2	8	9	26	75	74	44	24
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	3,019	-	-	-	1	9	45	331	896	1,038	578	121	1,218	1	-	-	-	4	39	186	366	395	177	50
White	2,578	-	-	-	-	9	32	256	747	904	518	112	1,064	1	-	-	-	3	31	162	310	349	161	47
All other	441	-	-	-	1	-	13	75	149	134	60	9	154	-	-	-	-	1	8	24	56	46	16	3
Black	434	-	-	-	1	-	12	75	146	133	59	8	154	-	-	-	-	1	8	24	56	46	16	3
Malignant neoplasm of breast (174-175)	11	-	-	-	-	-	1	1	2	4	2	1	1,447	-	-	-	-	21	100	257	386	335	251	97
White	9	-	-	-	-	-	1	1	2	2	2	1	1,299	-	-	-	-	16	88	223	339	315	228	90
All other	2	-	-	-	-	-	-	-	-	2	-	-	148	-	-	-	-	5	12	34	47	20	23	7
Black	2	-	-	-	-	-	-	-	-	2	-	-	146	-	-	-	-	5	12	33	46	20	23	7
Malignant neoplasms of genital organs (179-187)	887	-	-	-	2	12	1	11	96	266	348	151	877	-	-	-	5	18	47	111	197	233	185	81
White	727	-	-	-	2	10	1	9	73	211	291	130	770	-	-	-	5	11	39	93	170	212	171	69
All other	160	-	-	-	-	2	-	2	23	55	57	21	107	-	-	-	-	7	8	18	27	21	14	12
Black	158	-	-	-	-	2	-	2	23	54	57	20	106	-	-	-	-	7	8	18	25	21	14	12

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Malignant neoplasms of urinary organs (188-189)	461	-	-	-	3	3	6	39	100	147	113	50	231	-	-	3	-	3	3	15	42	69	67	29
White	415	-	-	-	1	1	5	31	93	130	110	44	198	-	-	2	-	3	2	13	29	58	65	26
All other	46	-	-	-	2	2	1	8	7	17	3	6	33	-	-	1	-	-	1	2	13	11	2	3
Black	46	-	-	-	2	2	1	8	7	17	3	6	31	-	-	1	-	-	1	2	12	10	2	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,053	1	6	21	22	30	65	113	275	279	175	66	1,014	-	9	13	16	28	30	106	204	277	210	121
White	928	1	6	17	21	27	57	96	240	246	156	61	915	-	7	11	14	27	26	92	180	251	192	115
All other	125	-	-	4	1	3	8	17	35	33	19	5	99	-	2	2	2	1	4	14	24	26	18	6
Black	123	-	-	4	1	3	8	17	34	32	19	5	98	-	2	2	2	1	4	14	24	25	18	6
Leukemia (204-208)	338	1	3	17	14	14	12	23	63	82	77	32	256	1	5	7	9	9	8	19	42	57	65	34
White	304	1	3	16	13	11	8	20	55	74	73	30	229	1	5	5	9	7	7	16	40	48	59	32
All other	34	-	-	1	1	3	4	3	8	8	4	2	27	-	-	2	-	2	1	3	2	9	6	2
Black	34	-	-	1	1	3	4	3	8	8	4	2	27	-	-	2	-	2	1	3	2	9	6	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	462	-	1	6	11	21	31	58	87	135	89	23	447	-	-	4	9	6	14	28	72	155	128	31
White	407	-	1	6	9	20	27	46	79	116	82	21	399	-	-	4	8	4	12	27	62	136	118	28
All other	55	-	-	-	2	1	4	12	8	19	7	2	48	-	-	-	1	2	2	1	10	19	10	3
Black	54	-	-	-	2	1	3	12	8	19	7	2	46	-	-	-	1	2	1	1	9	19	10	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	66	2	-	2	1	-	5	6	7	15	18	9	76	1	-	-	3	1	3	6	10	14	24	14
White	55	2	-	2	1	-	3	5	5	14	14	9	64	-	-	-	3	1	2	5	9	10	24	10
All other	10	-	-	-	-	-	2	1	2	1	4	-	12	1	-	-	-	-	1	1	1	4	-	4
Black	10	-	-	-	-	-	2	1	2	1	4	-	11	1	-	-	-	-	1	1	1	3	-	4
Diabetes mellitus (250)	647	-	-	1	2	11	25	47	125	172	176	88	838	-	-	1	7	9	10	49	119	225	264	154
White	558	-	-	-	-	9	23	33	108	142	160	83	715	-	-	-	5	6	7	37	91	185	238	146
All other	89	-	-	1	2	2	2	14	17	30	16	5	123	-	-	1	2	3	3	12	28	40	26	8
Black	88	-	-	1	2	2	2	14	17	29	15	4	117	-	-	1	2	3	3	10	28	39	25	8
Nutritional deficiencies (260-269)	45	-	2	-	-	-	-	3	1	8	15	16	44	-	1	-	-	-	3	-	2	7	12	19
White	39	-	1	-	-	-	-	2	-	8	14	14	39	-	-	-	-	-	3	-	2	5	11	18
All other	6	-	1	-	-	-	-	1	1	-	1	2	5	-	1	-	-	-	-	-	-	2	1	1
Black	6	-	1	-	-	-	-	1	1	-	1	2	5	-	1	-	-	-	-	-	-	2	1	1
Anemias (280-285)	68	1	-	1	1	2	4	3	11	14	18	13	73	1	2	1	1	5	8	2	9	14	14	16
White	56	1	-	1	1	1	1	3	8	11	16	13	57	1	1	1	-	1	3	2	7	13	13	15
All other	12	-	-	-	-	1	3	-	3	3	2	-	16	-	1	-	1	4	5	-	2	1	1	1
Black	11	-	-	-	-	1	3	-	2	3	2	-	16	-	1	-	1	4	5	-	2	1	1	1
Meningitis (320-322)	26	13	3	1	-	1	1	2	1	2	1	1	18	3	1	3	-	1	1	1	1	2	4	1
White	21	10	3	-	-	1	1	2	1	2	-	1	15	3	1	2	-	1	1	-	1	2	3	1
All other	5	3	-	1	-	-	-	-	-	-	1	-	3	-	-	1	-	-	-	1	-	-	1	-
Black	5	3	-	1	-	-	-	-	-	-	1	-	3	-	-	1	-	-	-	1	-	-	1	-
Major cardiovascular diseases (390-448)	20,090	23	6	12	42	142	446	1,451	3,636	5,503	5,594	3,231	18,596	14	9	10	21	85	176	550	1,688	3,541	6,192	6,310
White	17,942	15	4	10	24	94	358	1,197	3,140	4,910	5,134	3,053	16,559	9	8	5	15	44	99	387	1,349	3,040	5,646	5,957
All other	2,148	8	2	2	18	48	88	254	496	593	460	178	2,037	5	1	5	6	41	77	163	339	501	546	353
Black	2,109	7	2	2	18	48	86	252	489	584	448	172	2,004	5	-	5	6	39	77	161	337	491	536	347
Diseases of heart (390-398,402,404-429)	16,416	18	4	10	31	108	387	1,284	3,221	4,622	4,306	2,421	13,759	11	9	5	16	45	118	406	1,351	2,763	4,579	4,456
White	14,696	13	3	8	16	71	319	1,073	2,810	4,154	3,943	2,283	12,237	8	8	2	10	27	65	288	1,090	2,381	4,167	4,191
All other	1,720	5	1	2	15	37	68	211	411	468	363	138	1,522	3	1	3	6	18	53	118	261	382	412	265
Black	1,688	5	1	2	15	37	66	209	406	461	352	133	1,498	3	-	3	6	16	53	116	259	376	404	262
Rheumatic fever and rheumatic heart disease (390-398)	89	-	-	-	-	4	6	10	27	25	14	3	185	-	-		-	4	5	15	43	57	43	18
White	82	-	-	-	-	3	6	9	23	24	14	3	166	-	-	-	-	2	2	14	36	54	40	18
All other	7	-	-	-	-	1	-	1	4	1	-	-	19	-	-	-	-	2	3	1	7	3	3	-
Black	7	-	-	-	-	1	-	1	4	1	-	-	18	-	-	-	-	1	3	1	7	3	3	-
Hypertensive heart disease (402)	302	-	-	-	-	7	23	41	61	79	69	22	392	-	-	-	-	2	9	22	53	93	127	86
White	190	-	-	-	-	1	8	19	38	51	56	17	294	-	-	-	-	-	-	10	32	61	110	81
All other	112	-	-	-	-	6	15	22	23	28	13	5	98	-	-	-	-	2	9	12	21	32	17	5
Black	112	-	-	-	-	6	15	22	23	28	13	5	98	-	-	-	-	2	9	12	21	32	17	5
Hypertensive heart and renal disease (404)	46	-	-	-	-	1	1	2	2	12	14	14	64	-	-	-	1	1	1	-	3	6	22	30
White	38	-	-	-	-	1	-	1	1	10	14	11	57	-	-	-	1	-	-	-	3	4	21	28
All other	8	-	-	-	-	-	1	1	1	2	-	3	7	-	-	-	-	1	1	-	-	2	1	2
Black	8	-	-	-	-	-	1	1	1	2	-	3	7	-	-	-	-	1	1	-	-	2	1	2
Ischemic heart disease (410-414)	12,308	-	-	1	2	34	238	930	2,386	3,588	3,320	1,807	10,006	-	1	1	1	7	42	243	897	2,024	3,429	3,361
White	11,422	-	-	1	1	29	217	844	2,188	3,325	3,099	1,716	9,158	-	-	-	1	6	30	194	776	1,803	3,164	3,184
All other	886	-	-	-	1	5	21	86	198	263	221	91	848	-	1	1	-	1	12	49	121	221	265	177
Black	862	-	-	-	1	5	19	84	194	258	213	88	829	-	-	1	-	1	12	48	119	215	258	175
Acute myocardial infarction (410)	7,356	-	-	1	2	20	172	686	1,645	2,306	1,797	725	4,917	-	1	1	-	5	30	170	595	1,249	1,727	1,139
White	6,859	-	-	1	1	16	157	624	1,525	2,153	1,684	696	4,520	-	-	-	-	4	19	136	520	1,133	1,624	1,084
All other	497	-	-	-	1	4	15	62	120	153	113	29	397	-	1	1	-	1	11	34	75	116	103	55
Black	483	-	-	-	1	4	14	61	117	151	107	28	386	-	-	1	-	1	11	33	73	112	100	55

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	37	-	-	-	-	1	-	2	8	14	8	4	36	-	-	-	-	-	-	1	9	7	9	10
White	36	-	-	-	-	1	-	1	8	14	8	4	29	-	-	-	-	-	-	-	6	6	8	9
All other	1	-	-	-	-	-	-	1	-	-	-	-	7	-	-	-	-	-	-	1	3	1	1	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	7	-	-	-	-	-	-	1	3	1	1	1
Angina pectoris (413)	14	-	-	-	-	-	1	-	2	4	5	2	7	-	-	-	-	-	-	-	-	-	4	3
White	13	-	-	-	-	-	1	-	2	3	5	2	7	-	-	-	-	-	-	-	-	-	4	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,901	-	-	-	-	13	65	242	731	1,264	1,510	1,076	5,046	-	-	-	1	2	12	72	293	768	1,689	2,209
White	4,514	-	-	-	-	12	59	219	653	1,155	1,402	1,014	4,602	-	-	-	1	2	11	58	250	664	1,528	2,088
All other	387	-	-	-	-	1	6	23	78	109	108	62	444	-	-	-	-	-	1	14	43	104	161	121
Black	377	-	-	-	-	1	5	22	77	106	106	60	436	-	-	-	-	-	1	14	43	102	157	119
Other diseases of endocardium (424)	154	-	-	-	2	4	4	14	27	45	41	17	117	1	-	-	-	5	2	4	17	28	37	23
White	135	-	-	-	2	2	3	12	22	40	37	17	105	1	-	-	-	2	2	3	15	25	36	21
All other	19	-	-	-	-	2	1	2	5	5	4	-	12	-	-	-	-	3	-	1	2	3	1	2
Black	18	-	-	-	-	2	1	2	4	5	4	-	12	-	-	-	-	3	-	1	2	3	1	2
All other forms of heart disease (415-423,425-429)	3,517	18	4	9	27	58	115	287	718	873	848	558	2,995	10	8	4	14	26	59	122	338	555	921	938
White	2,829	13	3	7	13	35	85	188	538	704	723	519	2,457	7	8	2	8	17	31	67	228	434	796	859
All other	688	5	1	2	14	23	30	99	180	169	125	39	538	3	-	2	6	9	28	55	110	121	125	79
Black	681	5	1	2	14	23	30	99	180	167	122	37	534	3	-	2	6	8	28	54	110	121	124	78
Hypertension with or without renal disease (401,403)	118	-	-	-	-	1	4	12	12	32	38	19	162	-	-	-	-	1	4	7	15	35	56	44
White	91	-	-	-	-	-	1	9	11	25	29	16	129	-	-	-	-	-	-	3	9	29	48	40
All other	27	-	-	-	-	1	3	3	1	7	9	3	33	-	-	-	-	1	4	4	6	6	8	4
Black	26	-	-	-	-	1	3	3	1	7	8	3	32	-	-	-	-	1	4	4	6	6	8	3
Cerebrovascular diseases (430-438)	2,526	5	2	1	7	27	46	129	295	599	883	532	3,603	3	-	5	4	35	44	129	277	619	1,227	1,260
White	2,188	2	1	1	5	20	31	93	221	503	805	506	3,180	1	-	3	4	17	28	91	212	520	1,113	1,191
All other	338	3	1	-	2	7	15	36	74	96	78	26	423	2	-	2	-	18	16	38	65	99	114	69
Black	335	2	1	-	2	7	15	36	73	95	78	26	417	2	-	2	-	18	16	38	65	96	112	68
Intracerebral and other intracranial hemorrhage (431-432)	320	3	-	-	4	5	21	41	64	83	78	21	433	2	-	5	2	14	18	46	64	98	114	70
White	252	1	-	-	3	3	8	23	49	74	71	20	363	-	-	3	2	8	12	33	44	88	106	67
All other	68	2	-	-	1	2	13	18	15	9	7	1	70	2	-	2	-	6	6	13	20	10	8	3
Black	67	1	-	-	1	2	13	18	15	9	7	1	70	2	-	2	-	6	6	13	20	10	8	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	568	-	-	-	-	-	2	20	59	140	222	125	800	-	-	-	-	1	1	10	51	147	289	301
White	501	-	-	-	-	-	1	17	43	118	207	115	703	-	-	-	-	-	1	5	36	121	251	289
All other	67	-	-	-	-	-	1	3	16	22	15	10	97	-	-	-	-	1	-	5	15	26	38	12
Black	66	-	-	-	-	-	1	3	16	21	15	10	95	-	-	-	-	1	-	5	15	24	38	12
Cerebral embolism (434.1)	12	-	-	-	-	1	1	2	2	3	1	2	17	-	-	-	-	-	-	1	1	4	7	4
White	10	-	-	-	-	-	1	2	1	3	1	2	16	-	-	-	-	-	-	1	1	4	6	4
All other	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,626	2	2	1	3	21	22	66	170	373	582	384	2,353	1	-	-	2	20	25	72	161	370	817	885
White	1,425	1	1	1	2	17	21	51	128	308	526	369	2,098	1	-	-	2	9	15	52	131	307	750	831
All other	201	1	1	-	1	4	1	15	42	65	56	15	255	-	-	-	-	11	10	20	30	63	67	54
Black	200	1	1	-	1	4	1	15	41	65	56	15	251	-	-	-	-	11	10	20	30	62	65	53
Atherosclerosis (440)	492	-	-	-	-	-	2	2	19	73	186	210	780	-	-	-	-	-	1	1	12	71	220	475
White	468	-	-	-	-	-	2	1	17	67	179	202	752	-	-	-	-	-	1	1	10	61	216	463
All other	24	-	-	-	-	-	-	1	2	6	7	8	28	-	-	-	-	-	-	-	2	10	4	12
Black	23	-	-	-	-	-	-	1	2	6	7	7	26	-	-	-	-	-	-	-	2	9	4	11
Other diseases of arteries, arterioles, and capillaries (441-448)	538	-	-	1	4	6	7	24	89	177	181	49	292	-	-	-	1	4	9	7	33	53	110	75
White	499	-	-	1	3	3	5	21	81	161	178	46	261	-	-	-	1	-	5	4	28	49	102	72
All other	39	-	-	-	1	3	2	3	8	16	3	3	31	-	-	-	-	4	4	3	5	4	8	3
Black	37	-	-	-	1	3	2	3	7	15	3	3	31	-	-	-	-	4	4	3	5	4	8	3
Acute bronchitis and bronchiolitis (466)	5	-	1	-	-	-	-	-	1	1	-	2	5	-	-	1	-	-	-	-	1	1	1	1
White	5	-	1	-	-	-	-	-	1	1	-	2	5	-	-	1	-	-	-	-	1	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	913	7	3	4	7	11	21	34	93	166	312	255	805	9	2	4	2	8	16	19	53	87	267	338
White	764	4	1	2	3	7	12	18	67	133	275	242	716	7	2	3	2	3	10	16	37	72	242	322
All other	149	3	2	2	4	4	9	16	26	33	37	13	89	2	-	1	-	5	6	3	16	15	25	16
Black	145	3	1	2	4	4	9	16	26	31	37	12	89	2	-	1	-	5	6	3	16	15	25	16

READEX FICHE

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Pneumonia (480-486)	884	7	3	3	7	11	21	34	93	164	300	241	762	8	2	3	2	7	16	19	52	81	255	317
White	737	4	1	1	3	7	12	18	67	131	264	229	675	6	2	2	2	2	10	16	36	67	230	302
All other	147	3	2	2	4	4	9	16	26	33	36	12	87	2	-	1	-	5	6	3	16	14	25	15
Black	144	3	1	2	4	4	9	16	26	31	36	12	87	2	-	1	-	5	6	3	16	14	25	15
Influenza (487)	29	-	-	1	-	-	-	-	-	2	12	14	43	1	-	1	-	1	-	-	1	6	12	21
White	27	-	-	1	-	-	-	-	-	2	11	13	41	1	-	1	-	1	-	-	1	5	12	20
All other	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,519	-	1	2	7	5	7	44	215	529	519	190	690	1	1	4	1	5	7	38	126	222	199	86
White	1,392	-	-	1	5	2	4	35	199	483	487	176	637	-	1	3	-	4	3	33	111	210	190	82
All other	127	-	1	1	2	3	3	9	16	46	32	14	53	1	-	1	1	1	4	5	15	12	9	4
Black	123	-	1	1	2	3	3	9	15	45	31	13	50	1	-	1	1	1	4	5	15	11	8	3
Bronchitis, chronic and unspecified (490-491)	88	-	1	-	1	-	1	3	10	29	29	14	38	-	-	1	-	1	-	1	3	14	11	7
White	82	-	-	-	1	-	1	3	9	27	27	14	36	-	-	1	-	1	-	1	3	14	10	6
All other	6	-	1	-	-	-	-	-	1	2	2	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	6	-	1	-	-	-	-	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Emphysema (492)	393	-	-	-	1	1	4	12	55	142	136	42	130	-	-	-	-	-	1	2	29	49	43	6
White	355	-	-	-	-	1	1	11	50	130	124	38	126	-	-	-	-	-	-	2	29	47	42	6
All other	38	-	-	-	1	-	3	1	5	12	12	4	4	-	-	-	-	-	1	-	-	2	1	-
Black	37	-	-	-	1	-	3	1	5	12	11	4	4	-	-	-	-	-	1	-	-	2	1	-
Asthma (493)	48	-	-	2	4	1	-	6	8	13	10	4	62	1	-	3	-	4	4	8	11	14	13	4
White	43	-	-	1	3	1	-	6	5	13	10	4	51	-	-	2	-	3	1	7	10	12	12	4
All other	5	-	-	1	1	-	-	-	3	-	-	-	11	1	-	1	-	1	3	1	1	2	1	-
Black	5	-	-	1	1	-	-	-	3	-	-	-	10	1	-	1	-	1	3	1	1	1	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	990	-	-	-	1	3	2	23	142	345	344	130	460	-	1	-	1	-	2	27	83	145	132	69
White	912	-	-	-	1	-	2	15	135	313	326	120	424	-	1	-	-	-	2	23	69	137	126	66
All other	78	-	-	-	-	3	-	8	7	32	18	10	36	-	-	-	1	-	-	4	14	8	6	3
Black	75	-	-	-	-	3	-	8	6	31	18	9	35	-	-	-	1	-	-	4	14	8	5	3
Ulcer of stomach and duodenum (531-533)	145	-	-	-	2	1	1	11	29	32	48	21	95	-	-	1	-	1	1	2	18	14	38	20
White	123	-	-	-	2	1	-	10	20	27	43	20	87	-	-	-	-	-	1	1	16	13	37	19
All other	22	-	-	-	-	-	1	1	9	5	5	1	8	-	-	1	-	1	-	1	2	1	1	1
Black	22	-	-	-	-	-	1	1	9	5	5	1	8	-	-	1	-	1	-	1	2	1	1	1
Appendicitis (540-543)	17	-	-	-	2	1	4	-	2	1	4	3	9	-	-	-	2	-	-	1	1	1	3	1
White	13	-	-	-	2	1	3	-	2	-	3	2	6	-	-	-	1	-	-	1	-	1	2	1
All other	4	-	-	-	-	-	1	-	-	1	1	1	3	-	-	-	1	-	-	-	1	-	1	-
Black	4	-	-	-	-	-	1	-	-	1	1	1	3	-	-	-	1	-	-	-	1	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	93	2	2	3	1	1	2	5	9	24	29	15	116	1	-	-	-	1	3	2	6	21	42	40
White	77	2	2	1	1	1	-	5	6	18	27	14	107	1	-	-	-	1	2	1	6	20	38	38
All other	16	-	-	2	-	-	2	-	3	6	2	1	9	-	-	-	-	-	1	1	-	1	4	2
Black	16	-	-	2	-	-	2	-	3	6	2	1	9	-	-	-	-	-	1	1	-	1	4	2
Chronic liver disease and cirrhosis (571)	820	-	1	-	2	39	82	196	258	182	52	8	433	-	-	-	1	25	42	103	125	89	32	16
White	645	-	1	-	1	21	49	145	208	166	47	7	321	-	-	-	-	7	23	76	96	76	27	16
All other	175	-	-	-	1	18	33	51	50	16	5	1	112	-	-	-	1	18	19	27	29	13	5	-
Black	174	-	-	-	1	18	33	50	50	16	5	1	108	-	-	-	1	17	19	25	29	13	4	-
Cholelithiasis and other disorders of gallbladder (574-575)	39	-	-	-	-	1	1	1	5	14	10	7	52	-	-	-	-	-	2	2	6	9	19	14
White	34	-	-	-	-	1	1	1	3	12	10	6	46	-	-	-	-	-	-	1	6	8	17	14
All other	5	-	-	-	-	-	-	-	2	2	-	1	6	-	-	-	-	-	2	1	-	1	2	-
Black	5	-	-	-	-	-	-	-	2	2	-	1	6	-	-	-	-	-	2	1	-	1	2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	319	4	-	1	6	5	8	19	34	77	93	72	347	6	-	-	1	8	8	19	42	63	96	104
White	254	1	-	1	3	1	5	13	27	61	78	64	274	4	-	-	1	3	4	7	28	49	85	93
All other	65	3	-	-	3	4	3	6	7	16	15	8	73	2	-	-	-	5	4	12	14	14	11	11
Black	63	2	-	-	3	4	3	6	7	15	15	8	72	2	-	-	-	5	4	12	13	14	11	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	10	1	-	-	-	1	-	-	2	1	2	3	5	-	-	-	-	-	-	1	-	2	1	1
White	7	1	-	-	-	-	-	-	2	1	1	2	4	-	-	-	-	-	-	-	-	2	1	1
All other	3	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	3	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	32	-	-	-	2	2	1	2	4	7	9	5	44	-	-	-	1	-	1	3	4	12	16	7
White	26	-	-	-	1	1	1	1	4	6	8	4	36	-	-	-	1	-	-	2	3	10	13	7
All other	6	-	-	-	1	1	-	1	-	1	1	1	8	-	-	-	-	-	1	1	1	2	3	-
Black	6	-	-	-	1	1	-	1	-	1	1	1	8	-	-	-	-	-	1	1	1	2	3	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	277	3	-	1	4	2	7	17	28	69	82	64	298	6	-	-	-	8	7	15	38	49	79	96
White	221	-	-	1	2	-	4	12	21	54	69	58	234	4	-	-	-	3	4	5	25	37	71	85
All other	56	3	-	-	2	2	3	5	7	15	13	6	64	2	-	-	-	5	3	10	13	12	8	11
Black	54	2	-	-	2	2	3	5	7	14	13	6	63	2	-	-	-	5	3	10	12	12	8	11
Infections of kidney (590)	19	-	-	-	-	-	-	1	3	4	6	5	42	-	-	-	-	2	-	3	4	11	11	11
White	17	-	-	-	-	-	-	-	3	4	5	5	36	-	-	-	-	1	-	3	3	9	9	11
All other	2	-	-	-	-	-	-	1	-	-	1	-	6	-	-	-	-	1	-	-	1	2	2	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	6	-	-	-	-	1	-	-	1	2	2	-
Hyperplasia of prostate (600)	28	-	-	-	-	-	-	-	1	5	11	11	...	...	...	...	...	...	...	...	...	...	...	...
White	26	-	-	-	-	-	-	-	1	5	10	10	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	1	4	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	3	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	4	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	3	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Congenital anomalies (740-759)	260	174	23	3	19	12	5	6	5	5	8	-	240	150	16	11	14	9	7	8	11	5	9	-
White	221	144	20	3	17	9	4	6	5	5	8	-	198	123	11	8	12	7	7	8	10	5	7	-
All other	39	30	3	-	2	3	1	-	-	-	-	-	42	27	5	3	2	2	-	-	1	-	2	-
Black	37	28	3	-	2	3	1	-	-	-	-	-	39	24	5	3	2	2	-	-	1	-	2	-
Certain conditions originating in the perinatal period (760-779)	586	583	3	-	-	-	-	-	-	-	-	-	437	436	1	-	-	-	-	-	-	-	-	-
White	380	377	3	-	-	-	-	-	-	-	-	-	276	276	-	-	-	-	-	-	-	-	-	-
All other	206	206	-	-	-	-	-	-	-	-	-	-	161	160	1	-	-	-	-	-	-	-	-	-
Black	201	201	-	-	-	-	-	-	-	-	-	-	160	159	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	170	170	-	-	-	-	-	-	-	-	-	-	125	125	-	-	-	-	-	-	-	-	-	-
White	115	115	-	-	-	-	-	-	-	-	-	-	86	86	-	-	-	-	-	-	-	-	-	-
All other	55	55	-	-	-	-	-	-	-	-	-	-	39	39	-	-	-	-	-	-	-	-	-	-
Black	54	54	-	-	-	-	-	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	416	413	3	-	-	-	-	-	-	-	-	-	312	311	1	-	-	-	-	-	-	-	-	-
White	265	262	3	-	-	-	-	-	-	-	-	-	190	190	-	-	-	-	-	-	-	-	-	-
All other	151	151	-	-	-	-	-	-	-	-	-	-	122	121	1	-	-	-	-	-	-	-	-	-
Black	147	147	-	-	-	-	-	-	-	-	-	-	122	121	1	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	248	163	7	-	4	9	9	8	9	11	12	16	205	115	2	-	7	4	5	2	2	15	19	34
White	185	115	6	-	3	7	6	4	8	9	11	16	150	70	2	-	6	2	3	2	2	15	17	31
All other	63	48	1	-	1	2	3	4	1	2	1	-	55	45	-	-	1	2	2	-	-	-	2	3
Black	60	45	1	-	1	2	3	4	1	2	1	-	53	44	-	-	1	2	1	-	-	-	2	3
All other diseases (Residual)	2,257	33	22	16	68	170	146	174	361	510	482	275	2,180	37	15	27	49	87	88	137	272	424	570	474
White	1,805	26	15	13	51	79	77	134	290	432	440	248	1,855	26	10	22	33	43	68	108	230	363	511	441
All other	452	7	7	3	17	91	69	40	71	78	42	27	325	11	5	5	16	44	20	29	42	61	59	33
Black	445	7	6	3	17	91	66	40	71	76	41	27	316	11	4	5	15	44	19	27	39	61	58	33
Accidents and adverse effects (E800-E949)	2,382	21	85	150	570	463	263	205	198	168	163	96	1,007	18	48	63	156	123	84	76	95	96	109	139
White	2,076	14	63	126	544	395	219	170	162	146	145	92	881	15	36	52	149	97	74	67	78	83	99	131
All other	306	7	22	24	26	68	44	35	36	22	18	4	126	3	12	11	7	26	10	9	17	13	10	8
Black	290	7	21	24	21	65	41	35	34	21	18	3	116	3	11	10	7	25	8	7	16	12	10	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Motor vehicle accidents (E810-E825)	1,244	5	22	83	419	282	140	93	67	66	50	17	483	3	13	31	134	85	51	40	52	35	32	7
White	1,133	3	17	74	407	250	122	85	56	56	46	17	441	3	9	27	129	77	45	37	44	31	32	7
All other	111	2	5	9	12	32	18	8	11	10	4	-	42	-	4	4	5	8	6	3	8	4	-	-
Black	101	2	4	9	8	31	15	8	10	10	4	-	36	-	4	3	5	7	5	2	7	3	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1,138	16	63	67	151	181	123	112	131	102	113	79	524	15	35	32	22	38	33	36	43	61	77	132
White	943	11	46	52	137	145	97	85	106	90	99	75	440	12	27	25	20	20	29	30	34	52	67	124
All other	195	5	17	15	14	36	26	27	25	12	14	4	84	3	8	7	2	18	4	6	9	9	10	8
Black	189	5	17	15	13	34	26	27	24	11	14	3	80	3	7	7	2	18	3	5	9	9	10	7
Suicide (E950-E959)	806	...	...	3	179	187	110	99	97	75	45	11	268	...	...	1	33	61	52	55	42	19	5	-
White	728	...	...	3	159	155	100	92	94	73	41	11	252	...	...	1	29	53	51	52	42	19	5	-
All other	78	...	...	-	20	32	10	7	3	2	4	-	16	...	...	-	4	8	1	3	-	-	-	-
Black	74	...	...	-	20	30	9	6	3	2	4	-	15	...	...	-	4	8	-	3	-	-	-	-
Homicide and legal intervention (E960-E978)	708	4	6	12	176	234	118	73	48	27	10	2	232	3	14	14	53	56	33	21	17	10	11	-
White	220	3	4	3	60	55	39	27	15	11	2	1	102	1	5	4	27	17	13	11	10	5	9	-
All other	488	1	2	9	116	179	79	46	31	16	8	1	130	2	9	10	26	39	20	10	7	5	2	-
Black	484	1	2	7	116	179	78	46	31	15	8	1	128	1	9	10	26	39	19	10	7	5	2	-
All other external causes (E980-E999)	54	2	1	1	6	15	7	11	2	5	3	1	35	2	2	1	4	6	7	5	4	2	2	-
White	31	1	1	-	2	8	4	9	-	2	3	1	25	1	1	-	2	4	6	5	4	-	2	-
All other	23	1	-	1	4	7	3	2	2	3	-	-	10	1	1	1	2	2	1	-	-	2	-	-
Black	22	1	-	1	4	7	3	2	2	2	-	-	10	1	1	1	2	2	1	-	-	2	-	-
MINNESOTA																								
All causes	17,884	419	93	98	531	455	416	1,075	2,548	4,344	4,823	3,081	14,953	287	37	56	171	176	251	534	1,310	2,647	4,588	4,895
White	17,554	373	83	91	511	429	389	1,043	2,492	4,290	4,793	3,059	14,724	263	34	52	169	163	232	506	1,282	2,607	4,554	4,861
All other	330	46	10	7	20	26	27	32	56	54	30	22	229	24	3	4	2	13	19	28	28	40	34	34
Black	185	29	6	-	7	10	15	18	33	34	20	13	136	13	1	2	1	7	9	18	16	27	19	23
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	1	1	-	-	-	-	-	-	-	1	-	4	1	-	-	-	-	-	-	-	-	2	1
White	3	1	1	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	4	-	-	-	-	-	-	-	1	-	-	3	5	-	-	-	-	-	-	-	2	-	2	1
White	4	-	-	-	-	-	-	-	1	-	-	3	5	-	-	-	-	-	-	-	2	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	3	-	-	-	-	-	-	-	-	-	-	3	5	-	-	-	-	-	-	-	2	-	2	1
White	3	-	-	-	-	-	-	-	-	-	-	3	5	-	-	-	-	-	-	-	2	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	1	-	-	1	2	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
White	4	1	-	-	1	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	55	-	2	-	-	-	1	3	8	11	16	14	59	3	1	-	1	-	2	2	4	7	17	22
White	54	-	1	-	-	-	1	3	8	11	16	14	56	3	1	-	1	-	2	2	4	7	17	19
All other	1	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Viral hepatitis (070)	9	-	-	1	-	-	1	2	2	3	-	-	3	-	-	1	-	-	-	-	1	1	-	-
White	8	-	-	1	-	-	-	2	2	3	-	-	3	-	-	1	-	-	-	-	1	1	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	55	2	2	2	-	3	2	5	6	14	12	7	43	3	2	-	1	2	2	2	3	11	8	9
White	52	2	2	1	-	3	2	5	5	14	12	6	42	2	2	-	1	2	2	2	3	11	8	9
All other	3	-	-	1	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,698	1	9	9	21	38	75	294	718	1,132	997	404	3,251	-	6	12	16	36	93	247	605	864	896	476
White	3,637	1	8	9	20	36	73	285	703	1,115	986	401	3,204	-	6	12	16	35	84	236	597	855	888	475
All other	61	-	1	-	1	2	2	9	15	17	11	3	47	-	-	-	-	1	9	11	8	9	8	1
Black	42	-	-	-	-	2	1	6	9	14	8	2	30	-	-	-	-	1	4	6	7	6	5	1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	82	-	-	-	-	-	-	10	22	26	18	6	29	-	-	-	-	-	-	1	4	10	5	9
White	82	-	-	-	-	-	-	10	22	26	18	6	29	-	-	-	-	-	-	1	4	10	5	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,062	-	-	-	1	8	14	74	218	316	288	143	928	-	-	-	2	2	14	40	150	222	306	192
White	1,042	-	-	-	1	6	14	71	213	311	283	143	919	-	-	-	2	2	12	40	148	220	303	192
All other	20	-	-	-	-	2	-	3	5	5	5	-	9	-	-	-	-	-	2	-	2	2	3	-
Black	12	-	-	-	-	2	-	1	3	4	2	-	3	-	-	-	-	-	-	-	1	-	2	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,113	-	-	-	-	-	21	123	286	411	226	46	409	-	-	-	-	1	12	44	102	132	89	29
White	1,093	-	-	-	-	-	19	118	280	406	225	45	397	-	-	-	-	1	11	39	101	130	87	28
All other	20	-	-	-	-	-	2	5	6	5	1	1	12	-	-	-	-	-	1	5	1	2	2	1
Black	15	-	-	-	-	-	1	4	4	5	1	-	8	-	-	-	-	-	-	3	1	2	1	1
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	1	-	-	1	634	-	-	-	-	7	40	73	144	168	134	68
White	2	-	-	-	-	-	-	-	1	-	-	1	623	-	-	-	-	7	34	72	142	166	134	68
All other	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	6	1	2	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	4	1	2	1	-	-
Malignant neoplasms of genital organs (179-187)	474	-	-	-	3	4	2	4	39	117	184	121	378	-	-	-	2	7	13	33	74	113	100	36
White	464	-	-	-	3	4	2	4	38	113	180	120	375	-	-	-	2	7	13	32	73	113	99	36
All other	10	-	-	-	-	-	-	-	1	4	4	1	3	-	-	-	-	-	-	1	1	-	1	-
Black	9	-	-	-	-	-	-	-	1	3	4	1	2	-	-	-	-	-	-	-	1	-	1	-
Malignant neoplasms of urinary organs (188-189)	183	-	1	2	1	-	2	6	27	52	74	18	125	-	1	1	-	2	1	4	16	34	41	25
White	180	-	1	2	1	-	2	6	25	51	74	18	123	-	1	1	-	2	1	4	16	33	40	25
All other	3	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	387	-	5	3	5	13	20	42	68	105	92	34	360	-	3	7	5	9	3	26	56	98	90	63
White	381	-	4	3	5	13	20	42	67	103	91	33	357	-	3	7	5	9	3	25	55	97	90	63
All other	6	-	1	-	-	-	-	-	1	2	1	1	3	-	-	-	-	-	-	1	1	1	-	-
Black	4	-	-	-	-	-	-	-	-	2	1	1	2	-	-	-	-	-	-	-	1	1	-	-
Leukemia (204-208)	154	1	3	3	5	2	3	13	19	48	43	14	129	-	2	3	4	6	6	5	17	26	41	19
White	154	1	3	3	5	2	3	13	19	48	43	14	127	-	2	3	4	5	6	5	17	25	41	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	241	-	-	1	6	11	13	22	38	57	72	21	259	-	-	1	3	2	4	21	42	61	90	35
White	239	-	-	1	5	11	13	21	38	57	72	21	254	-	-	1	3	2	4	18	41	61	89	35
All other	2	-	-	-	1	-	-	1	-	-	-	-	5	-	-	-	-	-	-	3	1	-	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	2	1	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	44	-	-	1	-	-	-	1	5	14	15	8	68	1	1	-	-	3	1	2	5	12	25	18
White	44	-	-	1	-	-	-	1	5	14	15	8	68	1	1	-	-	3	1	2	5	12	25	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Diabetes mellitus (250)	205	-	-	-	1	4	6	15	19	50	70	40	275	-	-	-	2	4	5	13	24	75	94	58
White	202	-	-	-	1	4	6	14	19	49	70	39	269	-	-	-	2	4	5	13	23	73	93	56
All other	3	-	-	-	-	-	-	1	-	1	-	1	6	-	-	-	-	-	-	-	1	2	1	2
Black	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	1	2
Nutritional deficiencies (260-269)	18	-	-	-	-	-	-	-	-	-	3	15	36	-	-	-	-	-	-	-	1	4	14	17
White	18	-	-	-	-	-	-	-	-	-	3	15	35	-	-	-	-	-	-	-	1	4	14	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	23	-	-	-	-	-	-	-	1	5	10	7	29	-	-	-	-	-	-	1	2	5	6	15
White	23	-	-	-	-	-	-	-	1	5	10	7	29	-	-	-	-	-	-	1	2	5	6	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	8	2	3	-	-	-	-	-	-	1	-	2	9	2	2	-	-	-	-	1	-	1	1	2
White	8	2	3	-	-	-	-	-	-	1	-	2	8	1	2	-	-	-	-	1	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	8,667	9	3	2	15	42	122	440	1,304	2,230	2,679	1,821	7,696	5	3	4	9	20	53	137	423	1,187	2,666	3,189
White	8,571	9	2	2	14	39	110	429	1,278	2,207	2,667	1,814	7,610	5	2	4	9	20	51	127	412	1,167	2,644	3,169
All other	96	-	1	-	1	3	12	11	26	23	12	7	86	-	1	-	-	-	2	10	11	20	22	20
Black	61	-	-	-	-	-	10	8	17	15	8	3	57	-	-	-	-	-	1	8	7	14	13	14
Diseases of heart (390-398,402,404-429)	6,830	4	3	1	12	36	108	408	1,158	1,856	1,984	1,260	5,284	4	1	3	6	8	33	104	335	911	1,892	1,987
White	6,748	4	2	1	12	33	97	397	1,137	1,835	1,975	1,255	5,223	4	1	3	6	8	31	95	328	896	1,875	1,976
All other	82	-	1	-	-	3	11	11	21	21	9	5	61	-	-	-	-	-	2	9	7	15	17	11
Black	52	-	-	-	-	-	9	8	13	14	6	2	39	-	-	-	-	-	1	7	4	9	9	9
Rheumatic fever and rheumatic heart disease (390-398)	55	-	-	-	-	2	2	3	12	21	13	2	88	-	-	-	-	1	3	8	12	23	29	12
White	55	-	-	-	-	2	2	3	12	21	13	2	87	-	-	-	-	1	3	8	12	23	28	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	74	-	-	-	-	1	-	7	11	25	19	11	90	-	-	-	-	-	1	1	4	10	33	41
White	73	-	-	-	-	1	-	7	11	24	19	11	89	-	-	-	-	-	1	1	4	9	33	41
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Hypertensive heart and renal disease (404)	15	-	-	-	-	-	-	-	1	4	4	6	13	-	-	-	-	-	-	-	1	-	6	6
White	14	-	-	-	-	-	-	-	-	4	4	6	13	-	-	-	-	-	-	-	1	-	6	6
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	5,430	-	-	-	-	27	90	331	973	1,519	1,556	934	3,858	-	-	1	-	2	14	68	257	713	1,399	1,404
White	5,367	-	-	-	-	25	81	322	959	1,501	1,547	932	3,818	-	-	1	-	2	13	61	251	704	1,390	1,396
All other	63	-	-	-	-	2	9	9	14	18	9	2	40	-	-	-	-	-	1	7	6	9	9	8
Black	41	-	-	-	-	-	8	6	9	11	6	1	27	-	-	-	-	-	1	6	3	5	5	7
Acute myocardial infarction (410)	2,985	-	-	-	-	19	55	223	613	902	816	357	1,802	-	-	-	-	1	7	43	157	430	709	455
White	2,953	-	-	-	-	17	52	216	605	893	813	357	1,781	-	-	-	-	1	7	39	155	423	702	454
All other	32	-	-	-	-	2	3	7	8	9	3	-	21	-	-	-	-	-	-	4	2	7	7	1
Black	18	-	-	-	-	-	3	5	4	4	2	-	14	-	-	-	-	-	-	4	-	4	5	1
Other acute and subacute forms of ischemic heart disease (411)	23	-	-	-	-	-	-	1	6	6	7	3	12	-	-	-	-	-	-	-	2	2	4	4
White	23	-	-	-	-	-	-	1	6	6	7	3	12	-	-	-	-	-	-	-	2	2	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	9	-	-	-	-	-	-	-	1	3	3	2	3	-	-	-	-	-	1	-	-	2	-	-
White	9	-	-	-	-	-	-	-	1	3	3	2	3	-	-	-	-	-	1	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,413	-	-	-	-	8	35	107	353	608	730	572	2,041	-	-	1	-	1	6	25	98	279	686	945
White	2,382	-	-	-	-	8	29	105	347	599	724	570	2,022	-	-	1	-	1	5	22	94	277	684	938
All other	31	-	-	-	-	-	6	2	6	9	6	2	19	-	-	-	-	-	1	3	4	2	2	7
Black	23	-	-	-	-	-	5	1	5	7	4	1	13	-	-	-	-	-	1	2	3	1	-	6
Other diseases of endocardium (424)	73	-	-	-	-	-	1	1	10	22	26	13	99	1	-	-	1	-	1	2	9	15	37	33
White	73	-	-	-	-	-	1	1	10	22	26	13	97	1	-	-	1	-	1	2	9	15	35	33
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	66-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
All other forms of heart disease (415-423,425-429)	1,183	4	3	1	12	6	15	66	151	265	366	294	1,136	3	1	2	5	5	14	25	52	150	388	491
White	1,166	4	2	1	12	5	13	64	145	263	366	291	1,119	3	1	2	5	5	13	23	51	145	383	488
All other	17	-	1	-	-	1	2	2	6	2	-	3	17	-	-	-	-	-	1	2	1	5	5	3
Black	9	-	-	-	-	-	1	2	3	2	-	1	11	-	-	-	-	-	-	1	1	3	4	2
Hypertension with or without renal c sease (401,403)	65	-	-	-	-	-	-	1	5	8	33	18	74	-	-	-	1	-	-	1	4	11	29	28
White	64	-	-	-	-	-	-	1	5	8	32	18	73	-	-	-	1	-	-	1	3	11	29	28
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Cerebrovascular diseases (430-438)	1,256	5	-	1	2	6	8	21	96	239	491	387	1,863	1	2	-	2	11	16	29	68	220	614	900
White	1,247	5	-	1	1	6	8	21	91	239	490	385	1,846	1	1	-	2	11	16	28	66	216	611	894
All other	9	-	-	-	1	-	-	-	5	-	1	2	17	-	1	-	-	-	-	1	2	4	3	6
Black	5	-	-	-	-	-	-	-	4	-	-	1	11	-	-	-	-	-	-	1	1	4	2	3
Intracerebral and other intracranial hemorrhage (431-432)	133	2	-	-	-	4	-	8	27	27	47	18	164	-	1	-	1	1	7	9	16	35	54	40
White	131	2	-	-	-	4	-	8	25	27	47	18	161	-	1	-	1	1	7	8	14	35	54	40
All other	2	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	-	1	2	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	198	1	-	-	1	-	-	-	11	40	91	54	295	1	-	-	-	1	-	1	8	27	106	151
White	197	1	-	-	1	-	-	-	11	40	91	53	293	1	-	-	-	1	-	1	8	26	106	150
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cerebral embolism (434.1)	9	-	-	-	-	-	-	-	1	2	3	3	9	-	-	-	-	-	-	-	-	1	5	3
White	9	-	-	-	-	-	-	-	1	2	3	3	8	-	-	-	-	-	-	-	-	1	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	916	2	-	1	1	2	8	13	57	170	350	312	1,395	-	1	-	1	9	9	19	44	157	449	706
White	910	2	-	1	-	2	8	13	54	170	349	311	1,384	-	-	-	1	9	9	19	44	154	447	701
All other	6	-	-	-	1	-	-	-	3	-	1	1	11	-	1	-	-	-	-	-	-	3	2	5
Black	4	-	-	-	-	-	-	-	3	-	-	1	7	-	-	-	-	-	-	-	-	3	1	3
Atherosclerosis (440)	260	-	-	-	-	-	2	2	11	36	85	124	332	-	-	-	-	-	-	-	7	14	81	230
White	259	-	-	-	-	-	2	2	11	35	85	124	327	-	-	-	-	-	-	-	6	13	80	228
All other	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	-	1	1	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	1	1	1
Other diseases of arteries, arterioles, and capillaries (441-448)	256	-	-	-	1	-	4	8	34	91	86	32	143	-	-	1	-	1	4	3	9	31	50	44
White	253	-	-	-	1	-	3	8	34	90	85	32	141	-	-	1	-	1	4	3	9	31	49	43
All other	3	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	3	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Acute bronchitis and bronchiolitis (466)	6	1	-	-	-	-	1	1	-	-	2	1	7	-	-	-	-	-	-	-	-	1	3	3
White	6	1	-	-	-	-	1	1	-	-	2	1	7	-	-	-	-	-	-	-	-	1	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	520	6	2	2	2	-	2	10	29	68	181	218	572	3	-	1	4	3	5	5	15	45	159	332
White	514	6	2	2	2	-	2	10	28	66	180	216	567	3	-	1	4	3	4	4	14	44	159	331
All other	6	-	-	-	-	-	-	-	1	2	1	2	5	-	-	-	-	-	1	1	1	1	-	1
Black	4	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	1	1	-	-	-	1
Pneumonia (480-486)	493	6	2	2	1	-	2	10	27	62	172	209	531	3	-	1	3	3	5	5	14	44	148	305
White	489	6	2	2	1	-	2	10	26	62	171	207	526	3	-	1	3	3	4	4	13	43	148	304
All other	4	-	-	-	-	-	-	-	1	-	1	2	5	-	-	-	-	-	1	1	1	1	-	1
Black	3	-	-	-	-	-	-	-	1	-	1	1	3	-	-	-	-	-	1	1	-	-	-	1
Influenza (487)	27	-	-	-	1	-	-	-	2	6	9	9	41	-	-	-	1	-	-	-	1	1	11	27
White	25	-	-	-	1	-	-	-	2	4	9	9	41	-	-	-	1	-	-	-	1	1	11	27
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	603	-	1	2	-	1	2	12	68	213	211	93	246	-	-	-	1	-	3	6	32	76	84	44
White	599	-	1	2	-	1	2	12	65	212	211	93	244	-	-	-	1	-	3	6	31	75	84	44
All other	4	-	-	-	-	-	-	-	3	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Bronchitis, chronic and unspecified (490-491)	38	-	1	-	-	-	-	-	3	10	11	13	19	-	-	-	-	-	-	-	1	5	6	7
White	37	-	1	-	-	-	-	-	2	10	11	13	19	-	-	-	-	-	-	-	1	5	6	7
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	133	-	-	-	-	-	1	3	16	56	40	17	47	-	-	-	-	-	1	2	9	17	10	8
White	132	-	-	-	-	-	1	3	15	56	40	17	47	-	-	-	-	-	1	2	9	17	10	8
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Asthma (493)	32	-	-	2	-	1	1	3	6	8	6	5	28	-	-	-	1	-	1	1	4	5	10	6
White	32	-	-	2	-	1	1	3	6	8	6	5	28	-	-	-	1	-	1	1	4	5	10	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	400	-	-	-	-	-	-	6	43	139	154	58	152	-	-	-	-	-	1	3	18	49	58	23
White	398	-	-	-	-	-	-	6	42	138	154	58	150	-	-	-	-	-	1	3	17	48	58	23
All other	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Ulcer of stomach and duodenum (531-533)	66	-	1	-	1	-	-	3	9	19	23	10	63	-	-	-	-	-	1	2	6	9	22	23
White	66	-	1	-	1	-	-	3	9	19	23	10	63	-	-	-	-	-	1	2	6	9	22	23
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	7	-	-	-	1	-	1	1	1	-	1	2	3	-	-	1	-	-	-	-	-	-	1	1
White	7	-	-	-	1	-	1	1	1	-	1	2	3	-	-	1	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	36	2	-	-	-	-	-	2	-	9	12	11	57	1	1	-	1	-	-	1	2	5	19	27
White	36	2	-	-	-	-	-	2	-	9	12	11	57	1	1	-	1	-	-	1	2	5	19	27
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	242	1	-	-	-	2	18	54	75	64	22	6	135	-	-	-	-	3	10	25	31	34	23	9
White	232	1	-	-	-	2	16	51	71	63	22	6	126	-	-	-	-	1	9	22	29	33	23	9
All other	10	-	-	-	-	-	2	3	4	1	-	-	9	-	-	-	-	2	1	3	2	1	-	-
Black	4	-	-	-	-	-	1	1	1	1	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	36	-	-	-	-	-	-	1	4	7	12	12	24	-	-	-	-	-	1	-	3	1	4	15
White	35	-	-	-	-	-	-	1	4	7	11	12	23	-	-	-	-	-	1	-	3	1	4	14
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	111	3	1	-	-	1	2	2	6	14	44	38	100	-	-	-	-	1	-	2	4	16	36	41
White	110	3	1	-	-	1	2	2	6	13	44	38	100	-	-	-	-	1	-	2	4	16	36	41
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	14	-	-	-	-	-	1	1	1	2	6	3	15	-	-	-	-	-	-	-	2	3	6	4
White	14	-	-	-	-	-	1	1	1	2	6	3	15	-	-	-	-	-	-	-	2	3	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	96	3	1	-	-	1	1	1	5	11	38	35	83	-	-	-	-	1	-	2	2	13	29	36
White	95	3	1	-	-	1	1	1	5	10	38	35	83	-	-	-	-	1	-	2	2	13	29	36
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	10	-	-	-	-	-	-	-	1	1	5	3	19	-	-	-	-	1	-	2	1	3	7	5
White	10	-	-	-	-	-	-	-	1	1	5	3	18	-	-	-	-	-	-	2	1	3	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Hyperplasia of prostate (600)	17	-	-	-	-	-	-	-	-	2	5	10	...	...	...	...	...	...	...	...	...	...	...	...
White	17	-	-	-	-	-	-	-	-	2	5	10	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MINNESOTA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	141	101	10	7	6	3	2	5	3	2	1	1	86	63	3	4	3	1	-	4	2	1	5	-
White	129	90	10	7	6	2	2	5	3	2	1	1	79	57	3	3	3	1	-	4	2	1	5	-
All other	12	11	-	-	-	1	-	-	-	-	-	-	7	6	-	1	-	-	-	-	-	-	-	-
Black	8	8	-	-	-	-	-	-	-	-	-	-	4	3	-	1	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	183	182	1	-	-	-	-	-	-	-	-	-	129	129	-	-	-	-	-	-	-	-	-	-
White	158	157	1	-	-	-	-	-	-	-	-	-	123	123	-	-	-	-	-	-	-	-	-	-
All other	25	25	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	17	17	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	67	67	-	-	-	-	-	-	-	-	-	-	43	43	-	-	-	-	-	-	-	-	-	-
White	62	62	-	-	-	-	-	-	-	-	-	-	41	41	-	-	-	-	-	-	-	-	-	-
All other	5	5	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	116	115	1	-	-	-	-	-	-	-	-	-	86	86	-	-	-	-	-	-	-	-	-	-
White	96	95	1	-	-	-	-	-	-	-	-	-	82	82	-	-	-	-	-	-	-	-	-	-
All other	20	20	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	15	15	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	410	78	4	1	7	7	7	7	48	99	90	61	304	55	1	4	3	1	3	4	11	44	83	94
White	391	72	3	1	6	7	5	7	46	95	89	59	297	51	1	4	3	1	3	4	11	41	83	94
All other	19	6	1	-	1	-	2	-	2	4	1	2	7	4	-	-	-	-	-	-	-	3	-	-
Black	8	2	-	-	1	-	-	-	1	2	-	2	4	1	-	-	-	-	-	-	-	3	-	-
All other diseases (Residual)	1,062	19	18	12	27	23	24	62	111	254	286	226	1,039	12	6	3	9	23	20	34	74	174	315	369
White	1,038	18	15	10	27	22	22	60	111	250	283	220	1,017	10	5	3	9	22	17	32	71	171	313	364
All other	24	1	3	2	-	1	2	2	-	4	3	6	22	2	1	-	-	1	3	2	3	3	2	5
Black	11	-	3	-	-	1	1	1	-	-	2	3	13	1	1	-	-	-	2	1	1	3	-	4
Accidents and adverse effects (E800-E949)	1,205	8	33	55	347	214	98	99	91	93	107	60	549	5	10	25	92	36	31	29	45	63	91	122
White	1,167	6	31	51	336	207	95	94	88	93	106	60	534	3	9	22	90	32	30	28	45	63	90	122
All other	38	2	2	4	11	7	3	5	3	-	1	-	15	2	1	3	2	4	1	1	-	-	1	-
Black	13	2	2	-	5	-	1	1	1	-	1	-	4	1	-	1	1	1	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	622	-	9	29	249	148	57	45	35	24	23	3	245	3	5	12	80	27	18	18	26	21	28	7
White	605	-	9	28	242	144	54	43	35	24	23	3	237	2	5	11	79	23	17	18	26	21	28	7
All other	17	-	-	1	7	4	3	2	-	-	-	-	8	1	-	1	1	4	1	-	-	-	-	-
Black	3	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	583	8	24	26	98	66	41	54	56	69	84	57	304	2	5	13	12	9	13	11	19	42	63	115
White	562	6	22	23	94	63	41	51	53	69	83	57	297	1	4	11	11	9	13	10	19	42	62	115
All other	21	2	2	3	4	3	-	3	3	-	1	-	7	1	1	2	1	-	-	1	-	-	1	-
Black	10	2	2	-	3	-	-	1	1	-	1	-	3	1	-	1	1	-	-	-	-	-	-	-
Suicide (E950-E959)	346	...	...	1	84	90	38	42	33	35	17	6	96	...	...	-	19	31	15	12	12	5	2	-
White	336	...	...	1	80	87	36	42	32	35	17	6	94	...	...	-	19	30	15	12	11	5	2	-
All other	10	...	...	-	4	3	2	-	1	-	-	-	2	...	...	-	-	1	-	-	1	-	-	-
Black	1	...	...	-	-	1	-	-	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	63	1	2	3	15	17	12	9	2	2	-	-	33	2	1	1	6	9	4	2	2	2	3	1
White	51	1	1	3	13	9	12	8	2	2	-	-	29	2	1	1	6	6	3	2	2	2	3	1
All other	12	-	1	-	2	8	-	1	-	-	-	-	4	-	-	-	-	3	1	-	-	-	-	-
Black	9	-	1	-	1	8	-	1	-	-	-	-	3	-	-	-	-	3	-	-	-	-	-	-
All other external causes (E980-E999)	26	1	-	-	3	8	2	5	3	2	-	2	7	-	-	-	2	2	1	1	-	1	-	-
White	23	-	-	-	3	7	1	5	3	2	-	2	6	-	-	-	2	2	-	1	-	1	-	-
All other	3	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI																								
All causes	12,947	405	79	112	485	459	506	1,075	2,155	3,340	2,933	1,375	10,513	306	52	58	151	210	241	567	1,203	2,287	3,044	2,381
White	8,249	154	25	60	318	243	289	694	1,463	2,245	1,927	827	6,674	95	18	35	104	108	127	326	684	1,433	2,032	1,707
All other	4,698	251	54	52	167	216	217	381	692	1,095	1,006	548	3,839	211	34	23	47	102	114	241	519	854	1,012	674
Black	4,667	247	53	51	162	213	213	378	689	1,091	1,006	545	3,813	208	34	22	43	101	112	236	517	851	1,007	674
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	3	1	-	-	-	-	-	-	-	-	-	8	-	-	2	-	-	-	1	1	1	3	-
White	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	2	-	-	-	1	-	1	1	-
All other	4	3	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	2	-
Black	4	3	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	2	-
Tuberculosis (010-018)	17	-	-	-	-	1	-	3	8	3	1	1	8	-	-	-	-	1	-	2	2	1	2	-
White	10	-	-	-	-	-	-	2	5	2	-	1	2	-	-	-	-	-	-	-	2	-	-	-
All other	7	-	-	-	-	1	-	1	3	1	1	-	6	-	-	-	-	1	-	2	-	1	2	-
Black	7	-	-	-	-	1	-	1	3	1	1	-	6	-	-	-	-	1	-	2	-	1	2	-
Tuberculosis of respiratory system (010-012)	14	-	-	-	-	1	-	2	7	3	-	1	7	-	-	-	-	-	-	2	2	1	2	-
White	8	-	-	-	-	-	-	1	4	2	-	1	2	-	-	-	-	-	-	-	2	-	-	-
All other	6	-	-	-	-	1	-	1	3	1	-	-	5	-	-	-	-	-	-	2	-	1	2	-
Black	6	-	-	-	-	1	-	1	3	1	-	-	5	-	-	-	-	-	-	2	-	1	2	-
Other tuberculosis (013-018)	3	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
White	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	-	-	1	1	-	-	-	-	1	-	-	4	-	1	1	-	1	-	-	-	-	1	-
White	2	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	1	-
All other	1	-	-	1	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
Septicemia (038)	45	5	-	1	-	1	6	4	8	5	12	3	55	1	2	-	-	1	-	2	4	14	15	16
White	28	2	-	1	-	-	4	3	6	2	8	2	29	1	-	-	-	-	-	1	1	7	11	8
All other	17	3	-	-	-	1	2	1	2	3	4	1	26	-	2	-	-	1	-	1	3	7	4	8
Black	17	3	-	-	-	1	2	1	2	3	4	1	25	-	2	-	-	1	-	-	3	7	4	8
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	9	-	-	-	1	1	-	3	2	-	1	1	7	-	-	-	2	1	1	1	1	-	-	1
White	4	-	-	-	-	-	-	1	1	-	1	1	2	-	-	-	-	-	-	1	1	-	-	-
All other	5	-	-	-	1	1	-	2	1	-	-	-	5	-	-	-	2	1	1	-	-	-	-	1
Black	5	-	-	-	1	1	-	2	1	-	-	-	5	-	-	-	2	1	1	-	-	-	-	1
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	36	3	1	-	1	-	1	5	7	10	6	2	33	2	-	2	1	1	3	2	11	5	5	1
White	23	2	1	-	1	-	-	3	3	7	4	2	18	-	-	1	-	-	1	1	7	3	4	1
All other	13	1	-	-	-	-	1	2	4	3	2	-	15	2	-	1	1	1	2	1	4	2	1	-
Black	13	1	-	-	-	-	1	2	4	3	2	-	15	2	-	1	1	1	2	1	4	2	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,460	-	2	5	18	27	82	238	586	849	535	155	1,851	1	2	8	16	33	71	177	390	533	438	180
White	1,653	-	1	3	7	15	43	161	394	582	355	91	1,265	1	-	6	10	15	41	120	267	369	302	134
All other	807	-	1	2	11	12	19	77	172	267	180	64	586	-	2	2	6	18	30	57	123	164	136	46
Black	804	-	1	2	11	11	19	77	171	266	180	64	580	-	2	2	6	18	28	54	123	164	135	46

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	51	-	-	-	1	-	-	13	15	12	8	2	19	-	-	-	-	-	1	3	5	4	5	1
White	35	-	-	-	-	-	-	8	12	7	6	2	15	-	-	-	-	-	1	2	4	2	5	1
All other	16	-	-	-	1	-	-	5	3	5	2	-	4	-	-	-	-	-	-	1	1	2	-	-
Black	16	-	-	-	1	-	-	5	3	5	2	-	4	-	-	-	-	-	-	1	1	2	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	492	-	-	-	2	7	15	33	107	171	114	43	480	-	-	-	2	5	6	30	76	152	137	70
White	308	-	-	-	-	4	8	14	66	112	79	25	323	-	-	-	-	4	4	22	47	105	87	54
All other	184	-	-	-	2	3	7	19	41	59	35	18	157	-	-	-	2	1	2	8	29	47	50	16
Black	183	-	-	-	2	2	7	19	41	59	35	18	154	-	-	-	2	1	1	7	29	47	49	16
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,008	-	-	-	-	4	19	121	307	384	153	17	301	-	-	-	-	-	7	34	86	91	66	17
White	733	-	-	-	-	3	13	84	230	282	107	13	229	-	-	-	-	-	3	25	61	79	49	12
All other	275	-	-	-	-	1	6	37	77	102	46	4	72	-	-	-	-	-	4	9	25	12	17	5
Black	274	-	-	-	-	1	6	37	76	102	46	4	72	-	-	-	-	-	4	9	25	12	17	5
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	1	-	-	1	1	-	293	-	-	-	1	6	24	52	88	73	42	25
White	2	-	-	-	-	-	-	-	-	1	1	-	203	-	-	-	-	3	12	35	52	53	30	18
All other	1	-	-	-	-	-	1	-	-	-	-	-	90	-	-	-	1	5	12	17	16	20	12	7
Black	1	-	-	-	-	-	1	-	-	-	-	-	89	-	-	-	1	5	12	16	16	20	12	7
Malignant neoplasms of genital organs (179-187)	317	-	-	-	-	-	-	7	32	95	136	47	244	-	-	-	2	7	10	25	57	70	60	13
White	162	-	-	-	-	-	-	5	15	48	75	19	137	-	-	-	2	2	3	14	33	37	38	8
All other	155	-	-	-	-	-	-	2	17	47	61	28	107	-	-	-	-	5	7	11	24	33	22	5
Black	155	-	-	-	-	-	-	2	17	47	61	28	105	-	-	-	-	5	6	10	24	33	22	5
Malignant neoplasms of urinary organs (188-189)	109	-	-	-	-	1	2	10	15	42	29	10	60	-	-	-	-	2	1	3	14	18	13	9
White	76	-	-	-	-	1	2	8	9	28	21	7	41	-	-	-	-	2	1	3	9	9	11	6
All other	33	-	-	-	-	-	-	2	6	14	8	3	19	-	-	-	-	-	-	-	5	9	2	3
Black	32	-	-	-	-	-	-	2	6	13	8	3	19	-	-	-	-	-	-	-	5	9	2	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	285	-	1	2	12	6	14	35	51	89	52	23	277	1	-	3	5	6	13	24	56	71	71	27
White	195	-	1	1	5	1	11	27	37	65	33	14	189	1	-	2	4	2	9	16	38	47	51	19
All other	90	-	-	1	7	5	3	8	14	24	19	9	88	-	-	1	1	4	4	8	18	24	20	8
Black	90	-	-	1	7	5	3	8	14	24	19	9	88	-	-	1	1	4	4	8	18	24	20	8
Leukemia (204-208)	87	-	1	2	-	6	7	8	12	25	21	5	83	-	2	4	3	3	2	3	12	18	23	13
White	70	-	-	1	-	4	6	8	9	20	17	5	65	-	-	3	3	2	2	2	9	14	18	12
All other	17	-	1	1	-	2	1	-	3	5	4	-	18	-	2	1	-	1	-	1	3	4	5	1
Black	17	-	1	1	-	2	1	-	3	5	4	-	18	-	2	1	-	1	-	1	3	4	5	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	108	-	-	1	3	3	4	11	27	30	21	8	94	-	-	1	3	2	7	3	16	36	21	5
White	72	-	-	1	2	2	3	7	16	19	16	6	63	-	-	1	1	-	6	1	14	23	13	4
All other	36	-	-	-	1	1	1	4	11	11	5	2	31	-	-	-	2	2	1	2	2	13	8	1
Black	36	-	-	-	1	1	1	4	11	11	5	2	31	-	-	-	2	2	1	2	2	13	8	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	22	1	-	1	1	-	1	1	1	7	7	2	32	-	1	-	-	2	-	3	6	9	5	6
White	10	-	-	1	1	-	1	1	-	2	3	1	19	-	1	-	-	1	-	2	1	6	4	4
All other	12	1	-	-	-	-	-	-	1	5	4	1	13	-	-	-	-	1	-	1	5	3	1	2
Black	11	-	-	-	-	-	-	-	1	5	4	1	13	-	-	-	-	1	-	1	5	3	1	2
Diabetes mellitus (250)	139	-	-	-	1	-	6	13	26	49	36	8	252	-	-	-	2	1	3	17	33	80	78	37
White	72	-	-	-	-	-	2	7	13	24	22	4	119	-	-	-	-	-	1	9	11	35	42	20
All other	67	-	-	-	1	-	4	6	13	25	14	4	133	-	-	-	2	1	2	8	22	45	36	17
Black	67	-	-	-	1	-	4	6	13	25	14	4	132	-	-	-	2	1	2	8	21	45	36	17
Nutritional deficiencies (260-269)	18	1	-	-	1	-	1	-	1	2	4	7	16	-	-	-	-	1	1	-	-	3	3	8
White	9	-	-	-	1	-	-	-	-	1	4	3	11	-	-	-	-	1	1	-	-	2	2	5
All other	9	1	-	-	-	-	1	-	1	1	-	4	5	-	-	-	-	-	-	-	-	1	1	3
Black	9	1	-	-	-	-	1	-	1	1	-	4	5	-	-	-	-	-	-	-	-	1	1	3
Anemias (280-285)	22	-	1	-	1	3	3	1	2	3	6	2	19	-	-	1	-	1	-	1	2	4	5	5
White	6	-	-	-	-	-	-	1	1	2	2	-	15	-	-	1	-	-	-	-	2	2	5	5
All other	16	-	1	-	1	3	3	-	1	1	4	2	4	-	-	-	-	1	-	1	-	2	-	-
Black	16	-	1	-	1	3	3	-	1	1	4	2	4	-	-	-	-	1	-	1	-	2	-	-
Meningitis (320-322)	13	5	2	1	1	1	-	1	1	1	-	-	12	9	1	-	-	-	-	1	-	1	-	-
White	8	4	-	-	1	-	-	1	1	1	-	-	5	3	-	-	-	-	-	1	-	1	-	-
All other	5	1	2	1	-	1	-	-	-	-	-	-	7	6	1	-	-	-	-	-	-	-	-	-
Black	5	1	2	1	-	1	-	-	-	-	-	-	7	6	1	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,771	9	7	9	18	33	125	452	955	1,679	1,633	842	5,434	7	4	2	9	36	63	197	490	1,145	1,847	1,626
White	3,853	5	2	6	8	14	71	306	661	1,139	1,115	524	3,517	3	1	2	2	15	26	93	239	687	1,255	1,192
All other	1,918	4	5	3	10	19	54	146	294	540	518	318	1,917	4	3	-	7	21	37	104	251	458	592	436
Black	1,912	4	5	3	10	19	52	144	294	539	518	317	1,912	4	3	-	6	21	37	103	250	457	591	436

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Diseases of heart (390-398,402,404-429)	4,543	9	7	6	15	27	112	378	806	1,325	1,243	607	3,910	6	4	2	7	24	41	146	377	847	1,328	1,122
White	3,132	5	2	4	8	10	67	271	578	928	872	385	2,566	3	1	2	1	10	17	70	188	529	913	830
All other	1,411	4	5	2	7	17	45	107	228	397	371	222	1,344	3	3	-	6	14	24	76	189	318	415	292
Black	1,406	4	5	2	7	17	43	105	228	397	371	221	1,339	3	3	-	5	14	24	75	188	317	414	292
Rheumatic fever and rheumatic heart disease (390-398)	16	-	-	1	2	-	1	5	2	2	2	1	22	-	-	-	-	1	-	2	4	7	7	1
White	12	-	-	1	1	-	-	4	1	2	2	1	15	-	-	-	-	-	-	1	4	3	6	1
All other	4	-	-	-	1	-	1	1	1	-	-	-	7	-	-	-	-	1	-	1	-	4	1	-
Black	4	-	-	-	1	-	1	1	1	-	-	-	7	-	-	-	-	1	-	1	-	4	1	-
Hypertensive heart disease (402)	157	-	-	-	-	-	5	6	25	45	43	32	200	-	-	-	-	-	2	7	22	46	68	55
White	60	-	-	-	-	-	1	2	9	22	14	12	94	-	-	-	-	-	-	4	8	22	31	29
All other	97	-	-	-	-	-	4	4	16	23	29	20	106	-	-	-	-	-	2	3	14	24	37	26
Black	97	-	-	-	-	-	4	4	16	23	29	20	106	-	-	-	-	-	2	3	14	24	37	26
Hypertensive heart and renal disease (404)	26	-	-	-	-	-	-	-	3	8	9	6	31	-	-	-	-	-	-	1	2	6	14	8
White	12	-	-	-	-	-	-	-	1	5	4	2	12	-	-	-	-	-	-	-	-	3	5	4
All other	14	-	-	-	-	-	-	-	2	3	5	4	19	-	-	-	-	-	-	1	2	3	9	4
Black	14	-	-	-	-	-	-	-	2	3	5	4	19	-	-	-	-	-	-	1	2	3	9	4
Ischemic heart disease (410-414)	3,125	-	-	-	4	14	84	270	591	965	832	358	2,411	-	-	-	1	5	24	93	234	561	839	649
White	2,269	-	-	-	1	5	51	199	450	706	616	239	1,653	-	-	-	-	3	12	52	126	366	600	493
All other	856	-	-	-	3	9	33	71	141	259	216	119	758	-	-	-	1	2	12	41	108	195	239	156
Black	852	-	-	-	3	9	31	69	141	259	216	119	756	-	-	-	1	2	12	41	108	194	238	156
Acute myocardial infarction (410)	2,241	-	-	-	4	10	72	233	477	735	534	171	1,484	-	-	-	1	5	20	75	186	412	511	271
White	1,628	-	-	-	1	4	43	170	362	532	396	118	991	-	-	-	-	3	11	41	102	272	368	194
All other	613	-	-	-	3	6	29	63	115	203	138	53	493	-	-	-	1	2	9	34	84	140	143	77
Black	610	-	-	-	3	6	28	61	115	203	138	53	491	-	-	-	1	2	9	34	84	139	142	77
Other acute and subacute forms of ischemic heart disease (411)	16	-	-	-	-	-	-	2	3	5	3	3	14	-	-	-	-	-	-	-	1	5	4	4
White	11	-	-	-	-	-	-	1	3	4	2	1	9	-	-	-	-	-	-	-	1	3	3	2
All other	5	-	-	-	-	-	-	1	-	1	1	2	5	-	-	-	-	-	-	-	-	2	1	2
Black	5	-	-	-	-	-	-	1	-	1	1	2	5	-	-	-	-	-	-	-	-	2	1	2
Angina pectoris (413)	4	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	2	-
White	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	864	-	-	-	-	4	12	35	111	223	293	184	911	-	-	-	-	-	4	18	47	144	322	374
White	627	-	-	-	-	1	8	28	85	168	217	120	651	-	-	-	-	-	1	11	23	91	227	297
All other	237	-	-	-	-	3	4	7	26	55	76	64	260	-	-	-	-	-	3	7	24	53	95	77
Black	236	-	-	-	-	3	3	7	26	55	76	64	260	-	-	-	-	-	3	7	24	53	95	77
Other diseases of endocardium (424)	16	-	-	-	1	-	-	3	2	6	4	-	28	-	-	1	-	-	-	1	3	8	8	6
White	15	-	-	-	1	-	-	2	2	6	4	-	19	-	-	1	-	-	-	1	1	6	5	4
All other	1	-	-	-	-	-	-	1	-	-	-	-	9	-	-	-	-	-	-	-	2	2	3	2
Black	1	-	-	-	-	-	-	1	-	-	-	-	9	-	-	-	-	-	-	-	2	2	3	2
All other forms of heart disease (415-423,425-429)	1,203	9	7	5	8	13	22	94	183	299	353	210	1,218	6	4	1	6	18	15	42	112	219	392	403
White	764	5	2	3	5	5	15	64	115	187	232	131	773	3	1	1	1	7	5	12	49	129	266	299
All other	439	4	5	2	3	8	7	30	68	112	121	79	445	3	3	-	5	11	10	30	63	90	126	104
Black	438	4	5	2	3	8	7	30	68	112	121	78	442	3	3	-	4	11	10	29	62	90	126	104
Hypertension with or without renal disease (401,403)	42	-	-	-	-	-	-	4	8	8	13	9	59	-	-	-	-	-	2	3	11	9	17	17
White	15	-	-	-	-	-	-	1	3	3	4	4	28	-	-	-	-	-	-	-	2	5	11	10
All other	27	-	-	-	-	-	-	3	5	5	9	5	31	-	-	-	-	-	2	3	9	4	6	7
Black	27	-	-	-	-	-	-	3	5	5	9	5	31	-	-	-	-	-	2	3	9	4	6	7
Cerebrovascular diseases (430-438)	970	-	-	3	3	6	13	61	115	271	316	181	1,231	1	-	-	2	10	17	43	90	243	426	399
White	542	-	-	2	-	4	4	26	58	149	192	107	767	-	-	-	1	3	8	19	41	129	281	285
All other	428	-	-	1	3	2	9	35	57	122	124	74	464	1	-	-	1	7	9	24	49	114	145	114
Black	427	-	-	1	3	2	9	35	57	121	124	74	464	1	-	-	1	7	9	24	49	114	145	114
Intracerebral and other intracranial hemorrhage (431-432)	109	-	-	1	1	1	8	15	20	30	26	7	109	1	-	-	-	3	3	16	14	19	35	18
White	51	-	-	-	-	-	3	6	11	14	14	3	68	-	-	-	-	1	2	9	5	12	26	13
All other	58	-	-	1	1	1	5	9	9	16	12	4	41	1	-	-	-	2	1	7	9	7	9	5
Black	58	-	-	1	1	1	5	9	9	16	12	4	41	1	-	-	-	2	1	7	9	7	9	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	142	-	-	1	1	-	1	9	17	40	48	25	201	-	-	-	-	-	2	6	11	32	73	77
White	87	-	-	1	-	-	-	7	10	22	35	12	142	-	-	-	-	-	-	1	8	17	54	62
All other	55	-	-	-	1	-	1	2	7	18	13	13	59	-	-	-	-	-	2	5	3	15	19	15
Black	55	-	-	-	1	-	1	2	7	18	13	13	59	-	-	-	-	-	2	5	3	15	19	15

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	2	1	1	-	3	-	-	-	-	-	-	-	-	2	-	1
White	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	715	-	-	1	1	5	4	37	76	200	241	149	918	-	-	-	2	7	12	21	65	190	318	303
White	402	-	-	1	-	4	1	13	36	113	142	92	555	-	-	-	1	2	6	9	28	98	201	210
All other	313	-	-	-	1	1	3	24	40	87	99	57	363	-	-	-	1	5	6	12	37	92	117	93
Black	312	-	-	-	1	1	3	24	40	86	99	57	363	-	-	-	1	5	6	12	37	92	117	93
Atherosclerosis (440)	109	-	-	-	-	-	-	1	8	30	41	29	150	-	-	-	-	-	-	1	3	20	52	74
White	77	-	-	-	-	-	-	1	6	21	31	18	104	-	-	-	-	-	-	1	2	12	34	55
All other	32	-	-	-	-	-	-	-	2	9	10	11	46	-	-	-	-	-	-	-	1	8	18	19
Black	32	-	-	-	-	-	-	-	2	9	10	11	46	-	-	-	-	-	-	-	1	8	18	19
Other diseases of arteries, arterioles, and capillaries (441-448)	107	-	-	-	-	-	-	8	18	45	20	16	84	-	-	-	-	2	3	4	9	26	24	16
White	87	-	-	-	-	-	-	7	16	38	16	10	52	-	-	-	-	2	1	3	6	12	16	12
All other	20	-	-	-	-	-	-	1	2	7	4	6	32	-	-	-	-	-	2	1	3	14	8	4
Black	20	-	-	-	-	-	-	1	2	7	4	6	32	-	-	-	-	-	2	1	3	14	8	4
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	283	8	-	1	2	8	6	17	33	42	81	83	253	7	2	1	-	2	2	7	18	40	71	101
White	188	1	-	-	1	4	3	10	26	27	56	60	189	2	-	1	-	1	1	2	13	30	56	82
All other	95	7	-	1	1	4	3	7	7	15	25	23	64	5	2	-	-	1	1	5	6	10	15	19
Black	93	7	-	1	1	4	3	7	7	15	25	21	62	5	2	-	-	1	1	5	6	10	13	19
Pneumonia (480-486)	256	8	-	-	2	7	6	17	30	38	73	73	218	7	1	1	-	2	1	5	15	36	62	86
White	169	1	-	-	1	4	3	10	23	24	50	53	168	2	-	1	-	1	1	2	11	28	51	70
All other	87	7	-	-	1	3	3	7	7	14	23	20	50	5	1	-	-	1	-	3	5	8	11	16
Black	86	7	-	-	1	3	3	7	7	14	23	19	49	5	1	-	-	1	-	3	5	8	10	16
Influenza (487)	27	-	-	1	-	1	-	-	3	4	8	10	35	-	1	-	-	-	1	2	3	4	9	15
White	19	-	-	-	-	-	-	-	3	3	6	7	21	-	-	-	-	-	-	-	2	2	5	12
All other	8	-	-	1	-	1	-	-	-	1	2	3	14	-	1	-	-	-	1	2	1	2	4	3
Black	7	-	-	1	-	1	-	-	-	1	2	2	13	-	1	-	-	-	1	2	1	2	3	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	390	-	1	-	1	4	2	15	63	150	119	35	158	-	-	-	1	1	3	8	23	53	51	18
White	329	-	-	-	1	3	-	10	54	130	103	28	135	-	-	-	1	-	2	6	19	49	42	16
All other	61	-	1	-	-	1	2	5	9	20	16	7	23	-	-	-	-	1	1	2	4	4	9	2
Black	58	-	1	-	-	1	2	5	8	18	16	7	23	-	-	-	-	1	1	2	4	4	9	2
Bronchitis, chronic and unspecified (490-491)	16	-	-	-	-	-	-	-	3	6	3	4	12	-	-	-	-	-	-	-	2	2	4	4
White	15	-	-	-	-	-	-	-	3	5	3	4	10	-	-	-	-	-	-	-	1	2	4	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Emphysema (492)	79	-	-	-	-	2	-	5	18	29	18	7	22	-	-	-	-	-	-	1	2	6	10	3
White	69	-	-	-	-	2	-	4	15	27	16	5	20	-	-	-	-	-	-	1	2	6	9	2
All other	10	-	-	-	-	-	-	1	3	2	2	2	2	-	-	-	-	-	-	-	-	-	1	1
Black	8	-	-	-	-	-	-	1	2	1	2	2	2	-	-	-	-	-	-	-	-	-	1	1
Asthma (493)	18	-	1	-	-	1	1	1	3	5	5	1	16	-	-	-	1	1	1	1	2	4	5	1
White	7	-	-	-	-	-	-	-	2	1	4	-	10	-	-	-	1	-	1	-	1	4	2	1
All other	11	-	1	-	-	1	1	1	1	4	1	1	6	-	-	-	-	1	-	1	1	-	3	-
Black	11	-	1	-	-	1	1	1	1	4	1	1	6	-	-	-	-	1	-	1	1	-	3	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	277	-	-	-	1	1	1	9	39	110	93	23	108	-	-	-	-	-	2	6	17	41	32	10
White	238	-	-	-	1	1	-	6	34	97	80	19	95	-	-	-	-	-	1	5	15	37	27	10
All other	39	-	-	-	-	-	1	3	5	13	13	4	13	-	-	-	-	-	1	1	2	4	5	-
Black	38	-	-	-	-	-	1	3	5	12	13	4	13	-	-	-	-	-	1	1	2	4	5	-
Ulcer of stomach and duodenum (531-533)	28	1	-	-	-	-	1	4	3	6	9	4	26	1	-	-	-	-	1	2	3	5	4	10
White	13	-	-	-	-	-	-	2	1	3	6	1	14	-	-	-	-	-	1	-	-	3	3	7
All other	15	1	-	-	-	-	1	2	2	3	3	3	12	1	-	-	-	-	-	2	3	2	1	3
Black	15	1	-	-	-	-	1	2	2	3	3	3	12	1	-	-	-	-	-	2	3	2	1	3
Appendicitis (540-543)	3	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-	1	-	1	-
White	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	18	1	1	-	-	-	1	-	1	6	3	5	37	1	-	-	1	-	-	-	2	5	17	11
White	5	-	1	-	-	-	-	-	-	1	-	3	27	1	-	-	1	-	-	-	1	5	12	7
All other	13	1	-	-	-	-	1	-	1	5	3	2	10	-	-	-	-	-	-	-	1	-	5	4
Black	13	1	-	-	-	-	1	-	1	5	3	2	10	-	-	-	-	-	-	-	1	-	5	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Chronic liver disease and cirrhosis (571)	133	-	-	-	-	4	17	40	36	23	11	2	83	1	-	-	-	1	5	19	26	16	12	3
White	101	-	-	-	-	2	10	31	30	18	8	2	59	-	-	-	-	-	4	14	20	10	9	2
All other	32	-	-	-	-	2	7	9	6	5	3	-	24	1	-	-	-	1	1	5	6	6	3	1
Black	31	-	-	-	-	2	7	8	6	5	3	-	23	1	-	-	-	1	1	5	6	5	3	1
Cholelithiasis and other disorders of gallbladder (574-575)	16	-	-	-	-	-	-	1	2	3	7	3	18	-	-	-	-	-	-	-	2	4	7	5
White	15	-	-	-	-	-	-	1	1	3	7	3	14	-	-	-	-	-	-	-	1	4	5	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	1	-	2	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	1	-	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	119	3	-	-	-	1	3	8	13	35	36	20	155	1	-	1	2	1	2	8	13	35	58	34
White	57	3	-	-	-	-	1	5	9	16	16	7	79	-	-	1	-	1	-	1	5	17	33	21
All other	62	-	-	-	-	1	2	3	4	19	20	13	76	1	-	-	2	-	2	7	8	18	25	13
Black	62	-	-	-	-	1	2	3	4	19	20	13	76	1	-	-	2	-	2	7	8	18	25	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	-	-	-	-	-	-	-	1	1	1	2	5	-	-	-	-	-	-	-	-	1	2	2
White	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	2	2
All other	4	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	1	-	-
Black	4	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	11	-	-	-	-	-	1	1	2	3	2	2	10	-	-	-	-	-	-	1	1	2	3	3
White	6	-	-	-	-	-	-	-	2	2	-	2	6	-	-	-	-	-	-	-	1	2	2	1
All other	5	-	-	-	-	-	1	1	-	1	2	-	4	-	-	-	-	-	-	1	-	-	1	2
Black	5	-	-	-	-	-	1	1	-	1	2	-	4	-	-	-	-	-	-	1	-	-	1	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	103	3	-	-	-	1	2	7	10	31	33	16	140	1	-	1	2	1	2	7	12	32	53	29
White	50	3	-	-	-	-	1	5	7	14	15	5	69	-	-	1	-	1	-	1	4	15	29	18
All other	53	-	-	-	-	1	1	2	3	17	18	11	71	1	-	-	2	-	2	6	8	17	24	11
Black	53	-	-	-	-	1	1	2	3	17	18	11	71	1	-	-	2	-	2	6	8	17	24	11
Infections of kidney (590)	13	-	-	-	-	-	-	-	-	2	8	3	29	-	-	-	-	-	-	1	1	5	11	11
White	8	-	-	-	-	-	-	-	-	-	5	3	18	-	-	-	-	-	-	1	-	1	8	8
All other	5	-	-	-	-	-	-	-	-	2	3	-	11	-	-	-	-	-	-	-	1	4	3	3
Black	5	-	-	-	-	-	-	-	-	2	3	-	11	-	-	-	-	-	-	-	1	4	3	3
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	-	-	2	3	...	...	...	...	...	...	...	...	...	...	...	...
White	1	-	-	-	-	-	-	-	-	-	-	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	5	-	-	-	-	-	-	-	-	-	2	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	5	-	-	-	-	-	-	-	-	-	2	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	2	3	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	3	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	-	2	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	-	2	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	2	3	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
Congenital anomalies (740-759)	89	61	8	2	7	4	1	2	2	1	1	-	73	49	8	2	6	3	1	-	1	2	-	1
White	55	37	6	1	4	2	-	1	2	1	1	-	43	26	5	1	5	2	1	-	-	2	-	1
All other	34	24	2	1	3	2	1	1	-	-	-	-	30	23	3	1	1	1	-	-	1	-	-	-
Black	33	24	2	1	2	2	1	1	-	-	-	-	30	23	3	1	1	1	-	-	1	-	-	-
Certain conditions originating in the perinatal period (760-779)	215	215	-	-	-	-	-	-	-	-	-	-	146	146	-	-	-	-	-	-	-	-	-	-
White	67	67	-	-	-	-	-	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
All other	148	148	-	-	-	-	-	-	-	-	-	-	108	108	-	-	-	-	-	-	-	-	-	-
Black	145	145	-	-	-	-	-	-	-	-	-	-	106	106	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	65	65	-	-	-	-	-	-	-	-	-	-	42	42	-	-	-	-	-	-	-	-	-	-
White	26	26	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
All other	39	39	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
Black	39	39	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	150	150	-	-	-	-	-	-	-	-	-	-	104	104	-	-	-	-	-	-	-	-	-	-
White	41	41	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
All other	109	109	-	-	-	-	-	-	-	-	-	-	82	82	-	-	-	-	-	-	-	-	-	-
Black	106	106	-	-	-	-	-	-	-	-	-	-	80	80	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	790	49	6	6	5	7	32	73	147	201	170	90	578	50	3	1	2	8	9	32	59	139	160	115
White	328	14	-	-	1	1	12	28	77	100	66	29	237	13	-	-	-	2	3	12	19	66	69	53
All other	462	35	6	6	4	6	20	45	70	101	104	61	341	37	3	1	2	6	6	20	40	73	91	62
Black	462	35	6	6	4	6	20	45	70	101	104	61	340	36	3	1	2	6	6	20	40	73	91	62
All other diseases (Residual)	642	26	9	9	17	19	33	45	104	149	158	72	665	15	7	15	12	21	25	36	74	132	183	143
White	416	13	6	5	12	11	17	26	72	107	99	48	431	3	3	8	7	9	10	25	50	88	123	105
All other	226	13	3	4	5	8	16	19	32	42	59	24	234	12	4	7	5	12	15	11	24	44	60	38
Black	225	13	3	4	4	8	16	19	32	42	59	24	230	12	4	6	4	12	15	11	24	43	59	38
Accidents and adverse effects (E800-E949)	1,160	12	37	67	312	211	121	95	129	85	61	29	410	15	21	18	74	52	27	28	20	47	62	46
White	730	5	7	37	234	135	76	59	80	53	33	11	262	4	8	8	64	36	19	19	15	37	41	31
All other	430	7	30	30	78	76	45	36	49	32	28	18	128	11	13	10	10	16	8	9	5	10	21	15
Black	424	7	29	30	76	75	43	36	49	32	28	18	125	11	13	10	8	15	8	9	5	10	21	15
Motor vehicle accidents (E810-E825)	599	-	11	32	199	136	65	53	48	27	23	4	194	1	6	13	62	36	20	13	11	16	14	2
White	414	-	4	22	162	90	41	30	33	15	15	2	150	1	1	7	54	25	17	10	9	15	9	2
All other	185	-	7	10	37	46	24	23	15	12	8	2	44	-	5	6	8	11	3	3	2	1	5	-
Black	180	-	6	10	35	45	23	23	15	12	8	2	42	-	5	6	7	10	3	3	2	1	5	-
All other accidents and adverse effects (E800-E807, E826-E949)	561	12	26	35	113	75	56	42	81	58	38	25	216	14	16	5	12	16	7	15	9	31	48	44
White	316	5	3	15	72	45	35	29	47	38	18	9	132	3	7	1	10	11	2	9	6	22	32	29
All other	245	7	23	20	41	30	21	13	34	20	20	16	84	11	8	4	2	5	5	6	3	9	16	15
Black	244	7	23	20	41	30	20	13	34	20	20	16	83	11	8	4	1	5	5	6	3	9	16	15
Suicide (E950-E959)	174	...	...	1	41	36	28	20	16	18	13	1	70	...	...	1	10	15	11	12	11	7	2	-
White	148	...	...	1	34	30	24	20	14	16	8	1	63	...	...	1	9	14	11	11	7	7	2	-
All other	26	...	...	-	7	6	4	-	2	2	5	-	7	...	...	-	1	1	-	1	4	-	-	-
Black	25	...	...	-	6	6	4	-	2	2	5	-	7	...	...	-	1	1	-	1	4	-	-	-
Homicide and legal intervention (E960-E978)	284	2	2	6	50	93	52	30	28	8	12	-	67	-	-	3	11	22	10	10	8	1	2	-
White	94	1	1	4	7	25	24	11	11	5	4	-	25	-	-	3	3	5	4	6	2	1	1	-
All other	190	1	1	2	43	68	28	19	17	3	8	-	42	-	-	-	8	17	6	4	6	-	1	-
Black	187	1	1	1	43	67	28	19	16	3	8	-	42	-	-	-	8	17	6	4	6	-	1	-
All other external causes (E980-E999)	23	-	1	2	6	5	4	2	1	-	-	2	4	-	-	-	-	2	1	-	-	-	1	-
White	11	-	-	1	4	1	1	2	1	-	-	1	4	-	-	-	-	2	1	-	-	-	1	-
All other	12	-	1	1	2	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	12	-	1	1	2	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI																								
All causes	25,903	571	96	135	716	727	739	1,803	4,169	6,669	6,739	3,533	22,945	402	61	65	224	288	461	968	2,344	4,506	6,999	6,620
White	23,205	448	74	106	558	534	589	1,499	3,675	6,121	6,286	3,310	20,808	304	44	53	192	229	378	790	2,011	4,021	6,463	6,318
All other	2,698	123	22	29	158	193	150	304	494	548	453	223	2,137	98	17	12	32	59	83	178	333	485	536	302
Black	2,674	122	22	29	157	190	149	301	490	544	448	221	2,111	97	16	11	31	56	79	174	331	482	531	301
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	1	-	-	-	1	-	-	-	2	-	-	7	3	-	-	-	-	-	-	-	-	1	3
White	3	-	-	-	-	1	-	-	-	2	-	-	6	2	-	-	-	-	-	-	-	-	1	3
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	29	-	-	-	-	-	1	2	4	11	10	1	14	-	-	-	-	-	-	-	4	2	6	2
White	21	-	-	-	-	-	-	-	3	11	6	1	13	-	-	-	-	-	-	-	4	2	6	1
All other	8	-	-	-	-	-	1	2	1	-	4	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	8	-	-	-	-	-	1	2	1	-	4	-	1	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis of respiratory system (010-012)	25	-	-	-	-	-	-	2	3	10	9	1	8	-	-	-	-	-	-	-	2	1	5	-
White	19	-	-	-	-	-	-	-	2	10	6	1	8	-	-	-	-	-	-	-	2	1	5	-
All other	6	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	6	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	4	-	-	-	-	-	1	-	1	1	1	-	6	-	-	-	-	-	-	-	2	1	1	2
White	2	-	-	-	-	-	-	-	1	1	-	-	5	-	-	-	-	-	-	-	2	1	1	1
All other	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	2	-	-	-	-	1	1	-	-	-	-	3	1	-	-	1	1	-	-	-	-	-	-
White	2	-	-	-	-	-	1	1	-	-	-	-	3	1	-	-	1	1	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	156	2	1	-	1	3	3	10	28	33	51	24	146	3	-	-	2	4	2	2	11	19	60	43
White	128	2	-	-	-	3	1	7	22	30	42	21	122	2	-	-	2	4	2	-	8	15	51	38
All other	28	-	1	-	1	-	2	3	6	3	9	3	24	1	-	-	-	-	-	2	3	4	9	5
Black	28	-	1	-	1	-	2	3	6	3	9	3	24	1	-	-	-	-	-	2	3	4	9	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	9	-	-	-	-	2	-	1	-	3	3	-	11	-	-	1	1	-	1	3	1	2	1	1
White	8	-	-	-	-	1	-	1	-	3	3	-	9	-	-	1	-	-	1	3	1	1	1	1
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
Syphilis (090-097)	5	-	-	-	-	1	-	1	1	2	-	-	4	-	-	-	-	-	-	-	2	1	1	-
White	4	-	-	-	-	1	-	1	1	1	-	-	3	-	-	-	-	-	-	-	2	-	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	45	4	-	4	2	3	2	4	7	6	10	3	45	3	1	-	4	-	4	4	3	13	6	7
White	40	3	-	3	2	2	1	4	7	5	10	3	40	3	1	-	4	-	2	3	2	12	6	7
All other	5	1	-	1	-	1	1	-	-	1	-	-	5	-	-	-	-	-	2	1	1	1	-	-
Black	5	1	-	1	-	1	1	-	-	1	-	-	5	-	-	-	-	-	2	1	1	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,570	-	10	15	31	46	141	504	1,233	1,835	1,328	427	4,596	2	5	12	17	68	159	435	927	1,292	1,174	505
White	5,044	-	9	10	26	42	125	432	1,097	1,677	1,231	395	4,158	2	5	10	16	56	138	376	831	1,170	1,074	480
All other	526	-	1	5	5	4	16	72	136	158	97	32	438	-	-	2	1	12	21	59	98	122	100	25
Black	520	-	1	5	5	3	16	71	134	156	97	32	432	-	-	1	1	12	20	58	96	121	98	25
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	115	-	-	-	1	-	7	13	28	43	15	8	58	-	-	-	-	-	3	8	13	19	9	4
White	95	-	-	-	1	-	2	8	23	40	13	8	52	-	-	-	-	-	3	6	12	19	8	4
All other	20	-	-	-	-	-	5	5	5	3	2	-	4	-	-	-	-	-	-	2	1	-	1	-
Black	19	-	-	-	-	-	5	4	5	3	2	-	4	-	-	-	-	-	-	2	1	-	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,321	-	1	-	3	9	35	106	290	423	348	106	1,193	-	-	-	1	3	20	75	179	328	397	190
White	1,199	-	1	-	3	9	31	85	260	385	327	98	1,068	-	-	-	1	3	17	59	158	285	362	183
All other	122	-	-	-	-	-	4	21	30	38	21	8	125	-	-	-	-	-	3	16	21	43	35	7
Black	120	-	-	-	-	-	4	21	28	38	21	8	124	-	-	-	-	-	3	16	21	43	34	7
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,086	-	1	-	1	2	38	232	562	755	400	86	727	-	-	-	-	5	18	72	210	242	149	31
White	1,892	-	1	-	1	2	33	201	500	690	384	80	654	-	-	-	-	5	16	60	180	226	137	30
All other	194	-	-	-	-	-	5	31	62	65	25	6	73		-	-	-	-	2	12	30	16	12	1
Black	193	-	-	-	-	-	5	31	62	64	25	6	72	-	-	-	-	-	2	11	30	16	12	1
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	1	1	3	1	-	818	-	-	-	-	17	56	121	197	199	160	68
White	5	-	-	-	-	-	-	1	1	2	1	-	753	-	-	-	-	12	46	108	187	188	146	66
All other	1	-	-	-	-	-	-	-	-	1	-	-	65	-	-	-	-	5	10	13	10	11	14	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	65	-	-	-	-	5	10	13	10	11	14	2
Malignant neoplasms of genital organs (179-187)	565	-	-	-	-	3	2	5	49	159	239	108	545	-	1	-	2	11	21	69	119	151	124	47
White	481	-	-	-	-	2	2	5	36	132	207	97	471	-	1	-	2	9	16	58	101	130	111	43
All other	84	-	-	-	-	1	-	-	13	27	32	11	74	-	-	-	-	2	5	11	18	21	13	4
Black	84	-	-	-	-	1	-	-	13	27	32	11	72	-	-	-	-	2	4	11	18	21	12	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Malignant neoplasms of urinary organs (188-189)	269	-	-	1	-	2	7	16	49	91	75	28	156	-	-	-	-	-	3	9	18	42	52	32
White	259	-	-	1	-	2	7	16	48	85	73	27	140	-	-	-	-	-	2	9	17	38	47	27
All other	10	-	-	-	-	-	-	-	1	6	2	1	16	-	-	-	-	-	1	-	1	4	5	5
Black	10	-	-	-	-	-	-	-	1	6	2	1	16	-	-	-	-	-	1	-	1	4	5	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	702	-	7	9	11	9	35	80	158	212	135	46	624	2	3	6	7	19	23	52	119	163	147	83
White	640	-	6	6	8	8	35	68	140	200	125	44	584	2	3	5	7	18	23	48	109	152	138	79
All other	62	-	1	3	3	1	-	12	18	12	10	2	40	-	-	1	-	1	-	4	10	11	9	4
Black	60	-	1	3	3	-	-	12	18	11	10	2	40	-	-	1	-	1	-	4	10	11	9	4
Leukemia (204-208)	242	-	1	4	9	10	5	28	33	69	58	25	190	-	1	5	5	6	8	15	23	45	56	26
White	224	-	1	3	7	9	3	25	31	67	55	23	175	-	1	5	5	4	8	15	22	39	52	24
All other	18	-	-	1	2	1	2	3	2	2	3	2	15	-	-	-	-	2	-	-	1	6	4	2
Black	18	-	-	1	2	1	2	3	2	2	3	2	14	-	-	-	-	2	-	-	1	5	4	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	264	-	-	1	6	11	12	23	63	80	48	20	287	-	-	1	2	7	7	14	49	103	80	24
White	249	-	-	-	6	10	12	23	58	76	46	18	261	-	-	-	1	5	7	13	45	93	73	24
All other	15	-	-	1	-	1	-	-	5	4	2	2	26	-	-	1	1	2	-	1	4	10	7	-
Black	15	-	-	1	-	1	-	-	5	4	2	2	25	-	-	-	1	2	-	1	4	10	7	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	57	-	1	-	3	1	1	5	11	14	13	8	62	1	2	-	2	1	3	6	3	13	25	6
White	52	-	1	-	3	1	1	5	10	12	13	6	52	1	1	-	2	1	3	3	3	10	22	6
All other	5	-	-	-	-	-	-	-	1	2	-	2	10	-	1	-	-	-	-	3	-	3	3	-
Black	5	-	-	-	-	-	-	-	1	2	-	2	10	-	1	-	-	-	-	3	-	3	3	-
Diabetes mellitus (250)	292	-	-	1	-	9	7	28	54	69	90	33	462	-	-	-	-	4	8	18	63	127	161	81
White	252	-	-	1	-	7	6	19	47	59	80	33	399	-	-	-	-	4	6	11	49	106	147	76
All other	40	-	-	-	-	2	1	9	7	10	10	-	63	-	-	-	-	-	2	7	14	21	14	5
Black	40	-	-	-	-	2	1	9	7	10	10	-	63	-	-	-	-	-	2	7	14	21	14	5
Nutritional deficiencies (260-269)	23	-	-	-	1	-	-	-	-	4	10	8	55	1	-	-	-	-	1	-	3	5	10	35
White	20	-	-	-	-	-	-	-	-	4	9	7	53	1	-	-	-	-	1	-	3	4	9	35
All other	3	-	-	-	1	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	1	1	-
Black	3	-	-	-	1	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	1	1	-
Anemias (280-285)	40	-	2	-	2	1	1	-	4	9	12	9	43	-	-	2	2	1	2	-	1	6	6	23
White	36	-	1	-	-	1	-	-	4	9	12	9	41	-	-	1	1	1	2	-	1	6	6	23
All other	4	-	1	-	2	-	1	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
Black	4	-	1	-	2	-	1	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
Meningitis (320-322)	13	8	-	-	-	1	1	-	1	2	-	-	16	7	2	-	1	-	-	1	-	1	1	3
White	9	5	-	-	-	1	1	-	-	2	-	-	12	4	2	-	1	-	-	-	-	1	1	3
All other	4	3	-	-	-	-	-	-	1	-	-	-	4	3	-	-	-	-	-	1	-	-	-	-
Black	4	3	-	-	-	-	-	-	1	-	-	-	4	3	-	-	-	-	-	1	-	-	-	-
Major cardiovascular diseases (390-448)	11,882	10	5	7	14	60	161	681	1,800	3,215	3,735	2,193	12,021	8	3	5	5	30	88	247	778	2,101	4,171	4,582
White	10,915	8	1	5	11	46	137	570	1,587	2,969	3,507	2,073	11,010	6	2	3	4	22	63	180	646	1,841	3,866	4,376
All other	967	2	4	2	3	14	24	111	213	246	228	120	1,011	2	1	2	1	8	25	67	132	260	305	206
Black	959	2	4	2	3	14	24	110	212	245	224	119	1,003	1	1	2	1	8	25	65	131	258	303	206
Diseases of heart (390-398,402,404-429)	9,535	9	5	5	10	44	142	607	1,577	2,623	2,878	1,634	8,757	7	2	3	2	15	67	190	618	1,613	3,047	3,191
White	8,768	8	1	3	7	35	122	521	1,402	2,426	2,699	1,543	8,020	5	1	2	2	11	50	142	520	1,422	2,820	3,045
All other	767	1	4	2	3	9	20	86	175	197	179	91	737	2	1	1	-	4	17	48	98	191	227	146
Black	759	1	4	2	3	9	20	85	174	196	175	90	730	1	1	1	-	4	17	47	97	189	225	146
Rheumatic fever and rheumatic heart disease (390-398)	51	-	-	-	-	-	3	2	17	14	10	5	106	-	-	-	-	1	5	11	23	24	27	15
White	48	-	-	-	-	-	3	1	16	13	10	5	100	-	-	-	-	1	3	11	21	24	26	14
All other	3	-	-	-	-	-	-	1	1	1	-	-	6	-	-	-	-	-	2	-	2	-	1	1
Black	3	-	-	-	-	-	-	1	1	1	-	-	5	-	-	-	-	-	2	-	1	-	1	1
Hypertensive heart disease (402)	202	-	-	-	1	3	3	15	43	50	60	27	307	-	-	-	-	1	6	10	36	62	103	89
White	138	-	-	-	-	2	2	11	29	36	41	17	229	-	-	-	-	-	3	2	21	40	82	81
All other	64	-	-	-	1	1	1	4	14	14	19	10	78	-	-	-	-	1	3	8	15	22	21	8
Black	64	-	-	-	1	1	1	4	14	14	19	10	77	-	-	-	-	1	3	7	15	22	21	8
Hypertensive heart and renal disease (404)	75	-	-	-	-	1	-	5	6	16	25	22	99	-	-	-	-	-	-	1	1	11	38	48
White	68	-	-	-	-	-	-	4	5	12	25	22	97	-	-	-	-	-	-	1	1	9	38	48
All other	7	-	-	-	-	1	-	1	1	4	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	7	-	-	-	-	1	-	1	1	4	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Ischemic heart disease (410-414)	7,529	-	-	1	2	19	103	484	1,248	2,150	2,295	1,226	6,447	-	-	-	1	5	32	126	445	1,235	2,295	2,307
White	7,009	-	-	1	2	15	91	430	1,130	2,001	2,170	1,168	5,955	-	-	-	1	3	25	99	384	1,103	2,138	2,202
All other	520	-	-	-	-	4	12	54	118	149	125	58	492	-	-	-	-	2	7	27	61	132	157	105
Black	512	-	-	-	-	4	12	53	117	148	121	57	489	-	-	-	-	2	7	27	61	130	156	105
Acute myocardial infarction (410)	4,207	-	-	-	2	12	77	315	825	1,319	1,191	466	2,902	-	-	-	1	3	21	82	257	671	1,099	767
White	4,007	-	-	-	2	9	70	295	775	1,262	1,143	451	2,732	-	-	-	1	3	18	68	229	622	1,043	748
All other	200	-	-	-	-	3	7	20	50	57	48	15	170	-	-	-	-	-	3	14	28	49	56	19
Black	196	-	-	-	-	3	7	19	50	56	47	14	170	-	-	-	-	-	3	14	28	49	56	19

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	25	-	-	-	-	-	-	4	4	5	8	4	12	-	-	-	-	-	1	-	1	3	5	2
White	24	-	-	-	-	-	-	4	3	5	8	4	11	-	-	-	-	-	1	-	1	3	4	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Angina pectoris (413)	15	-	-	-	-	-	-	1	2	3	5	4	15	-	-	-	-	-	-	1	1	3	5	5
White	15	-	-	-	-	-	-	1	2	3	5	4	15	-	-	-	-	-	-	1	1	3	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,282	-	-	1	-	7	26	164	417	823	1,091	752	3,518	-	-	-	-	2	10	43	186	558	1,186	1,533
White	2,963	-	-	1	-	6	21	130	350	731	1,014	709	3,197	-	-	-	-	-	6	30	153	475	1,086	1,447
All other	319	-	-	-	-	1	5	34	67	92	77	43	321	-	-	-	-	2	4	13	33	83	100	86
Black	315	-	-	-	-	1	5	34	66	92	74	43	318	-	-	-	-	2	4	13	33	81	99	86
Other diseases of endocardium (424)	72	-	-	-	1	2	1	6	17	17	23	5	86	1	-	-	-	-	2	3	6	17	36	21
White	68	-	-	-	1	1	1	5	17	16	22	5	73	1	-	-	-	-	2	3	2	15	32	18
All other	4	-	-	-	-	1	-	1	-	1	1	-	13	-	-	-	-	-	-	-	4	2	4	3
Black	4	-	-	-	-	1	-	1	-	1	1	-	13	-	-	-	-	-	-	-	4	2	4	3
All other forms of heart disease (415-423,425-429)	1,606	9	5	4	6	19	32	95	246	378	465	349	1,712	6	2	3	1	8	22	39	107	264	548	711
White	1,437	8	1	2	4	17	25	70	205	348	431	326	1,566	4	1	2	1	7	17	26	91	231	504	682
All other	169	1	4	2	2	2	7	25	41	28	34	23	146	2	1	1	-	1	5	13	16	33	44	29
Black	169	1	4	2	2	2	7	25	41	28	34	23	144	1	1	1	-	1	5	13	16	33	43	29
Hypertension with or without renal disease (401,403)	89	-	-	-	-	1	2	8	10	23	24	21	104	-	-	-	-	1	1	5	10	23	30	34
White	69	-	-	-	-	1	1	2	7	18	22	18	84	-	-	-	-	-	-	2	5	17	28	32
All other	20	-	-	-	-	-	1	6	3	5	2	3	20	-	-	-	-	1	1	3	5	6	2	2
Black	20	-	-	-	-	-	1	6	3	5	2	3	20	-	-	-	-	1	1	3	5	6	2	2
Cerebrovascular diseases (430-438)	1,682	1	-	2	3	15	15	53	162	418	624	389	2,511	1	-	2	3	13	16	48	127	385	904	1,012
White	1,533	-	-	2	3	10	13	36	132	381	583	373	2,300	1	-	1	2	10	11	33	101	333	840	968
All other	149	1	-	-	-	5	2	17	30	37	41	16	211	-	-	1	1	3	5	15	26	52	64	44
Black	149	1	-	-	-	5	2	17	30	37	41	16	210	-	-	1	1	3	5	14	26	52	64	44
Intracerebral and other intracranial hemorrhage (431-432)	224	1	-	2	-	4	5	14	48	56	76	16	296	1	-	1	1	2	3	11	28	76	107	66
White	186	-	-	2	-	2	4	7	32	51	73	15	269	1	-	1	1	2	2	7	23	67	100	65
All other	38	1	-	-	-	2	1	7	16	7	3	1	27	-	-	-	-	-	1	4	5	9	7	1
Black	38	1	-	-	-	2	1	7	16	7	3	1	27	-	-	-	-	-	1	4	5	9	7	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	310	-	-	-	-	2	2	10	18	80	124	74	516	-	-	-	-	2	1	6	22	75	189	221
White	291	-	-	-	-	1	2	7	15	76	118	72	471	-	-	-	-	1	1	3	18	64	174	210
All other	19	-	-	-	-	1	-	3	3	4	6	2	45	-	-	-	-	1	-	3	4	11	15	11
Black	19	-	-	-	-	1	-	3	3	4	6	2	45	-	-	-	-	1	-	3	4	11	15	11
Cerebral embolism (434.1)	12	-	-	-	-	-	-	-	1	3	6	2	20	-	-	-	-	-	-	-	2	5	5	8
White	12	-	-	-	-	-	-	-	1	3	6	2	20	-	-	-	-	-	-	-	2	5	5	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,136	-	-	-	3	9	8	29	95	277	418	297	1,679	-	-	1	2	9	12	31	75	229	603	717
White	1,044	-	-	-	3	7	7	22	84	251	386	284	1,540	-	-	-	1	7	8	23	58	197	561	685
All other	92	-	-	-	-	2	1	7	11	26	32	13	139	-	-	1	1	2	4	8	17	32	42	32
Black	92	-	-	-	-	2	1	7	11	26	32	13	138	-	-	1	1	2	4	7	17	32	42	32
Atherosclerosis (440)	260	-	-	-	-	-	-	1	5	46	101	107	493	-	-	-	-	-	2	1	9	41	133	306
White	245	-	-	-	-	-	-	1	5	44	96	99	462	-	-	-	-	-	-	1	9	33	124	294
All other	15	-	-	-	-	-	-	-	-	2	5	8	31	-	-	-	-	-	2	-	-	8	9	12
Black	15	-	-	-	-	-	-	-	-	2	5	8	31	-	-	-	-	-	2	-	-	8	9	12
Other diseases of arteries, arterioles, and capillaries (441-448)	316	-	-	-	1	-	2	12	46	105	108	42	156	-	1	-	-	1	2	3	14	39	57	39
White	300	-	-	-	1	-	1	10	41	100	107	40	144	-	1	-	-	1	2	2	11	36	54	37
All other	16	-	-	-	-	-	1	2	5	5	1	2	12	-	-	-	-	-	-	1	3	3	3	2
Black	16	-	-	-	-	-	1	2	5	5	1	2	12	-	-	-	-	-	-	1	3	3	3	2
Acute bronchitis and bronchiolitis (466)	9	1	-	-	-	-	-	-	1	2	2	3	7	-	-	-	-	-	-	-	1	2	-	4
White	9	1	-	-	-	-	-	-	1	2	2	3	7	-	-	-	-	-	-	-	1	2	-	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	740	5	6	1	2	8	15	20	58	125	255	245	799	5	2	1	5	3	9	13	27	102	246	386
White	660	4	5	1	2	4	9	12	53	111	234	225	754	4	-	1	4	1	7	10	25	93	230	379
All other	80	1	1	-	-	4	6	8	5	14	21	20	45	1	2	-	1	2	2	3	2	9	16	7
Black	79	1	1	-	-	4	6	8	5	14	21	19	44	1	2	-	1	2	2	3	2	9	15	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Pneumonia (480-486)	697	5	6	-	1	8	14	20	56	118	245	224	739	5	2	1	5	3	8	12	27	94	229	353
White	619	4	5	-	1	4	8	12	51	106	224	204	694	4	-	1	4	1	6	9	25	85	213	346
All other	78	1	1	-	-	4	6	8	5	12	21	20	45	1	2	-	1	2	2	3	2	9	16	7
Black	77	1	1	-	-	4	6	8	5	12	21	19	44	1	2	-	1	2	2	3	2	9	15	7
Influenza (487)	43	-	-	1	1	-	1	-	2	7	10	21	60	-	-	-	-	-	1	1	-	8	17	33
White	41	-	-	1	1	-	1	-	2	5	10	21	60	-	-	-	-	-	1	1	-	8	17	33
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	997	-	-	-	3	3	5	33	138	352	356	107	470	1	-	1	-	-	3	21	70	158	151	65
White	953	-	-	-	2	3	5	25	128	338	346	106	453	1	-	-	-	-	3	17	66	155	148	63
All other	44	-	-	-	1	-	-	8	10	14	10	1	17	-	-	1	-	-	-	4	4	3	3	2
Black	44	-	-	-	1	-	-	8	10	14	10	1	17	-	-	1	-	-	-	4	4	3	3	2
Bronchitis, chronic and unspecified (490-491)	59	-	-	-	-	-	-	1	7	21	23	7	37	1	-	-	-	-	-	-	4	11	13	8
White	57	-	-	-	-	-	-	1	7	20	22	7	36	1	-	-	-	-	-	-	4	10	13	8
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Emphysema (492)	202	-	-	-	-	-	2	8	19	76	83	14	75	-	-	-	-	-	-	3	10	32	22	8
White	198	-	-	-	-	-	2	7	18	76	81	14	75	-	-	-	-	-	-	3	10	32	22	8
All other	4	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	21	-	-	-	3	2	-	2	4	2	5	3	25	-	-	1	-	-	1	7	3	5	5	3
White	17	-	-	-	2	2	-	1	3	1	5	3	20	-	-	-	-	-	1	4	2	5	5	3
All other	4	-	-	-	1	-	-	1	1	1	-	-	5	-	-	1	-	-	-	3	1	-	-	-
Black	4	-	-	-	1	-	-	1	1	1	-	-	5	-	-	1	-	-	-	3	1	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	715	-	-	-	-	1	3	22	108	253	245	83	333	-	-	-	-	-	2	11	53	110	111	46
White	681	-	-	-	-	1	3	16	100	241	238	82	322	-	-	-	-	-	2	10	50	108	108	44
All other	34	-	-	-	-	-	-	6	8	12	7	1	11	-	-	-	-	-	-	1	3	2	3	2
Black	34	-	-	-	-	-	-	6	8	12	7	1	11	-	-	-	-	-	-	1	3	2	3	2
Ulcer of stomach and duodenum (531-533)	76	1	-	-	-	2	2	9	16	17	19	10	79	-	-	-	-	2	1	3	6	17	20	30
White	62	-	-	-	-	2	2	7	10	14	19	8	77	-	-	-	-	1	1	3	6	17	20	29
All other	14	1	-	-	-	-	-	2	6	3	-	2	2	-	-	-	-	1	-	-	-	-	-	1
Black	14	1	-	-	-	-	-	2	6	3	-	2	2	-	-	-	-	1	-	-	-	-	-	1
Appendicitis (540-543)	9	-	-	1	1	-	1	-	2	2	2	-	9	-	-	-	-	-	-	-	2	4	1	2
White	7	-	-	1	1	-	-	-	1	2	2	-	7	-	-	-	-	-	-	-	1	3	1	2
All other	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	46	5	-	-	-	-	-	1	-	17	15	8	87	2	-	1	-	-	2	-	9	14	24	35
White	42	4	-	-	-	-	-	1	-	15	14	8	81	2	-	1	-	-	1	-	8	12	24	33
All other	4	1	-	-	-	-	-	-	-	2	1	-	6	-	-	-	-	-	1	-	1	2	-	2
Black	4	1	-	-	-	-	-	-	-	2	1	-	6	-	-	-	-	-	1	-	1	2	-	2
Chronic liver disease and cirrhosis (571)	295	-	-	-	-	7	31	68	88	73	24	4	172	-	-	-	-	2	13	22	59	47	24	4
White	249	-	-	-	-	4	23	57	73	64	24	4	146	-	-	-	-	1	8	18	46	44	24	4
All other	46	-	-	-	-	3	8	11	15	9	-	-	26	-	-	-	-	1	5	4	13	3	-	-
Black	46	-	-	-	-	3	8	11	15	9	-	-	25	-	-	-	-	1	5	4	12	3	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	30	-	-	-	-	-	1	-	2	6	15	6	49	-	-	-	-	-	-	1	5	9	20	14
White	30	-	-	-	-	-	1	-	2	6	15	6	45	-	-	-	-	-	-	1	5	8	18	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	219	3	1	1	3	3	4	7	25	57	68	47	239	2	-	-	2	2	4	8	18	46	73	84
White	187	3	1	1	3	2	1	3	19	51	61	42	204	1	-	-	1	2	4	4	10	39	61	82
All other	32	-	-	-	-	1	3	4	6	6	7	5	35	1	-	-	1	-	-	4	8	7	12	2
Black	32	-	-	-	-	1	3	4	6	6	7	5	35	1	-	-	1	-	-	4	8	7	12	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	1	-	-	2	-	1
White	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	1	-	-	2	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	26	-	-	-	-	-	-	-	2	9	11	4	27	-	-	-	-	-	1	-	-	7	10	9
White	25	-	-	-	-	-	-	-	1	9	11	4	26	-	-	-	-	-	1	-	-	7	9	9
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	192	3	1	1	3	3	4	7	22	48	57	43	208	2	-	-	2	2	2	8	18	37	63	74
White	161	3	1	1	3	2	1	3	17	42	50	38	174	1	-	-	1	2	2	4	10	30	52	72
All other	31	-	-	-	-	1	3	4	5	6	7	5	34	1	-	-	1	-	-	4	8	7	11	2
Black	31	-	-	-	-	1	3	4	5	6	7	5	34	1	-	-	1	-	-	4	8	7	11	2
Infections of kidney (590)	25	-	-	-	-	-	1	-	1	5	11	7	38	-	-	-	-	-	1	-	6	8	13	10
White	24	-	-	-	-	-	1	-	1	5	10	7	35	-	-	-	-	-	-	-	5	8	13	9
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	1	-	1	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	1	-	1	-	-	1
Hyperplasia of prostate (600)	20	-	-	-	-	-	-	-	1	5	7	7	...	...	...	...	...	...	...	...	...	...	...	...
White	17	-	-	-	-	-	-	-	1	5	7	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	-	-	-	-	-	-	-	-	-	-	3	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	-	-	-	-	-	-	-	-	-	-	3	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	3	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	193	137	15	8	5	2	7	8	5	6	-	-	122	91	7	-	1	2	-	3	7	4	2	5
White	170	120	14	8	5	1	6	6	5	5	-	-	100	74	6	-	1	1	-	3	5	4	1	5
All other	23	17	1	-	-	1	1	2	-	1	-	-	22	17	1	-	-	1	-	-	2	-	1	-
Black	23	17	1	-	-	1	1	2	-	1	-	-	22	17	1	-	-	1	-	-	2	-	1	-
Certain conditions originating in the perinatal period (760-779)	262	259	2	1	-	-	-	-	-	-	-	-	176	175	1	-	-	-	-	-	-	-	-	-
White	202	200	1	1	-	-	-	-	-	-	-	-	131	130	1	-	-	-	-	-	-	-	-	-
All other	60	59	1	-	-	-	-	-	-	-	-	-	45	45	-	-	-	-	-	-	-	-	-	-
Black	59	58	1	-	-	-	-	-	-	-	-	-	45	45	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	86	85	1	-	-	-	-	-	-	-	-	-	62	62	-	-	-	-	-	-	-	-	-	-
White	66	66	-	-	-	-	-	-	-	-	-	-	51	51	-	-	-	-	-	-	-	-	-	-
All other	20	19	1	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Black	19	18	1	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	176	174	1	1	-	-	-	-	-	-	-	-	114	113	1	-	-	-	-	-	-	-	-	-
White	136	134	1	1	-	-	-	-	-	-	-	-	80	79	1	-	-	-	-	-	-	-	-	-
All other	40	40	-	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-
Black	40	40	-	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1,073	85	2	1	11	22	28	108	232	277	208	99	725	67	-	-	5	17	21	32	92	131	203	155
White	941	66	2	-	8	12	24	94	213	257	178	87	634	49	-	-	3	10	16	29	73	119	184	149
All other	132	19	-	1	3	10	4	14	19	20	30	12	91	18	-	-	2	7	5	3	19	12	19	6
Black	130	19	-	1	3	10	4	14	19	19	29	12	90	18	-	-	2	7	4	3	19	12	19	6
All other diseases (Residual)	1,290	29	5	17	28	35	55	78	225	314	314	190	1,413	19	7	11	16	24	40	58	140	262	447	389
White	1,120	20	4	15	22	22	38	63	185	280	295	176	1,253	14	4	11	14	16	34	44	115	235	407	359
All other	170	9	1	2	6	13	17	15	40	34	19	14	160	5	3	-	2	8	6	14	25	27	40	30
Black	170	9	1	2	6	13	17	15	40	34	19	14	158	5	3	-	2	8	6	13	25	27	40	29
Accidents and adverse effects (E800-E949)	1,538	13	38	69	395	258	138	135	150	129	131	81	805	10	25	25	111	67	57	49	78	97	140	145
White	1,379	9	30	56	366	231	125	118	135	116	118	74	737	6	20	20	105	61	51	44	70	91	131	137
All other	159	4	8	13	29	27	13	17	15	13	13	7	68	4	5	5	6	6	6	5	8	6	9	8
Black	154	4	8	13	28	26	12	16	14	13	13	7	64	4	4	5	6	4	5	5	8	6	9	8

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Motor vehicle accidents (E810-E825)	762	2	15	41	274	158	77	58	49	48	31	9	295	-	8	14	88	46	33	15	24	37	22	8
White	697	2	12	36	259	142	72	52	45	41	27	9	278	-	8	11	84	42	30	15	24	36	20	8
All other	65	-	3	5	15	16	5	6	4	7	4	-	17	-	-	3	4	4	3	-	-	1	2	-
Black	63	-	3	5	14	16	5	6	3	7	4	-	14	-	-	3	4	2	2	-	-	1	2	-
All other accidents and adverse effects (E800-E807, E826-E949)	776	11	23	28	121	100	61	77	101	81	100	72	510	10	17	11	23	21	24	34	54	60	118	137
White	682	7	18	20	107	89	53	66	90	75	91	65	459	6	12	9	21	19	21	29	46	55	111	129
All other	94	4	5	8	14	11	8	11	11	6	9	7	51	4	5	2	2	2	3	5	8	5	7	8
Black	91	4	5	8	14	10	7	10	11	6	9	7	50	4	4	2	2	2	3	5	8	5	7	8
Suicide (E950-E959)	453	...	...	2	83	97	58	60	50	51	42	10	136	...	...	-	16	30	28	25	18	13	5	1
White	424	...	...	2	74	92	52	56	48	49	42	9	130	...	...	-	15	26	27	25	18	13	5	1
All other	29	...	...	-	9	5	6	4	2	2	-	1	6	...	...	-	1	4	1	-	-	-	-	-
Black	29	...	...	-	9	5	6	4	2	2	-	1	4	...	...	-	1	3	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	456	3	7	6	124	152	69	38	24	24	6	1	111	1	5	4	27	26	10	15	10	7	6	-
White	161	1	4	1	29	48	24	16	15	16	4	1	73	1	2	3	12	17	6	14	7	7	4	-
All other	295	2	3	5	95	104	45	22	9	8	2	-	38	-	3	1	15	9	4	1	3	-	2	-
Black	295	2	3	5	95	104	45	22	9	8	2	-	37	-	3	1	14	9	4	1	3	-	2	-
All other external causes (E980-E999)	42	3	1	1	7	10	5	1	7	2	2	2	17	-	1	2	2	2	4	2	-	3	1	-
White	33	2	1	1	4	7	5	1	6	1	2	2	14	-	-	2	2	2	2	2	-	3	1	-
All other	9	1	-	-	3	3	-	-	1	1	-	-	3	-	1	-	-	-	2	-	-	-	-	-
Black	9	1	-	-	3	3	-	-	1	1	-	-	3	-	1	-	-	-	2	-	-	-	-	-
MONTANA																								
All causes	3,744	86	21	33	157	158	146	263	578	882	897	523	2,985	67	5	14	50	54	87	142	345	592	758	871
White	3,528	77	16	25	129	138	123	237	549	849	870	515	2,814	51	4	12	39	38	66	123	325	566	736	854
All other	216	9	5	8	28	20	23	26	29	33	27	8	171	16	1	2	11	16	21	19	20	26	22	17
Black	10	1	-	1	-	-	2	1	2	-	2	1	4	2	-	-	-	-	-	1	-	-	-	1
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	3	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	1	-	-	-
White	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	18	-	-	-	-	-	3	-	2	5	3	5	11	-	-	-	-	-	1	1	1	3	3	2
White	15	-	-	-	-	-	1	-	2	4	3	5	10	-	-	-	-	-	1	1	-	3	3	2
All other	3	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Viral hepatitis (070)	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	8	-	-	-	1	1	-	-	3	1	1	1	6	-	-	-	1	-	-	-	1	3	1	-
White	7	-	-	-	1	1	-	-	2	1	1	1	4	-	-	-	1	-	-	-	1	2	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	714	-	1	1	4	10	10	54	166	211	198	59	630	-	-	4	1	9	23	54	145	175	133	86
White	694	-	1	-	4	10	10	51	160	209	191	58	609	-	-	3	1	9	23	52	140	170	127	84
All other	20	-	-	1	-	-	-	3	6	2	7	1	21	-	-	1	-	-	-	2	5	5	6	2
Black	4	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	18	-	-	-	-	-	1	4	4	7	2	-	6	-	-	-	-	-	-	-	1	2	2	1
White	18	-	-	-	-	-	1	4	4	7	2	-	6	-	-	-	-	-	-	-	1	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	178	-	-	-	-	1	5	11	41	64	43	13	168	-	-	-	-	-	1	5	38	49	43	32
White	171	-	-	-	-	1	5	10	39	63	41	12	165	-	-	-	-	-	1	5	38	49	41	31
All other	7	-	-	-	-	-	-	1	2	1	2	1	3	-	-	-	-	-	-	-	-	-	2	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	217	-	-	-	-	-	2	19	63	77	51	5	93	-	-	-	-	-	2	12	25	32	17	5
White	212	-	-	-	-	-	2	17	62	76	50	5	86	-	-	-	-	-	2	12	23	29	15	5
All other	5	-	-	-	-	-	-	2	1	1	1	-	7	-	-	-	-	-	-	-	2	3	2	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	123	-	-	-	-	4	11	19	33	27	18	11
White	-	-	-	-	-	-	-	-	-	-	-	-	120	-	-	-	-	4	11	18	32	27	18	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	110	-	-	-	-	-	-	1	10	25	53	21	68	-	-	-	-	1	1	4	20	18	15	9
White	109	-	-	-	-	-	-	1	10	25	52	21	66	-	-	-	-	1	1	4	19	17	15	9
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	37	-	-	-	-	-	-	3	9	9	12	4	22	-	-	-	-	1	-	1	2	5	7	6
White	35	-	-	-	-	-	-	3	8	9	11	4	22	-	-	-	-	1	-	1	2	5	7	6
All other	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	86	-	-	1	2	5	1	9	22	20	17	9	78	-	-	2	-	3	4	8	19	17	14	11
White	83	-	-	-	2	5	1	9	21	20	16	9	75	-	-	2	-	3	4	7	18	16	14	11
All other	3	-	-	1	-	-	-	-	1	-	1	-	3	-	-	-	-	-	-	1	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	31	-	1	-	-	2	1	1	7	3	14	2	27	-	-	1	-	-	1	-	2	11	5	7
White	31	-	1	-	-	2	1	1	7	3	14	2	26	-	-	1	-	-	1	-	2	11	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	37	-	-	-	2	2	-	6	10	6	6	5	45	-	-	1	1	-	3	5	5	14	12	4
White	35	-	-	-	2	2	-	6	9	6	5	5	43	-	-	-	1	-	3	5	5	14	11	4
All other	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	-	-	-	-	-	-	-	-	3	-	2	10	-	-	-	2	-	-	1	-	2	4	1
White	4	-	-	-	-	-	-	-	-	2	-	2	9	-	-	-	1	-	-	1	-	2	4	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Diabetes mellitus (250)	41	-	-	-	-	1	6	3	3	7	15	6	55	-	-	-	-	1	3	3	6	13	15	14
White	39	-	-	-	-	1	6	3	3	7	13	6	50	-	-	-	-	1	3	3	5	12	12	14
All other	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	-	-	1	1	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	4	-	-	-	-	-	-	-	-	3	-	1	4	-	-	-	-	-	-	-	1	1	-	2
White	3	-	-	-	-	-	-	-	-	2	-	1	4	-	-	-	-	-	-	-	1	1	-	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	5	-	-	-	-	-	-	-	-	2	2	1	5	-	-	-	-	-	-	1	-	1	1	2
White	5	-	-	-	-	-	-	-	-	2	2	1	5	-	-	-	-	-	-	1	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	3	1	1	1	-	-	-	-	-	-	-	-	6	2	1	-	-	-	-	-	-	-	1	2
White	3	1	1	1	-	-	-	-	-	-	-	-	6	2	1	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,600	1	1	-	2	9	35	103	249	432	458	310	1,477	-	1	-	1	7	12	38	109	260	452	597
White	1,547	1	1	-	2	9	31	95	241	416	446	305	1,428	-	-	-	1	4	11	33	102	247	444	586
All other	53	-	-	-	-	-	4	8	8	16	12	5	49	-	1	-	-	3	1	5	7	13	8	11
Black	2	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	1
Diseases of heart (390-398,402,404-429)	1,275	1	1	-	2	7	32	93	219	353	357	210	1,017	-	1	-	1	5	8	29	88	206	322	357
White	1,228	1	1	-	2	7	28	87	211	339	347	205	974	-	-	-	1	3	7	25	81	193	314	350
All other	47	-	-	-	-	-	4	6	8	14	10	5	43	-	1	-	-	2	1	4	7	13	8	7
Black	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic fever and rheumatic heart disease (390-398)	7	-	-	-	-	-	-	-	2	4	1	-	29	-	-	-	-	-	1	3	9	8	7	1
White	7	-	-	-	-	-	-	-	2	4	1	-	28	-	-	-	-	-	1	2	9	8	7	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	18	-	-	-	-	-	1	1	2	5	4	5	36	-	-	-	-	-	-	1	3	5	10	17
White	18	-	-	-	-	-	1	1	2	5	4	5	35	-	-	-	-	-	-	1	2	5	10	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	1	-	1	3	2
White	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	1	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	937	-	-	-	-	5	24	72	171	267	256	142	632	-	-	-	-	1	2	21	55	131	205	217
White	901	-	-	-	-	5	21	69	164	255	249	138	613	-	-	-	-	1	2	20	51	125	200	214
All other	36	-	-	-	-	-	3	3	7	12	7	4	19	-	-	-	-	-	-	1	4	6	5	3
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	561	-	-	-	-	5	18	52	117	176	142	51	332	-	-	-	-	1	2	17	40	89	103	80
White	538	-	-	-	-	5	17	49	113	168	138	48	319	-	-	-	-	1	2	17	37	83	101	78
All other	23	-	-	-	-	-	1	3	4	8	4	3	13	-	-	-	-	-	-	-	3	6	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	6	-	-	-	-	-	-	1	3	2	-	-	2	-	-	-	-	-	-	1	-	-	-	1
White	6	-	-	-	-	-	-	1	3	2	-	-	2	-	-	-	-	-	-	1	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	370	-	-	-	-	-	6	19	51	89	114	91	298	-	-	-	-	-	-	3	15	42	102	136
White	357	-	-	-	-	-	4	19	48	85	111	90	292	-	-	-	-	-	-	2	14	42	99	135
All other	13	-	-	-	-	-	2	-	3	4	3	1	6	-	-	-	-	-	-	1	1	-	3	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	18	-	-	-	-	-	-	-	3	6	6	3	16	-	-	-	-	-	-	-	1	3	7	5
White	17	-	-	-	-	-	-	-	3	5	6	3	16	-	-	-	-	-	-	-	1	3	7	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
All other forms of heart disease (415-423,425-429)	295	1	1	-	2	2	7	20	41	71	90	60	297	-	1	-	1	4	5	3	20	58	90	115
White	285	1	1	-	2	2	6	17	40	70	87	59	276	-	-	-	1	2	4	2	18	51	87	111
All other	10	-	-	-	-	-	1	3	1	1	3	1	21	-	1	-	-	2	1	1	2	7	3	4
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Hypertension with or without renal disease (401,403)	13	-	-	-	-	-	-	1	1	5	4	2	13	-	-	-	-	-	1	-	-	1	3	8
White	12	-	-	-	-	-	-	1	1	4	4	2	13	-	-	-	-	-	1	-	-	1	3	8
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	221	-	-	-	-	2	3	6	21	55	72	62	331	-	-	-	-	2	2	9	18	43	98	159
White	217	-	-	-	-	2	3	5	21	54	70	62	326	-	-	-	-	1	2	8	18	43	98	156
All other	4	-	-	-	-	-	-	1	-	1	2	-	5	-	-	-	-	1	-	1	-	-	-	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	23	-	-	-	-	1	-	1	4	9	5	3	19	-	-	-	-	-	-	1	2	9	3	4
White	22	-	-	-	-	1	-	1	4	8	5	3	19	-	-	-	-	-	-	1	2	9	3	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	37	-	-	-	-	-	-	-	4	5	15	13	59	-	-	-	-	-	-	-	3	7	14	35
White	37	-	-	-	-	-	-	-	4	5	15	13	59	-	-	-	-	-	-	-	3	7	14	35
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	2	1
White	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	159	-	-	-	-	1	3	5	13	40	51	46	250	-	-	-	-	2	2	8	13	27	79	119
White	156	-	-	-	-	1	3	4	13	40	49	46	245	-	-	-	-	1	2	7	13	27	79	116
All other	3	-	-	-	-	-	-	1	-	-	2	-	5	-	-	-	-	1	-	1	-	-	-	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Atherosclerosis (440)	53	-	-	-	-	-	-	1	1	7	15	29	94	-	-	-	-	-	-	-	1	5	22	66
White	53	-	-	-	-	-	-	1	1	7	15	29	93	-	-	-	-	-	-	-	1	5	22	65
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	38	-	-	-	-	-	-	2	7	12	10	7	22	-	-	-	-	-	1	-	2	5	7	7
White	37	-	-	-	-	-	-	1	7	12	10	7	22	-	-	-	-	-	1	-	2	5	7	7
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	2	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	93	1	-	-	-	-	-	-	11	14	31	36	89	3	-	-	1	-	2	1	2	9	26	45
White	90	1	-	-	-	-	-	-	11	13	31	34	86	2	-	-	1	-	1	1	2	9	26	44
All other	3	-	-	-	-	-	-	-	-	1	-	2	3	1	-	-	-	-	1	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	88	1	-	-	-	-	-	-	11	14	30	32	84	2	-	-	1	-	2	1	2	9	24	43
White	86	1	-	-	-	-	-	-	11	13	30	31	81	1	-	-	1	-	1	1	2	9	24	42
All other	2	-	-	-	-	-	-	-	-	1	-	1	3	1	-	-	-	-	1	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	5	-	-	-	-	-	-	-	-	-	1	4	5	1	-	-	-	-	-	-	-	-	2	2
White	4	-	-	-	-	-	-	-	-	-	1	3	5	1	-	-	-	-	-	-	-	-	2	2
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	213	-	-	-	1	-	-	7	29	82	66	28	81	-	-	-	1	1	-	2	16	33	21	7
White	208	-	-	-	1	-	-	7	29	79	64	28	79	-	-	-	1	1	-	2	15	32	21	7
All other	5	-	-	-	-	-	-	-	-	3	2	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	17	-	-	-	-	-	-	1	4	5	5	2	7	-	-	-	-	-	-	-	-	6	1	-
White	16	-	-	-	-	-	-	1	4	5	4	2	7	-	-	-	-	-	-	-	-	6	1	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	53	-	-	-	-	-	-	-	3	23	18	9	15	-	-	-	-	-	-	-	6	5	4	-
White	53	-	-	-	-	-	-	-	3	23	18	9	15	-	-	-	-	-	-	-	6	5	4	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Asthma (493)	11	-	-	-	1	-	-	2	2	2	3	1	10	-	-	-	1	1	-	-	1	4	3	-
White	10	-	-	-	1	-	-	2	2	1	3	1	10	-	-	-	1	1	-	-	1	4	3	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	132	-	-	-	-	-	-	4	20	52	40	16	49	-	-	-	-	-	-	2	9	18	13	7
White	129	-	-	-	-	-	-	4	20	50	39	16	47	-	-	-	-	-	-	2	8	17	13	7
All other	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	16	-	-	-	-	-	-	2	4	2	5	3	14	-	-	-	-	-	-	-	-	-	9	5
White	16	-	-	-	-	-	-	2	4	2	5	3	14	-	-	-	-	-	-	-	-	-	9	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	-	-	-	-	-	-	-	-	2	1	1	19	-	-	-	-	-	-	-	1	6	4	8
White	4	-	-	-	-	-	-	-	-	2	1	1	19	-	-	-	-	-	-	-	1	6	4	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	61	-	-	-	-	6	5	12	23	10	4	1	50	-	-	-	1	1	9	11	13	8	6	1
White	46	-	-	-	-	3	1	11	17	9	4	1	29	-	-	-	-	-	2	4	9	8	5	1
All other	15	-	-	-	-	3	4	1	6	1	-	-	21	-	-	-	1	1	7	7	4	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	4	-	-	-	-	-	-	-	1	-	2	1	7	-	-	-	2	-	-	-	-	2	-	3
White	4	-	-	-	-	-	-	-	1	-	2	1	4	-	-	-	-	-	-	-	-	1	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	2	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	40	-	-	-	-	1	-	-	5	13	17	4	32	-	-	-	-	1	1	-	4	9	9	8
White	37	-	-	-	-	-	-	-	5	12	16	4	30	-	-	-	-	-	-	-	4	9	9	8
All other	3	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	-	1	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	-	-	-	-	-	-	-	2	-	4	-	7	-	-	-	-	-	1	-	-	1	2	3
White	6	-	-	-	-	-	-	-	2	-	4	-	6	-	-	-	-	-	-	-	-	1	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	31	-	-	-	-	1	-	-	3	12	11	4	25	-	-	-	-	1	-	-	4	8	7	5
White	28	-	-	-	-	-	-	-	3	11	10	4	24	-	-	-	-	-	-	-	4	8	7	5
All other	3	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	4	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-	-	1	1
White	4	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	-	-	4	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	-	-	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MONTANA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	21	12	3	1	1	1	1	2	-	-	-	-	16	10	1	1	-	-	-	2	1	-	1	-
White	20	11	3	1	1	1	1	2	-	-	-	-	15	9	1	1	-	-	-	2	1	-	1	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	43	42	-	-	1	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
White	42	41	-	-	1	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	13	13	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
White	13	13	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	30	29	-	-	1	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-
White	29	28	-	-	1	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	57	20	-	-	-	1	-	1	4	11	7	13	52	17	-	-	-	-	-	4	3	3	10	15
White	50	15	-	-	-	1	-	1	2	11	7	13	42	10	-	-	-	-	-	3	3	2	10	14
All other	7	5	-	-	-	-	-	-	2	-	-	-	10	7	-	-	-	-	-	1	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	212	4	1	6	6	5	11	13	31	48	56	31	195	2	-	-	2	3	12	6	23	45	49	53
White	203	4	-	6	5	5	10	11	29	46	56	31	179	1	-	-	1	1	7	4	23	44	47	51
All other	9	-	1	-	1	-	1	2	2	2	-	-	16	1	-	-	1	2	5	2	-	1	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	413	4	13	22	109	87	45	43	30	24	23	13	145	-	2	9	31	23	11	11	11	17	11	19
White	342	3	10	17	87	74	36	35	26	20	21	13	122	-	2	8	26	15	7	10	10	15	10	19
All other	71	1	3	5	22	13	9	8	4	4	2	-	23	-	-	1	5	8	4	1	1	2	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	231	-	3	11	81	56	29	22	11	8	9	1	77	-	1	6	25	18	6	7	6	7	1	-
White	183	-	3	9	61	47	21	17	8	8	8	1	64	-	1	6	20	13	4	7	6	6	1	-
All other	48	-	-	2	20	9	8	5	3	-	1	-	13	-	-	-	5	5	2	-	-	1	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	182	4	10	11	28	31	16	21	19	16	14	12	68	-	1	3	6	5	5	4	5	10	10	19
White	159	3	7	8	26	27	15	18	18	12	13	12	58	-	1	2	6	2	3	3	4	9	9	19
All other	23	1	3	3	2	4	1	3	1	4	1	-	10	-	-	1	-	3	2	1	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	113	...	...	-	25	25	21	15	16	8	2	1	23	...	...	-	2	3	8	5	4	-	1	-
White	105	...	...	-	21	25	18	14	16	8	2	1	23	...	...	-	2	3	8	5	4	-	1	-
All other	8	...	...	-	4	-	3	1	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	1	...	...	-	-	-	-	1	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	29	-	-	2	5	7	7	7	-	-	1	-	18	1	-	-	5	3	5	2	2	-	-	-
White	20	-	-	-	4	4	7	4	-	-	1	-	13	1	-	-	4	2	3	1	2	-	-	-
All other	9	-	-	2	1	3	-	3	-	-	-	-	5	-	-	-	1	1	2	1	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	10	-	-	-	1	3	2	1	-	3	-	-	2	-	-	-	-	2	-	-	-	-	-	-
White	10	-	-	-	1	3	2	1	-	3	-	-	2	-	-	-	-	2	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA																								
All causes	7,802	156	35	41	242	193	184	463	1,085	1,945	2,074	1,383	6,814	114	25	24	68	74	107	248	574	1,134	2,079	2,367
White	7,572	142	34	40	232	175	165	427	1,040	1,907	2,045	1,364	6,628	98	23	24	61	68	103	231	538	1,100	2,039	2,343
All other	230	14	1	1	10	18	19	36	45	38	29	19	186	16	2	-	7	6	4	17	36	34	40	24
Black	196	12	1	-	6	15	18	31	38	35	25	17	154	13	2	-	5	3	2	14	30	28	35	22
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	-	-	-	-	-	-	-	-	2	1	-	2	-	1	-	-	-	-	-	-	-	-	1
White	3	-	-	-	-	-	-	-	-	2	1	-	2	-	1	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	4	-	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-	-	-	1	-	1
White	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	35	3	1	-	-	-	-	3	5	9	7	7	22	1	-	-	-	-	-	-	3	5	6	7
White	32	2	1	-	-	-	-	3	4	8	7	7	22	1	-	-	-	-	-	-	3	5	6	7
All other	3	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	18	-	-	1	-	1	3	1	3	3	5	1	23	1	-	-	1	1	1	2	-	5	5	7
White	16	-	-	-	-	1	2	1	3	3	5	1	20	1	-	-	1	1	-	1	-	5	4	7
All other	2	-	-	1	-	-	1	-	-	-	-	-	3	-	-	-	-	-	1	1	-	-	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	1	1	-	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,619	-	3	1	4	24	28	155	315	516	408	165	1,349	-	-	2	2	17	35	119	249	334	391	200
White	1,573	-	3	1	4	24	26	150	299	503	401	162	1,308	-	-	2	2	16	34	113	237	325	389	190
All other	46	-	-	-	-	-	2	5	16	13	7	3	41	-	-	-	-	1	1	6	12	9	2	10
Black	45	-	-	-	-	-	2	5	15	13	7	3	34	-	-	-	-	-	-	6	11	7	1	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	37	-	-	-	-	-	-	9	5	17	6	-	10	-	-	1	-	-	1	-	3	1	3	1
White	36	-	-	-	-	-	-	8	5	17	6	-	10	-	-	1	-	-	1	-	3	1	3	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	446	-	-	-	-	4	7	41	79	150	117	48	402	-	-	-	-	5	4	14	61	93	143	82
White	429	-	-	-	-	4	5	41	73	146	113	47	390	-	-	-	-	5	4	13	59	91	141	77
All other	17	-	-	-	-	-	2	-	6	4	4	1	12	-	-	-	-	-	-	1	2	2	2	5
Black	17	-	-	-	-	-	2	-	6	4	4	1	10	-	-	-	-	-	-	1	2	2	1	4
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	551	-	-	-	-	-	10	66	150	190	105	30	160	-	-	-	-	-	2	22	40	49	38	9
White	537	-	-	-	-	-	10	63	143	188	103	30	153	-	-	-	-	-	2	21	36	48	38	8
All other	14	-	-	-	-	-	-	3	7	2	2	-	7	-	-	-	-	-	-	1	4	1	-	1
Black	14	-	-	-	-	-	-	3	7	2	2	-	6	-	-	-	-	-	-	1	3	1	-	1
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	1	-	1	-	-	275	-	-	-	-	1	12	41	62	77	49	33
White	2	-	-	-	-	-	-	1	-	1	-	-	266	-	-	-	-	1	12	38	59	75	49	32
All other	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	3	3	2	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	3	3	2	-	1
Malignant neoplasms of genital organs (179-187)	199	-	-	-	-	2	-	1	21	54	76	45	185	-	-	-	-	2	7	16	37	52	47	24
White	194	-	-	-	-	2	-	1	20	51	76	44	181	-	-	-	-	1	6	16	37	51	47	23
All other	5	-	-	-	-	-	-	-	1	3	-	1	4	-	-	-	-	1	1	-	-	1	-	1
Black	4	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Malignant neoplasms of urinary organs (188-189)	83	-	1	-	-	1	2	4	9	22	30	14	46	-	-	-	-	-	-	3	7	10	15	11
White	82	-	1	-	-	1	2	4	9	21	30	14	46	-	-	-	-	-	-	3	7	10	15	11
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	148	-	-	1	3	7	6	17	26	44	29	15	144	-	-	1	1	7	5	12	20	30	47	21
White	145	-	-	1	3	7	6	17	26	41	29	15	139	-	-	1	1	7	5	12	19	27	47	20
All other	3	-	-	-	-	-	-	-	-	3	-	-	5	-	-	-	-	-	-	-	1	3	-	1
Black	3	-	-	-	-	-	-	-	-	3	-	-	4	-	-	-	-	-	-	-	1	2	-	1
Leukemia (204-208)	87	-	2	-	1	5	1	7	15	20	25	11	52	-	-	-	-	2	2	3	10	8	18	9
White	84	-	2	-	1	5	1	7	13	20	25	10	51	-	-	-	-	2	2	3	9	8	18	9
All other	3	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	66	-	-	-	-	5	2	9	10	18	20	2	75	-	-	-	1	-	2	8	9	14	31	10
White	64	-	-	-	-	5	2	8	10	18	19	2	72	-	-	-	1	-	2	7	8	14	31	9
All other	2	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	-	-	1	1	-	-	1
Black	2	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	-	-	1	1	-	-	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	22	-	-	-	2	-	1	2	2	4	8	3	17	-	-	-	-	-	1	-	-	6	6	4
White	21	-	-	-	2	-	1	2	2	3	8	3	17	-	-	-	-	-	1	-	-	6	6	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	103	-	-	-	-	5	1	13	17	22	31	14	130	-	-	-	-	-	2	9	15	31	47	26
White	99	-	-	-	-	4	1	13	15	22	30	14	125	-	-	-	-	-	2	9	13	30	45	26
All other	4	-	-	-	-	1	-	-	2	-	1	-	5	-	-	-	-	-	-	-	2	1	2	-
Black	2	-	-	-	-	1	-		1	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Nutritional deficiencies (260-269)	8	-	-	-	-	-	-	-	-	1	2	5	8	-	-	-	-	-	-	-	1	-	-	7
White	8	-	-	-	-	-	-	-	-	1	2	5	8	-	-	-	-	-	-	-	1	-	-	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	14	-	1	-	-	-	-	-	-	4	3	6	10	-	-	-	-	1	-	1	-	2	4	2
White	14	-	1	-	-	-	-	-	-	4	3	6	10	-	-	-	-	1	-	1	-	2	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	7	3	1	1	-	-	1	-	-	1	-	-	4	1	2	-	1	-	-	-	-	-	-	-
White	7	3	1	1	-	-	1	-	-	1	-	-	3	-	2	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	3,814	5	2	1	3	14	53	180	521	993	1,175	867	3,753	4	1	3	4	7	17	57	181	550	1,250	1,679
White	3,734	5	2	1	3	11	49	162	506	977	1,163	855	3,675	3	1	3	4	7	16	55	165	531	1,223	1,667
All other	80	-	-	-	-	3	4	18	15	16	12	12	78	1	-	-	-	-	1	2	16	19	27	12
Black	72	-	-	-	-	3	4	17	13	14	11	10	68	-	-	-	-	-	1	1	12	18	25	11

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con																								
Diseases of heart (390-398,402,404-429)	3,006	5	-	1	1	11	48	161	464	805	899	611	2,639	4	1	2	2	5	10	37	143	451	862	1,122
White	2,938	5	-	1	1	8	44	146	452	792	890	599	2,583	3	1	2	2	5	9	36	131	437	842	1,115
All other	68	-	-	-	-	3	4	15	12	13	9	12	56	1	-	-	-	-	1	1	12	14	20	7
Black	60	-	-	-	-	3	4	14	10	11	8	10	49	-	-	-	-	-	1	1	9	13	18	7
Rheumatic fever and rheumatic heart disease (390-398)	27	-	-	-	-	-	-	2	3	13	6	3	32	-	-	-	-	-	1	3	6	8	8	6
White	26	-	-	-	-	-	-	2	3	13	6	2	32	-	-	-	-	-	1	3	6	8	8	6
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	22	-	-	-	-	-	-	2	6	6	7	1	35	-	-	-	-	-	1	-	3	6	10	15
White	19	-	-	-	-	-	-	2	4	6	6	1	35	-	-	-	-	-	1	-	3	6	10	15
All other	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	10	-	-	-	-	-	-	-	-	1	4	5	23	-	-	-	-	-	-	-	-	3	8	12
White	9	-	-	-	-	-	-	-	-	1	4	4	22	-	-	-	-	-	-	-	-	2	8	12
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Ischemic heart disease (410-414)	2,365	-	-	-	-	7	36	116	383	656	707	460	1,959	-	-	-	1	1	6	25	100	353	647	826
White	2,314	-	-	-	-	5	33	105	376	644	700	451	1,917	-	-	-	1	1	6	24	93	341	632	819
All other	51	-	-	-	-	2	3	11	7	12	7	9	42	-	-	-	-	-	-	1	7	12	15	7
Black	46	-	-	-	-	2	3	10	6	10	7	8	39	-	-	-	-	-	-	1	6	11	14	7
Acute myocardial infarction (410)	1,381	-	-	-	-	2	22	75	251	420	406	205	907	-	-	-	1	1	6	18	68	207	329	277
White	1,361	-	-	-	-	2	19	69	248	418	403	202	898	-	-	-	1	1	6	18	64	205	327	276
All other	20	-	-	-	-	-	3	6	3	2	3	3	9	-	-	-	-	-	-	-	4	2	2	1
Black	16	-	-	-	-	-	3	5	2	1	3	2	7	-	-	-	-	-	-	-	3	2	1	1
Other acute and subacute forms of ischemic heart disease (411)	5	-	-	-	-	-	-	1	-	1	3	-	4	-	-	-	-	-	-	-	-	-	1	3
White	5	-	-	-	-	-	-	1	-	1	3	-	4	-	-	-	-	-	-	-	-	-	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	978	-	-	-	-	5	14	40	132	234	298	255	1,047	-	-	-	-	-	-	7	32	146	316	546
White	947	-	-	-	-	3	14	35	128	224	294	249	1,014	-	-	-	-	-	-	6	29	136	303	540
All other	31	-	-	-	-	2	-	5	4	10	4	6	33	-	-	-	-	-	-	1	3	10	13	6
Black	30	-	-	-	-	2	-	5	4	9	4	6	32	-	-	-	-	-	-	1	3	9	13	6
Other diseases of endocardium (424)	28	-	-	-	-	-	-	3	5	6	9	5	29	-	-	-	-	-	-	1	1	5	8	14
White	28	-	-	-	-	-	-	3	5	6	9	5	29	-	-	-	-	-	-	1	1	5	8	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	554	5	-	1	1	4	12	38	67	123	166	137	561	4	1	2	1	4	2	8	33	76	181	249
White	542	5	-	1	1	3	11	34	64	122	165	136	548	3	1	2	1	4	1	8	28	75	176	249
All other	12	-	-	-	-	1	1	4	3	1	1	1	13	1	-	-	-	-	1	-	5	1	5	-
Black	10	-	-	-	-	1	1	4	2	1	-	1	9	-	-	-	-	-	1	-	3	1	4	-
Hypertension with or without renal disease (401,403)	29	-	-	-	-	-	1	2	3	7	9	7	29	-	-	-	-	-	-	-	2	4	8	15
White	28	-	-	-	-	-	1	2	3	6	9	7	29	-	-	-	-	-	-	-	2	4	8	15
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	531	-	1	-	2	2	3	12	29	123	184	175	815	-	-	1	2	2	7	17	30	71	300	385
White	522	-	1	-	2	2	3	9	27	122	181	175	795	-	-	1	2	2	7	16	26	66	294	381
All other	9	-	-	-	-	-	-	3	2	1	3	-	20	-	-	-	-	-	-	1	4	5	6	4
Black	9	-	-	-	-	-	-	3	2	1	3	-	17	-	-	-	-	-	-	-	3	5	6	3
Intracerebral and other intracranial hemorrhage (431-432)	69	-	1	-	1	-	-	6	7	15	24	15	71	-	-	1	-	1	1	9	3	10	19	27
White	63	-	1	-	1	-	-	4	6	14	22	15	70	-	-	1	-	1	1	9	3	10	18	27
All other	6	-	-	-	-	-	-	2	1	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	6	-	-	-	-	-	-	2	1	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	91	-	-	-	-	-	-	1	7	17	33	33	144	-	-	-	-	1	-	2	3	14	56	68
White	91	-	-	-	-	-	-	1	7	17	33	33	140	-	-	-	-	1	-	2	2	13	54	68
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	1	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	1	1	2	-	8	-	-	-	-	-	-	-	-	-	5	3
White	4	-	-	-	-	-	-	-	1	1	2	-	8	-	-	-	-	-	-	-	-	-	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-																			
All other and late effects of cerebrovascular diseases (430,433,435-438)	367	-	-	-	1	2	3	5	14	90	125	127	592	-	-	-	2	-	6	6	24	47	220	287
White	364	-	-	-	1	2	3	4	13	90	124	127	577	-	-	-	2	-	6	5	21	43	217	283
All other	3	-	-	-	-	-	-	1	1	-	1	-	15	-	-	-	-	-	-	1	3	4	3	4
Black	3	-	-	-	-	-	-	1	1	-	1	-	12	-	-	-	-	-	-	-	2	4	3	3
Atherosclerosis (440)	131	-	-	-	-	-	-	1	7	23	40	60	216	-	-	-	-	-	-	-	3	18	58	137
White	130	-	-	-	-	-	-	1	7	22	40	60	214	-	-	-	-	-	-	-	3	18	57	136
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Other diseases of arteries, arterioles, and capillaries (441-448)	117	-	1	-	-	1	1	4	18	35	43	14	54	-	-	-	-	-	-	3	3	6	22	20
White	116	-	1	-	-	1	1	4	17	35	43	14	54	-	-	-	-	-	-	3	3	6	22	20
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-												
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-																
Pneumonia and influenza (480-487)	241	2	1	1	1	2	2	2	14	41	81	94	259	-	-	1	-	-	-	5	5	22	76	150
White	233	2	1	1	1	2	2	-	14	39	79	92	255	-	-	1	-	-	-	4	5	21	74	150
All other	8	-	-	-	-	-	-	2	-	2	2	2	4	-	-	-	-	-	-	1	-	1	2	-
Black	7	-	-	-	-	-	-	1	-	2	2	2	4	-	-	-	-	-	-	1	-	1	2	-
Pneumonia (480-486)	222	2	1	1	1	2	2	2	14	39	73	85	235	-	-	1	-	-	-	5	5	20	70	134
White	214	2	1	1	1	2	2	-	14	37	71	83	231	-	-	1	-	-	-	4	5	19	68	134
All other	8	-	-	-	-	-	-	2	-	2	2	2	4	-	-	-	-	-	-	1	-	1	2	-
Black	7	-	-	-	-	-	-	1	-	2	2	2	4	-	-	-	-	-	-	1	-	1	2	-
Influenza (487)	19	-	-	-	-	-	-	-	-	2	8	9	24	-	-	-	-	-	-	-	-	2	6	16
White	19	-	-	-	-	-	-	-	-	2	8	9	24	-	-	-	-	-	-	-	-	2	6	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-																	
Chronic obstructive pulmonary diseases and allied conditions (490-496)	322	-	-	2	-	-	-	6	39	122	112	41	110	-	-	-	1	-	1	3	13	37	38	17
White	315	-	-	2	-	-	-	5	37	120	110	41	110	-	-	-	1	-	1	3	13	37	38	17
All other	7	-	-	-	-	-	-	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	7	-	-	-	-	-	-	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	15	-	-	-	-	-	-	-	1	3	6	5	8	-	-	-	-	-	-	-	1	2	3	2
White	15	-	-	-	-	-	-	-	1	3	6	5	8	-	-	-	-	-	-	-	1	2	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-												
Emphysema (492)	78	-	-	-	-	-	-	3	10	30	28	7	24	-	-	-	-	-	1	-	5	11	6	1
White	75	-	-	-	-	-	-	2	9	29	28	7	24	-	-	-	-	-	1	-	5	11	6	1
All other	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	1	1	1	-	-												
Asthma (493)	12	-	-	2	-	-	-	-	2	4	4	-	10	-	-	-	-	-	-	1	1	1	5	2
White	12	-	-	2	-	-	-	-	2	4	4	-	10	-	-	-	-	-	-	1	1	1	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-																	
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	217	-	-	-	-	-	-	3	26	85	74	29	68	-	-	-	1	-	-	2	6	23	24	12
White	213	-	-	-	-	-	-	3	25	84	72	29	68	-	-	-	1	-	-	2	6	23	24	12
All other	4	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	-	1	1	2	-												
Ulcer of stomach and duodenum (531-533)	22	-	-	-	-	-	1	-	3	3	5	10	34	-	-	-	-	-	-	-	1	8	10	15
White	21	-	-	-	-	-	1	-	3	3	5	9	33	-	-	-	-	-	-	-	1	8	9	15
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Appendicitis (540-543)	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-					1	-	-	-	-	-	-	-	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	14	1	-	-	-	-	-	-	4	3	3	3	38	-	-	-	-	-	-	-	3	4	16	15
White	14	1	-	-	-	-	-	-	4	3	3	3	38	-	-	-	-	-	-	-	3	4	16	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-																

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con																								
Chronic liver disease and cirrhosis (571)	84	-	-	-	1	3	6	13	26	25	7	3	43	-	-	-	-	2	6	6	11	8	9	1
White	78	-	-	-	1	3	3	11	25	25	7	3	36	-	-	-	-	1	5	4	10	6	9	1
All other	6	-	-	-	-	-	3	2	1	-	-	-	7	-	-	-	-	1	1	2	1	2	-	-
Black	3	-	-	-	-	-	2	1	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	15	-	-	-	-	1	-	3	-	1	6	4	15	-	-	-	-	-	-	-	2	2	4	7
White	14	-	-	-	-	-	-	3	-	1	6	4	15	-	-	-	-	-	-	-	2	2	4	7
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	59	3	-	-	1	2	-	2	7	9	21	14	57	2	-	-	-	1	2	-	5	7	21	19
White	58	3	-	-	1	2	-	2	6	9	21	14	57	2	-	-	-	1	2	-	5	7	21	19
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
White	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	-	-	-	-	1	-	1	1	1	2	-	8	-	-	-	-	1	1	-	1	2	1	2
White	6	-	-	-	-	1	-	1	1	1	2	-	8	-	-	-	-	1	1	-	1	2	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	51	3	-	-	1	1	-	1	5	8	18	14	47	2	-	-	-	-	1	-	4	5	18	17
White	50	3	-	-	1	1	-	1	4	8	18	14	47	2	-	-	-	-	1	-	4	5	18	17
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	7	-	-	-	-	-	1	-	-	-	6	-	11	-	-	-	-	1	-	-	-	-	5	5
White	7	-	-	-	-	-	1	-	-	-	6	-	11	-	-	-	-	1	-	-	-	-	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	-	-	2	4	...	...	...	...	...	...	...	...	...	...	...	...
White	6	-	-	-	-	-	-	-	-	-	2	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	58	44	1	1	2	-	2	1	2	-	3	2	54	25	5	2	2	2	2	3	4	4	3	2
White	56	42	1	1	2	-	2	1	2	-	3	2	52	25	4	2	2	1	2	3	4	4	3	2
All other	2	2	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	67	66	1	-	-	-	-	-	-	-	-	-	54	54	-	-	-	-	-	-	-	-	-	-
White	61	60	1	-	-	-	-	-	-	-	-	-	43	43	-	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	22	22	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
White	21	21	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	45	44	1	-	-	-	-	-	-	-	-	-	36	36	-	-	-	-	-	-	-	-	-	-
White	40	39	1	-	-	-	-	-	-	-	-	-	29	29	-	-	-	-	-	-	-	-	-	-
All other	5	5	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-		-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	102	20	2	-	-	2	3	5	8	28	18	16	92	17	-	-	-	3	4	2	4	8	19	35
White	98	17	2	-	-	2	2	5	8	28	18	16	90	15	-	-	-	3	4	2	4	8	19	35
All other	4	3	-	-	-	-	1	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	4	3	-	-	-	-	1	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	430	4	5	7	9	11	16	19	67	99	114	79	427	6	5	3	6	10	12	19	47	74	127	118
White	409	4	5	7	9	10	13	14	64	96	109	78	411	6	5	3	4	9	12	16	42	73	125	116
All other	21	-	-	-	-	1	3	5	3	3	5	1	16	-	-	-	2	1	-	3	5	1	2	2
Black	16	-	-	-	-	1	2	3	3	3	3	1	14	-	-	-	2	-	-	3	5	1	1	2
Accidents and adverse effects (E800-E949)	542	3	15	25	176	89	42	36	32	40	45	39	235	2	10	13	39	16	10	12	24	24	37	48
White	527	2	14	25	171	86	40	35	30	40	45	39	229	1	9	13	38	15	10	11	24	24	36	48
All other	15	1	1	-	5	3	2	1	2	-	-	-	6	1	1	-	1	1	-	1	-	-	1	-
Black	10	1	1	-	2	2	1	1	2	-	-	-	4	-	1	-	-	1	-	1	-	-	1	-
Motor vehicle accidents (E810-E825)	286	-	4	10	127	55	26	21	12	10	13	8	94	-	2	7	31	13	6	7	13	4	7	4
White	278	-	4	10	125	53	24	20	11	10	13	8	92	-	2	7	30	13	6	6	13	4	7	4
All other	8	-	-	-	2	2	2	1	1	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-
Black	5	-	-	-	-	2	1	1	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	256	3	11	15	49	34	16	15	20	30	32	31	141	2	8	6	8	3	4	5	11	20	30	44
White	249	2	10	15	46	33	16	15	19	30	32	31	137	1	7	6	8	2	4	5	11	20	29	44
All other	7	1	1	-	3	1	-	-	1	-	-	-	4	1	1	-	-	1	-	-	-	-	1	-
Black	5	1	1	-	2	-	-	-	1	-	-	-	3	-	1	-	-	1	-	-	-	-	1	-
Suicide (E950-E959)	123	...	...	1	25	23	19	16	16	12	7	4	36	...	...	-	5	6	11	7	5	-	2	-
White	119	...	...	1	24	21	18	16	16	12	7	4	33	...	...	-	3	6	11	7	5	-	1	-
All other	4	...	...	-	1	2	1	-	-	-	-	-	3	...	...	-	2	-	-	-	-	-	1	-
Black	4	...	...	-	1	2	1	-	-	-	-	-	2	...	...	-	1	-	-	-	-	-	1	-
Homicide and legal intervention (E960-E978)	45	1	2	-	13	14	5	5	2	1	1	1	12	-	1	-	4	4	1	1	-	-	-	1
White	28	-	2	-	9	7	3	3	1	1	1	1	9	-	1	-	2	3	1	1	-	-	-	1
All other	17	1	-	-	4	7	2	2	1	-	-	-	3	-	-	-	2	1	-	-	-	-	-	-
Black	15	1	-	-	3	6	2	2	1	-	-	-	3	-	-	-	2	1	-	-	-	-	-	-
All other external causes (E980-E999)	12	-	-	-	5	2	-	1	-	2	1	-	11	1	-	-	2	1	2	2	1	1	1	-
White	12	-	-	-	5	2	-	1	-	2	1	-	10	1	-	-	2	1	2	1	1	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA																								
All causes	3,511	93	14	31	174	200	183	342	684	937	614	234	2,373	65	16	13	59	82	89	220	400	526	539	364
White	3,252	78	12	25	156	176	155	308	639	892	580	226	2,228	44	13	12	51	72	79	195	378	500	528	356
All other	259	15	2	6	18	24	28	34	45	45	34	8	145	21	3	1	8	10	10	25	22	26	11	8
Black	163	14	1	5	7	13	19	24	34	26	18	2	96	18	2	1	5	7	6	14	18	13	8	4
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	5	-	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	5	-	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	14	1	-	-	-	1	1	-	1	5	3	2	20	-	-	-	1	-	1	-	1	3	7	7
White	13	-	-	-	-	1	1	-	1	5	3	2	19	-	-	-	1	-	-	-	1	3	7	7
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	1	-	-	-	1	-	-	-
White	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	1	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	5	-	-	-	-	-	-	1	-	2	2	-	6	-	-	-	2	-	1	2	-	-	-	1
White	5	-	-	-	-	-	-	1	-	2	2	-	3	-	-	-	1	-	1	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	2	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	731	-	1	4	6	11	20	79	177	255	151	26	594	-	-	3	3	10	24	84	151	171	106	42
White	684	-	1	3	6	10	15	74	164	244	140	26	573	-	-	3	2	9	22	77	147	166	106	41
All other	47	-	-	1	-	1	5	5	13	11	11	-	21	-	-	-	1	1	2	7	4	5	-	1
Black	38	-	-	1	-	1	5	4	11	7	9	-	13	-	-	-	1	-	1	5	4	2	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	19	-	-	-	-	-	1	3	3	9	3	-	10	-	-	-	-	-	1	1	5	-	2	1
White	15	-	-	-	-	-	-	3	2	8	2	-	10	-	-	-	-	-	1	1	5	-	2	1
All other	4	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	204	-	-	-	-	2	6	24	52	67	37	15	126	-	-	-	-	2	3	17	22	38	30	14
White	190	-	-	-	-	2	4	22	49	62	35	15	120	-	-	-	-	1	2	15	22	36	30	14
All other	14	-	-	-	-	-	2	2	3	5	2	-	6	-	-	-	-	1	1	2	-	2	-	-
Black	10	-	-	-	-	-	2	1	2	3	2	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	249	-	-	-	1	-	3	27	80	92	43	3	135	-	-	-	-	-	5	20	39	49	17	5
White	239	-	-	-	1	-	3	27	76	89	40	3	130	-	-	-	-	-	5	16	39	48	17	5
All other	10	-	-	-	-	-	-	-	4	3	3	-	5	-	-	-	-	-	-	4	-	1	-	-
Black	7	-	-	-	-	-	-	-	3	2	2	-	4	-	-	-	-	-	-	3	-	1	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	103	-	-	-	-	3	7	16	34	28	11	4
White	-	-	-	-	-	-	-	-	-	-	-	-	98	-	-	-	-	3	7	15	32	27	11	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	2	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	2	-	-	-
Malignant neoplasms of genital organs (179-187)	68	-	-	-	2	1	-	1	7	22	32	3	71	-	-	-	-	4	4	8	20	18	13	4
White	63	-	-	-	2	1	-	1	7	21	28	3	69	-	-	-	-	4	3	8	20	17	13	4
All other	5	-	-	-	-	-	-	-	-	1	4	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	4	-	-	-	-	-	-	-	-	1	3	-	2	-	-	-	-	-	1	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Malignant neoplasms of urinary organs (188-189)	35	-	-	1	-	-	-	1	8	14	9	2	21	-	-	-	1	-	-	5	3	3	7	2
White	33	-	-	1	-	-	-	1	7	14	8	2	20	-	-	-	-	-	-	5	3	3	7	2
All other	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	98	-	1	2	1	5	10	14	14	31	18	2	80	-	-	2	-	1	3	11	17	23	13	10
White	92	-	1	1	1	5	8	13	12	31	18	2	79	-	-	2	-	1	3	11	16	23	13	10
All other	6	-	-	1	-	-	2	1	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	6	-	-	1	-	-	2	1	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Leukemia (204-208)	21	-	-	1	1	-	-	4	3	8	4	-	26	-	-	1	2	-	-	6	6	6	5	-
White	19	-	-	1	1	-	-	3	2	8	4	-	26	-	-	1	2	-	-	6	6	6	5	-
All other	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	37	-	-	-	1	3	-	5	10	12	5	1	22	-	-	-	-	-	1	-	5	6	8	2
White	33	-	-	-	1	2	-	4	9	11	5	1	21	-	-	-	-	-	1	-	4	6	8	2
All other	4	-	-	-	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	-	-	-	-	1	1	2	1	1	2	-	10	-	-	1	-	-	-	2	2	1	4	-
White	8	-	-	-	-	1	1	2	1	1	2	-	9	-	-	1	-	-	-	2	1	1	4	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	35	-	-	-	1	-	-	6	8	10	10	-	37	-	-	-	-	-	1	3	4	8	11	10
White	27	-	-	-	1	-	-	4	4	9	9	-	36	-	-	-	-	-	-	3	4	8	11	10
All other	8	-	-	-	-	-	-	2	4	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	5	-	-	-	-	-	-	2	3	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Nutritional deficiencies (260-269)	5	1	-	-	-	-	-	-	-	-	2	2	8	1	1	-	-	-	-	-	-	1	3	2
White	4	-	-	-	-	-	-	-	-	-	2	2	7	1	-	-	-	-	-	-	-	1	3	2
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Anemias (280-285)	4	-	-	-	-	1	-	1	1	1	-	-	2	-	-	-	-	1	-	-	-	-	1	-
White	3	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis (320-322)	5	3	-	-	-	1	-	-	1	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-
White	4	2	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,412	-	2	4	3	7	44	132	319	441	312	148	987	2	1	1	1	9	19	46	138	224	315	231
White	1,325	-	2	4	3	5	39	119	299	415	297	142	934	2	1	1	1	7	15	38	129	209	306	225
All other	87	-	-	-	-	2	5	13	20	26	15	6	53	-	-	-	-	2	4	8	9	15	9	6
Black	50	-	-	-	-	1	2	10	14	15	6	2	38	-	-	-	-	2	2	6	9	8	7	4
Diseases of heart (390-398,402,404-429)	1,152	-	1	3	2	4	39	117	280	358	243	105	719	1	-	1	-	5	12	40	104	171	220	165
White	1,090	-	1	3	2	4	36	106	264	339	231	104	682	1	-	1	-	5	9	34	96	160	214	162
All other	62	-	-	-	-	-	3	11	16	19	12	1	37	-	-	-	-	-	3	6	8	11	6	3
Black	34	-	-	-	-	-	-	9	11	9	5	-	28	-	-	-	-	-	2	4	8	7	5	2
Rheumatic fever and rheumatic heart disease (390-398)	12	-	-	1	-	-	-	1	1	5	3	1	15	-	-	-	-	-	-	3	1	8	2	1
White	10	-	-	1	-	-	-	1	1	3	3	1	15	-	-	-	-	-	-	3	1	8	2	1
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	39	-	-	-	-	-	-	5	15	11	6	2	41	-	-	-	-	-	-	2	13	8	15	3
White	34	-	-	-	-	-	-	3	13	10	6	2	37	-	-	-	-	-	-	1	10	8	15	3
All other	5	-	-	-	-	-	-	2	2	1	-	-	4	-	-	-	-	-	-	1	3	-	-	-
Black	5	-	-	-	-	-	-	2	2	1	-	-	4	-	-	-	-	-	-	1	3	-	-	-
Hypertensive heart and renal disease (404)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	2	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Ischemic heart disease (410-414)	799	-	-	-	-	3	30	86	199	243	171	67	451	-	-	-	-	3	7	27	68	107	131	108
White	758	-	-	-	-	3	28	78	191	229	163	66	435	-	-	-	-	3	6	24	67	101	126	108
All other	41	-	-	-	-	-	2	8	8	14	8	1	16	-	-	-	-	-	1	3	1	6	5	-
Black	18	-	-	-	-	-	-	6	4	6	2	-	11	-	-	-	-	-	-	2	1	4	4	-
Acute myocardial infarction (410)	414	-	-	-	-	1	19	41	116	136	80	21	201	-	-	-	-	2	5	14	43	57	53	27
White	390	-	-	-	-	1	17	36	113	127	76	20	192	-	-	-	-	2	4	11	42	55	51	27
All other	24	-	-	-	-	-	2	5	3	9	4	1	9	-	-	-	-	-	1	3	1	2	2	-
Black	10	-	-	-	-	-	-	4	2	3	1	-	6	-	-	-	-	-	-	2	1	2	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	21	-	-	-	-	-	2	5	5	3	4	2	6	-	-	-	-	1	1	-	1	2	-	1
White	19	-	-	-	-	-	2	5	4	3	3	2	6	-	-	-	-	1	1	-	1	2	-	1
All other	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	364	-	-	-	-	2	9	40	78	104	87	44	244	-	-	-	-	-	1	13	24	48	78	80
White	349	-	-	-	-	2	9	37	74	99	84	44	237	-	-	-	-	-	1	13	24	44	75	80
All other	15	-	-	-	-	-	-	3	4	5	3	-	7	-	-	-	-	-	-	-	-	4	3	-
Black	6	-	-	-	-	-	-	2	1	3	-	-	5	-	-	-	-	-	-	-	-	2	3	-
Other diseases of endocardium (424)	5	-	-	-	-	-	-	-	1	2	1	1	11	-	-	-	-	-	1	-	3	2	5	-
White	5	-	-	-	-	-	-	-	1	2	1	1	9	-	-	-	-	-	-	-	3	1	5	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
All other forms of heart disease (415-423,425-429)	296	-	1	2	2	1	9	25	64	96	62	34	199	1	-	1	-	2	4	8	17	46	67	53
White	282	-	1	2	2	1	8	24	58	94	58	34	185	1	-	1	-	2	3	6	14	42	66	50
All other	14	-	-	-	-	-	1	1	6	2	4	-	14	-	-	-	-	-	1	2	3	4	1	3
Black	10	-	-	-	-	-	-	1	5	1	3	-	10	-	-	-	-	-	1	1	3	2	1	2
Hypertension with or without renal disease (401,403)	6	-	-	-	-	-	-	1	-	3	2	-	11	1	-	-	-	1	-	-	1	1	3	4
White	3	-	-	-	-	-	-	-	-	2	1	-	9	1	-	-	-	-	-	-	-	1	3	4
All other	3	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	1	-	-	1	-	-	-
Black	3	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	1	-	-	1	-	-	-
Cerebrovascular diseases (430-438)	190	-	1	1	1	1	4	9	27	62	52	32	200	-	1	-	-	3	7	4	22	41	77	45
White	173	-	1	1	1	-	3	8	24	58	50	27	188	-	1	-	-	2	6	3	22	37	74	43
All other	17	-	-	-	-	1	1	1	3	4	2	5	12	-	-	-	-	1	1	1	-	4	3	2
Black	10	-	-	-	-	1	1	-	2	4	-	2	7	-	-	-	-	1	-	1	-	1	2	2
Intracerebral and other intracranial hemorrhage (431-432)	27	-	-	-	1	1	1	2	7	8	5	2	29	-	1	-	-	-	4	-	7	7	7	3
White	23	-	-	-	1	-	1	1	5	8	5	2	26	-	1	-	-	-	4	-	7	5	6	3
All other	4	-	-	-	-	1	-	1	2	-	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	15	-	-	-	-	-	-	1	4	6	1	3	7	-	-	-	-	-	-	-	-	2	2	3
White	14	-	-	-	-	-	-	1	4	6	1	2	7	-	-	-	-	-	-	-	-	2	2	3
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	148	-	1	1	-	-	3	6	16	48	46	27	164	-	-	-	-	3	3	4	15	32	68	39
White	136	-	1	1	-	-	2	6	15	44	44	23	155	-	-	-	-	2	2	3	15	30	66	37
All other	12	-	-	-	-	-	1	-	1	4	2	4	9	-	-	-	-	1	1	1	-	2	2	2
Black	8	-	-	-	-	-	1	-	1	4	-	2	7	-	-	-	-	1	-	1	-	1	2	2
Atherosclerosis (440)	20	-	-	-	-	-	-	3	3	2	3	9	37	-	-	-	-	-	-	1	4	7	10	15
White	20	-	-	-	-	-	-	3	3	2	3	9	35	-	-	-	-	-	-	-	4	7	10	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	44	-	-	-	-	2	1	2	9	16	12	2	20	-	-	-	1	-	-	1	7	4	5	2
White	39	-	-	-	-	1	-	2	8	14	12	2	20	-	-	-	1	-	-	1	7	4	5	2
All other	5	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	55	2	-	-	1	1	2	3	7	13	11	15	57	2	2	-	-	-	3	2	5	10	16	17
White	51	2	-	-	-	1	1	3	6	13	11	14	53	2	1	-	-	-	3	2	4	10	15	16
All other	4	-	-	-	1	-	1	-	1	-	-	1	4	-	1	-	-	-	-	-	1	-	1	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Pneumonia (480-486)	54	2	-	-	1	1	2	3	7	12	11	15	54	2	2	-	-	-	3	2	5	10	16	14
White	50	2	-	-	-	1	1	3	6	12	11	14	50	2	1	-	-	-	3	2	4	10	15	13
All other	4	-	-	-	1	-	1	-	1	-	-	1	4	-	1	-	-	-	-	-	1	-	1	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Influenza (487)	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	3
White	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	180	1	-	-	1	-	1	5	32	85	43	12	85	-	-	-	1	1	2	2	22	35	18	4
White	172	1	-	-	1	-	-	4	31	84	39	12	84	-	-	-	1	1	2	2	22	34	18	4
All other	8	-	-	-	-	-	1	1	1	1	4	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	5	-	-	-	-	-	1	1	1	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis, chronic and unspecified (490-491)	8	1	-	-	-	-	-	-	1	4	1	1	6	-	-	-	-	-	1	1	2	1	1	-
White	8	1	-	-	-	-	-	-	1	4	1	1	6	-	-	-	-	-	1	1	2	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	44	-	-	-	-	-	-	4	9	16	12	3	19	-	-	-	-	-	-	-	7	7	3	2
White	43	-	-	-	-	-	-	3	9	16	12	3	19	-	-	-	-	-	-	-	7	7	3	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	7	-	-	-	1	-	1	-	2	2	1	-	11	-	-	-	1	1	1	-	1	6	1	-
White	6	-	-	-	1	-	-	-	2	2	1	-	10	-	-	-	1	1	1	-	1	5	1	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	121	-	-	-	-	-	-	1	20	63	29	8	49	-	-	-	-	-	-	1	12	21	13	2
White	115	-	-	-	-	-	-	1	19	62	25	8	49	-	-	-	-	-	-	1	12	21	13	2
All other	6	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	9	-	-	-	-	-	1	-	2	5	1	-	6	-	-	-	-	-	-	-	1	3	-	2
White	8	-	-	-	-	-	1	-	2	4	1	-	6	-	-	-	-	-	-	-	1	3	-	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	-	-	-	-	-	-	-	-	2	1	-	8	-	-	-	-	-	-	1	2	2	1	2
White	3	-	-	-	-	-	-	-	-	2	1	-	8	-	-	-	-	-	-	1	2	2	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	91	-	-	-	-	5	16	19	26	18	6	1	66	-	-	-	-	3	6	23	23	10	-	1
White	82	-	-	-	-	3	13	19	25	16	6	-	59	-	-	-	-	3	4	20	22	9	-	1
All other	9	-	-	-	-	2	3	-	1	2	-	1	7	-	-	-	-	-	2	3	1	1	-	-
Black	3	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	3	-
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	20	-	-	-	-	2	-	-	2	6	5	5	25	1	-	-	-	-	1	1	3	7	8	4
White	20	-	-	-	-	2	-	-	2	6	5	5	20	-	-	-	-	-	1	1	1	5	8	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-	-	-	-	2	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	2	1	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	20	-	-	-	-	2	-	-	2	6	5	5	23	1	-	-	-	-	-	1	3	6	8	4
White	20	-	-	-	-	2	-	-	2	6	5	5	18	-	-	-	-	-	-	1	1	4	8	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-	-	-	-	2	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	2	1	-	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	1	-	1	1	1
White	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	1	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Congenital anomalies (740-759)	34	23	2	-	4	3	-	1	1	-	-	-	14	11	-	-	-	-	-	2	1	-	-	-
White	30	21	1	-	4	3	-	1	-	-	-	-	13	10	-	-	-	-	-	2	1	-	-	-
All other	4	2	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	4	2	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	36	36	-	-	-	-	-	-	-	-	-	-	28	27	-	-	1	-	-	-	-	-	-	-
White	28	28	-	-	-	-	-	-	-	-	-	-	19	18	-	-	1	-	-	-	-	-	-	-
All other	8	8	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	18	18	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
White	15	15	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	18	18	-	-	-	-	-	-	-	-	-	-	18	17	-	-	1	-	-	-	-	-	-	-
White	13	13	-	-	-	-	-	-	-	-	-	-	12	11	-	-	1	-	-	-	-	-	-	-
All other	5	5	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	44	18	-	-	1	7	4	-	5	-	4	4	35	11	-	1	4	1	2	4	1	1	1	9
White	40	17	-	-	1	6	4	-	5	-	2	4	30	6	-	1	4	1	2	4	1	1	1	9
All other	4	1	-	-	-	1	-	-	-	-	2	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	185	5	1	1	3	4	16	21	33	57	30	14	141	4	-	2	3	5	6	16	20	28	33	24
White	172	4	1	1	2	4	12	18	31	56	29	14	133	1	-	2	2	5	6	14	18	28	33	24
All other	13	1	-	-	1	-	4	3	2	1	1	-	8	3	-	-	1	-	-	2	2	-	-	-
Black	9	1	-	-	-	-	3	1	2	1	1	-	3	1	-	-	-	-	-	1	1	-	-	-
Accidents and adverse effects (E800-E949)	351	3	6	19	93	82	39	34	29	24	17	4	142	4	10	2	25	32	11	16	14	12	10	6
White	326	3	6	15	87	75	36	31	28	23	17	4	129	3	9	2	23	29	11	13	13	10	10	6
All other	25	-	-	4	6	7	3	3	1	1	-	-	13	1	1	-	2	3	-	3	1	2	-	-
Black	11	-	-	3	1	3	-	2	1	1	-	-	5	1	1	-	-	1	-	1	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Motor vehicle accidents (E810-E825)	195	-	1	8	68	44	28	18	16	7	4	1	85	1	5	1	20	26	7	9	8	4	4	-
White	184	-	1	7	64	41	27	17	15	7	4	1	77	1	4	1	19	24	7	7	7	3	4	-
All other	11	-	-	1	4	3	1	1	1	-	-	-	8	-	1	-	1	2	-	2	1	1	-	-
Black	4	-	-	1	-	2	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	156	3	5	11	25	38	11	16	13	17	13	3	57	3	5	1	5	6	4	7	6	8	6	6
White	142	3	5	8	23	34	9	14	13	16	13	3	52	2	5	1	4	5	4	6	6	7	6	6
All other	14	-	-	3	2	4	2	2	-	1	-	-	5	1	-	-	1	1	-	1	-	1	-	-
Black	7	-	-	2	1	1	-	2	-	1	-	-	3	1	-	-	-	1	-	1	-	-	-	-
Suicide (E950-E959)	161	...	...	1	39	45	19	19	20	4	11	1	47	...	...	-	5	9	7	10	8	6	1	1
White	150	...	...	1	35	41	18	17	20	4	11	1	45	...	...	-	5	8	7	10	7	6	1	1
All other	11	...	...	-	4	4	1	2	-	-	-	-	2	...	...	-	-	1	-	-	1	-	-	-
Black	3	...	...	-	1	1	1	-	-	-	-	-	2	...	...	-	-	1	-	-	1	-	-	-
Homicide and legal intervention (E960-E978)	103	-	-	-	22	27	18	16	14	6	-	-	34	-	1	2	10	7	4	5	2	3	-	-
White	79	-	-	-	16	21	13	11	13	5	-	-	30	-	1	2	8	5	4	5	2	3	-	-
All other	24	-	-	-	6	6	5	5	1	1	-	-	4	-	-	-	2	2	-	-	-	-	-	-
Black	21	-	-	-	5	5	5	4	1	1	-	-	4	-	-	-	2	2	-	-	-	-	-	-
All other external causes (E980-E999)	8	-	1	1	-	2	1	1	2	-	-	-	6	-	-	-	1	3	1	-	1	-	-	-
White	7	-	1	-	-	2	1	1	2	-	-	-	6	-	-	-	1	3	1	-	1	-	-	-
All other	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW HAMPSHIRE																								
All causes	4,067	68	18	25	111	96	128	285	712	1,099	987	538	3,634	63	9	14	35	44	73	162	390	738	1,050	1,056
White	4,060	68	18	25	111	96	128	285	710	1,095	987	537	3,629	62	9	14	35	44	72	162	390	737	1,048	1,056
All other	7	-	-	-	-	-	-	-	2	4	-	1	5	1	-	-	-	-	1	-	-	1	2	-
Black	4	-	-	-	-	-	-	-	2	2	-	-	5	1	-	-	-	-	1	-	-	1	2	-
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	14	-	-	-	-	-	-	1	3	4	2	4	19	-	-	-	-	-	-	1	3	4	4	7
White	14	-	-	-	-	-	-	1	3	4	2	4	19	-	-	-	-	-	-	1	3	4	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Viral hepatitis (070)	2	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
White	2	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	4	-	-	-	1	-	-	-	-	2	1	-	11	-	-	-	1	1	-	-	4	-	1	4
White	4	-	-	-	1	-	-	-	-	2	1	-	11	-	-	-	1	1	-	-	4	-	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	994	-	4	4	2	10	18	73	259	292	253	79	827	-	1	-	4	11	31	74	201	214	194	97
White	994	-	4	4	2	10	18	73	259	292	253	79	827	-	1	-	4	11	31	74	201	214	194	97
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	21	-	-	-	-	-	-	2	4	5	8	2	9	-	-	-	-	-	-	1	4	1	-	3
White	21	-	-	-	-	-	-	2	4	5	8	2	9	-	-	-	-	-	-	1	4	1	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	272	-	-	-	-	2	6	15	63	80	79	27	238	-	-	-	-	-	-	10	50	72	67	39
White	272	-	-	-	-	2	6	15	63	80	79	27	238	-	-	-	-	-	-	10	50	72	67	39
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	342	-	-	-	-	1	8	35	108	104	67	19	123	-	-	-	-	3	7	18	33	37	18	7
White	342	-	-	-	-	1	8	35	108	104	67	19	123	-	-	-	-	3	7	18	33	37	18	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	-	1	-	151	-	-	-	-	1	11	13	47	37	27	15
White	1	-	-	-	-	-	-	-	-	-	1	-	151	-	-	-	-	1	11	13	47	37	27	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	97	-	-	-	-	1	-	1	9	32	37	17	103	-	-	-	-	2	7	16	24	25	19	10
White	97	-	-	-	-	1	-	1	9	32	37	17	103	-	-	-	-	2	7	16	24	25	19	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	63	-	-	-	-	1	-	6	17	18	18	3	27	-	-	-	-	-	-	1	4	8	11	3
White	63	-	-	-	-	1	-	6	17	18	18	3	27	-	-	-	-	-	-	1	4	8	11	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	107	-	2	1	1	4	2	5	34	30	24	4	117	-	-	-	1	4	5	11	29	23	34	10
White	107	-	2	1	1	4	2	5	34	30	24	4	117	-	-	-	1	4	5	11	29	23	34	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	40	-	1	3	1	1	1	2	9	7	10	5	25	-	1	-	2	-	-	2	3	2	8	7
White	40	-	1	3	1	1	1	2	9	7	10	5	25	-	1	-	2	-	-	2	3	2	8	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	51	-	1	-	-	-	1	7	15	16	9	2	34	-	-	-	1	1	1	2	7	9	10	3
White	51	-	1	-	-	-	1	7	15	16	9	2	34	-	-	-	1	1	1	2	7	9	10	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	13	-	1	1	-	1	-	-	4	2	3	1	15	-	-	-	-	-	-	1	1	4	5	4
White	13	-	1	1	-	1	-	-	4	2	3	1	15	-	-	-	-	-	-	1	1	4	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Diabetes mellitus (250)	75	-	-	-	-	-	2	6	18	20	21	8	95	-	-	-	-	1	1	1	10	22	34	26
White	74	-	-	-	-	-	2	6	18	19	21	8	95	-	-	-	-	1	1	1	10	22	34	26
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	5	-	-	-	-	1	-	-	-	-	1	3	7	-	-	-	-	-	-	-	-	1	4	2
White	5	-	-	-	-	1	-	-	-	-	1	3	7	-	-	-	-	-	-	-	-	1	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	5	-	1	-	-	1	-	-	-	-	2	1	7	-	-	-	-	-	-	-	1	-	1	5
White	5	-	1	-	-	1	-	-	-	-	2	1	7	-	-	-	-	-	-	-	1	-	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	-	-	-	-	-	1	-	-	-	-	3	1	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	1	-	-	-	-	3	1	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,874	-	1	1	4	8	38	134	291	568	519	310	1,857	2	1	-	-	4	11	43	108	371	640	677
White	1,870	-	1	1	4	8	38	134	290	565	519	310	1,854	2	1	-	-	4	11	43	108	370	638	677
All other	4	-	-	-	-	-	-	-	1	3	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Diseases of heart (390-398,402,404-429)	1,502	-	1	1	3	5	36	119	256	469	386	226	1,339	2	1	-	-	3	8	35	87	296	476	431
White	1,498	-	1	1	3	5	36	119	255	466	386	226	1,336	2	1	-	-	3	8	35	87	295	474	431
All other	4	-	-	-	-	-	-	-	1	3	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	3	-	-	-	-	-	-	-	1	2	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Rheumatic fever and rheumatic heart disease (390-398)	6	-	-	-	-	-	-	1	-	1	2	2	16	-	-	-	-	-	-	2	5	4	3	2
White	6	-	-	-	-	-	-	1	-	1	2	2	16	-	-	-	-	-	-	2	5	4	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	10	-	-	-	-	-	-	1	2	5	2	-	31	-	-	-	-	-	-	1	1	10	11	8
White	10	-	-	-	-	-	-	1	2	5	2	-	31	-	-	-	-	-	-	1	1	10	11	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	-	-	1	1	1	-	5	-	-	-	-	-	-	-	-	1	1	3
White	3	-	-	-	-	-	-	-	1	1	1	-	5	-	-	-	-	-	-	-	-	1	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,242	-	-	-	2	3	28	108	222	388	314	177	996	-	-	-	-	-	3	29	62	222	364	316
White	1,240	-	-	-	2	3	28	108	221	387	314	177	994	-	-	-	-	-	3	29	62	221	363	316
All other	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Acute myocardial infarction (410)	794	-	-	-	2	2	22	82	170	272	173	71	543	-	-	-	-	-	3	20	47	147	213	113
White	793	-	-	-	2	2	22	82	169	272	173	71	542	-	-	-	-	-	3	20	47	147	212	113
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other acute and subacute forms of ischemic heart disease (411)	5	-	-	-	-	-	-	-	2	2	1	-	3	-	-	-	-	-	-	-	1	-	1	1
White	5	-	-	-	-	-	-	-	2	2	1	-	3	-	-	-	-	-	-	-	1	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	4	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	1	-
White	4	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	439	-	-	-	-	1	6	26	50	114	138	104	449	-	-	-	-	-	-	9	14	75	149	202
White	438	-	-	-	-	1	6	26	50	113	138	104	448	-	-	-	-	-	-	9	14	74	149	202
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Other diseases of endocardium (424)	14	-	-	-	-	-	1	-	2	2	9	-	29	-	-	-	-	-	-	-	7	7	6	9
White	14	-	-	-	-	-	1	-	2	2	9	-	29	-	-	-	-	-	-	-	7	7	6	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
All other forms of heart disease (415-423,425-429)	227	-	1	1	1	2	7	9	29	72	58	47	262	2	1	-	-	3	5	3	12	52	91	93
White	225	-	1	1	1	2	7	9	29	70	58	47	261	2	1	-	-	3	5	3	12	52	90	93
All other	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertension with or without renal disease (401,403)	7	-	-	-	-	-	-	1	-	2	-	4	15	-	-	-	-	-	-	-	1	5	5	4
White	7	-	-	-	-	-	-	1	-	2	-	4	15	-	-	-	-	-	-	-	1	5	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	245	-	-	-	-	1	2	11	25	60	100	46	360	-	-	-	-	1	2	7	17	53	122	158
White	245	-	-	-	-	1	2	11	25	60	100	46	360	-	-	-	-	1	2	7	17	53	122	158
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	38	-	-	-	-	-	2	4	6	9	15	2	48	-	-	-	-	1	1	1	8	11	14	12
White	38	-	-	-	-	-	2	4	6	9	15	2	48	-	-	-	-	1	1	1	8	11	14	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	50	-	-	-	-	-	-	4	5	15	17	9	81	-	-	-	-	-	-	1	3	7	26	44
White	50	-	-	-	-	-	-	4	5	15	17	9	81	-	-	-	-	-	-	1	3	7	26	44
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	-	1	3	-	2	-	-	-	-	-	-	-	-	-	2	-
White	4	-	-	-	-	-	-	-	-	1	3	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	153	-	-	-	-	1	-	3	14	35	65	35	229	-	-	-	-	-	1	5	6	35	80	102
White	153	-	-	-	-	1	-	3	14	35	65	35	229	-	-	-	-	-	1	5	6	35	80	102
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	56	-	-	-	-	-	-	2	3	11	17	23	96	-	-	-	-	-	-	-	2	8	23	63
White	56	-	-	-	-	-	-	2	3	11	17	23	96	-	-	-	-	-	-	-	2	8	23	63
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	64	-	-	-	1	2	-	1	7	26	16	11	47	-	-	-	-	-	1	1	1	9	14	21
White	64	-	-	-	1	2	-	1	7	26	16	11	47	-	-	-	-	-	1	1	1	9	14	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	2	1	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	1	-	1	-	-	1
White	2	1	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	1	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	101	2	-	-	1	2	1	3	9	20	28	35	120	1	1	-	-	-	2	2	3	8	26	77
White	100	2	-	-	1	2	1	3	9	20	28	34	120	1	1	-	-	-	2	2	3	8	26	77
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	95	2	-	-	1	2	1	3	9	18	26	33	107	1	1	-	-	-	2	2	3	5	26	67
White	94	2	-	-	1	2	1	3	9	18	26	32	107	1	1	-	-	-	2	2	3	5	26	67
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	6	-	-	-	-	-	-	-	-	2	2	2	13	-	-	-	-	-	-	-	-	3	-	10
White	6	-	-	-	-	-	-	-	-	2	2	2	13	-	-	-	-	-	-	-	-	3	-	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	174	-	-	-	-	-	2	8	23	64	50	27	78	-	-	-	1	1	-	1	13	22	28	12
White	174	-	-	-	-	-	2	8	23	64	50	27	78	-	-	-	1	1	-	1	13	22	28	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	13	-	-	-	-	-	-	1	1	5	3	3	12	-	-	-	-	-	-	-	2	-	4	6
White	13	-	-	-	-	-	-	1	1	5	3	3	12	-	-	-	-	-	-	-	2	-	4	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	46	-	-	-	-	-	-	1	7	19	12	7	15	-	-	-	-	-	-	-	2	6	6	1
White	46	-	-	-	-	-	-	1	7	19	12	7	15	-	-	-	-	-	-	-	2	6	6	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con.																								
Asthma (493)	6	-	-	-	-	-	1	3	2	-	-	-	9	-	-	-	1	1	-	-	1	3	3	-
White	6	-	-	-	-	-	1	3	2	-	-	-	9	-	-	-	1	1	-	-	1	3	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	109	-	-	-	-	-	1	3	13	40	35	17	42	-	-	-	-	-	-	1	8	13	15	5
White	109	-	-	-	-	-	1	3	13	40	35	17	42	-	-	-	-	-	-	1	8	13	15	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	10	-	-	-	-	-	-	-	-	4	4	2	13	-	-	-	-	-	-	-	2	4	5	2
White	10	-	-	-	-	-	-	-	-	4	4	2	13	-	-	-	-	-	-	-	2	4	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	-	-	-	-	-	-	-	-	4	1	1	15	-	-	-	-	-	-	-	-	1	4	10
White	6	-	-	-	-	-	-	-	-	4	1	1	15	-	-	-	-	-	-	-	-	1	4	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	70	-	1	-	-	1	2	14	22	18	10	2	35	-	-	-	-	-	1	9	8	13	3	1
White	70	-	1	-	-	1	2	14	22	18	10	2	35	-	-	-	-	-	1	9	8	13	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	5	-	-	-	-	-	-	-	-	-	3	2	8	-	-	-	-	-	-	1	-	2	1	4
White	5	-	-	-	-	-	-	-	-	-	3	2	8	-	-	-	-	-	-	1	-	2	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	25	1	-	-	-	-	-	-	3	4	12	5	31	-	-	-	-	-	-	-	-	7	13	11
White	25	1	-	-	-	-	-	-	3	4	12	5	31	-	-	-	-	-	-	-	-	7	13	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	3	-
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	24	1	-	-	-	-	-	-	3	4	11	5	28	-	-	-	-	-	-	-	-	7	10	11
White	24	1	-	-	-	-	-	-	3	4	11	5	28	-	-	-	-	-	-	-	-	7	10	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	4	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
White	4	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	-	-	1	1												
White	2	-	-	-	-	-	-	-	-	-	1	1												
All other	-	-	-	-	-	-	-	-	-	-	-	-												
Black	-	-	-	-	-	-	-	-	-	-	-	-												
Complications of pregnancy, childbirth, and the puerperium (630-676)													-			-	-	-	-	-				
White													-			-	-	-	-	-				
All other													-			-	-	-	-	-				
Black													-			-	-	-	-	-				

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW HAMPSHIRE—Con																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	31	20	2	2	2	2	1	-	-	-	1	1	24	17	2	1	1	-	1	1	-	-	1	-
White	31	20	2	2	2	2	1	-	-	-	1	1	23	16	2	1	1	-	1	1	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	28	27	-	1	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
White	28	27	-	1	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	11	10	-	1	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
White	11	10	-	1	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	17	17	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
White	17	17	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	47	13	-	-	1	4	2	2	5	8	6	6	32	11	-	-	-	1	2	1	1	6	2	8
White	47	13	-	-	1	4	2	2	5	8	6	6	32	11	-	-	-	1	2	1	1	6	2	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	220	3	3	2	7	5	10	12	30	62	49	37	248	2	-	7	6	3	10	16	23	45	61	75
White	219	3	3	2	7	5	10	12	29	62	49	37	247	2	-	7	6	3	9	16	23	45	61	75
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Accidents and adverse effects (E800-E949)	229	-	4	12	62	37	28	17	25	20	13	11	118	2	4	6	17	11	7	10	4	8	18	31
White	229	-	4	12	62	37	28	17	25	20	13	11	118	2	4	6	17	11	7	10	4	8	18	31
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	109	-	-	7	46	22	11	7	7	6	2	1	43	1	1	3	13	6	3	6	2	3	4	1
White	109	-	-	7	46	22	11	7	7	6	2	1	43	1	1	3	13	6	3	6	2	3	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	120	-	4	5	16	15	17	10	18	14	11	10	75	1	3	3	4	5	4	4	2	5	14	30
White	120	-	4	5	16	15	17	10	18	14	11	10	75	1	3	3	4	5	4	4	2	5	14	30
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	100	...	...	1	25	20	17	14	13	5	4	1	27	...	...	-	1	8	5	1	6	4	1	1
White	100	...	...	1	25	20	17	14	13	5	4	1	27	...	...	-	1	8	5	1	6	4	1	1
All other	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	15	-	-	-	4	4	5	-	2	-	-	-	11	1	-	-	4	3	1	-	-	-	2	-
White	15	-	-	-	4	4	5	-	2	-	-	-	11	1	-	-	4	3	1	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	6	-	-	1	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	6	-	-	1	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY																								
All causes	34,974	572	117	184	818	987	1,154	2,788	6,487	9,447	8,344	4,039	32,306	466	92	110	314	448	654	1,632	3,988	6,917	9,549	8,126
White	30,866	389	74	145	669	702	832	2,218	5,673	8,586	7,740	3,823	29,129	283	60	79	255	301	447	1,302	3,438	6,302	8,925	7,732
All other	4,108	183	43	39	149	285	322	570	814	861	604	216	3,177	183	32	31	59	147	207	330	550	615	624	394
Black	3,985	179	40	36	147	277	313	551	803	827	582	209	3,096	177	29	29	59	142	197	320	535	600	616	387
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	7	2	-	-	-	-	-	2	-	1	2	-	4	2	1	-	-	-	-	-	-	-	-	1
White	7	2	-	-	-	-	-	2	-	1	2	-	3	2	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	36	-	-	-	-	5	2	6	7	4	9	3	17	-	-	-	-	-	-	2	5	2	2	6
White	23	-	-	-	-	1	-	3	6	2	8	3	10	-	-	-	-	-	-	2	2	1	2	3
All other	13	-	-	-	-	4	2	3	1	2	1	-	7	-	-	-	-	-	-	-	3	1	-	3
Black	12	-	-	-	-	4	2	3	1	2	-	-	7	-	-	-	-	-	-	-	3	1	-	3
Tuberculosis of respiratory system (010-012)	29	-	-	-	-	2	2	6	6	4	6	3	15	-	-	-	-	-	-	2	4	2	2	5
White	19	-	-	-	-	-	-	3	5	2	6	3	9	-	-	-	-	-	-	2	2	1	2	2
All other	10	-	-	-	-	2	2	3	1	2	-	-	6	-	-	-	-	-	-	-	2	1	-	3
Black	10	-	-	-	-	2	2	3	1	2	-	-	6	-	-	-	-	-	-	-	2	1	-	3
Other tuberculosis (013-018)	7	-	-	-	-	3	-	-	1	-	3	-	2	-	-	-	-	-	-	-	1	-	-	1
White	4	-	-	-	-	1	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	3	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	-	2	-	1	-	1	-	-	-	-	-	9	2	2	1	-	-	-	1	1	1	1	-
White	3	-	1	-	1	-	1	-	-	-	-	-	7	2	1	1	-	-	-	1	1	1	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Septicemia (038)	249	6	-	-	1	4	9	10	37	63	77	40	262	4	-	1	2	5	6	8	20	46	98	72
White	202	4	-	-	1	4	4	8	28	46	70	35	224	-	-	1	1	1	2	8	15	39	90	67
All other	47	2	-	-	-	-	5	2	9	17	7	5	38	4	-	-	1	4	4	-	5	7	8	5
Black	46	2	-	-	-	-	5	2	9	17	6	5	38	4	-	-	1	4	4	-	5	7	8	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	24	-	-	1	3	3	3	1	8	3	1	1	12	-	-	-	2	1	1	2	1	4	1	-
White	19	-	-	1	2	2	3	1	6	3	1	-	6	-	-	-	-	-	1	-	1	3	1	-
All other	5	-	-	-	1	1	-	-	2	-	-	1	6	-	-	-	2	1	-	2	-	1	-	-
Black	5	-	-	-	1	1	-	-	2	-	-	1	5	-	-	-	2	1	-	1	-	1	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	52	1	1	2	3	5	6	8	11	8	5	2	52	2	1	1	2	1	3	5	14	11	6	6
White	45	-	1	2	2	3	5	8	10	7	5	2	46	1	1	1	2	-	3	4	11	11	6	6
All other	7	1	-	-	1	2	1	-	1	1	-	-	6	1	-	-	-	1	-	1	3	-	-	-
Black	7	1	-	-	1	2	1	-	1	1	-	-	4	1	-	-	-	1	-	1	1	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	8,249	1	9	24	50	79	195	753	1,965	2,728	1,863	580	7,500	2	7	18	31	90	232	771	1,618	2,201	1,791	739
White	7,346	1	7	18	46	67	152	606	1,726	2,472	1,705	545	6,813	2	7	13	25	70	182	658	1,449	2,047	1,672	688
All other	903	-	2	6	4	12	43	147	239	256	158	35	687	-	-	5	6	20	50	113	169	154	119	51
Black	877	-	1	6	4	9	40	143	235	248	157	33	669	-	-	5	6	20	45	108	167	151	117	50

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	215	-	-	-	2	-	5	35	71	68	23	11	99	-	-	-	-	1	1	13	30	30	17	7
White	176	-	-	-	2	-	1	23	56	62	22	10	85	-	-	-	-	-	-	10	25	29	14	7
All other	39	-	-	-	-	-	4	12	15	6	1	1	14	-	-	-	-	1	1	3	5	1	3	-
Black	38	-	-	-	-	-	4	12	15	6	1	-	14	-	-	-	-	1	1	3	5	1	3	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,318	-	1	-	1	7	44	195	539	782	559	189	2,252	-	2	1	2	7	26	137	387	686	681	323
White	2,071	-	1	-	1	4	31	150	477	712	518	177	2,057	-	2	1	2	4	18	106	337	639	640	308
All other	247	-	-	-	-	3	13	45	62	70	41	12	195	-	-	-	-	3	8	31	50	47	41	15
Black	240	-	-	-	-	2	11	45	61	68	40	12	187	-	-	-	-	3	5	30	49	46	39	15
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,887	-	-	-	-	4	55	290	812	1,021	600	104	1,152	-	-	-	-	7	32	157	337	378	188	53
White	2,548	-	-	-	-	3	41	231	703	922	549	98	1,053	-	-	-	-	7	27	135	303	358	179	44
All other	339	-	-	-	-	1	14	59	109	99	51	6	99	-	-	-	-	-	5	22	34	20	9	9
Black	329	-	-	-	-	1	14	58	106	94	51	5	97	-	-	-	-	-	5	22	33	20	9	8
Malignant neoplasm of breast (174-175)	14	-	-	-	-	-	-	1	5	5	3	-	1,477	-	-	-	-	15	91	238	353	396	274	110
White	12	-	-	-	-	-	-	1	4	4	3	-	1,353	-	-	-	-	12	68	211	328	371	261	102
All other	2	-	-	-	-	-	-	-	1	1	-	-	124	-	-	-	-	3	23	27	25	25	13	8
Black	2	-	-	-	-	-	-	-	1	1	-	-	123	-	-	-	-	3	22	27	25	25	13	8
Malignant neoplasms of genital organs (179-187)	764	-	-	-	3	6	3	16	74	254	270	138	881	-	-	-	5	15	34	98	221	260	181	67
White	666	-	-	-	3	6	3	11	64	219	237	125	791	-	-	-	1	10	27	88	202	237	163	63
All other	96	-	-	-	-	-	-	5	10	35	33	13	90	-	-	-	4	5	7	10	19	23	18	4
Black	95	-	-	-	-	-	-	4	10	35	33	13	85	-	-	-	4	5	6	7	19	22	18	4
Malignant neoplasms of urinary organs (188-189)	463	-	-	-	-	1	9	33	93	145	132	50	220	-	1	1	-	1	4	5	32	60	77	39
White	435	-	-	-	-	1	9	32	86	137	121	49	194	-	1	-	-	-	4	4	27	51	72	35
All other	28	-	-	-	-	-	-	1	7	8	11	1	26	-	-	1	-	1	-	1	5	9	5	4
Black	28	-	-	-	-	-	-	1	7	8	11	1	25	-	-	1	-	1	-	1	5	8	5	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	869	-	6	14	14	23	39	123	220	257	133	40	791	1	1	9	10	22	25	78	149	216	197	83
White	784	-	5	10	11	20	33	109	197	233	127	39	713	1	1	7	8	19	24	63	130	205	179	76
All other	85	-	1	4	3	3	6	14	23	24	6	1	78	-	-	2	2	3	1	15	19	11	18	7
Black	82	-	-	4	3	2	6	13	23	24	6	1	77	-	-	2	2	3	1	14	19	11	18	7
Leukemia (204-208)	331	1	2	5	20	20	20	18	66	84	74	21	259	1	3	6	9	5	6	16	48	66	68	31
White	307	1	1	4	20	17	20	15	63	80	66	20	235	1	3	5	9	4	6	15	42	58	63	29
All other	24	-	1	1	-	3	-	3	3	4	8	1	24	-	-	1	-	1	-	1	6	8	5	2
Black	22	-	1	1	-	2	-	2	3	4	8	1	24	-	-	1	-	1	-	1	6	8	5	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	388	-	-	5	10	18	20	42	85	112	69	27	369	-	-	1	5	17	13	29	61	109	108	26
White	345	-	-	4	9	16	14	34	76	103	62	27	332	-	-	-	5	14	8	26	55	99	101	24
All other	43	-	-	1	1	2	6	8	9	9	7	-	37	-	-	1	-	3	5	3	6	10	7	2
Black	41	-	-	1	1	2	5	8	9	8	7	-	37	-	-	1	-	3	5	3	6	10	7	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	92	-	-	1	-	4	7	8	18	28	17	9	110	-	1	2	-	1	5	9	6	26	37	23
White	88	-	-	1	-	4	6	7	17	28	16	9	98	-	1	1	-	1	3	9	5	22	34	22
All other	4	-	-	-	-	-	1	1	1	-	1	-	12	-	-	1	-	-	2	-	1	4	3	1
Black	4	-	-	-	-	-	1	1	1	-	1	-	12	-	-	1	-	-	2	-	1	4	3	1
Diabetes mellitus (250)	551	-	-	-	2	13	26	39	107	162	154	48	856	-	-	2	1	9	14	37	104	212	309	168
White	475	-	-	-	2	7	17	30	93	142	138	46	738	-	-	1	-	5	9	23	82	177	283	158
All other	76	-	-	-	-	6	9	9	14	20	16	2	118	-	-	1	1	4	5	14	22	35	26	10
Black	74	-	-	-	-	6	9	9	14	18	16	2	115	-	-	-	1	4	5	14	22	34	25	10
Nutritional deficiencies (260-269)	27	-	-	-	-	-	1	-	3	5	7	11	44	-	-	-	-	-	1	1	3	8	11	20
White	24	-	-	-	-	-	1	-	2	5	6	10	40	-	-	-	-	-	1	1	3	5	11	19
All other	3	-	-	-	-	-	-	-	1	-	1	1	4	-	-	-	-	-	-	-	-	3	-	1
Black	3	-	-	-	-	-	-	-	1	-	1	1	3	-	-	-	-	-	-	-	-	2	-	1
Anemias (280-285)	55	-	1	5	5	3	2	2	5	16	12	4	67	-	-	-	2	1	2	3	3	16	17	23
White	39	-	-	3	1	-	1	1	5	13	12	3	57	-	-	-	2	-	1	1	2	16	15	20
All other	16	-	1	2	4	3	1	1	-	3	-	1	10	-	-	-	-	1	1	2	1	-	2	3
Black	16	-	1	2	4	3	1	1	-	3	-	1	10	-	-	-	-	1	1	2	1	-	2	3
Meningitis (320-322)	25	4	4	2	3	1	-	1	5	3	2	-	18	1	3	1	-	1	-	1	4	2	4	1
White	17	2	3	1	2	1	-	1	4	1	2	-	15	1	2	-	-	1	-	1	3	2	4	1
All other	8	2	1	1	1	-	-	-	1	2	-	-	3	-	1	1	-	-	-	-	1	-	-	-
Black	8	2	1	1	1	-	-	-	1	2	-	-	3	-	1	1	-	-	-	-	1	-	-	-
Major cardiovascular diseases (390-448)	17,283	19	4	8	17	88	361	1,285	3,261	4,891	4,784	2,552	17,203	9	3	2	25	45	119	425	1,495	3,327	[illegible]	5,859
White	15,722	11	2	7	12	59	280	1,057	2,901	4,483	4,478	2,429	15,756	6	1	2	21	27	66	304	1,243	2,985	5,508	5,590
All other	1,561	8	2	1	5	29	81	228	360	408	306	123	1,447	3	2	-	4	18	53	121	252	342	380	269
Black	1,505	8	2	1	5	28	79	218	356	386	292	120	1,425	3	2	-	4	18	53	119	244	334	380	265

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Diseases of heart (390-398,402,404-429)	14,582	12	3	6	15	66	316	1,166	2,907	4,180	3,870	2,030	13,485	5	1	2	12	34	84	333	1,200	2,694	4,607	4,507
White	13,321	7	2	5	10	46	256	975	2,601	3,854	3,635	1,928	12,392	4	-	2	11	20	45	246	1,013	2,440	4,308	4,300
All other	1,261	5	1	1	5	20	60	191	306	326	235	102	1,093	1	1	-	1	14	39	87	187	254	299	207
Black	1,215	5	1	1	5	19	58	183	302	308	224	100	1,078	1	1	-	1	14	39	86	181	249	299	204
Rheumatic fever and rheumatic heart disease (390-398)	108	-	-	-	1	4	2	13	29	37	19	3	250	-	-	-	-	4	15	14	64	99	41	13
White	105	-	-	-	-	3	1	13	29	37	19	3	234	-	-	-	-	2	14	12	58	96	40	12
All other	3	-	-	-	1	1	1	-	-	-	-	-	16	-	-	-	-	2	1	2	6	3	1	1
Black	3	-	-	-	1	1	1	-	-	-	-	-	16	-	-	-	-	2	1	2	6	3	1	1
Hypertensive heart disease (402)	359	-	-	-	1	6	11	35	68	130	71	36	475	-	-	-	-	3	8	18	46	99	165	136
White	300	-	-	-	-	4	8	22	53	114	66	33	406	-	-	-	-	1	3	11	35	87	144	125
All other	59	-	-	-	1	2	3	13	15	16	5	3	69	-	-	-	-	2	5	7	11	12	21	11
Black	59	-	-	-	1	2	3	13	15	16	5	3	69	-	-	-	-	2	5	7	11	12	21	11
Hypertensive heart and renal disease (404)	54	-	-	-	-	1	-	4	8	12	18	11	71	-	-	-	-	2	-	1	5	15	24	24
White	38	-	-	-	-	1	-	3	2	9	15	8	56	-	-	-	-	-	-	1	2	8	22	23
All other	16	-	-	-	-	-	-	1	6	3	3	3	15	-	-	-	-	2	-	-	3	7	2	1
Black	15	-	-	-	-	-	-	1	6	3	2	3	14	-	-	-	-	2	-	-	2	7	2	1
Ischemic heart disease (410-414)	11,818	-	-	1	3	28	255	970	2,439	3,422	3,133	1,559	10,147	1	-	-	3	5	43	220	892	2,031	3,529	3,409
White	10,931	-	-	1	3	22	210	827	2,218	3,193	2,958	1,497	9,396	1	-	-	3	5	21	172	756	1,856	3,320	3,259
All other	887	-	-	-	-	6	45	143	221	229	175	62	751	-	-	-	-	-	22	56	136	175	209	150
Black	846	-	-	-	-	5	43	135	217	214	165	61	739	-	-	-	-	-	22	56	131	170	209	146
Acute myocardial infarction (410)	6,345	-	-	1	2	18	158	615	1,523	2,005	1,512	509	4,396	-	-	-	2	3	19	143	535	1,138	1,590	966
White	5,953	-	-	1	2	14	136	546	1,416	1,901	1,449	487	4,107	-	-	-	2	3	13	117	475	1,056	1,509	931
All other	392	-	-	-	-	4	22	69	107	104	63	22	291	-	-	-	-	-	6	26	60	82	81	35
Black	369	-	-	-	-	3	20	64	106	94	59	22	285	-	-	-	-	-	6	26	58	80	81	33
Other acute and subacute forms of ischemic heart disease (411)	131	-	-	-	-	2	4	17	40	36	23	9	50	-	-	-	-	-	2	2	12	11	11	12
White	111	-	-	-	-	2	3	14	31	30	22	9	45	-	-	-	-	-	1	1	10	10	11	12
All other	20	-	-	-	-	-	1	3	9	6	1	-	5	-	-	-	-	-	1	1	2	1	-	-
Black	19	-	-	-	-	-	1	3	8	6	1	-	4	-	-	-	-	-	1	1	1	1	-	-
Angina pectoris (413)	6	-	-	-	-	-	-	-	1	-	5	-	5	-	-	-	-	-	-	-	-	2	2	1
White	6	-	-	-	-	-	-	-	1	-	5	-	5	-	-	-	-	-	-	-	-	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	5,336	-	-	-	1	8	93	338	875	1,381	1,593	1,041	5,694	1	-	-	1	2	22	83	345	880	1,926	2,430
White	4,861	-	-	-	1	6	71	267	770	1,262	1,482	1,001	5,239	1	-	-	1	2	7	54	271	788	1,798	2,315
All other	475	-	-	-	-	2	22	71	105	119	111	40	455	-	-	-	-	-	15	29	74	92	128	115
Black	458	-	-	-	-	2	22	68	103	114	105	39	450	-	-	-	-	-	15	29	72	89	128	115
Other diseases of endocardium (424)	120	1	-	1	1	5	4	8	20	37	35	8	108	-	-	-	1	3	1	4	7	31	41	20
White	108	1	-	1	-	2	4	6	19	36	32	7	101	-	-	-	1	1	-	4	6	28	41	20
All other	12	-	-	-	1	3	-	2	1	1	3	1	7	-	-	-	-	2	1	-	1	3	-	-
Black	12	-	-	-	1	3	-	2	1	1	3	1	7	-	-	-	-	2	1	-	1	3	-	-
All other forms of heart disease (415-423,425-429)	2,123	11	3	4	9	22	44	136	343	542	594	413	2,434	4	1	2	8	17	17	68	186	419	807	905
White	1,839	6	2	3	7	14	33	104	280	465	545	380	2,199	3	-	2	7	11	7	46	156	365	741	861
All other	284	5	1	1	2	8	11	32	63	77	49	33	235	1	1	-	1	6	10	22	30	54	66	44
Black	280	5	1	1	2	8	11	32	63	74	49	32	233	1	1	-	1	6	10	21	30	54	66	43
Hypertension with or without renal disease (401,403)	91	-	-	-	-	2	2	8	15	12	34	18	93	-	-	-	-	-	2	4	12	15	27	33
White	66	-	-	-	-	1	-	4	7	7	31	16	77	-	-	-	-	-	-	2	8	11	24	32
All other	25	-	-	-	-	1	2	4	8	5	3	2	16	-	-	-	-	-	2	2	4	4	3	1
Black	25	-	-	-	-	1	2	4	8	5	3	2	15	-	-	-	-	-	2	2	4	3	3	1
Cerebrovascular diseases (430-438)	1,997	6	-	2	2	18	36	101	267	497	686	381	3,012	4	2	-	12	11	32	78	248	516	1,065	1,044
White	1,762	3	-	2	2	10	22	70	224	433	629	367	2,712	2	1	-	9	7	20	49	192	444	996	992
All other	235	3	-	-	-	8	14	31	43	64	57	14	300	2	1	-	3	4	12	29	56	72	69	52
Black	226	3	-	-	-	8	14	29	43	60	55	13	294	2	1	-	3	4	12	28	54	70	68	51
Intracerebral and other intracranial hemorrhage (431-432)	320	3	-	1	-	5	19	42	67	72	80	30	407	4	1	-	2	3	6	27	80	85	122	77
White	270	1	-	1	-	1	10	28	60	65	74	30	360	2	-	-	2	3	2	19	59	81	118	74
All other	50	2	-	-	-	4	9	14	7	7	6	-	47	2	1	-	-	-	4	8	21	4	4	3
Black	49	2	-	-	-	4	9	14	7	6	6	-	44	2	1	-	-	-	4	8	19	3	4	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	442	1	-	-	-	-	-	15	55	122	149	100	716	-	-	-	1	1	3	3	34	107	286	281
White	403	1	-	-	-	-	-	13	48	109	136	96	655	-	-	-	-	-	2	2	26	94	264	267
All other	39	-	-	-	-	-	-	2	7	13	13	4	61	-	-	-	1	1	1	1	8	13	22	14
Black	38	-	-	-	-	-	-	2	7	13	12	4	61	-	-	-	1	1	1	1	8	13	22	14

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Cerebral embolism (434.1)	7	-	-	-	-	-	-	1	2	-	3	1	23	-	-	-	-	-	1	-	3	12	3	4
White	7	-	-	-	-	-	-	1	2	-	3	1	21	-	-	-	-	-	1	-	2	12	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,228	2	-	1	2	13	17	43	143	303	454	250	1,866	-	1	-	9	7	22	48	131	312	654	682
White	1,082	1	-	1	2	9	12	28	114	259	416	240	1,676	-	1	-	7	4	15	28	105	257	611	648
All other	146	1	-	-	-	4	5	15	29	44	38	10	190	-	-	-	2	3	7	20	26	55	43	34
Black	139	1	-	-	-	4	5	13	29	41	37	9	187	-	-	-	2	3	7	19	26	54	43	33
Atherosclerosis (440)	225	-	-	-	-	-	2	2	16	44	76	84	384	-	-	-	-	-	-	1	8	44	119	212
White	207	-	-	-	-	-	1	2	15	39	70	79	367	-	-	-	-	-	-	1	7	41	114	204
All other	18	-	-	-	-	-	1	-	1	5	6	5	17	-	-	-	-	-	-	-	1	3	5	8
Black	18	-	-	-	-	-	1	-	1	5	6	5	17	-	-	-	-	-	-	-	1	3	5	8
Other diseases of arteries, arterioles, and capillaries (441-448)	388	1	1	-	-	2	5	8	56	158	118	39	229	-	-	-	1	-	1	9	27	58	70	63
White	366	1	-	-	-	2	1	6	54	150	113	39	208	-	-	-	1	-	1	6	23	49	66	62
All other	22	-	1	-	-	-	4	2	2	8	5	-	21	-	-	-	-	-	-	3	4	9	4	1
Black	21	-	1	-	-	-	4	2	2	8	4	-	21	-	-	-	-	-	-	3	4	9	4	1
Acute bronchitis and bronchiolitis (466)	4	1	-	-	-	-	-	-	-	2	1	-	7	-	1	-	-	-	-	-	1	3	2	-
White	1	-	-	-	-	-	-	-	-	-	1	-	7	-	1	-	-	-	-	-	1	3	2	-
All other	3	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	793	12	2	-	4	13	20	43	86	154	242	213	810	13	1	5	7	12	12	32	43	107	247	331
White	697	7	1	-	4	8	12	31	68	134	228	202	746	5	-	4	6	8	10	24	33	100	238	318
All other	96	5	1	-	-	5	8	12	18	20	14	11	64	8	1	1	1	4	2	8	10	7	9	13
Black	95	5	1	-	-	5	8	12	18	20	13	11	61	8	-	1	1	4	2	8	10	7	8	12
Pneumonia (480-486)	778	12	2	-	3	12	20	43	84	152	237	209	771	13	1	5	7	12	11	32	39	103	234	314
White	683	7	1	-	3	7	12	31	66	132	224	198	710	5	-	4	6	8	9	24	31	96	226	301
All other	95	5	1	-	-	5	8	12	18	20	13	11	61	8	1	1	1	4	2	8	8	7	8	13
Black	94	5	1	-	-	5	8	12	18	20	12	11	58	8	-	1	1	4	2	8	8	7	7	12
Influenza (487)	15	-	-	-	1	1	-	-	2	2	5	4	39	-	-	-	-	-	1	-	4	4	13	17
White	14	-	-	-	1	1	-	-	2	2	4	4	36	-	-	-	-	-	1	-	2	4	12	17
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	2	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	2	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,076	1	-	-	3	4	6	34	154	398	342	134	637	1	-	1	2	4	6	30	125	228	170	70
White	996	1	-	-	1	3	3	28	130	374	325	131	607	1	-	1	2	1	5	23	114	225	167	68
All other	80	-	-	-	2	1	3	6	24	24	17	3	30	-	-	-	-	3	1	7	11	3	3	2
Black	78	-	-	-	2	1	3	6	24	23	16	3	29	-	-	-	-	3	1	6	11	3	3	2
Bronchitis, chronic and unspecified (490-491)	67	1	-	-	-	1	-	3	6	27	21	8	47	1	-	1	1	1	1	2	7	14	11	8
White	63	1	-	-	-	1	-	3	5	27	18	8	45	1	-	1	1	-	1	2	7	13	11	8
All other	4	-	-	-	-	-	-	-	1	-	3	-	2	-	-	-	-	1	-	-	-	1	-	-
Black	4	-	-	-	-	-	-	-	1	-	3	-	2	-	-	-	-	1	-	-	-	1	-	-
Emphysema (492)	249	-	-	-	-	1	1	5	39	102	71	30	113	-	-	-	-	-	-	3	24	46	34	6
White	228	-	-	-	-	-	-	5	30	96	68	29	109	-	-	-	-	-	-	3	21	46	33	6
All other	21	-	-	-	-	1	1	-	9	6	3	1	4	-	-	-	-	-	-	-	3	-	1	-
Black	21	-	-	-	-	1	1	-	9	6	3	1	4	-	-	-	-	-	-	-	3	-	1	-
Asthma (493)	26	-	-	-	3	2	2	4	5	4	3	3	55	-	-	-	1	3	5	4	12	11	12	7
White	19	-	-	-	1	2	1	2	5	3	2	3	48	-	-	-	1	1	4	2	10	11	12	7
All other	7	-	-	-	2	-	1	2	-	1	1	-	7	-	-	-	-	2	1	2	2	-	-	-
Black	7	-	-	-	2	-	1	2	-	1	1	-	7	-	-	-	-	2	1	2	2	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	734	-	-	-	-	-	3	22	104	265	247	93	422	-	-	-	-	-	-	21	82	157	113	49
White	686	-	-	-	-	-	2	18	90	248	237	91	405	-	-	-	-	-	-	16	76	155	111	47
All other	48	-	-	-	-	-	1	4	14	17	10	2	17	-	-	-	-	-	-	5	6	2	2	2
Black	46	-	-	-	-	-	1	4	14	16	9	2	16	-	-	-	-	-	-	4	6	2	2	2
Ulcer of stomach and duodenum (531-533)	110	1	-	-	-	-	9	8	14	29	32	17	110	-	-	-	-	-	1	4	13	20	40	32
White	97	1	-	-	-	-	6	5	13	26	31	15	104	-	-	-	-	-	1	4	12	19	36	32
All other	13	-	-	-	-	-	3	3	1	3	1	2	6	-	-	-	-	-	-	-	1	1	4	-
Black	13	-	-	-	-	-	3	3	1	3	1	2	6	-	-	-	-	-	-	-	1	1	4	-
Appendicitis (540-543)	9	-	-	-	-	1	-	1	1	4	1	1	8	-	-	-	-	-	1	-	3	-	4	-
White	8	-	-	-	-	1	-	1	-	4	1	1	8	-	-	-	-	-	1	-	3	-	4	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	89	1	1	-	-	1	5	6	5	25	29	16	106	-	-	-	1	1	3	1	4	19	34	43
White	75	1	1	-	-	-	3	2	5	23	24	16	95	-	-	-	-	1	2	1	3	16	30	42
All other	14	-	-	-	-	1	2	4	-	2	5	-	11	-	-	-	1	-	1	-	1	3	4	1
Black	14	-	-	-	-	1	2	4	-	2	5	-	11	-	-	-	1	-	1	-	1	3	4	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con																								
Chronic liver disease and cirrhosis (571)	709	-	-	-	4	33	71	146	208	174	63	10	432	1	-	-	1	18	40	79	138	96	49	9
White	588	-	-	-	4	24	45	106	182	161	56	10	362	-	-	-	1	6	18	65	124	91	47	9
All other	121	-	-	-	-	9	26	40	26	13	7	-	70	1	-	-	-	12	22	14	14	5	2	-
Black	119	-	-	-	-	9	26	40	24	13	7	-	68	1	-	-	-	12	21	14	14	4	2	-
Cholelithiasis and other disorders of gallbladder (574-575)	32	-	-	-	-	-	-	2	7	12	7	4	56	-	-	-	-	-	2	3	4	6	21	20
White	29	-	-	-	-	-	-	1	6	11	7	4	54	-	-	-	-	-	2	3	4	5	21	19
All other	3	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	3	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	312	3	-	-	-	8	7	9	55	86	88	56	286	1	-	-	1	2	5	11	28	52	98	87
White	246	2	-	-	-	4	4	5	41	66	76	48	244	1	-	-	1	1	2	6	19	47	87	80
All other	66	1	-	-	-	4	3	4	14	20	12	8	42	-	-	-	-	1	3	5	9	5	11	7
Black	64	1	-	-	-	4	3	4	14	20	11	7	40	-	-	-	-	1	3	5	6	5	10	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	-	-	-	-	-	1	-	1	2	2	1	6	-	-	-	-	-	-	-	-	2	-	4
White	6	-	-	-	-	-	-	-	1	2	2	1	6	-	-	-	-	-	-	-	-	2	-	4
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	33	-	-	-	-	3	2	-	5	11	6	6	45	-	-	-	-	-	-	4	4	8	15	13
White	25	-	-	-	-	1	1	-	4	7	6	6	35	-	-	-	-	-	-	1	3	6	14	11
All other	8	-	-	-	-	2	1	-	1	4	-	-	10	-	-	-	-	-	-	3	1	2	1	2
Black	8	-	-	-	-	2	1	-	1	4	-	-	9	-	-	-	-	-	-	3	1	2	-	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	272	3	-	-	-	5	4	9	49	73	80	49	235	1	-	-	1	2	5	7	24	42	83	70
White	215	2	-	-	-	3	3	5	36	57	68	41	203	1	-	-	1	1	2	5	16	39	73	65
All other	57	1	-	-	-	2	1	4	13	16	12	8	32	-	-	-	-	1	3	2	8	3	10	5
Black	55	1	-	-	-	2	1	4	13	16	11	7	31	-	-	-	-	1	3	2	7	3	10	5
Infections of kidney (590)	27	-	-	-	-	-	-	-	-	7	13	7	43	-	-	-	-	-	1	3	4	8	11	16
White	26	-	-	-	-	-	-	-	-	7	12	7	40	-	-	-	-	-	1	3	4	7	10	15
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	1	1
Hyperplasia of prostate (600)	10	-	-	-	-	-	-	-	1	4	4	1	...	...	...	...	...	...	...	...	...	...	...	...
White	8	-	-	-	-	-	-	-	-	3	4	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	-	1	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	-	-	-	-	-	-	-	1	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	1	3	2	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	-	2	1	1	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	-	2	1	1	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	1	3	2	1	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	1	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	-	2	1	1	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	-	2	1	1	...	...	...	...
Congenital anomalies (740-759)	158	96	8	4	11	8	2	8	8	8	3	2	164	105	12	8	3	9	2	4	6	10	2	3
White	117	66	7	3	9	7	2	7	5	8	1	2	124	75	8	7	3	7	2	3	5	9	2	3
All other	41	30	1	1	2	1	-	1	3	-	2	-	40	30	4	1	-	2	-	1	1	1	-	-
Black	41	30	1	1	2	1	-	1	3	-	2	-	36	27	3	1	-	2	-	1	1	1	-	-
Certain conditions originating in the perinatal period (760-779)	307	305	2	-	-	-	-	-	-	-	-	-	249	247	2	-	-	-	-	-	-	-	-	-
White	218	217	1	-	-	-	-	-	-	-	-	-	153	152	1	-	-	-	-	-	-	-	-	-
All other	89	88	1	-	-	-	-	-	-	-	-	-	96	95	1	-	-	-	-	-	-	-	-	-
Black	86	85	1	-	-	-	-	-	-	-	-	-	95	94	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	104	103	1	-	-	-	-	-	-	-	-	-	78	78	-	-	-	-	-	-	-	-	-	-
White	79	78	1	-	-	-	-	-	-	-	-	-	45	45	-	-	-	-	-	-	-	-	-	-
All other	25	25	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
Black	25	25	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	203	202	1	-	-	-	-	-	-	-	-	-	171	169	2	-	-	-	-	-	-	-	-	-
White	139	139	-	-	-	-	-	-	-	-	-	-	108	107	1	-	-	-	-	-	-	-	-	-
All other	64	63	1	-	-	-	-	-	-	-	-	-	63	62	1	-	-	-	-	-	-	-	-	-
Black	61	60	1	-	-	-	-	-	-	-	-	-	62	61	1	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	331	72	9	3	29	71	34	25	20	28	20	17	220	50	1	-	15	25	15	14	17	18	24	40
White	245	42	4	2	24	51	23	22	16	26	18	16	160	20	1	-	9	16	9	13	14	17	22	39
All other	86	30	5	1	5	20	11	3	4	2	2	1	60	30	-	-	6	9	6	1	3	2	2	1
Black	81	29	5	-	4	18	11	3	4	2	2	1	57	29	-	-	6	9	4	1	3	2	2	1
All other diseases (Residual)	1,751	36	21	19	54	92	78	144	262	401	411	232	1,874	20	14	16	31	64	67	99	228	364	534	437
White	1,468	24	16	17	48	64	38	102	211	364	370	213	1,649	11	9	13	24	41	40	76	192	335	493	415
All other	283	12	5	2	6	28	40	42	51	37	41	19	225	9	5	3	7	23	27	23	36	29	41	22
Black	277	12	4	2	6	28	40	41	51	36	39	18	217	8	5	3	7	22	27	23	34	28	39	21
Accidents and adverse effects (E800-E949)	1,739	9	49	100	430	323	182	151	159	135	124	68	873	6	38	45	137	103	64	55	74	107	129	113
White	1,465	7	27	77	389	262	137	124	134	124	116	64	750	4	25	29	123	77	48	42	68	102	121	110
All other	274	2	22	23	41	61	45	27	25	11	8	4	123	2	13	16	14	26	16	13	6	5	8	3
Black	263	2	21	21	40	61	43	24	24	11	8	4	117	2	12	15	14	25	14	12	6	5	8	3
Motor vehicle accidents (E810-E825)	855	1	7	50	284	189	91	59	78	42	37	13	359	1	8	17	107	61	28	24	39	45	24	5
White	761	-	4	42	274	166	76	48	66	38	35	10	328	1	7	15	104	48	23	18	38	45	24	5
All other	94	1	3	8	10	23	15	11	12	4	2	3	31	-	1	2	3	13	5	6	1	-	-	-
Black	90	1	3	8	10	23	14	9	11	4	2	3	28	-	-	2	3	13	4	5	1	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	884	8	42	50	146	134	91	92	81	93	87	55	514	5	30	28	30	42	36	31	35	62	105	108
White	704	7	23	35	115	96	61	76	68	86	81	54	422	3	18	14	19	29	25	24	30	57	97	105
All other	180	1	19	15	31	38	30	16	13	7	6	1	92	2	12	14	11	13	11	7	5	5	8	3
Black	173	1	18	13	30	38	29	15	13	7	6	1	89	2	12	13	11	12	10	7	5	5	8	3
Suicide (E950-E959)	402	...	...	6	82	83	61	47	48	42	25	8	128	...	...	-	10	26	27	16	19	14	11	5
White	365	...	...	5	72	72	57	41	45	41	24	8	120	...	...	-	10	20	26	16	19	13	11	5
All other	37	...	...	1	10	11	4	6	3	1	1	-	8	...	...	-	-	6	1	-	-	1	-	-
Black	36	...	...	1	10	10	4	6	3	1	1	-	6	...	...	-	-	3	1	-	-	1	-	-
Homicide and legal intervention (E960-E978)	427	2	3	9	109	135	61	48	27	22	5	3	119	-	4	6	36	22	20	11	5	7	6	2
White	183	1	2	8	45	51	28	19	15	8	2	3	71	-	2	5	21	13	8	7	4	3	6	2
All other	244	1	1	1	64	84	33	29	12	14	3	-	48	-	2	1	15	9	12	4	1	4	-	-
Black	240	1	1	1	64	83	31	28	12	14	3	-	48	-	2	1	15	9	12	4	1	4	-	-
All other external causes (E980-E999)	33	-	1	-	7	10	5	1	4	4	1	-	20	-	1	1	4	4	3	3	2	1	1	-
White	23	-	1	-	4	7	4	-	3	3	1	-	16	-	-	-	3	3	3	3	2	1	1	-
All other	10	-	-	-	3	3	1	1	1	1	-	-	4	-	1	1	1	1	-	-	-	-	-	-
Black	10	-	-	-	3	3	1	1	1	1	-	-	4	-	1	1	1	1	-	-	-	-	-	-
NEW MEXICO																								
All causes	5,010	159	28	48	308	257	258	418	817	1,199	986	527	3,668	102	26	32	83	107	114	221	487	737	956	803
White	4,555	136	22	37	252	211	223	366	761	1,121	930	493	3,402	78	18	25	69	86	100	189	456	702	914	765
All other	455	23	6	11	56	46	35	52	56	78	56	34	266	24	8	7	14	21	14	32	31	35	42	38
Black	92	6	1	-	6	6	3	14	13	23	11	8	66	5	4	1	1	4	1	5	11	12	15	7
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	9	-	-	-	-	-	-	-	-	4	4	1	6	-	-	-	-	-	-	1	1	1	1	2
White	6	-	-	-	-	-	-	-	-	4	2	-	5	-	-	-	-	-	-	-	1	1	1	2
All other	3	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	8	-	-	-	-	-	-	-	-	4	3	1	5	-	-	-	-	-	-	-	1	1	1	2
White	5	-	-	-	-	-	-	-	-	4	1	-	5	-	-	-	-	-	-	-	1	1	1	2
All other	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	16	1	-	-	-	-	-	-	3	4	3	5	23	1	-	-	-	1	-	3	1	6	7	4
White	14	1	-	-	-	-	-	-	3	3	3	4	21	1	-	-	-	1	-	3	1	5	7	3
All other	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	14	2	-	1	-	3	-	2	-	1	5	-	14	-	1	2	1	3	1	-	1	2	1	2
White	11	1	-	1	-	2	-	1	-	1	5	-	12	-	1	2	1	2	1	-	1	2	-	2
All other	3	1	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	879	1	-	5	4	14	27	85	186	297	190	70	765	-	4	1	3	12	33	89	176	202	179	66
White	840	1	-	4	4	13	27	77	181	282	181	70	727	-	3	1	3	11	31	83	169	193	171	62
All other	39	-	-	1	-	1	-	8	5	15	9	-	38	-	1	-	-	1	2	6	7	9	8	4
Black	17	-	-	-	-	-	-	5	5	5	2	-	12	-	-	-	-	-	1	-	2	4	4	1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	18	-	-	-	-	-	-	1	6	11	-	-	12	-	-	-	-	-	1	3	3	2	2	1
White	17	-	-	-	-	-	-	1	5	11	-	-	11	-	-	-	-	-	1	3	2	2	2	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	262	-	-	-	-	1	8	26	58	96	51	22	199	-	-	-	-	-	5	13	35	64	58	24
White	250	-	-	-	-	-	8	23	58	91	48	22	185	-	-	-	-	-	4	10	35	58	54	24
All other	12	-	-	-	-	1	-	3	-	5	3	-	14	-	-	-	-	-	1	3	-	6	4	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	4	-	-	-	-	-	-	-	-	2	2	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	250	-	-	-	-	1	4	30	75	79	50	11	105	-	-	-	-	-	3	13	32	34	19	4
White	240	-	-	-	-	1	4	26	72	78	48	11	102	-	-	-	-	-	3	13	31	32	19	4
All other	10	-	-	-	-	-	-	4	3	1	2	-	3	-	-	-	-	-	-	-	1	2	-	-
Black	8	-	-	-	-	-	-	3	3	1	1	-	3	-	-	-	-	-	-	-	1	2	-	-
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	1	-	-	1	148	-	-	-	-	2	14	28	33	34	27	10
White	2	-	-	-	-	-	-	-	1	-	-	1	144	-	-	-	-	2	13	28	32	34	26	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	-	1	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Malignant neoplasms of genital organs (179-187)	98	-	-	-	-	2	-	-	13	29	32	22	86	-	-	-	-	6	1	12	24	26	12	5
White	93	-	-	-	-	2	-	-	12	26	31	22	80	-	-	-	-	5	1	10	22	26	12	4
All other	5	-	-	-	-	-	-	-	1	3	1	-	6	-	-	-	-	1	-	2	2	-	-	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	1	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Malignant neoplasms of urinary organs (188-189)	45	-	-	1	-	-	-	7	5	17	13	2	27	-	-	-	-	-	1	2	4	7	8	5
White	44	-	-	1	-	-	-	7	5	17	12	2	26	-	-	-	-	-	1	2	4	7	8	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	110	1	-	2	1	3	8	13	14	39	21	8	122	-	2	-	3	2	5	15	31	21	34	9
White	104	1	-	2	1	3	8	13	14	35	19	8	115	-	1	-	3	2	5	15	29	20	32	8
All other	6	-	-	-	-	-	-	-	-	4	2	-	7	-	1	-	-	-	-	-	2	1	2	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	44	-	-	1	2	5	3	3	6	11	11	2	27	-	1	1	-	1	2	2	2	4	10	4
White	41	-	-	-	2	5	3	2	6	10	11	2	26	-	1	1	-	1	2	1	2	4	10	4
All other	3	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	50	-	-	1	1	2	4	5	8	15	12	2	39	-	1	-	-	1	1	1	12	10	9	4
White	49	-	-	1	1	2	4	5	8	14	12	2	38	-	1	-	-	1	1	1	12	10	8	4
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	-	-	-	1	-	1	-	1	5	-	2	18	-	-	-	-	1	1	-	1	7	5	3
White	10	-	-	-	1	-	1	-	1	5	-	2	18	-	-	-	-	1	1	-	1	7	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	76	-	-	-	1	1	5	10	15	21	16	7	94	-	-	-	2	-	3	7	14	23	30	15
White	68	-	-	-	1	-	5	9	12	19	16	6	83	-	-	-	2	-	2	5	12	21	27	14
All other	8	-	-	-	-	1	-	1	3	2	-	1	11	-	-	-	-	-	1	2	2	2	3	1
Black	3	-	-	-	-	1	-	-	-	2	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Nutritional deficiencies (260-269)	6	-	-	-	-	-	-	-	1	1	3	1	8	-	-	-	-	-	-	-	1	1	2	4
White	6	-	-	-	-	-	-	-	1	1	3	1	7	-	-	-	-	-	-	-	1	1	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	6	-	-	-	1	-	-	-	-	2	2	1	9	-	-	-	-	-	-	-	-	-	2	7
White	6	-	-	-	1	-	-	-	-	2	2	1	9	-	-	-	-	-	-	-	-	-	2	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	5	3	1	-	-	-	1	-	-	-	-	-	6	3	-	-	-	-	1	-	-	1	1	-
White	4	3	1	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	1	-	-	1	1	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,537	1	1	-	2	9	39	97	277	459	413	239	1,332	1	2	1	6	5	13	30	131	270	440	433
White	1,459	1	1	-	2	8	39	88	256	439	396	229	1,274	1	1	-	5	5	12	25	121	260	424	420
All other	78	-	-	-	-	1	-	9	21	20	17	10	58	-	1	1	1	-	1	5	10	10	16	13
Black	29	-	-	-	-	-	-	6	7	10	3	3	22	-	-	-	-	-	-	3	4	5	8	2
Diseases of heart (390-398,402,404-429)	1,206	1	1	-	1	6	32	80	237	373	315	160	900	1	2	1	3	3	8	19	92	199	307	265
White	1,149	1	1	-	1	5	32	72	221	359	303	154	864	1	1	-	2	3	8	17	85	192	298	257
All other	57	-	-	-	-	1	-	8	16	14	12	6	36	-	1	1	1	-	-	2	7	7	9	8
Black	20	-	-	-	-	-	-	5	4	6	3	2	13	-	-	-	-	-	-	1	3	4	3	2
Rheumatic fever and rheumatic heart disease (390-398)	17	-	-	-	-	1	1	4	4	4	1	2	26	-	-	1	1	1	1	2	5	9	6	-
White	17	-	-	-	-	1	1	4	4	4	1	2	23	-	-	-	-	1	1	2	5	9	5	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	1	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertensive heart disease (402)	11	-	-	-	-	-	-	-	3	4	3	1	23	-	-	-	-	-	-	-	-	5	10	8
White	10	-	-	-	-	-	-	-	3	4	2	1	21	-	-	-	-	-	-	-	-	3	10	8
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	906	-	-	-	-	2	24	61	184	302	232	101	607	-	-	-	-	-	5	10	70	136	215	171
White	863	-	-	-	-	2	24	55	170	289	225	98	592	-	-	-	-	-	5	9	68	132	211	167
All other	43	-	-	-	-	-	-	6	14	13	7	3	15	-	-	-	-	-	-	1	2	4	4	4
Black	16	-	-	-	-	-	-	4	4	5	2	1	7	-	-	-	-	-	-	-	2	2	2	1
Acute myocardial infarction (410)	510	-	-	-	-	1	16	40	118	185	109	41	281	-	-	-	-	-	4	9	44	74	93	57
White	489	-	-	-	-	1	16	36	110	181	105	40	272	-	-	-	-	-	4	8	42	72	90	56
All other	21	-	-	-	-	-	-	4	8	4	4	1	9	-	-	-	-	-	-	1	2	2	3	1
Black	9	-	-	-	-	-	-	3	3	2	1	-	4	-	-	-	-	-	-	-	2	1	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	2	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
White	3	-	-	-	-	-	-	2	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	392	-	-	-	-	1	8	18	66	117	122	60	322	-	-	-	-	-	1	1	26	61	121	112
White	370	-	-	-	-	1	8	16	60	108	119	58	316	-	-	-	-	-	1	1	26	59	120	109
All other	22	-	-	-	-	-	-	2	6	9	3	2	6	-	-	-	-	-	-	-	-	2	1	3
Black	7	-	-	-	-	-	-	1	1	3	1	1	3	-	-	-	-	-	-	-	-	1	1	1
Other diseases of endocardium (424)	14	-	-	-	-	-	-	-	2	5	4	3	12	-	-	-	-	1	-	3	1	1	3	3
White	12	-	-	-	-	-	-	-	1	5	4	2	9	-	-	-	-	1	-	2	1	1	3	1
All other	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	1	-	-	-	2
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	1
All other forms of heart disease (415-423,425-429)	256	1	1	-	1	3	7	15	44	57	75	52	232	1	2	-	2	1	2	4	16	48	73	83
White	245	1	1	-	1	2	7	13	43	56	71	50	219	1	1	-	2	1	2	4	11	47	69	81
All other	11	-	-	-	-	1	-	2	1	1	4	2	13	-	1	-	-	-	-	-	5	1	4	2
Black	3	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Hypertension with or without renal disease (401,403)	36	-	-	-	-	-	2	6	10	6	9	3	30	-	-	-	-	1	1	3	8	7	6	4
White	33	-	-	-	-	-	2	6	8	6	8	3	28	-	-	-	-	1	1	2	8	7	5	4
All other	3	-	-	-	-	-	-	-	2	-	1	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Cerebrovascular diseases (430-438)	216	-	-	-	1	3	5	10	23	54	65	55	318	-	-	-	3	1	4	8	30	50	104	118
White	201	-	-	-	1	3	5	9	20	50	61	52	301	-	-	-	3	1	3	6	27	48	98	115
All other	15	-	-	-	-	-	-	1	3	4	4	3	17	-	-	-	-	-	1	2	3	2	6	3
Black	5	-	-	-	-	-	-	1	2	2	-	-	6	-	-	-	-	-	-	1	1	-	4	-
Intracerebral and other intracranial hemorrhage (431-432)	35	-	-	-	1	-	2	3	6	10	11	2	44	-	-	-	1	-	4	5	10	5	16	3
White	33	-	-	-	1	-	2	3	5	10	10	2	40	-	-	-	1	-	3	4	10	5	14	3
All other	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-	1	1	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	20	-	-	-	-	-	-	-	1	9	5	5	31	-	-	-	-	-	-	2	2	6	9	12
White	20	-	-	-	-	-	-	-	1	9	5	5	28	-	-	-	-	-	-	1	1	6	9	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	161	-	-	-	-	3	3	7	16	35	49	48	242	-	-	-	2	1	-	1	18	39	78	103
White	148	-	-	-	-	3	3	6	14	31	46	45	232	-	-	-	2	1	-	1	16	37	74	101
All other	13	-	-	-	-	-	-	1	2	4	3	3	10	-	-	-	-	-	-	-	2	2	4	2
Black	5	-	-	-	-	-	-	1	2	2	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Atherosclerosis (440)	32	-	-	-	-	-	-	-	1	3	9	19	59	-	-	-	-	-	-	-	1	4	13	41
White	31	-	-	-	-	-	-	-	1	3	9	18	58	-	-	-	-	-	-	-	1	4	13	40
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	47	-	-	-	-	-	-	1	6	23	15	2	25	-	-	-	-	-	-	-	-	10	10	5
White	45	-	-	-	-	-	-	1	6	21	15	2	23	-	-	-	-	-	-	-	-	9	10	4
All other	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Acute bronchitis and bronchiolitis (466)	2	1	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	133	3	-	1	1	2	1	4	12	27	39	43	112	1	-	-	1	-	2	2	4	18	23	61
White	117	3	-	-	1	2	1	3	10	24	37	36	107	-	-	-	1	-	2	2	4	18	21	59
All other	16	-	-	1	-	-	-	1	2	3	2	7	5	1	-	-	-	-	-	-	-	-	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Pneumonia (480-486)	126	3	-	1	1	1	1	4	12	26	36	41	104	1	-	-	1	-	2	2	4	15	22	57
White	110	3	-	-	1	1	1	3	10	23	34	34	99	-	-	-	1	-	2	2	4	15	20	55
All other	16	-	-	1	-	-	-	1	2	3	2	7	5	1	-	-	-	-	-	-	-	-	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Influenza (487)	7	-	-	-	-	1	-	-	-	1	3	2	8	-	-	-	-	-	-	-	-	3	1	4
White	7	-	-	-	-	1	-	-	-	1	3	2	8	-	-	-	-	-	-	-	-	3	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	238	-	-	-	1	1	1	8	42	95	71	19	125	1	-	-	-	-	1	7	26	43	34	13
White	234	-	-	-	-	1	1	8	41	94	70	19	124	1	-	-	-	-	1	7	26	43	34	12
All other	4	-	-	-	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Bronchitis, chronic and unspecified (490-491)	7	-	-	-	-	-	-	2	2	1	2	-	5	1	-	-	-	-	-	1	-	1	-	2
White	7	-	-	-	-	-	-	2	2	1	2	-	5	1	-	-	-	-	-	1	-	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	54	-	-	-	-	-	-	3	6	21	21	3	22	-	-	-	-	-	-	1	5	7	6	3
White	54	-	-	-	-	-	-	3	6	21	21	3	22	-	-	-	-	-	-	1	5	7	6	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	10	-	-	-	-	1	1	2	1	2	3	-	18	-	-	-	-	-	-	1	5	5	5	2
White	9	-	-	-	-	1	1	2	1	2	2	-	17	-	-	-	-	-	-	1	5	5	5	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	167	-	-	-	1	-	-	1	33	71	45	16	80	-	-	-	-	-	1	4	16	30	23	6
White	164	-	-	-	-	-	-	1	32	70	45	16	80	-	-	-	-	-	1	4	16	30	23	6
All other	3	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	15	-	-	-	-	-	-	2	4	6	1	2	10	-	-	-	-	-	-	-	3	2	2	3
White	15	-	-	-	-	-	-	2	4	6	1	2	9	-	-	-	-	-	-	-	3	2	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Appendicitis (540-543)	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
White	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	14	1	-	-	-	-	-	2	1	2	4	4	10	-	-	-	-	-	1	1	2	-	4	2
White	12	1	-	-	-	-	-	2	1	2	3	3	10	-	-	-	-	-	1	1	2	-	4	2
All other	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	129	-	-	-	-	4	17	37	38	25	7	1	52	-	-	-	-	5	3	9	21	10	4	-
White	114	-	-	-	-	2	12	34	36	22	7	1	42	-	-	-	-	2	2	6	19	9	4	-
All other	15	-	-	-	-	2	5	3	2	3	-	-	10	-	-	-	-	3	1	3	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	14	-	-	-	-	-	-	-	2	3	6	3	18	-	-	-	-	1	-	1	2	2	7	5
White	14	-	-	-	-	-	-	-	2	3	6	3	15	-	-	-	-	1	-	-	1	2	7	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	37	-	-	-	1	-	3	-	5	15	7	6	35	-	-	-	-	-	-	-	5	4	16	10
White	34	-	-	-	1	-	2	-	5	13	7	6	31	-	-	-	-	-	-	-	4	4	16	7
All other	3	-	-	-	-	-	1	-	-	2	-	-	4	-	-	-	-	-	-	-	1	-	-	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	7	-	-	-	1	-	-	-	2	2	1	1	1	-	-	-	-	-	-	-	-	1	-	-
White	6	-	-	-	1	-	-	-	2	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	30	-	-	-	-	-	3	-	3	13	6	5	33	-	-	-	-	-	-	-	5	3	15	10
White	28	-	-	-	-	-	2	-	3	12	6	5	29	-	-	-	-	-	-	-	4	3	15	7
All other	2	-	-	-	-	-	1	-	-	1	-	-	4	-	-	-	-	-	-	-	1	-	-	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	9	-	-	-	-	-	1	-	1	2	3	2	1	-	-	-	-	-	-	-	-	-	1	-
White	8	-	-	-	-	-	1	-	-	2	3	2	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	44	31	5	1	1	2	-	-	2	1	1	-	28	21	1	1	1	-	-	1	1	-	-	2
White	39	27	5	1	1	2	-	-	1	1	1	-	20	14	-	1	1	-	-	1	1	-	-	2
All other	5	4	-	-	-	-	-	-	1	-	-	-	8	7	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	59	59	-	-	-	-	-	-	-	-	-	-	45	45	-	-	-	-	-	-	-	-	-	-
White	55	55	-	-	-	-	-	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	15	15	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
White	13	13	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	44	44	-	-	-	-	-	-	-	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-
White	42	42	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	469	40	1	7	28	23	14	36	75	98	93	54	305	12	4	-	5	12	5	18	35	56	82	76
White	399	33	-	2	22	15	11	31	70	86	79	50	278	11	3	-	5	9	4	16	30	52	77	71
All other	70	7	1	5	6	8	3	5	5	12	14	4	27	1	1	-	-	3	1	2	5	4	5	5
Black	9	2	-	-	-	1	-	-	-	1	4	1	4	-	-	-	-	-	-	-	1	1	2	-
All other diseases (Residual)	410	7	4	2	12	12	33	57	75	73	83	52	336	9	2	8	3	13	16	26	41	59	83	76
White	356	5	3	1	10	8	26	49	70	63	76	45	302	6	2	8	3	7	14	18	39	54	80	71
All other	54	2	1	1	2	4	7	8	5	10	7	7	34	3	-	-	-	6	2	8	2	5	3	5
Black	6	-	-	-	1	-	1	-	-	1	1	2	8	-	-	-	-	2	-	2	1	1	-	2
Accidents and adverse effects (E800-E949)	550	5	12	28	164	115	62	43	50	29	27	13	206	6	7	16	40	30	14	14	13	22	26	18
White	455	2	9	25	137	96	52	32	43	23	24	11	168	3	4	11	31	24	11	11	13	19	24	17
All other	95	3	3	3	27	19	10	11	7	6	3	2	38	3	3	5	9	6	3	3	-	3	2	1
Black	9	1	1	-	-	2	1	2	-	1	-	1	5	-	2	1	-	1	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Motor vehicle accidents (E810-E825)	324	2	4	15	118	68	43	25	25	13	8	1	112	3	2	8	35	20	12	11	5	13	1	2
White	266	1	4	14	98	57	35	16	24	8	7	1	87	2	1	5	27	16	10	8	5	10	1	2
All other	58	1	-	1	20	11	8	9	1	5	1	-	25	1	1	3	8	4	2	3	-	3	-	-
Black	4	-	-	-	-	-	1	2	-	1	-	-	4	-	1	1	-	1	-	-	-	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	226	3	8	13	46	47	19	18	25	16	19	12	94	3	5	8	5	10	2	3	8	9	25	16
White	189	1	5	11	39	39	17	16	19	15	17	10	81	1	3	6	4	8	1	3	8	9	23	15
All other	37	2	3	2	7	8	2	2	6	1	2	2	13	2	2	2	1	2	1	-	-	-	2	1
Black	5	1	1	-	-	2	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	187	...	...	-	52	40	24	23	17	23	7	1	52	...	...	1	8	11	12	7	4	4	5	-
White	170	...	...	-	41	37	22	22	17	23	7	1	50	...	...	1	8	10	11	7	4	4	5	-
All other	17	...	...	-	11	3	2	1	-	-	-	-	2	...	...	-	-	1	1	-	-	-	-	-
Black	1	...	...	-	1	-	-	-	-	-	-	-	1	...	...	-	-	1	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	117	3	3	1	32	30	22	12	9	3	1	-	39	1	2	2	10	11	6	4	1	2	-	-
White	88	2	3	1	24	24	17	8	6	1	1	-	32	1	1	1	7	11	5	3	1	2	-	-
All other	29	1	-	-	8	6	5	4	3	2	-	-	7	-	1	1	3	-	1	1	-	-	-	-
Black	12	1	-	-	4	2	1	1	1	2	-	-	2	-	1	-	1	-	-	-	-	-	-	-
All other external causes (E980-E999)	21	-	1	1	7	1	6	-	1	2	-	-	12	-	-	-	3	1	2	1	2	2	1	-
White	16	-	-	1	6	1	5	-	1	1	-	-	8	-	-	-	2	1	1	1	1	2	-	-
All other	5	-	1	-	1	-	1	-	-	1	-	-	4	-	-	-	1	-	1	-	1	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK																								
All causes	86,662	1,706	290	411	2,187	2,942	3,185	6,755	14,631	22,099	21,233	11,209	81,522	1,300	198	255	817	1,199	1,751	4,181	9,513	16,734	24,185	21,377
White	75,215	1,108	193	308	1,676	2,028	2,188	5,186	12,329	19,850	19,699	10,638	71,969	835	138	193	618	803	1,157	3,095	7,775	14,695	22,314	20,336
All other	11,447	598	97	103	511	914	997	1,569	2,302	2,249	1,534	571	9,553	465	60	62	199	396	594	1,086	1,738	2,039	1,871	1,041
Black	10,681	563	88	95	488	870	954	1,493	2,196	2,073	1,355	504	9,122	440	54	57	185	375	569	1,040	1,670	1,956	1,785	989
Shigellosis and amebiasis (004,006)	2	-	-	-	-	-	-	2	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-
White	2	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Certain other intestinal infections (007-009)	9	5	-	1	1	1	-	-	-	-	-	1	11	5	-	-	-	-	1	-	-	2	1	2
White	5	1	-	1	1	1	-	-	-	-	-	1	9	3	-	-	-	-	1	-	-	2	1	2
All other	4	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	142	-	1	-	1	16	18	31	18	29	21	7	71	-	-	-	4	3	9	9	14	16	9	7
White	74	-	1	-	1	4	7	16	9	14	18	4	35	-	-	-	2	-	2	1	7	10	8	5
All other	68	-	-	-	-	12	11	15	9	15	3	3	36	-	-	-	2	3	7	8	7	6	1	2
Black	65	-	-	-	-	11	11	15	8	14	3	3	35	-	-	-	2	3	7	8	7	6	1	1
Tuberculosis of respiratory system (010-012)	118	-	-	-	1	11	15	24	14	29	18	6	48	-	-	-	2	3	5	8	9	10	6	5
White	62	-	-	-	1	2	5	13	8	14	16	3	23	-	-	-	1	-	-	1	5	7	5	4
All other	56	-	-	-	-	9	10	11	6	15	2	3	25	-	-	-	1	3	5	7	4	3	1	1
Black	53	-	-	-	-	8	10	11	5	14	2	3	25	-	-	-	1	3	5	7	4	3	1	1
Other tuberculosis (013-018)	24	-	1	-	-	5	3	7	4	-	3	1	23	-	-	-	2	-	4	1	5	6	3	2
White	12	-	1	-	-	2	2	3	1	-	2	1	12	-	-	-	1	-	2	-	2	3	3	1
All other	12	-	-	-	-	3	1	4	3	-	1	-	11	-	-	-	1	-	2	1	3	3	-	1
Black	12	-	-	-	-	3	1	4	3	-	1	-	10	-	-	-	1	-	2	1	3	3	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	12	1	3	-	3	2	-	1	1	-	1	-	21	-	6	2	2	-	-	2	6	3	-	-
White	9	1	2	-	3	1	-	1	1	-	-	-	18	-	4	2	2	-	-	2	5	3	-	-
All other	3	-	1	-	-	1	-	-	-	-	1	-	3	-	2	-	-	-	-	-	1	-	-	-
Black	3	-	1	-	-	1	-	-	-	-	1	-	3	-	2	-	-	-	-	-	1	-	-	-
Septicemia (038)	356	9	2	-	3	5	10	27	46	87	102	65	413	11	3	-	1	-	5	7	45	75	154	112
White	295	4	1	-	3	2	8	19	29	75	96	58	362	7	2	-	1	-	4	5	40	60	137	106
All other	61	5	1	-	-	3	2	8	17	12	6	7	51	4	1	-	-	-	1	2	5	15	17	6
Black	59	5	1	-	-	3	2	8	16	11	6	7	49	3	1	-	-	-	1	2	5	15	17	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Viral hepatitis (070)	54	1	-	1	10	8	3	9	12	6	2	2	38	2	1	-	4	2	1	2	13	7	3	3
White	45	1	-	-	9	6	3	7	11	5	1	2	29	-	1	-	2	2	1	1	9	7	3	3
All other	9	-	-	1	1	2	-	2	1	1	1	-	9	2	-	-	2	-	-	1	4	-	-	-
Black	8	-	-	1	1	2	-	1	1	1	1	-	8	2	-	-	2	-	-	-	4	-	-	-
Syphilis (090-097)	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	2	-	1
White	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	2	-	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	150	3	4	2	3	20	17	19	20	34	18	10	157	2	-	2	8	11	12	17	28	25	31	21
White	115	2	3	1	2	12	8	17	15	30	17	8	119	2	-	2	5	7	4	7	25	22	28	17
All other	35	1	1	1	1	8	9	2	5	4	1	2	38	-	-	-	3	4	8	10	3	3	3	4
Black	32	1	1	1	1	7	8	2	4	4	1	2	35	-	-	-	3	3	7	10	3	3	3	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	18,977	6	27	76	102	193	464	1,560	4,340	6,122	4,543	1,544	18,002	7	19	45	89	222	581	1,810	3,802	5,022	4,445	1,959
White	16,602	5	23	55	91	166	344	1,205	3,671	5,429	4,184	1,429	15,952	7	15	34	68	170	443	1,473	3,269	4,512	4,106	1,855
All other	2,375	1	4	21	11	27	120	355	669	693	359	115	2,050	-	4	11	21	52	138	337	533	510	339	104
Black	2,204	1	2	19	11	23	113	330	638	636	324	107	1,939	-	3	11	17	45	123	317	513	488	320	101
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	518	-	-	1	1	4	17	84	156	173	59	23	241	-	-	-	-	4	5	34	62	68	48	20
White	427	-	-	-	1	3	11	52	131	152	55	22	206	-	-	-	-	2	2	20	54	63	45	20
All other	91	-	-	1	-	1	6	32	25	21	4	1	35	-	-	-	-	2	3	14	8	5	3	-
Black	83	-	-	1	-	1	5	27	23	21	4	1	33	-	-	-	-	2	2	14	7	5	3	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	5,616	1	-	1	6	25	121	425	1,263	1,835	1,437	502	5,357	-	3	-	9	26	66	298	853	1,512	1,755	835
White	4,866	1	-	-	5	17	82	312	1,051	1,604	1,324	470	4,728	-	3	-	7	18	47	228	710	1,329	1,596	790
All other	750	-	-	1	1	8	39	113	212	231	113	32	629	-	-	-	2	8	19	70	143	183	159	45
Black	679	-	-	-	1	7	35	104	199	201	102	30	603	-	-	-	1	6	19	68	137	175	153	44
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	6,239	1	-	1	2	16	141	621	1,677	2,222	1,295	263	2,682	-	-	-	1	14	73	343	727	908	489	127
White	5,458	1	-	1	2	14	103	477	1,401	2,007	1,202	250	2,358	-	-	-	1	11	57	273	615	822	461	118
All other	781	-	-	-	-	2	38	144	276	215	93	13	324	-	-	-	-	3	16	70	112	86	28	9
Black	734	-	-	-	-	2	37	138	268	197	80	12	300	-	-	-	-	2	16	67	108	78	21	8
Malignant neoplasm of breast (174-175)	28	-	-	-	-	-	-	2	6	6	5	9	3,647	-	-	-	1	49	221	541	918	931	678	308
White	26	-	-	-	-	-	-	2	6	4	5	9	3,267	-	-	-	1	35	172	459	829	852	630	289
All other	2	-	-	-	-	-	-	-	-	2	-	-	380	-	-	-	-	14	49	82	89	79	48	19
Black	2	-	-	-	-	-	-	-	-	2	-	-	359	-	-	-	-	14	40	76	87	77	47	18
Malignant neoplasms of genital organs (179-187)	1,879	-	1	-	10	10	6	31	183	553	716	369	2,082	-	-	-	7	26	83	237	539	576	429	185
White	1,545	-	1	-	10	9	4	24	133	425	619	320	1,818	-	-	-	4	16	59	200	451	515	394	179
All other	334	-	-	-	-	1	2	7	50	128	97	49	264	-	-	-	3	10	24	37	88	61	35	6
Black	324	-	-	-	-	1	2	7	50	126	91	47	253	-	-	-	3	10	22	33	88	59	32	6
Malignant neoplasms of urinary organs (188-189)	1,085	-	4	3	-	5	11	72	226	334	293	137	572	-	-	-	1	4	11	34	71	164	175	112
White	1,011	-	3	2	-	4	8	59	204	314	285	132	526	-	-	-	-	3	9	26	62	150	168	108
All other	74	-	1	1	-	1	3	13	22	20	8	5	46	-	-	-	1	1	2	8	9	14	7	4
Black	71	-	1	1	-	-	3	12	21	20	8	5	45	-	-	-	1	1	2	7	9	14	7	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,980	2	12	24	40	60	97	202	486	566	373	118	1,861	6	9	19	26	53	66	205	368	461	453	195
White	1,777	2	11	19	33	53	80	168	431	519	351	110	1,665	6	7	13	18	47	59	168	322	423	422	180
All other	203	-	1	5	7	7	17	34	55	47	22	8	196	-	2	6	8	6	7	37	46	38	31	15
Black	186	-	-	5	7	6	17	31	51	44	18	7	185	-	2	6	7	5	7	35	41	38	29	15
Leukemia (204-208)	719	1	10	37	17	30	30	40	143	176	172	63	624	1	6	21	25	25	26	55	76	135	166	87
White	664	1	8	25	17	28	24	37	132	169	166	57	552	1	4	17	20	19	18	48	64	119	156	86
All other	55	-	2	12	-	2	6	3	11	7	6	6	72	-	2	4	5	6	8	7	12	16	10	1
Black	46	-	1	11	-	1	6	3	9	5	6	4	62	-	1	4	3	4	6	7	10	15	10	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	913	1	-	9	26	43	41	83	200	257	193	60	936	-	1	5	19	21	30	63	188	267	252	90
White	828	-	-	8	23	38	32	74	182	235	177	59	832	-	1	4	17	19	20	51	162	239	234	85
All other	85	1	-	1	3	5	9	9	18	22	16	1	104	-	-	1	2	2	10	12	26	28	18	5
Black	79	1	-	1	3	5	8	8	17	20	15	1	99	-	-	1	2	1	9	10	26	27	18	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	284	2	1	4	6	11	6	23	51	76	79	25	337	5	2	4	6	11	6	18	66	85	94	40
White	258	2	1	3	5	8	5	17	47	70	75	25	297	4	1	4	4	8	4	14	54	75	90	39
All other	26	-	-	1	1	3	1	6	4	6	4	-	40	1	1	-	2	3	2	4	12	10	4	1
Black	23	-	-	1	1	2	1	6	4	5	3	-	37	-	1	-	2	3	2	4	11	9	4	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Diabetes mellitus (250)	1,309	1	2	1	1	23	33	114	285	383	330	136	1,779	-	-	-	4	17	35	87	244	443	583	366
White	1,099	1	1	1	1	18	22	80	217	340	294	124	1,466	-	-	-	3	14	18	58	170	345	517	341
All other	210	-	1	-	-	5	11	34	68	43	36	12	313	-	-	-	1	3	17	29	74	98	66	25
Black	193	-	1	-	-	5	10	28	65	40	32	12	307	-	-	-	1	3	17	28	72	95	66	25
Nutritional deficiencies (260-269)	51	2	-	-	-	2	1	2	4	11	20	9	65	1	-	-	-	-	-	1	4	11	21	27
White	43	1	-	-	-	2	1	1	3	9	18	8	60	-	-	-	-	-	-	1	3	11	20	25
All other	8	1	-	-	-	-	-	1	1	2	2	1	5	1	-	-	-	-	-	-	1	-	1	2
Black	7	1	-	-	-	-	-	1	1	2	2	-	5	1	-	-	-	-	-	-	1	-	1	2
Anemias (280-285)	86	-	-	2	6	5	1	4	4	19	27	18	141	1	2	3	7	7	9	8	17	24	34	29
White	75	-	-	1	4	3	1	3	2	18	26	17	114	1	2	2	1	4	5	4	14	21	32	28
All other	11	-	-	1	2	2	-	1	2	1	1	1	27	-	-	1	6	3	4	4	3	3	2	1
Black	10	-	-	1	2	2	-	1	2	1	-	1	26	-	-	1	6	3	4	4	2	3	2	1
Meningitis (320-322)	59	13	4	2	3	6	2	11	9	8	-	1	47	9	3	3	-	2	2	2	6	10	6	4
White	40	10	3	-	3	2	2	7	6	6	-	1	28	5	2	3	-	-	-	-	4	5	5	4
All other	19	3	1	2	-	4	-	4	3	2	-	-	19	4	1	-	-	2	2	2	2	5	1	-
Black	17	3	1	2	-	4	-	3	2	2	-	-	18	4	1	-	-	1	2	2	2	5	1	-
Major cardiovascular diseases (390-448)	42,658	34	13	11	71	244	812	2,900	7,124	11,725	12,444	7,274	45,047	38	11	15	39	132	379	1,177	3,617	8,455	15,499	15,681
White	38,631	24	10	7	52	151	607	2,382	6,161	10,678	11,591	6,963	40,641	24	10	12	25	79	238	795	2,849	7,369	14,291	14,946
All other	4,027	10	3	4	19	93	205	518	963	1,047	853	311	4,406	14	1	3	14	53	141	382	768	1,086	1,208	735
Black	3,706	8	-	4	18	85	193	498	919	967	743	270	4,223	14	1	3	14	51	138	366	737	1,044	1,154	698
Diseases of heart (390-398,402,404-429)	36,434	28	8	9	50	181	694	2,586	6,380	10,162	10,359	5,973	36,071	31	9	7	27	77	255	917	2,993	6,969	12,464	12,318
White	33,134	20	6	5	36	117	539	2,174	5,568	9,303	9,652	5,711	32,653	19	8	6	15	46	163	638	2,401	6,103	11,521	11,730
All other	3,300	8	2	4	14	64	155	412	812	859	707	262	3,418	12	1	1	12	31	92	279	592	866	943	588
Black	3,025	6	-	4	14	59	144	395	770	796	611	226	3,280	12	1	1	12	30	90	268	570	836	902	557
Rheumatic fever and rheumatic heart disease (390-398)	233	-	-	-	2	9	13	42	48	80	30	9	505	-	-	2	2	9	29	47	108	164	112	32
White	213	-	-	-	2	7	10	38	43	76	28	9	467	-	-	2	2	8	17	40	98	162	106	32
All other	20	-	-	-	-	2	3	4	5	4	2	-	38	-	-	-	-	1	12	7	10	2	6	-
Black	18	-	-	-	-	1	3	3	5	4	2	-	32	-	-	-	-	1	11	6	9	1	4	-
Hypertensive heart disease (402)	643	-	-	-	-	6	23	65	133	178	183	55	912	-	-	-	-	3	11	58	104	206	309	221
White	521	-	-	-	-	4	10	45	99	147	165	51	747	-	-	-	-	-	4	26	71	168	275	203
All other	122	-	-	-	-	2	13	20	34	31	18	4	165	-	-	-	-	3	7	32	33	38	34	18
Black	114	-	-	-	-	2	13	19	33	28	15	4	164	-	-	-	-	3	7	32	33	38	33	18
Hypertensive heart and renal disease (404)	67	-	-	-	-	2	4	5	7	16	17	16	128	-	-	-	-	1	1	5	19	22	50	29
White	53	-	-	-	-	-	2	3	4	14	15	15	94	-	-	-	-	-	-	2	12	15	38	27
All other	14	-	-	-	-	2	2	2	3	2	2	1	34	-	-	-	-	1	1	3	7	7	12	2
Black	14	-	-	-	-	2	2	2	3	2	2	1	34	-	-	-	-	1	1	3	7	7	12	2
Ischemic heart disease (410-414)	31,706	1	-	-	5	90	554	2,231	5,622	8,935	9,065	5,199	30,364	1	-	-	6	21	151	655	2,411	5,833	10,740	10,543
White	29,018	1	-	-	3	66	450	1,895	4,947	8,212	8,467	4,974	27,603	-	-	-	4	14	103	459	1,936	5,096	9,942	10,046
All other	2,688	-	-	-	2	24	104	336	675	723	598	225	2,761	1	-	-	2	7	48	196	475	737	798	497
Black	2,450	-	-	-	2	21	95	321	638	665	514	193	2,645	1	-	-	2	7	47	186	456	712	764	470
Acute myocardial infarction (410)	14,914	1	-	-	4	49	303	1,218	3,001	4,561	4,042	1,733	12,182	-	-	-	3	14	70	330	1,201	2,929	4,415	3,218
White	13,966	1	-	-	2	39	257	1,084	2,753	4,317	3,848	1,664	11,221	-	-	-	2	11	52	257	1,007	2,664	4,147	3,079
All other	948	-	-	-	2	10	46	134	248	244	194	69	961	-	-	-	1	3	18	73	194	265	268	139
Black	853	-	-	-	2	10	42	128	230	222	162	56	907	-	-	-	1	3	17	68	184	255	251	128
Other acute and subacute forms of ischemic heart disease (411)	180	-	-	-	-	1	5	13	44	59	39	19	162	-	-	-	-	-	2	5	20	34	55	46
White	168	-	-	-	-	-	3	13	39	56	38	19	154	-	-	-	-	-	2	5	18	34	50	45
All other	12	-	-	-	-	1	2	-	5	3	1	-	8	-	-	-	-	-	-	-	2	-	5	1
Black	11	-	-	-	-	1	1	-	5	3	1	-	8	-	-	-	-	-	-	-	2	-	5	1
Angina pectoris (413)	22	-	-	-	-	-	-	-	4	3	9	6	15	-	-	-	-	-	1	1	2	1	8	2
White	21	-	-	-	-	-	-	-	4	3	9	5	14	-	-	-	-	-	1	1	1	1	8	2
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	16,590	-	-	-	1	40	246	1,000	2,573	4,312	4,975	3,441	18,005	1	-	-	3	7	78	319	1,188	2,869	6,262	7,277
White	14,863	-	-	-	1	27	190	798	2,151	3,836	4,572	3,286	16,214	-	-	-	2	3	48	196	910	2,397	5,737	6,920
All other	1,727	-	-	-	-	13	56	202	422	476	403	155	1,791	1	-	-	1	4	30	123	278	472	525	357
Black	1,586	-	-	-	-	10	52	193	403	440	351	137	1,729	1	-	-	1	4	30	118	269	457	508	341
Other diseases of endocardium (424)	251	-	-	-	3	7	8	22	49	72	61	29	260	1	1	1	2	2	4	9	24	69	92	55
White	227	-	-	-	3	3	6	18	43	67	60	27	241	1	1	1	-	1	2	7	22	66	88	52
All other	24	-	-	-	-	4	2	4	6	5	1	2	19	-	-	-	2	1	2	2	2	3	4	3
Black	23	-	-	-	-	4	2	4	5	5	1	2	19	-	-	-	2	1	2	2	2	3	4	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con																								
All other forms of heart disease (415-423,425-429)	3,534	27	8	9	40	67	92	221	521	881	1,003	665	3,902	29	8	4	17	41	59	143	327	675	1,161	1,438
White	3,102	19	6	5	28	37	61	175	432	787	917	635	3,501	18	7	3	9	23	37	104	262	596	1,072	1,370
All other	432	8	2	4	12	30	31	46	89	94	86	30	401	11	1	1	8	18	22	39	65	79	89	68
Black	407	6	-	4	12	29	29	46	86	92	77	28	386	11	1	1	8	17	22	39	63	75	85	64
Hypertension with or without renal disease (401,403)	279	-	-	-	-	7	16	27	34	65	77	53	359	-	-	-	-	6	10	22	33	72	110	106
White	214	-	-	-	-	3	7	14	20	49	68	53	255	-	-	-	-	2	3	2	14	50	88	96
All other	65	-	-	-	-	4	9	13	14	16	9	-	104	-	-	-	-	4	7	20	19	22	22	10
Black	61	-	-	-	-	4	9	13	13	15	7	-	102	-	-	-	-	3	7	20	19	22	21	10
Cerebrovascular diseases (430-438)	4,314	6	3	2	17	50	86	241	493	1,006	1,525	883	6,935	7	2	7	8	46	100	223	498	1,157	2,405	2,482
White	3,774	4	2	2	12	26	48	158	384	868	1,413	855	6,215	5	2	5	7	29	63	143	370	998	2,213	2,380
All other	540	2	1	-	5	24	38	83	109	138	112	28	720	2	-	2	1	17	37	80	128	159	192	102
Black	506	2	-	-	4	21	37	80	108	128	102	24	682	2	-	2	1	17	36	78	119	147	183	97
Intracerebral and other intracranial hemorrhage (431-432)	666	2	-	-	7	22	34	99	130	166	149	57	940	7	1	4	3	11	32	73	134	203	293	179
White	531	1	-	-	5	9	19	63	96	145	137	56	798	5	1	4	3	7	16	41	102	177	270	172
All other	135	1	-	-	2	13	15	36	34	21	12	1	142	2	-	-	-	4	16	32	32	26	23	7
Black	125	1	-	-	2	13	14	35	33	17	10	-	127	2	-	-	-	4	16	31	28	20	20	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	847	2	-	-	1	1	5	24	79	189	328	218	1,514	-	-	1	-	2	6	18	47	227	610	603
White	792	2	-	-	1	-	2	14	69	177	313	214	1,424	-	-	1	-	2	5	12	38	204	578	584
All other	55	-	-	-	-	1	3	10	10	12	15	4	90	-	-	-	-	-	1	6	9	23	32	19
Black	51	-	-	-	-	1	3	10	10	11	13	3	82	-	-	-	-	-	-	6	8	19	30	19
Cerebral embolism (434.1)	17	-	-	-	-	-	-	1	1	3	8	4	46	-	-	-	-	-	2	1	6	7	16	14
White	16	-	-	-	-	-	-	1	1	2	8	4	43	-	-	-	-	-	2	1	5	6	16	13
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	1	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,784	2	3	2	9	27	47	117	283	648	1,040	604	4,435	-	1	2	5	33	60	131	311	720	1,486	1,686
White	2,435	1	2	2	6	17	27	80	218	544	955	581	3,950	-	1	-	4	20	40	89	225	611	1,349	1,611
All other	349	1	1	-	3	10	20	37	65	104	85	23	485	-	-	2	1	13	20	42	86	109	137	75
Black	329	1	-	-	2	7	20	35	65	99	79	21	470	-	-	2	1	13	20	41	82	107	133	71
Atherosclerosis (440)	678	-	-	-	-	-	1	9	58	138	226	246	1,081	-	-	-	-	-	1	4	32	110	332	602
White	611	-	-	-	-	-	1	7	42	119	213	229	987	-	-	-	-	-	1	4	19	87	296	580
All other	67	-	-	-	-	-	-	2	16	19	13	17	94	-	-	-	-	-	-	-	13	23	36	22
Black	59	-	-	-	-	-	-	2	16	14	11	16	92	-	-	-	-	-	-	-	13	23	34	22
Other diseases of arteries, arterioles, and capillaries (441-448)	953	-	2	-	4	6	15	37	159	354	257	119	601	-	-	1	4	3	13	11	61	147	188	173
White	898	-	2	-	4	5	12	29	147	339	245	115	531	-	-	1	3	2	8	8	45	131	173	160
All other	55	-	-	-	-	1	3	8	12	15	12	4	70	-	-	-	1	1	5	3	16	16	15	13
Black	54	-	-	-	-	1	3	8	12	14	12	4	67	-	-	-	1	1	5	2	16	16	14	12
Acute bronchitis and bronchiolitis (466)	28	8	-	1	-	1	1	-	-	4	6	7	31	4	1	-	-	-	1	2	2	3	3	15
White	23	4	-	1	-	1	1	-	-	3	6	7	30	4	1	-	-	-	1	2	2	2	3	15
All other	5	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	5	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia and influenza (480-487)	2,567	41	8	3	20	50	69	104	230	495	831	715	2,597	16	8	3	11	28	43	70	152	338	760	1,167
White	2,204	26	6	3	13	28	31	60	180	419	758	679	2,313	11	4	2	6	18	23	47	116	286	696	1,103
All other	363	15	2	-	7	22	38	44	50	76	73	36	284	5	4	1	5	10	20	23	36	52	64	64
Black	335	15	2	-	7	22	37	43	49	67	63	30	267	5	4	1	5	9	20	23	33	47	59	61
Pneumonia (480-486)	2,521	41	8	3	20	49	69	102	227	483	817	701	2,514	16	8	3	11	25	43	70	151	324	726	1,136
White	2,159	26	6	3	13	28	31	58	177	407	744	665	2,231	11	4	2	6	15	23	47	115	273	662	1,072
All other	362	15	2	-	7	21	38	44	50	76	73	36	283	5	4	1	5	10	20	23	36	51	64	64
Black	334	15	2	-	7	21	37	43	49	67	63	30	266	5	4	1	5	9	20	23	33	46	59	61
Influenza (487)	46	-	-	-	-	1	-	2	3	12	14	14	83	-	-	-	-	3	-	-	1	14	34	31
White	45	-	-	-	-	-	-	2	3	12	14	14	82	-	-	-	-	3	-	-	1	13	34	31
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,656	4	4	7	13	20	19	83	379	909	906	311	1,390	-	-	2	7	13	25	74	200	496	398	173
White	2,459	3	2	4	7	9	12	67	338	843	870	303	1,277	-	-	2	4	7	16	56	174	462	387	167
All other	197	1	2	3	6	11	7	16	41	66	36	8	113	-	-	-	3	6	9	18	26	34	11	6
Black	183	1	2	3	6	11	7	16	39	58	32	8	108	-	-	-	3	6	9	17	25	32	11	5
Bronchitis, chronic and unspecified (490-491)	180	3	3	-	-	1	1	4	27	48	67	26	103	-	-	-	-	-	1	3	9	39	31	20
White	170	2	2	-	-	1	1	4	26	43	65	26	94	-	-	-	-	-	-	2	8	37	29	18
All other	10	1	1	-	-	-	-	-	1	5	2	-	9	-	-	-	-	-	1	1	1	2	2	2
Black	8	1	1	-	-	-	-	-	1	3	2	-	9	-	-	-	-	-	1	1	1	2	2	2
Emphysema (492)	780	-	-	-	1	1	6	22	115	295	259	81	319	-	-	-	-	-	4	15	38	131	93	37
White	729	-	-	-	1	-	4	18	99	280	248	79	305	-	-	-	-	-	2	13	37	128	89	35
All other	51	-	-	-	-	1	2	4	16	15	11	2	14	-	-	-	-	-	2	2	1	3	4	2
Black	50	-	-	-	-	1	2	4	16	15	10	2	14	-	-	-	-	-	2	2	1	3	4	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con																								
Asthma (493)	137	-	1	7	11	17	10	16	28	33	10	4	170	-	-	1	7	13	16	30	34	35	24	10
White	88	-	-	4	5	8	5	11	17	25	9	4	121	-	-	1	4	7	10	19	24	24	23	9
All other	49	-	1	3	6	9	5	5	11	8	1	-	49	-	-	-	3	6	6	11	10	11	1	1
Black	47	-	1	3	6	9	5	5	10	7	1	-	47	-	-	-	3	6	6	10	10	10	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,559	1	-	-	1	1	2	41	209	533	570	200	798	-	-	1	-	-	4	26	119	291	250	106
White	1,472	1	-	-	1	-	2	34	196	495	548	194	757	-	-	1	-	-	4	22	105	273	246	105
All other	87	-	-	-	-	1	-	7	13	38	22	6	41	-	-	-	-	-	-	4	14	18	4	1
Black	78	-	-	-	-	1	-	7	12	33	19	6	38	-	-	-	-	-	-	4	13	17	4	-
Ulcer of stomach and duodenum (531-533)	335	1	1	1	1	3	10	23	47	85	110	53	320	-	-	-	-	2	2	15	33	58	113	97
White	298	1	1	1	1	3	4	21	41	76	101	48	290	-	-	-	-	-	2	10	27	52	107	92
All other	37	-	-	-	-	-	6	2	6	9	9	5	30	-	-	-	-	2	-	5	6	6	6	5
Black	34	-	-	-	-	-	6	2	5	8	9	4	29	-	-	-	-	2	-	4	6	6	6	5
Appendicitis (540-543)	29	-	1	-	1	-	3	1	5	8	8	2	17	-	1	-	-	1	-	1	2	3	7	2
White	22	-	-	-	1	-	3	1	2	7	6	2	13	-	1	-	-	1	-	-	-	3	6	2
All other	7	-	1	-	-	-	-	-	3	1	2	-	4	-	-	-	-	-	-	1	2	-	1	-
Black	7	-	1	-	-	-	-	-	3	1	2	-	4	-	-	-	-	-	-	1	2	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	148	7	3	-	-	1	6	9	14	34	42	32	232	4	-	1	2	2	3	9	15	32	81	83
White	123	5	3	-	-	1	5	5	11	27	36	30	207	4	-	-	2	2	2	7	10	25	76	79
All other	25	2	-	-	-	-	1	4	3	7	6	2	25	-	-	1	-	-	1	2	5	7	5	4
Black	22	1	-	-	-	-	1	4	3	7	5	1	24	-	-	1	-	-	1	2	5	7	5	3
Chronic liver disease and cirrhosis (571)	2,269	5	1	-	7	181	349	558	582	421	135	30	1,058	1	-	-	7	68	135	220	255	235	113	24
White	1,643	3	1	-	6	101	199	362	458	365	120	28	759	1	-	-	4	29	63	128	199	206	107	22
All other	626	2	-	-	1	80	150	196	124	56	15	2	299	-	-	-	3	39	72	92	56	29	6	2
Black	606	2	-	-	1	78	147	191	120	52	14	1	295	-	-	-	3	39	72	90	56	28	5	2
Cholelithiasis and other disorders of gallbladder (574-575)	96	-	-	-	-	-	1	4	9	18	34	30	138	-	-	-	-	4	-	4	5	34	37	54
White	91	-	-	-	-	-	-	4	8	17	34	28	127	-	-	-	-	4	-	3	5	30	34	51
All other	5	-	-	-	-	-	1	-	1	1	-	2	11	-	-	-	-	-	-	1	-	4	3	3
Black	5	-	-	-	-	-	1	-	1	1	-	2	10	-	-	-	-	-	-	1	-	4	3	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	594	8	-	4	7	15	28	25	82	130	180	115	565	7	2	1	5	8	15	25	61	117	195	129
White	482	6	-	3	6	10	15	15	49	110	164	104	487	7	2	1	5	2	10	15	42	99	181	123
All other	112	2	-	1	1	5	13	10	33	20	16	11	78	-	-	-	-	6	5	10	19	18	14	6
Black	105	2	-	1	1	4	13	9	32	19	15	9	76	-	-	-	-	6	5	10	18	18	13	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	12	-	-	-	-	-	2	-	-	3	6	1	19	-	-	1	-	-	-	2	4	6	3	3
White	12	-	-	-	-	-	2	-	-	3	6	1	17	-	-	1	-	-	-	1	3	6	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	83	1	-	1	2	7	8	3	16	13	20	12	75	-	-	-	2	2	5	6	5	8	36	11
White	68	1	-	1	2	4	4	3	11	13	18	11	65	-	-	-	2	1	2	4	3	8	34	11
All other	15	-	-	-	-	3	4	-	5	-	2	1	10	-	-	-	-	1	3	2	2	-	2	-
Black	14	-	-	-	-	2	4	-	5	-	2	1	10	-	-	-	-	1	3	2	2	-	2	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	499	7	-	3	5	8	18	22	66	114	154	102	471	7	2	-	3	6	10	17	52	103	156	115
White	402	5	-	2	4	6	9	12	38	94	140	92	405	7	2	-	3	1	8	10	36	85	144	109
All other	97	2	-	1	1	2	9	10	28	20	14	10	66	-	-	-	-	5	2	7	16	18	12	6
Black	91	2	-	1	1	2	9	9	27	19	13	8	64	-	-	-	-	5	2	7	15	18	11	6
Infections of kidney (590)	60	2	-	-	3	-	2	2	2	13	16	20	109	-	-	-	-	2	3	6	11	19	45	23
White	58	1	-	-	3	-	2	1	2	13	16	20	95	-	-	-	-	2	1	5	7	17	41	22
All other	2	1	-	-	-	-	-	1	-	-	-	-	14	-	-	-	-	-	2	1	4	2	4	1
Black	2	1	-	-	-	-	-	1	-	-	-	-	14	-	-	-	-	-	2	1	4	2	4	1
Hyperplasia of prostate (600)	77	-	-	-	-	-	-	-	3	16	34	24	...	...	...	...	...	...	...	...	...	...	...	...
White	70	-	-	-	-	-	-	-	2	13	32	23	...	...	...	...	...	...	...	...	...	...	...	...
All other	7	-	-	-	-	-	-	-	1	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	7	-	-	-	-	-	-	-	1	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	29	...	...	-	12	11	6	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	14	...	...	-	4	8	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	15	...	...	-	8	3	4	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	14	...	...	-	8	3	3	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	4	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	1	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	23	...	...	-	8	9	6	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	-	2	7	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	12	...	...	-	6	2	4	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	-	6	2	3	-	...	...	...	...
Congenital anomalies (740-759)	501	306	39	20	32	27	14	11	22	12	15	2	482	316	23	23	18	20	13	13	14	23	11	8
White	392	236	30	14	25	23	12	9	17	10	14	2	386	246	17	19	15	17	9	12	13	19	11	8
All other	109	70	9	6	7	4	2	2	5	2	1	-	96	70	6	4	3	3	4	1	1	4	-	-
Black	100	63	9	6	6	4	2	2	4	2	1	-	83	60	4	4	3	3	3	1	1	4	-	-
Certain conditions originating in the perinatal period (760-779)	931	928	2	1	-	-	-	-	-	-	-	-	660	656	3	-	-	-	-	-	-	-	-	-
White	572	570	1	1	-	-	-	-	-	-	-	-	389	387	1	-	-	-	-	-	-	-	-	-
All other	359	358	1	-	-	-	-	-	-	-	-	-	271	269	2	-	-	-	-	-	-	-	-	-
Black	342	341	1	-	-	-	-	-	-	-	-	-	260	258	2	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	279	277	1	1	-	-	-	-	-	-	-	-	184	184	-	-	-	-	-	-	-	-	-	-
White	172	170	1	1	-	-	-	-	-	-	-	-	111	111	-	-	-	-	-	-	-	-	-	-
All other	107	107	-	-	-	-	-	-	-	-	-	-	73	73	-	-	-	-	-	-	-	-	-	-
Black	102	102	-	-	-	-	-	-	-	-	-	-	69	69	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	652	651	1	-	-	-	-	-	-	-	-	-	476	472	3	-	-	-	-	-	-	-	-	-
White	400	400	-	-	-	-	-	-	-	-	-	-	278	276	1	-	-	-	-	-	-	-	-	-
All other	252	251	1	-	-	-	-	-	-	-	-	-	198	196	2	-	-	-	-	-	-	-	-	-
Black	240	239	1	-	-	-	-	-	-	-	-	-	191	189	2	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	788	212	12	14	73	156	81	76	63	46	31	21	524	137	12	13	51	69	46	55	38	35	33	33
White	572	129	5	10	56	116	62	56	45	43	27	20	382	70	8	8	35	49	34	45	35	32	31	33
All other	216	83	7	4	17	40	19	20	18	3	4	1	142	67	4	5	16	20	12	10	3	3	2	-
Black	207	78	7	4	16	37	19	20	18	3	4	1	136	65	4	4	14	20	12	9	3	3	2	-
All other diseases (Residual)	4,157	70	38	39	114	311	303	398	601	883	879	521	4,357	45	27	32	90	174	174	303	548	809	1,144	1,010
White	3,368	44	28	28	97	184	179	269	458	779	817	485	3,686	29	20	27	64	99	103	203	436	700	1,053	951
All other	789	26	10	11	17	127	124	129	143	104	62	36	671	16	7	5	26	75	71	100	112	109	91	59
Black	752	24	9	8	16	123	122	126	137	97	57	33	648	16	5	5	26	72	70	98	108	104	87	57
Accidents and adverse effects (E800-E949)	3,865	21	101	177	907	674	383	364	387	343	314	194	1,902	19	59	81	274	181	110	136	190	261	307	284
White	3,301	17	70	145	813	574	297	294	327	298	285	181	1,659	13	39	59	240	147	84	114	159	236	292	276
All other	564	4	31	32	94	100	86	70	60	45	29	13	243	6	20	22	34	34	26	22	31	25	15	8
Black	512	3	29	29	86	91	80	62	56	43	23	10	231	6	20	20	32	31	25	21	30	24	14	8
Motor vehicle accidents (E810-E825)	1,925	2	28	110	633	414	212	161	137	109	92	28	784	4	15	41	218	105	65	66	84	110	59	17
White	1,705	2	19	92	585	370	170	134	122	96	89	26	690	4	11	32	193	92	52	57	76	102	54	17
All other	220	-	9	18	48	44	42	27	15	12	3	2	94	-	4	9	25	13	13	9	8	8	5	-
Black	196	-	9	17	42	38	38	23	15	12	1	1	87	-	4	7	24	10	13	8	8	8	5	-
All other accidents and adverse effects (E800-E807, E826-E949)	1,940	19	73	67	274	260	171	203	250	235	222	166	1,118	15	44	40	56	76	45	70	106	151	248	267
White	1,596	15	51	53	228	204	127	160	205	202	196	155	969	9	28	27	47	55	32	57	83	134	238	259
All other	344	4	22	14	46	56	44	43	45	33	26	11	149	6	16	13	9	21	13	13	23	17	10	8
Black	316	3	20	12	44	53	42	39	41	31	22	9	144	6	16	13	8	21	12	13	22	16	9	8
Suicide (E950-E959)	1,137	...	...	9	222	284	161	140	127	105	84	23	420	...	...	1	58	83	58	54	70	59	26	11
White	1,024	...	...	9	196	243	142	127	120	100	82	23	374	...	...	-	53	67	47	51	66	57	24	9
All other	113	...	...	-	26	41	19	13	7	5	2	-	46	...	...	1	5	16	11	3	4	2	2	2
Black	97	...	...	-	23	37	14	12	5	4	2	-	35	...	...	-	3	13	9	2	4	2	1	1
Homicide and legal intervention (E960-E978)	1,853	14	12	27	518	583	320	199	113	39	21	7	380	7	6	18	97	99	50	28	33	15	21	6
White	933	10	-	14	234	289	177	101	65	21	16	6	220	5	5	11	60	48	23	15	16	13	18	6
All other	920	4	12	13	284	294	143	98	48	18	5	1	160	2	1	7	37	51	27	13	17	2	3	-
Black	897	4	12	13	276	289	138	94	47	18	5	1	152	2	-	6	34	51	27	12	15	2	3	-
All other external causes (E980-E999)	419	2	11	8	59	100	68	55	51	38	18	9	177	7	8	6	21	27	27	26	22	16	11	6
White	285	1	1	6	43	70	39	37	34	32	14	8	127	5	2	5	13	19	17	21	19	12	9	5
All other	134	1	10	2	16	30	29	18	17	6	4	1	50	2	6	1	8	8	10	5	3	4	2	1
Black	131	1	9	2	16	29	29	18	16	6	4	1	47	2	6	1	7	8	10	5	2	3	2	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA																								
All causes	27,498	593	130	176	916	926	1,265	2,590	5,523	7,303	5,639	2,427	21,738	508	88	114	288	419	629	1,333	2,809	4,872	5,939	4,737
White	20,529	326	72	113	680	569	759	1,790	4,113	5,644	4,483	1,976	16,428	282	53	80	213	235	412	873	1,932	3,547	4,759	4,041
All other	6,969	267	58	63	236	357	506	800	1,410	1,659	1,156	451	5,310	226	35	34	75	184	217	460	877	1,325	1,180	696
Black	6,744	259	53	57	214	334	485	775	1,379	1,619	1,124	439	5,156	214	34	32	69	174	209	442	860	1,288	1,154	679
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	1	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	1
White	1	-	-	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	40	-	-	-	-	2	4	9	7	10	8	-	25	1	-	-	-	3	2	5	4	2	5	3
White	16	-	-	-	-	1	1	3	2	4	5	-	7	-	-	-	-	-	1	-	1	-	2	3
All other	24	-	-	-	-	1	3	6	5	6	3	-	18	1	-	-	-	3	1	5	3	2	3	-
Black	24	-	-	-	-	1	3	6	5	6	3	-	17	1	-	-	-	3	-	5	3	2	3	-
Tuberculosis of respiratory system (010-012)	32	-	-	-	-	2	4	8	5	7	6	-	17	1	-	-	-	1	2	4	4	-	3	2
White	13	-	-	-	-	1	1	3	2	2	4	-	5	-	-	-	-	-	1	-	1	-	1	2
All other	19	-	-	-	-	1	3	5	3	5	2	-	12	1	-	-	-	1	1	4	3	-	2	-
Black	19	-	-	-	-	1	3	5	3	5	2	-	11	1	-	-	-	1	-	4	3	-	2	-
Other tuberculosis (013-018)	8	-	-	-	-	-	-	1	2	3	2	-	8	-	-	-	-	2	-	1	-	2	2	1
White	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	5	-	-	-	-	-	-	1	2	1	1	-	6	-	-	-	-	2	-	1	-	2	1	-
Black	5	-	-	-	-	-	-	1	2	1	1	-	6	-	-	-	-	2	-	1	-	2	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	2	3	-	-	-	-	-	-	-	-	-	4	2	1	-	1	-	-	-	-	-	-	-
White	4	2	2	-	-	-	-	-	-	-	-	-	3	1	1	-	1	-	-	-	-	-	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	166	9	3	1	1	11	4	21	31	31	34	20	138	3	-	-	2	3	7	5	20	31	29	38
White	105	4	1	-	1	6	1	11	22	18	24	17	84	-	-	-	-	1	3	3	10	18	19	30
All other	61	5	2	1	-	5	3	10	9	13	10	3	54	3	-	-	2	2	4	2	10	13	10	8
Black	59	5	2	1	-	5	3	9	9	13	9	3	53	3	-	-	2	2	4	2	10	12	10	8
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	-	-	-	-	2	-	-	2	1	1	-	8	-	-	1	-	-	1	2	2	1	1	-
White	4	-	-	-	-	1	-	-	2	-	1	-	4	-	-	1	-	-	-	1	1	1	-	-
All other	2	-	-	-	-	1	-	-	-	1	-	-	4	-	-	-	-	-	1	1	1	-	1	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	4	-	-	-	-	-	1	1	1	-	1	-
Syphilis (090-097)	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	78	2	2	3	8	4	4	9	14	20	8	4	53	4	3	2	2	7	6	2	4	7	5	11
White	56	1	-	2	5	2	1	5	12	18	6	4	39	3	3	2	2	2	3	2	4	3	5	10
All other	22	1	2	1	3	2	3	4	2	2	2	-	14	1	-	-	-	5	3	-	-	4	-	1
Black	21	1	2	1	3	2	3	4	2	2	1	-	14	1	-	-	-	5	3	-	-	4	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,612	-	10	22	43	60	161	569	1,487	1,853	1,098	309	4,287	1	7	17	22	78	212	481	961	1,180	957	371
White	4,242	-	6	16	32	46	116	416	1,115	1,412	854	229	3,346	1	6	13	18	59	157	350	745	923	770	304
All other	1,370	-	4	6	11	14	45	153	372	441	244	80	941	-	1	4	4	19	55	131	216	257	187	67
Black	1,336	-	4	6	9	14	43	150	363	429	239	79	919	-	1	4	4	18	52	128	211	252	185	64

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	147	-	-	-	-	2	4	21	53	44	19	4	60	-	-	1	-	-	1	6	13	14	15	10
White	98	-	-	-	-	1	1	11	34	31	18	2	47	-	-	-	-	-	-	3	10	14	11	9
All other	49	-	-	-	-	1	3	10	19	13	1	2	13	-	-	1	-	-	1	3	3	-	4	1
Black	47	-	-	-	-	1	3	10	19	11	1	2	13	-	-	1	-	-	1	3	3	-	4	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,290	-	2	1	1	13	38	133	333	410	278	81	1,083	-	-	1	1	9	27	77	196	297	340	135
White	927	-	1	1	-	9	25	85	230	296	219	61	814	-	-	1	1	8	19	45	139	222	272	107
All other	363	-	1	-	1	4	13	48	103	114	59	20	269	-	-	-	-	1	8	32	57	75	68	28
Black	357	-	1	-	1	4	11	46	101	114	59	20	264	-	-	-	-	-	8	32	56	74	67	27
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,056	-	-	1	1	2	43	262	678	710	310	49	620	-	-	-	-	3	24	101	191	175	93	33
White	1,623	-	-	1	-	1	30	201	524	564	261	41	521	-	-	-	-	2	17	85	164	148	76	29
All other	433	-	-	-	1	1	13	61	154	146	49	8	99	-	-	-	-	1	7	16	27	27	17	4
Black	424	-	-	-	1	1	13	60	151	142	48	8	98	-	-	-	-	1	7	16	27	27	16	4
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	1	-	-	3	-	798	-	-	-	-	29	71	131	208	214	104	41
White	3	-	-	-	-	-	-	1	-	-	2	-	635	-	-	-	-	21	54	99	172	166	88	35
All other	1	-	-	-	-	-	-	-	-	-	1	-	163	-	-	-	-	8	17	32	36	48	16	6
Black	1	-	-	-	-	-	-	-	-	-	1	-	162	-	-	-	-	8	17	32	35	48	16	6
Malignant neoplasms of genital organs (179-187)	666	-	-	-	7	3	1	10	76	239	252	98	553	-	-	1	3	11	32	72	135	158	113	28
White	445	-	-	-	6	3	1	4	51	157	162	61	375	-	-	-	3	6	21	45	93	110	75	22
All other	241	-	-	-	1	-	-	6	25	82	90	37	178	-	-	1	-	5	11	27	42	48	38	6
Black	235	-	-	-	-	-	-	6	25	80	88	36	172	-	-	1	-	5	11	25	40	47	38	5
Malignant neoplasms of urinary organs (188-189)	222	-	-	-	-	3	8	17	53	86	37	18	139	-	1	-	1	1	-	6	23	41	45	19
White	176	-	-	-	-	-	5	10	42	76	29	14	114	-	1	-	-	1	-	4	19	33	39	17
All other	46	-	-	-	-	3	3	7	11	10	8	4	25	-	-	-	1	-	-	4	4	8	6	2
Black	44	-	-	-	-	3	3	7	10	10	7	4	24	-	-	-	1	-	-	3	4	8	6	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	743	-	5	10	13	23	44	82	190	228	114	34	624	-	1	5	12	12	39	63	118	169	146	59
White	587	-	4	8	9	22	33	66	147	176	95	27	511	-	1	4	10	11	32	52	89	139	124	49
All other	156	-	1	2	4	1	11	16	43	52	19	7	113	-	-	1	2	1	7	11	29	30	22	10
Black	151	-	1	2	3	1	11	16	42	50	18	7	110	-	-	1	2	1	5	11	29	29	22	10
Leukemia (204-208)	203	-	3	6	14	6	6	21	39	56	40	12	191	1	4	7	4	10	10	18	27	43	43	24
White	161	-	1	2	11	3	6	17	31	48	31	11	169	1	4	6	3	8	8	16	22	39	40	22
All other	42	-	2	4	3	3	-	4	8	8	9	1	22	-	-	1	1	2	2	2	5	4	3	2
Black	40	-	2	4	3	3	-	4	7	7	9	1	21	-	-	1	1	2	2	2	5	4	3	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	261	-	-	4	7	8	17	22	65	80	45	13	219	-	1	2	1	3	8	5	50	69	58	22
White	222	-	-	4	6	7	15	21	56	64	37	12	160	-	-	2	1	2	6	1	37	52	45	14
All other	39	-	-	-	1	1	2	1	9	16	8	1	59	-	1	-	-	1	2	4	13	17	13	8
Black	37	-	-	-	1	1	2	1	8	15	8	1	55	-	1	-	-	1	1	4	12	15	13	8
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	70	-	1	2	3	5	3	10	11	24	9	2	90	-	-	2	-	4	5	10	17	28	18	6
White	62	-	-	2	3	5	3	9	11	20	7	2	70	-	-	2	-	3	4	9	12	21	14	5
All other	8	-	1	-	-	-	-	1	-	4	2	-	20	-	-	-	-	1	1	1	5	7	4	1
Black	8	-	1	-	-	-	-	1	-	4	2	-	20	-	-	-	-	1	1	1	5	7	4	1
Diabetes mellitus (250)	325	-	-	-	2	6	19	30	86	95	66	21	473	-	-	-	-	3	12	36	83	156	128	55
White	229	-	-	-	1	3	11	22	62	64	53	13	287	-	-	-	-	2	8	11	45	97	87	37
All other	96	-	-	-	1	3	8	8	24	31	13	8	186	-	-	-	-	1	4	25	38	59	41	18
Black	94	-	-	-	1	2	8	8	24	31	12	8	180	-	-	-	-	1	4	24	36	58	39	18
Nutritional deficiencies (260-269)	25	-	-	1	-	-	1	2	-	3	10	8	22	-	-	-	-	-	3	1	-	2	7	9
White	20	-	-	1	-	-	1	1	-	1	8	8	16	-	-	-	-	-	3	1	-	2	5	5
All other	5	-	-	-	-	-	-	1	-	2	2	-	6	-	-	-	-	-	-	-	-	-	2	4
Black	5	-	-	-	-	-	-	1	-	2	2	-	5	-	-	-	-	-	-	-	-	-	2	3
Anemias (280-285)	48	1	-	2	4	5	1	3	3	3	15	11	44	-	2	-	1	3	3	2	4	7	15	7
White	29	-	-	-	1	1	-	2	3	2	11	9	27	-	1	-	-	-	1	2	2	4	11	6
All other	19	1	-	2	3	4	1	1	-	1	4	2	17	-	1	-	1	3	2	-	2	3	4	1
Black	19	1	-	2	3	4	1	1	-	1	4	2	16	-	1	-	1	3	1	-	2	3	4	1
Meningitis (320-322)	27	8	2	2	-	2	3	3	3	2	2	-	16	7	2	1	-	1	-	1	2	1	1	-
White	10	3	-	1	-	1	1	1	1	1	1	-	8	4	1	-	-	1	-	-	2	-	-	-
All other	17	5	2	1	-	1	2	2	2	1	1	-	8	3	1	1	-	-	-	1	-	1	1	-
Black	16	5	1	1	-	1	2	2	2	1	1	-	8	3	1	1	-	-	-	1	-	1	1	-
Major cardiovascular diseases (390-448)	12,787	8	5	6	22	100	353	1,078	2,668	3,844	3,239	1,462	11,450	11	3	6	19	61	115	401	1,148	2,626	3,730	3,330
White	9,895	3	2	3	13	50	216	790	2,014	3,014	2,586	1,204	8,767	4	3	5	11	27	62	235	722	1,852	3,011	2,835
All other	2,892	5	3	3	9	50	137	288	654	830	653	258	2,683	7	-	1	8	34	53	166	426	774	719	495
Black	2,806	5	3	3	9	48	133	275	636	809	634	249	2,611	7	-	1	7	33	51	159	417	750	702	484

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Diseases of heart (390-398,402,404-429)	10,179	7	5	4	15	81	285	954	2,275	3,161	2,400	991	8,074	10	3	4	15	35	81	293	909	2,013	2,545	2,166
White	8,056	3	2	1	8	43	189	737	1,767	2,547	1,948	811	6,275	4	3	3	8	16	49	174	606	1,465	2,102	1,845
All other	2,123	4	3	3	7	38	96	217	508	614	452	180	1,799	6	-	1	7	19	32	119	303	548	443	321
Black	2,055	4	3	3	7	37	93	206	494	598	435	174	1,754	6	-	1	6	19	31	116	297	531	432	315
Rheumatic fever and rheumatic heart disease (390-398)	55	-	-	-	-	3	4	7	20	16	3	2	97	-	-	-	1	5	3	14	16	36	19	3
White	45	-	-	-	-	3	3	4	17	14	2	2	81	-	-	-	-	2	2	11	15	32	17	2
All other	10	-	-	-	-	-	1	3	3	2	1	-	16	-	-	-	1	3	1	3	1	4	2	1
Black	10	-	-	-	-	-	1	3	3	2	1	-	14	-	-	-	-	3	1	3	1	3	2	1
Hypertensive heart disease (402)	284	-	-	-	-	1	9	39	67	89	51	28	403	-	-	-	-	1	6	16	53	106	125	96
White	153	-	-	-	-	-	3	14	36	48	34	18	236	-	-	-	-	-	1	4	14	57	82	78
All other	131	-	-	-	-	1	6	25	31	41	17	10	167	-	-	-	-	1	5	12	39	49	43	18
Black	131	-	-	-	-	1	6	25	31	41	17	10	166	-	-	-	-	1	5	12	39	49	43	17
Hypertensive heart and renal disease (404)	54	-	-	-	-	2	1	2	11	19	11	8	74	-	-	-	-	-	2	3	11	12	25	21
White	35	-	-	-	-	1	-	-	3	15	9	7	37	-	-	-	-	-	-	1	1	4	15	16
All other	19	-	-	-	-	1	1	2	8	4	2	1	37	-	-	-	-	-	2	2	10	8	10	5
Black	19	-	-	-	-	1	1	2	8	4	2	1	37	-	-	-	-	-	2	2	10	8	10	5
Ischemic heart disease (410-414)	7,719	-	-	-	3	44	218	753	1,812	2,457	1,767	664	5,393	-	-	-	2	10	42	188	628	1,451	1,737	1,335
White	6,333	-	-	-	2	26	156	620	1,451	2,030	1,486	562	4,336	-	-	-	1	6	29	122	452	1,099	1,472	1,155
All other	1,386	-	-	-	1	18	62	133	361	427	281	102	1,057	-	-	-	1	4	13	66	176	352	265	180
Black	1,329	-	-	-	1	18	59	122	347	415	266	100	1,027	-	-	-	1	4	12	63	174	341	256	176
Acute myocardial infarction (410)	5,007	-	-	-	2	29	154	558	1,260	1,640	1,058	305	3,081	-	-	-	1	4	26	133	422	969	979	547
White	4,165	-	-	-	1	18	114	475	1,028	1,372	904	253	2,492	-	-	-	-	2	17	82	308	758	847	478
All other	842	-	-	-	1	11	40	83	232	268	154	52	589	-	-	-	1	2	9	51	114	211	132	69
Black	806	-	-	-	1	11	39	74	221	258	149	52	568	-	-	-	1	2	8	48	112	202	127	68
Other acute and subacute forms of ischemic heart disease (411)	106	-	-	-	1	1	6	15	30	35	16	2	55	-	-	-	1	-	-	5	7	15	19	8
White	88	-	-	-	1	1	5	13	25	30	11	2	44	-	-	-	1	-	-	5	6	10	16	6
All other	18	-	-	-	-	-	1	2	5	5	5	-	11	-	-	-	-	-	-	-	1	5	3	2
Black	18	-	-	-	-	-	1	2	5	5	5	-	11	-	-	-	-	-	-	-	1	5	3	2
Angina pectoris (413)	12	-	-	-	-	-	-	1	1	2	7	1	4	-	-	-	-	-	-	-	-	-	1	3
White	7	-	-	-	-	-	-	-	-	1	6	-	4	-	-	-	-	-	-	-	-	-	1	3
All other	5	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	5	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,594	-	-	-	-	14	58	179	521	780	686	356	2,253	-	-	-	-	6	16	50	199	467	738	777
White	2,073	-	-	-	-	7	37	132	398	627	565	307	1,796	-	-	-	-	4	12	35	138	331	608	668
All other	521	-	-	-	-	7	21	47	123	153	121	49	457	-	-	-	-	2	4	15	61	136	130	109
Black	500	-	-	-	-	7	19	45	120	151	111	47	448	-	-	-	-	2	4	15	61	134	126	108
Other diseases of endocardium (424)	93	-	-	-	-	2	3	12	19	33	17	7	67	-	-	-	-	1	2	4	4	15	25	16
White	78	-	-	-	-	1	2	9	15	30	15	6	53	-	-	-	-	1	1	2	2	12	23	12
All other	15	-	-	-	-	1	1	3	4	3	2	1	14	-	-	-	-	-	1	2	2	3	2	4
Black	14	-	-	-	-	-	1	3	4	3	2	1	14	-	-	-	-	-	1	2	2	3	2	4
All other forms of heart disease (415-423,425-429)	1,974	7	5	4	12	29	50	141	346	547	551	282	2,040	10	3	4	12	18	26	68	197	393	614	695
White	1,412	3	2	1	6	12	25	90	245	410	402	216	1,532	4	3	3	7	7	16	34	122	261	493	582
All other	562	4	3	3	6	17	25	51	101	137	149	66	508	6	-	1	5	11	10	34	75	132	121	113
Black	552	4	3	3	6	17	25	51	101	133	147	62	496	6	-	1	5	11	10	34	71	127	119	112
Hypertension with or without renal disease (401,403)	118	-	-	-	-	2	3	7	22	41	32	11	124	-	-	-	-	1	1	9	21	25	32	35
White	65	-	-	-	-	-	-	5	12	21	20	7	71	-	-	-	-	1	1	2	4	12	22	29
All other	53	-	-	-	-	2	3	2	10	20	12	4	53	-	-	-	-	-	-	7	17	13	10	6
Black	52	-	-	-	-	2	3	2	10	20	11	4	50	-	-	-	-	-	-	6	16	12	10	6
Cerebrovascular diseases (430-438)	1,977	1	-	2	6	14	58	104	284	484	661	362	2,743	1	-	2	2	20	32	89	197	522	976	902
White	1,347	-	-	2	4	5	23	37	162	315	495	304	2,032	-	-	2	1	9	12	54	98	339	748	769
All other	630	1	-	-	2	9	35	67	122	169	166	58	711	1	-	-	1	11	20	35	99	183	228	133
Black	618	1	-	-	2	9	34	66	119	165	165	56	693	1	-	-	1	10	19	32	97	179	224	130
Intracerebral and other intracranial hemorrhage (431-432)	257	1	-	1	1	8	26	33	57	54	58	18	238	1	-	1	-	6	4	25	36	64	67	34
White	156	-	-	1	-	2	7	10	42	32	44	18	176	-	-	1	-	3	2	15	19	49	57	30
All other	101	1	-	-	1	6	19	23	15	22	14	-	62	1	-	-	-	3	2	10	17	15	10	4
Black	100	1	-	-	1	6	19	23	15	21	14	-	59	1	-	-	-	3	2	9	16	15	9	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	357	-	-	-	-	-	7	17	60	90	106	76	515	-	-	-	-	-	1	5	29	101	197	182
White	249	-	-	-	-	-	2	4	32	62	84	65	382	-	-	-	-	-	-	3	15	59	152	153
All other	108	-	-	-	-	-	5	13	28	28	22	11	133	-	-	-	-	-	1	2	14	42	45	29
Black	105	-	-	-	-	-	4	13	27	27	22	11	130	-	-	-	-	-	1	1	14	40	45	29

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Cerebral embolism (434.1)	10	-	-	-	-	-	-	1	1	3	4	1	18	-	-	-	-	-	-	-	4	5	3	6
White	5	-	-	-	-	-	-	1	-	2	1	1	15	-	-	-	-	-	-	-	3	4	2	6
All other	5	-	-	-	-	-	-	-	1	1	3	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	5	-	-	-	-	-	-	-	1	1	3	-	3	-	-	-	-	-	-	-	1	1	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,353	-	-	1	5	6	25	53	166	337	493	267	1,972	-	-	1	2	14	27	59	128	352	709	680
White	937	-	-	1	4	3	14	22	88	219	366	220	1,459	-	-	1	1	6	10	36	61	227	537	580
All other	416	-	-	-	1	3	11	31	78	118	127	47	513	-	-	-	1	8	17	23	67	125	172	100
Black	408	-	-	-	1	3	11	30	76	116	126	45	501	-	-	-	1	7	16	22	66	123	169	97
Atherosclerosis (440)	227	-	-	-	-	-	2	4	21	52	74	74	355	-	-	-	-	-	-	1	7	33	125	189
White	178	-	-	-	-	-	1	3	15	38	59	62	275	-	-	-	-	-	-	-	3	16	92	164
All other	49	-	-	-	-	-	1	1	6	14	15	12	80	-	-	-	-	-	-	1	4	17	33	25
Black	48	-	-	-	-	-	1	1	5	14	15	12	75	-	-	-	-	-	-	1	4	16	31	23
Other diseases of arteries, arterioles, and capillaries (441-448)	286	-	-	-	1	3	5	9	66	106	72	24	154	-	-	-	2	5	1	9	14	33	52	38
White	249	-	-	-	1	2	3	8	58	93	64	20	114	-	-	-	2	1	-	5	11	20	47	28
All other	37	-	-	-	-	1	2	1	8	13	8	4	40	-	-	-	-	4	1	4	3	13	5	10
Black	33	-	-	-	-	-	2	-	8	12	8	3	39	-	-	-	-	4	1	4	3	12	5	10
Acute bronchitis and bronchiolitis (466)	10	2	-	-	-	-	1	1	3	-	2	1	7	1	-	-	-	-	-	-	2	1	2	1
White	8	1	-	-	-	-	-	1	3	-	2	1	5	1	-	-	-	-	-	-	1	1	1	1
All other	2	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	2	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Pneumonia and influenza (480-487)	772	15	4	1	5	8	22	43	112	180	201	181	643	5	6	-	9	5	9	14	40	70	181	304
White	546	8	2	1	2	5	6	19	60	129	162	152	536	2	3	-	8	5	6	9	27	49	151	276
All other	226	7	2	-	3	3	16	24	52	51	39	29	107	3	3	-	1	-	3	5	13	21	30	28
Black	222	7	2	-	2	3	16	22	52	51	39	28	103	2	3	-	1	-	3	5	12	20	29	28
Pneumonia (480-486)	734	14	4	1	3	8	22	40	107	170	190	175	588	4	6	-	8	4	8	13	36	68	166	275
White	518	7	2	1	1	5	6	18	58	120	153	147	492	2	3	-	7	4	5	8	26	47	141	249
All other	216	7	2	-	2	3	16	22	49	50	37	28	96	2	3	-	1	-	3	5	10	21	25	26
Black	212	7	2	-	1	3	16	20	49	50	37	27	94	1	3	-	1	-	3	5	10	20	25	26
Influenza (487)	38	1	-	-	2	-	-	3	5	10	11	6	55	1	-	-	1	1	1	1	4	2	15	29
White	28	1	-	-	1	-	-	1	2	9	9	5	44	-	-	-	1	1	1	1	1	2	10	27
All other	10	-	-	-	1	-	-	2	3	1	2	1	11	1	-	-	-	-	-	-	3	-	5	2
Black	10	-	-	-	1	-	-	2	3	1	2	1	9	1	-	-	-	-	-	-	2	-	4	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	928	1	-	1	2	2	10	39	182	351	271	69	371	-	-	-	1	5	10	33	64	120	97	41
White	792	1	-	-	1	2	4	25	148	304	245	62	325	-	-	-	-	2	8	30	55	108	82	40
All other	136	-	-	1	1	-	6	14	34	47	26	7	46	-	-	-	1	3	2	3	9	12	15	1
Black	135	-	-	1	1	-	6	14	34	46	26	7	44	-	-	-	1	3	2	3	9	11	14	1
Bronchitis, chronic and unspecified (490-491)	53	-	-	1	-	-	-	3	8	20	12	9	27	-	-	-	-	-	-	1	6	6	6	8
White	45	-	-	-	-	-	-	2	8	16	12	7	26	-	-	-	-	-	-	1	6	6	5	8
All other	8	-	-	1	-	-	-	1	-	4	-	2	1	-	-	-	-	-	-	-	-	-	1	-
Black	8	-	-	1	-	-	-	1	-	4	-	2	1	-	-	-	-	-	-	-	-	-	1	-
Emphysema (492)	212	-	-	-	-	-	3	11	50	81	56	11	51	-	-	-	-	-	-	8	8	19	11	5
White	183	-	-	-	-	-	1	5	43	74	50	10	47	-	-	-	-	-	-	7	6	19	10	5
All other	29	-	-	-	-	-	2	6	7	7	6	1	4	-	-	-	-	-	-	1	2	-	1	-
Black	29	-	-	-	-	-	2	6	7	7	6	1	4	-	-	-	-	-	-	1	2	-	1	-
Asthma (493)	34	-	-	-	1	-	4	4	4	14	7	-	47	-	-	-	1	3	7	3	10	13	5	5
White	22	-	-	-	-	-	2	2	3	9	6	-	32	-	-	-	-	1	5	2	8	8	3	5
All other	12	-	-	-	1	-	2	2	1	5	1	-	15	-	-	-	1	2	2	1	2	5	2	-
Black	12	-	-	-	1	-	2	2	1	5	1	-	14	-	-	-	1	2	2	1	2	5	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	629	1	-	-	1	2	3	21	120	236	196	49	246	-	-	-	-	2	3	21	40	82	75	23
White	542	1	-	-	1	2	1	16	94	205	177	45	220	-	-	-	-	1	3	20	35	75	64	22
All other	87	-	-	-	-	-	2	5	26	31	19	4	26	-	-	-	-	1	-	1	5	7	11	1
Black	86	-	-	-	-	-	2	5	26	30	19	4	25	-	-	-	-	1	-	1	5	6	11	1
Ulcer of stomach and duodenum (531-533)	89	-	-	-	-	2	1	9	15	29	26	7	69	-	-	-	-	-	-	7	6	18	27	11
White	74	-	-	-	-	2	-	7	14	23	22	6	61	-	-	-	-	-	-	6	5	15	25	10
All other	15	-	-	-	-	-	1	2	1	6	4	1	8	-	-	-	-	-	-	1	1	3	2	1
Black	15	-	-	-	-	-	1	2	1	6	4	1	8	-	-	-	-	-	-	1	1	3	2	1
Appendicitis (540-543)	7	-	1	-	-	-	-	1	2	3	-	-	3	-	-	-	1	1	-	-	-	1	-	-
White	4	-	1	-	-	-	-	-	1	2	-	-	2	-	-	-	-	1	-	-	-	1	-	-
All other	3	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	48	5	1	-	-	-	1	2	7	12	12	8	73	3	1	1	1	-	1	3	10	13	25	15
White	38	2	1	-	-	-	1	1	6	10	10	7	50	1	-	1	-	-	-	1	7	8	18	14
All other	10	3	-	-	-	-	-	1	1	2	2	1	23	2	1	-	1	-	1	2	3	5	7	1
Black	10	3	-	-	-	-	-	1	1	2	2	1	22	2	1	-	1	-	1	1	3	5	7	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Chronic liver disease and cirrhosis (571)	427	-	-	-	-	11	61	115	130	81	27	2	224	-	-	1	-	17	34	56	54	40	18	3
White	316	-	-	-	-	4	36	81	106	65	22	2	149	-	-	1	-	4	18	33	38	35	17	2
All other	111	-	-	-	-	7	25	34	24	16	5	-	75	-	-	-	-	13	16	23	16	5	1	1
Black	108	-	-	-	-	7	24	32	24	16	5	-	74	-	-	-	-	13	16	22	16	5	1	1
Cholelithiasis and other disorders of gallbladder (574-575)	38	-	-	-	-	-	-	3	7	11	9	8	49	-	-	-	1	-	-	2	2	15	16	13
White	30	-	-	-	-	-	-	2	4	8	8	8	36	-	-	-	-	-	-	1	2	12	12	9
All other	8	-	-	-	-	-	-	1	3	3	1	-	13	-	-	-	1	-	-	1	-	3	4	4
Black	8	-	-	-	-	-	-	1	3	3	1	-	12	-	-	-	1	-	-	1	-	2	4	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	270	5	-	1	2	4	12	20	41	72	70	43	241	4	-	1	-	1	4	13	25	77	75	41
White	166	4	-	1	1	-	7	7	24	45	48	29	146	4	-	1	-	1	2	6	9	45	43	35
All other	104	1	-	-	1	4	5	13	17	27	22	14	95	-	-	-	-	-	2	7	16	32	32	6
Black	103	1	-	-	1	4	5	13	17	27	21	14	93	-	-	-	-	-	2	7	16	31	32	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	-	-	-	-	-	1	-	-	1	3	-	3	-	-	-	-	-	-	-	2	1	-	-
White	4	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	30	-	-	-	1	-	1	1	3	6	13	5	28	-	-	-	-	-	1	1	2	9	10	5
White	20	-	-	-	-	-	1	-	2	4	11	2	14	-	-	-	-	-	-	1	1	3	4	5
All other	10	-	-	-	1	-	-	1	1	2	2	3	14	-	-	-	-	-	1	-	1	6	6	-
Black	10	-	-	-	1	-	-	1	1	2	2	3	14	-	-	-	-	-	1	-	1	6	6	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	235	5	-	1	1	4	10	19	38	65	54	38	210	4	-	1	-	1	3	12	21	67	65	36
White	142	4	-	1	1	-	6	7	22	40	34	27	131	4	-	1	-	1	2	5	8	41	39	30
All other	93	1	-	-	-	4	4	12	16	25	20	11	79	-	-	-	-	-	1	7	13	26	26	6
Black	92	1	-	-	-	4	4	12	16	25	19	11	77	-	-	-	-	-	1	7	13	25	26	5
Infections of kidney (590)	31	-	-	-	-	1	-	-	4	8	7	11	56	-	-	-	1	1	1	2	4	12	21	14
White	17	-	-	-	-	-	-	-	2	4	4	7	40	-	-	-	1	1	1	1	2	8	15	11
All other	14	-	-	-	-	1	-	-	2	4	3	4	16	-	-	-	-	-	-	1	2	4	6	3
Black	14	-	-	-	-	1	-	-	2	4	3	4	16	-	-	-	-	-	-	1	2	4	6	3
Hyperplasia of prostate (600)	17	-	-	-	-	-	-	-	1	3	8	5	...	...	...	...	...	...	...	...	...	...	...	...
White	14	-	-	-	-	-	-	-	-	3	6	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	3	-	-	-	-	-	-	-	1	-	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	3	-	-	-	-	-	-	-	1	-	2	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	1	6	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	1	6	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	5	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	5	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	5	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	5	...	...	-	1	4	-	-	...	...	...	...
Congenital anomalies (740-759)	170	97	19	7	9	8	4	6	8	6	5	1	167	100	13	7	8	4	5	6	6	7	7	4
White	119	66	13	6	6	7	4	3	5	5	3	1	115	70	6	6	5	4	4	4	5	5	3	3
All other	51	31	6	1	3	1	-	3	3	1	2	-	52	30	7	1	3	-	1	2	1	2	4	1
Black	48	30	5	-	3	1	-	3	3	1	2	-	49	28	7	1	3	-	1	2	1	2	3	1
Certain conditions originating in the perinatal period (760-779)	325	321	3	1	-	-	-	-	-	-	-	-	258	257	1	-	-	-	-	-	-	-	-	-
White	161	160	1	-	-	-	-	-	-	-	-	-	135	135	-	-	-	-	-	-	-	-	-	-
All other	164	161	2	1	-	-	-	-	-	-	-	-	123	122	1	-	-	-	-	-	-	-	-	-
Black	160	157	2	1	-	-	-	-	-	-	-	-	116	115	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	80	79	-	1	-	-	-	-	-	-	-	-	53	53	-	-	-	-	-	-	-	-	-	-
White	46	46	-	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
All other	34	33	-	1	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
Black	34	33	-	1	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	245	242	3	-	-	-	-	-	-	-	-	-	205	204	1	-	-	-	-	-	-	-	-	-
White	115	114	1	-	-	-	-	-	-	-	-	-	95	95	-	-	-	-	-	-	-	-	-	-
All other	130	128	2	-	-	-	-	-	-	-	-	-	110	109	1	-	-	-	-	-	-	-	-	-
Black	126	124	2	-	-	-	-	-	-	-	-	-	103	102	1	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	210	80	3	1	8	10	19	21	18	18	21	9	178	69	3	-	3	3	5	6	15	12	27	35
White	128	51	1	1	5	4	9	11	7	13	16	8	113	36	1	-	2	1	3	3	9	8	21	29
All other	82	29	2	-	3	6	10	10	11	5	5	1	65	33	2	-	1	2	2	3	6	4	6	6
Black	78	27	2	-	3	5	10	10	10	5	5	1	60	31	2	-	1	1	2	3	6	4	5	5
All other diseases (Residual)	1,695	22	14	17	38	57	121	220	314	382	334	176	1,594	18	8	24	32	45	66	118	205	323	426	328
White	1,153	14	4	9	25	25	50	118	214	287	263	144	1,181	8	6	16	19	14	32	67	134	243	353	289
All other	542	8	10	8	13	32	71	102	100	95	71	32	413	10	2	8	13	31	34	51	71	80	73	39
Black	530	8	9	7	13	31	67	101	100	94	69	31	406	10	2	7	12	30	34	49	71	78	73	39
Accidents and adverse effects (E800-E949)	2,178	12	56	100	559	378	269	211	233	170	126	61	826	13	37	43	131	91	58	70	85	96	108	94
White	1,531	4	36	64	434	256	164	140	170	119	91	52	613	9	21	25	112	59	44	53	57	66	83	84
All other	647	8	20	36	125	122	105	71	63	51	35	9	213	4	16	18	19	32	14	17	28	30	25	10
Black	609	7	18	32	115	115	99	69	61	49	33	9	203	4	15	17	17	27	14	16	28	30	25	10
Motor vehicle accidents (E810-E825)	1,161	1	26	55	424	235	141	96	84	55	34	9	372	2	12	37	114	56	33	31	35	31	20	1
White	833	1	16	39	337	159	90	63	59	37	24	7	289	2	7	23	102	42	27	26	24	20	15	1
All other	328	-	10	16	87	76	51	33	25	18	10	2	83	-	5	14	12	14	6	5	11	11	5	-
Black	302	-	8	15	78	70	46	32	24	17	10	2	74	-	5	13	10	9	6	4	11	11	5	-
All other accidents and adverse effects (E800-E807, E826-E949)	1,017	11	30	45	135	143	128	115	149	115	92	52	454	11	25	6	17	35	25	39	50	65	88	93
White	698	3	20	25	97	97	74	77	111	82	67	45	324	7	14	2	10	17	17	27	33	46	68	83
All other	319	8	10	20	38	46	54	38	38	33	25	7	130	4	11	4	7	18	8	12	17	19	20	10
Black	307	7	10	17	37	45	53	37	37	32	23	7	129	4	10	4	7	18	8	12	17	19	20	10
Suicide (E950-E959)	564	...	...	4	96	107	87	81	93	69	22	5	192	...	...	2	25	35	45	36	28	13	8	-
White	500	...	...	4	84	91	78	73	83	61	21	5	173	...	...	2	19	29	42	35	26	13	7	-
All other	64	...	...	-	12	16	9	8	10	8	1	-	19	...	...	-	6	6	3	1	2	-	1	-
Black	57	...	...	-	10	15	8	8	9	6	1	-	16	...	...	-	4	6	3	1	2	-	-	-
Homicide and legal intervention (E960-E978)	475	2	3	3	105	126	95	78	35	16	8	1	148	5	1	5	26	39	21	17	17	11	4	2
White	227	2	2	1	59	51	44	37	18	7	4	1	76	-	1	4	14	17	8	8	10	8	4	2
All other	248	-	1	2	46	75	51	41	17	9	4	-	72	5	-	1	12	22	13	9	7	3	-	-
Black	226	-	1	2	38	65	48	40	17	8	4	-	70	5	-	1	12	22	12	8	7	3	-	-
All other external causes (E980-E999)	51	-	-	-	9	15	9	6	5	6	-	1	19	3	-	1	1	3	4	3	1	2	1	-
White	31	-	-	-	7	6	5	5	3	5	-	-	12	2	-	1	1	2	2	2	1	1	-	-
All other	20	-	-	-	2	9	4	1	2	1	-	1	7	1	-	-	-	1	2	1	-	1	1	-
Black	20	-	-	-	2	9	4	1	2	1	-	1	7	1	-	-	-	1	2	1	-	1	1	-
NORTH DAKOTA																								
All causes	3,090	82	21	18	107	83	72	167	420	786	817	516	2,362	57	12	15	37	26	42	85	180	467	714	726
White	2,991	72	19	17	92	72	61	156	407	773	809	512	2,305	50	11	13	29	22	37	78	173	457	711	723
All other	99	10	2	1	15	11	11	11	13	13	8	4	57	7	1	2	8	4	5	7	7	10	3	3
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	7	1	-	-	-	-	-	-	1	3	2	-	5	-	-	-	-	-	-	-	-	2	2	1
White	7	1	-	-	-	-	-	-	1	3	2	-	5	-	-	-	-	-	-	-	-	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	7	1	-	1	1	-	-	-	-	3	1	-	6	-	-	-	-	-	1	1	1	2	1	-
White	7	1	-	1	1	-	-	-	-	3	1	-	6	-	-	-	-	-	1	1	1	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	588	-	3	2	3	7	12	48	122	181	154	56	490	-	1	2	5	4	15	28	82	151	141	60
White	577	-	3	2	3	6	11	45	120	179	153	55	481	-	1	2	5	4	15	26	79	148	140	60
All other	11	-	-	-	-	1	1	3	2	2	1	1	9	-	-	-	-	-	-	2	3	3	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	-	-	-	-	-	-	2	2	2	-	-	2	-	-	-	-	-	-	-	-	2	-	-
White	6	-	-	-	-	-	-	2	2	2	-	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	190	-	-	1	-	1	5	10	42	58	49	24	154	-	-	-	-	-	-	8	20	56	44	26
White	185	-	-	1	-	1	5	9	41	57	48	23	151	-	-	-	-	-	-	7	19	55	44	26
All other	5	-	-	-	-	-	-	1	1	1	1	1	3	-	-	-	-	-	-	1	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	150	-	-	-	-	-	5	18	34	56	32	5	51	-	-	-	-	-	1	3	16	17	9	4
White	146	-	-	-	-	-	4	16	33	56	32	5	48	-	-	-	-	-	1	3	14	16	9	4
All other	4	-	-	-	-	-	1	2	1	-	-	-	3	-	-	-	-	-	-	-	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	1	-	-	-	93	-	-	-	-	2	7	8	15	28	23	10
White	1	-	-	-	-	-	-	-	1	-	-	-	92	-	-	-	-	2	7	7	15	28	23	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	74	-	-	-	-	-	1	-	5	21	32	15	40	-	-	-	-	-	3	4	2	16	13	2
White	73	-	-	-	-	-	1	-	5	20	32	15	40	-	-	-	-	-	3	4	2	16	13	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Malignant neoplasms of urinary organs (188-189)	24	-	-	-	-	-	-	3	8	7	5	1	20	-	-	-	1	-	2	1	2	4	6	4
White	24	-	-	-	-	-	-	3	8	7	5	1	20	-	-	-	1	-	2	1	2	4	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	68	-	2	1	1	4	-	8	16	18	14	4	75	-	1	1	3	1	1	3	16	12	29	8
White	68	-	2	1	1	4	-	8	16	18	14	4	73	-	1	1	3	1	1	3	16	11	28	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	36	-	1	-	1	2	-	3	8	5	10	6	18	-	-	1	-	1	1	-	3	4	4	4
White	35	-	1	-	1	1	-	3	8	5	10	6	18	-	-	1	-	1	1	-	3	4	4	4
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	39	-	-	-	1	-	1	4	6	14	12	1	37	-	-	-	1	-	-	1	8	12	13	2
White	39	-	-	-	1	-	1	4	6	14	12	1	37	-	-	-	1	-	-	1	8	12	13	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	-	-	-	-	-	-	-	-	2	1	1	16	-	-	1	1	-	2	-	2	4	3	3
White	4	-	-	-	-	-	-	-	-	2	1	1	16	-	-	1	1	-	2	-	2	4	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	44	-	-	-	-	1	-	4	8	10	11	10	54	-	-	-	-	1	1	3	2	10	23	14
White	40	-	-	-	-	1	-	3	7	10	9	10	53	-	-	-	-	1	1	3	2	10	22	14
All other	4	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	6	-	-	-	-	-	-	-	-	-	3	3	5	-	-	-	-	-	-	-	-	-	3	2
White	6	-	-	-	-	-	-	-	-	-	3	3	5	-	-	-	-	-	-	-	-	-	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	4	-	-	-	1	-	-	-	1	-	2	-	8	-	-	-	-	-	-	-	-	-	5	3
White	4	-	-	-	1	-	-	-	1	-	2	-	8	-	-	-	-	-	-	-	-	-	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,524	-	1	1	4	4	18	70	206	429	476	314	1,247	-	2	1	4	2	5	27	63	221	423	499
White	1,496	-	1	1	3	4	14	68	202	420	471	311	1,231	-	2	1	4	2	3	25	61	215	422	496
All other	28	-	-	-	1	-	4	2	4	9	5	3	16	-	-	-	-	-	2	2	2	6	1	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of heart (390-398,402,404-429)	1,211	-	1	1	4	3	18	65	188	344	364	222	872	-	1	1	2	1	3	22	53	166	293	330
White	1,187	-	1	1	3	3	14	64	184	337	360	219	858	-	1	1	2	1	1	21	51	161	292	327
All other	24	-	-	-	1	-	4	1	4	7	4	3	14	-	-	-	-	-	2	1	2	5	1	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	7	-	-	-	-	1	-	2	1	3	-	-	11	-	-	-	-	1	-	1	1	3	4	1
White	7	-	-	-	-	1	-	2	1	3	-	-	10	-	-	-	-	1	-	1	1	2	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	14	-	-	-	-	-	-	-	1	4	6	3	15	-	-	-	-	-	-	2	-	2	6	5
White	14	-	-	-	-	-	-	-	1	4	6	3	15	-	-	-	-	-	-	2	-	2	6	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	944	-	-	-	-	1	13	50	146	291	279	164	606	-	-	-	-	-	2	12	34	121	217	220
White	929	-	-	-	-	1	12	50	143	284	276	163	600	-	-	-	-	-	1	12	33	119	217	218
All other	15	-	-	-	-	-	1	-	3	7	3	1	6	-	-	-	-	-	1	-	1	2	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	604	-	-	-	-	1	13	41	121	199	157	72	335	-	-	-	-	-	2	8	25	89	118	93
White	595	-	-	-	-	1	12	41	119	194	156	72	329	-	-	-	-	-	1	8	24	87	118	91
All other	9	-	-	-	-	-	1	-	2	5	1	-	6	-	-	-	-	-	1	-	1	2	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	339	-	-	-	-	-	-	9	25	92	121	92	271	-	-	-	-	-	-	4	9	32	99	127
White	333	-	-	-	-	-	-	9	24	90	119	91	271	-	-	-	-	-	-	4	9	32	99	127
All other	6	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	13	-	-	-	-	-	-	-	5	2	3	2	13	-	-	-	-	-	-	2	2	4	1	4
White	13	-	-	-	-	-	-	-	5	2	3	2	13	-	-	-	-	-	-	2	2	4	1	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	231	-	1	1	4	1	5	13	35	44	76	51	226	-	1	1	2	-	1	5	16	36	64	100
White	222	-	1	1	3	1	2	12	34	44	75	49	219	-	1	1	2	-	-	4	15	34	63	99
All other	9	-	-	-	1	-	3	1	1	-	1	2	7	-	-	-	-	-	1	1	1	2	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	9	-	-	-	-	-	-	-	-	4	3	2	12	-	1	-	-	-	-	-	2	1	2	6
White	9	-	-	-	-	-	-	-	-	4	3	2	12	-	1	-	-	-	-	-	2	1	2	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	211	-	-	-	-	1	-	4	12	53	83	58	288	-	-	-	2	1	2	4	6	40	110	123
White	210	-	-	-	-	1	-	4	12	53	82	58	286	-	-	-	2	1	2	3	6	39	110	123
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	26	-	-	-	-	-	-	-	2	8	11	5	29	-	-	-	-	-	-	1	1	8	10	9
White	26	-	-	-	-	-	-	-	2	8	11	5	29	-	-	-	-	-	-	1	1	8	10	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	31	-	-	-	-	-	-	1	3	7	10	10	50	-	-	-	-	-	1	-	-	4	26	19
White	30	-	-	-	-	-	-	1	3	7	9	10	50	-	-	-	-	-	1	-	-	4	26	19
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	154	-	-	-	-	1	-	3	7	38	62	43	208	-	-	-	2	1	1	3	5	27	74	95
White	154	-	-	-	-	1	-	3	7	38	62	43	206	-	-	-	2	1	1	2	5	26	74	95
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	56	-	-	-	-	-	-	1	5	11	13	26	54	-	-	-	-	-	-	-	2	6	15	31
White	55	-	-	-	-	-	-	-	5	11	13	26	54	-	-	-	-	-	-	-	2	6	15	31
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	37	-	-	-	-	-	-	-	1	17	13	6	21	-	-	-	-	-	-	1	-	8	3	9
White	35	-	-	-	-	-	-	-	1	15	13	6	21	-	-	-	-	-	-	1	-	8	3	9
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	112	2	1	-	-	1	-	5	7	14	38	44	89	1	1	-	-	-	1	1	2	9	26	48
White	111	1	1	-	-	1	-	5	7	14	38	44	88	1	1	-	-	-	1	1	1	9	26	48
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Pneumonia (480-486)	105	2	1	-	-	1	-	4	6	14	35	42	81	1	1	-	-	-	1	1	2	9	21	45
White	104	1	1	-	-	1	-	4	6	14	35	42	80	1	1	-	-	-	1	1	1	9	21	45
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	7	-	-	-	-	-	-	1	1	-	3	2	8	-	-	-	-	-	-	-	-	-	5	3
White	7	-	-	-	-	-	-	1	1	-	3	2	8	-	-	-	-	-	-	-	-	-	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	97	1	-	-	-	-	-	2	10	41	30	13	33	-	-	-	-	-	-	2	3	14	9	5
White	95	1	-	-	-	-	-	1	9	41	30	13	33	-	-	-	-	-	-	2	3	14	9	5
All other	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	7	1	-	-	-	-	-	1	-	-	3	2	4	-	-	-	-	-	-	-	-	1	2	1
White	6	1	-	-	-	-	-	-	-	-	3	2	4	-	-	-	-	-	-	-	-	1	2	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	27	-	-	-	-	-	-	-	1	10	12	4	6	-	-	-	-	-	-	1	2	3	-	-
White	27	-	-	-	-	-	-	-	1	10	12	4	6	-	-	-	-	-	-	1	2	3	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	-	3	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	-	3	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	63	-	-	-	-	-	-	1	9	31	15	7	18	-	-	-	-	-	-	-	1	7	6	4
White	62	-	-	-	-	-	-	1	8	31	15	7	18	-	-	-	-	-	-	-	1	7	6	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	13	-	-	-	-	1	-	-	3	6	2	1	12	-	-	-	-	-	-	-	-	2	6	4
White	13	-	-	-	-	1	-	-	3	6	2	1	12	-	-	-	-	-	-	-	-	2	6	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	-	-	-	-	-	-	-	-	1	2	4	8	1	-	-	-	-	-	1	-	1	2	3
White	7	-	-	-	-	-	-	-	-	1	2	4	8	1	-	-	-	-	-	1	-	1	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	40	-	-	-	-	2	9	4	9	11	5	-	18	-	-	-	-	-	4	3	5	4	1	1
White	33	-	-	-	-	-	6	3	8	11	5	-	16	-	-	-	-	-	2	3	5	4	1	1
All other	7	-	-	-	-	2	3	1	1	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	4	-	-	-	-	-	-	1	-	1	1	1	4	-	-	-	-	-	-	-	-	-	3	1
White	4	-	-	-	-	-	-	1	-	1	1	1	4	-	-	-	-	-	-	-	-	-	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	40	-	-	-	-	1	-	-	-	7	14	18	28	-	-	-	-	-	-	1	1	1	12	13
White	39	-	-	-	-	-	-	-	-	7	14	18	28	-	-	-	-	-	-	1	1	1	12	13
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54[1] years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	2	1
White	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	38	-	-	-	-	1	-	-	-	7	12	18	25	-	-	-	-	-	-	1	1	1	10	12
White	37	-	-	-	-	-	-	-	-	7	12	18	25	-	-	-	-	-	-	1	1	1	10	12
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	3	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	2
White	3	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	9	-	-	-	-	-	-	-	-	-	5	4	...	...	...	...	...	...	...	...	...	...	...	...
White	9	-	-	-	-	-	-	-	-	-	5	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	22	12	4	1	-	1	-	-	1	-	2	1	28	17	5	2	-	-	1	-	-	2	-	1
White	20	10	4	1	-	1	-	-	1	-	2	1	25	15	4	2	-	-	1	-	-	2	-	1
All other	2	2	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	38	38	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
White	34	34	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	19	19	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
White	17	17	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	19	19	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
White	17	17	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	44	21	1	-	-	2	-	2	1	3	4	10	28	10	-	-	1	1	-	1	-	-	5	10
White	41	18	1	-	-	2	-	2	1	3	4	10	24	7	-	-	1	-	-	1	-	-	5	10
All other	3	3	-	-	-	-	-	-	-	-	-	-	4	3	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	157	4	2	3	8	6	4	6	22	36	45	21	139	4	-	1	3	3	5	9	8	30	33	43
White	153	4	2	3	6	6	4	5	21	36	45	21	136	4	-	1	3	2	5	8	8	29	33	43
All other	4	-	-	-	2	-	-	1	1	-	-	-	3	-	-	-	-	1	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	251	1	7	10	73	40	23	18	21	33	12	13	97	2	3	8	15	13	5	5	10	9	14	13
White	226	1	5	9	63	35	21	18	18	31	12	13	87	2	3	6	10	12	5	4	9	9	14	13
All other	25	-	2	1	10	5	2	-	3	2	-	-	10	-	-	2	5	1	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH DAKOTA—Con.																								
Motor vehicle accidents (E810-E825)	139	1	3	7	54	27	17	4	10	8	7	1	52	-	-	3	14	12	3	3	7	3	5	2
White	124	1	1	6	47	24	16	4	9	8	7	1	44	-	-	3	9	11	3	2	6	3	5	2
All other	15	-	2	1	7	3	1	-	1	-	-	-	8	-	-	-	5	1	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	112	-	4	3	19	13	6	14	11	25	5	12	45	2	3	5	1	1	2	2	3	6	9	11
White	102	-	4	3	16	11	5	14	9	23	5	12	43	2	3	3	1	1	2	2	3	6	9	11
All other	10	-	-	-	3	2	1	-	2	2	-	-	2	-	-	2	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	51			-	13	13	5	4	7	4	4	1	10			-	4	1	2	1	1	1	-	-
White	47			-	12	11	5	3	7	4	4	1	8			-	3	1	1	1	1	1	-	-
All other	4			-	1	2	-	1	-	-	-	-	2			-	1	-	1	-	-	-	-	-
Black	-			-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	11	-	-	-	2	4	1	3	-	-	1	-	7	1	-	-	3	1	-	2	-	-	-	-
White	9	-	-	-	2	4	-	2	-	-	1	-	3	1	-	-	1	-	-	1	-	-	-	-
All other	2	-	-	-	-	-	1	1	-	-	-	-	4	-	-	-	2	1	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	3	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OHIO																								
All causes	50,926	1,171	200	277	1,353	1,490	1,575	3,893	9,289	13,498	11,910	6,264	45,561	888	152	182	522	605	944	2,413	5,802	9,657	12,828	11,561
White	45,599	865	157	244	1,172	1,194	1,281	3,321	8,190	12,274	11,015	5,883	41,268	678	121	149	445	477	761	1,968	5,085	8,689	11,868	11,020
All other	5,327	306	43	33	181	296	294	572	1,099	1,224	895	381	4,293	210	31	33	77	128	183	445	717	968	960	541
Black	5,260	303	42	31	177	291	292	564	1,088	1,210	884	378	4,241	207	29	33	75	125	171	438	714	961	953	535
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	6	-	-	-	1	-	-	2	2	-	1	-	5	2	-	-	-	-	-	-	1	-	2	-
White	5	-	-	-	-	-	-	2	2	-	1	-	4	1	-	-	-	-	-	-	1	-	2	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	46	-	-	-	-	1	1	2	8	16	16	2	22	-	-	-	1	-	2	1	5	6	2	5
White	31	-	-	-	-	-	1	2	4	10	12	2	15	-	-	-	-	-	1	-	3	6	1	4
All other	15	-	-	-	-	1	-	-	4	6	4	-	7	-	-	-	1	-	1	1	2	-	1	1
Black	15	-	-	-	-	1	-	-	4	6	4	-	7	-	-	-	1	-	1	1	2	-	1	1
Tuberculosis of respiratory system (010-012)	37	-	-	-	-	-	1	2	6	12	14	2	16	-	-	-	-	-	1	1	4	4	1	5
White	25	-	-	-	-	-	1	2	3	7	10	2	11	-	-	-	-	-	-	-	2	4	1	4
All other	12	-	-	-	-	-	-	-	3	5	4	-	5	-	-	-	-	-	1	1	2	-	-	1
Black	12	-	-	-	-	-	-		3	5	4	-	5	-	-	-	-	-	1	1	2	-	-	1
Other tuberculosis (013-018)	9	-	-	-	-	1	-	-	2	4	2	-	6	-	-	-	1	-	1	-	1	2	1	-
White	6	-	-	-	-	-	-	-	1	3	2	-	4	-	-	-	-	-	1	-	1	2	-	-
All other	3	-	-	-	-	1	-	-	1	1	-	-	2	-	-	-	1	-	-	-	-	-	1	-
Black	3	-	-	-	-	1	-	-	1	1	-	-	2	-	-	-	1	-	-	-	-	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	16	6	3	1	-	1	1	3	-	1	-	-	5	1	3	-	-	-	-	-	1	-	-	-
White	14	6	3	1	-	1	1	1	-	1	-	-	4	1	2	-	-	-	-	-	1	-	-	-
All other	2	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Septicemia (038)	242	5	3	2	2	8	2	16	42	62	55	45	255	10	4	1	4	7	2	9	31	47	82	58
White	208	5	3	2	2	7	1	14	36	50	50	38	207	5	3	1	3	4	1	8	23	39	68	52
All other	34	-	-	-	-	1	1	2	6	12	5	7	48	5	1	-	1	3	1	1	8	8	14	6
Black	34	-	-	-	-	1	1	2	6	12	5	7	48	5	1	-	1	3	1	1	8	8	14	6
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO--Con																								
Viral hepatitis (070)	15	-	-	-	-	4	1	-	5	3	2	-	7	-	-	-	1	-	-	-	3	-	3	-
White	11	-	-	-	-	1	1	-	5	2	2	-	6	-	-	-	-	-	-	-	3	-	3	-
All other	4	-	-	-	-	3	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	4	-	-	-	-	3	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Syphilis (090-097)	9	-	-	-	1	1	1	-	-	3	2	1	3	-	-	-	-	-	-	-	-	1	1	1
White	8	-	-	-	1	1	1	-	-	3	1	1	3	-	-	-	-	-	-	-	-	1	1	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	73	7	5	6	1	5	2	5	14	11	9	8	96	7	1	1	7	6	6	8	13	30	13	4
White	65	3	5	6	1	5	2	3	13	11	8	8	77	6	1	1	3	5	2	7	9	26	13	4
All other	8	4	-	-	-	-	-	2	1	-	1	-	19	1	-	-	4	1	4	1	4	4	-	-
Black	8	4	-	-	-	-	-	2	1	-	1	-	19	1	-	-	4	1	4	1	4	4	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	11,158	6	18	41	69	113	233	1,004	2,802	3,625	2,449	797	9,745	3	15	30	47	124	337	1,047	2,270	2,706	2,161	1,005
White	9,887	4	16	39	61	105	198	862	2,432	3,250	2,193	727	8,811	2	14	28	43	107	295	896	2,022	2,466	1,995	943
All other	1,271	2	2	2	8	8	35	142	370	375	256	70	934	1	1	2	4	17	42	151	248	240	166	62
Black	1,254	2	2	2	8	7	35	138	369	370	251	70	921	-	1	2	4	15	38	148	246	236	166	61
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	280	-	-	-	3	1	4	36	88	101	37	10	122	-	-	-	-	2	-	11	36	29	25	19
White	248	-	-	-	3	1	3	30	72	94	35	10	106	-	-	-	-	2	-	8	32	25	22	17
All other	32	-	-	-	-	-	1	6	16	7	2	-	16	-	-	-	-	-	-	3	4	4	3	2
Black	32	-	-	-	-	-	1	6	16	7	2	-	15	-	-	-	-	-	-	3	4	3	3	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,813	1	-	1	6	23	48	209	696	920	659	250	2,613	1	-	1	1	16	32	165	473	751	770	403
White	2,465	1	-	1	4	19	37	174	612	810	570	237	2,338	-	-	1	1	12	24	134	399	676	713	378
All other	348	-	-	-	2	4	11	35	84	110	89	13	275	1	-	-	-	4	8	31	74	75	57	25
Black	340	-	-	-	2	3	11	34	83	108	86	13	272	-	-	-	-	3	7	31	74	75	57	25
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,163	-	-	-	-	4	84	477	1,261	1,470	718	149	1,580	-	-	-	2	2	48	208	507	506	244	63
White	3,690	-	-	-	-	4	70	412	1,084	1,325	657	138	1,416	-	-	-	2	2	35	172	449	473	226	57
All other	473	-	-	-	-	-	14	65	177	145	61	11	164	-	-	-	-	-	13	36	58	33	18	6
Black	468	-	-	-	-	-	14	64	177	143	59	11	161	-	-	-	-	-	11	36	58	33	18	6
Malignant neoplasm of breast (174-175)	15	-	-	-	-	-	-	2	5	5	2	1	2,001	-	-	-	-	30	126	326	528	507	330	154
White	11	-	-	-	-	-	-	2	2	5	1	1	1,805	-	-	-	-	25	114	279	478	468	301	140
All other	4	-	-	-	-	-	-	-	3	-	1	-	196	-	-	-	-	5	12	47	50	39	29	14
Black	4	-	-	-	-	-	-	-	3	-	1	-	194	-	-	-	-	5	11	46	50	39	29	14
Malignant neoplasms of genital organs (179-187)	1,171	-	-	-	6	7	2	17	122	359	450	208	1,122	-	-	1	4	22	44	150	272	333	221	75
White	989	-	-	-	6	7	2	13	96	297	392	176	1,028	-	-	1	4	20	41	136	250	306	197	73
All other	182	-	-	-	-	-	-	4	26	62	58	32	94	-	-	-	-	2	3	14	22	27	24	2
Black	182	-	-	-	-	-	-	4	26	62	58	32	91	-	-	-	-	1	3	13	22	27	24	1
Malignant neoplasms of urinary organs (188-189)	576	-	-	2	-	3	10	43	131	190	137	60	342	-	1	1	1	1	5	17	54	91	107	64
White	529	-	-	2	-	2	8	37	115	177	129	59	310	-	-	1	1	-	4	15	48	82	98	61
All other	47	-	-	-	-	1	2	6	16	13	8	1	32	-	1	-	-	1	1	2	6	9	9	3
Black	47	-	-	-	-	1	2	6	16	13	8	1	32	-	1	-	-	1	1	2	6	9	9	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,161	4	11	18	22	32	46	136	298	318	221	54	1,096	2	10	15	19	24	52	98	244	275	234	123
White	1,068	3	10	17	21	30	41	118	275	299	203	51	1,016	2	10	14	19	23	50	91	225	247	216	119
All other	93	1	1	1	1	2	5	18	23	19	18	3	80	-	-	1	-	1	2	7	19	28	18	4
Black	91	1	1	1	1	2	5	18	23	18	18	3	79	-	-	1	-	1	2	7	19	27	18	4
Leukemia (204-208)	462	1	4	16	19	18	19	27	82	128	114	34	359	-	3	11	11	15	15	28	52	64	104	56
White	420	-	3	15	16	18	17	23	72	122	103	31	333	-	3	10	9	12	14	24	49	58	101	53
All other	42	1	1	1	3	-	2	4	10	6	11	3	26	-	-	1	2	3	1	4	3	6	3	3
Black	40	1	1	1	3	-	2	2	10	6	11	3	26	-	-	1	2	3	1	4	3	6	3	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	517	-	3	4	13	25	20	57	119	134	111	31	510	-	1	1	9	12	15	44	104	150	126	48
White	467	-	3	4	11	24	20	53	104	121	103	24	459	-	1	1	7	11	13	37	92	131	121	45
All other	50	-	-	-	2	1	-	4	15	13	8	7	51	-	-	-	2	1	2	7	12	19	5	3
Black	50	-	-	-	2	1	-	4	15	13	8	7	51	-	-	-	2	1	2	7	12	19	5	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	141	3	2	5	3	3	10	6	25	47	27	10	166	-	1	1	3	3	6	10	23	38	55	26
White	129	3	2	3	3	2	10	5	22	44	26	9	141	-	1	1	2	3	5	10	20	33	47	19
All other	12	-	-	2	-	1	-	1	3	3	1	1	25	-	-	-	1	-	1	-	3	5	8	7
Black	12	-	-	2	-	1	-	1	3	3	1	1	25	-	-	-	1	-	1	-	3	5	8	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con																								
Diabetes mellitus (250)	788	1	-	2	2	22	30	56	164	253	187	71	1,230	-	-	-	2	10	21	55	204	357	362	219
White	705	1	-	2	-	20	19	42	145	231	176	69	1,084	-	-	-	1	8	19	44	169	307	333	203
All other	83	-	-	-	2	2	11	14	19	22	11	2	146	-	-	-	1	2	2	11	35	50	29	16
Black	83	-	-	-	2	2	11	14	19	22	11	2	145	-	-	-	1	2	1	11	35	50	29	16
Nutritional deficiencies (260-269)	61	-	-	-	-	-	2	3	7	14	19	16	88	-	1	-	-	-	-	1	2	10	25	49
White	56	-	-	-	-	-	2	1	7	11	19	16	76	-	-	-	-	-	-	-	2	8	23	43
All other	5	-	-	-	-	-	-	2	-	3	-	-	12	-	1	-	-	-	-	1	-	2	2	6
Black	5	-	-	-	-	-	-	2	-	3	-	-	12	-	1	-	-	-	-	1	-	2	2	6
Anemias (280-285)	67	1	2	1	2	3	3	3	5	14	21	12	92	-	-	2	4	1	-	4	6	19	26	30
White	52	-	1	-	2	-	2	3	4	11	19	10	82	-	-	2	2	-	-	4	5	16	23	30
All other	15	1	1	1	-	3	1	-	1	3	2	2	10	-	-	-	2	1	-	-	1	3	3	-
Black	15	1	1	1	-	3	1	-	1	3	2	2	10	-	-	-	2	1	-	-	1	3	3	-
Meningitis (320-322)	30	8	7	1	2	2	1	1	3	2	2	1	25	8	-	1	-	-	1	3	2	4	4	2
White	23	7	6	-	2	1	-	1	2	1	2	1	17	6	-	1	-	-	-	1	2	3	3	1
All other	7	1	1	1	-	1	1	-	1	1	-	-	8	2	-	-	-	-	1	2	-	1	1	1
Black	7	1	1	1	-	1	1	-	1	1	-	-	8	2	-	-	-	-	1	2	-	1	1	1
Major cardiovascular diseases (390-448)	24,770	25	12	5	35	151	502	1,751	4,436	7,024	6,818	4,009	24,189	23	8	12	36	56	190	694	2,129	4,814	7,997	8,225
White	22,728	19	9	5	25	114	429	1,528	3,984	6,437	6,381	3,796	22,212	16	8	8	31	44	141	512	1,842	4,306	7,421	7,878
All other	2,042	6	3	-	10	37	73	223	452	587	437	213	1,977	7	-	4	5	12	49	182	287	508	576	347
Black	2,020	6	3	-	10	36	73	220	447	583	432	210	1,958	6	-	4	5	12	47	180	286	504	571	342
Diseases of heart (390-398,402,404-429)	20,175	18	10	4	27	117	437	1,574	3,892	5,832	5,267	3,005	18,153	21	6	8	23	29	135	538	1,688	3,845	5,964	5,891
White	18,536	15	7	4	19	88	381	1,388	3,500	5,351	4,941	2,841	16,675	14	6	4	20	20	97	411	1,462	3,453	5,541	5,642
All other	1,639	3	3	-	8	29	56	186	392	481	326	164	1,478	7	-	4	3	9	38	127	226	392	423	249
Black	1,624	3	3	-	8	28	56	184	379	478	322	162	1,462	6	-	4	3	9	38	125	225	388	419	246
Rheumatic fever and rheumatic heart disease (390-398)	127	-	-	1	1	3	6	18	29	35	28	6	252	-	-	2	2	4	9	16	50	89	59	21
White	122	-	-	1	1	3	6	18	26	34	27	6	234	-	-	2	2	2	9	16	44	84	56	19
All other	5	-	-	-	-	-	-	-	3	1	1	-	18	-	-	-	-	2	-	-	6	5	3	2
Black	5	-	-	-	-	-	-	-	3	1	1	-	17	-	-	-	-	2	-	-	6	5	3	1
Hypertensive heart disease (402)	494	-	-	-	1	2	12	57	119	161	89	53	670	-	-	-	-	1	12	33	96	142	214	172
White	384	-	-	-	1	1	8	33	85	126	77	53	566	-	-	-	-	-	9	15	72	126	186	158
All other	110	-	-	-	-	1	4	24	34	35	12	-	104	-	-	-	-	1	3	18	24	16	28	14
Black	109	-	-	-	-	1	4	24	34	34	12	-	104	-	-	-	-	1	3	18	24	16	28	14
Hypertensive heart and renal disease (404)	71	-	-	-	-	-	-	1	8	18	29	15	137	-	-	-	-	-	-	3	4	21	58	51
White	60	-	-	-	-	-	-	1	4	16	26	13	112	-	-	-	-	-	-	-	3	16	46	47
All other	11	-	-	-	-	-	-	-	4	2	3	2	25	-	-	-	-	-	-	3	1	5	12	4
Black	11	-	-	-	-	-	-	-	4	2	3	2	25	-	-	-	-	-	-	3	1	5	12	4
Ischemic heart disease (410-414)	15,939	-	1	-	2	57	340	1,301	3,157	4,662	4,159	2,259	13,259	-	1	1	3	3	63	356	1,223	2,934	4,451	4,219
White	14,853	-	1	-	1	51	302	1,176	2,904	4,340	3,933	2,144	12,285	-	1	1	3	3	46	284	1,077	2,644	4,166	4,055
All other	1,086	-	-	-	1	6	38	125	253	322	226	115	974	-	-	-	-	-	17	72	146	290	285	164
Black	1,076	-	-	-	1	6	38	123	251	321	222	114	962	-	-	-	-	-	16	70	145	288	281	162
Acute myocardial infarction (410)	8,525	-	-	-	1	33	224	878	1,953	2,700	2,011	725	5,987	-	1	-	2	3	40	225	750	1,639	2,027	1,299
White	8,056	-	-	-	-	32	205	819	1,830	2,544	1,929	697	5,595	-	1	-	2	3	33	188	685	1,503	1,924	1,255
All other	469	-	-	-	1	1	19	59	123	156	82	28	392	-	-	-	-	-	7	37	65	136	103	44
Black	463	-	-	-	1	1	19	57	122	155	80	28	386	-	-	-	-	-	7	37	64	135	101	42
Other acute and subacute forms of ischemic heart disease (411)	61	-	-	-	-	-	-	5	6	23	17	10	53	-	-	-	-	-	1	1	5	9	20	17
White	57	-	-	-	-	-	-	5	6	22	16	8	50	-	-	-	-	-	1	1	3	8	20	17
All other	4	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-	-	2	1	-	-
Black	4	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-	-	2	1	-	-
Angina pectoris (413)	7	-	-	-	-	-	-	-	2	1	4	-	10	-	-	-	-	-	-	2	-	1	4	3
White	7	-	-	-	-	-	-	-	2	1	4	-	9	-	-	-	-	-	-	1	-	1	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	7,346	-	1	-	1	24	116	418	1,196	1,938	2,127	1,524	7,209	-	-	1	1	-	22	128	468	1,285	2,400	2,900
White	6,733	-	1	-	1	19	97	352	1,066	1,773	1,984	1,439	6,631	-	-	1	1	-	12	94	389	1,132	2,218	2,780
All other	613	-	-	-	-	5	19	66	130	165	143	85	578	-	-	-	-	-	10	34	79	153	182	120
Black	609	-	-	-	-	5	19	66	129	165	141	84	572	-	-	-	-	-	9	32	79	152	180	120
Other diseases of endocardium (424)	167	-	-	-	3	8	5	5	29	55	38	24	198	1	-	1	3	-	4	9	14	50	67	49
White	149	-	-	-	2	7	4	3	28	48	34	23	184	-	-	1	3	-	4	6	13	48	63	46
All other	18	-	-	-	1	1	1	2	1	7	4	1	14	1	-	-	-	-	-	3	1	2	4	3
Black	18	-	-	-	1	1	1	2	1	7	4	1	14	1	-	-	-	-	-	3	1	2	4	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
All other forms of heart disease (415-423,425-429)	3,377	18	9	3	20	47	74	192	540	901	934	648	3,637	20	5	4	15	21	47	121	301	609	1,115	1,379
White	2,968	15	6	3	14	26	61	157	453	787	844	602	3,294	14	5	-	12	15	29	90	253	535	1,024	1,317
All other	409	3	3	-	6	21	13	35	87	114	90	46	343	6	-	4	3	6	18	31	48	74	91	62
Black	405	3	3	-	6	20	13	35	86	114	90	45	340	5	-	4	3	6	17	31	48	73	91	62
Hypertension with or without renal disease (401,403)	166	-	-	-	-	2	2	8	32	48	43	31	193	-	-	-	1	1	1	10	26	41	55	58
White	142	-	-	-	-	2	2	8	22	40	40	28	157	-	-	-	1	1	1	5	20	27	51	51
All other	24	-	-	-	-	-	-	-	10	8	3	3	36	-	-	-	-	-	-	5	6	14	4	7
Black	24	-	-	-	-	-	-	-	10	8	3	3	36	-	-	-	-	-	-	5	6	14	4	7
Cerebrovascular diseases (430-438)	3,181	6	2	1	8	27	55	140	367	811	1,101	663	4,613	2	2	4	12	23	45	123	355	767	1,624	1,656
White	2,887	3	2	1	6	20	40	106	322	741	1,016	630	4,226	2	2	4	10	20	36	79	308	681	1,498	1,586
All other	294	3	-	-	2	7	15	34	45	70	85	33	387	-	-	-	2	3	9	44	47	86	126	70
Black	288	3	-	-	2	7	15	33	43	68	84	33	382	-	-	-	2	3	9	44	46	85	125	68
Intracerebral and other intracranial hemorrhage (431-432)	456	5	1	-	3	7	23	47	93	123	108	46	571	2	-	2	6	7	13	46	105	118	166	106
White	384	2	1	-	3	4	15	34	78	113	95	39	506	2	-	2	5	5	10	25	93	110	155	99
All other	72	3	-	-	-	3	8	13	15	10	13	7	65	-	-	-	1	2	3	21	12	8	11	7
Black	69	3	-	-	-	3	8	12	13	10	13	7	63	-	-	-	1	2	3	21	11	7	11	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	656	-	-	-	1	1	4	19	60	172	244	155	936	-	-	-	1	2	5	8	51	125	364	380
White	602	-	-	-	-	1	2	14	54	155	226	150	868	-	-	-	1	2	3	6	45	110	336	365
All other	54	-	-	-	1	-	2	5	6	17	18	5	68	-	-	-	-	-	2	2	6	15	28	15
Black	54	-	-	-	1	-	2	5	6	17	18	5	68	-	-	-	-	-	2	2	6	15	28	15
Cerebral embolism (434.1)	11	-	-	-	-	-	-	1	1	5	2	2	25	-	-	-	-	-	-	1	3	4	10	7
White	10	-	-	-	-	-	-	1	-	5	2	2	25	-	-	-	-	-	-	1	3	4	10	7
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,058	1	1	1	4	19	28	73	213	511	747	460	3,081	-	2	2	5	14	27	68	196	520	1,084	1,163
White	1,891	1	1	1	3	15	23	57	190	468	693	439	2,827	-	2	2	4	13	23	47	167	457	997	1,115
All other	167	-	-	-	1	4	5	16	23	43	54	21	254	-	-	-	1	1	4	21	29	63	87	48
Black	164	-	-	-	1	4	5	16	23	41	53	21	251	-	-	-	1	1	4	21	29	63	86	48
Atherosclerosis (440)	574	-	-	-	-	-	1	5	33	92	195	248	867	-	-	-	-	-	1	5	23	64	257	517
White	532	-	-	-	-	-	1	5	28	79	180	239	822	-	-	-	-	-	-	3	19	59	242	499
All other	42	-	-	-	-	-	-	-	5	13	15	9	45	-	-	-	-	-	1	2	4	5	15	18
Black	42	-	-	-	-	-	-	-	5	13	15	9	45	-	-	-	-	-	1	2	4	5	15	18
Other diseases of arteries, arterioles, and capillaries (441-448)	674	1	-	-	-	5	7	24	122	241	212	62	363	-	-	-	-	3	8	18	37	97	97	103
White	631	1	-	-	-	4	5	21	112	226	204	58	332	-	-	-	-	3	7	14	33	86	89	100
All other	43	-	-	-	-	1	2	3	10	15	8	4	31	-	-	-	-	-	1	4	4	11	8	3
Black	42	-	-	-	-	1	2	3	10	15	8	3	31	-	-	-	-	-	1	4	4	11	8	3
Acute bronchitis and bronchiolitis (466)	10	4	-	-	-	-	-	-	-	2	4	-	15	2	2	-	-	-	-	-	-	5	3	3
White	8	2	-	-	-	-	-	-	-	2	4	-	12	2	-	-	-	-	-	-	-	4	3	3
All other	2	2	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	1	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	1	-	-
Pneumonia and influenza (480-487)	1,140	22	4	6	14	7	14	43	116	219	375	320	1,118	15	3	2	7	7	15	15	68	146	341	499
White	1,032	18	3	6	13	6	8	28	99	199	351	301	1,049	11	2	2	6	5	12	11	59	134	323	484
All other	108	4	1	-	1	1	6	15	17	20	24	19	69	4	1	-	1	2	3	4	9	12	18	15
Black	108	4	1		1	1	6	15	17	20	24	19	69	4	1	-	1	2	3	4	9	12	18	15
Pneumonia (480-486)	1,075	22	4	6	13	6	14	42	113	209	348	298	1,025	15	3	2	7	7	15	13	64	135	311	453
White	970	18	3	6	12	5	8	27	96	190	324	281	958	11	2	2	6	5	12	9	56	123	294	438
All other	105	4	1	-	1	1	6	15	17	19	24	17	67	4	1	-	1	2	3	4	8	12	17	15
Black	105	4	1	-	1	1	6	15	17	19	24	17	67	4	1	-	1	2	3	4	8	12	17	15
Influenza (487)	65	-	-	-	1	1	-	1	3	10	27	22	93	-	-	-	-	-	-	2	4	11	30	46
White	62	-	-	-	1	1	-	1	3	9	27	20	91	-	-	-	-	-	-	2	3	11	29	46
All other	3	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	1	-	1	-
Black	3	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	1	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,942	2	-	2	1	2	5	70	330	732	581	217	927	2	-	-	1	4	11	50	174	323	244	118
White	1,810	2	-	1	1	2	4	64	301	690	538	207	886	1	-	-	1	4	7	47	165	310	239	112
All other	132	-	-	1	-	-	1	6	29	42	43	10	41	1	-	-	-	-	4	3	9	13	5	6
Black	132	-	-	1	-	-	1	6	29	42	43	10	41	1	-	-	-	-	4	3	9	13	5	6
Bronchitis, chronic and unspecified (490-491)	139	1	-	-	-	-	1	6	28	50	26	27	68	2	-	-	-	-	-	2	13	13	19	19
White	132	1	-	-	-	-	-	5	25	48	26	27	65	1	-	-	-	-	-	2	12	13	19	18
All other	7	-	-	-	-	-	1	1	3	2	-	-	3	1	-	-	-	-	-	-	1	-	-	1
Black	7	-	-	-	-	-	1	1	3	2	-	-	3	1	-	-	-	-	-	-	1	-	-	1
Emphysema (492)	398	-	-	-	-	-	1	17	78	156	115	31	186	-	-	-	-	-	4	9	37	67	51	18
White	373	-	-	-	-	-	1	17	72	147	108	28	181	-	-	-	-	-	3	9	36	66	50	17
All other	25	-	-	-	-	-	-	-	6	9	7	3	5	-	-	-	-	-	1	-	1	1	1	1
Black	25	-	-	-	-	-	-	-	6	9	7	3	5	-	-	-	-	-	1	-	1	1	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Asthma (493)	51	-	-	2	-	1	-	6	14	13	10	5	71	-	-	-	1	3	7	7	15	18	13	7
White	39	-	-	1	-	1	-	4	11	9	8	5	65	-	-	-	1	3	4	7	14	16	13	7
All other	12	-	-	1	-	-	-	2	3	4	2	-	6	-	-	-	-	-	3	-	1	2	-	-
Black	12	-	-	1	-	-	-	2	3	4	2	-	6	-	-	-	-	-	3	-	1	2	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,354	1	-	-	1	1	3	41	210	513	430	154	602	-	-	-	-	1	-	32	109	225	161	74
White	1,266	1	-	-	1	1	3	38	193	486	396	147	575	-	-	-	-	1	-	29	103	215	157	70
All other	88	-	-	-	-	-	-	3	17	27	34	7	27	-	-	-	-	-	-	3	6	10	4	4
Black	88	-	-	-	-	-	-	3	17	27	34	7	27	-	-	-	-	-	-	3	6	10	4	4
Ulcer of stomach and duodenum (531-533)	152	-	-	-	-	1	2	15	15	45	51	23	142	-	-	-	1	-	2	4	22	31	47	35
White	135	-	-	-	-	-	2	13	12	39	49	20	129	-	-	-	-	-	2	1	20	27	44	35
All other	17	-	-	-	-	1	-	2	3	6	2	3	13	-	-	-	1	-	-	3	2	4	3	-
Black	16	-	-	-	-	1	-	2	3	5	2	3	13	-	-	-	1	-	-	3	2	4	3	-
Appendicitis (540-543)	15	-	-	-	-	-	1	1	3	6	4	-	15	-	-	-	1	-	2	2	3	3	2	2
White	13	-	-	-	-	-	1	1	3	5	3	-	13	-	-	-	1	-	1	1	3	3	2	2
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	1	1	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	1	1	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	117	1	-	1	-	1	2	3	11	21	45	32	168	2	-	-	-	1	-	5	10	31	57	62
White	106	-	-	1	-	1	1	3	10	17	42	31	149	2	-	-	-	1	-	5	8	27	48	58
All other	11	1	-	-	-	-	1	-	1	4	3	1	19	-	-	-	-	-	-	-	2	4	9	4
Black	11	1	-	-	-	-	1	-	1	4	3	1	19	-	-	-	-	-	-	-	2	4	9	4
Chronic liver disease and cirrhosis (571)	759	-	1	1	3	19	73	159	247	182	60	14	462	1	-	1	1	14	38	83	145	114	48	17
White	675	-	1	-	2	15	56	136	226	169	58	12	400	1	-	1	1	7	26	72	128	100	47	17
All other	84	-	-	1	1	4	17	23	21	13	2	2	62	-	-	-	-	7	12	11	17	14	1	-
Black	83	-	-	1	1	4	16	23	21	13	2	2	62	-	-	-	-	7	12	11	17	14	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	68	-	-	-	-	-	-	-	10	21	23	14	92	-	-	-	1	-	-	1	12	18	30	30
White	66	-	-	-	-	-	-	-	9	20	23	14	88	-	-	-	1	-	-	1	10	17	30	29
All other	2	-	-	-	-	-	-	-	1	1	-	-	4	-	-	-	-	-	-	-	2	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	2	1	-	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	435	5	-	-	4	3	6	17	64	107	148	81	464	2	-	-	1	7	5	11	53	99	155	130
White	373	3	-	-	3	2	5	14	53	92	132	69	396	1	-	-	1	6	2	7	40	83	137	118
All other	62	2	-	-	1	1	1	3	11	15	16	12	68	1	-	-	-	1	3	4	13	16	18	12
Black	62	2	-	-	1	1	1	3	11	15	16	12	68	1	-	-	-	1	3	4	13	16	18	12
Acute glomerulonephritis and nephrotic syndrome (580-581)	13	1	-	-	1	-	-	-	1	8	1	1	13	-	-	-	-	-	1	-	1	5	5	1
White	11	1	-	-	1	-	-	-	1	6	1	1	12	-	-	-	-	-	1	-	1	4	5	1
All other	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	44	-	-	-	1	2	-	5	2	13	15	6	51	-	-	-	-	-	1	3	7	11	20	9
White	37	-	-	-	1	1	-	4	2	12	12	5	43	-	-	-	-	-	-	3	4	10	17	9
All other	7	-	-	-	-	1	-	1	-	1	3	1	8	-	-	-	-	-	1	-	3	1	3	-
Black	7	-	-	-	-	1	-	1	-	1	3	1	8	-	-	-	-	-	1	-	3	1	3	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	378	4	-	-	2	1	6	12	61	86	132	74	400	2	-	-	1	7	3	8	45	83	130	120
White	325	2	-	-	1	1	5	10	50	74	119	63	341	1	-	-	1	6	1	4	35	69	115	108
All other	53	2	-	-	1	-	1	2	11	12	13	11	59	1	-	-	-	1	2	4	10	14	15	12
Black	53	2	-	-	1	-	1	2	11	12	13	11	59	1	-	-	-	1	2	4	10	14	15	12
Infections of kidney (590)	38	1	-	-	-	-	-	2	4	10	14	7	73	-	-	-	1	-	-	-	4	18	26	24
White	37	1	-	-	-	-	-	2	4	10	13	7	69	-	-	-	1	-	-	-	4	15	25	24
All other	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	3	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	3	1	-
Hyperplasia of prostate (600)	20	-	-	-	-	-	-	-	2	-	8	10	...	...	...	...	...	...	...	...	...	...	...	...
White	20	-	-	-	-	-	-	-	2	-	8	10	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	17	...	...	-	10	5	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	9	...	...	-	6	3	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	4	2	2	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	4	2	2	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	3	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	2	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	13	...	...	-	7	4	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	7	...	...	-	5	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	2	2	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	2	2	-	...	...	...	...
Congenital anomalies (740-759)	372	261	23	17	19	17	7	7	5	8	6	2	297	187	19	19	7	14	4	11	16	9	9	2
White	313	217	18	15	17	14	6	6	4	8	6	2	252	153	18	15	7	13	2	11	15	8	9	1
All other	59	44	5	2	2	3	1	1	1	-	-	-	45	34	1	4	-	1	2	-	1	1	-	1
Black	57	44	4	2	1	3	1	1	1	-	-	-	45	34	1	4	-	1	2	-	1	1	-	1
Certain conditions originating in the perinatal period (760-779)	600	597	2	1	-	-	-	-	-	-	-	-	479	477	1	-	-	-	-	-	1	-	-	-
White	418	415	2	1	-	-	-	-	-	-	-	-	356	355	-	-	-	-	-	-	1	-	-	-
All other	182	182	-	-	-	-	-	-	-	-	-	-	123	122	1	-	-	-	-	-	-	-	-	-
Black	179	179	-	-	-	-	-	-	-	-	-	-	122	121	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	210	208	2	-	-	-	-	-	-	-	-	-	153	152	-	-	-	-	-	-	1	-	-	-
White	159	157	2	-	-	-	-	-	-	-	-	-	112	111	-	-	-	-	-	-	1	-	-	-
All other	51	51	-	-	-	-	-	-	-	-	-	-	41	41	-	-	-	-	-	-	-	-	-	-
Black	51	51	-	-	-	-	-	-	-	-	-	-	41	41	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	390	389	-	1	-	-	-	-	-	-	-	-	326	325	1	-	-	-	-	-	-	-	-	-
White	259	258	-	1	-	-	-	-	-	-	-	-	244	244	-	-	-	-	-	-	-	-	-	-
All other	131	131	-	-	-	-	-	-	-	-	-	-	82	81	1	-	-	-	-	-	-	-	-	-
Black	128	128	-	-	-	-	-	-	-	-	-	-	81	80	1	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	951	113	13	11	102	100	77	100	125	125	113	71	684	69	11	6	44	54	44	46	69	90	126	125
White	798	88	10	8	91	74	58	77	109	115	101	66	608	59	9	4	40	38	32	42	61	84	119	120
All other	153	25	3	3	11	26	19	23	16	10	12	5	76	10	2	2	4	16	12	4	8	6	7	5
Black	151	25	3	3	11	26	19	23	15	9	12	5	75	10	2	2	3	16	12	4	8	6	7	5
All other diseases (Residual)	2,676	73	29	34	60	96	111	204	417	645	637	369	2,930	60	21	29	49	57	86	178	364	577	799	710
White	2,331	48	24	34	53	76	79	164	353	581	576	343	2,599	42	17	22	42	42	69	138	316	524	719	668
All other	345	25	5	-	7	20	32	40	64	64	61	26	331	18	4	7	7	15	17	40	48	53	80	42
Black	340	25	5	-	7	20	32	39	64	62	60	26	323	18	4	7	7	15	16	39	47	53	80	42
Accidents and adverse effects (E800-E949)	2,571	18	64	129	685	505	250	202	243	196	164	115	1,197	15	48	64	204	116	84	89	83	127	191	176
White	2,298	17	48	109	639	455	214	172	206	175	156	107	1,067	12	38	51	190	96	72	74	76	116	175	167
All other	273	1	16	20	46	50	36	30	37	21	8	8	130	3	10	13	14	20	12	15	7	11	16	9
Black	265	1	16	18	46	48	35	30	34	21	8	8	124	3	9	13	14	19	11	14	7	11	14	9
Motor vehicle accidents (E810-E825)	1,331	7	19	73	485	320	133	82	88	66	44	14	523	3	23	30	166	80	50	55	36	36	32	12
White	1,231	7	17	66	462	297	116	72	76	61	43	14	490	2	22	26	159	72	45	50	34	36	32	12
All other	100	-	2	7	23	23	17	10	12	5	1	-	33	1	1	4	7	8	5	5	2	-	-	-
Black	98	-	2	5	23	22	17	10	11	5	1	-	32	1	1	4	7	8	4	5	2	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1,240	11	45	56	200	185	117	120	155	130	120	101	674	12	25	34	38	36	34	34	47	91	159	164
White	1,067	10	31	43	177	158	98	100	130	114	113	93	577	10	16	25	31	24	27	24	42	80	143	155
All other	173	1	14	13	23	27	19	20	25	16	7	8	97	2	9	9	7	12	7	10	5	11	16	9
Black	169	1	14	13	23	26	18	20	23	16	7	8	92	2	8	9	7	11	7	9	5	11	14	9
Suicide (E950-E959)	984	...	...	3	196	235	140	128	124	83	61	14	333	...	...	2	34	69	62	61	67	26	10	2
White	902	...	...	3	172	209	128	121	114	80	61	14	299	...	...	2	27	60	55	58	64	21	10	2
All other	82	...	...	-	24	26	12	7	10	3	-	-	34	...	...	-	7	9	7	3	3	5	-	-
Black	78	...	...	-	21	25	12	7	10	3	-	-	29	...	...	-	6	9	4	3	3	4	-	-
Homicide and legal intervention (E960-E978)	603	9	9	7	141	175	97	83	58	15	7	2	193	1	13	9	50	47	22	19	15	8	6	2
White	303	5	5	7	75	71	51	50	28	6	3	2	127	1	7	8	33	29	15	13	9	5	4	2
All other	300	4	4	-	66	104	46	33	30	9	4	-	66	-	6	1	17	18	7	6	6	3	2	-
Black	300	4	4	-	66	104	46	33	30	9	4	-	65	-	5	1	17	18	7	6	6	3	2	-
All other external causes (E980-E999)	51	3	3	1	10	15	1	7	2	6	1	1	26	1	1	2	5	3	2	5	6	-	1	-
White	39	1	1	1	9	12	1	6	1	4	1	1	20	1	1	2	3	2	2	4	4	-	1	-
All other	12	2	2	-	1	3	-	1	1	2	-	-	6	-	-	-	2	1	-	1	2	-	-	-
Black	12	2	2	-	1	3	-	1	1	2	-	-	6	-	-	-	2	1	-	1	2	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA																								
All causes	15,586	379	86	100	567	553	552	1,122	2,386	3,916	3,931	1,975	13,031	258	63	66	220	239	272	618	1,408	2,510	3,785	3,583
White	13,948	289	69	79	476	473	460	976	2,126	3,540	3,631	1,814	11,761	203	45	57	179	204	224	518	1,236	2,242	3,501	3,347
All other	1,638	90	17	21	91	80	92	146	260	376	300	161	1,270	55	18	9	41	35	48	100	172	268	284	236
Black	1,071	54	16	14	53	44	53	90	146	244	225	129	881	40	13	7	17	18	35	68	114	189	206	172
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	20	-	1	-	-	1	1	3	5	3	5	1	12	-	-	-	-	-	1	1	1	1	6	2
White	11	-	1	-	-	-	-	2	3	2	3	-	9	-	-	-	-	-	1	-	-	1	5	2
All other	9	-	-	-	-	1	1	1	2	1	2	1	3	-	-	-	-	-	-	1	1	-	1	-
Black	4	-	-	-	-	-	-	1	1	-	2	-	2	-	-	-	-	-	-	1	-	-	1	-
Tuberculosis of respiratory system (010-012)	17	-	-	-	-	1	1	2	4	3	5	1	10	-	-	-	-	-	1	1	-	1	5	2
White	10	-	-	-	-	-	-	2	3	2	3	-	9	-	-	-	-	-	1	-	-	1	5	2
All other	7	-	-	-	-	1	1	-	1	1	2	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-
Other tuberculosis (013-018)	3	-	1	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
White	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	2	1	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	1	-	-	-	-
White	5	2	1	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	66	2	1	-	-	-	1	3	9	10	22	18	91	1	3	-	2	3	2	3	5	13	29	30
White	56	1	1	-	-	-	1	2	8	5	22	16	84	1	3	-	2	3	2	3	5	13	25	27
All other	10	1	-	-	-	-	-	1	1	5	-	2	7	-	-	-	-	-	-	-	-	-	4	3
Black	5	-	-	-	-	-	-	1	-	3	-	1	5	-	-	-	-	-	-	-	-	-	2	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	7	-	-	-	-	2	-	1	-	4	-	-	4	-	-	-	-	-	2	-	1	-	-	1
White	7	-	-	-	-	2	-	1	-	4	-	-	4	-	-	-	-	-	2	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	25	-	1	1	-	5	2	2	5	5	4	-	34	-	1	1	1	2	2	4	8	4	8	3
White	19	-	1	-	-	3	2	2	3	4	4	-	30	-	1	1	1	2	1	3	7	4	7	3
All other	6	-	-	1	-	2	-	-	2	1	-	-	4	-	-	-	-	-	1	1	1	-	1	-
Black	4	-	-	-	-	2	-	-	2	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,178	-	8	9	26	33	100	263	682	1,025	781	250	2,510	1	2	7	17	42	80	243	504	682	639	293
White	2,873	-	6	7	24	31	88	239	615	913	722	227	2,285	1	1	7	14	35	68	213	459	621	596	270
All other	305	-	2	2	2	2	12	24	67	112	59	23	225	-	1	-	3	7	12	30	45	61	43	23
Black	225	-	2	2	1	1	8	17	46	81	47	20	160	-	-	-	2	4	8	22	29	45	31	19

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	59	-	-	-	-	-	-	5	14	28	9	3	36	-	-	-	-	1	2	3	6	9	9	6
White	55	-	-	-	-	-	-	5	13	25	9	3	29	-	-	-	-	1	1	3	3	6	9	6
All other	4	-	-	-	-	-	-	-	1	3	-	-	7	-	-	-	-	-	1	-	3	3	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	1	-	2	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	727	-	1	-	3	5	20	53	149	229	202	64	691	1	-	-	1	6	10	42	113	176	226	116
White	643	-	1	-	3	5	17	43	125	201	189	58	628	1	-	-	1	4	8	37	104	155	208	110
All other	84	-	-	-	-	-	3	10	24	28	13	6	63	-	-	-	-	2	2	5	9	21	18	6
Black	68	-	-	-	-	-	2	9	17	23	11	6	45	-	-	-	-	2	2	3	6	16	10	6
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,250	-	-	-	-	5	32	133	338	441	252	49	412	-	-	-	-	2	10	46	125	122	77	30
White	1,158	-	-	-	-	5	30	122	313	404	237	47	384	-	-	-	-	2	10	43	113	114	74	28
All other	92	-	-	-	-	-	2	11	25	37	15	2	28	-	-	-	-	-	-	3	12	8	3	2
Black	67	-	-	-	-	-	2	6	19	30	9	1	23	-	-	-	-	-	-	3	9	6	3	2
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	1	2	1	-	456	-	-	-	-	8	29	73	111	112	88	35
White	4	-	-	-	-	-	-	-	1	2	1	-	423	-	-	-	-	8	26	64	104	103	84	34
All other	-	-	-	-	-	-	-	-	-	-	-	-	33	-	-	-	-	-	3	9	7	9	4	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	24	-	-	-	-	-	2	6	3	8	4	1
Malignant neoplasms of genital organs (179-187)	318	-	-	-	2	2	2	3	28	96	113	72	289	-	-	-	1	4	9	33	63	89	63	27
White	273	-	-	-	2	2	2	3	23	78	98	65	253	-	-	-	-	2	7	27	57	81	58	21
All other	45	-	-	-	-	-	-	-	5	18	15	7	36	-	-	-	1	2	2	6	6	8	5	6
Black	34	-	-	-	-	-	-	-	2	12	14	6	24	-	-	-	1	-	2	5	4	6	3	3
Malignant neoplasms of urinary organs (188-189)	162	-	2	-	-	-	5	12	27	50	50	16	84	-	1	-	-	2	-	7	8	19	32	15
White	142	-	1	-	-	-	4	10	24	42	47	14	79	-	-	-	-	1	-	6	7	19	31	15
All other	20	-	1	-	-	-	1	2	3	8	3	2	5	-	1	-	-	1	-	1	1	-	1	-
Black	11	-	1	-	-	-	1	1	2	3	2	1	1	-	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	360	-	1	2	13	7	28	34	75	101	71	28	285	-	-	2	4	9	15	27	47	77	72	32
White	323	-	1	1	11	6	23	33	71	90	63	24	254	-	-	2	3	8	13	22	41	72	65	28
All other	37	-	-	1	2	1	5	1	4	11	8	4	31	-	-	-	1	1	2	5	6	5	7	4
Black	26	-	-	1	1	-	2	1	3	7	7	4	24	-	-	-	-	1	1	4	5	4	6	3
Leukemia (204-208)	145	-	3	5	6	5	5	10	24	39	39	9	107	-	-	4	9	6	5	3	6	29	26	19
White	137	-	2	4	6	4	5	10	24	37	36	9	99	-	-	4	9	5	3	2	6	28	24	18
All other	8	-	1	1	-	1	-	-	-	2	3	-	8	-	-	-	-	1	2	1	-	1	2	1
Black	7	-	1	1	-	1	-	-	-	2	2	-	6	-	-	-	-	1	-	1	-	1	2	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	153	-	1	2	2	9	8	13	26	39	44	9	150	-	1	1	2	4	-	9	25	49	46	13
White	138	-	1	2	2	9	7	13	21	34	42	7	136	-	1	1	1	4	-	9	24	43	43	10
All other	15	-	-	-	-	-	1	-	5	5	2	2	14	-	-	-	1	-	-	-	1	6	3	3
Black	10	-	-	-	-	-	1	-	3	2	2	2	9	-	-	-	1	-	-	-	-	3	2	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	35	-	-	-	2	2	4	-	5	10	12	-	45	-	-	-	-	1	1	2	9	10	13	8
White	34	-	-	-	2	2	4	-	5	9	12	-	43	-	-	-	-	1	1	2	9	10	12	8
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-
Diabetes mellitus (250)	204	-	-	-	2	2	8	14	45	63	42	28	284	-	-	1	1	-	5	9	47	82	83	55
White	156	-	-	-	2	1	7	10	30	46	35	25	222	-	-	1	1	-	3	5	31	62	72	47
All other	48	-	-	-	-	1	1	4	15	17	7	3	62	-	-	-	-	-	2	4	16	20	11	8
Black	26	-	-	-	-	1	1	2	7	6	6	3	40	-	-	-	-	-	1	1	10	12	9	6
Nutritional deficiencies (260-269)	19	-	-	-	-	-	-	-	-	6	6	7	26	-	-	-	-	-	-	-	2	7	5	12
White	14	-	-	-	-	-	-	-	-	5	4	5	22	-	-	-	-	-	-	-	2	6	3	11
All other	5	-	-	-	-	-	-	-	-	1	2	2	4	-	-	-	-	-	-	-	-	1	2	1
Black	4	-	-	-	-	-	-	-	-	1	2	1	4	-	-	-	-	-	-	-	-	1	2	1
Anemias (280-285)	16	-	-	-	1	-	1	-	1	3	4	6	23	-	-	-	1	1	1	1	-	3	7	9
White	13	-	-	-	-	-	-	-	1	3	3	6	21	-	-	-	-	1	-	1	-	3	7	9
All other	3	-	-	-	1	-	1	-	-	-	1	-	2	-	-	-	1	-	1	-	-	-	-	-
Black	3	-	-	-	1	-	1	-	-	-	1	-	2	-	-	-	1	-	1	-	-	-	-	-
Meningitis (320-322)	11	5	1	-	1	-	-	2	1	-	-	1	8	3	-	1	-	-	1	1	1	1	-	-
White	4	2	1	-	-	-	-	1	-	-	-	-	5	1	-	1	-	-	1	-	1	1	-	-
All other	7	3	-	-	1	-	-	1	1	-	-	1	3	2	-	-	-	-	-	1	-	-	-	-
Black	3	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	7,192	6	4	2	10	29	120	458	1,082	2,004	2,274	1,200	6,812	3	3	1	10	28	58	156	547	1,215	2,326	2,460
White	6,575	4	4	1	9	26	98	414	977	1,834	2,095	1,111	6,223	3	3	-	5	23	49	130	474	1,071	2,159	2,303
All other	617	2	-	1	1	3	22	44	105	170	179	89	589	-	-	1	5	5	9	26	73	144	167	157
Black	430	2	-	1	-	2	11	31	62	113	133	74	426	-	-	1	2	3	9	21	53	108	117	110

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Diseases of heart (390-398,402,404-429)	5,770	5	4	2	6	21	108	417	948	1,632	1,769	855	4,860	3	3	-	6	21	46	115	436	934	1,656	1,635
White	5,285	4	4	1	6	18	87	379	867	1,499	1,627	791	4,455	3	3	-	3	17	38	94	381	823	1,548	1,542
All other	485	1	-	1	-	3	21	38	81	133	142	64	405	-	-	-	3	4	8	21	55	111	108	93
Black	331	1	-	1	-	2	11	27	48	84	101	55	290	-	-	-	1	2	8	18	40	81	73	65
Rheumatic fever and rheumatic heart disease (390-398)	17	-	-	-	-	-	-	2	7	5	3	-	48	-	-	-	1	3	2	1	10	13	8	10
White	15	-	-	-	-	-	-	2	6	5	2	-	46	-	-	-	1	3	1	1	10	13	8	9
All other	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	1	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	1
Hypertensive heart disease (402)	113	-	-	-	-	1	3	8	24	40	27	10	145	-	-	-	-	-	2	6	18	30	45	44
White	94	-	-	-	-	-	2	4	20	33	26	9	126	-	-	-	-	-	2	4	13	24	42	41
All other	19	-	-	-	-	1	1	4	4	7	1	1	19	-	-	-	-	-	-	2	5	6	3	3
Black	16	-	-	-	-	1	-	4	4	5	1	1	16	-	-	-	-	-	-	2	4	6	1	3
Hypertensive heart and renal disease (404)	13	-	-	-	-	-	-	-	-	5	4	4	20	-	-	-	-	-	-	1	-	6	8	5
White	9	-	-	-	-	-	-	-	-	2	3	4	16	-	-	-	-	-	-	1	-	4	6	5
All other	4	-	-	-	-	-	-	-	-	3	1	-	4	-	-	-	-	-	-	-	-	2	2	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-	-	2	1	-
Ischemic heart disease (410-414)	4,565	-	-	-	1	11	83	348	784	1,355	1,368	612	3,490	-	1	-	-	4	24	79	326	710	1,218	1,123
White	4,222	-	-	-	1	11	70	319	728	1,258	1,266	567	3,211	-	1	-	-	3	19	68	287	631	1,145	1,054
All other	343	-	-	-	-	-	13	29	56	97	102	45	279	-	-	-	-	1	5	11	39	79	73	69
Black	222	-	-	-	-	-	6	19	26	60	72	38	200	-	-	-	-	-	5	10	29	55	50	49
Acute myocardial infarction (410)	2,819	-	-	-	-	4	53	236	521	919	806	280	1,883	-	1	-	-	1	18	56	219	464	642	482
White	2,612	-	-	-	-	4	46	221	486	854	745	256	1,729	-	1	-	-	1	13	49	200	413	600	452
All other	207	-	-	-	-	-	7	15	35	65	61	24	154	-	-	-	-	-	5	7	19	51	42	30
Black	123	-	-	-	-	-	1	9	12	41	41	19	110	-	-	-	-	-	5	6	15	33	30	21
Other acute and subacute forms of ischemic heart disease (411)	156	-	-	-	-	-	5	23	33	48	28	19	93	-	-	-	-	1	2	7	14	21	31	17
White	141	-	-	-	-	-	5	19	28	43	28	18	78	-	-	-	-	1	2	5	11	17	29	13
All other	15	-	-	-	-	-	-	4	5	5	-	1	15	-	-	-	-	-	-	2	3	4	2	4
Black	11	-	-	-	-	-	-	3	3	4	-	1	10	-	-	-	-	-	-	2	1	3	1	3
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	1	4	-
White	1	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	1	4	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,589	-	-	-	1	7	25	89	230	388	534	312	1,509	-	-	-	-	2	4	16	93	224	541	624
White	1,468	-	-	-	1	7	19	79	214	361	493	292	1,399	-	-	-	-	1	4	14	76	200	512	589
All other	121	-	-	-	-	-	6	10	16	27	41	20	110	-	-	-	-	1	-	2	17	24	29	35
Black	88	-	-	-	-	-	5	7	11	15	31	18	80	-	-	-	-	-	-	2	13	19	19	25
Other diseases of endocardium (424)	34	-	-	-	-	-	3	3	5	5	15	3	30	-	-	-	1	-	-	2	3	3	13	8
White	33	-	-	-	-	-	2	3	5	5	15	3	27	-	-	-	1	-	-	2	2	2	13	7
All other	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other forms of heart disease (415-423,425-429)	1,028	5	4	2	5	9	19	56	128	222	352	226	1,127	3	2	-	4	14	18	26	79	172	364	445
White	912	4	4	1	5	7	13	51	108	196	315	208	1,029	3	2	-	1	11	16	18	69	149	334	426
All other	116	1	-	1	-	2	6	5	20	26	37	18	98	-	-	-	3	3	2	8	10	23	30	19
Black	88	1	-	1	-	1	4	4	18	17	26	16	67	-	-	-	1	2	2	6	7	17	21	11
Hypertension with or without renal disease (401,403)	47	-	-	-	1	-	1	1	5	14	15	10	52	-	-	-	-	-	-	2	5	14	14	17
White	43	-	-	-	1	-	1	1	3	13	14	10	41	-	-	-	-	-	-	2	3	12	9	15
All other	4	-	-	-	-	-	-	-	2	1	1	-	11	-	-	-	-	-	-	-	2	2	5	2
Black	2	-	-	-	-	-	-	-	1	1	-	-	10	-	-	-	-	-	-	-	2	1	5	2
Cerebrovascular diseases (430-438)	1,041	1	-	-	3	8	9	34	105	271	359	251	1,562	-	-	1	2	6	11	34	85	235	553	635
White	936	-	-	-	2	8	8	28	84	242	332	232	1,420	-	-	-	1	6	10	31	71	210	504	587
All other	105	1	-	-	1	-	1	6	21	29	27	19	142	-	-	1	1	-	1	3	14	25	49	48
Black	77	1	-	-	-	-	-	4	12	22	24	14	105	-	-	1	1	-	1	2	10	22	36	32
Intracerebral and other intracranial hemorrhage (431-432)	96	-	-	-	1	5	2	7	15	31	22	13	143	-	-	1	1	-	4	13	17	28	46	33
White	84	-	-	-	-	5	1	6	11	28	22	11	129	-	-	-	-	-	4	12	14	28	42	29
All other	12	-	-	-	1	-	1	1	4	3	-	2	14	-	-	1	1	-	-	1	3	-	4	4
Black	5	-	-	-	-	-	-	-	3	2	-	-	5	-	-	1	1	-	-	-	1	-	1	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	135	-	-	-	1	-	1	6	10	35	48	34	213	-	-	-	-	-	-	1	14	27	70	101
White	117	-	-	-	1	-	1	4	8	31	40	32	188	-	-	-	-	-	-	1	9	22	65	91
All other	18	-	-	-	-	-	-	2	2	4	8	2	25	-	-	-	-	-	-	-	5	5	5	10
Black	15	-	-	-	-	-	-	2	1	2	8	2	21	-	-	-	-	-	-	-	4	4	4	9

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	1	2	1	-	5	-	-	-	-	-	-	-	-	1	3	1
White	4	-	-	-	-	-	-	-	1	2	1	-	5	-	-	-	-	-	-	-	-	1	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	806	1	-	-	1	3	6	21	79	203	288	204	1,201	-	-	-	1	6	7	20	54	179	434	500
White	731	-	-	-	1	3	6	18	64	181	260	189	1,098	-	-	-	1	6	6	18	48	159	394	466
All other [1]	75	1	-	-	-	-	-	3	15	22	19	15	103	-	-	-	-	-	1	2	6	20	40	34
Black	57	1	-	-	-	-	-	2	8	18	16	12	79	-	-	-	-	-	1	2	5	18	31	22
Atherosclerosis (440)	173	-	-	-	-	-	-	-	7	30	71	65	247	-	-	-	-	-	-	2	8	18	77	142
White	154	-	-	-	-	-	-	-	7	23	65	59	229	-	-	-	-	-	-	1	8	14	75	131
All other	19	-	-	-	-	-	-	-	-	7	6	6	18	-	-	-	-	-	-	1	-	4	2	11
Black	17	-	-	-	-	-	-	-	-	6	6	5	13	-	-	-	-	-	-	1	-	3	1	8
Other diseases of arteries, arterioles, and capillaries (441-448)	161	-	-	-	-	-	2	6	17	57	60	19	91	-	-	-	2	1	1	3	13	14	26	31
White	157	-	-	-	-	-	2	6	16	57	57	19	78	-	-	-	1	-	1	2	11	12	23	28
All other	4	-	-	-	-	-	-	-	1	-	3	-	13	-	-	-	1	1	-	1	2	2	3	3
Black	3	-	-	-	-	-	-	-	1	-	2	-	8	-	-	-	-	1	-	-	1	1	2	3
Acute bronchitis and bronchiolitis (466)	3	1	-	-	-	-	-	-	-	2	-	-	4	-	3	-	-	-	-	1	-	-	-	-
White	3	1	-	-	-	-	-	-	-	2	-	-	2	-	1	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	423	9	1	1	1	1	7	7	29	73	143	151	444	7	1	1	1	6	3	13	14	49	144	205
White	384	6	1	-	-	1	4	5	24	69	136	138	412	5	1	1	-	5	2	11	13	48	131	195
All other	39	3	-	1	1	-	3	2	5	4	7	13	32	2	-	-	1	1	1	2	1	1	13	10
Black	23	2	-	-	1	-	1	1	4	1	4	9	26	2	-	-	-	1	1	2	1	1	10	8
Pneumonia (480-486)	409	9	1	1	1	1	7	7	29	71	139	143	418	7	1	1	1	4	3	12	13	46	139	191
White	370	6	1	-	-	1	4	5	24	67	132	130	388	5	1	1	-	4	2	10	12	45	127	181
All other	39	3	-	1	1	-	3	2	5	4	7	13	30	2	-	-	1	-	1	2	1	1	12	10
Black	23	2	-	-	1	-	1	1	4	1	4	9	24	2	-	-	-	-	1	2	1	1	9	8
Influenza (487)	14	-	-	-	-	-	-	-	-	2	4	8	26	-	-	-	-	2	-	1	1	3	5	14
White	14	-	-	-	-	-	-	-	-	2	4	8	24	-	-	-	-	1	-	1	1	3	4	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	546	1	-	2	-	1	3	28	80	215	155	61	256	-	1	1	1	2	2	14	50	88	66	23
White	520	-	-	1	-	1	3	22	78	206	151	58	244	-	1	1	1	2	1	14	54	87	60	23
All other	26	1	-	1	-	-	-	6	2	9	4	3	12	-	-	-	-	-	1	-	5	1	5	-
Black	16	1	-	1	-	-	-	2	2	5	2	3	8	-	-	-	-	-	1	-	3	-	4	-
Bronchitis, chronic and unspecified (490-491)	22	-	-	-	-	-	-	2	5	7	6	2	15	-	1	-	-	-	1	-	3	-	9	1
White	20	-	-	-	-	-	-	1	5	7	5	2	13	-	1	-	-	-	1	-	3	-	7	1
All other	2	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-
Emphysema (492)	118	-	-	-	-	-	-	9	19	45	31	14	43	-	-	-	-	1	-	1	9	20	10	2
White	113	-	-	-	-	-	-	8	17	44	31	13	41	-	-	-	-	1	-	1	9	19	9	2
All other	5	-	-	-	-	-	-	1	2	1	-	1	2	-	-	-	-	-	-	-	-	1	1	-
Black	5	-	-	-	-	-	-	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Asthma (493)	18	-	-	2	-	1	-	1	3	8	2	1	21	-	-	1	1	1	1	1	5	4	6	1
White	16	-	-	1	-	1	-	-	3	8	2	1	17	-	-	1	1	1	-	1	3	4	5	1
All other	2	-	-	1	-	-	-	1	-	-	-	-	4	-	-	-	-	-	1	-	2	-	1	-
Black	2	-	-	1	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	388	1	-	-	-	-	3	16	53	155	116	44	177	-	-	-	-	-	-	12	42	64	40	19
White	371	-	-	-	-	-	3	13	53	147	113	42	173	-	-	-	-	-	-	12	39	64	39	19
All other	17	1	-	-	-	-	-	3	-	8	3	2	4	-	-	-	-	-	-	-	3	-	1	-
Black	6	1	-	-	-	-	-	-	-	4	1	2	3	-	-	-	-	-	-	-	2	-	1	-
Ulcer of stomach and duodenum (531-533)	51	-	-	-	-	-	4	3	6	17	9	12	38	1	-	-	-	-	1	2	8	5	9	12
White	46	-	-	-	-	-	3	2	4	17	8	12	33	-	-	-	-	-	1	1	7	4	8	12
All other	5	-	-	-	-	-	1	1	2	-	1	-	5	1	-	-	-	-	-	1	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Appendicitis (540-543)	4	-	-	-	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	3	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	28	2	-	-	-	-	1	-	-	5	14	6	57	1	-	-	-	-	1	3	4	10	16	22
White	24	1	-	-	-	-	1	-	-	4	12	6	51	-	-	-	-	-	-	2	3	10	16	20
All other	4	1	-	-	-	-	-	-	-	1	2	-	6	1	-	-	-	-	1	1	1	-	-	2
Black	3	1	-	-	-	-	-	-	-	-	2	-	5	1	-	-	-	-	1	1	1	-	-	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Chronic liver disease and cirrhosis (571)	252	-	-	-	1	11	24	48	84	57	24	3	126	-	1	-	1	5	13	23	29	34	18	2
White	210	-	-	-	-	3	18	38	73	52	23	3	97	-	-	-	-	3	8	15	22	29	18	2
All other	42	-	-	-	1	8	6	10	11	5	1	-	29	-	1	-	1	2	5	8	7	5	-	-
Black	18	-	-	-	-	1	3	6	5	3	-	-	8	-	1	-	-	-	1	3	3	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	18	-	-	-	-	-	-	1	1	3	7	6	33	-	-	-	-	-	-	-	6	6	9	12
White	17	-	-	-	-	-	-	1	1	2	7	6	28	-	-	-	-	-	-	-	5	5	7	11
All other	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	-	1	1	2	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	160	4	1	-	-	5	3	6	12	32	50	47	158	2	3	1	2	-	2	5	8	34	49	52
White	135	2	1	-	-	5	3	3	11	24	45	41	139	2	3	1	2	-	2	4	6	27	46	46
All other	25	2	-	-	-	-	-	3	1	8	5	6	19	-	-	-	-	-	-	1	2	7	3	6
Black	18	2	-	-	-	-	-	1	1	6	5	3	14	-	-	-	-	-	-	1	1	6	3	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	1	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	1	-	2	1
White	2	-	1	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	1	-	2	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	19	1	-	-	-	-	-	-	2	4	5	7	24	-	-	-	1	-	-	-	5	6	7	5
White	15	1	-	-	-	-	-	-	1	2	4	7	20	-	-	-	1	-	-	-	3	4	7	5
All other	4	-	-	-	-	-	-	-	1	2	1	-	4	-	-	-	-	-	-	-	2	2	-	-
Black	4	-	-	-	-	-	-	-	1	2	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	138	3	-	-	-	5	3	6	10	27	44	40	130	2	3	1	1	-	2	5	2	28	40	46
White	118	1	-	-	-	5	3	3	10	21	41	34	115	2	3	1	1	-	2	4	2	23	37	40
All other	20	2	-	-	-	-	-	3	-	6	3	6	15	-	-	-	-	-	-	1	-	5	3	6
Black	13	2	-	-	-	-	-	1	-	4	3	3	12	-	-	-	-	-	-	1	-	5	3	3
Infections of kidney (590)	26	-	-	-	-	1	-	-	1	2	14	8	45	-	-	-	-	1	-	2	3	4	23	12
White	25	-	-	-	-	1	-	-	1	2	14	7	43	-	-	-	-	1	-	2	3	4	21	12
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Hyperplasia of prostate (600)	10	-	-	-	-	-	-	-	-	4	3	3												
White	10	-	-	-	-	-	-	-	-	4	3	3												
All other	-	-	-	-	-	-	-	-	-	-	-	-												
Black	-	-	-	-	-	-	-	-	-	-	-	-												
Complications of pregnancy, childbirth, and the puerperium (630-676)													8			-	2	4	2	-				
White													6			-	1	4	1	-				
All other													2			-	1	-	1	-				
Black													2			-	1	-	1	-				
Pregnancy with abortive outcome (630-638)													-			-	-	-	-	-				
White													-			-	-	-	-	-				
All other													-			-	-	-	-	-				
Black													-			-	-	-	-	-				
Other complications of pregnancy, childbirth, and the puerperium (640-676)													8			-	2	4	2	-				
White													6			-	1	4	1	-				
All other													2			-	1	-	1	-				
Black													2			-	1	-	1	-				
Congenital anomalies (740-759)	93	65	10	2	5	4	1	1	3	1	1	-	94	52	10	9	4	3	1	5	5	1	4	-
White	81	57	8	2	4	4	-	1	3	1	1	-	78	42	8	7	4	2	1	4	5	1	4	-
All other	12	8	2	-	1	-	1	-	-	-	-	-	16	10	2	2	-	1	-	1	-	-	-	-
Black	10	6	2	-	1	-	1	-	-	-	-	-	12	7	2	2	-	1	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	179	179	-	-	-	-	-	-	-	-	-	-	115	114	1	-	-	-	-	-	-	-	-	-
White	134	134	-	-	-	-	-	-	-	-	-	-	88	87	1	-	-	-	-	-	-	-	-	-
All other	45	45	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-
Black	29	29	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	71	71	-	-	-	-	-	-	-	-	-	-	47	46	1	-	-	-	-	-	-	-	-	-
White	48	48	-	-	-	-	-	-	-	-	-	-	36	35	1	-	-	-	-	-	-	-	-	-
All other	23	23	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Black	11	11	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con																								
Other conditions originating in the perinatal period (760-766,770-779)	108	108	-	-	-	-	-	-	-	-	-	-	68	68	-	-	-	-	-	-	-	-	-	-
White	86	86	-	-	-	-	-	-	-	-	-	-	52	52	-	-	-	-	-	-	-	-	-	-
All other	22	22	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
Black	18	18	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	196	78	3	-	9	5	6	8	17	29	23	17	166	42	1	-	6	4	2	10	12	20	27	42
White	162	61	3	-	7	4	5	6	15	25	23	13	150	36	-	-	6	4	2	9	12	18	24	39
All other	34	17	-	-	2	1	1	2	2	4	-	4	16	6	1	-	-	-	-	1	-	2	3	3
Black	16	6	-	-	1	1	1	-	-	2	-	4	13	5	-	-	-	-	-	1	-	1	3	3
All other diseases (Residual)	870	15	7	11	12	26	42	79	130	205	244	99	878	15	8	11	16	22	28	51	80	164	227	256
White	760	11	5	9	8	18	30	68	112	186	223	90	783	11	8	8	12	18	18	41	70	144	211	242
All other	110	4	2	2	4	8	12	11	18	19	21	9	95	4	-	3	4	4	10	10	10	20	16	14
Black	64	3	1	-	1	6	7	5	7	14	13	7	57	3	-	2	2	1	8	3	5	12	12	9
Accidents and adverse effects (E800-E949)	1,340	7	41	65	362	261	125	110	126	97	72	44	533	14	21	29	102	65	40	36	33	53	70	69
White	1,158	5	34	53	320	249	109	88	107	82	63	40	459	13	12	26	88	56	37	27	27	50	61	61
All other	182	2	7	12	42	32	16	22	19	15	9	4	74	1	9	3	14	9	3	9	6	3	9	8
Black	90	1	7	9	20	11	5	12	6	8	8	2	47	1	7	2	4	2	1	8	4	2	8	8
Motor vehicle accidents (E810-E825)	762	1	10	35	261	184	74	58	59	43	27	4	286	8	12	19	95	45	25	17	18	26	20	1
White	661	1	9	31	231	166	62	44	50	35	23	4	245	8	8	17	81	39	22	13	16	26	15	-
All other	101	-	1	4	30	18	12	14	9	8	4	-	41	-	4	2	14	6	3	4	2	-	5	1
Black	46	-	1	3	13	6	3	9	3	4	4	-	19	-	2	1	4	1	1	4	1	-	4	1
All other accidents and adverse effects (E800-E807, E826-E949)	578	6	31	30	101	97	51	52	67	54	45	40	247	6	9	10	7	20	15	19	15	27	50	68
White	497	4	25	22	89	83	47	44	57	47	40	36	214	5	4	9	7	17	15	14	11	24	46	61
All other	81	2	6	8	12	14	4	8	10	7	5	4	33	1	5	1	-	3	-	5	4	3	4	7
Black	44	1	6	6	7	5	2	3	3	4	4	2	28	1	5	1	-	1	-	4	3	2	4	7
Suicide (E950-E959)	344	...	...	3	76	74	53	52	35	31	15	4	127	...	...	-	28	25	16	23	16	16	3	-
White	326	...	...	3	68	72	50	50	34	29	15	4	120	...	...	-	24	25	16	22	15	15	3	-
All other	18	...	...	-	8	2	3	2	1	2	-	-	7	...	...	-	4	-	-	1	1	1	-	-
Black	11	...	...	-	5	1	3	1	-	1	-	-	3	...	...	-	-	-	-	1	1	1	-	-
Homicide and legal intervention (E960-E978)	240	2	6	4	54	65	43	30	20	9	4	1	79	1	3	2	23	23	6	5	3	7	4	1
White	163	1	2	3	28	46	32	19	16	9	4	1	61	-	2	2	16	17	5	4	2	7	4	1
All other	77	1	4	1	26	19	11	11	4	-	-	-	18	1	1	-	7	6	1	1	1	-	-	-
Black	65	-	4	1	22	18	10	8	2	-	-	-	16	1	1	-	5	6	1	1	1	-	-	-
All other external causes (E980-E999)	23	1	-	-	5	4	3	1	6	-	2	1	16	-	1	1	2	-	4	4	3	1	-	-
White	19	1	-	-	4	3	2	1	5	-	2	1	14	-	-	1	2	-	4	3	3	1	-	-
All other	4	-	-	-	1	1	1	-	1	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
OREGON																								
All causes	12,040	266	47	62	383	403	367	749	1,900	3,209	3,000	1,648	9,803	201	42	33	131	157	199	445	1,061	1,961	2,802	2,770
White	11,768	240	43	59	367	383	346	718	1,864	3,152	2,958	1,632	9,610	191	40	30	123	146	190	420	1,026	1,925	2,771	2,747
All other	272	26	4	3	16	20	21	31	36	57	42	16	193	10	2	3	8	11	9	25	35	36	31	23
Black	143	13	3	1	9	10	11	18	23	33	17	5	101	5	2	1	3	1	2	12	24	24	14	13
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	8	-	-	-	-	-	-	1	3	-	1	3	7	-	-	-	-	1	-	-	-	2	1	3
White	8	-	-	-	-	-	-	1	3	-	1	3	7	-	-	-	-	1	-	-	-	2	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	6	-	-	-	-	-	-	-	2	-	1	3	6	-	-	-	-	-	-	-	-	2	1	3
White	6	-	-	-	-	-	-	-	2	-	1	3	6	-	-	-	-	-	-	-	-	2	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	2	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
White	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	37	-	-	-	-	1	-	1	8	11	7	9	41	-	-	-	1	1	-	2	7	11	10	9
White	37	-	-	-	-	1	-	1	8	11	7	9	41	-	-	-	1	1	-	2	7	11	10	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	-	-	-	1	-	-	1	1	1	-	-	5	-	-	-	-	-	-	3	-	2	-	-
White	4	-	-	-	1	-	-	1	1	1	-	-	5	-	-	-	-	-	-	3	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	18	1	-	-	-	1	-	-	2	10	2	2	26	2	-	1	2	-	2	3	2	4	2	8
White	17	1	-	-	-	1	-	-	2	9	2	2	25	2	-	1	2	-	2	3	2	3	2	8
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2 595	-	6	5	22	32	58	200	537	890	629	216	2 161	-	6	8	13	29	66	199	457	609	519	255
White	2 547	-	6	5	21	32	57	194	528	874	617	213	2 127	-	6	8	13	29	66	190	448	601	512	254
All other	48	-	-	-	1	-	1	6	9	16	12	3	34	-	-	-	-	-	-	9	9	8	7	1
Black	28	-	-	-	-	-	-	5	6	9	7	1	22	-	-	-	-	-	-	4	8	6	4	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	49	-	-	-	-	-	-	6	13	18	11	1	23	-	-	-	-	-	-	2	6	9	3	3
White	48	-	-	-	-	-	-	6	13	17	11	1	23	-	-	-	-	-	-	2	6	9	3	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	627	-	1	-	3	3	15	39	116	230	160	60	552	-	-	-	-	1	12	34	96	155	153	101
White	614	-	1	-	3	3	15	36	114	225	157	60	544	-	-	-	-	1	12	32	94	153	152	100
All other	13	-	-	-	-	-	-	3	2	5	3	-	8	-	-	-	-	-	-	2	2	2	1	1
Black	10	-	-	-	-	-	-	2	1	5	2	-	4	-	-	-	-	-	-	1	1	2	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	930	-	-	-	2	4	11	88	250	357	181	37	376	-	-	-	-	2	7	50	116	126	55	20
White	912	-	-	-	1	4	11	85	246	353	177	35	367	-	-	-	-	2	7	50	111	123	54	20
All other	18	-	-	-	1	-	-	3	4	4	4	2	9	-	-	-	-	-	-	-	5	3	1	-
Black	10	-	-	-	-	-	-	3	4	1	2	-	6	-	-	-	-	-	-	-	5	1	-	-
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	1	-	-	2	1	420	-	-	-	-	6	17	60	102	106	90	39
White	4	-	-	-	-	-	-	1	-	-	2	1	413	-	-	-	-	6	17	57	101	104	89	39
All other	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	3	1	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	2	1	2	1	-
Malignant neoplasms of genital organs (179-187)	272	-	-	-	-	1	2	5	17	66	123	58	235	-	-	-	1	3	11	23	48	70	55	24
White	268	-	-	-	-	1	2	5	16	65	121	58	232	-	-	-	1	3	11	22	47	70	54	24
All other	4	-	-	-	-	-	-	-	1	1	2	-	3	-	-	-	-	-	-	1	1	-	1	-
Black	3	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	1	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Malignant neoplasms of urinary organs (188-189)	146	-	-	-	-	1	3	13	25	46	40	18	68	-	-	-	-	1	2	4	8	20	17	16
White	144	-	-	-	-	1	3	13	25	44	40	18	68	-	-	-	-	1	2	4	8	20	17	16
All other	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	300	-	4	2	7	10	18	36	64	86	55	18	264	-	4	5	6	9	8	15	55	66	69	27
White	294	-	4	2	7	10	17	36	63	84	53	18	259	-	4	5	6	9	8	13	55	65	67	27
All other	6	-	-	-	-	-	1	-	1	2	2	-	5	-	-	-	-	-	-	2	-	1	2	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	1	-	1	1	-
Leukemia (204-208)	129	-	1	3	7	7	5	3	18	43	30	12	88	-	1	3	1	4	6	3	6	18	33	13
White	127	-	1	3	7	7	5	3	18	42	29	12	88	-	1	3	1	4	6	3	6	18	33	13
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	138	-	-	-	3	6	4	9	34	45	27	10	135	-	1	-	5	3	3	8	20	39	44	12
White	136	-	-	-	3	6	4	9	33	45	27	9	133	-	1	-	5	3	3	7	20	39	43	12
All other	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	1	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	39	-	1	1	2	2	2	4	5	10	7	5	46	-	-	-	2	4	-	2	6	10	14	8
White	38	-	1	1	2	2	2	4	4	10	7	5	46	-	-	-	2	4	-	2	6	10	14	8
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	119	-	-	-	1	1	1	8	19	33	36	20	182	-	-	-	-	6	3	11	26	45	55	36
White	116	-	-	-	1	1	1	8	19	31	35	20	177	-	-	-	-	5	3	11	23	44	55	36
All other	3	-	-	-	-	-	-	-	-	2	1	-	5	-	-	-	-	1	-	-	3	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Nutritional deficiencies (260-269)	13	-	-	-	-	-	-	-	3	1	4	5	21	-	-	-	-	-	-	-	2	2	4	13
White	13	-	-	-	-	-	-	-	3	1	4	5	21	-	-	-	-	-	-	-	2	2	4	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	11	-	-	-	-	-	-	-	1	1	1	8	15	-	-	-	1	-	-	-	-	2	7	5
White	11	-	-	-	-	-	-	-	1	1	1	8	15	-	-	-	1	-	-	-	-	2	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	1	1	-	-	-	-	-	-	-	-	-	4	1	1	-	-	-	-	-	-	1	1	-
White	1	-	1	-	-	-	-	-	-	-	-	-	4	1	1	-	-	-	-	-	-	1	1	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,494	3	2	-	9	23	94	280	880	1,550	1,663	989	4,935	1	1	-	5	13	35	108	309	887	1,685	1,891
White	5,404	2	1	-	8	22	87	269	869	1,526	1,641	978	4,855	1	1	-	4	12	34	102	293	868	1,668	1,872
All other	90	1	1	-	1	1	7	11	11	24	22	11	80	-	-	-	1	1	1	6	16	19	17	19
Black	44	-	1	-	1	-	5	7	8	12	7	3	54	-	-	-	-	-	1	5	14	12	10	12
Diseases of heart (390-398,402,404-429)	4,318	3	2	-	7	20	79	260	781	1,253	1,226	687	3,357	1	1	-	3	10	20	78	240	652	1,157	1,195
White	4,247	2	1	-	6	19	74	251	772	1,235	1,210	677	3,302	1	1	-	2	9	20	73	229	636	1,146	1,185
All other	71	1	1	-	1	1	5	9	9	18	16	10	55	-	-	-	1	1	-	5	11	16	11	10
Black	38	-	1	-	1	-	3	6	7	11	6	3	36	-	-	-	-	-	-	4	11	9	6	6
Rheumatic fever and rheumatic heart disease (390-398)	39	-	-	-	1	-	-	5	8	12	11	2	67	-	-	-	-	2	1	5	8	26	16	9
White	39	-	-	-	1	-	-	5	8	12	11	2	66	-	-	-	-	2	1	5	8	26	15	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertensive heart disease (402)	62	-	-	-	-	1	2	2	15	21	10	11	102	-	-	-	-	-	-	2	12	14	41	33
White	61	-	-	-	-	1	2	2	14	21	10	11	99	-	-	-	-	-	-	1	11	14	40	33
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	1	1	-	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	1	1	-	1	-
Hypertensive heart and renal disease (404)	12	-	-	-	-	-	-	-	-	2	7	3	26	-	-	-	-	-	-	1	2	5	7	11
White	12	-	-	-	-	-	-	-	-	2	7	3	26	-	-	-	-	-	-	1	2	5	7	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	3,503	-	-	-	2	11	65	219	653	1,029	1,000	524	2,509	-	-	-	-	1	11	57	182	493	885	880
White	3,446	-	-	-	1	10	63	211	645	1,013	987	516	2,472	-	-	-	-	1	11	53	174	481	878	874
All other	57	-	-	-	1	1	2	8	8	16	13	8	37	-	-	-	-	-	-	4	8	12	7	6
Black	32	-	-	-	1	-	2	5	6	9	6	3	24	-	-	-	-	-	-	3	8	7	3	3
Acute myocardial infarction (410)	1,383	-	-	-	2	4	25	88	270	446	390	158	925	-	-	-	-	-	6	27	76	239	355	222
White	1,366	-	-	-	1	3	25	88	267	441	386	155	913	-	-	-	-	-	6	23	74	237	352	221
All other	17	-	-	-	1	1	-	-	3	5	4	3	12	-	-	-	-	-	-	4	2	2	3	1
Black	7	-	-	-	1	-	-	-	2	2	-	2	8	-	-	-	-	-	-	3	2	1	2	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	6	-	-	-	-	-	-	-	2	4	-	-	10	-	-	-	-	-	-	-	-	2	4	4
White	6	-	-	-	-	-	-	-	2	4	-	-	9	-	-	-	-	-	-	-	-	2	3	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	-	-	2	2	1
White	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	-	-	-	2	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,113	-	-	-	-	7	40	131	381	578	610	366	1,569	-	-	-	-	1	5	30	106	250	524	653
White	2,073	-	-	-	-	7	38	123	376	567	601	361	1,545	-	-	-	-	1	5	30	100	240	521	648
All other	40	-	-	-	-	-	2	8	5	11	9	5	24	-	-	-	-	-	-	-	6	10	3	5
Black	25	-	-	-	-	-	2	5	4	7	6	1	16	-	-	-	-	-	-	-	6	6	1	3
Other diseases of endocardium (424)	73	-	-	-	-	-	-	1	10	21	27	14	72	-	-	-	-	-	-	3	2	9	20	38
White	70	-	-	-	-	-	-	1	10	21	25	13	69	-	-	-	-	-	-	3	2	8	20	36
All other	3	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	1	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other forms of heart disease (415-423,425-429)	629	3	2	-	4	8	12	33	95	168	171	133	581	1	1	-	3	7	8	10	34	105	188	224
White	619	2	1	-	4	8	9	32	95	166	170	132	570	1	1	-	2	6	8	10	32	102	186	222
All other	10	1	1	-	-	-	3	1	-	2	1	1	11	-	-	-	1	1	-	-	2	3	2	2
Black	5	-	1	-	-	-	1	1	-	2	-	-	7	-	-	-	-	-	-	-	2	2	1	2
Hypertension with or without renal disease (401,403)	28	-	-	-	-	-	-	-	1	8	13	6	28	-	-	-	-	-	1	1	1	6	10	9
White	28	-	-	-	-	-	-	-	1	8	13	6	27	-	-	-	-	-	1	1	1	5	10	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Cerebrovascular diseases (430-438)	796	-	-	-	1	3	10	16	71	194	302	198	1,177	-	-	-	2	3	13	23	55	176	408	497
White	781	-	-	-	1	3	9	14	69	190	297	197	1,156	-	-	-	2	3	12	22	50	174	403	490
All other	15	-	-	-	-	-	1	2	2	4	5	1	21	-	-	-	-	-	1	1	5	2	5	7
Black	5	-	-	-	-	-	1	1	1	1	1	-	15	-	-	-	-	-	1	1	3	2	3	5
Intracerebral and other intracranial hemorrhage (431-432)	74	-	-	-	-	2	1	4	13	15	29	10	88	-	-	-	-	-	2	7	15	23	24	17
White	69	-	-	-	-	2	-	4	11	14	28	10	85	-	-	-	-	-	2	7	13	23	23	17
All other	5	-	-	-	-	-	1	-	2	1	1	-	3	-	-	-	-	-	-	-	2	-	1	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	146	-	-	-	-	-	2	3	16	28	54	43	234	-	-	-	1	-	-	2	8	40	86	97
White	143	-	-	-	-	-	2	3	16	27	53	42	230	-	-	-	1	-	-	2	7	40	83	97
All other	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	-	1	-	3	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	2	-
Cerebral embolism (434.1)	6	-	-	-	-	-	-	-	1	2	3	-	6	-	-	-	-	-	-	-	-	2	1	3
White	6	-	-	-	-	-	-	-	1	2	3	-	6	-	-	-	-	-	-	-	-	2	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	570	-	-	-	1	1	7	9	41	149	216	145	849	-	-	-	1	3	11	14	32	111	297	380
White	563	-	-	-	1	1	7	7	41	147	213	145	835	-	-	-	1	3	10	13	30	109	296	373
All other	7	-	-	-	-	-	-	2	-	2	3	-	14	-	-	-	-	-	1	1	2	2	1	7
Black	3	-	-	-	-	-	-	1	-	1	1	-	11	-	-	-	-	-	1	1	1	2	1	5
Atherosclerosis (440)	193	-	-	-	1	-	1	3	12	28	71	77	287	-	-	-	-	-	-	1	5	35	82	164
White	193	-	-	-	1	-	1	3	12	28	71	77	285	-	-	-	-	-	-	1	5	35	82	162
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	159	-	-	-	-	-	4	1	15	67	51	21	86	-	-	-	-	-	1	5	8	18	28	26
White	155	-	-	-	-	-	3	1	15	65	50	21	85	-	-	-	-	-	1	5	8	18	27	26
All other	4	-	-	-	-	-	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Acute bronchitis and bronchiolitis (466)	3	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-	-	2	1	-
White	3	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-	-	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	301	-	-	1	1	1	1	7	21	59	100	110	316	1	2	1	1	-	3	5	13	30	87	173
White	295	-	-	1	1	1	1	7	18	58	98	110	313	1	2	1	1	-	2	5	13	30	85	173
All other	6	-	-	-	-	-	-	-	3	1	2	-	3	-	-	-	-	-	1	-	-	-	2	-
Black	5	-	-	-	-	-	-	-	3	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Pneumonia (480-486)	285	-	-	1	1	1	1	7	19	54	95	106	283	1	2	-	1	-	3	5	12	27	81	151
White	279	-	-	1	1	1	1	7	16	53	93	106	280	1	2	-	1	-	2	5	12	27	79	151
All other	6	-	-	-	-	-	-	-	3	1	2	-	3	-	-	-	-	-	1	-	-	-	2	-
Black	5	-	-	-	-	-	-	-	3	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Influenza (487)	16	-	-	-	-	-	-	-	2	5	5	4	33	-	-	1	-	-	-	-	1	3	6	22
White	16	-	-	-	-	-	-	-	2	5	5	4	33	-	-	1	-	-	-	-	1	3	6	22
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	580	-	-	1	1	-	2	15	87	226	199	48	265	-	1	-	-	-	-	11	50	105	74	24
White	578	-	-	1	1	-	2	15	86	225	199	48	264	-	1	-	-	-	-	11	49	105	74	24
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Bronchitis, chronic and unspecified (490-491)	48	-	-	-	-	-	-	2	9	10	21	6	25	-	-	-	-	-	-	1	4	10	5	5
White	48	-	-	-	-	-	-	2	9	10	21	6	24	-	-	-	-	-	-	1	3	10	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Emphysema (492)	147	-	-	-	-	-	1	5	14	67	53	7	57	-	-	-	-	-	-	3	15	22	16	1
White	147	-	-	-	-	-	1	5	14	67	53	7	57	-	-	-	-	-	-	3	15	22	16	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	29	-	-	1	1	-	1	1	10	10	4	1	33	-	1	-	-	-	-	2	8	14	6	2
White	28	-	-	1	1	-	1	1	10	9	4	1	33	-	1	-	-	-	-	2	8	14	6	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	356	-	-	-	-	-	-	7	54	139	121	34	150	-	-	-	-	-	-	5	23	59	47	16
White	355	-	-	-	-	-	-	7	53	139	121	34	150	-	-	-	-	-	-	5	23	59	47	16
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	27	-	-	-	-	-	1	1	6	6	9	4	28	-	-	-	-	1	-	1	4	5	6	11
White	27	-	-	-	-	-	1	1	6	6	9	4	28	-	-	-	-	1	-	1	4	5	6	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	31	1	-	1	1	-	-	2	2	8	7	9	36	-	-	-	-	1	1	-	3	6	9	16
White	30	1	-	1	1	-	-	2	2	7	7	9	36	-	-	-	-	1	1	-	3	6	9	16
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	230	-	-	-	-	7	17	47	68	75	13	2	123	-	-	-	1	3	8	27	30	34	14	6
White	216	-	-	-	-	7	15	43	65	70	13	2	116	-	-	-	1	2	8	23	30	33	13	6
All other	14	-	-	-	-	-	2	4	3	5	-	-	7	-	-	-	-	1	-	4	-	1	1	-
Black	9	-	-	-	-	-	1	2	2	4	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	21	-	-	-	-	-	-	1	2	4	7	7	24	-	-	-	-	-	-	-	1	3	9	11
White	20	-	-	-	-	-	-	1	2	3	7	7	22	-	-	-	-	-	-	-	1	3	7	11
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	89	2	-	-	1	-	2	4	16	27	23	14	65	-	-	-	1	2	-	2	3	12	19	26
White	86	2	-	-	1	-	2	4	15	25	23	14	65	-	-	-	1	2	-	2	3	12	19	26
All other	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	15	-	-	-	-	-	1	2	3	4	5	-	12	-	-	-	-	-	-	1	1	2	4	4
White	15	-	-	-	-	-	1	2	3	4	5	-	12	-	-	-	-	-	-	1	1	2	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	74	2	-	-	1	-	1	2	13	23	18	14	53	-	-	-	1	2	-	1	2	10	15	22
White	71	2	-	-	1	-	1	2	12	21	18	14	53	-	-	-	1	2	-	1	2	10	15	22
All other	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	7	-	-	-	-	-	-	-	2	-	3	2	14	-	-	-	-	-	-	-	3	1	7	3
White	7	-	-	-	-	-	-	-	2	-	3	2	14	-	-	-	-	-	-	-	3	1	7	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	5	-	-	-	-	-	-	-	1	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
White	5	-	-	-	-	-	-	-	1	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	65	51	6	2	1	-	2	1	-	-	1	1	66	50	4	1	3	2	2	2	-	1	1	-
White	61	47	6	2	1	-	2	1	-	-	1	1	65	49	4	1	3	2	2	2	-	1	1	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	120	119	1	-	-	-	-	-	-	-	-	-	90	90	-	-	-	-	-	-	-	-	-	-
White	107	106	1	-	-	-	-	-	-	-	-	-	85	85	-	-	-	-	-	-	-	-	-	-
All other	13	13	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	6	6	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	34	33	1	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-
White	30	29	1	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	86	86	-	-	-	-	-	-	-	-	-	-	60	60	-	-	-	-	-	-	-	-	-	-
White	77	77	-	-	-	-	-	-	-	-	-	-	55	55	-	-	-	-	-	-	-	-	-	-
All other	9	9	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	228	74	1	1	3	11	5	9	28	36	34	24	173	46	1	-	3	4	3	8	7	25	36	40
White	212	67	-	1	3	10	3	7	28	34	34	23	167	43	1	-	3	4	2	8	7	24	36	39
All other	16	7	1	-	-	1	2	2	-	2	-	1	6	3	-	-	-	-	1	-	-	1	-	1
Black	9	5	1	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	1	-	-
All other diseases (Residual)	635	6	5	10	13	13	21	48	95	150	169	105	632	4	7	-	5	20	15	25	80	119	178	179
White	619	6	5	9	11	12	21	44	91	150	166	104	618	3	7	-	5	19	15	24	77	115	176	177
All other	16	-	-	1	2	1	-	4	4	-	3	1	14	1	-	-	-	1	-	1	3	4	2	2
Black	8	-	-	-	-	1	-	3	3	-	1	-	6	1	-	-	-	-	-	-	1	3	-	1
Accidents and adverse effects (E800-E949)	944	4	22	36	240	205	104	79	74	79	48	52	368	2	18	20	62	38	37	14	39	31	55	52
White	911	4	21	34	232	195	98	77	72	79	46	52	344	2	16	17	57	35	32	12	36	30	55	52
All other	33	-	1	2	8	10	6	2	2	-	2	-	24	-	2	3	5	3	5	2	3	1	-	-
Black	14	-	-	1	4	5	2	1	-	-	1	-	5	-	2	1	2	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Motor vehicle accidents (E810-E825)	497	2	5	14	163	134	54	36	44	31	11	3	206	-	9	15	55	28	30	9	24	14	17	5
White	478	2	5	14	159	127	49	35	42	31	11	3	189	-	8	13	51	27	25	8	22	13	17	5
All other	19	-	-	-	4	7	5	1	2	-	-	-	17	-	1	2	4	1	5	1	2	1	-	-
Black	7	-	-	-	1	3	2	1	-	-	-	-	3	-	1	1	1	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	447	2	17	22	77	71	50	43	30	49	37	49	162	2	9	5	7	10	7	5	15	17	38	47
White	433	2	16	20	73	68	49	42	30	49	35	49	155	2	8	4	6	8	7	4	14	17	38	47
All other	14	-	1	2	4	3	1	1	-	-	2	-	7	-	1	1	1	2	-	1	1	-	-	-
Black	7	-	-	1	3	2	-	-	-	-	1	-	2	-	1	-	1	-	-	-	-	-	-	-
Suicide (E950-E959)	296	...	...	1	48	75	45	31	31	26	27	12	99	...	...	1	18	21	16	17	14	9	2	1
White	290	...	...	1	48	72	44	30	30	26	27	12	96	...	...	1	18	20	16	15	14	9	2	1
All other	6	...	...	-	-	3	1	1	1	-	-	-	3	...	...	-	-	1	-	2	-	-	-	-
Black	2	...	...	-	-	1	1	-	-	-	-	-	1	...	...	-	-	-	-	1	-	-	-	-
Homicide and legal intervention (E960-E978)	80	-	1	2	26	23	12	5	6	2	3	-	37	3	1	1	11	8	5	1	3	-	3	-
White	68	-	1	2	22	19	10	4	6	1	3	-	33	3	1	1	9	6	5	1	3	-	3	-
All other	12	-	-	-	4	4	2	1	-	1	-	-	4	-	-	-	2	2	-	-	-	-	-	-
Black	9	-	-	-	4	3	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other external causes (E980-E999)	31	2	-	1	13	8	-	4	-	1	2	-	15	1	-	-	2	3	3	2	2	1	1	-
White	31	2	-	1	13	8	-	4	-	1	2	-	12	1	-	-	2	2	2	1	2	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	1	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA																								
All causes	62,885	1,080	179	234	1,443	1,577	1,774	4,532	11,436	17,717	15,339	7,561	57,204	833	151	165	476	629	963	2,742	7,079	12,758	17,050	14,346
White	57,023	843	150	201	1,235	1,275	1,394	3,839	10,199	16,376	14,322	7,179	52,414	627	126	139	406	490	757	2,285	6,256	11,640	15,927	13,751
All other	5,862	237	29	33	208	302	380	693	1,237	1,341	1,017	382	4,790	206	25	26	70	139	206	457	823	1,118	1,123	595
Black	5,780	234	29	30	204	299	374	684	1,225	1,327	996	375	4,735	203	24	25	70	134	198	449	813	1,111	1,117	589
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	5	2	-	1	-	-	-	-	1	-	1	-	10	2	-	-	-	-	-	1	1	1	1	4
White	3	-	-	1	-	-	-	-	1	-	1	-	9	1	-	-	-	-	-	1	1	1	1	4
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	62	-	-	-	1	1	-	8	9	24	13	6	34	-	-	-	1	2	1	-	12	4	7	7
White	43	-	-	-	1	1	-	4	4	18	11	4	25	-	-	-	-	1	-	-	9	4	5	6
All other	19	-	-	-	-	-	-	4	5	6	2	2	9	-	-	-	1	1	1	-	3	-	2	1
Black	19	-	-	-	-	-	-	4	5	6	2	2	9	-	-	-	1	1	1	-	3	-	2	1
Tuberculosis of respiratory system (010-012)	53	-	-	-	-	-	-	5	8	23	12	5	22	-	-	-	-	1	1	-	9	2	4	5
White	39	-	-	-	-	-	-	3	4	18	10	4	16	-	-	-	-	-	-	-	7	2	3	4
All other	14	-	-	-	-	-	-	2	4	5	2	1	6	-	-	-	-	1	1	-	2	-	1	1
Black	14	-	-	-	-	-	-	2	4	5	2	1	6	-	-	-	-	1	1	-	2	-	1	1
Other tuberculosis (013-018)	9	-	-	-	1	1	-	3	1	1	1	1	12	-	-	-	1	1	-	-	3	2	3	2
White	4	-	-	-	1	1	-	1	-	-	1	-	9	-	-	-	-	1	-	-	2	2	2	2
All other	5	-	-	-	-	-	-	2	1	1	-	1	3	-	-	-	1	-	-	-	1	-	1	-
Black	5	-	-	-	-	-	-	2	1	1	-	1	3	-	-	-	1	-	-	-	1	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	14	1	3	1	2	-	-	3	1	2	-	1	14	3	4	-	-	2	1	1	-	2	1	-
White	14	1	3	1	2	-	-	3	1	2	-	1	11	2	3	-	-	2	-	1	-	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	1	-	-	-	-	-
Septicemia (038)	391	7	5	2	3	5	9	20	62	105	103	70	484	6	1	-	4	5	7	14	54	98	151	144
White	321	5	4	2	2	4	4	17	49	90	88	56	393	5	1	-	4	4	5	9	44	75	126	120
All other	70	2	1	-	1	1	5	3	13	15	15	14	91	1	-	-	-	1	2	5	10	23	25	24
Black	69	2	1	-	1	1	5	3	12	15	15	14	91	1	-	-	-	1	2	5	10	23	25	24
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male													Female												
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																										
Viral hepatitis (070)	11	-	-	-	-	1	2	1	5	1	1	-	14	-	-	-	-	-	1	4	1	5	1	2
White	9	-	-	-	-	1	2	1	3	1	1	-	12	-	-	-	-	-	1	2	1	5	1	2
All other	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Syphilis (090-097)	4	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	2	-
White	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	92	6	2	2	2	2	8	11	19	20	15	5	96	1	4	-	3	2	2	11	15	22	23	13
White	80	5	2	2	2	1	5	8	16	19	15	5	80	1	4	-	3	2	2	10	9	18	19	12
All other	12	1	-	-	-	1	3	3	3	1	-	-	16	-	-	-	-	-	-	1	6	4	4	1
Black	12	1	-	-	-	1	3	3	3	1	-	-	16	-	-	-	-	-	-	1	6	4	4	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	13,903	3	19	29	77	129	309	1,203	3,314	4,750	3,136	933	12,246	1	11	25	44	145	321	1,167	2,780	3,602	2,890	1,259
White	12,492	3	18	24	68	118	255	1,018	2,932	4,331	2,860	864	11,244	-	9	20	39	124	271	1,035	2,514	3,321	2,711	1,199
All other	1,411	-	1	5	9	11	54	185	382	419	276	69	1,002	1	2	5	5	21	50	132	266	281	179	60
Black	1,389	-	1	4	8	11	51	183	378	416	270	67	985	1	2	5	5	20	48	129	261	277	178	59
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	379	-	-	-	-	3	17	59	120	113	53	14	132	-	-	-	2	2	3	17	34	49	16	9
White	315	-	-	-	-	1	10	42	96	106	47	13	117	-	-	-	2	2	2	12	29	46	16	8
All other	64	-	-	-	-	2	7	17	24	7	6	1	15	-	-	-	-	-	1	5	5	3	-	1
Black	62	-	-	-	-	2	7	17	23	7	5	1	15	-	-	-	-	-	1	5	5	3	-	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,710	-	2	-	2	16	53	264	868	1,334	879	291	3,444	-	2	-	2	4	44	178	575	1,050	1,057	532
White	3,355	-	2	-	1	15	47	213	772	1,231	805	268	3,153	-	1	-	2	3	36	158	509	952	984	508
All other	355	-	-	-	1	1	6	51	96	103	74	23	291	-	1	-	-	1	8	20	66	98	73	24
Black	349	-	-	-	1	1	6	50	94	102	73	22	287	-	1	-	-	1	8	19	65	96	73	24
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,740	-	-	-	1	10	99	507	1,402	1,702	874	145	1,720	-	-	-	2	8	43	223	529	595	235	85
White	4,221	-	-	-	1	9	77	428	1,229	1,547	798	132	1,562	-	-	-	1	6	38	192	472	555	219	79
All other	519	-	-	-	-	1	22	79	173	155	76	13	158	-	-	-	1	2	5	31	57	40	16	6
Black	514	-	-	-	-	1	22	78	172	154	75	12	152	-	-	-	1	1	5	29	55	40	15	6
Malignant neoplasm of breast (174-175)	12	-	-	-	-	-	-	-	6	3	2	1	2,380	-	-	-	-	38	117	347	674	621	408	175
White	9	-	-	-	-	-	-	-	4	2	2	1	2,206	-	-	-	-	32	101	310	624	584	389	166
All other	3	-	-	-	-	-	-	-	2	1	-	-	174	-	-	-	-	6	16	37	50	37	19	9
Black	3	-	-	-	-	-	-	-	2	1	-	-	173	-	-	-	-	6	16	37	50	36	19	9
Malignant neoplasms of genital organs (179-187)	1,397	-	-	-	4	8	5	26	115	495	526	218	1,306	-	-	-	1	22	34	144	351	368	284	102
White	1,206	-	-	-	4	7	5	20	93	423	458	196	1,186	-	-	-	1	20	25	129	319	331	263	98
All other	191	-	-	-	-	1	-	6	22	72	68	22	120	-	-	-	-	2	9	15	32	37	21	4
Black	190	-	-	-	-	1	-	6	22	72	67	22	117	-	-	-	-	2	8	15	31	36	21	4
Malignant neoplasms of urinary organs (188-189)	732	-	2	-	1	4	15	58	147	222	207	76	409	1	1	1	2	5	6	19	76	117	128	53
White	685	-	2	-	1	4	11	52	135	208	198	74	372	-	1	1	1	3	5	17	70	106	118	50
All other	47	-	-	-	-	-	4	6	12	14	9	2	37	1	-	-	1	2	1	2	6	11	10	3
Black	46	-	-	-	-	-	3	6	12	14	9	2	37	1	-	-	1	2	1	2	6	11	10	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,782	3	10	12	32	45	66	183	422	532	355	122	1,762	-	2	15	13	34	48	162	342	499	441	206
White	1,638	3	10	9	28	42	59	168	383	487	332	117	1,635	-	1	11	11	33	41	146	312	461	423	196
All other	144	-	-	3	4	3	7	15	39	45	23	5	127	-	1	4	2	1	7	16	30	38	18	10
Black	140	-	-	2	3	3	6	15	39	45	22	5	125	-	1	4	2	1	6	16	29	38	18	10
Leukemia (204-208)	505	-	5	14	24	21	24	42	84	144	109	38	436	-	5	6	13	10	13	36	76	97	134	46
White	478	-	4	12	21	18	24	39	81	140	103	36	411	-	5	6	12	8	12	33	73	94	124	44
All other	27	-	1	2	3	3	-	3	3	4	6	2	25	-	-	-	1	2	1	3	3	3	10	2
Black	27	-	1	2	3	3	-	3	3	4	6	2	24	-	-	-	1	2	1	3	3	3	10	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	646	-	-	3	13	22	30	64	150	205	131	28	657	-	1	3	9	22	13	41	123	206	187	51
White	585	-	-	3	12	22	22	56	139	187	117	27	602	-	1	2	9	17	11	38	106	192	175	50
All other	61	-	-	-	1	-	8	8	11	18	14	1	55	-	-	1	-	5	2	3	17	14	12	1
Black	58	-	-	-	1	-	7	8	11	17	13	1	55	-	-	1	-	5	2	3	17	14	12	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	215	2	-	2	3	2	6	18	43	63	60	16	220	2	-	-	3	7	14	13	33	47	58	43
White	194	1	-	1	3	1	6	15	39	58	57	13	197	1	-	-	3	7	10	9	30	43	52	42
All other	21	1	-	1	-	1	-	3	4	5	3	3	23	1	-	-	-	-	4	4	3	4	6	1
Black	19	1	-	-	-	1	-	3	4	5	3	2	22	1	-	-	-	-	4	4	2	4	6	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female												
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																									
Diabetes mellitus (250)	934	-	1	-	1	18	30	83	168	284	232	116	1,560	-	-	2	6	11	25	57	215	434	514	296
White	848	-	1	-	1	16	25	70	151	261	214	108	1,410	-	-	2	4	9	21	43	188	388	471	284
All other	86	-	-	-	-	2	5	13	17	23	18	8	150	-	-	-	2	2	4	14	27	46	43	12
Black	83	-	-	-	-	2	5	13	16	21	18	8	150	-	-	-	2	2	4	14	27	46	43	12
Nutritional deficiencies (260-269)	64	1	1	-	-	1	-	-	2	13	26	20	105	-	-	-	-	1	1	1	5	9	36	52
White	54	1	1	-	-	1	-	-	1	9	21	20	89	-	-	-	-	1	1	-	4	7	30	46
All other	10	-	-	-	-	-	-	-	1	4	5	-	16	-	-	-	-	-	-	1	1	2	6	6
Black	9	-	-	-	-	-	-	-	1	4	4	-	16	-	-	-	-	-	-	1	1	2	6	6
Anemias (280-285)	96	1	-	-	5	2	2	3	13	27	25	18	120	-	-	1	2	3	3	4	11	22	37	37
White	82	-	-	-	4	-	1	2	11	24	23	17	103	-	-	-	1	-	2	4	9	18	34	35
All other	14	1	-	-	1	2	1	1	2	3	2	1	17	-	-	1	1	3	1	-	2	4	3	2
Black	14	1	-	-	1	2	1	1	2	3	2	1	17	-	-	1	1	3	1	-	2	4	3	2
Meningitis (320-322)	26	7	1	2	1	-	1	2	6	4	1	1	33	9	2	-	-	-	2	1	7	4	3	5
White	20	4	1	2	1	-	-	2	6	2	1	1	23	5	2	-	-	-	1	-	5	4	3	3
All other	6	3	-	-	-	-	1	-	-	2	-	-	10	4	-	-	-	-	1	1	2	-	-	2
Black	6	3	-	-	-	-	1	-	-	2	-	-	10	4	-	-	-	-	1	1	2	-	-	2
Major cardiovascular diseases (390-448)	30,121	29	13	4	46	143	526	1,991	5,419	8,731	8,462	4,752	31,056	20	7	9	33	78	205	783	2,609	6,354	10,642	10,311
White	28,265	25	10	3	37	120	443	1,785	4,993	8,249	8,038	4,558	29,126	15	5	7	29	59	171	648	2,311	5,859	10,052	9,965
All other	1,856	4	3	1	9	23	83	206	426	482	424	194	1,930	5	2	2	4	19	34	135	298	495	590	346
Black	1,831	3	3	1	9	23	81	202	424	476	417	191	1,912	5	1	2	4	19	33	132	294	492	588	342
Diseases of heart (390-398,402,404-429)	24,883	24	12	3	35	110	456	1,785	4,774	7,305	6,676	3,700	24,094	17	7	8	23	52	142	599	2,138	5,141	8,211	7,751
White	23,434	21	9	2	30	93	389	1,628	4,437	6,930	6,350	3,543	22,664	12	5	6	20	42	121	504	1,902	4,793	7,767	7,487
All other	1,449	3	3	1	5	17	67	157	337	375	326	157	1,430	5	2	2	3	10	21	95	236	348	444	264
Black	1,431	3	3	1	5	17	65	154	335	370	321	156	1,420	5	1	2	3	10	20	93	234	347	443	262
Rheumatic fever and rheumatic heart disease (390-398)	186	-	1	-	1	2	13	26	42	57	36	8	405	2	-	-	-	6	12	38	90	141	98	18
White	171	-	1	-	1	2	8	25	36	54	36	8	384	1	-	-	-	6	11	34	85	136	94	17
All other	15	-	-	-	-	-	5	1	6	3	-	-	21	1	-	-	-	-	1	4	5	5	4	1
Black	15	-	-	-	-	-	5	1	6	3	-	-	21	1	-	-	-	-	1	4	5	5	4	1
Hypertensive heart disease (402)	423	-	-	-	1	2	13	50	98	119	93	47	613	-	-	-	-	-	5	20	64	135	213	176
White	365	-	-	-	1	1	7	40	83	103	87	43	545	-	-	-	-	-	5	16	49	123	190	162
All other	58	-	-	-	-	1	6	10	15	16	6	4	68	-	-	-	-	-	-	4	15	12	23	14
Black	57	-	-	-	-	1	6	10	15	15	6	4	68	-	-	-	-	-	-	4	15	12	23	14
Hypertensive heart and renal disease (404)	70	-	-	-	-	-	2	-	10	16	23	19	153	-	-	-	-	-	-	2	2	35	52	62
White	63	-	-	-	-	-	2	-	9	12	21	19	143	-	-	-	-	-	-	-	2	31	49	61
All other	7	-	-	-	-	-	-	-	1	4	2	-	10	-	-	-	-	-	-	2	-	4	3	1
Black	7	-	-	-	-	-	-	-	1	4	2	-	10	-	-	-	-	-	-	2	-	4	3	1
Ischemic heart disease (410-414)	18,085	1	-	-	4	42	305	1,324	3,633	5,529	4,757	2,487	16,150	-	-	-	1	10	56	356	1,435	3,579	5,648	5,063
White	17,258	-	-	-	3	35	278	1,235	3,434	5,296	4,574	2,401	15,356	-	-	-	1	7	50	316	1,303	3,384	5,377	4,916
All other	827	1	-	-	1	7	27	89	199	233	183	86	794	-	-	-	-	3	6	40	132	195	271	147
Black	812	1	-	-	1	7	25	86	197	230	179	85	790	-	-	-	-	3	6	40	131	194	270	146
Acute myocardial infarction (410)	11,181	-	-	-	1	32	237	1,029	2,646	3,708	2,595	930	8,275	-	-	-	1	5	50	269	1,068	2,340	2,877	1,665
White	10,651	-	-	-	1	27	218	957	2,519	3,546	2,494	887	7,843	-	-	-	1	4	44	242	974	2,222	2,746	1,610
All other	530	-	-	-	-	5	19	72	127	162	101	43	432	-	-	-	-	1	6	27	94	118	131	55
Black	519	-	-	-	-	5	17	70	125	160	98	43	429	-	-	-	-	1	6	27	93	118	130	54
Other acute and subacute forms of ischemic heart disease (411)	82	-	-	-	-	1	8	5	19	21	17	11	77	-	-	-	-	1	-	5	7	14	32	18
White	77	-	-	-	-	1	7	4	18	19	17	11	70	-	-	-	-	1	-	4	6	12	30	17
All other	5	-	-	-	-	-	1	1	1	2	-	-	7	-	-	-	-	-	-	1	1	2	2	1
Black	5	-	-	-	-	-	1	1	1	2	-	-	7	-	-	-	-	-	-	1	1	2	2	1
Angina pectoris (413)	15	-	-	-	-	-	-	-	2	6	4	3	18	-	-	-	-	-	-	1	2	2	9	4
White	12	-	-	-	-	-	-	-	-	5	4	3	15	-	-	-	-	-	-	1	2	1	7	4
All other	3	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	3	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	-	-	-	-	-	1	2	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,807	1	-	-	3	9	60	290	966	1,794	2,141	1,543	7,780	-	-	-	-	4	6	81	358	1,223	2,730	3,376
White	6,518	-	-	-	2	7	53	274	897	1,726	2,059	1,500	7,428	-	-	-	-	2	6	69	321	1,149	2,594	3,285
All other	289	1	-	-	1	2	7	16	69	68	82	43	352	-	-	-	-	2	-	12	37	74	136	91
Black	285	1	-	-	1	2	7	15	69	67	81	42	351	-	-	-	-	2	-	12	37	73	136	91
Other diseases of endocardium (424)	245	1	1	-	2	5	5	12	35	76	78	30	258	-	-	-	-	3	4	6	27	63	83	72
White	231	1	1	-	2	3	5	12	31	71	75	30	245	-	-	-	-	3	4	6	25	60	76	71
All other	14	-	-	-	-	2	-	-	4	5	3	-	13	-	-	-	-	-	-	-	2	3	7	1
Black	14	-	-	-	-	2	-	-	4	5	3	-	13	-	-	-	-	-	-	-	2	3	7	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
All other forms of heart disease (415-423,425-429)	5,874	22	10	3	27	58	118	373	956	1,508	1,689	1,109	6,515	15	7	8	22	33	65	177	520	1,188	2,117	2,360
White	5,346	20	7	2	23	52	89	316	844	1,394	1,557	1,042	5,991	11	5	6	19	26	51	132	438	1,059	1,981	2,260
All other	528	2	3	1	4	7	29	57	112	114	132	67	524	4	2	2	3	7	14	45	82	129	136	100
Black	526	2	3	1	4	7	29	57	112	113	131	67	518	4	1	2	3	7	13	43	81	129	136	99
Hypertension with or without renal disease (401,403)	193	-	-	-	1	1	1	17	28	50	55	40	213	-	-	-	-	2	2	8	27	46	72	56
White	172	-	-	-	-	-	1	10	22	46	54	39	182	-	-	-	-	1	-	5	22	34	67	53
All other	21	-	-	-	1	1	-	7	6	4	1	1	31	-	-	-	-	1	2	3	5	12	5	3
Black	21	-	-	-	1	1	-	7	6	4	1	1	31	-	-	-	-	1	2	3	5	12	5	3
Cerebrovascular diseases (430-438)	3,643	4	1	1	8	23	57	161	449	980	1,242	715	5,306	3	-	1	7	19	58	157	391	984	1,892	1,794
White	3,311	3	1	1	5	19	44	121	376	892	1,164	683	4,907	3	-	1	6	13	47	127	337	865	1,776	1,732
All other	332	1	-	-	3	4	13	40	73	88	78	32	399	-	-	-	1	6	11	30	54	119	116	62
Black	326	-	-	-	3	4	13	38	73	87	77	30	392	-	-	-	1	6	11	29	52	117	115	61
Intracerebral and other intracranial hemorrhage (431-432)	527	4	-	1	3	12	19	56	107	151	124	49	679	2	-	-	3	8	15	56	92	175	218	110
White	449	3	-	1	2	11	13	36	81	139	117	45	616	2	-	-	2	5	12	44	80	155	211	105
All other	78	1	-	-	1	1	6	20	26	12	7	4	63	-	-	-	1	3	3	12	12	20	7	5
Black	75	-	-	-	1	1	6	19	26	12	7	3	60	-	-	-	1	3	3	12	11	20	6	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	714	-	1	-	1	3	2	22	75	206	265	139	1,011	1	-	-	-	2	4	12	55	178	388	371
White	665	-	1	-	-	2	2	18	65	192	254	131	962	1	-	-	-	2	4	9	51	158	376	361
All other	49	-	-	-	1	1	-	4	10	14	11	8	49	-	-	-	-	-	-	3	4	20	12	10
Black	48	-	-	-	1	1	-	4	10	14	10	8	48	-	-	-	-	-	-	3	4	19	12	10
Cerebral embolism (434.1)	22	-	-	-	-	-	1	-	6	7	7	1	33	-	-	-	-	1	-	-	6	8	12	6
White	22	-	-	-	-	-	1	-	6	7	7	1	32	-	-	-	-	1	-	-	5	8	12	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,380	-	-	-	8	8	35	83	261	616	846	526	3,583	-	-	1	4	8	39	89	238	623	1,274	1,307
White	2,175	-	-	-	3	6	28	67	224	554	786	506	3,297	-	-	1	4	5	31	74	201	544	1,177	1,260
All other	205	-	-	-	1	2	7	16	37	62	60	20	286	-	-	-	-	3	8	15	37	79	97	47
Black	203	-	-	-	1	2	7	16	37	61	60	19	283	-	-	-	-	3	8	14	36	78	97	47
Atherosclerosis (440)	593	-	-	-	-	1	3	5	28	105	229	222	1,004	-	-	-	-	-	-	2	18	69	317	600
White	577	-	-	-	-	1	3	5	26	101	223	218	964	-	-	-	-	-	-	1	14	60	301	588
All other	16	-	-	-	-	-	-	-	2	4	6	4	40	-	-	-	-	-	-	1	2	9	16	12
Black	15	-	-	-	-	-	-	-	2	4	5	4	39	-	-	-	-	-	-	1	2	9	16	11
Other diseases of arteries, arterioles, and capillaries (441-448)	809	1	-	-	2	8	9	23	140	291	260	75	439	-	-	-	3	5	3	17	37	114	150	110
White	771	1	-	-	2	7	6	21	132	280	247	75	409	-	-	-	3	3	3	11	36	107	141	105
All other	38	-	-	-	-	1	3	2	8	11	13	-	30	-	-	-	-	2	-	6	1	7	9	5
Black	38	-	-	-	-	1	3	2	8	11	13	-	30	-	-	-	-	2	-	6	1	7	9	5
Acute bronchitis and bronchiolitis (466)	28	4	-	-	2	-	-	-	5	7	4	6	18	2	-	1	1	-	1	-	2	1	2	8
White	26	4	-	-	2	-	-	-	3	7	4	6	16	1	-	1	1	-	1	-	2	1	1	8
All other	2	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
Pneumonia and influenza (480-487)	1,315	14	3	2	12	20	24	41	112	284	455	348	1,376	7	6	2	6	6	12	35	86	189	452	575
White	1,200	9	2	2	10	13	17	31	93	256	428	339	1,285	4	6	2	6	5	6	29	74	175	428	550
All other	115	5	1	-	2	7	7	10	19	28	27	9	91	3	-	-	-	1	6	6	12	14	24	25
Black	112	5	1	-	2	6	7	10	19	28	26	8	91	3	-	-	-	1	6	6	12	14	24	25
Pneumonia (480-486)	1,262	14	3	2	12	19	23	41	110	275	434	329	1,263	7	6	2	6	6	12	32	82	175	413	522
White	1,150	9	2	2	10	12	16	31	91	248	409	320	1,175	4	6	2	6	5	6	26	70	161	391	498
All other	112	5	1	-	2	7	7	10	19	27	25	9	88	3	-	-	-	1	6	6	12	14	22	24
Black	109	5	1	-	2	6	7	10	19	27	24	8	88	3	-	-	-	1	6	6	12	14	22	24
Influenza (487)	53	-	-	-	-	1	1	-	2	9	21	19	113	-	-	-	-	-	-	3	4	14	39	53
White	50	-	-	-	-	1	1	-	2	8	19	19	110	-	-	-	-	-	-	3	4	14	37	52
All other	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	-	2	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,159	1	-	1	2	2	13	53	327	808	715	237	1,014	1	-	2	1	5	8	35	206	349	301	106
White	2,062	1	-	1	2	2	9	50	308	773	687	229	952	1	-	1	1	3	5	28	192	331	286	104
All other	97	-	-	-	-	-	4	3	19	35	28	8	62	-	-	1	-	2	3	7	14	18	15	2
Black	97	-	-	-	-	-	4	3	19	35	28	8	62	-	-	1	-	2	3	7	14	18	15	2
Bronchitis, chronic and unspecified (490-491)	94	1	-	-	-	1	-	5	10	28	37	12	68	-	-	1	-	-	1	2	10	17	24	13
White	88	1	-	-	-	1	-	5	10	26	33	12	67	-	-	1	-	-	1	2	9	17	24	13
All other	6	-	-	-	-	-	-	-	-	2	4	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	6	-	-	-	-	-	-	-	-	2	4	-	1	-	-	-	-	-	-	-	1	-	-	-
Emphysema (492)	485	-	-	-	-	-	6	10	89	193	144	43	161	-	-	-	-	-	3	6	37	58	44	13
White	459	-	-	-	-	-	4	10	83	187	136	39	153	-	-	-	-	-	2	5	35	56	43	12
All other	26	-	-	-	-	-	2	-	6	6	8	4	8	-	-	-	-	-	1	1	2	2	1	1
Black	26	-	-	-	-	-	2	-	6	6	8	4	8	-	-	-	-	-	1	1	2	2	1	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con																								
Asthma (493)	40	-	-	1	1	-	2	4	12	8	9	3	82	-	-	1	-	5	2	7	22	17	18	10
White	35	-	-	1	1	-	1	3	11	7	8	3	68	-	-	-	-	3	-	5	20	13	17	10
All other	5	-	-	-	-	-	1	1	1	1	1	-	14	-	-	1	-	2	2	2	2	4	1	-
Black	5	-	-	-	-	-	1	1	1	1	1	-	14	-	-	1	-	2	2	2	2	4	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,540	-	-	-	1	1	5	34	216	579	525	179	703	1	-	-	1	-	2	20	137	257	215	70
White	1,480	-	-	-	1	1	4	32	204	553	510	175	664	1	-	-	1	-	2	16	128	245	202	69
All other	60	-	-	-	-	-	1	2	12	26	15	4	39	-	-	-	-	-	-	4	9	12	13	1
Black	60	-	-	-	-	-	1	2	12	26	15	4	39	-	-	-	-	-	-	4	9	12	13	1
Ulcer of stomach and duodenum (531-533)	175	-	-	-	2	1	4	9	27	65	40	27	156	-	-	-	-	4	3	8	21	37	39	44
White	157	-	-	-	1	-	4	5	21	61	40	25	144	-	-	-	-	3	3	6	16	34	38	44
All other	18	-	-	-	1	1	-	4	6	4	-	2	12	-	-	-	-	1	-	2	5	3	1	-
Black	18	-	-	-	1	1	-	4	6	4	-	2	12	-	-	-	-	1	-	2	5	3	1	-
Appendicitis (540-543)	11	-	-	-	1	-	-	1	1	4	3	1	17	-	-	-	-	-	-	3	1	4	4	5
White	10	-	-	-	1	-	-	1	1	4	2	1	14	-	-	-	-	-	-	2	-	3	4	5
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	1	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	1	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	121	7	-	1	1	-	-	6	6	35	35	30	184	1	1	1	1	1	3	8	6	35	60	67
White	106	6	-	1	1	-	-	5	4	31	32	26	172	1	1	1	1	1	2	6	6	31	57	65
All other	15	1	-	-	-	-	-	1	2	4	3	4	12	-	-	-	-	-	1	2	-	4	3	2
Black	15	1	-	-	-	-	-	1	2	4	3	4	12	-	-	-	-	-	1	2	-	4	3	2
Chronic liver disease and cirrhosis (571)	1,025	-	-	-	6	33	81	185	341	274	89	15	511	-	1	-	4	11	40	97	137	157	51	13
White	908	-	-	-	2	20	57	158	310	259	87	15	446	-	1	-	3	1	30	78	122	150	49	12
All other	117	-	-	-	4	13	24	27	31	15	2	-	65	-	-	-	1	10	10	19	15	7	2	1
Black	117	-	-	-	4	13	24	27	31	15	2	-	64	-	-	-	1	10	10	18	15	7	2	1
Cholelithiasis and other disorders of gallbladder (574-575)	78	1	-	-	-	-	3	-	8	24	24	18	105	-	-	-	-	-	3	1	7	24	28	42
White	77	1	-	-	-	-	3	-	8	24	23	18	104	-	-	-	-	-	3	1	7	24	28	41
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	602	6	-	-	5	5	11	39	69	159	192	116	602	2	-	-	4	7	8	16	66	152	194	153
White	498	3	-	-	4	3	8	24	51	135	164	106	523	2	-	-	3	4	6	11	53	130	171	143
All other	104	3	-	-	1	2	3	15	18	24	28	10	79	-	-	-	1	3	2	5	13	22	23	10
Black	102	3	-	-	1	2	3	14	18	24	27	10	79	-	-	-	1	3	2	5	13	22	23	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	10	1	-	-	-	-	-	1	3	1	3	1	8	-	-	-	-	-	1	-	1	2	3	1
White	8	1	-	-	-	-	-	1	2	-	3	1	8	-	-	-	-	-	1	-	1	2	3	1
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	52	-	-	-	-	2	-	4	10	10	15	11	44	-	-	-	-	1	2	3	6	6	14	12
White	47	-	-	-	-	2	-	4	9	9	13	10	39	-	-	-	-	1	2	3	5	6	11	11
All other	5	-	-	-	-	-	-	-	1	1	2	1	5	-	-	-	-	-	-	-	1	-	3	1
Black	5	-	-	-	-	-	-	-	1	1	2	1	5	-	-	-	-	-	-	-	1	-	3	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	540	5	-	-	5	3	11	34	56	148	174	104	550	2	-	-	4	6	5	13	59	144	177	140
White	443	2	-	-	4	1	8	19	40	126	148	95	476	2	-	-	3	3	3	8	47	122	157	131
All other	97	3	-	-	1	2	3	15	16	22	26	9	74	-	-	-	1	3	2	5	12	22	20	9
Black	95	3	-	-	1	2	3	14	16	22	25	9	74	-	-	-	1	3	2	5	12	22	20	9
Infections of kidney (590)	40	-	-	-	1	-	-	-	3	7	19	10	40	-	-	-	-	1	1	2	6	7	13	10
White	37	-	-	-	1	-	-	-	2	7	17	10	38	-	-	-	-	1	1	2	5	7	12	10
All other	3	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	3	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-
Hyperplasia of prostate (600)	28	-	-	-	-	-	-	-	2	5	10	11												
White	28	-	-	-	-	-	-	-	2	5	10	11												
All other	-	-	-	-	-	-	-	-	-	-	-	-												
Black	-	-	-	-	-	-	-	-	-	-	-	-												
Complications of pregnancy, childbirth, and the puerperium (630-676)													7			-	2	4	1	-				
White													5			-	1	3	1	-				
All other													2			-	1	1	-	-				
Black													2			-	1	1	-	-				

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	2	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	2	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Congenital anomalies (740-759)	312	197	21	12	10	13	9	10	12	12	13	3	303	175	27	16	6	14	11	8	10	23	10	3
White	277	171	20	11	9	11	8	9	11	11	13	3	273	155	24	14	6	12	11	7	10	21	10	3
All other	35	26	1	1	1	2	1	1	1	1	-	-	30	20	3	2	-	2	-	1	-	2	-	-
Black	35	26	1	1	1	2	1	1	1	1	-	-	29	19	3	2	-	2	-	1	-	2	-	-
Certain conditions originating in the perinatal period (760-779)	587	583	3	1	-	-	-	-	-	-	-	-	462	461	1	-	-	-	-	-	-	-	-	-
White	450	448	1	1	-	-	-	-	-	-	-	-	337	336	1	-	-	-	-	-	-	-	-	-
All other	137	135	2	-	-	-	-	-	-	-	-	-	125	125	-	-	-	-	-	-	-	-	-	-
Black	137	135	2	-	-	-	-	-	-	-	-	-	124	124	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	188	188	-	-	-	-	-	-	-	-	-	-	124	123	1	-	-	-	-	-	-	-	-	-
White	152	152	-	-	-	-	-	-	-	-	-	-	103	102	1	-	-	-	-	-	-	-	-	-
All other	36	36	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
Black	36	36	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	399	395	3	1	-	-	-	-	-	-	-	-	338	338	-	-	-	-	-	-	-	-	-	-
White	298	296	1	1	-	-	-	-	-	-	-	-	234	234	-	-	-	-	-	-	-	-	-	-
All other	101	99	2	-	-	-	-	-	-	-	-	-	104	104	-	-	-	-	-	-	-	-	-	-
Black	101	99	2	-	-	-	-	-	-	-	-	-	103	103	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1,579	136	4	3	15	29	70	204	368	409	248	91	1,025	82	4	1	16	14	37	103	158	215	250	141
White	1,001	105	3	2	14	18	29	102	220	269	167	70	624	57	3	-	8	7	11	46	83	131	169	107
All other	578	31	1	1	1	11	41	102	148	140	81	21	401	25	1	1	8	7	26	57	75	84	81	34
Black	574	30	1	1	1	11	41	102	147	139	80	21	397	24	1	1	8	6	26	57	75	84	80	33
All other diseases (Residual)	4,073	45	23	19	72	82	138	244	612	1,171	1,114	552	3,440	36	24	24	54	81	89	197	427	718	1,014	774
White	3,676	33	21	18	61	58	103	198	542	1,079	1,038	524	3,058	29	22	23	45	61	65	158	374	636	918	725
All other	397	12	2	1	11	24	35	46	70	92	76	28	382	7	2	1	9	20	24	39	53	82	96	49
Black	392	12	2	1	11	24	35	45	69	92	73	28	379	7	2	1	9	20	23	39	53	82	94	49
Accidents and adverse effects (E800-E949)	3,003	18	62	127	779	576	285	212	293	295	224	131	1,415	16	50	66	190	127	86	92	131	191	239	227
White	2,742	11	56	113	743	531	246	189	258	267	206	122	1,277	10	40	57	184	109	69	80	123	170	223	212
All other	261	7	6	14	36	45	39	23	35	28	18	9	138	6	10	9	6	18	17	12	8	21	16	15
Black	253	7	6	14	33	44	39	23	34	26	17	9	133	6	10	8	6	17	15	11	8	21	16	15
Motor vehicle accidents (E810-E825)	1,559	3	18	63	573	373	154	105	105	98	53	14	563	1	16	41	160	94	59	39	53	51	36	13
White	1,492	2	17	58	554	354	146	100	100	94	53	14	529	1	14	36	158	85	52	36	52	48	35	12
All other	67	1	1	5	19	19	8	5	5	4	-	-	34	-	2	5	2	9	7	3	1	3	1	1
Black	61	1	1	5	16	18	8	5	4	3	-	-	29	-	2	4	2	8	5	2	1	3	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	1,444	15	44	64	206	203	131	107	188	197	171	117	852	15	34	25	30	33	27	53	78	140	203	214
White	1,250	9	39	55	189	177	100	89	158	173	153	108	748	9	26	21	26	24	17	44	71	122	188	200
All other	194	6	5	9	17	26	31	18	30	24	18	9	104	6	8	4	4	9	10	9	7	18	15	14
Black	192	6	5	9	17	26	31	18	30	23	17	9	104	6	8	4	4	9	10	9	7	18	15	14
Suicide (E950-E959)	1,032				6	201	269	135	114	124	105	60	18	280				3	38	54	45	51	42	31	15	1
White	956				6	181	238	122	107	119	105	60	18	260				3	34	50	40	48	38	31	15	1
All other	76				-	20	31	13	7	5	-	-	-	20				-	4	4	5	3	4	-	-	-
Black	74				-	20	30	12	7	5	-	-	-	17				-	4	2	4	3	4	-	-	-
Homicide and legal intervention (E960-E978)	608	8	14	14	163	192	81	57	45	17	10	6	169	4	5	9	49	31	22	14	12	11	9	3
White	255	6	5	6	56	79	27	26	26	10	7	6	98	1	3	5	24	14	12	8	10	10	9	2
All other	353	2	9	8	107	113	54	31	19	7	3	-	71	3	2	4	25	17	10	6	2	1	-	1
Black	349	1	9	7	107	113	54	30	18	7	3	-	70	3	2	4	25	17	9	6	2	1	-	1
All other external causes (E980-E999)	171	1	4	5	30	51	27	14	19	10	7	3	86	2	3	3	8	13	10	15	18	10	3	1
White	130	-	2	4	26	39	20	9	13	8	6	3	65	-	1	3	6	7	6	13	16	10	2	1
All other	41	1	2	1	4	12	7	5	6	2	1	-	21	2	2	-	2	6	4	2	2	-	1	-
Black	41	1	2	1	4	12	7	5	6	2	1	-	21	2	2	-	2	6	4	2	2	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND																								
All causes	4,755	81	15	13	89	110	120	316	820	1,308	1,243	638	4,419	66	7	11	31	50	67	204	450	878	1,371	1,283
White	4,639	73	14	11	83	105	113	300	800	1,287	1,229	624	4,295	56	7	11	29	42	64	192	427	857	1,346	1,264
All other	116	8	1	2	6	5	7	16	20	21	14	14	124	10	-	-	2	8	3	12	23	21	25	19
Black	94	5	1	1	3	4	4	17	18	20	10	11	108	9	-	-	2	7	2	11	20	19	22	15
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	4	-	-	-	-	-	-	1	-	-	2	1	4	-	-	-	-	-	-	-	1	2	-	1
White	4	-	-	-	-	-	-	1	-	-	2	1	3	-	-	-	-	-	-	-	1	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	-	1	-	-	2	1	4	-	-	-	-	-	-	-	1	2	-	1
White	4	-	-	-	-	-	-	1	-	-	2	1	3	-	-	-	-	-	-	-	1	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	35	1	-	-	-	-	-	2	3	8	11	10	34	-	-	-	-	-	-	-	4	6	15	9
White	34	1	-	-	-	-	-	2	3	8	11	9	34	-	-	-	-	-	-	-	4	6	15	9
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-
White	3	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	10	-	-	-	-	2	1	-	2	1	4	-	9	1	-	-	-	-	-	2	2	2	1	1
White	10	-	-	-	-	2	1	-	2	1	4	-	9	1	-	-	-	-	-	2	2	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,142	1	1	2	1	12	25	97	244	383	289	87	985	-	4	1	2	11	29	98	195	264	254	127
White	1,108	1	1	2	1	11	23	93	236	374	285	81	948	-	4	1	2	9	27	91	186	257	245	126
All other	34	-	-	-	-	1	2	4	8	9	4	6	37	-	-	-	-	2	2	7	9	7	9	1
Black	31	-	-	-	-	1	1	4	8	9	3	5	31	-	-	-	-	2	1	6	9	5	7	1

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	29	-	-	-	-	-	-	1	12	8	5	3	11	-	-	-	-	-	1	-	1	4	3	2
White	28	-	-	-	-	-	-	1	12	7	5	3	10	-	-	-	-	-	-	-	1	4	3	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	323	1	-	-	-	1	4	23	58	117	94	25	304	-	-	-	-	2	2	15	48	84	95	58
White	314	1	-	-	-	1	4	23	57	114	91	23	287	-	-	-	-	1	2	12	44	81	89	58
All other	9	-	-	-	-	-	-	-	1	3	3	2	17	-	-	-	-	1	-	3	4	3	6	-
Black	8	-	-	-	-	-	-	-	1	3	2	2	16	-	-	-	-	1	-	3	4	3	5	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	414	-	-	-	-	1	8	46	105	163	77	14	143	-	-	-	-	1	4	23	37	44	23	11
White	400	-	-	-	-	1	6	44	100	160	76	13	140	-	-	-	-	1	4	22	37	43	22	11
All other	14	-	-	-	-	-	2	2	5	3	1	1	3	-	-	-	-	-	-	1	-	1	1	-
Black	13	-	-	-	-	-	1	2	5	3	1	1	2	-	-	-	-	-	-	1	-	1	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	182	-	-	-	-	1	14	32	40	40	42	13
White	-	-	-	-	-	-	-	-	-	-	-	-	178	-	-	-	-	1	14	32	38	39	41	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	2	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	-	1	-
Malignant neoplasms of genital organs (179-187)	106	-	-	-	-	-	1	1	13	26	48	17	94	-	-	-	-	1	2	7	18	27	28	11
White	102	-	-	-	-	-	1	1	12	24	48	16	89	-	-	-	-	1	1	6	17	27	27	10
All other	4	-	-	-	-	-	-	-	1	2	-	1	5	-	-	-	-	-	1	1	1	-	1	1
Black	4	-	-	-	-	-	-	-	1	2	-	1	3	-	-	-	-	-	-	-	1	-	1	1
Malignant neoplasms of urinary organs (188-189)	58	-	-	-	-	-	1	7	6	16	19	9	36	-	-	-	-	-	-	2	5	13	9	7
White	57	-	-	-	-	-	1	6	6	16	19	9	35	-	-	-	-	-	-	2	5	12	9	7
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	124	-	-	1	-	7	5	17	33	32	23	6	120	-	4	-	-	2	4	10	28	31	26	15
White	121	-	-	1	-	6	5	16	32	32	23	6	118	-	4	-	-	2	4	9	27	31	26	15
All other	3	-	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	3	-	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Leukemia (204-208)	31	-	1	-	1	2	3	1	4	4	9	6	34	-	-	1	-	3	1	3	1	11	10	4
White	30	-	1	-	1	2	3	1	4	4	9	5	32	-	-	1	-	2	1	3	1	10	10	4
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	1	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	57	-	-	1	-	1	3	1	13	17	14	7	61	-	-	-	2	1	1	6	17	10	18	6
White	56	-	-	1	-	1	3	1	13	17	14	6	59	-	-	-	2	1	1	5	16	10	18	6
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	17	-	1	-	1	-	1	5	1	3	2	3	22	-	-	-	-	-	3	-	6	3	8	2
White	16	-	1	-	1	-	1	4	1	3	2	3	21	-	-	-	-	-	3	-	6	2	8	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Diabetes mellitus (250)	76	-	-	-	-	-	3	4	22	23	17	7	106	-	-	-	-	3	-	7	8	26	42	20
White	76	-	-	-	-	-	3	4	22	23	17	7	104	-	-	-	-	2	-	7	8	26	41	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-
Nutritional deficiencies (260-269)	10	-	-	-	-	-	-	1	1	2	3	3	5	-	-	-	-	-	-	-	-	-	2	3
White	10	-	-	-	-	-	-	1	1	2	3	3	5	-	-	-	-	-	-	-	-	-	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	7	-	1	-	1	-	-	-	-	1	1	3	7	-	-	-	1	-	1	-	-	1	1	3
White	7	-	1	-	1	-	-	-	-	1	1	3	6	-	-	-	1	-	1	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,332	-	1	-	5	7	34	133	406	684	673	389	2,378	-	-	-	1	4	9	41	165	440	831	886
White	2,290	-	1	-	4	7	32	127	398	673	666	382	2,324	-	-	-	1	4	9	37	154	429	818	872
All other	42	-	-	-	1	-	2	6	8	11	7	7	54	-	-	-	-	-	-	4	11	11	13	14
Black	34	-	-	-	1	-	2	6	6	10	4	5	49	-	-	-	-	-	-	4	9	11	12	12

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Diseases of heart (390-398,402,404-429)	1,954	-	1	-	2	4	32	118	362	573	565	297	1,877	-	-	-	-	1	6	34	138	375	646	677
White	1,917	-	1	-	1	4	30	112	355	563	558	293	1,837	-	-	-	-	1	6	30	129	366	637	668
All other	37	-	-	-	1	-	2	6	7	10	7	4	40	-	-	-	-	-	-	4	9	9	9	9
Black	30	-	-	-	1	-	2	6	5	9	4	3	37	-	-	-	-	-	-	4	8	9	8	8
Rheumatic fever and rheumatic heart disease (390-398)	10	-	-	-	-	-	-	1	2	3	4	-	30	-	-	-	-	-	-	1	6	14	7	2
White	10	-	-	-	-	-	-	1	2	3	4	-	29	-	-	-	-	-	-	1	5	14	7	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	19	-	-	-	-	-	2	7	4	3	2	1	49	-	-	-	-	-	1	2	2	10	16	18
White	18	-	-	-	-	-	2	6	4	3	2	1	47	-	-	-	-	-	1	1	2	10	15	18
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Hypertensive heart and renal disease (404)	6	-	-	-	-	-	-	-	-	1	3	2	6	-	-	-	-	-	-	-	-	1	4	1
White	5	-	-	-	-	-	-	-	-	1	3	1	6	-	-	-	-	-	-	-	-	1	4	1
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,610	-	-	-	-	2	23	80	298	484	479	244	1,499	-	-	-	-	1	3	22	101	306	519	548
White	1,583	-	-	-	-	2	22	76	294	475	472	242	1,478	-	-	-	-	1	3	22	97	301	513	541
All other	27	-	-	-	-	-	1	4	4	9	7	2	21	-	-	-	-	-	-	-	4	4	6	7
Black	22	-	-	-	-	-	1	4	3	8	4	2	19	-	-	-	-	-	-	-	4	4	5	6
Acute myocardial infarction (410)	912	-	-	-	-	1	13	52	193	305	283	65	708	-	-	-	-	1	2	13	69	191	251	181
White	893	-	-	-	-	1	13	48	190	297	280	64	699	-	-	-	-	1	2	13	66	189	250	178
All other	19	-	-	-	-	-	-	4	3	8	3	1	9	-	-	-	-	-	-	-	3	2	1	3
Black	17	-	-	-	-	-	-	4	3	7	2	1	9	-	-	-	-	-	-	-	3	2	1	3
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	-	2
White	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	692	-	-	-	-	1	10	27	105	176	214	159	789	-	-	-	-	-	1	9	32	114	268	365
White	684	-	-	-	-	1	9	27	104	175	210	158	777	-	-	-	-	-	1	9	31	112	263	361
All other	8	-	-	-	-	-	1	-	1	1	4	1	12	-	-	-	-	-	-	-	1	2	5	4
Black	5	-	-	-	-	-	1	-	-	1	2	1	10	-	-	-	-	-	-	-	1	2	4	3
Other diseases of endocardium (424)	19	-	-	-	-	-	1	1	3	7	4	3	24	-	-	-	-	-	-	1	2	2	13	6
White	19	-	-	-	-	-	1	1	3	7	4	3	23	-	-	-	-	-	-	1	2	1	13	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other forms of heart disease (415-423,425-429)	290	-	1	-	2	2	6	29	55	75	73	47	269	-	-	-	-	-	2	8	27	43	87	102
White	282	-	1	-	1	2	5	28	52	74	73	46	254	-	-	-	-	-	2	5	23	39	85	100
All other	8	-	-	-	1	-	1	1	3	1	-	1	15	-	-	-	-	-	-	3	4	4	2	2
Black	7	-	-	-	1	-	1	1	2	1	-	1	15	-	-	-	-	-	-	3	4	4	2	2
Hypertension with or without renal disease (401,403)	15	-	-	-	-	1	-	-	-	8	3	3	17	-	-	-	-	-	1	-	1	1	9	5
White	14	-	-	-	-	1	-	-	-	7	3	3	16	-	-	-	-	-	1	-	1	1	8	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Cerebrovascular diseases (430-438)	249	-	-	-	3	2	2	13	28	64	71	66	372	-	-	-	1	2	2	4	21	47	145	150
White	246	-	-	-	3	2	2	13	27	64	71	64	361	-	-	-	1	2	2	4	19	45	142	146
All other	3	-	-	-	-	-	-	-	1	-	-	2	11	-	-	-	-	-	-	-	2	2	3	4
Black	3	-	-	-	-	-	-	-	1	-	-	2	9	-	-	-	-	-	-	-	1	2	3	3
Intracerebral and other intracranial hemorrhage (431-432)	45	-	-	-	1	1	1	7	10	11	10	4	61	-	-	-	1	-	2	1	6	13	29	9
White	44	-	-	-	1	1	1	7	9	11	10	4	58	-	-	-	1	-	2	1	5	12	28	9
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	68	-	-	-	-	-	-	2	4	19	20	23	92	-	-	-	-	-	-	-	5	10	33	44
White	68	-	-	-	-	-	-	2	4	19	20	23	90	-	-	-	-	-	-	-	4	10	32	44
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	134	-	-	-	2	1	1	4	14	33	40	39	218	-	-	-	-	2	-	3	10	23	83	97
White	132	-	-	-	2	1	1	4	14	33	40	37	212	-	-	-	-	2	-	3	10	22	82	93
All other	2	-	-	-	-	-	-	-	-	-	-	2	6	-	-	-	-	-	-	-	-	1	1	4
Black	2	-	-	-	-	-	-	-	-	-	-	2	5	-	-	-	-	-	-	-	-	1	1	3
Atherosclerosis (440)	49	-	-	-	-	-	-	1	6	14	12	16	67	-	-	-	-	-	-	1	4	4	14	43
White	48	-	-	-	-	-	-	1	6	14	12	15	65	-	-	-	-	-	-	1	4	4	14	42
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	65	-	-	-	-	-	-	1	10	25	22	7	45	-	-	-	-	1	-	2	1	13	17	11
White	65	-	-	-	-	-	-	1	10	25	22	7	45	-	-	-	-	1	-	2	1	13	17	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	95	3	1	-	-	3	1	1	3	13	37	33	141	4	1	-	-	1	1	1	2	14	38	79
White	95	3	1	-	-	3	1	1	3	13	37	33	141	4	1	-	-	1	1	1	2	14	38	79
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	90	3	1	-	-	3	1	1	3	13	33	32	131	4	1	-	-	1	1	1	2	14	36	71
White	90	3	1	-	-	3	1	1	3	13	33	32	131	4	1	-	-	1	1	1	2	14	36	71
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	5	-	-	-	-	-	-	-	-	-	4	1	10	-	-	-	-	-	-	-	-	-	2	8
White	5	-	-	-	-	-	-	-	-	-	4	1	10	-	-	-	-	-	-	-	-	-	2	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	192	-	-	1	-	-	1	4	26	62	71	27	75	-	-	-	-	-	1	3	6	20	27	18
White	192	-	-	1	-	-	1	4	26	62	71	27	74	-	-	-	-	-	1	3	5	20	27	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Bronchitis, chronic and unspecified (490-491)	11	-	-	-	-	-	-	1	1	3	5	1	7	-	-	-	-	-	-	-	1	2	1	3
White	11	-	-	-	-	-	-	1	1	3	5	1	7	-	-	-	-	-	-	-	1	2	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	28	-	-	-	-	-	-	1	3	13	6	5	8	-	-	-	-	-	-	2	2	4	-	-
White	28	-	-	-	-	-	-	1	3	13	6	5	7	-	-	-	-	-	-	2	1	4	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Asthma (493)	3	-	-	1	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	1	1	1	-
White	3	-	-	1	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	1	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	150	-	-	-	-	-	1	2	21	45	60	21	57	-	-	-	-	-	1	1	2	13	25	15
White	150	-	-	-	-	-	1	2	21	45	60	21	57	-	-	-	-	-	1	1	2	13	25	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	6	-	-	-	-	-	-	-	1	2	3	-	13	-	-	-	-	-	-	-	-	2	6	5
White	6	-	-	-	-	-	-	-	1	2	3	-	13	-	-	-	-	-	-	-	-	2	6	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	-	-	-	-	-	-	-	-	2	2	4	16	-	-	-	-	-	-	-	1	3	5	7
White	8	-	-	-	-	-	-	-	-	2	2	4	16	-	-	-	-	-	-	-	1	3	5	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Chronic liver disease and cirrhosis (571)	87	-	-	-	-	4	7	15	25	25	11	-	45	-	-	-	-	1	3	8	12	17	4	-
White	82	-	-	-	-	4	5	13	25	25	10	-	44	-	-	-	-	1	3	7	12	17	4	-
All other	5	-	-	-	-	-	2	2	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	3	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	6	-	-	-	-	-	-	-	1	2	1	2	6	-	-	-	-	-	-	1	-	2	-	3
White	6	-	-	-	-	-	-	-	1	2	1	2	6	-	-	-	-	-	-	1	-	2	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	44	1	-	-	-	1	-	-	5	11	18	8	50	2	-	-	-	1	-	-	3	8	15	21
White	42	1	-	-	-	1	-	-	4	10	18	8	48	1	-	-	-	1	-	-	3	7	15	21
All other	2	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	1	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	1	-	-	-	-	-	-	2	-	2	-	8	-	-	-	-	-	-	-	-	1	3	4
White	4	1	-	-	-	-	-	-	1	-	2	-	8	-	-	-	-	-	-	-	-	1	3	4
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	39	-	-	-	-	1	-	-	3	11	16	8	42	2	-	-	-	1	-	-	3	7	12	17
White	38	-	-	-	-	1	-	-	3	10	16	8	40	1	-	-	-	1	-	-	3	6	12	17
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	1	-	-
Infections of kidney (590)	3	-	-	-	-	-	-	-	-	1	1	1	7	-	-	-	-	-	-	-	-	3	3	1
White	3	-	-	-	-	-	-	-	-	1	1	1	7	-	-	-	-	-	-	-	-	3	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	-	-	3	1	...	...	...	...	...	...	...	...	...	...	...	...
White	4	-	-	-	-	-	-	-	-	-	3	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	34	25	3	-	2	1	-	1	1	1	-	-	21	11	1	1	1	1	2	1	2	-	-	1
White	31	23	3	-	2	1	-	1	-	1	-	-	20	10	1	1	1	1	2	1	2	-	-	1
All other	3	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	39	39	-	-	-	-	-	-	-	-	-	-	40	40	-	-	-	-	-	-	-	-	-	-
White	33	33	-	-	-	-	-	-	-	-	-	-	35	35	-	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	12	12	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
White	10	10	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

READEX FICHE

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	27	27	-	-	-	-	-	-	-	-	-	-	32	32	-	-	-	-	-	-	-	-	-	-
White	23	23	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	17	3	1	-	2	3	-	1	2	3	-	2	17	5	-	1	1	1	1	4	-	-	2	2
White	15	3	1	-	1	2	-	1	2	3	-	2	16	4	-	1	1	1	1	4	-	-	2	2
All other	2	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	277	4	2	2	4	9	13	29	48	57	72	37	278	-	1	2	2	6	2	26	25	52	90	72
White	270	4	2	1	3	8	13	26	48	57	71	37	270	-	1	2	2	5	1	26	24	51	88	70
All other	7	-	-	1	1	1	-	3	-	-	1	-	8	-	-	-	-	1	1	-	1	1	2	2
Black	7	-	-	1	1	1	-	3	-	-	1	-	6	-	-	-	-	1	1	-	-	1	2	1
Accidents and adverse effects (E800-E949)	185	2	3	5	44	35	16	16	10	16	19	19	108	2	-	5	13	12	9	4	12	7	24	20
White	178	2	3	4	42	33	15	16	9	16	19	19	105	-	-	5	13	11	9	4	12	7	24	20
All other	7	-	-	1	2	2	1	-	1	-	-	-	3	2	-	-	-	1	-	-	-	-	-	-
Black	4	-	-	-	-	2	1	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	76	-	-	3	29	20	11	7	2	3	1	-	41	-	-	4	9	10	4	1	6	1	5	1
White	73	-	-	3	28	19	10	7	2	3	1	-	40	-	-	4	9	9	4	1	6	1	5	1
All other	3	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	109	2	3	2	15	15	5	9	8	13	18	19	67	2	-	1	4	2	5	3	6	6	19	19
White	105	2	3	1	14	14	5	9	7	13	18	19	65	-	-	1	4	2	5	3	6	6	19	19
All other	4	-	-	1	1	1	-	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	77	. . .	. . .	2	20	17	13	6	13	5	1	-	27	. . .	. . .	1	2	6	5	6	3	3	1	-
White	75	. . .	. . .	2	20	17	13	5	12	5	1	-	26	. . .	. . .	1	2	5	5	6	3	3	1	-
All other	2	. . .	. . .	-	-	-	-	1	1	-	-	-	1	. . .	. . .	-	-	1	-	-	-	-	-	-
Black	2	. . .	. . .	-	-	-	-	1	1	-	-	-	1	. . .	. . .	-	-	1	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	34	-	1	-	7	15	4	2	3	2	-	-	16	-	-	-	5	3	1	2	2	3	-	-
White	31	-	-	-	6	15	4	1	3	2	-	-	11	-	-	-	3	1	1	2	1	3	-	-
All other	3	-	1	-	1	-	-	1	-	-	-	-	5	-	-	-	2	2	-	-	1	-	-	-
Black	3	-	1	-	1	-	-	1	-	-	-	-	5	-	-	-	2	2	-	-	1	-	-	-
All other external causes (E980-E999)	7	-	-	1	1	1	1	-	2	-	1	-	2	-	-	-	1	-	-	-	1	-	-	-
White	7	-	-	1	1	1	1	-	2	-	1	-	2	-	-	-	1	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA																								
All causes	13,951	465	79	117	496	599	710	1,406	2,880	3,764	2,500	932	11,477	372	67	69	161	249	328	762	1,707	2,636	2,995	2,131
White	9,437	214	34	70	327	316	383	872	1,935	2,631	1,953	701	7,775	165	33	32	107	140	179	441	1,055	1,672	2,223	1,728
All other	4,514	251	45	47	169	283	327	534	945	1,133	547	231	3,702	207	34	37	54	109	149	321	652	964	772	403
Black	4,505	249	45	47	168	282	325	533	945	1,133	545	231	3,689	204	34	36	54	106	149	319	650	962	772	403
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	5	2	-	-	-	-	2	-	-	-	1	-	3	2	-	-	-	-	-	1	-	-	-	-
White	4	2	-	-	-	-	1	-	-	-	1	-	2	1	-	-	-	-	-	1	-	-	-	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	27	-	-	-	-	1	1	3	8	7	4	3	17	-	-	1	-	-	1	2	4	5	3	1
White	8	-	-	-	-	-	-	-	4	2	1	1	4	-	-	-	-	-	-	-	-	1	3	-
All other	19	-	-	-	-	1	1	3	4	5	3	2	13	-	-	1	-	-	1	2	4	4	-	1
Black	19	-	-	-	-	1	1	3	4	5	3	2	13	-	-	1	-	-	1	2	4	4	-	1
Tuberculosis of respiratory system (010-012)	21	-	-	-	-	1	1	1	7	5	4	2	14	-	-	-	-	-	1	2	4	3	3	1
White	8	-	-	-	-	-	-	-	4	2	1	1	4	-	-	-	-	-	-	-	-	1	3	-
All other	13	-	-	-	-	1	1	1	3	3	3	1	10	-	-	-	-	-	1	2	4	2	-	1
Black	13	-	-	-	-	1	1	1	3	3	3	1	10	-	-	-	-	-	1	2	4	2	-	1
Other tuberculosis (013-018)	6	-	-	-	-	-	-	2	1	2	-	1	3	-	-	1	-	-	-	-	-	2	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	6	-	-	-	-	-	-	2	1	2	-	1	3	-	-	1	-	-	-	-	-	2	-	-
Black	6	-	-	-	-	-	-	2	1	2	-	1	3	-	-	1	-	-	-	-	-	2	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	3	1	1	-	-	-	-	-	-	-	-	9	4	2	-	1	-	1	-	-	1	-	-
White	3	2	-	1	-	-	-	-	-	-	-	-	8	4	2	-	1	-	-	-	-	1	-	-
All other	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Septicemia (038)	86	10	2	-	3	1	5	7	13	17	17	11	72	5	1	-	3	1	-	3	8	19	21	11
White	50	6	-	-	1	-	1	3	6	12	11	10	43	1	-	-	2	-	-	1	5	8	16	10
All other	36	4	2	-	2	1	4	4	7	5	6	1	29	4	1	-	1	1	-	2	3	11	5	1
Black	36	4	2	-	2	1	4	4	7	5	6	1	29	4	1	-	1	1	-	2	3	11	5	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	-	-	1	-	1	1	-	-	-	-	5	-	1	-	1	-	1	2	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-
All other	2	-	-	-	1	-	1	-	-	-	-	-	3	-	1	-	1	-	-	1	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	3	-	1	-	1	-	-	1	-	-	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	42	3	1	1	5	4	8	7	9	2	1	1	34	1	-	-	1	4	2	4	7	4	6	5
White	22	-	-	1	3	-	4	5	6	2	-	1	22	1	-	-	-	1	2	2	5	3	3	5
All other	20	3	1	-	2	4	4	2	3	-	1	-	12	-	-	-	1	3	-	2	2	1	3	-
Black	20	3	1	-	2	4	4	2	3	-	1	-	11	-	-	-	1	3	-	2	2	-	3	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,758	1	2	15	24	33	78	296	780	946	480	103	2,148	1	4	6	8	47	90	241	538	596	431	186
White	1,909	1	1	14	16	17	47	179	522	665	368	79	1,580	1	3	3	3	34	59	163	392	445	331	146
All other	849	-	1	1	8	16	31	117	258	281	112	24	568	-	1	3	5	13	31	78	146	151	100	40
Black	848	-	1	1	8	16	30	117	258	281	112	24	567	-	1	3	5	13	31	78	145	151	100	40
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	58	-	-	-	1	1	2	14	17	14	6	3	39	-	-	-	-	-	1	2	14	12	8	2
White	33	-	-	-	1	1	-	4	10	10	6	1	33	-	-	-	-	-	1	1	12	10	8	1
All other	25	-	-	-	-	-	2	10	7	4	-	2	6	-	-	-	-	-	-	1	2	2	-	1
Black	25	-	-	-	-	-	2	10	7	4	-	2	6	-	-	-	-	-	-	1	2	2	-	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	642	-	-	-	2	7	13	58	185	237	118	22	530	-	-	-	1	4	13	33	104	166	129	80
White	421	-	-	-	1	1	6	32	113	158	90	20	364	-	-	-	-	4	9	22	67	117	88	57
All other	221	-	-	-	1	6	7	26	72	79	28	2	166	-	-	-	1	-	4	11	37	49	41	23
Black	220	-	-	-	1	6	6	26	72	79	28	2	166	-	-	-	1	-	4	11	37	49	41	23
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,111	-	-	-	2	2	29	149	364	393	152	20	348	-	-	-	-	2	12	54	120	94	50	16
White	825	-	-	-	2	1	19	89	257	304	135	18	277	-	-	-	-	-	8	39	98	78	40	14
All other	286	-	-	-	-	1	10	60	107	89	17	2	71	-	-	-	-	2	4	15	22	16	10	2
Black	286	-	-	-	-	1	10	60	107	89	17	2	70	-	-	-	-	2	4	15	21	16	10	2
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	-	3	1	2	-	402	-	-	-	-	17	33	63	115	100	57	17
White	5	-	-	-	-	-	-	-	3	1	1	-	301	-	-	-	-	13	21	42	85	82	44	14
All other	1	-	-	-	-	-	-	-	-	-	1	-	101	-	-	-	-	4	12	21	30	18	13	3
Black	1	-	-	-	-	-	-	-	-	-	1	-	101	-	-	-	-	4	12	21	30	18	13	3
Malignant neoplasms of genital organs (179-187)	314	-	-	-	1	2	2	7	57	114	103	26	285	-	-	-	-	11	16	37	79	67	55	20
White	166	-	-	-	-	2	1	3	24	58	61	17	186	-	-	-	-	5	11	21	48	45	39	17
All other	148	-	-	-	1	-	1	4	33	56	42	11	99	-	-	-	-	6	5	16	31	22	16	3
Black	148	-	-	-	1	-	1	4	33	56	42	11	99	-	-	-	-	6	5	16	31	22	16	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Malignant neoplasms of urinary organs (188-189)	116	-	-	1	-	1	5	9	29	39	27	5	69	-	-	-	-	-	1	4	7	23	23	11
White	93	-	-	1	-	-	3	9	22	32	22	4	53	-	-	-	-	-	-	3	5	18	19	8
All other	23	-	-	-	-	1	2	-	7	7	5	1	16	-	-	-	-	-	1	1	2	5	4	3
Black	23	-	-	-	-	1	2	-	7	7	5	1	16	-	-	-	-	-	1	1	2	5	4	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	314	-	1	5	8	12	20	42	92	86	36	12	276	-	4	2	4	5	10	34	58	73	60	26
White	228	-	-	5	6	7	15	32	70	56	26	11	217	-	3	1	1	5	7	25	45	57	49	24
All other	86	-	1	-	2	5	5	10	22	30	10	1	59	-	1	1	3	-	3	9	13	16	11	2
Black	86	-	1	-	2	5	5	10	22	30	10	1	59	-	1	1	3	-	3	9	13	16	11	2
Leukemia (204-208)	80	1	-	7	6	4	2	3	12	26	13	6	78	1	-	3	2	5	1	9	18	21	14	4
White	62	1	-	6	4	2	1	3	8	22	10	5	58	1	-	2	1	5	-	7	14	13	11	4
All other	18	-	-	1	2	2	1	-	4	4	3	1	20	-	-	1	1	-	1	2	4	8	3	-
Black	18	-	-	1	2	2	1	-	4	4	3	1	20	-	-	1	1	-	1	2	4	8	3	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	117	-	1	2	4	4	5	14	21	36	23	7	121	-	-	1	1	3	3	5	23	40	35	10
White	76	-	1	2	2	3	2	7	15	24	17	3	91	-	-	-	1	2	2	3	18	25	33	7
All other	41	-	-	-	2	1	3	7	6	12	6	4	30	-	-	1	-	1	1	2	5	15	2	3
Black	41	-	-	-	2	1	3	7	6	12	6	4	30	-	-	1	-	1	1	2	5	15	2	3
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	19	1	-	-	1	1	-	1	2	7	5	1	20	-	-	-	1	1	1	4	4	3	4	2
White	13	1	-	-	-	1	-	-	2	4	5	-	15	-	-	-	-	-	1	3	4	1	4	2
All other	6	-	-	-	1	-	-	1	-	3	-	1	5	-	-	-	1	1	-	1	-	2	-	-
Black	6	-	-	-	1	-	-	1	-	3	-	1	5	-	-	-	1	1	-	1	-	2	-	-
Diabetes mellitus (250)	193	-	-	-	2	8	10	20	28	66	49	10	307	-	-	-	1	5	8	23	73	92	68	37
White	124	-	-	-	-	4	4	12	18	39	39	8	163	-	-	-	-	4	5	11	30	45	45	23
All other	69	-	-	-	2	4	6	8	10	27	10	2	144	-	-	-	1	1	3	12	43	47	23	14
Black	69	-	-	-	2	4	6	8	10	27	10	2	144	-	-	-	1	1	3	12	43	47	23	14
Nutritional deficiencies (260-269)	14	-	1	-	-	-	-	1	1	3	6	2	16	1	1	-	-	-	-	-	-	6	3	5
White	9	-	1	-	-	-	-	-	1	3	2	2	5	-	-	-	-	-	-	-	-	2	2	1
All other	5	-	-	-	-	-	-	1	-	-	4	-	11	1	1	-	-	-	-	-	-	4	1	4
Black	5	-	-	-	-	-	-	1	-	-	4	-	11	1	1	-	-	-	-	-	-	4	1	4
Anemias (280-285)	23	-	1	1	2	4	2	1	2	3	6	1	18	-	1	1	-	1	1	1	4	4	4	1
White	8	-	-	-	-	-	-	-	2	1	5	-	8	-	-	-	-	-	-	-	-	3	4	1
All other	15	-	1	1	2	4	2	1	-	2	1	1	10	-	1	1	-	1	1	1	4	1	-	-
Black	15	-	1	1	2	4	2	1	-	2	1	1	10	-	1	1	-	1	1	1	4	1	-	-
Meningitis (320-322)	11	3	2	1	1	1	-	2	1	-	-	-	13	9	-	1	-	1	-	1	-	1	-	-
White	2	-	-	-	-	-	-	1	1	-	-	-	5	4	-	-	-	1	-	-	-	-	-	-
All other	9	3	2	1	1	1	-	1	-	-	-	-	8	5	-	1	-	-	-	1	-	1	-	-
Black	9	3	2	1	1	1	-	1	-	-	-	-	8	5	-	1	-	-	-	1	-	1	-	-
Major cardiovascular diseases (390-448)	6,193	11	2	2	25	61	229	575	1,382	1,930	1,400	575	5,971	3	3	2	10	33	84	260	708	1,417	1,963	1,488
White	4,381	6	2	1	12	24	128	375	918	1,379	1,105	431	4,125	1	3	1	3	13	37	128	393	854	1,475	1,217
All other	1,812	5	-	1	13	37	101	200	464	551	295	144	1,846	2	-	1	7	20	47	132	315	563	488	271
Black	1,810	5	-	1	13	37	101	199	464	551	294	144	1,842	2	-	1	7	19	47	131	314	562	488	271
Diseases of heart (390-398,402,404-429)	4,879	8	2	2	19	48	189	485	1,155	1,532	1,029	409	4,276	2	3	2	7	18	58	193	551	1,046	1,409	987
White	3,582	5	2	1	9	22	116	329	804	1,148	829	317	3,024	1	3	1	2	6	26	96	319	682	1,084	804
All other	1,297	3	-	1	10	26	73	156	351	384	200	92	1,252	1	-	1	5	12	32	97	232	364	325	183
Black	1,295	3	-	1	10	26	73	155	351	384	199	92	1,248	1	-	1	5	11	32	96	231	363	325	183
Rheumatic fever and rheumatic heart disease (390-398)	21	-	-	-	1	2	2	3	6	6	-	1	39	-	-	1	-	4	1	6	9	10	7	1
White	16	-	-	-	-	-	1	3	5	6	-	1	24	-	-	-	-	1	-	4	6	7	5	1
All other	5	-	-	-	1	2	1	-	1	-	-	-	15	-	-	1	-	3	1	2	3	3	2	-
Black	5	-	-	-	1	2	1	-	1	-	-	-	13	-	-	1	-	2	1	1	3	3	2	-
Hypertensive heart disease (402)	134	-	-	-	-	2	5	12	25	45	33	12	215	-	-	-	2	-	3	16	31	52	65	46
White	64	-	-	-	-	-	2	4	12	20	19	7	106	-	-	-	-	-	-	2	10	22	42	30
All other	70	-	-	-	-	2	3	8	13	25	14	5	109	-	-	-	2	-	3	14	21	30	23	16
Black	70	-	-	-	-	2	3	8	13	25	14	5	109	-	-	-	2	-	3	14	21	30	23	16
Hypertensive heart and renal disease (404)	14	-	-	-	-	-	3	-	4	3	2	2	30	-	-	-	-	-	-	-	2	11	10	7
White	7	-	-	-	-	-	1	-	-	2	2	2	13	-	-	-	-	-	-	-	-	3	8	2
All other	7	-	-	-	-	-	2	-	4	1	-	-	17	-	-	-	-	-	-	-	2	8	2	5
Black	7	-	-	-	-	-	2	-	4	1	-	-	17	-	-	-	-	-	-	-	2	8	2	5
Ischemic heart disease (410-414)	3,280	-	-	-	4	23	107	321	791	1,079	695	259	2,702	-	-	-	-	4	28	99	358	671	927	615
White	2,608	-	-	-	1	12	80	244	602	865	592	212	2,082	-	-	-	-	1	13	62	239	484	753	530
All other	672	-	-	-	3	11	27	77	189	214	103	47	620	-	-	-	-	3	15	37	119	187	174	85
Black	671	-	-	-	3	11	27	76	189	214	103	47	618	-	-	-	-	3	15	37	118	186	174	85
Acute myocardial infarction (410)	2,219	-	-	-	3	17	83	248	582	745	412	129	1,558	-	-	-	-	4	21	74	261	435	513	250
White	1,754	-	-	-	1	8	56	181	452	595	351	110	1,179	-	-	-	-	1	10	43	177	317	422	209
All other	465	-	-	-	2	9	27	67	130	150	61	19	379	-	-	-	-	3	11	31	84	118	91	41
Black	464	-	-	-	2	9	27	66	130	150	61	19	378	-	-	-	-	3	11	31	83	118	91	41

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	47	-	-	-	-	1	1	7	12	16	8	2	23	-	-	-	-	-	-	2	5	6	5	5
White	29	-	-	-	-	1	1	7	4	11	4	1	12	-	-	-	-	-	-	1	4	1	4	2
All other	18	-	-	-	-	-	-	-	8	5	4	1	11	-	-	-	-	-	-	1	1	5	1	3
Black	18	-	-	-	-	-	-	-	8	5	4	1	11	-	-	-	-	-	-	1	1	5	1	3
Angina pectoris (413)	3	-	-	-	-	-	-	1	-	1	1	-	9	-	-	-	-	-	1	1	-	2	2	3
White	3	-	-	-	-	-	-	1	-	1	1	-	7	-	-	-	-	-	1	-	-	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,011	-	-	-	1	5	23	65	197	317	274	128	1,112	-	-	-	-	-	6	22	92	228	407	357
White	822	-	-	-	-	3	23	55	146	258	236	101	884	-	-	-	-	-	2	18	58	164	325	317
All other	189	-	-	-	1	2	-	10	51	59	38	27	228	-	-	-	-	-	4	4	34	64	82	40
Black	189	-	-	-	1	2	-	10	51	59	38	27	227	-	-	-	-	-	4	4	34	63	82	40
Other diseases of endocardium (424)	40	-	-	-	-	1	2	3	11	10	12	1	35	-	-	-	-	-	1	6	5	2	14	7
White	31	-	-	-	-	1	1	3	6	8	11	1	25	-	-	-	-	-	-	3	2	1	13	6
All other	9	-	-	-	-	-	1	-	5	2	1	-	10	-	-	-	-	-	1	3	3	1	1	1
Black	9	-	-	-	-	-	1	-	5	2	1	-	10	-	-	-	-	-	1	3	3	1	1	1
All other forms of heart disease (415-423,425-429)	1,390	8	2	2	14	20	70	146	318	389	287	134	1,255	2	3	1	5	10	25	66	146	300	386	311
White	856	5	2	1	8	9	31	75	179	247	205	94	774	1	3	1	2	4	13	25	62	165	263	235
All other	534	3	-	1	6	11	39	71	139	142	82	40	481	1	-	-	3	6	12	41	84	135	123	76
Black	533	3	-	1	6	11	39	71	139	142	81	40	481	1	-	-	3	6	12	41	84	135	123	76
Hypertension with or without renal disease (401,403)	45	-	-	-	-	2	2	4	10	15	7	5	62	-	-	-	-	-	2	5	6	17	20	12
White	18	-	-	-	-	-	-	-	3	7	4	4	29	-	-	-	-	-	-	1	1	8	12	7
All other	27	-	-	-	-	2	2	4	7	8	3	1	33	-	-	-	-	-	2	4	5	9	8	5
Black	27	-	-	-	-	2	2	4	7	8	3	1	33	-	-	-	-	-	2	4	5	9	8	5
Cerebrovascular diseases (430-438)	1,019	3	-	-	5	9	34	73	172	307	295	121	1,368	-	-	-	3	14	18	56	133	297	457	390
White	586	1	-	-	3	2	11	36	73	162	216	82	877	-	-	-	1	6	8	26	63	133	321	319
All other	433	2	-	-	2	7	23	37	99	145	79	39	491	-	-	-	2	8	10	30	70	164	136	71
Black	433	2	-	-	2	7	23	37	99	145	79	39	491	-	-	-	2	8	10	30	70	164	136	71
Intracerebral and other intracranial hemorrhage (431-432)	163	1	-	-	2	2	14	18	45	39	32	10	183	-	-	-	2	3	7	19	31	41	47	33
White	101	-	-	-	2	-	5	10	22	28	26	8	111	-	-	-	-	1	2	8	16	22	36	26
All other	62	1	-	-	-	2	9	8	23	11	6	2	72	-	-	-	2	2	5	11	15	19	11	7
Black	62	1	-	-	-	2	9	8	23	11	6	2	72	-	-	-	2	2	5	11	15	19	11	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	156	-	-	-	-	-	2	7	25	44	54	24	225	-	-	-	-	-	-	3	14	35	91	82
White	98	-	-	-	-	-	-	3	13	22	42	18	165	-	-	-	-	-	-	-	5	18	73	69
All other	58	-	-	-	-	-	2	4	12	22	12	6	60	-	-	-	-	-	-	3	9	17	18	13
Black	58	-	-	-	-	-	2	4	12	22	12	6	60	-	-	-	-	-	-	3	9	17	18	13
Cerebral embolism (434.1)	5	-	-	-	-	-	-	-	1	3	-	1	3	-	-	-	-	-	-	-	-	1	2	-
White	4	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	1	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	695	2	-	-	3	7	18	48	101	221	209	86	957	-	-	-	1	11	11	34	88	220	317	275
White	383	1	-	-	1	2	6	23	37	110	148	55	600	-	-	-	1	5	6	18	42	92	212	224
All other	312	1	-	-	2	5	12	25	64	111	61	31	357	-	-	-	-	6	5	16	46	128	105	51
Black	312	1	-	-	2	5	12	25	64	111	61	31	357	-	-	-	-	6	5	16	46	128	105	51
Atherosclerosis (440)	109	-	-	-	-	1	1	3	9	27	36	32	162	-	-	-	-	-	3	2	7	21	50	79
White	74	-	-	-	-	-	-	2	6	18	26	22	125	-	-	-	-	-	2	2	4	6	40	71
All other	35	-	-	-	-	1	1	1	3	9	10	10	37	-	-	-	-	-	1	-	3	15	10	8
Black	35	-	-	-	-	1	1	1	3	9	10	10	37	-	-	-	-	-	1	-	3	15	10	8
Other diseases of arteries, arterioles, and capillaries (441-448)	141	-	-	-	1	1	3	10	36	49	33	8	103	1	-	-	-	1	3	4	11	36	27	20
White	121	-	-	-	-	-	1	8	32	44	30	6	70	-	-	-	-	1	1	3	6	25	18	16
All other	20	-	-	-	1	1	2	2	4	5	3	2	33	1	-	-	-	-	2	1	5	11	9	4
Black	20	-	-	-	1	1	2	2	4	5	3	2	33	1	-	-	-	-	2	1	5	11	9	4
Acute bronchitis and bronchiolitis (466)	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	340	2	3	-	3	4	14	24	44	79	100	67	307	10	2	2	3	7	8	14	19	50	76	116
White	227	1	1	-	3	1	3	8	27	50	80	53	221	3	1	-	2	1	5	9	12	31	55	102
All other	113	1	2	-	-	3	11	16	17	29	20	14	86	7	1	2	1	6	3	5	7	19	21	14
Black	113	1	2	-	-	3	11	16	17	29	20	14	86	7	1	2	1	6	3	5	7	19	21	14

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Pneumonia (480-486)	325	2	2	-	2	4	14	23	44	73	96	65	290	10	2	2	3	7	8	13	16	47	73	109
White	216	1	-	-	2	1	3	8	27	47	76	51	206	3	1	-	2	1	5	8	9	29	52	96
All other	109	1	2	-	-	3	11	15	17	26	20	14	84	7	1	2	1	6	3	5	7	18	21	13
Black	109	1	2	-	-	3	11	15	17	26	20	14	84	7	1	2	1	6	3	5	7	18	21	13
Influenza (487)	15	-	1	-	1	-	-	1	-	6	4	2	17	-	-	-	-	-	-	1	3	3	3	7
White	11	-	1	-	1	-	-	-	-	3	4	2	15	-	-	-	-	-	-	1	3	2	3	6
All other	4	-	-	-	-	-	-	1	-	3	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	4	-	-	-	-	-	-	1	-	3	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	471	-	-	-	2	-	7	25	93	183	126	35	191	1	1	1	1	1	4	23	45	54	47	13
White	396	-	-	-	-	-	6	20	71	156	112	31	165	1	-	1	-	-	3	15	42	48	43	12
All other	75	-	-	-	2	-	1	5	22	27	14	4	26	-	1	-	1	1	1	8	3	6	4	1
Black	74	-	-	-	2	-	1	5	22	27	13	4	26	-	1	-	1	1	1	8	3	6	4	1
Bronchitis, chronic and unspecified (490-491)	29	-	-	-	-	-	-	2	8	12	6	1	13	-	-	1	-	-	-	1	5	2	3	1
White	25	-	-	-	-	-	-	2	7	11	5	-	10	-	-	1	-	-	-	1	4	2	1	1
All other	4	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	1	-	2	-
Black	4	-	-	-	-	-	-	-	1	1	1	1	3	-	-	-	-	-	-	-	1	-	2	-
Emphysema (492)	108	-	-	-	-	-	1	3	26	45	29	4	35	-	-	-	-	-	-	5	7	11	9	3
White	98	-	-	-	-	-	1	2	25	38	28	4	32	-	-	-	-	-	-	4	7	10	9	2
All other	10	-	-	-	-	-	-	1	1	7	1	-	3	-	-	-	-	-	-	1	-	1	-	1
Black	10	-	-	-	-	-	-	1	1	7	1	-	3	-	-	-	-	-	-	1	-	1	-	1
Asthma (493)	18	-	-	-	2	-	1	6	4	2	2	1	25	-	1	-	1	1	2	5	5	5	4	1
White	8	-	-	-	-	-	1	4	1	1	-	1	17	-	-	-	-	-	1	2	5	4	4	1
All other	10	-	-	-	2	-	-	2	3	1	2	-	8	-	1	-	1	1	1	3	-	1	-	-
Black	10	-	-	-	2	-	-	2	3	1	2	-	8	-	1	-	1	1	1	3	-	1	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	316	-	-	-	-	-	5	14	55	124	89	29	118	1	-	-	-	-	2	12	28	36	31	8
White	265	-	-	-	-	-	4	12	38	106	79	26	106	1	-	-	-	-	2	8	26	32	29	8
All other	51	-	-	-	-	-	1	2	17	18	10	3	12	-	-	-	-	-	-	4	2	4	2	-
Black	50	-	-	-	-	-	1	2	17	18	9	3	12	-	-	-	-	-	-	4	2	4	2	-
Ulcer of stomach and duodenum (531-533)	33	1	1	-	-	1	-	5	8	6	7	4	26	-	-	-	-	1	1	-	6	8	4	6
White	22	-	-	-	-	-	-	3	6	5	5	3	20	-	-	-	-	-	-	-	3	8	3	6
All other	11	1	1	-	-	1	-	2	2	1	2	1	6	-	-	-	-	1	1	-	3	-	1	-
Black	11	1	1	-	-	1	-	2	2	1	2	1	6	-	-	-	-	1	1	-	3	-	1	-
Appendicitis (540-543)	5	-	-	-	-	-	1	-	-	2	1	1	3	-	-	-	-	-	-	-	1	2	-	-
White	3	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	23	1	-	-	1	1	-	3	3	6	6	2	31	1	-	1	-	3	-	-	5	4	11	6
White	14	-	-	-	-	-	-	1	1	5	5	2	25	1	-	1	-	2	-	-	4	4	8	5
All other	9	1	-	-	1	1	-	2	2	1	1	-	6	-	-	-	-	1	-	-	1	-	3	1
Black	9	1	-	-	1	1	-	2	2	1	1	-	6	-	-	-	-	1	-	-	1	-	3	1
Chronic liver disease and cirrhosis (571)	196	-	-	-	-	5	29	65	53	34	8	2	115	-	-	1	-	7	18	27	28	23	9	2
White	150	-	-	-	-	3	14	47	46	31	7	2	69	-	-	-	-	1	9	14	18	18	7	2
All other	46	-	-	-	-	2	15	18	7	3	1	-	46	-	-	1	-	6	9	13	10	5	2	-
Black	46	-	-	-	-	2	15	18	7	3	1	-	46	-	-	1	-	6	9	13	10	5	2	-
Cholelithiasis and other disorders of gallbladder (574-575)	8	-	-	-	-	-	-	1	3	1	2	1	27	-	-	-	-	1	1	2	3	3	9	8
White	6	-	-	-	-	-	-	-	3	1	1	1	22	-	-	-	-	1	-	1	3	3	6	8
All other	2	-	-	-	-	-	-	1	-	-	1	-	5	-	-	-	-	-	1	1	-	-	3	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	5	-	-	-	-	-	1	1	-	-	3	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	119	2	1	1	2	-	5	12	17	40	27	12	147	2	-	1	1	1	1	9	18	47	39	28
White	62	2	-	1	1	-	3	7	9	17	17	5	67	2	-	-	-	1	1	5	3	14	19	22
All other	57	-	1	-	1	-	2	5	8	23	10	7	80	-	-	1	1	-	-	4	15	33	20	6
Black	57	-	1	-	1	-	2	5	8	23	10	7	80	-	-	1	1	-	-	4	15	33	20	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	1	-	1	-	-
White	3	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	27	-	1	-	1	-	1	4	2	8	7	3	30	1	-	-	1	1	1	-	3	12	8	3
White	13	-	-	-	-	-	1	3	1	3	3	2	11	1	-	-	-	1	1	-	-	5	2	1
All other	14	-	1	-	1	-	-	1	1	5	4	1	19	-	-	-	1	-	-	-	3	7	6	2
Black	14	-	1	-	1	-	-	1	1	5	4	1	19	-	-	-	1	-	-	-	3	7	6	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	89	2	-	1	1	-	4	8	14	30	20	9	115	1	-	1	-	-	-	8	15	34	31	25
White	46	2	-	1	1	-	2	4	7	12	14	3	55	1	-	-	-	-	-	4	3	9	17	21
All other	43	-	-	-	-	-	2	4	7	18	6	6	60	-	-	1	-	-	-	4	12	25	14	4
Black	43	-	-	-	-	-	2	4	7	18	6	6	60	-	-	1	-	-	-	4	12	25	14	4
Infections of kidney (590)	11	-	-	-	-	-	-	1	2	3	4	1	21	-	-	-	-	-	1	-	1	2	10	7
White	5	-	-	-	-	-	-	1	-	1	2	1	16	-	-	-	-	-	-	-	1	1	9	5
All other	6	-	-	-	-	-	-	-	2	2	2	-	5	-	-	-	-	-	1	-	-	1	1	2
Black	6	-	-	-	-	-	-	-	2	2	2	-	5	-	-	-	-	-	1	-	-	1	1	2
Hyperplasia of prostate (600)	13	-	-	-	-	-	-	-	-	4	4	5	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
White	8	-	-	-	-	-	-	-	-	2	1	5	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
All other	5	-	-	-	-	-	-	-	-	2	3	-	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
Black	5	-	-	-	-	-	-	-	-	2	3	-	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
Complications of pregnancy, childbirth, and the puerperium (630-676)	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	3	. . .	. . .	-	-	1	2	-	. . .	. . .	. . .	. . .
White	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	-	. . .	. . .	-	-	-	-	-	. . .	. . .	. . .	. . .
All other	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	3	. . .	. . .	-	-	1	2	-	. . .	. . .	. . .	. . .
Black	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	3	. . .	. . .	-	-	1	2	-	. . .	. . .	. . .	. . .
Pregnancy with abortive outcome (630-638)	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	1	. . .	. . .	-	-	-	1	-	. . .	. . .	. . .	. . .
White	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	-	. . .	. . .	-	-	-	-	-	. . .	. . .	. . .	. . .
All other	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	1	. . .	. . .	-	-	-	1	-	. . .	. . .	. . .	. . .
Black	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	1	. . .	. . .	-	-	-	1	-	. . .	. . .	. . .	. . .
Other complications of pregnancy, childbirth, and the puerperium (640-676)	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2	. . .	. . .	-	-	1	1	-	. . .	. . .	. . .	. . .
White	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	-	. . .	. . .	-	-	-	-	-	. . .	. . .	. . .	. . .
All other	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2	. . .	. . .	-	-	1	1	-	. . .	. . .	. . .	. . .
Black	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2	. . .	. . .	-	-	1	1	-	. . .	. . .	. . .	. . .
Congenital anomalies (740-759)	122	72	13	7	7	7	3	4	6	2	1	-	92	63	11	3	2	4	2	2	3	1	1	-
White	69	36	7	7	1	5	2	3	6	1	1	-	56	42	4	1	1	1	1	2	2	1	1	-
All other	53	36	6	-	6	2	1	1	-	1	-	-	36	21	7	2	1	3	1	-	1	-	-	-
Black	52	35	6	-	6	2	1	1	-	1	-	-	36	21	7	2	1	3	1	-	1	-	-	-
Certain conditions originating in the perinatal period (760-779)	260	259	-	1	-	-	-	-	-	-	-	-	193	193	-	-	-	-	-	-	-	-	-	-
White	114	113	-	1	-	-	-	-	-	-	-	-	75	75	-	-	-	-	-	-	-	-	-	-
All other	146	146	-	-	-	-	-	-	-	-	-	-	118	118	-	-	-	-	-	-	-	-	-	-
Black	145	145	-	-	-	-	-	-	-	-	-	-	116	116	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	69	68	-	1	-	-	-	-	-	-	-	-	29	29	-	-	-	-	-	-	-	-	-	-
White	33	32	-	1	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
All other	36	36	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
Black	36	36	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	191	191	-	-	-	-	-	-	-	-	-	-	164	164	-	-	-	-	-	-	-	-	-	-
White	81	81	-	-	-	-	-	-	-	-	-	-	62	62	-	-	-	-	-	-	-	-	-	-
All other	110	110	-	-	-	-	-	-	-	-	-	-	102	102	-	-	-	-	-	-	-	-	-	-
Black	109	109	-	-	-	-	-	-	-	-	-	-	100	100	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	324	55	1	2	3	4	14	48	58	88	31	19	223	48	2	-	1	5	2	12	33	46	42	32
White	166	27	-	-	2	1	5	25	35	41	21	8	86	15	-	-	1	2	-	6	12	19	15	16
All other	158	28	1	2	1	3	9	23	23	47	10	11	137	33	2	-	-	3	2	6	21	27	27	16
Black	158	28	1	2	1	3	9	23	23	47	10	11	137	33	2	-	-	3	2	6	21	27	27	16
All other diseases (Residual)	867	22	13	11	25	43	60	97	186	211	140	59	814	15	9	14	17	27	38	63	124	178	185	144
White	548	9	6	7	16	12	21	57	126	143	105	46	524	6	3	7	10	13	13	33	78	116	130	115
All other	319	13	7	4	9	31	39	40	60	68	35	13	290	9	6	7	7	14	25	30	46	62	55	29
Black	319	13	7	4	9	31	39	40	60	68	35	13	288	9	6	7	7	13	25	29	46	62	55	29
Accidents and adverse effects (E800-E949)	1,210	15	31	74	287	256	134	129	118	94	56	15	488	10	28	31	73	51	44	52	53	60	53	33
White	745	7	14	37	203	164	76	71	73	47	43	10	329	6	16	15	59	32	31	31	31	39	39	30
All other	465	8	17	37	84	92	58	58	45	47	13	5	159	4	12	16	14	19	13	21	22	21	14	3
Black	464	8	17	37	84	91	58	58	45	47	13	5	157	4	12	15	14	18	13	21	22	21	14	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Motor vehicle accidents (E810-E825)	624	2	9	32	206	155	73	62	47	26	11	1	226	2	12	17	63	32	29	23	22	17	6	3
White	436	1	1	23	160	105	50	38	33	15	10	-	181	2	8	10	52	27	23	17	19	15	5	3
All other	188	1	8	9	46	50	23	24	14	11	1	1	45	-	4	7	11	5	6	6	3	2	1	-
Black	187	1	8	9	46	49	23	24	14	11	1	1	44	-	4	6	11	5	6	6	3	2	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	566	13	22	42	81	101	61	67	71	68	45	14	262	8	16	14	10	19	15	29	31	43	47	30
White	309	6	13	14	43	59	26	33	40	32	33	10	148	4	8	5	7	5	8	14	12	24	34	27
All other	277	7	9	28	38	42	35	34	31	36	12	4	114	4	8	9	3	14	7	15	19	19	13	3
Black	277	7	9	28	38	42	35	34	31	36	12	4	113	4	8	9	3	13	7	15	19	19	13	3
Suicide (E950-E959)	271	...	...	-	58	66	44	34	39	18	11	1	79	...	...	-	17	23	8	12	14	3	2	-
White	234	...	...	-	48	53	39	32	35	15	11	1	73	...	...	-	15	21	7	12	14	2	2	-
All other	37	...	...	-	10	13	5	2	4	3	-	-	6	...	...	-	2	2	1	-	-	1	-	-
Black	36	...	...	-	9	13	5	2	4	3	-	-	6	...	...	-	2	2	1	-	-	1	-	-
Homicide and legal intervention (E960-E978)	277	2	3	-	42	94	61	42	19	8	5	1	79	3	1	4	20	23	9	4	7	6	2	-
White	117	1	1	-	20	28	27	19	12	5	3	1	40	1	1	3	10	11	4	3	3	2	2	-
All other	160	1	2	-	22	66	34	23	7	3	2	-	39	2	-	1	10	12	5	1	4	4	-	-
Black	160	1	2	-	22	66	34	23	7	3	2	-	38	1	-	1	10	12	5	1	4	4	-	-
All other external causes (E980-E999)	17	-	1	-	2	4	2	2	4	1	1	-	2	-	-	-	-	1	-	-	1	-	-	-
White	13	-	1	-	1	3	2	2	4	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other	4	-	-	-	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	4	-	-	-	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
SOUTH DAKOTA																								
All causes	3,604	80	17	21	122	90	77	222	537	885	947	605	2,847	67	13	17	47	25	50	119	248	463	820	978
White	3,350	64	14	20	88	62	53	186	498	845	923	596	2,669	47	5	12	38	13	34	105	226	436	792	961
All other	254	16	3	1	34	28	24	36	39	40	24	9	178	20	8	5	9	12	16	14	22	27	28	17
Black	3	-	-	-	-	1	-	-	-	1	1	-	4	2	-	-	-	-	-	-	1	-	1	-
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	4	-	-	-	-	-	-	-	1	-	2	1	4	-	-	-	-	-	-	1	-	1	2	-
White	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	1	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	1	-	1	1	-
White	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	21	-	-	-	-	1	-	1	5	6	6	2	12	1	-	-	-	-	-	-	1	1	5	4
White	21	-	-	-	-	1	-	1	5	6	6	2	11	1	-	-	-	-	-	-	1	-	5	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Viral hepatitis (070)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
White	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	6	–	1	–	1	–	–	1	1	2	–	–	9	–	–	1	–	–	1	1	2	–	2	2
White	5	–	1	–	1	–	–	1	1	1	–	–	9	–	–	1	–	–	1	1	2	–	2	2
All other	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	689	–	2	2	3	5	13	44	141	222	182	75	560	1	1	1	6	4	19	53	99	137	147	92
White	668	–	2	2	3	5	11	43	135	216	179	72	538	1	–	1	6	3	18	50	96	131	141	91
All other	21	–	–	–	–	–	2	1	6	6	3	3	22	–	1	–	–	1	1	3	3	6	6	1
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	–	–	–	–	–	–	–	3	4	1	–	5	–	–	–	–	–	–	–	–	–	2	3
White	8	–	–	–	–	–	–	–	3	4	1	–	4	–	–	–	–	–	–	–	–	–	1	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of digestive organs and peritoneum (150-159)	203	–	–	–	–	1	3	10	42	71	51	25	166	–	–	–	–	1	3	5	23	40	52	42
White	194	–	–	–	–	1	3	10	40	66	51	23	161	–	–	–	–	–	3	5	21	39	51	42
All other	9	–	–	–	–	–	–	–	2	5	–	2	5	–	–	–	–	1	–	–	2	1	1	–
Black	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	216	–	–	–	–	–	3	22	53	79	50	9	75	–	–	–	–	–	4	9	20	27	12	3
White	208	–	–	–	–	–	3	21	50	78	47	9	71	–	–	–	–	–	4	9	19	24	12	3
All other	8	–	–	–	–	–	–	1	3	1	3	–	4	–	–	–	–	–	–	–	1	3	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasm of breast (174-175)	2	–	–	–	–	–	–	–	1	–	1	–	110	–	–	–	–	1	7	23	24	25	16	14
White	2	–	–	–	–	–	–	–	1	–	1	–	108	–	–	–	–	1	7	22	24	25	15	14
All other	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of genital organs (179-187)	75	–	–	–	–	–	–	–	6	18	29	22	65	–	–	–	1	1	1	7	14	15	21	5
White	75	–	–	–	–	–	–	–	6	18	29	22	60	–	–	–	1	1	–	6	14	15	19	4
All other	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	1	1	–	–	2	1
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of urinary organs (188-189)	34	–	–	–	–	1	1	2	4	12	9	5	18	–	–	–	–	–	–	1	–	7	4	6
White	33	–	–	–	–	1	–	2	4	12	9	5	18	–	–	–	–	–	–	1	–	7	4	6
All other	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	69	–	2	–	–	–	3	7	15	17	19	6	56	1	–	1	2	–	1	5	9	11	19	7
White	68	–	2	–	–	–	3	7	15	17	19	5	53	1	–	1	2	–	1	4	9	10	18	7
All other	1	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	1	–	1	1	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leukemia (204-208)	43	–	–	–	2	1	1	3	5	11	13	7	30	–	1	–	2	–	3	1	4	6	8	5
White	42	–	–	–	2	1	–	3	5	11	13	7	29	–	–	–	2	–	3	1	4	6	8	5
All other	1	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	39	–	–	2	1	2	2	–	12	10	9	1	35	–	–	–	1	1	–	2	5	6	13	7
White	38	–	–	2	1	2	2	–	11	10	9	1	34	–	–	–	1	1	–	2	5	5	13	7
All other	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	13	–	–	–	–	1	1	3	1	3	2	2	12	–	–	–	–	–	–	–	2	3	4	3
White	13	–	–	–	–	1	1	3	1	3	2	2	12	–	–	–	–	–	–	–	2	3	4	3
All other	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Black	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Diabetes mellitus (250)	37	-	-	-	-	1	-	4	7	8	12	5	40	-	-	-	-	-	-	3	4	12	13	8
White	32	-	-	-	-	-	-	3	6	7	11	5	35	-	-	-	-	-	-	3	3	10	11	8
All other	5	-	-	-	-	1	-	1	1	1	1	-	5	-	-	-	-	-	-	-	1	2	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	3	-	-	-	-	-	-	-	-	-	1	2	5	-	-	-	-	-	-	-	-	1	1	3
White	3	-	-	-	-	-	-	-	-	-	1	2	5	-	-	-	-	-	-	-	-	1	1	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	8	-	-	1	-	-	-	-	1	3	3	-	3	-	-	-	-	-	-	-	1	-	-	2
White	8	-	-	1	-	-	-	-	1	3	3	-	3	-	-	-	-	-	-	-	1	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	3	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,771	2	2	-	4	8	18	91	255	482	537	372	1,545	5	2	-	-	1	6	25	88	232	506	680
White	1,713	2	2	-	3	6	13	82	240	467	530	368	1,504	4	1	-	-	-	5	23	80	226	497	668
All other	58	-	-	-	1	2	5	9	15	15	7	4	41	1	1	-	-	1	1	2	8	6	9	12
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Diseases of heart (390-398,402,404-429)	1,455	1	2	-	2	7	18	85	229	407	426	278	1,091	5	1	-	-	-	3	19	74	171	373	445
White	1,408	1	2	-	2	5	13	76	215	397	422	275	1,061	4	-	-	-	-	2	17	67	167	366	438
All other	47	-	-	-	-	2	5	9	14	10	4	3	30	1	1	-	-	-	1	2	7	4	7	7
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	13	-	-	-	-	-	1	3	2	4	1	2	20	-	-	-	-	-	1	3	4	3	6	3
White	12	-	-	-	-	-	1	2	2	4	1	2	19	-	-	-	-	-	1	3	3	3	6	3
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	7	-	-	-	-	-	-	-	1	3	2	1	24	-	-	-	-	-	-	1	1	2	12	8
White	7	-	-	-	-	-	-	-	1	3	2	1	24	-	-	-	-	-	-	1	1	2	12	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	2	-	-	-	-	-	-	-	-	-	2	-	8	-	-	-	-	-	-	-	-	-	1	7
White	2	-	-	-	-	-	-	-	-	-	2	-	8	-	-	-	-	-	-	-	-	-	1	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,132	1	-	-	-	5	12	69	181	324	341	199	786	-	-	-	-	-	-	11	54	135	277	309
White	1,102	1	-	-	-	4	8	64	171	318	340	196	767	-	-	-	-	-	-	10	49	131	273	304
All other	30	-	-	-	-	1	4	5	10	6	1	3	19	-	-	-	-	-	-	1	5	4	4	5
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	786	1	-	-	-	3	10	56	146	244	227	99	429	-	-	-	-	-	-	7	34	94	163	131
White	762	1	-	-	-	3	7	51	138	239	226	97	418	-	-	-	-	-	-	7	30	91	162	128
All other	24	-	-	-	-	-	3	5	8	5	1	2	11	-	-	-	-	-	-	-	4	3	1	3
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	7	-	-	-	-	-	-	-	-	3	3	1	2	-	-	-	-	-	-	-	1	-	-	1
White	7	-	-	-	-	-	-	-	-	3	3	1	2	-	-	-	-	-	-	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	338	-	-	-	-	2	2	13	35	77	110	99	354	-	-	-	-	-	-	4	19	41	113	177
White	332	-	-	-	-	1	1	13	33	76	110	98	346	-	-	-	-	-	-	3	18	40	110	175
All other	6	-	-	-	-	1	1	-	2	1	-	1	8	-	-	-	-	-	-	1	1	1	3	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	11	-	-	-	-	-	-	-	2	2	5	2	10	-	-	-	-	-	-	1	2	2	2	3
White	11	-	-	-	-	-	-	-	2	2	5	2	9	-	-	-	-	-	-	-	2	2	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
All other forms of heart disease (415-423,425-429)	290	-	2	-	2	2	5	13	43	74	75	74	243	5	1	-	-	-	2	3	13	29	75	115
White	274	-	2	-	2	1	4	10	39	70	72	74	234	4	-	-	-	-	1	3	12	29	72	113
All other	16	-	-	-	-	1	1	3	4	4	3	-	9	1	1	-	-	-	1	-	1	-	3	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	10	-	-	-	-	-	-	-	-	3	5	2	18	-	-	-	-	-	-	1	-	5	3	9
White	9	-	-	-	-	-	-	-	-	3	4	2	18	-	-	-	-	-	-	1	-	5	3	9
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	218	1	-	-	1	1	-	2	18	49	78	68	338	-	1	-	-	1	3	4	12	46	103	168
White	210	1	-	-	1	1	-	2	17	44	76	68	330	-	1	-	-	-	3	4	12	44	101	165
All other	8	-	-	-	-	-	-	-	1	5	2	-	8	-	-	-	-	1	-	-	-	2	2	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	18	-	-	-	-	-	-	-	2	9	5	2	35	-	1	-	-	-	2	1	1	10	10	10
White	17	-	-	-	-	-	-	-	2	8	5	2	34	-	1	-	-	-	2	1	1	10	9	10
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	36	-	-	-	-	-	-	-	5	7	15	9	48	-	-	-	-	-	-	-	1	9	13	25
White	34	-	-	-	-	-	-	-	5	6	14	9	47	-	-	-	-	-	-	-	1	9	12	25
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	162	1	-	-	1	1	-	2	11	31	58	57	255	-	-	-	-	1	1	3	10	27	80	133
White	157	1	-	-	1	1	-	2	10	28	57	57	249	-	-	-	-	-	1	3	10	25	80	130
All other	5	-	-	-	-	-	-	-	1	3	1	-	6	-	-	-	-	1	-	-	-	2	-	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	47	-	-	-	-	-	-	-	1	9	17	20	70	-	-	-	-	-	-	-	-	4	17	49
White	46	-	-	-	-	-	-	-	1	9	17	19	69	-	-	-	-	-	-	-	-	4	17	48
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	41	-	-	-	1	-	-	4	7	14	11	4	28	-	-	-	-	-	-	1	2	6	10	9
White	40	-	-	-	-	-	-	4	7	14	11	4	26	-	-	-	-	-	-	1	1	6	10	8
All other	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	118	-	1	-	-	-	-	1	9	13	42	52	118	2	-	1	-	-	1	5	5	10	29	65
White	107	-	-	-	-	-	-	-	7	10	39	51	106	-	-	1	-	-	-	4	4	9	25	63
All other	11	-	1	-	-	-	-	1	2	3	3	1	12	2	-	-	-	-	1	1	1	1	4	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (480-486)	105	-	1	-	-	-	-	1	7	12	39	45	102	2	-	1	-	-	1	5	5	8	26	54
White	94	-	-	-	-	-	-	-	5	9	36	44	90	-	-	1	-	-	-	4	4	7	22	52
All other	11	-	1	-	-	-	-	1	2	3	3	1	12	2	-	-	-	-	1	1	1	1	4	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Influenza (487)	13	-	-	-	-	-	-	-	2	1	3	7	16	-	-	-	-	-	-	-	-	2	3	11
White	13	-	-	-	-	-	-	-	2	1	3	7	16	-	-	-	-	-	-	-	-	2	3	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	159	-	-	-	-	1	1	3	22	59	58	15	40	-	-	-	-	-	1	3	2	10	17	7
White	157	-	-	-	-	1	1	3	22	59	57	14	39	-	-	-	-	-	-	3	2	10	17	7
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	9	-	-	-	-	1	-	-	1	4	2	1	2	-	-	-	-	-	-	-	-	-	1	1
White	9	-	-	-	-	1	-	-	1	4	2	1	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	42	-	-	-	-	-	-	2	4	17	18	1	15	-	-	-	-	-	-	-	1	4	8	2
White	42	-	-	-	-	-	-	2	4	17	18	1	15	-	-	-	-	-	-	-	1	4	8	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Asthma (493)	4	-	-	-	-	-	-	1	-	2	1	-	4	-	-	-	-	-	-	1	1	-	1	1
White	4	-	-	-	-	-	-	1	-	2	1	-	4	-	-	-	-	-	-	1	1	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	104	-	-	-	-	-	1	-	17	36	37	13	19	-	-	-	-	-	1	2	-	6	7	3
White	102	-	-	-	-	-	1	-	17	36	36	12	18	-	-	-	-	-	-	2	-	6	7	3
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	9	-	-	-	-	-	-	1	1	3	4	-	10	-	-	1	-	-	-	-	-	1	7	1
White	8	-	-	-	-	-	-	-	1	3	4	-	10	-	-	1	-	-	-	-	-	1	7	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	-	-	-	-	-	-	2	-	1	3	-	13	-	-	-	-	-	-	-	1	-	5	7
White	5	-	-	-	-	-	-	1	-	1	3	-	13	-	-	-	-	-	-	-	1	-	5	7
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	47	-	-	-	-	1	6	11	14	12	3	-	24	-	-	1	1	3	4	5	7	2	1	-
White	31	-	-	-	-	-	3	5	11	9	3	-	12	-	-	1	-	-	2	2	5	1	1	-
All other	16	-	-	-	-	1	3	6	3	3	-	-	12	-	-	-	1	3	2	3	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	5	-	-	-	-	-	-	-	-	2	2	1	4	-	-	-	-	-	-	-	-	1	2	1
White	5	-	-	-	-	-	-	-	-	2	2	1	4	-	-	-	-	-	-	-	-	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	32	1	-	-	-	-	1	-	5	5	8	12	34	-	-	-	-	-	-	1	1	9	8	15
White	29	1	-	-	-	-	1	-	4	3	8	12	32	-	-	-	-	-	-	1	1	7	8	15
All other	3	-	-	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	-	-	-	2	-	-	1	6	-	-	-	-	-	-	-	-	2	3	1
White	3	-	-	-	-	-	-	-	2	-	-	1	6	-	-	-	-	-	-	-	-	2	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	28	1	-	-	-	-	1	-	3	5	7	11	28	-	-	-	-	-	-	1	1	7	5	14
White	25	1	-	-	-	-	1	-	2	3	7	11	26	-	-	-	-	-	-	1	1	5	5	14
All other	3	-	-	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	6	-	-	1	-	-	-	-	1	2	1	1	5	-	-	-	-	-	1	-	-	1	3	-
White	6	-	-	1	-	-	-	-	1	2	1	1	4	-	-	-	-	-	1	-	-	-	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH DAKOTA—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	20	9	1	4	1	-	2	-	1	1	-	1	15	9	-	-	-	-	1	-	2	2	-	1
White	19	8	1	4	1	-	2	-	1	1	-	1	14	8	-	-	-	-	1	-	2	2	-	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	46	46	-	-	-	-	-	-	-	-	-	-	37	37	-	-	-	-	-	-	-	-	-	-
White	38	38	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
All other	8	8	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	11	11	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
White	11	11	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	35	35	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
White	27	27	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-
All other	8	8	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	44	14	1	-	1	1	1	1	3	5	5	12	35	5	2	-	2	2	-	1	5	5	3	10
White	32	10	1	-	1	1	-	1	2	2	2	12	21	4	1	-	-	1	-	-	1	3	1	10
All other	12	4	-	-	-	-	1	-	1	3	3	-	14	1	1	-	2	1	-	1	4	2	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	184	4	-	2	9	9	4	8	29	29	47	43	186	5	2	-	4	4	8	9	20	22	52	60
White	168	3	-	2	9	6	1	7	24	28	45	43	169	1	-	-	4	3	5	8	19	20	50	59
All other	16	1	-	-	-	3	3	1	5	1	2	-	17	4	2	-	-	1	3	1	1	2	2	1
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	253	1	5	8	78	42	15	30	23	22	21	7	106	1	5	10	25	4	4	10	7	12	11	17
White	201	-	4	8	58	30	11	23	22	18	19	7	83	-	2	5	22	2	1	7	6	11	11	16
All other	52	1	1	-	20	12	4	7	1	4	2	-	23	1	3	5	3	2	3	3	1	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	143	-	2	3	60	26	8	13	11	9	8	2	56	1	2	5	22	3	4	5	6	2	4	2
White	110	-	1	3	44	21	5	8	10	8	7	2	40	-	1	2	19	2	1	2	5	2	4	2
All other	33	-	1	-	16	5	3	5	1	1	1	-	16	1	1	3	3	1	3	3	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	110	1	3	5	18	16	7	17	12	13	13	5	50	-	3	5	3	1	-	5	1	10	7	15
White	91	-	3	5	14	9	6	15	12	10	12	5	43	-	1	3	3	-	-	5	1	9	7	14
All other	19	1	-	-	4	7	1	2	-	3	1	-	7	-	2	2	-	1	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	75	...	...	1	16	11	13	15	8	4	5	2	10	...	...	-	3	3	2	1	-	-	1	-
White	55	...	...	-	9	6	9	12	8	4	5	2	7	...	...	-	3	2	-	1	-	-	1	-
All other	20	...	...	1	7	5	4	3	-	-	-	-	3	...	...	-	-	1	2	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	25	-	2	1	7	6	1	5	3	-	-	-	10	-	-	-	4	3	2	-	-	1	-	-
White	8	-	2	1	2	2	-	-	1	-	-	-	3	-	-	-	2	1	-	-	-	-	-	-
All other	17	-	-	-	5	4	1	5	2	-	-	-	7	-	-	-	2	2	2	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	16	1	1	1	2	3	1	-	4	1	2	-	5	1	-	-	1	1	-	1	1	-	-	-
White	11	1	1	1	1	3	-	-	2	-	2	-	2	-	-	-	-	1	-	1	-	-	-	-
All other	5	-	-	-	1	-	1	-	2	1	-	-	3	1	-	-	1	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE																								
All causes	22,341	483	81	133	668	769	885	1,908	3,945	6,079	5,120	2,261	18,168	364	69	93	232	299	454	948	2,271	3,898	5,232	4,306
White	18,544	304	58	113	551	581	698	1,521	3,268	5,117	4,368	1,960	15,019	219	52	68	188	228	336	719	1,786	3,156	4,452	3,815
All other	3,797	179	23	20	117	188	187	387	677	962	752	301	3,149	145	17	25	44	71	118	229	485	742	780	491
Black	3,774	175	21	19	116	185	183	385	674	960	751	301	3,137	144	17	24	44	69	118	229	484	739	778	491
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	1	1	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	1	-
White	3	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	32	-	-	-	-	2	-	2	5	11	8	4	28	-	-	-	-	-	-	2	4	3	9	10
White	28	-	-	-	-	-	-	1	5	11	7	4	18	-	-	-	-	-	-	1	1	2	5	9
All other	4	-	-	-	-	2	-	1	-	-	1	-	10	-	-	-	-	-	-	1	3	1	4	1
Black	4	-	-	-	-	2	-	1	-	-	1	-	10	-	-	-	-	-	-	1	3	1	4	1
Tuberculosis of respiratory system (010-012)	29	-	-	-	-	1	-	1	4	11	8	4	26	-	-	-	-	-	-	2	3	2	9	10
White	27	-	-	-	-	-	-	1	4	11	7	4	18	-	-	-	-	-	-	1	1	2	5	9
All other	2	-	-	-	-	1	-	-	-	-	1	-	8	-	-	-	-	-	-	1	2	-	4	1
Black	2	-	-	-	-	1	-	-	-	-	1	-	8	-	-	-	-	-	-	1	2	-	4	1
Other tuberculosis (013-018)	3	-	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
White	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	2	-	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	6	4	-	-	-	1	-	1	-	-	-	-	5	1	-	-	-	-	1	-	2	-	-	1
White	3	2	-	-	-	-	-	1	-	-	-	-	5	1	-	-	-	-	1	-	2	-	-	1
All other	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	69	2	1	1	-	2	3	6	14	16	13	11	82	4	2	1	4	-	-	7	8	14	23	19
White	42	2	-	1	-	1	1	5	6	11	10	5	62	2	2	1	3	-	-	4	4	9	20	17
All other	27	-	1	-	-	1	2	1	8	5	3	6	20	2	-	-	1	-	-	3	4	5	3	2
Black	27	-	1	-	-	1	2	1	8	5	3	6	20	2	-	-	1	-	-	3	4	5	3	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	11	-	-	-	-	1	1	2	2	2	3	-	13	-	-	-	2	1	-	1	5	3	-	1
White	11	-	-	-	-	1	1	2	2	2	3	-	10	-	-	-	1	1	-	-	4	3	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	1	1	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	44	-	1	2	4	2	6	3	7	11	6	2	47	4	1	2	4	2	1	1	5	13	6	8
White	38	-	1	2	3	2	5	3	7	9	4	2	42	4	1	1	4	2	-	1	4	12	5	8
All other	6	-	-	-	1	-	1	-	-	2	2	-	5	-	-	1	-	-	1	-	1	1	1	-
Black	6	-	-	-	1	-	1	-	-	2	2	-	5	-	-	1	-	-	1	-	1	1	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,757	-	8	15	24	51	117	480	1,156	1,612	1,019	275	3,587	-	6	14	14	49	153	388	837	989	799	338
White	3,904	-	7	14	20	38	94	380	973	1,318	833	227	3,020	-	5	11	10	39	118	322	687	842	677	309
All other	853	-	1	1	4	13	23	100	183	294	186	48	567	-	1	3	4	10	35	66	150	147	122	29
Black	848	-	1	1	4	12	21	100	183	293	185	48	566	-	1	3	4	10	35	66	150	146	122	29

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	135	-	-	-	-	1	2	26	34	52	14	6	55	-	-	-	-	-	2	8	11	16	13	5
White	108	-	-	-	-	-	1	18	29	42	12	6	47	-	-	-	-	-	1	7	9	16	9	5
All other	27	-	-	-	-	1	1	8	5	10	2	-	8	-	-	-	-	-	1	1	2	-	4	-
Black	27	-	-	-	-	1	1	8	5	10	2	-	8	-	-	-	-	-	1	1	2	-	4	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,074	-	-	-	3	11	20	92	235	374	257	82	937	-	2	-	1	6	23	74	173	258	270	130
White	855	-	-	-	3	9	13	72	189	290	207	72	760	-	2	-	-	5	17	61	120	212	223	120
All other	219	-	-	-	-	2	7	20	46	84	50	10	177	-	-	-	1	1	6	13	53	46	47	10
Black	219	-	-	-	-	2	7	20	46	84	50	10	177	-	-	-	1	1	6	13	53	46	47	10
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,850	-	-	-	1	3	39	228	574	671	282	51	553	-	-	-	-	1	18	70	173	169	97	25
White	1,555	-	-	-	1	2	34	175	489	576	237	41	477	-	-	-	-	1	16	54	155	147	81	23
All other	295	-	-	-	-	1	5	53	85	95	45	10	76	-	-	-	-	-	2	16	18	22	16	2
Black	295	-	-	-	-	1	5	53	85	95	45	10	76	-	-	-	-	-	2	16	18	22	16	2
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	1	2	3	-	-	653	-	-	-	-	13	49	109	183	159	105	35
White	4	-	-	-	-	-	-	1	1	2	-	-	550	-	-	-	-	7	38	93	152	139	90	31
All other	2	-	-	-	-	-	-	-	1	1	-	-	103	-	-	-	-	6	11	16	31	20	15	4
Black	2	-	-	-	-	-	-	-	1	1	-	-	103	-	-	-	-	6	11	16	31	20	15	4
Malignant neoplasms of genital organs (179-187)	506	-	-	-	2	4	-	12	49	167	201	71	441	-	-	-	2	10	25	44	116	126	85	33
White	368	-	-	-	2	4	-	8	37	114	154	49	374	-	-	-	1	8	18	36	98	111	75	27
All other	138	-	-	-	-	-	-	4	12	53	47	22	67	-	-	-	1	2	7	8	18	15	10	6
Black	137	-	-	-	-	-	-	4	12	53	46	22	67	-	-	-	1	2	7	8	18	15	10	6
Malignant neoplasms of urinary organs (188-189)	222	-	-	-	1	-	6	10	51	75	66	13	119	-	-	1	-	-	-	3	15	41	40	19
White	185	-	-	-	-	-	6	8	30	60	60	12	102	-	-	1	-	-	-	1	14	31	37	18
All other	37	-	-	-	1	-	-	2	12	15	6	1	17	-	-	-	-	-	-	2	1	10	3	1
Black	37	-	-	-	1	-	-	2	12	15	6	1	17	-	-	-	-	-	-	2	1	10	3	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	553	-	5	9	6	19	31	67	131	152	103	30	481	-	3	8	6	12	21	55	109	120	86	61
White	473	-	5	8	5	13	26	58	115	134	81	28	403	-	3	6	5	12	16	48	86	101	70	56
All other	80	-	-	1	1	6	5	9	16	18	22	2	78	-	-	2	1	-	5	7	23	19	16	5
Black	79	-	-	1	1	5	5	9	16	18	22	2	77	-	-	2	1	-	5	7	23	18	16	5
Leukemia (204-208)	182	-	2	6	8	6	5	21	26	53	42	13	138	-	1	5	4	3	8	10	24	29	37	17
White	156	-	1	6	6	4	4	20	25	42	38	10	121	-	-	4	3	2	6	9	22	25	33	17
All other	26	-	1	-	2	2	1	1	1	11	4	3	17	-	1	1	1	1	2	1	2	4	4	-
Black	25	-	1	-	2	2	1	1	1	10	4	3	17	-	1	1	1	1	2	1	2	4	4	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	229	-	1	-	3	7	13	23	54	65	54	9	210	-	-	-	1	4	7	15	33	71	66	13
White	200	-	1	-	3	6	10	20	49	58	44	9	186	-	-	-	1	4	6	13	31	60	59	12
All other	29	-	-	-	-	1	3	3	5	7	10	-	24	-	-	-	-	-	1	2	2	11	7	1
Black	28	-	-	-	-	1	2	3	5	7	10	-	24	-	-	-	-	-	1	2	2	11	7	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	58	3	1	2	2	1	1	6	12	13	11	6	65	-	1	-	-	1	2	6	12	15	18	10
White	50	3	1	2	2	-	1	5	11	11	9	5	54	-	1	-	-	1	2	6	9	11	17	7
All other	8	-	-	-	-	1	-	1	1	2	2	1	11	-	-	-	-	-	-	-	3	4	1	3
Black	8	-	-	-	-	1	-	1	1	2	2	1	11	-	-	-	-	-	-	-	3	4	1	3
Diabetes mellitus (250)	227	-	-	-	2	5	7	32	38	70	55	18	389	-	-	1	4	3	10	17	60	115	125	54
White	173	-	-	-	2	2	6	24	29	52	42	16	285	-	-	1	2	3	9	10	42	84	90	44
All other	54	-	-	-	-	3	1	8	9	18	13	2	104	-	-	-	2	-	1	7	18	31	35	10
Black	54	-	-	-	-	3	1	8	9	18	13	2	104	-	-	-	2	-	1	7	18	31	35	10
Nutritional deficiencies (260-269)	16	-	-	-	-	-	-	-	1	7	4	4	30	-	-	-	-	-	-	1	-	10	8	11
White	12	-	-	-	-	-	-	-	-	5	3	4	26	-	-	-	-	-	-	1	-	10	8	7
All other	4	-	-	-	-	-	-	-	1	2	1	-	4	-	-	-	-	-	-	-	-	-	-	4
Black	4	-	-	-	-	-	-	-	1	2	1	-	4	-	-	-	-	-	-	-	-	-	-	4
Anemias (280-285)	34	-	-	-	5	2	3	2	4	10	4	4	29	-	2	-	1	-	1	1	2	4	5	13
White	23	-	-	-	2	1	2	-	2	8	4	4	23	-	-	-	-	-	1	-	2	3	4	13
All other	11	-	-	-	3	1	1	2	2	2	-	-	6	-	2	-	1	-	-	1	-	1	1	-
Black	9	-	-	-	2	1	1	2	1	2	-	-	6	-	2	-	1	-	-	1	-	1	1	-
Meningitis (320-322)	14	5	1	-	-	-	-	3	1	2	2	-	15	2	3	-	-	1	2	-	2	3	2	-
White	8	3	1	-	-	-	-	2	-	1	1	-	10	2	3	-	-	1	1	-	1	1	1	-
All other	6	2	-	-	-	-	-	1	1	1	1	-	5	-	-	-	-	-	1	-	1	2	1	-
Black	6	2	-	-	-	-	-	1	1	1	1	-	5	-	-	-	-	-	1	-	1	2	1	-
Major cardiovascular diseases (390-448)	10,414	12	3	1	19	76	262	808	1,841	3,088	2,897	1,405	9,723	7	2	3	9	36	115	307	888	2,033	3,297	3,025
White	8,775	7	2	-	15	50	199	658	1,512	2,625	2,485	1,221	8,055	4	1	-	7	22	81	208	657	1,584	2,819	2,672
All other	1,639	5	1	1	4	26	63	150	329	463	412	184	1,668	3	1	3	2	14	34	99	231	449	478	353
Black	1,634	5	1	1	4	26	62	149	327	462	412	184	1,665	3	1	3	2	14	34	99	230	448	477	353

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Diseases of heart (390-398,402,404-429)	8,177	11	3	1	11	57	231	731	1,558	2,503	2,121	948	6,766	7	1	2	7	22	77	217	707	1,518	2,251	1,956
White	6,937	6	2	-	9	40	183	609	1,297	2,146	1,826	816	5,650	4	-	-	6	14	57	151	538	1,211	1,937	1,732
All other	1,240	5	1	1	2	17	48	122	261	355	295	132	1,116	3	1	2	1	8	20	66	169	307	314	224
Black	1,238	5	1	1	2	17	48	121	259	354	295	132	1,113	3	1	2	1	8	20	66	168	306	313	224
Rheumatic fever and rheumatic heart disease (390-398)	34	-	-	-	1	-	4	7	8	7	7	-	61	-	-	-	-	2	4	4	17	19	13	2
White	29	-	-	-	1	-	2	6	7	6	7	-	55	-	-	-	-	1	4	3	16	17	12	2
All other	5	-	-	-	-	-	2	1	1	1	-	-	6	-	-	-	-	1	-	1	1	2	1	-
Black	5	-	-	-	-	-	2	1	1	1	-	-	6	-	-	-	-	1	-	1	1	2	1	-
Hypertensive heart disease (402)	219	-	-	-	-	3	13	30	35	70	41	27	271	-	-	-	-	2	9	15	38	53	92	62
White	120	-	-	-	-	-	5	12	15	42	26	20	159	-	-	-	-	1	2	2	14	27	67	46
All other	99	-	-	-	-	3	8	18	20	28	15	7	112	-	-	-	-	1	7	13	24	26	25	16
Black	99	-	-	-	-	3	8	18	20	28	15	7	112	-	-	-	-	1	7	13	24	26	25	16
Hypertensive heart and renal disease (404)	27	-	-	-	-	1	-	-	4	10	11	1	36	-	-	-	-	-	-	-	2	12	10	12
White	15	-	-	-	-	-	-	-	1	6	8	-	27	-	-	-	-	-	-	-	1	8	8	10
All other	12	-	-	-	-	1	-	-	3	4	3	1	9	-	-	-	-	-	-	-	1	4	2	2
Black	12	-	-	-	-	1	-	-	3	4	3	1	9	-	-	-	-	-	-	-	1	4	2	2
Ischemic heart disease (410-414)	6,336	-	-	-	3	26	176	587	1,257	1,976	1,636	673	4,794	-	-	-	-	5	40	141	500	1,100	1,643	1,365
White	5,603	-	-	-	2	19	144	511	1,093	1,775	1,459	599	4,173	-	-	-	-	2	30	108	405	927	1,461	1,240
All other	733	-	-	-	1	7	32	76	164	201	177	74	621	-	-	-	-	3	10	33	95	173	182	125
Black	729	-	-	-	1	7	32	75	162	200	177	74	618	-	-	-	-	3	10	33	94	172	181	125
Acute myocardial infarction (410)	4,118	-	-	-	3	18	123	431	913	1,339	983	308	2,618	-	-	-	-	3	26	93	343	702	890	561
White	3,725	-	-	-	2	15	107	389	824	1,224	899	265	2,324	-	-	-	-	2	21	78	291	609	815	508
All other	393	-	-	-	1	3	16	42	89	115	84	43	294	-	-	-	-	1	5	15	52	93	75	53
Black	389	-	-	-	1	3	16	41	87	114	84	43	292	-	-	-	-	1	5	15	51	92	75	53
Other acute and subacute forms of ischemic heart disease (411)	27	-	-	-	-	2	-	2	7	9	5	2	38	-	-	-	-	-	1	-	4	10	11	12
White	14	-	-	-	-	1	-	1	2	5	3	2	25	-	-	-	-	-	1	-	4	4	10	6
All other	13	-	-	-	-	1	-	1	5	4	2	-	13	-	-	-	-	-	-	-	-	6	1	6
Black	13	-	-	-	-	1	-	1	5	4	2	-	13	-	-	-	-	-	-	-	-	6	1	6
Angina pectoris (413)	10	-	-	-	-	-	1	1	-	3	4	1	3	-	-	-	-	-	1	-	-	1	1	-
White	8	-	-	-	-	-	1	1	-	3	3	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,181	-	-	-	-	6	52	153	337	625	644	362	2,135	-	-	-	-	2	12	48	153	387	741	792
White	1,856	-	-	-	-	3	36	120	267	543	554	332	1,822	-	-	-	-	-	8	30	110	313	635	726
All other	325	-	-	-	-	3	16	33	70	82	90	30	313	-	-	-	-	2	4	18	43	74	106	66
Black	325	-	-	-	-	3	16	33	70	82	90	30	312	-	-	-	-	2	4	18	43	74	105	66
Other diseases of endocardium (424)	64	-	-	-	-	-	2	4	10	23	14	11	65	-	-	1	-	-	1	2	6	16	23	16
White	60	-	-	-	-	-	2	4	10	20	13	11	52	-	-	-	-	-	1	2	4	13	19	13
All other	4	-	-	-	-	-	-	-	-	3	1	-	13	-	-	1	-	-	-	-	2	3	4	3
Black	4	-	-	-	-	-	-	-	-	3	1	-	13	-	-	1	-	-	-	-	2	3	4	3
All other forms of heart disease (415-423,425-429)	1,497	11	3	1	7	27	36	103	244	417	412	236	1,539	7	1	1	7	13	23	55	144	318	470	499
White	1,110	6	2	-	6	21	30	76	171	299	313	186	1,184	4	-	-	6	10	20	36	98	219	370	421
All other	387	5	1	1	1	6	6	27	73	118	99	50	355	3	1	1	1	3	3	19	46	99	100	78
Black	387	5	1	1	1	6	6	27	73	118	99	50	355	3	1	1	1	3	3	19	46	99	100	78
Hypertension with or without renal disease (401,403)	73	-	-	-	-	1	2	-	11	17	28	14	87	-	-	-	-	-	1	6	6	23	28	23
White	47	-	-	-	-	1	-	-	6	11	19	10	61	-	-	-	-	-	-	3	2	15	21	20
All other	26	-	-	-	-	-	2	-	5	6	9	4	26	-	-	-	-	-	1	3	4	8	7	3
Black	26	-	-	-	-	-	2	-	5	6	9	4	26	-	-	-	-	-	1	3	4	8	7	3
Cerebrovascular diseases (430-438)	1,690	1	-	-	8	15	26	65	204	439	604	328	2,377	-	1	1	2	12	32	74	153	428	863	811
White	1,369	1	-	-	6	7	14	39	153	349	511	289	1,931	-	1	-	1	8	21	47	98	306	733	716
All other	321	-	-	-	2	8	12	26	51	90	93	39	446	-	-	1	1	4	11	27	55	122	130	95
Black	321	-	-	-	2	8	12	26	51	90	93	39	446	-	-	1	1	4	11	27	55	122	130	95
Intracerebral and other intracranial hemorrhage (431-432)	206	1	-	-	2	6	14	22	41	56	45	19	228	-	-	1	1	1	14	22	29	56	61	43
White	150	1	-	-	2	2	7	11	29	44	38	16	175	-	-	-	-	1	8	12	18	43	56	37
All other	56	-	-	-	-	4	7	11	12	12	7	3	53	-	-	1	1	-	6	10	11	13	5	6
Black	56	-	-	-	-	4	7	11	12	12	7	3	53	-	-	1	1	-	6	10	11	13	5	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	289	-	-	-	1	-	2	7	32	78	109	60	403	-	-	-	-	-	2	2	25	67	160	147
White	242	-	-	-	1	-	-	4	22	62	97	56	338	-	-	-	-	-	1	-	17	44	142	134
All other	47	-	-	-	-	-	2	3	10	16	12	4	65	-	-	-	-	-	1	2	8	23	18	13
Black	47	-	-	-	-	-	2	3	10	16	12	4	65	-	-	-	-	-	1	2	8	23	18	13

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Cerebral embolism (434.1)	8	-	-	-	-	-	-	2	1	2	3	-	8	-	-	-	-	-	-	-	2	3	1	2
White	6	-	-	-	-	-	-	2	1	-	3	-	7	-	-	-	-	-	-	-	2	2	1	2
All other	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,187	-	-	-	5	9	10	34	130	303	447	249	1,738	-	1	-	1	11	16	50	97	302	641	619
White	971	-	-	-	3	5	7	22	101	243	373	217	1,411	-	1	-	1	7	12	35	61	217	534	543
All other	216	-	-	-	2	4	3	12	29	60	74	32	327	-	-	-	-	4	4	15	36	65	107	76
Black	216	-	-	-	2	4	3	12	29	60	74	32	327	-	-	-	-	4	4	15	36	65	107	76
Atherosclerosis (440)	251	-	-	-	-	-	1	4	21	46	90	89	369	-	-	-	-	-	-	3	6	32	117	211
White	214	-	-	-	-	-	1	2	16	36	77	82	310	-	-	-	-	-	-	2	6	25	95	182
All other	37	-	-	-	-	-	-	2	5	10	13	7	59	-	-	-	-	-	-	1	-	7	22	29
Black	37	-	-	-	-	-	-	2	5	10	13	7	59	-	-	-	-	-	-	1	-	7	22	29
Other diseases of arteries, arterioles, and capillaries (441-448)	223	-	-	-	-	3	2	8	47	83	54	26	124	-	-	-	-	2	5	7	16	32	38	24
White	208	-	-	-	-	2	1	8	40	81	52	24	103	-	-	-	-	-	3	5	13	27	33	22
All other	15	-	-	-	-	1	1	-	7	2	2	2	21	-	-	-	-	2	2	2	3	5	5	2
Black	14	-	-	-	-	1	-	-	7	2	2	2	21	-	-	-	-	2	2	2	3	5	5	2
Acute bronchitis and bronchiolitis (466)	4	-	-	-	-	-	-	-	1	1	2	-	10	1	-	-	-	-	-	2	-	3	2	2
White	4	-	-	-	-	-	-	-	1	1	2	-	7	-	-	-	-	-	-	2	-	2	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	1	1	-
Pneumonia and influenza (480-487)	573	8	-	3	3	7	12	14	66	116	192	152	592	4	3	5	5	5	5	12	33	73	194	253
White	482	3	-	3	2	4	7	7	48	98	171	139	532	3	3	4	3	4	2	8	28	66	179	232
All other	91	5	-	-	1	3	5	7	18	18	21	13	60	1	-	1	2	1	3	4	5	7	15	21
Black	91	5	-	-	1	3	5	7	18	18	21	13	60	1	-	1	2	1	3	4	5	7	15	21
Pneumonia (480-486)	527	8	-	3	2	6	11	14	59	108	177	139	526	4	3	5	5	5	5	10	28	69	169	223
White	446	3	-	3	2	3	7	7	43	91	160	127	469	3	3	4	3	4	2	7	23	62	155	203
All other	81	5	-	-	-	3	4	7	16	17	17	12	57	1	-	1	2	1	3	3	5	7	14	20
Black	81	5	-	-	-	3	4	7	16	17	17	12	57	1	-	1	2	1	3	3	5	7	14	20
Influenza (487)	46	-	-	-	1	1	1	-	7	8	15	13	66	-	-	-	-	-	-	2	5	4	25	30
White	36	-	-	-	-	1	-	-	5	7	11	12	63	-	-	-	-	-	-	1	5	4	24	29
All other	10	-	-	-	1	-	1	-	2	1	4	1	3	-	-	-	-	-	-	1	-	-	1	1
Black	10	-	-	-	1	-	1	-	2	1	4	1	3	-	-	-	-	-	-	1	-	-	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	914	-	1	-	2	2	4	40	171	340	282	72	376	-	-	-	-	1	8	25	85	115	89	53
White	830	-	-	-	2	1	4	35	154	312	254	68	347	-	-	-	-	1	6	22	76	110	81	51
All other	84	-	1	-	-	1	-	5	17	28	28	4	29	-	-	-	-	-	2	3	9	5	8	2
Black	84	-	1	-	-	1	-	5	17	28	28	4	28	-	-	-	-	-	2	3	9	5	7	2
Bronchitis, chronic and unspecified (490-491)	56	-	-	-	1	-	-	1	11	21	13	9	26	-	-	-	-	-	-	1	4	7	5	9
White	54	-	-	-	1	-	-	1	10	20	13	9	24	-	-	-	-	-	-	1	2	7	5	9
All other	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Emphysema (492)	210	-	-	-	-	-	1	11	41	90	54	13	60	-	-	-	-	-	-	6	9	24	12	9
White	199	-	-	-	-	-	1	10	40	86	49	13	58	-	-	-	-	-	-	6	9	23	11	9
All other	11	-	-	-	-	-	-	1	1	4	5	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	11	-	-	-	-	-	-	1	1	4	5	-	1	-	-	-	-	-	-	-	-	1	-	-
Asthma (493)	31	-	1	-	1	1	-	5	11	7	4	1	35	-	-	-	-	1	4	5	6	9	9	1
White	22	-	-	-	1	-	-	3	8	5	4	1	26	-	-	-	-	1	3	4	6	7	5	-
All other	9	-	1	-	-	1	-	2	3	2	-	-	9	-	-	-	-	-	1	1	-	2	4	1
Black	9	-	1	-	-	1	-	2	3	2	-	-	9	-	-	-	-	-	1	1	-	2	4	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	617	-	-	-	-	1	3	23	108	222	211	49	255	-	-	-	-	-	4	13	66	75	63	34
White	555	-	-	-	-	1	3	21	96	201	188	45	239	-	-	-	-	-	3	11	59	73	60	33
All other	62	-	-	-	-	-	-	2	12	21	23	4	16	-	-	-	-	-	1	2	7	2	3	1
Black	62	-	-	-	-	-	-	2	12	21	23	4	16	-	-	-	-	-	1	2	7	2	3	1
Ulcer of stomach and duodenum (531-533)	88	-	-	-	-	3	2	10	16	30	17	10	44	-	-	-	1	-	-	3	3	13	15	9
White	73	-	-	-	-	2	-	7	14	24	16	10	38	-	-	-	1	-	-	3	2	10	14	8
All other	15	-	-	-	-	1	2	3	2	6	1	-	6	-	-	-	-	-	-	-	1	3	1	1
Black	15	-	-	-	-	1	2	3	2	6	1	-	6	-	-	-	-	-	-	-	1	3	1	1
Appendicitis (540-543)	8	-	-	-	-	-	1	-	2	5	-	-	6	-	-	-	-	1	-	-	-	2	1	2
White	8	-	-	-	-	-	1	-	2	5	-	-	4	-	-	-	-	-	-	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	35	1	-	-	-	-	1	3	-	8	17	5	51	-	-	-	-	-	-	-	4	8	20	19
White	25	-	-	-	-	-	1	3	-	5	14	2	44	-	-	-	-	-	-	-	4	8	16	16
All other	10	1	-	-	-	-	-	-	-	3	3	3	7	-	-	-	-	-	-	-	-	-	4	3
Black	9	-	-	-	-	-	-	-	-	3	3	3	7	-	-	-	-	-	-	-	-	-	4	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Chronic liver disease and cirrhosis (571)	260	-	-	-	-	6	31	53	76	70	18	6	143	1	1	-	1	7	11	29	35	41	14	3
White	223	-	-	-	-	4	23	47	64	62	17	6	115	1	1	-	1	3	7	22	29	35	13	3
All other	37	-	-	-	-	2	8	6	12	8	1	-	28	-	-	-	-	4	4	7	6	6	1	-
Black	37	-	-	-	-	2	8	6	12	8	1	-	28	-	-	-	-	4	4	7	6	6	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	35	-	-	-	-	-	1	2	6	9	11	6	49	-	-	-	1	-	-	1	5	9	17	16
White	33	-	-	-	-	-	1	2	5	8	11	6	42	-	-	-	1	-	-	1	4	8	15	13
All other	2	-	-	-	-	-	-	-	1	1	-	-	7	-	-	-	-	-	-	-	1	1	2	3
Black	2	-	-	-	-	-	-	-	1	1	-	-	7	-	-	-	-	-	-	-	1	1	2	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	184	3	-	-	1	4	1	12	19	40	61	43	187	2	-	-	1	2	4	2	18	51	66	41
White	146	2	-	-	1	2	-	7	17	31	48	38	134	2	-	-	-	1	3	-	8	33	50	37
All other	38	1	-	-	-	2	1	5	2	9	13	5	53	-	-	-	1	1	1	2	10	18	16	4
Black	38	1	-	-	-	2	1	5	2	9	13	5	52	-	-	-	1	1	1	2	10	17	16	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	2	-	2
White	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	31	-	-	-	1	1	-	3	1	9	11	5	46	1	-	-	1	1	-	-	11	10	15	7
White	23	-	-	-	1	1	-	2	1	5	8	5	29	1	-	-	-	1	-	-	3	7	12	5
All other	8	-	-	-	-	-	-	1	-	4	3	-	17	-	-	-	1	-	-	-	8	3	3	2
Black	8	-	-	-	-	-	-	1	-	4	3	-	17	-	-	-	1	-	-	-	8	3	3	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	151	3	-	-	-	3	1	9	18	31	49	37	137	1	-	-	-	1	4	2	7	39	51	32
White	121	2	-	-	-	1	-	5	16	26	39	32	102	1	-	-	-	-	3	-	5	25	38	30
All other	30	1	-	-	-	2	1	4	2	5	10	5	35	-	-	-	-	1	1	2	2	14	13	2
Black	30	1	-	-	-	2	1	4	2	5	10	5	34	-	-	-	-	1	1	2	2	13	13	2
Infections of kidney (590)	17	-	-	-	-	-	-	-	1	2	9	5	38	-	-	-	-	-	-	-	4	11	12	11
White	14	-	-	-	-	-	-	-	1	2	6	5	36	-	-	-	-	-	-	-	4	10	11	11
All other	3	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	3	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	1	1	-
Hyperplasia of prostate (600)	17	-	-	-	-	-	-	-	-	3	9	5	...	...	...	...	...	...	...	...	...	...	...	...
White	15	-	-	-	-	-	-	-	-	3	8	4	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	-	7	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	6	3	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	11	...	...	-	7	3	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	6	3	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Congenital anomalies (740-759)	131	84	13	7	6	6	2	2	4	3	1	3	126	82	12	10	-	7	4	-	3	5	3	-
White	108	68	9	7	3	6	2	2	4	3	1	3	103	68	8	8	-	5	4	-	2	5	3	-
All other	23	16	4	-	3	-	-	-	-	-	-	-	23	14	4	2	-	2	-	-	1	-	-	-
Black	22	16	3	-	3	-	-	-	-	-	-	-	23	14	4	2	-	2	-	-	1	-	-	-
Certain conditions originating in the perinatal period (760-779)	264	260	3	1	-	-	-	-	-	-	-	-	185	184	1	-	-	-	-	-	-	-	-	-
White	147	144	2	1	-	-	-	-	-	-	-	-	98	98	-	-	-	-	-	-	-	-	-	-
All other	117	116	1	-	-	-	-	-	-	-	-	-	87	86	1	-	-	-	-	-	-	-	-	-
Black	115	114	1	-	-	-	-	-	-	-	-	-	87	86	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	89	88	1	-	-	-	-	-	-	-	-	-	52	52	-	-	-	-	-	-	-	-	-	-
White	59	58	1	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
All other	30	30	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-
Black	30	30	-	-	-	-	-	-	-	-	-	-	24	24	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	175	172	2	1	-	-	-	-	-	-	-	-	133	132	1	-	-	-	-	-	-	-	-	-
White	88	86	1	1	-	-	-	-	-	-	-	-	70	70	-	-	-	-	-	-	-	-	-	-
All other	87	86	1	-	-	-	-	-	-	-	-	-	63	62	1	-	-	-	-	-	-	-	-	-
Black	85	84	1	-	-	-	-	-	-	-	-	-	63	62	1	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	424	75	-	-	1	8	9	37	75	97	83	38	293	46	1	-	2	3	5	13	30	49	69	75
White	352	53	-	-	1	7	9	31	62	85	71	33	227	19	-	-	2	3	3	10	27	44	55	64
All other	72	22	-	-	-	1	-	6	13	12	12	5	66	27	1	-	-	-	2	3	3	5	14	11
Black	71	21	-	-	-	1	-	6	13	12	12	5	66	27	1	-	-	-	2	3	3	5	14	11
All other diseases (Residual)	1,229	14	13	14	31	42	78	131	191	306	279	129	1,144	17	6	18	21	31	39	45	146	235	336	250
White	974	10	10	11	23	27	53	91	144	251	242	112	927	9	5	13	11	20	25	30	118	193	287	216
All other	255	4	3	3	8	15	25	40	47	55	37	17	217	8	1	5	10	11	14	15	28	42	49	34
Black	255	4	3	3	8	15	25	40	47	55	37	17	215	7	1	5	10	11	13	15	28	42	49	34
Accidents and adverse effects (E800-E949)	1,573	9	32	83	390	308	195	143	127	141	89	52	634	6	27	31	116	74	44	54	48	60	93	80
White	1,364	6	22	69	353	273	170	116	108	120	81	42	543	5	21	22	106	67	37	45	41	53	75	71
All other	209	3	10	14	37	35	25	27	19	21	8	10	91	1	6	9	10	7	7	9	7	7	18	9
Black	204	3	9	13	37	35	23	26	19	21	8	10	88	1	6	8	10	6	6	9	7	7	18	9
Motor vehicle accidents (E810-E825)	833	1	10	48	283	191	101	73	46	49	26	5	301	1	11	16	92	55	32	22	24	22	17	8
White	740	1	6	39	261	172	86	59	41	44	26	5	270	1	9	12	86	50	29	20	22	20	15	6
All other	93	-	4	9	22	19	15	14	5	5	-	-	31	-	2	4	6	5	3	2	2	2	2	2
Black	89	-	3	8	22	19	14	13	5	5	-	-	28	-	2	3	6	4	2	2	2	2	2	2
All other accidents and adverse effects (E800-E807, E826-E949)	740	8	22	35	107	117	94	70	81	92	63	47	333	5	16	15	24	19	12	32	24	38	76	72
White	624	5	16	30	92	101	84	57	67	76	55	37	273	4	12	10	20	17	8	25	19	33	60	65
All other	116	3	6	5	15	16	10	13	14	16	8	10	60	1	4	5	4	2	4	7	5	5	16	7
Black	115	3	6	5	15	16	9	13	14	16	8	10	60	1	4	5	4	2	4	7	5	5	16	7
Suicide (E950-E959)	437	...	...	-	77	100	76	46	71	40	22	5	134	...	...	5	14	30	25	19	26	13	2	-
White	400	...	...	-	69	82	74	45	69	38	20	3	124	...	...	4	14	27	22	18	26	11	2	-
All other	37	...	...	-	8	18	2	1	2	2	2	2	10	...	...	1	-	3	3	1	-	2	-	-
Black	35	...	...	-	8	16	2	1	2	2	2	2	9	...	...	1	-	2	3	1	-	2	-	-
Homicide and legal intervention (E960-E978)	403	1	2	3	91	131	62	61	30	20	2	-	104	2	1	3	22	36	19	7	5	5	3	1
White	222	-	2	2	44	69	33	39	21	11	1	-	59	1	1	3	13	20	10	3	3	3	1	1
All other	181	1	-	1	47	62	29	22	9	9	1	-	45	1	-	-	9	16	9	4	2	2	2	-
Black	181	1	-	1	47	62	29	22	9	9	1	-	45	1	-	-	9	16	9	4	2	2	2	-
All other external causes (E980-E999)	58	1	1	1	10	9	11	9	8	5	2	1	25	-	-	-	3	6	4	5	1	3	2	1
White	54	1	-	1	9	9	11	8	7	5	2	1	17	-	-	-	3	5	3	2	1	3	-	-
All other	4	-	1	-	1	-	-	1	1	-	-	-	8	-	-	-	-	1	1	3	-	-	2	1
Black	4	-	1	-	1	-	-	1	1	-	-	-	8	-	-	-	-	1	1	3	-	-	2	1
TEXAS																								
All causes	61,507	1,807	378	462	2,986	3,070	2,676	5,159	10,188	15,059	13,469	6,235	49,041	1,465	265	290	923	1,064	1,266	2,770	5,789	9,819	13,815	11,574
White	52,924	1,388	302	380	2,558	2,477	2,116	4,191	8,764	13,218	11,955	5,557	42,655	1,153	214	247	765	864	1,007	2,216	4,795	8,381	12,288	10,725
All other	8,583	419	76	82	428	593	560	968	1,424	1,841	1,514	678	6,386	312	51	43	158	200	259	554	994	1,438	1,527	849
Black	8,427	397	73	79	418	575	546	943	1,406	1,815	1,501	674	6,249	294	49	41	149	190	248	535	970	1,422	1,509	841
Shigellosis and amebiasis (004,006)	2	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	15	8	1	-	-	1	-	-	2	-	3	-	8	3	-	-	-	-	-	1	-	-	2	2
White	12	6	1	-	-	1	-	-	2	-	2	-	8	3	-	-	-	-	-	1	-	-	2	2
All other	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	90	-	-	-	-	-	4	14	20	28	12	12	44	1	-	-	-	2	4	6	5	9	12	5
White	65	-	-	-	-	-	-	11	16	21	11	6	33	1	-	-	-	1	2	3	3	8	11	4
All other	25	-	-	-	-	-	4	3	4	7	1	6	11	-	-	-	-	1	2	3	2	1	1	1
Black	23	-	-	-	-	-	2	3	4	7	1	6	11	-	-	-	-	1	2	3	2	1	1	1
Tuberculosis of respiratory system (010-012)	82	-	-	-	-	-	4	13	20	25	9	11	32	-	-	-	-	2	3	4	5	5	9	4
White	59	-	-	-	-	-	-	10	16	19	9	5	23	-	-	-	-	1	1	2	3	5	8	3
All other	23	-	-	-	-	-	4	3	4	6	-	6	9	-	-	-	-	1	2	2	2	-	1	1
Black	21	-	-	-	-	-	2	3	4	6	-	6	9	-	-	-	-	1	2	2	2	-	1	1
Other tuberculosis (013-018)	8	-	-	-	-	-	-	1	-	3	3	1	12	1	-	-	-	-	1	2	-	4	3	1
White	6	-	-	-	-	-	-	1	-	2	2	1	10	1	-	-	-	-	1	1	-	3	3	1
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	1	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	20	6	6	-	2	2	-	-	1	-	1	-	13	5	1	1	1	-	3	1	-	-	1	-
White	14	5	5	-	2	1	-	-	1	-	-	-	8	3	-	-	1	-	3	-	-	-	1	-
All other	6	3	1	-	-	1	-	-	-	-	1	-	5	2	1	1	-	-	-	1	-	-	-	-
Black	6	3	1	-	-	1	-	-	-	-	1	-	5	2	1	1	-	-	-	1	-	-	-	-
Septicemia (038)	321	12	4	-	2	7	10	24	68	85	71	38	325	18	5	3	3	9	7	18	37	60	85	80
White	249	11	4	-	2	5	7	17	51	65	57	30	261	13	4	3	2	7	4	11	27	50	72	68
All other	72	1	-	-	-	2	3	7	17	20	14	8	64	5	1	-	1	2	3	7	10	10	13	12
Black	72	1	-	-	-	2	3	7	17	20	14	8	64	5	1	-	1	2	3	7	10	10	13	12
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	29	-	1	1	1	7	2	8	4	2	3	-	23	-	-	1	2	1	1	4	4	4	5	1
White	27	-	1	1	1	6	2	8	3	2	3	-	17	-	-	1	-	-	1	4	2	3	5	1
All other	2	-	-	-	-	1	-	-	1	-	-	-	6	-	-	-	2	1	-	-	2	1	-	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	6	-	-	-	2	1	-	-	2	1	-	-
Syphilis (090-097)	9	1	-	-	-	1	1	1	-	1	3	1	4	-	-	-	-	-	1	2	-	1	-	-
White	6	1	-	-	-	1	-	1	-	1	2	-	2	-	-	-	-	-	1	-	-	1	-	-
All other	3	-	-	-	-	-	1	-	-	-	1	1	2	-	-	-	-	-	-	2	-	-	-	-
Black	3	-	-	-	-	-	1	-	-	-	1	1	2	-	-	-	-	-	-	2	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	129	7	4	1	6	6	7	17	33	25	17	6	121	8	2	-	4	5	10	12	22	21	23	14
White	107	5	4	1	4	6	4	13	29	22	14	5	102	6	2	-	4	3	6	11	20	19	20	11
All other	22	2	-	-	2	-	3	4	4	3	3	1	19	2	-	-	-	2	4	1	2	2	3	3
Black	20	1	-	-	2	-	3	3	4	3	3	1	19	2	-	-	-	2	4	1	2	2	3	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	12,105	4	37	57	98	149	332	1,215	2,779	4,128	2,563	742	9,605	2	20	36	65	181	405	1,071	2,084	2,598	2,238	905
White	10,386	3	31	49	85	128	275	982	2,362	3,599	2,226	645	8,389	2	17	32	53	156	336	905	1,791	2,282	2,004	811
All other	1,719	1	6	8	13	21	57	233	417	529	337	97	1,216	-	3	4	12	25	69	166	293	316	234	94
Black	1,691	1	5	8	12	19	54	227	411	522	335	97	1,183	-	3	4	11	22	67	159	281	311	231	94
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	289	-	-	-	-	2	7	35	92	102	42	9	131	-	-	-	2	1	3	8	42	36	20	19
White	245	-	-	-	-	1	5	25	77	95	34	8	116	-	-	-	2	-	2	8	38	30	20	16
All other	44	-	-	-	-	1	2	10	15	7	8	1	15	-	-	-	-	1	1	-	4	6	-	3
Black	42	-	-	-	-	-	2	10	14	7	8	1	14	-	-	-	-	1	1	-	3	6	-	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,809	1	-	1	6	19	75	256	633	980	646	192	2,448	-	-	-	3	22	51	175	423	655	776	343
White	2,331	1	-	1	4	14	60	195	516	821	559	160	2,096	-	-	-	1	16	42	143	348	548	698	300
All other	478	-	-	-	2	5	15	61	117	159	87	32	352	-	-	-	2	6	9	32	75	107	78	43
Black	468	-	-	-	2	5	13	59	114	156	87	32	345	-	-	-	1	5	8	31	72	107	78	43
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,460	-	-	-	2	10	95	522	1,235	1,671	766	159	1,639	-	1	-	3	9	44	208	489	520	274	91
White	3,858	-	-	-	2	9	71	418	1,053	1,475	679	151	1,484	-	1	-	3	9	35	178	428	492	253	85
All other	602	-	-	-	-	1	24	104	182	196	87	8	155	-	-	-	-	-	9	30	61	28	21	6
Black	595	-	-	-	-	1	24	101	181	194	86	8	150	-	-	-	-	-	9	30	58	27	20	6
Malignant neoplasm of breast (174-175)	9	-	-	-	-	-	-	1	1	5	2	-	1,624	-	-	-	2	36	125	282	407	389	293	90
White	6	-	-	-	-	-	-	-	1	3	2	-	1,428	-	-	-	-	32	106	233	365	345	266	81
All other	3	-	-	-	-	-	-	1	-	2	-	-	196	-	-	-	2	4	19	49	42	44	27	9
Black	3	-	-	-	-	-	-	1	-	2	-	-	189	-	-	-	2	4	19	45	40	43	27	9
Malignant neoplasms of genital organs (179-187)	1,213	-	-	-	7	14	3	27	124	391	453	194	1,237	-	-	-	6	26	69	168	281	343	252	92
White	990	-	-	-	6	13	3	19	106	314	375	154	1,024	-	-	-	4	24	50	145	227	284	211	79
All other	223	-	-	-	1	1	-	8	18	77	78	40	213	-	-	-	2	2	19	23	54	59	41	13
Black	222	-	-	-	-	1	-	8	18	77	78	40	207	-	-	-	2	2	18	22	53	56	41	13

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Malignant neoplasms of urinary organs (188-189)	531	-	1	1	1	6	9	60	102	159	135	57	289	-	-	1	-	1	10	14	47	86	86	44
White	487	-	1	1	1	4	8	56	92	147	122	55	252	-	-	1	-	1	9	10	41	71	79	40
All other	44	-	-	-	-	2	1	4	10	12	13	2	37	-	-	-	-	-	1	4	6	15	7	4
Black	42	-	-	-	-	2	1	4	10	11	12	2	37	-	-	-	-	-	1	4	6	15	7	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,690	2	19	23	38	56	84	202	384	512	282	88	1,319	2	9	14	21	50	65	151	253	320	309	125
White	1,498	1	14	19	36	51	78	171	331	470	249	78	1,182	2	8	11	21	43	57	134	223	295	270	118
All other	192	1	5	4	2	5	6	31	53	42	33	10	137	-	1	3	-	7	8	17	30	25	39	7
Black	187	1	4	4	2	4	5	30	52	42	33	10	134	-	1	3	-	6	8	17	30	25	37	7
Leukemia (204-208)	534	1	16	27	28	23	28	36	86	147	116	26	392	-	9	17	18	25	19	28	48	91	94	43
White	479	1	15	24	26	18	22	30	82	133	104	24	350	-	7	16	14	21	19	24	41	81	87	40
All other	55	-	1	3	2	5	6	6	4	14	12	2	42	-	2	1	4	4	-	4	7	10	7	3
Black	54	-	1	3	2	5	6	6	4	13	12	2	39	-	2	1	4	3	-	3	6	10	7	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	570	-	1	5	16	19	31	76	122	161	121	17	526	-	1	4	10	11	19	37	94	158	134	58
White	492	-	1	4	10	18	28	68	104	141	102	15	457	-	1	4	8	10	16	30	80	136	120	52
All other	78	-	-	1	6	1	3	8	18	20	19	2	69	-	-	-	2	1	3	7	14	22	14	6
Black	78	-	-	1	6	1	3	8	18	20	19	2	68	-	-	-	2	1	3	7	13	22	14	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	134	2	2	3	4	5	6	11	39	22	30	10	153	3	1	3	2	5	6	5	25	40	45	18
White	115	2	2	3	2	5	5	9	33	21	24	9	135	3	1	2	1	4	6	5	22	33	42	16
All other	19	-	-	-	2	-	1	2	6	1	6	1	18	-	-	1	1	1	-	-	3	7	3	2
Black	19	-	-	-	2	-	1	2	6	1	6	1	18	-	-	1	1	1	-	-	3	7	3	2
Diabetes mellitus (250)	775	-	-	2	7	22	32	64	151	221	219	57	1,085	-	-	1	14	13	16	64	173	301	334	169
White	687	-	-	2	6	18	25	52	134	203	198	49	857	-	-	-	9	10	14	46	118	242	272	146
All other	88	-	-	-	1	4	7	12	17	18	21	8	228	-	-	1	5	3	2	18	55	59	62	23
Black	86	-	-	-	1	4	7	10	17	18	21	8	224	-	-	1	5	3	2	18	54	57	61	23
Nutritional deficiencies (260-269)	54	3	-	-	-	1	1	6	3	11	14	15	82	1	1	1	-	-	-	1	5	13	20	40
White	46	3	-	-	-	1	-	4	3	10	13	12	67	1	1	1	-	-	-	-	4	9	15	36
All other	8	-	-	-	-	-	1	2	-	1	1	3	15	-	-	-	-	-	-	1	1	4	5	4
Black	8	-	-	-	-	-	1	2	-	1	1	3	15	-	-	-	-	-	-	1	1	4	5	4
Anemias (280-285)	88	-	1	5	3	5	3	8	11	23	17	12	100	2	1	-	5	1	1	4	5	23	35	23
White	68	-	-	4	2	2	1	6	9	20	13	11	84	1	-	-	2	1	-	3	4	19	32	22
All other	20	-	1	1	1	3	2	2	2	3	4	1	16	1	1	-	3	-	1	1	1	4	3	1
Black	20	-	1	1	1	3	2	2	2	3	4	1	16	1	1	-	3	-	1	1	1	4	3	1
Meningitis (320-322)	64	22	11	2	2	5	3	5	7	4	1	2	51	21	10	2	2	6	-	1	6	-	2	1
White	45	15	10	2	2	3	1	4	3	3	1	1	39	17	7	2	1	5	-	1	4	-	1	1
All other	19	7	1	-	-	2	2	1	4	1	-	1	12	4	3	-	1	1	-	-	2	-	1	-
Black	19	7	1	-	-	2	2	1	4	1	-	1	12	4	3	-	1	1	-	-	2	-	1	-
Major cardiovascular diseases (390-448)	26,295	37	17	15	78	197	673	2,039	4,699	7,240	7,472	3,826	24,519	36	11	18	55	117	261	808	2,120	4,735	8,390	7,968
White	22,972	28	14	14	56	137	504	1,668	4,061	6,374	6,674	3,440	21,430	32	9	14	42	78	169	581	1,682	3,952	7,463	7,408
All other	3,323	9	3	1	22	60	169	371	638	866	798	386	3,089	4	2	4	13	39	92	227	438	783	927	560
Black	3,272	9	3	1	22	57	165	363	629	851	790	382	3,052	3	2	4	12	38	90	223	432	776	918	554
Diseases of heart (390-398,402,404-429)	21,068	30	16	10	58	159	599	1,816	4,101	5,904	5,656	2,717	17,416	32	11	12	31	94	177	609	1,703	3,590	5,878	5,279
White	18,500	22	13	9	42	111	457	1,507	3,568	5,230	5,085	2,454	15,239	29	9	10	23	64	109	437	1,367	3,037	5,242	4,912
All other	2,568	8	3	1	16	48	142	309	533	674	571	263	2,177	3	2	2	8	30	68	172	336	553	636	367
Black	2,526	8	3	1	16	45	138	304	525	661	564	261	2,153	2	2	2	8	30	66	170	332	546	629	364
Rheumatic fever and rheumatic heart disease (390-398)	84	-	-	-	3	1	4	8	24	21	16	7	148	1	-	1	2	5	9	17	35	38	31	9
White	79	-	-	-	3	1	4	7	23	19	15	7	131	1	-	1	1	3	6	16	31	35	29	8
All other	5	-	-	-	-	-	-	1	1	2	1	-	17	-	-	-	1	2	3	1	4	3	2	1
Black	4	-	-	-	-	-	-	1	1	1	1	-	16	-	-	-	1	2	3	1	4	3	1	1
Hypertensive heart disease (402)	548	-	-	-	1	10	25	70	133	156	115	38	572	-	-	-	-	3	11	40	74	130	179	135
White	370	-	-	-	1	5	12	41	83	112	89	27	410	-	-	-	-	1	4	20	52	81	136	116
All other	178	-	-	-	-	5	13	29	50	44	26	11	162	-	-	-	-	2	7	20	22	49	43	19
Black	177	-	-	-	-	5	13	29	50	44	25	11	162	-	-	-	-	2	7	20	22	49	43	19
Hypertensive heart and renal disease (404)	42	-	-	-	-	-	1	1	7	12	17	4	99	-	-	-	-	-	1	2	7	18	36	35
White	31	-	-	-	-	-	-	-	6	7	14	4	72	-	-	-	-	-	-	1	2	11	28	30
All other	11	-	-	-	-	-	1	1	1	5	3	-	27	-	-	-	-	-	1	1	5	7	8	5
Black	11	-	-	-	-	-	1	1	1	5	3	-	27	-	-	-	-	-	1	1	5	7	8	5
Ischemic heart disease (410-414)	13,871	-	1	-	9	72	367	1,203	2,643	4,015	3,758	1,803	10,835	-	-	1	4	24	86	319	1,004	2,315	3,760	3,322
White	12,621	-	-	-	6	55	301	1,044	2,417	3,666	3,461	1,669	9,760	-	-	1	3	16	56	248	841	2,046	3,433	3,116
All other	1,250	-	1	-	3	17	66	159	226	347	297	134	1,075	-	-	-	1	8	30	71	163	269	327	206
Black	1,228	-	1	-	3	16	63	156	223	339	294	133	1,062	-	-	-	1	8	30	69	161	267	322	204
Acute myocardial infarction (410)	8,870	-	-	-	5	45	259	805	1,866	2,777	2,299	814	6,086	-	-	1	4	19	56	215	699	1,535	2,156	1,401
White	8,119	-	-	-	4	35	224	717	1,717	2,543	2,118	761	5,451	-	-	1	3	12	36	173	585	1,366	1,959	1,316
All other	751	-	-	-	1	10	35	88	149	234	181	53	635	-	-	-	1	7	20	42	114	169	197	85
Black	740	-	-	-	1	10	34	86	146	230	180	53	628	-	-	-	1	7	20	41	112	169	194	84

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	56	-	-	-	-	-	3	6	11	13	18	5	37	-	-	-	-	1	-	1	1	5	16	13
White	53	-	-	-	-	-	3	5	10	12	18	5	32	-	-	-	-	1	-	-	1	4	14	12
All other	3	-	-	-	-	-	-	1	1	1	-	-	5	-	-	-	-	-	-	1	-	1	2	1
Black	3	-	-	-	-	-	-	1	1	1	-	-	5	-	-	-	-	-	-	1	-	1	2	1
Angina pectoris (413)	17	-	-	-	-	-	-	-	2	8	6	1	10	-	-	-	-	-	-	-	1	3	3	3
White	16	-	-	-	-	-	-	-	1	8	6	1	7	-	-	-	-	-	-	-	-	3	2	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,928	-	1	-	4	27	105	392	764	1,217	1,435	983	4,702	-	-	-	-	4	30	103	303	772	1,585	1,905
White	4,433	-	-	-	2	20	74	322	689	1,105	1,319	902	4,270	-	-	-	-	3	20	75	255	673	1,458	1,786
All other	495	-	1	-	2	7	31	70	75	112	116	81	432	-	-	-	-	1	10	28	48	99	127	119
Black	484	-	1	-	2	6	29	69	75	108	114	80	426	-	-	-	-	1	10	27	48	97	125	118
Other diseases of endocardium (424)	184	-	1	2	2	5	10	14	34	53	43	20	184	2	1	1	1	4	4	12	21	49	57	32
White	164	-	1	2	1	3	9	10	33	45	41	19	157	2	1	-	-	3	3	10	16	43	48	31
All other	20	-	-	-	1	2	1	4	1	8	2	1	27	-	-	1	1	1	1	2	5	6	9	1
Black	19	-	-	-	1	1	1	4	1	8	2	1	26	-	-	1	1	1	1	2	4	6	9	1
All other forms of heart disease (415-423,425-429)	6,339	30	14	8	43	71	192	520	1,260	1,647	1,707	845	5,578	29	10	9	24	58	66	219	562	1,040	1,815	1,746
White	5,235	22	12	7	31	47	131	405	1,006	1,379	1,465	728	4,709	26	8	8	19	41	40	142	425	821	1,568	1,611
All other	1,104	8	2	1	12	24	61	115	254	268	242	117	869	3	2	1	5	17	26	77	137	219	247	135
Black	1,087	8	2	1	12	23	60	113	249	264	239	116	860	2	2	1	5	17	24	77	136	216	246	134
Hypertension with or without renal disease (401,403)	177	-	-	-	-	2	5	9	28	40	52	41	209	-	-	-	1	1	7	9	21	43	62	65
White	126	-	-	-	-	-	2	4	18	28	42	32	152	-	-	-	1	1	1	5	9	29	47	59
All other	51	-	-	-	-	2	3	5	10	12	10	9	57	-	-	-	-	-	6	4	12	14	15	6
Black	50	-	-	-	-	2	3	5	10	12	10	8	55	-	-	-	-	-	6	4	12	13	15	5
Cerebrovascular diseases (430-438)	3,870	7	1	4	14	29	59	176	437	977	1,363	803	5,612	4	-	5	20	17	69	170	353	927	2,032	2,015
White	3,264	6	1	4	8	21	37	121	356	813	1,182	715	4,883	3	-	4	16	10	53	124	274	740	1,795	1,864
All other	606	1	-	-	6	8	22	55	81	164	181	88	729	1	-	1	4	7	16	46	79	187	237	151
Black	599	1	-	-	6	8	22	52	81	162	180	87	721	1	-	1	4	6	16	44	77	187	235	150
Intracerebral and other intracranial hemorrhage (431-432)	463	3	-	2	6	14	24	47	96	132	96	43	609	3	-	2	8	6	30	61	86	137	169	107
White	373	2	-	2	3	8	10	30	81	113	85	39	505	2	-	2	7	2	22	40	70	112	150	98
All other	90	1	-	-	3	6	14	17	15	19	11	4	104	1	-	-	1	4	8	21	16	25	19	9
Black	87	1	-	-	3	6	14	15	15	18	11	4	98	1	-	-	1	3	8	20	14	25	18	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	554	3	-	1	-	1	5	21	50	139	209	125	756	-	-	1	1	1	6	8	27	115	287	310
White	481	3	-	1	-	1	4	14	37	121	186	114	668	-	-	-	1	1	4	4	19	92	252	295
All other	73	-	-	-	-	-	1	7	13	18	23	11	88	-	-	1	-	-	2	4	8	23	35	15
Black	71	-	-	-	-	-	1	6	13	17	23	11	87	-	-	1	-	-	2	3	8	23	35	15
Cerebral embolism (434.1)	24	-	-	-	-	1	-	4	7	6	3	3	24	-	-	-	-	-	-	1	4	5	10	4
White	19	-	-	-	-	1	-	2	4	6	3	3	20	-	-	-	-	-	-	1	3	5	7	4
All other	5	-	-	-	-	-	-	2	3	-	-	-	4	-	-	-	-	-	-	-	1	-	3	-
Black	5	-	-	-	-	-	-	2	3	-	-	-	4	-	-	-	-	-	-	-	1	-	3	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,829	1	1	1	8	13	30	104	284	700	1,055	632	4,223	1	-	2	11	10	33	100	236	670	1,566	1,594
White	2,391	1	1	1	5	11	23	75	234	573	908	559	3,690	1	-	2	8	7	27	79	182	531	1,386	1,467
All other	438	-	-	-	3	2	7	29	50	127	147	73	533	-	-	-	3	3	6	21	54	139	180	127
Black	436	-	-	-	3	2	7	29	50	127	146	72	532	-	-	-	3	3	6	21	54	139	179	127
Atherosclerosis (440)	571	-	-	-	-	-	2	7	24	103	225	210	944	-	-	-	-	-	-	6	11	89	312	526
White	515	-	-	-	-	-	1	7	19	96	201	191	867	-	-	-	-	-	-	3	8	77	286	493
All other	56	-	-	-	-	-	1	-	5	7	24	19	77	-	-	-	-	-	-	3	3	12	26	33
Black	56	-	-	-	-	-	1	-	5	7	24	19	76	-	-	-	-	-	-	3	3	12	26	32
Other diseases of arteries, arterioles, and capillaries (441-448)	609	-	-	1	6	7	8	31	109	216	176	55	338	-	-	1	3	5	8	14	32	86	106	83
White	567	-	-	1	6	5	7	29	100	207	164	48	289	-	-	-	2	3	6	12	24	69	93	80
All other	42	-	-	-	-	2	1	2	9	9	12	7	49	-	-	1	1	2	2	2	8	17	13	3
Black	41	-	-	-	-	2	1	2	8	9	12	7	47	-	-	1	-	2	2	2	8	16	13	3
Acute bronchitis and bronchiolitis (466)	16	3	1	-	-	1	-	-	4	2	3	2	12	2	-	-	-	-	-	-	1	1	5	3
White	14	2	-	-	-	1	-	-	4	2	3	2	11	1	-	-	-	-	-	-	1	1	5	3
All other	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1,403	34	14	3	16	17	36	80	142	258	456	347	1,287	33	13	7	11	14	14	37	65	160	360	573
White	1,232	23	12	3	13	13	24	49	121	229	425	320	1,173	28	12	7	8	8	10	28	56	139	327	550
All other	171	11	2	-	3	4	12	31	21	29	31	27	114	5	1	-	3	6	4	9	9	21	33	23
Black	170	10	2	-	3	4	12	31	21	29	31	27	110	4	1	-	3	6	4	9	9	21	31	22

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Pneumonia (480-486)	1,362	34	13	3	16	17	34	76	140	253	442	334	1,196	33	12	7	11	13	13	37	60	143	327	540
White	1,192	23	11	3	13	13	22	45	119	224	411	308	1,090	28	11	7	8	8	9	28	53	124	295	519
All other	170	11	2	-	3	4	12	31	21	29	31	26	106	5	1	-	3	5	4	9	7	19	32	21
Black	169	10	2	-	3	4	12	31	21	29	31	26	102	4	1	-	3	5	4	9	7	19	30	20
Influenza (487)	41	-	1	-	-	-	2	4	2	5	14	13	91	-	1	-	-	1	1	-	5	17	33	33
White	40	-	1	-	-	-	2	4	2	5	14	12	83	-	1	-	-	-	1	-	3	15	32	31
All other	1	-	-	-	-	-	-	-	-	-	-	1	8	-	-	-	-	1	-	-	2	2	1	2
Black	1	-	-	-	-	-	-	-	-	-	-	1	8	-	-	-	-	1	-	-	2	2	1	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,122	3	5	5	4	6	8	78	335	820	668	190	1,044	1	1	5	4	9	11	61	198	352	291	111
White	1,963	2	1	5	-	5	5	63	313	759	630	180	987	1	1	4	3	4	10	56	188	333	280	107
All other	159	1	4	-	4	1	3	15	22	61	38	10	57	-	-	1	1	5	1	5	10	19	11	4
Black	158	1	4	-	4	1	3	15	22	61	37	10	55	-	-	1	1	5	1	5	10	18	10	4
Bronchitis, chronic and unspecified (490-491)	133	3	4	1	-	-	1	2	18	48	42	14	80	1	1	1	-	-	1	3	12	22	19	20
White	126	2	1	1	-	-	1	2	18	47	40	14	79	1	1	1	-	-	1	3	11	22	19	20
All other	7	1	3	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	7	1	3	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-
Emphysema (492)	570	-	-	-	-	1	-	29	93	229	181	37	252	-	-	-	1	-	3	18	56	86	69	19
White	535	-	-	-	-	1	-	26	87	215	172	34	246	-	-	-	1	-	3	18	54	84	67	19
All other	35	-	-	-	-	-	-	3	6	14	9	3	6	-	-	-	-	-	-	-	2	2	2	-
Black	34	-	-	-	-	-	-	3	6	14	8	3	5	-	-	-	-	-	-	-	2	1	2	-
Asthma (493)	63	-	-	3	4	5	4	9	11	15	9	3	79	-	-	4	3	7	5	8	15	20	14	3
White	44	-	-	3	-	4	1	6	11	9	8	2	61	-	-	3	2	3	5	5	13	15	13	2
All other	19	-	-	-	4	1	3	3	-	6	1	1	18	-	-	1	1	4	-	3	2	5	1	1
Black	19	-	-	-	4	1	3	3	-	6	1	1	18	-	-	1	1	4	-	3	2	5	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,356	-	1	1	-	-	3	38	213	528	436	136	633	-	-	-	-	2	2	32	115	224	189	69
White	1,258	-	-	1	-	-	3	29	197	488	410	130	601	-	-	-	-	1	1	30	110	212	181	66
All other	98	-	1	-	-	-	-	9	16	40	26	6	32	-	-	-	-	1	1	2	5	12	8	3
Black	98	-	1	-	-	-	-	9	16	40	26	6	31	-	-	-	-	1	1	2	5	12	7	3
Ulcer of stomach and duodenum (531-533)	171	-	-	-	2	2	4	19	34	45	39	26	147	1	-	-	1	-	1	8	16	27	48	45
White	147	-	-	-	2	1	3	14	28	41	33	25	137	1	-	-	1	-	1	8	14	23	47	42
All other	24	-	-	-	-	1	1	5	6	4	6	1	10	-	-	-	-	-	-	-	2	4	1	3
Black	23	-	-	-	-	1	1	5	6	3	6	1	10	-	-	-	-	-	-	-	2	4	1	3
Appendicitis (540-543)	25	-	-	1	3	1	2	1	2	8	4	3	17	-	-	-	-	-	-	-	3	6	4	4
White	23	-	-	1	2	1	2	1	2	7	4	3	11	-	-	-	-	-	-	-	2	3	3	3
All other	2	-	-	-	1	-	-	-	-	1	-	-	6	-	-	-	-	-	-	-	1	3	1	1
Black	2	-	-	-	1	-	-	-	-	1	-	-	6	-	-	-	-	-	-	-	1	3	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	117	3	3	-	-	2	2	6	10	31	35	25	203	4	2	-	-	1	2	7	17	38	70	62
White	87	3	2	-	-	-	2	4	8	24	25	19	177	4	1	-	-	1	1	5	14	34	60	57
All other	30	-	1	-	-	2	-	2	2	7	10	6	26	-	1	-	-	-	1	2	3	4	10	5
Black	29	-	1	-	-	2	-	2	1	7	10	6	26	-	1	-	-	-	1	2	3	4	10	5
Chronic liver disease and cirrhosis (571)	884	1	-	2	4	32	107	214	275	188	53	8	483	3	-	2	2	9	36	95	145	120	63	8
White	788	1	-	2	4	29	89	184	250	170	51	8	444	3	-	1	2	9	31	85	133	111	61	8
All other	96	-	-	-	-	3	18	30	25	18	2	-	39	-	-	1	-	-	5	10	12	9	2	-
Black	95	-	-	-	-	3	18	30	25	17	2	-	37	-	-	1	-	-	5	9	11	9	2	-
Cholelithiasis and other disorders of gallbladder (574-575)	64	-	-	-	-	2	-	4	9	19	19	11	112	-	-	1	-	1	1	6	12	22	36	33
White	62	-	-	-	-	2	-	4	8	18	19	11	105	-	-	1	-	1	1	6	11	20	33	32
All other	2	-	-	-	-	-	-	-	1	1	-	-	7	-	-	-	-	-	-	-	1	2	3	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	1	2	3	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	605	17	1	1	4	6	15	32	71	126	198	134	597	17	2	1	3	3	10	11	61	104	210	175
White	468	11	1	1	3	3	12	13	50	101	166	107	465	14	1	1	-	3	7	7	42	67	164	159
All other	137	6	-	-	1	3	3	19	21	25	32	27	132	3	1	-	3	-	3	4	19	37	46	16
Black	135	6	-	-	1	3	3	18	20	25	32	27	131	2	1	-	3	-	3	4	19	37	46	16
Acute glomerulonephritis and nephrotic syndrome (580-581)	8	-	-	-	-	-	-	1	-	3	2	2	13	2	1	-	1	-	-	-	1	-	4	4
White	6	-	-	-	-	-	-	-	-	2	2	2	10	1	1	-	-	-	-	-	1	-	3	4
All other	2	-	-	-	-	-	-	1	-	1	-	-	3	1	-	-	1	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	1	-	-	-	-	-	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	38	-	-	-	-	1	-	4	5	6	15	7	57	-	-	-	-	1	2	-	5	9	22	18
White	30	-	-	-	-	-	-	2	4	5	13	6	48	-	-	-	-	1	1	-	5	8	16	17
All other	8	-	-	-	-	1	-	2	1	1	2	1	9	-	-	-	-	-	1	-	-	1	6	1
Black	8	-	-	-	-	1	-	2	1	1	2	1	9	-	-	-	-	-	1	-	-	1	6	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	559	17	1	1	4	5	15	27	66	117	181	125	527	15	1	1	2	2	8	11	55	95	184	153
White	432	11	1	1	3	3	12	11	46	94	151	99	407	13	-	1	-	2	6	7	36	59	145	138
All other	127	6	-	-	1	2	3	16	20	23	30	26	120	2	1	-	2	-	2	4	19	36	39	15
Black	125	6	-	-	1	2	3	15	19	23	30	26	120	2	1	-	2	-	2	4	19	36	39	15
Infections of kidney (590)	49	-	-	-	-	1	-	1	4	8	19	16	120	-	1	-	-	-	5	3	5	17	41	48
White	45	-	-	-	-	1	-	1	3	7	18	15	106	-	1	-	-	-	4	3	4	14	35	45
All other	4	-	-	-	-	-	-	-	1	1	1	1	14	-	-	-	-	-	1	-	1	3	6	3
Black	4	-	-	-	-	-	-	-	1	1	1	1	14	-	-	-	-	-	1	-	1	3	6	3
Hyperplasia of prostate (600)	35	-	-	-	-	-	-	-	-	7	18	10	...	...	...	...	...	...	...	...	...	...	...	...
White	27	-	-	-	-	-	-	-	-	6	13	8	...	...	...	...	...	...	...	...	...	...	...	...
All other	8	-	-	-	-	-	-	-	-	1	5	2	...	...	...	...	...	...	...	...	...	...	...	...
Black	8	-	-	-	-	-	-	-	-	1	5	2	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	32	...	...	-	17	12	3	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	22	...	...	-	11	9	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	6	3	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	10	...	...	-	6	3	1	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	30	...	...	-	16	11	3	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	22	...	...	-	11	9	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	5	2	1	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	-	5	2	1	-	...	...	...	...
Congenital anomalies (740-759)	455	320	38	18	22	14	13	8	9	6	6	1	419	299	41	15	11	17	11	5	7	5	6	2
White	379	265	30	15	19	12	12	8	9	5	3	1	368	264	35	14	10	16	9	3	7	5	4	1
All other	76	55	8	3	3	2	1	-	-	1	3	-	51	35	6	1	1	1	2	2	-	-	2	1
Black	69	48	8	3	3	2	1	-	-	1	3	-	44	30	5	1	1	1	1	2	-	-	2	1
Certain conditions originating in the perinatal period (760-779)	911	907	1	1	-	-	-	-	-	-	-	-	709	706	2	-	-	-	-	-	-	-	-	-
White	682	679	-	1	-	-	-	-	-	-	-	-	526	524	2	-	-	-	-	-	-	-	-	-
All other	229	228	1	-	-	-	-	-	-	-	-	-	183	182	-	-	-	-	-	-	-	-	-	-
Black	218	217	1	-	-	-	-	-	-	-	-	-	175	174	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	303	302	-	1	-	-	-	-	-	-	-	-	216	216	-	-	-	-	-	-	-	-	-	-
White	239	238	-	1	-	-	-	-	-	-	-	-	166	166	-	-	-	-	-	-	-	-	-	-
All other	64	64	-	-	-	-	-	-	-	-	-	-	50	50	-	-	-	-	-	-	-	-	-	-
Black	61	61	-	-	-	-	-	-	-	-	-	-	49	49	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	608	605	1	-	-	-	-	-	-	-	-	-	493	490	2	-	-	-	-	-	-	-	-	-
White	443	441	-	-	-	-	-	-	-	-	-	-	360	358	2	-	-	-	-	-	-	-	-	-
All other	165	164	1	-	-	-	-	-	-	-	-	-	133	132	-	-	-	-	-	-	-	-	-	-
Black	157	156	1	-	-	-	-	-	-	-	-	-	126	125	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	2,039	249	19	9	41	74	92	155	311	496	398	195	1,462	173	8	13	31	45	41	67	160	272	362	290
White	1,697	189	15	9	34	58	70	122	281	429	329	161	1,214	127	4	11	23	36	33	54	131	233	304	258
All other	342	60	4	-	7	16	22	33	30	67	69	34	248	46	4	2	8	9	8	13	29	39	58	32
Black	336	58	4	-	7	14	22	31	30	67	69	34	245	46	4	2	8	9	8	12	28	39	57	32
All other diseases (Residual)	3,132	111	44	39	74	106	149	297	473	729	725	385	3,286	73	40	35	73	88	107	186	363	663	859	799
White	2,674	90	37	35	66	78	112	241	406	629	641	339	2,871	60	31	32	54	62	84	145	296	576	781	750
All other	458	21	7	4	8	28	37	56	67	100	84	46	415	13	9	3	19	26	23	41	67	87	78	49
Black	451	21	7	4	6	27	37	54	67	100	82	46	403	13	8	3	17	26	22	38	64	87	77	48
Accidents and adverse effects (E800-E949)	5,782	51	150	264	1,670	1,284	610	489	434	369	312	142	2,058	41	89	127	398	283	165	162	179	183	238	193
White	5,058	41	119	204	1,514	1,141	525	422	367	311	275	132	1,840	34	73	109	365	257	149	134	155	165	217	182
All other	724	10	31	60	156	143	85	67	67	58	37	10	218	7	16	18	33	26	16	28	24	18	21	11
Black	703	10	29	57	151	137	81	66	67	58	37	10	201	5	16	16	28	24	13	26	24	17	21	11

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Motor vehicle accidents (E810-E825)	3,390	16	55	125	1,183	841	362	274	224	165	118	24	1,143	10	42	80	336	212	110	108	94	78	61	12
White	3,030	13	44	107	1,089	762	311	242	188	141	107	23	1,046	8	39	71	316	194	103	92	85	69	57	12
All other	360	3	11	18	94	79	51	32	36	24	11	1	97	2	3	9	20	18	7	16	9	9	4	-
Black	348	3	10	17	91	75	49	31	36	24	11	1	82	1	3	7	16	16	4	14	9	8	4	-
All other accidents and adverse effects (E800-E807, E826-E949)	2,392	35	95	139	487	443	248	215	210	204	194	118	915	31	47	47	62	71	55	54	85	105	177	181
White	2,028	28	75	97	425	379	214	180	179	170	168	109	794	28	34	38	49	63	46	42	70	96	160	170
All other	364	7	20	42	62	64	34	35	31	34	26	9	121	5	13	9	13	8	9	12	15	9	17	11
Black	355	7	19	40	60	62	32	35	31	34	26	9	119	4	13	9	12	8	9	12	15	9	17	11
Suicide (E950-E959)	1,393	...	...	13	323	373	208	146	141	108	66	15	446	...	...	3	81	119	77	72	46	28	19	1
White	1,315	...	...	13	305	343	193	142	137	104	63	15	422	...	...	3	75	110	75	70	43	26	19	1
All other	78	...	...	-	18	30	15	4	4	4	3	-	24	...	...	-	6	9	2	2	3	2	-	-
Black	75	...	...	-	18	28	15	4	4	3	3	-	19	...	...	-	6	6	1	1	3	2	-	-
Homicide and legal intervention (E960-E978)	2,073	2	17	20	590	716	344	210	105	45	17	3	434	8	12	14	133	114	61	48	21	13	10	-
White	1,371	1	12	15	406	452	232	144	60	31	12	2	306	6	10	8	93	75	42	38	17	10	7	-
All other	702	1	5	5	184	264	112	66	45	14	5	1	128	2	2	6	40	39	19	10	4	3	3	-
Black	695	1	5	5	182	262	111	64	45	14	5	1	126	2	2	6	40	38	18	10	4	3	3	-
All other external causes (E980-E999)	101	2	1	-	30	25	12	7	12	3	6	1	37	3	2	1	5	9	6	4	4	2	-	1
White	91	2	1	-	28	23	11	4	10	3	6	1	35	3	2	1	5	8	6	3	4	2	-	1
All other	10	-	-	-	2	2	1	3	2	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
Black	10	-	-	-	2	2	1	3	2	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-
UTAH																								
All causes	4,614	244	48	55	219	201	180	328	674	1,098	1,030	535	3,729	161	38	22	79	87	96	177	384	719	1,023	943
White	4,506	229	45	55	209	193	167	318	659	1,086	1,014	529	3,646	152	35	21	75	81	90	172	376	704	1,007	933
All other	108	15	3	-	10	8	13	10	15	12	16	6	83	9	3	1	4	6	6	5	8	15	16	10
Black	29	3	-	-	-	1	2	7	6	5	4	1	21	4	1	-	-	2	1	-	4	3	4	2
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	9	-	-	-	-	-	-	-	1	3	5	-	18	1	1	-	-	1	1	-	1	2	4	7
White	9	-	-	-	-	-	-	-	1	3	5	-	18	1	1	-	-	1	1	-	1	2	4	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Viral hepatitis (070)	4	-	-	-	1	-	-	1	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	4	-	-	-	1	-	-	1	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	11	-	1	1	1	3	-	-	1	-	3	1	10	1	-	-	-	1	-	-	2	2	3	1
White	11	-	1	1	1	3	-	-	1	-	3	1	10	1	-	-	-	1	-	-	2	2	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	735	-	2	5	4	13	24	66	140	244	179	58	687	-	4	4	11	21	35	65	141	196	141	69
White	719	-	2	5	4	13	23	63	136	240	176	57	672	-	4	3	11	21	34	64	136	195	137	67
All other	16	-	-	-	-	-	1	3	4	4	3	1	15	-	-	1	-	-	1	1	5	1	4	2
Black	8	-	-	-	-	-	-	3	2	1	2	-	4	-	-	-	-	-	-	-	3	-	-	1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	11	-	-	-	-	-	-	1	2	6	2	-	8	-	-	-	-	1	1	1	2	2	1	-
White	11	-	-	-	-	-	-	1	2	6	2	-	8	-	-	-	-	1	1	1	2	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	185	-	-	-	-	2	4	16	44	58	46	15	170	-	-	-	-	1	7	12	28	50	48	24
White	177	-	-	-	-	2	3	15	41	57	44	15	165	-	-	-	-	1	6	12	27	49	46	24
All other	8	-	-	-	-	-	1	1	3	1	2	-	5	-	-	-	-	-	1	-	1	1	2	-
Black	5	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	175	-	-	-	-	-	1	23	34	82	33	2	67	-	-	-	-	1	2	6	20	22	12	4
White	175	-	-	-	-	-	1	23	34	82	33	2	64	-	-	-	-	1	2	6	18	22	11	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	-	-	1	156	-	-	-	-	9	11	24	39	41	25	7
White	1	-	-	-	-	-	-	-	-	-	-	1	155	-	-	-	-	9	11	24	38	41	25	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of genital organs (179-187)	120	-	-	-	-	1	-	2	9	36	48	24	75	-	-	-	-	4	3	6	21	21	12	8
White	118	-	-	-	-	1	-	2	9	35	48	23	73	-	-	-	-	4	3	6	21	21	12	6
All other	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Malignant neoplasms of urinary organs (188-189)	35	-	-	1	-	-	1	1	6	13	11	2	17	-	1	1	-	-	1	1	3	6	1	3
White	34	-	-	1	-	-	1	1	5	13	11	2	17	-	1	1	-	-	1	1	3	6	1	3
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	110	-	1	1	4	4	12	15	22	23	25	3	120	-	1	2	5	2	6	11	21	35	25	12
White	108	-	1	1	4	4	12	14	22	22	25	3	116	-	1	1	5	2	6	10	20	35	24	12
All other	2	-	-	-	-	-	-	1	-	1	-	-	4	-	-	1	-	-	-	1	1	-	1	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Leukemia (204-208)	45	-	1	2	-	2	5	1	7	11	10	6	35	-	2	1	2	1	3	1	3	9	8	5
White	44	-	1	2	-	2	5	1	7	10	10	6	35	-	2	1	2	1	3	1	3	9	8	5
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	53	-	-	1	-	4	1	7	16	15	4	5	39	-	-	-	4	2	1	3	4	10	9	6
White	51	-	-	1	-	4	1	6	16	15	3	5	39	-	-	-	4	2	1	3	4	10	9	6
All other	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	-	1	1	-	-	-	1	4	3	2	-	17	1	-	-	-	1	1	1	3	1	8	1
White	11	-	1	1	-	-	-	1	3	3	2	-	17	1	-	-	-	1	1	1	3	1	8	1
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Diabetes mellitus (250)	66	1	-	-	2	4	4	3	10	10	20	12	89	-	-	1	2	5	2	4	10	23	27	15
White	65	1	-	-	2	3	4	3	10	10	20	12	86	-	-	1	2	5	2	4	9	22	26	15
All other	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Nutritional deficiencies (260-269)	3	-	-	-	-	-	-	-	1	2	-	-	8	-	-	-	-	-	-	-	-	2	3	3
White	2	-	-	-	-	-	-	-	-	2	-	-	7	-	-	-	-	-	-	-	-	2	3	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	9	-	-	1	-	-	1	-	2	2	3	-	6	-	-	-	-	-	-	-	-	2	2	2
White	8	-	-	1	-	-	-	-	2	2	3	-	6	-	-	-	-	-	-	-	-	2	2	2
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	11	4	5	-	-	-	-	-	-	1	-	1	5	1	1	-	1	-	-	-	1	-	1	-
White	11	4	5	-	-	-	-	-	-	1	-	1	4	1	1	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,019	5	1	2	6	11	38	128	348	574	576	330	1,807	-	3	-	3	11	12	39	132	344	632	631
White	1,997	5	1	2	6	11	38	125	341	571	569	328	1,784	-	3	-	3	11	11	38	130	340	622	626
All other	22	-	-	-	-	-	-	3	7	3	7	2	23	-	-	-	-	-	1	1	2	4	10	5
Black	8	-	-	-	-	-	-	2	3	2	1	-	8	-	-	-	-	-	1	-	1	2	3	1
Diseases of heart (390-398,402,404-429)	1,649	3	1	1	3	7	34	119	314	478	439	250	1,327	-	2	-	3	7	10	27	107	267	468	436
White	1,631	3	1	1	3	7	34	116	308	475	434	249	1,313	-	2	-	3	7	9	26	106	263	463	434
All other	18	-	-	-	-	-	-	3	6	3	5	1	14	-	-	-	-	-	1	1	1	4	5	2
Black	8	-	-	-	-	-	-	2	3	2	1	-	5	-	-	-	-	-	1	-	1	2	1	-
Rheumatic fever and rheumatic heart disease (390-398)	28	-	-	-	-	2	1	1	2	13	4	5	45	-	-	-	-	-	-	2	10	20	10	3
White	28	-	-	-	-	2	1	1	2	13	4	5	44	-	-	-	-	-	-	2	10	20	9	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertensive heart disease (402)	30	-	-	-	-	-	2	-	5	7	9	7	38	-	-	-	-	-	2	2	4	5	13	12
White	30	-	-	-	-	-	2	-	5	7	9	7	36	-	-	-	-	-	1	2	3	5	13	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	-	-	-	-	2	1	6	-	-	-	-	-	-	1	-	-	3	2
White	3	-	-	-	-	-	-	-	-	-	2	1	6	-	-	-	-	-	-	1	-	-	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1,124	-	-	-	-	4	19	88	214	343	301	155	822	-	-	-	-	4	4	13	57	168	310	266
White	1,114	-	-	-	-	4	19	86	209	343	299	154	814	-	-	-	-	4	4	13	57	165	307	264
All other	10	-	-	-	-	-	-	2	5	-	2	1	8	-	-	-	-	-	-	-	-	3	3	2
Black	3	-	-	-	-	-	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Acute myocardial infarction (410)	663	-	-	-	-	3	13	62	154	208	172	51	362	-	-	-	-	2	2	6	41	116	128	67
White	659	-	-	-	-	3	13	61	152	208	172	50	356	-	-	-	-	2	2	6	41	113	127	65
All other	4	-	-	-	-	-	-	1	2	-	-	1	6	-	-	-	-	-	-	-	-	3	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Other acute and subacute forms of ischemic heart disease (411)	30	-	-	-	-	-	2	5	12	8	1	2	10	-	-	-	-	2	-	2	1	-	2	3
White	28	-	-	-	-	-	2	5	10	8	1	2	10	-	-	-	-	2	-	2	1	-	2	3
All other	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	429	-	-	-	-	1	4	21	48	126	128	101	450	-	-	-	-	-	2	5	15	52	180	196
White	425	-	-	-	-	1	4	20	47	126	126	101	448	-	-	-	-	-	2	5	15	52	178	196
All other	4	-	-	-	-	-	-	1	1	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	19	-	-	-	-	-	-	-	2	7	5	5	15	-	-	-	-	-	-	-	1	6	5	3
White	18	-	-	-	-	-	-	-	2	6	5	5	15	-	-	-	-	-	-	-	1	6	5	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
All other forms of heart disease (415-423,425-429)	445	3	1	1	3	1	12	30	91	108	118	77	401	-	2	-	3	3	4	9	35	68	127	150
White	438	3	1	1	3	1	12	29	90	106	115	77	398	-	2	-	3	3	4	8	35	67	126	150
All other	7	-	-	-	-	-	-	1	1	2	3	-	3	-	-	-	-	-	-	1	-	1	1	-
Black	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with or without renal disease (401,403)	8	-	-	-	-	-	-	1	-	3	-	4	15	-	-	-	-	-	-	-	1	5	5	4
White	8	-	-	-	-	-	-	1	-	3	-	4	14	-	-	-	-	-	-	-	1	5	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	261	1	-	1	2	3	3	6	23	61	104	57	375	-	1	-	-	3	1	12	20	57	136	145
White	257	1	-	1	2	3	3	6	22	61	102	56	369	-	1	-	-	3	1	12	19	57	133	143
All other	4	-	-	-	-	-	-	-	1	-	2	1	6	-	-	-	-	-	-	-	1	-	3	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Intracerebral and other intracranial hemorrhage (431-432)	37	-	-	-	2	-	1	2	6	7	14	5	41	-	1	-	-	-	-	5	7	12	10	6
White	37	-	-	-	2	-	1	2	6	7	14	5	40	-	1	-	-	-	-	5	6	12	10	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	36	-	-	-	-	-	-	1	2	8	16	9	57	-	-	-	-	1	-	1	-	4	25	26
White	35	-	-	-	-	-	-	1	2	8	15	9	56	-	-	-	-	1	-	1	-	4	24	26
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	2	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	187	1	-	1	-	3	2	3	15	45	74	43	274	-	-	-	-	2	1	6	13	39	100	113
White	184	1	-	1	-	3	2	3	14	45	73	42	270	-	-	-	-	2	1	6	13	39	98	111
All other	3	-	-	-	-	-	-	-	1	-	1	1	4	-	-	-	-	-	-	-	-	-	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Atherosclerosis (440)	33	-	-	-	-	-	-	-	1	7	12	13	59	-	-	-	-	-	-	-	1	7	15	36
White	33	-	-	-	-	-	-	-	1	7	12	13	58	-	-	-	-	-	-	-	1	7	15	35
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	68	1	-	-	1	1	1	2	10	25	21	6	31	-	-	-	-	1	1	-	3	8	8	10
White	68	1	-	-	1	1	1	2	10	25	21	6	30	-	-	-	-	1	1	-	3	8	7	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Acute bronchitis and bronchiolitis (466)	1	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1
White	1	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	107	2	1	2	-	1	2	4	7	19	37	32	96	3	-	1	-	-	1	1	1	12	32	45
White	104	2	1	2	-	1	2	4	7	18	35	32	96	3	-	1	-	-	1	1	1	12	32	45
All other	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	104	2	1	2	-	1	2	4	7	18	37	30	87	3	-	1	-	-	1	1	1	11	30	39
White	101	2	1	2	-	1	2	4	7	17	35	30	87	3	-	1	-	-	1	1	1	11	30	39
All other	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	3	-	-	-	-	-	-	-	-	1	-	2	9	-	-	-	-	-	-	-	-	1	2	6
White	3	-	-	-	-	-	-	-	-	1	-	2	9	-	-	-	-	-	-	-	-	1	2	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	191	-	-	2	1	-	-	2	25	82	61	18	76	1	-	-	3	-	-	4	15	29	15	9
White	187	-	-	2	1	-	-	2	25	81	60	16	75	1	-	-	3	-	-	4	15	28	15	9
All other	4	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	13	-	-	1	-	-	-	-	2	9	1	-	4	1	-	-	-	-	-	-	-	1	2	-
White	13	-	-	1	-	-	-	-	2	9	1	-	4	1	-	-	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	44	-	-	-	-	-	-	1	4	22	14	3	10	-	-	-	-	-	-	1	4	3	2	-
White	44	-	-	-	-	-	-	1	4	22	14	3	9	-	-	-	-	-	-	1	4	2	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 ,years	75-84 years	85 years and over
UTAH—Con.																								
Asthma (493)	8	-	-	1	1	-	-	-	2	1	3	-	21	-	-	-	2	-	-	-	1	9	4	5
White	8	-	-	1	1	-	-	-	2	1	3	-	21	-	-	-	2	-	-	-	1	9	4	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	126	-	-	-	-	-	-	1	17	50	43	15	41	-	-	-	1	-	-	3	10	16	7	4
White	122	-	-	-	-	-	-	1	17	49	42	13	41	-	-	-	1	-	-	3	10	16	7	4
All other	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	22	-	-	-	-	-	1	1	4	6	6	4	6	-	-	-	-	-	-	-	-	2	2	2
White	22	-	-	-	-	-	1	1	4	6	6	4	6	-	-	-	-	-	-	-	-	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	3	-	-	-	2	-	1	-	-	-	-	-	3	-	-	1	-	1	-	-	1	-	-	-
White	3	-	-	-	2	-	1	-	-	-	-	-	3	-	-	1	-	1	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	-	1	-	-	-	-	-	1	3	4	1	17	-	-	-	-	-	-	-	-	5	6	6
White	10	-	1	-	-	-	-	-	1	3	4	1	17	-	-	-	-	-	-	-	-	5	6	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	71	1	-	-	-	4	9	17	22	17	1	-	31	-	-	-	-	1	5	6	11	3	3	2
White	67	1	-	-	-	4	6	16	22	17	1	-	31	-	-	-	-	1	5	6	11	3	3	2
All other	4	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	5	-	-	-	-	-	-	-	1	-	2	2	5	-	-	-	-	-	-	-	-	2	3	-
White	5	-	-	-	-	-	-	-	1	-	2	2	4	-	-	-	-	-	-	-	-	1	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	35	-	-	-	-	-	1	1	5	10	12	6	43	1	-	-	-	-	1	3	2	14	10	12
White	30	-	-	-	-	-	1	1	4	9	10	5	37	1	-	-	-	-	1	2	2	10	9	12
All other	5	-	-	-	-	-	-	-	1	1	2	1	6	-	-	-	-	-	-	1	-	4	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	7	-	-	-	-	-	-	-	2	3	2	-	12	-	-	-	-	-	1	2	1	3	3	2
White	6	-	-	-	-	-	-	-	2	2	2	-	11	-	-	-	-	-	1	2	1	3	2	2
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	28	-	-	-	-	-	1	1	3	7	10	6	31	1	-	-	-	-	-	1	1	11	7	10
White	24	-	-	-	-	-	1	1	2	7	8	5	26	1	-	-	-	-	-	-	1	7	7	10
All other	4	-	-	-	-	-	-	-	1	-	2	1	5	-	-	-	-	-	-	1	-	4	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	1	2	-	-	1
White	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	-	1	2	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
White	2	-	-	-	-	-	-	-	-	-	1	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UTAH—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	70	52	9	1	4	2	-	-	-	2	-	-	58	39	7	3	2	2	-	2	-	1	1	1
White	66	49	8	1	4	2	-	-	-	2	-	-	57	38	7	3	2	2	-	2	-	1	1	1
All other	4	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	97	95	1	-	-	-	-	-	-	-	-	-	80	79	-	-	1	-	-	-	-	-	-	-
White	93	91	1	-	-	-	-	-	-	-	-	-	75	74	-	-	1	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	27	26	1	-	-	-	-	-	-	-	-	-	26	25	-	-	1	-	-	-	-	-	-	-
White	26	25	1	-	-	-	-	-	-	-	-	-	25	24	-	-	1	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	70	69	-	-	-	-	-	-	-	-	-	-	54	54	-	-	-	-	-	-	-	-	-	-
White	67	66	-	-	-	-	-	-	-	-	-	-	50	50	-	-	-	-	-	-	-	-	-	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	88	55	-	-	4	4	2	4	2	5	7	5	64	20	1	-	2	-	1	-	2	5	9	24
White	81	50	-	-	3	4	2	4	2	4	7	5	63	19	1	-	2	-	1	-	2	5	9	24
All other	7	5	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	328	18	5	4	11	12	11	25	32	72	92	46	338	6	7	4	8	11	15	20	34	56	89	88
White	323	17	5	4	11	12	10	24	31	72	91	46	329	5	6	4	8	9	15	18	34	54	89	87
All other	5	1	-	-	-	-	1	1	1	-	1	-	9	1	1	-	-	2	-	2	-	2	-	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-
Accidents and adverse effects (E800-E949)	466	6	17	30	132	91	47	44	41	25	15	18	192	6	11	8	33	21	11	16	16	16	31	23
White	445	5	15	30	125	86	42	44	41	24	15	18	181	6	10	8	31	18	8	16	16	15	31	22
All other	21	1	2	-	7	5	5	-	-	1	-	-	11	-	1	-	2	3	3	-	-	1	-	1
Black	3	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	257	2	6	11	96	60	26	20	18	13	2	3	101	2	6	4	30	14	10	9	7	8	9	2
White	245	1	6	11	91	56	24	20	18	13	2	3	96	2	6	4	28	13	8	9	7	8	9	2
All other	12	1	-	-	5	4	2	-	-	-	-	-	5	-	-	-	2	1	2	-	-	-	-	-
Black	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	209	4	11	19	36	31	21	24	23	12	13	15	91	4	5	4	3	7	1	7	9	8	22	21
White	200	4	9	19	34	30	18	24	23	11	13	15	85	4	4	4	3	5	-	7	9	7	22	20
All other	9	-	2	-	2	1	3	-	-	1	-	-	6	-	1	-	-	2	1	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	161	...	...	2	35	37	28	21	20	15	4	-	36	...	...	-	7	6	8	8	6	1	-	-
White	158	...	...	2	34	35	26	21	20	15	4	-	34	...	...	-	7	5	7	8	6	1	-	-
All other	3	...	...	-	1	2	-	-	-	-	-	-	2	...	...	-	-	1	1	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	47	2	4	3	9	10	8	7	3	1	-	-	15	2	2	-	5	2	1	2	1	-	-	-
White	41	1	4	3	8	10	6	5	3	1	-	-	12	1	1	-	4	2	1	2	1	-	-	-
All other	6	1	-	-	1	-	2	2	-	-	-	-	3	1	1	-	1	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	28	1	-	1	7	9	5	3	1	1	-	-	14	-	-	-	1	3	2	4	3	1	-	-
White	28	1	-	1	7	9	5	3	1	1	-	-	14	-	-	-	1	3	2	4	3	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT																								
All causes	2,260	35	9	10	76	60	71	150	362	599	582	306	2,062	26	8	15	17	23	44	94	219	370	612	634
White	2,254	34	9	10	76	58	71	149	362	598	581	306	2,056	26	8	15	17	23	44	93	218	369	611	632
All other	6	1	-	-	-	2	-	1	-	1	1	-	6	-	-	-	-	-	-	1	1	1	1	2
Black	4	-	-	-	-	1	-	1	-	1	1	-	6	-	-	-	-	-	-	1	1	1	1	2
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-
White	1	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	4	-	-	-	-	-	-	-	1	-	1	2	10	-	-	-	-	-	-	-	-	1	3	6
White	4	-	-	-	-	-	-	-	1	-	1	2	10	-	-	-	-	-	-	-	-	1	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	4	-	-	1	-	-	-	-	-	1	1	1	7	-	-	-	-	-	-	-	1	2	-	4
White	4	-	-	1	-	-	-	-	-	1	1	1	7	-	-	-	-	-	-	-	1	2	-	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	489	-	1	-	2	6	14	42	88	178	122	36	467	-	3	1	1	7	19	43	95	113	111	74
White	488	-	1	-	2	6	14	42	88	177	122	36	466	-	3	1	1	7	19	43	95	112	111	74
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	-	-	-	-	-	-	-	2	5	-	-	3	-	-	-	-	-	-	-	3	-	-	-
White	7	-	-	-	-	-	-	-	2	5	-	-	3	-	-	-	-	-	-	-	3	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	126	-	-	-	-	-	5	11	14	42	38	16	137	-	-	-	-	-	2	9	21	30	47	28
White	126	-	-	-	-	-	5	11	14	42	38	16	137	-	-	-	-	-	2	9	21	30	47	28
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	176	-	-	-	-	-	3	19	42	77	30	5	54	-	-	-	-	-	2	5	22	19	5	1
White	176	-	-	-	-	-	3	19	42	77	30	5	54	-	-	-	-	-	2	5	22	19	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	82	-	-	-	-	1	5	9	18	22	17	10
White	-	-	-	-	-	-	-	-	-	-	-	-	82	-	-	-	-	1	5	9	18	22	17	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	59	-	-	-	-	-	1	-	2	19	26	11	55	-	-	-	-	2	1	8	9	17	11	7
White	58	-	-	-	-	-	1	-	2	18	26	11	54	-	-	-	-	2	1	8	9	16	11	7
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of urinary organs (188-189)	25	-	-	-	-	-	1	2	4	10	5	3	18	-	-	-	-	-	-	1	6	3	4	4
White	25	-	-	-	-	-	1	2	4	10	5	3	18	-	-	-	-	-	-	1	6	3	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	61	-	1	-	2	3	4	9	16	14	11	1	72	-	1	-	-	3	7	4	12	14	19	12
White	61	-	1	-	2	3	4	9	16	14	11	1	72	-	1	-	-	3	7	4	12	14	19	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	11	-	-	-	-	1	-	-	2	4	4	-	20	-	2	1	1	1	1	1	1	3	3	6
White	11	-	-	-	-	1	-	-	2	4	4	-	20	-	2	1	1	1	1	1	1	3	3	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	24	-	-	-	-	2	-	1	6	7	8	-	26	-	-	-	-	-	1	6	3	5	5	6
White	24	-	-	-	-	2	-	1	6	7	8	-	26	-	-	-	-	-	1	6	3	5	5	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	13	-	-	-	-	-	-	-	3	2	6	2	13	-	-	1	-	-	-	-	-	4	4	4
White	13	-	-	-	-	-	-	-	3	2	6	2	13	-	-	1	-	-	-	-	-	4	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	21	-	-	-	-	1	-	-	5	8	6	1	39	-	-	-	-	-	-	-	3	12	20	4
White	21	-	-	-	-	1	-	-	5	8	6	1	39	-	-	-	-	-	-	-	3	12	20	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nutritional deficiencies (260-269)	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	-	-	2
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	1	-	2	1
White	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	1	-	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,061	-	-	-	3	3	26	67	178	289	310	185	1,051	-	-	2	2	4	7	26	65	172	355	418
White	1,061	-	-	-	3	3	26	67	178	289	310	185	1,046	-	-	2	2	4	7	25	64	172	354	416
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	1	-	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	1	-	1	2

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Diseases of heart (390-398,402,404-429)	857	-	-	-	3	2	24	62	153	241	237	135	800	-	-	2	2	2	5	20	51	144	270	304
White	857	-	-	-	3	2	24	62	153	241	237	135	798	-	-	2	2	2	5	19	51	144	270	303
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Rheumatic fever and rheumatic heart disease (390-398)	6	-	-	-	-	-	-	-	1	3	2	-	6	-	-	-	-	-	-	1	1	1	3	-
White	6	-	-	-	-	-	-	-	1	3	2	-	6	-	-	-	-	-	-	1	1	1	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	14	-	-	-	-	-	2	3	1	4	2	2	18	-	-	-	-	-	-	1	-	3	6	8
White	14	-	-	-	-	-	2	3	1	4	2	2	18	-	-	-	-	-	-	1	-	3	6	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	2	-
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	624	-	-	-	-	1	20	56	124	172	162	89	524	-	-	-	-	2	4	13	34	108	191	172
White	624	-	-	-	-	1	20	56	124	172	162	89	524	-	-	-	-	2	4	13	34	108	191	172
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	374	-	-	-	-	1	15	38	81	118	91	30	291	-	-	-	-	1	3	9	28	65	111	74
White	374	-	-	-	-	1	15	38	81	118	91	30	291	-	-	-	-	1	3	9	28	65	111	74
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	9	-	-	-	-	-	1	2	-	3	2	1	3	-	-	-	-	-	-	-	-	1	-	2
White	9	-	-	-	-	-	1	2	-	3	2	1	3	-	-	-	-	-	-	-	-	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	1	-	-	-	2	3	-	-	-	-	-	-	-	-	-	1	2
White	3	-	-	-	-	-	-	1	-	-	-	2	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	238	-	-	-	-	-	4	15	43	51	69	56	227	-	-	-	-	1	1	4	6	42	79	94
White	238	-	-	-	-	-	4	15	43	51	69	56	227	-	-	-	-	1	1	4	6	42	79	94
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	9	-	-	-	-	-	-	-	1	4	4	-	13	-	-	-	-	-	-	-	-	3	5	5
White	9	-	-	-	-	-	-	-	1	4	4	-	13	-	-	-	-	-	-	-	-	3	5	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	203	-	-	-	3	1	2	3	26	58	67	43	237	-	-	2	2	-	1	5	16	29	63	119
White	203	-	-	-	3	1	2	3	26	58	67	43	235	-	-	2	2	-	1	4	16	29	63	118
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1
Hypertension with or without renal disease (401,403)	8	-	-	-	-	-	-	-	3	2	2	1	4	-	-	-	-	-	-	-	-	1	1	2
White	8	-	-	-	-	-	-	-	3	2	2	1	4	-	-	-	-	-	-	-	-	1	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	118	-	-	-	-	1	2	4	11	31	39	30	196	-	-	-	-	2	2	4	12	16	74	86
White	118	-	-	-	-	1	2	4	11	31	39	30	194	-	-	-	-	2	2	4	11	16	74	85
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Intracerebral and other intracranial hemorrhage (431-432)	14	-	-	-	-	1	-	1	-	8	4	-	17	-	-	-	-	2	1	1	1	1	8	3
White	14	-	-	-	-	1	-	1	-	8	4	-	17	-	-	-	-	2	1	1	1	1	8	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	21	-	-	-	-	-	1	1	5	5	4	5	38	-	-	-	-	-	-	-	3	2	17	16
White	21	-	-	-	-	-	1	1	5	5	4	5	38	-	-	-	-	-	-	-	3	2	17	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	82	-	-	-	-	-	1	2	6	17	31	25	140	-	-	-	-	-	1	3	8	13	48	67
White	82	-	-	-	-	-	1	2	6	17	31	25	138	-	-	-	-	-	1	3	7	13	48	66
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Atherosclerosis (440)	29	-	-	-	-	-	-	-	4	4	12	9	30	-	-	-	-	-	-	-	1	3	6	20
White	29	-	-	-	-	-	-	-	4	4	12	9	29	-	-	-	-	-	-	-	1	3	5	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Other diseases of arteries, arterioles, and capillaries (441-448)	49	-	-	-	-	-	-	1	7	11	20	10	21	-	-	-	-	-	-	2	1	8	4	6
White	49	-	-	-	-	-	-	1	7	11	20	10	21	-	-	-	-	-	-	2	1	8	4	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	3	1	-	1	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	1	-	-	-	-
White	3	1	-	1	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	61	3	-	-	-	-	-	1	1	15	22	19	73	-	1	-	-	-	1	3	3	4	18	43
White	60	2	-	-	-	-	-	1	1	15	22	19	73	-	1	-	-	-	1	3	3	4	18	43
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	52	3	-	-	-	-	-	1	1	14	18	15	65	-	1	-	-	-	1	3	3	4	16	37
White	51	2	-	-	-	-	-	1	1	14	18	15	65	-	1	-	-	-	1	3	3	4	16	37
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	9	-	-	-	-	-	-	-	-	1	4	4	8	-	-	-	-	-	-	-	-	-	2	6
White	9	-	-	-	-	-	-	-	-	1	4	4	8	-	-	-	-	-	-	-	-	-	2	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	116	-	-	-	-	-	-	1	16	41	44	14	56	-	-	-	-	-	1	2	15	15	18	5
White	116	-	-	-	-	-	-	1	16	41	44	14	56	-	-	-	-	-	1	2	15	15	18	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	7	-	-	-	-	-	-	-	-	2	4	1	3	-	-	-	-	-	-	-	-	1	2	-
White	7	-	-	-	-	-	-	-	-	2	4	1	3	-	-	-	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	11	-	-	-	-	-	-	-	2	6	3	-	7	-	-	-	-	-	-	-	2	1	4	-
White	11	-	-	-	-	-	-	-	2	6	3	-	7	-	-	-	-	-	-	-	2	1	4	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	4	-	-	-	-	-	-	-	-	2	2	-	3	-	-	-	-	-	-	-	2	-	1	-
White	4	-	-	-	-	-	-	-	-	2	2	-	3	-	-	-	-	-	-	-	2	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	94	-	-	-	-	-	-	1	14	31	35	13	43	-	-	-	-	-	1	2	11	13	11	5
White	94	-	-	-	-	-	-	1	14	31	35	13	43	-	-	-	-	-	1	2	11	13	11	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	15	-	-	-	-	-	-	-	3	4	7	1	10	-	-	-	-	-	-	-	1	4	2	3
White	15	-	-	-	-	-	-	-	3	4	7	1	10	-	-	-	-	-	-	-	1	4	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	-	-	-	-	-	-	-	-	1	1	-	10	-	-	-	-	-	-	1	-	3	3	3
White	2	-	-	-	-	-	-	-	-	1	1	-	10	-	-	-	-	-	-	1	-	3	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Chronic liver disease and cirrhosis (571)	48	-	-	-	-	-	3	13	15	16	1	-	22	-	-	-	-	1	-	3	10	5	3	-
White	48	-	-	-	-	-	3	13	15	16	1	-	22	-	-	-	-	1	-	3	10	5	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	4	-	-	-	-	-	-	-	-	-	1	3	7	-	-	-	-	1	-	-	2	1	2	1
White	4	-	-	-	-	-	-	-	-	-	1	3	7	-	-	-	-	1	-	-	2	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	17	-	-	-	-	-	-	-	3	3	7	4	19	-	-	-	-	-	2	1	-	1	12	3
White	17	-	-	-	-	-	-	-	3	3	7	4	19	-	-	-	-	-	2	1	-	1	12	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	1	2	-
White	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	16	-	-	-	-	-	-	-	3	2	7	4	16	-	-	-	-	-	2	1	-	-	10	3
White	16	-	-	-	-	-	-	-	3	2	7	4	16	-	-	-	-	-	2	1	-	-	10	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	-	2	-	7	-	-	-	-	-	-	-	1	1	3	2
White	2	-	-	-	-	-	-	-	-	-	2	-	7	-	-	-	-	-	-	-	1	1	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	2	-	-	-	-	-	-	-	1	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	2	-	-	-	-	-	-	-	1	1	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	16	9	1	1	2	2	-	-	-	-	1	-	10	5	-	1	2	1	1	-	-	-	-	-
White	16	9	1	1	2	2	-	-	-	-	1	-	10	5	-	1	2	1	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	14	14	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
White	14	14	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	5	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
White	5	5	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VERMONT—Con.																								
Other conditions originating in the perinatal period (760-766,770-779)	9	9	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
White	9	9	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	11	4	-	-	-	-	-	-	-	3	3	1	9	3	-	-	-	-	-	-	-	2	2	2
White	11	4	-	-	-	-	-	-	-	3	3	1	9	3	-	-	-	-	-	-	-	2	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	117	2	1	-	2	3	3	7	21	19	38	21	157	3	-	2	1	1	5	7	16	27	44	51
White	115	2	1	-	2	3	3	6	21	19	37	21	157	3	-	2	1	1	5	7	16	27	44	51
All other	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	155	2	5	7	51	24	13	9	16	13	4	11	44	1	3	6	6	4	2	3	3	1	7	8
White	155	2	5	7	51	24	13	9	16	13	4	11	44	1	3	6	6	4	2	3	3	1	7	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	88	2	2	3	40	16	8	4	4	6	2	1	12	-	-	1	5	2	1	2	-	-	1	-
White	88	2	2	3	40	16	8	4	4	6	2	1	12	-	-	1	5	2	1	2	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	67	-	3	4	11	8	5	5	12	7	2	10	32	1	3	5	1	2	1	1	3	1	6	8
White	67	-	3	4	11	8	5	5	12	7	2	10	32	1	3	5	1	2	1	1	3	1	6	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	68	...	...	-	16	17	9	7	10	3	3	3	17	...	...	-	2	3	4	4	2	1	1	-
White	67	...	...	-	16	16	9	7	10	3	3	3	17	...	...	-	2	3	4	4	2	1	1	-
All other	1	...	...	-	-	1	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	10	-	-	-	-	4	3	2	1	-	-	-	7	-	-	2	3	-	2	-	-	-	-	-
White	9	-	-	-	-	3	3	2	1	-	-	-	7	-	-	2	3	-	2	-	-	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA																								
All causes	22,984	558	87	111	661	799	918	2,088	4,560	6,123	4,873	2,198	19,253	433	84	93	237	306	530	1,176	2,583	4,150	5,314	4,361
White	17,821	361	59	89	541	557	622	1,539	3,445	4,796	3,987	1,820	15,167	261	52	63	180	213	356	849	1,881	3,145	4,386	3,779
All other	5,163	197	28	22	120	242	296	549	1,115	1,327	886	378	4,086	172	32	30	57	93	174	327	682	1,005	928	582
Black	5,105	195	27	22	116	238	292	539	1,109	1,314	875	375	4,027	167	30	30	51	88	166	319	676	997	919	580
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	6	1	1	-	-	-	-	-	1	1	2	-	2	2	-	-	-	-	-	-	-	-	-	-
White	5	-	1	-	-	-	-	-	1	1	2	-	2	2	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	28	-	-	-	-	-	2	2	10	4	9	1	15	-	-	-	-	-	2	1	1	1	4	6
White	13	-	-	-	-	-	1	1	5	2	4	-	12	-	-	-	-	-	1	1	1	1	2	6
All other	15	-	-	-	-	-	1	1	5	2	5	1	3	-	-	-	-	-	1	-	-	-	2	-
Black	15	-	-	-	-	-	1	1	5	2	5	1	3	-	-	-	-	-	1	-	-	-	2	-
Tuberculosis of respiratory system (010-012)	20	-	-	-	-	-	2	2	6	3	7	-	11	-	-	-	-	-	1	1	1	1	3	4
White	7	-	-	-	-	-	1	1	2	1	2	-	8	-	-	-	-	-	-	1	1	1	1	4
All other	13	-	-	-	-	-	1	1	4	2	5	-	3	-	-	-	-	-	1	-	-	-	2	-
Black	13	-	-	-	-	-	1	1	4	2	5	-	3	-	-	-	-	-	1	-	-	-	2	-
Other tuberculosis (013-018)	8	-	-	-	-	-	-	-	4	1	2	1	4	-	-	-	-	-	1	-	-	-	1	2
White	6	-	-	-	-	-	-	-	3	1	2	-	4	-	-	-	-	-	1	-	-	-	1	2
All other	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	9	3	3	1	-	-	1	-	1	-	-	-	9	-	4	-	3	1	-	-	-	-	1	-
White	8	3	3	1	-	-	1	-	-	-	-	-	7	-	3	-	2	1	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
Septicemia (038)	188	5	1	2	1	3	3	15	37	46	47	27	167	2	1	-	1	3	1	10	24	38	62	25
White	125	4	-	2	1	1	-	7	22	32	36	20	126	-	1	-	1	1	-	6	18	26	52	21
All other	63	1	1	-	-	2	3	8	15	14	11	7	41	2	-	-	-	2	1	4	6	12	10	4
Black	63	1	1	-	-	2	3	8	15	14	11	7	41	2	-	-	-	2	1	4	6	12	10	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	7	-	-	-	-	1	1	1	2	1	1	-	8	-	-	-	-	2	-	-	2	2	1	1
White	6	-	-	-	-	1	1	-	2	1	1	-	8	-	-	-	-	2	-	-	2	2	1	1
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	47	5	1	-	1	2	4	6	11	12	4	1	47	2	-	2	1	5	5	4	7	6	11	4
White	35	4	-	-	1	-	2	4	9	11	3	1	31	1	-	2	1	1	2	2	3	5	10	4
All other	12	1	1	-	-	2	2	2	2	1	1	-	16	1	-	-	-	4	3	2	4	1	1	-
Black	12	1	1	-	-	2	2	2	2	1	1	-	16	1	-	-	-	4	3	2	4	1	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,029	-	3	17	32	65	144	529	1,312	1,687	982	257	4,066	-	8	13	16	67	175	474	956	1,149	828	380
White	3,878	-	3	14	23	48	114	393	986	1,309	777	210	3,270	-	4	9	10	52	138	381	764	908	680	324
All other	1,151	-	-	3	9	17	30	136	326	378	205	47	796	-	4	4	6	15	37	93	192	241	148	56
Black	1,135	-	-	3	9	17	27	131	325	373	203	47	781	-	4	4	6	13	34	88	191	239	147	55
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	137	-	-	-	-	1	5	18	49	46	16	2	59	-	-	-	-	-	3	9	19	18	6	4
White	98	-	-	-	-	-	4	8	37	33	14	2	48	-	-	-	-	-	1	6	16	15	6	4
All other	39	-	-	-	-	1	1	10	12	13	2	-	11	-	-	-	-	-	2	3	3	3	-	-
Black	38	-	-	-	-	1	1	9	12	13	2	-	10	-	-	-	-	-	2	2	3	3	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,166	-	-	-	-	8	25	117	307	392	254	63	1,002	-	-	-	3	4	23	67	207	275	287	136
White	868	-	-	-	-	4	20	81	219	297	195	52	773	-	-	-	2	1	19	53	155	206	221	116
All other	298	-	-	-	-	4	5	36	88	95	59	11	229	-	-	-	1	3	4	14	52	69	66	20
Black	295	-	-	-	-	4	4	35	88	94	59	11	223	-	-	-	1	2	3	13	52	68	65	19
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,938	-	-	-	2	5	47	239	594	680	304	66	660	-	-	-	-	3	30	98	201	228	79	21
White	1,531	-	-	-	2	4	36	182	449	544	258	55	557	-	-	-	-	3	26	76	171	194	72	15
All other	407	-	-	-	-	1	11	57	145	136	46	11	103	-	-	-	-	-	4	22	30	34	7	6
Black	401	-	-	-	-	1	9	55	145	135	45	11	99	-	-	-	-	-	3	21	29	33	7	6
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	1	1	-	744	-	-	-	1	22	59	142	185	187	107	41
White	2	-	-	-	-	-	-	-	-	1	1	-	617	-	-	-	1	17	48	125	151	149	92	34
All other	-	-	-	-	-	-	-	-	-	-	-	-	127	-	-	-	-	5	11	17	34	38	15	7
Black	-	-	-	-	-	-	-	-	-	-	-	-	126	-	-	-	-	5	11	16	34	38	15	7
Malignant neoplasms of genital organs (179-187)	484	-	-	-	3	3	-	15	67	170	166	60	476	-	-	-	-	14	22	59	125	133	85	38
White	324	-	-	-	2	3	-	9	43	109	115	43	369	-	-	-	-	11	15	46	100	99	67	31
All other	160	-	-	-	1	-	-	6	24	61	51	17	107	-	-	-	-	3	7	13	25	34	18	7
Black	158	-	-	-	1	-	-	6	24	60	50	17	106	-	-	-	-	3	6	13	25	34	18	7

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	243	-	1	1	-	2	5	19	55	88	59	13	131	-	-	-	1	1	1	10	25	26	45	22
White	207	-	1	1	-	1	4	17	47	76	48	12	98	-	-	-	-	1	1	5	17	20	36	18
All other	36	-	-	-	-	1	1	2	8	12	11	1	33	-	-	-	1	-	-	5	8	6	9	4
Black	36	-	-	-	-	1	1	2	8	12	11	1	33	-	-	-	1	-	-	5	8	6	9	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	645	-	1	9	13	17	38	85	146	203	100	33	615	-	2	9	4	11	25	55	134	179	123	73
White	510	-	1	6	10	12	31	65	114	161	83	27	494	-	-	7	3	9	20	42	109	136	102	66
All other	135	-	-	3	3	5	7	20	32	42	17	6	121	-	2	2	1	2	5	13	25	43	21	7
Black	133	-	-	3	3	5	7	20	32	40	17	6	120	-	2	2	1	1	5	13	25	43	21	7
Leukemia (204-208)	161	-	1	7	8	10	7	8	28	47	38	7	154	-	6	3	5	5	5	19	20	41	33	17
White	125	-	1	7	4	7	5	5	20	41	29	6	128	-	4	2	2	4	1	16	15	38	29	17
All other	36	-	-	-	4	3	2	3	8	6	9	1	26	-	2	1	3	1	4	3	5	3	4	-
Black	35	-	-	-	4	3	2	2	8	6	9	1	25	-	2	1	3	1	4	2	5	3	4	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	253	-	-	-	6	19	17	28	66	60	44	13	225	-	-	1	2	7	7	15	40	62	63	28
White	213	-	-	-	5	17	14	26	57	47	34	13	186	-	-	-	2	6	7	12	30	51	55	23
All other	40	-	-	-	1	2	3	2	9	13	10	-	39	-	-	1	-	1	-	3	10	11	8	5
Black	39	-	-	-	1	2	3	2	8	13	10	-	39	-	-	1	-	1	-	3	10	11	8	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	65	1	1	-	2	2	5	6	7	20	18	3	67	1	-	4	2	-	1	10	10	13	19	7
White	54	1	1	-	1	2	5	6	4	19	13	2	47	-	-	2	1	-	1	6	6	9	16	6
All other	11	-	-	-	1	-	-	-	3	1	5	1	20	1	-	2	1	-	-	4	4	4	3	1
Black	11	-	-	-	1	-	-	-	3	1	5	1	18	1	-	2	1	-	-	3	4	3	3	1
Diabetes mellitus (250)	252	-	-	-	1	2	10	30	52	73	66	18	382	-	-	1	-	5	11	26	61	101	113	64
White	175	-	-	-	-	2	8	24	35	47	47	12	236	-	-	-	-	2	8	15	29	56	79	47
All other	77	-	-	-	1	-	2	6	17	26	19	6	146	-	-	1	-	3	3	11	32	45	34	17
Black	76	-	-	-	1	-	2	6	16	26	19	6	146	-	-	1	-	3	3	11	32	45	34	17
Nutritional deficiencies (260-269)	20	-	-	-	1	1	-	-	5	2	6	5	18	1	-	-	-	-	-	-	-	1	5	11
White	15	-	-	-	1	1	-	-	4	1	4	4	15	1	-	-	-	-	-	-	-	1	4	9
All other	5	-	-	-	-	-	-	-	1	1	2	1	3	-	-	-	-	-	-	-	-	-	1	2
Black	5	-	-	-	-	-	-	-	1	1	2	1	3	-	-	-	-	-	-	-	-	-	1	2
Anemias (280-285)	32	-	1	-	1	1	3	2	3	8	9	4	27	-	-	-	-	2	3	5	1	6	2	8
White	22	-	-	-	-	1	-	1	3	8	5	4	19	-	-	-	-	-	1	3	1	5	2	7
All other	10	-	1	-	1	-	3	1	-	-	4	-	8	-	-	-	-	2	2	2	-	1	-	1
Black	10	-	1	-	1	-	3	1	-	-	4	-	7	-	-	-	-	2	1	2	-	1	-	1
Meningitis (320-322)	14	5	1	1	1	1	1	2	1	1	-	-	16	4	1	-	1	2	-	1	1	1	4	1
White	9	3	1	1	1	1	1	1	-	-	-	-	7	-	1	-	-	1	-	-	-	1	3	1
All other	5	2	-	-	-	-	-	1	1	1	-	-	9	4	-	-	1	1	-	1	1	-	1	-
Black	5	2	-	-	-	-	-	1	1	1	-	-	9	4	-	-	1	1	-	1	1	-	1	-
Major cardiovascular diseases (390-448)	10,484	15	8	5	27	72	267	879	2,141	3,047	2,652	1,369	9,920	11	7	4	14	43	124	337	975	2,085	3,312	3,004
White	8,344	10	5	2	23	43	189	663	1,649	2,422	2,204	1,132	7,888	7	5	2	7	27	64	211	654	1,561	2,736	2,614
All other	2,140	5	3	3	4	29	78	216	492	625	448	237	2,032	4	2	2	7	16	60	126	321	524	576	390
Black	2,121	5	2	3	4	29	77	214	489	621	442	235	2,012	3	2	2	7	15	59	125	318	519	569	389
Diseases of heart (390-398,402,404-429)	8,376	15	8	3	23	54	234	771	1,838	2,499	1,950	979	7,079	10	7	4	9	29	82	243	755	1,608	2,339	1,991
White	6,728	10	5	2	19	31	171	593	1,449	2,008	1,629	809	5,653	7	5	2	4	18	45	155	519	1,226	1,932	1,740
All other	1,648	5	3	1	4	23	63	178	389	491	321	170	1,426	3	2	2	5	11	37	88	236	382	407	251
Black	1,636	5	2	1	4	23	63	176	386	489	318	169	1,412	3	2	2	5	10	37	87	234	379	401	250
Rheumatic fever and rheumatic heart disease (390-398)	41	-	-	-	-	2	5	14	6	7	7	-	80	-	-	-	-	2	2	7	17	18	26	8
White	33	-	-	-	-	1	4	11	4	6	7	-	69	-	-	-	-	1	2	5	14	16	25	6
All other	8	-	-	-	-	1	1	3	2	1	-	-	11	-	-	-	-	1	-	2	3	2	1	2
Black	8	-	-	-	-	1	1	3	2	1	-	-	9	-	-	-	-	-	-	2	2	2	1	2
Hypertensive heart disease (402)	168	-	-	-	-	1	3	16	39	52	42	15	243	-	-	-	-	-	5	11	31	55	78	63
White	97	-	-	-	-	-	1	8	17	27	31	13	158	-	-	-	-	-	2	3	14	36	51	52
All other	71	-	-	-	-	1	2	8	22	25	11	2	85	-	-	-	-	-	3	8	17	19	27	11
Black	71	-	-	-	-	1	2	8	22	25	11	2	85	-	-	-	-	-	3	8	17	19	27	11
Hypertensive heart and renal disease (404)	27	-	-	-	-	-	-	-	4	10	10	3	49	-	-	-	-	-	-	2	5	11	16	15
White	12	-	-	-	-	-	-	-	1	4	5	2	27	-	-	-	-	-	-	1	1	6	7	12
All other	15	-	-	-	-	-	-	-	3	6	5	1	22	-	-	-	-	-	-	1	4	5	9	3
Black	15	-	-	-	-	-	-	-	3	6	5	1	22	-	-	-	-	-	-	1	4	5	9	3
Ischemic heart disease (410-414)	6,293	-	-	-	3	28	183	599	1,447	1,965	1,410	656	4,567	-	-	-	2	6	54	159	519	1,113	1,543	1,171
White	5,206	-	-	-	1	21	145	477	1,180	1,635	1,204	541	3,735	-	-	-	1	4	30	109	376	876	1,307	1,032
All other	1,087	-	-	-	2	7	38	122	267	330	206	115	832	-	-	-	1	2	24	50	143	237	236	139
Black	1,076	-	-	-	2	7	38	120	264	328	203	114	824	-	-	-	1	2	24	49	142	236	231	139
Acute myocardial infarction (410)	3,610	-	-	-	2	12	108	365	896	1,211	753	262	2,290	-	-	-	-	3	20	90	306	649	793	429
White	3,066	-	-	-	1	11	91	308	743	1,025	665	221	1,894	-	-	-	-	2	13	59	224	526	691	379
All other	544	-	-	-	1	1	17	57	153	186	88	41	396	-	-	-	-	1	7	31	82	123	102	50
Black	539	-	-	-	1	1	17	57	152	185	86	40	393	-	-	-	-	1	7	31	82	123	99	50

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	464	-	-	-	-	2	21	66	138	131	78	28	296	-	-	-	1	-	16	21	49	77	79	53
White	312	-	-	-	-	1	12	41	98	90	52	18	194	-	-	-	1	-	6	11	35	46	53	42
All other	152	-	-	-	-	1	9	25	40	41	26	10	102	-	-	-	-	-	10	10	14	31	26	11
Black	150	-	-	-	-	1	9	24	39	41	26	10	100	-	-	-	-	-	10	10	13	30	26	11
Angina pectoris (413)	7	-	-	-	-	-	-	2	1	-	4	-	7	-	-	-	-	-	-	-	-	2	2	3
White	6	-	-	-	-	-	-	2	1	-	3	-	7	-	-	-	-	-	-	-	-	2	2	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,212	-	-	-	1	14	54	166	412	623	575	366	1,974	-	-	-	1	3	18	48	164	385	669	686
White	1,822	-	-	-	-	9	42	126	338	520	484	302	1,640	-	-	-	-	2	11	39	117	302	561	608
All other	390	-	-	-	1	5	12	40	74	103	91	64	334	-	-	-	1	1	7	9	47	83	108	78
Black	386	-	-	-	1	5	12	39	73	102	90	64	331	-	-	-	1	1	7	8	47	83	106	78
Other diseases of endocardium (424)	78	-	-	-	1	-	2	14	11	19	25	6	87	-	-	-	-	1	2	4	13	18	27	22
White	63	-	-	-	1	-	2	9	9	16	21	5	67	-	-	-	-	1	1	3	6	15	20	19
All other	15	-	-	-	-	-	-	5	2	3	4	1	20	-	-	-	-	-	1	1	5	3	7	3
Black	15	-	-	-	-	-	-	5	2	3	4	1	19	-	-	-	-	-	1	1	5	2	7	3
All other forms of heart disease (415-423,425-429)	1,769	15	8	3	19	23	41	128	331	446	456	299	2,053	10	7	4	7	20	19	60	170	393	649	712
White	1,317	10	5	2	17	9	19	88	238	320	361	248	1,597	7	5	2	3	12	10	34	106	277	522	619
All other	452	5	3	1	2	14	22	40	93	126	95	51	456	3	2	2	4	8	9	26	64	116	127	93
Black	451	5	2	1	2	14	22	40	93	126	95	51	453	3	2	2	4	8	9	26	64	115	126	92
Hypertension with or without renal disease (401,403)	79	-	-	-	-	-	1	5	14	18	31	10	92	1	-	-	-	-	2	3	14	20	31	21
White	54	-	-	-	-	-	-	2	11	13	20	8	50	-	-	-	-	-	-	1	5	14	15	15
All other	25	-	-	-	-	-	1	3	3	5	11	2	42	1	-	-	-	-	2	2	9	6	16	6
Black	25	-	-	-	-	-	1	3	3	5	11	2	41	-	-	-	-	-	2	2	9	6	16	6
Cerebrovascular diseases (430-438)	1,556	-	-	2	3	14	28	81	226	387	517	298	2,263	-	-	-	5	11	37	82	167	378	809	772
White	1,160	-	-	-	3	9	16	49	143	276	422	242	1,780	-	-	-	3	8	17	48	104	255	673	672
All other	396	-	-	2	-	5	12	32	83	111	95	56	483	-	-	-	2	3	20	34	63	123	136	100
Black	390	-	-	2	-	5	11	32	83	109	93	55	478	-	-	-	2	3	19	34	62	121	135	100
Intracerebral and other intracranial hemorrhage (431-432)	227	-	-	1	2	3	13	32	39	51	59	27	277	-	-	-	5	6	12	19	44	53	81	57
White	171	-	-	-	2	2	6	18	28	42	50	23	206	-	-	-	3	5	5	10	30	38	68	47
All other	56	-	-	1	-	1	7	14	11	9	9	4	71	-	-	-	2	1	7	9	14	15	13	10
Black	54	-	-	1	-	1	7	14	11	8	9	3	71	-	-	-	2	1	7	9	14	15	13	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	260	-	-	-	-	2	-	8	38	67	81	64	392	-	-	-	-	1	3	10	20	69	151	138
White	203	-	-	-	-	1	-	6	21	54	68	53	314	-	-	-	-	1	1	6	10	47	126	123
All other	57	-	-	-	-	1	-	2	17	13	13	11	78	-	-	-	-	-	2	4	10	22	25	15
Black	57	-	-	-	-	1	-	2	17	13	13	11	78	-	-	-	-	-	2	4	10	22	25	15
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	1	-	1	-	15	-	-	-	-	-	-	2	1	4	5	3
White	-	-	-	-	-	-	-	-	-	-	-	-	14	-	-	-	-	-	-	2	1	3	5	3
All other	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,067	-	-	1	1	9	15	41	148	269	376	207	1,579	-	-	-	-	4	22	51	102	252	572	574
White	786	-	-	-	1	6	10	25	94	180	304	166	1,246	-	-	-	-	2	11	30	63	167	474	499
All other	281	-	-	1	-	3	5	16	54	89	72	41	333	-	-	-	-	2	11	21	39	85	98	75
Black	277	-	-	1	-	3	4	16	54	88	70	41	328	-	-	-	-	2	10	21	38	83	97	75
Atherosclerosis (440)	215	-	-	-	-	-	-	2	17	50	80	66	326	-	-	-	-	-	-	4	11	32	94	185
White	178	-	-	-	-	-	-	2	11	41	66	58	279	-	-	-	-	-	-	4	8	29	80	158
All other	37	-	-	-	-	-	-	-	6	9	14	8	47	-	-	-	-	-	-	-	3	3	14	27
Black	36	-	-	-	-	-	-	-	6	9	13	8	47	-	-	-	-	-	-	-	3	3	14	27
Other diseases of arteries, arterioles, and capillaries (441-448)	258	-	-	-	1	4	4	20	46	93	74	16	160	-	-	-	-	3	3	5	28	47	39	35
White	224	-	-	-	1	3	2	17	35	84	67	15	126	-	-	-	-	1	2	3	18	37	36	29
All other	34	-	-	-	-	1	2	3	11	9	7	1	34	-	-	-	-	2	1	2	10	10	3	6
Black	34	-	-	-	-	1	2	3	11	9	7	1	34	-	-	-	-	2	1	2	10	10	3	6
Acute bronchitis and bronchiolitis (466)	3	1	-	-	-	-	-	-	-	1	-	1	8	2	1	1	-	-	-	-	-	2	1	1
White	2	1	-	-	-	-	-	-	-	-	-	1	6	1	-	1	-	-	-	-	-	2	1	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	682	10	6	3	-	12	14	41	98	137	208	153	571	7	3	-	3	5	9	12	30	87	167	248
White	520	6	2	2	-	6	4	25	68	104	169	134	497	2	-	-	2	3	6	11	22	71	150	230
All other	162	4	4	1	-	6	10	16	30	33	39	19	74	5	3	-	1	2	3	1	8	16	17	18
Black	159	4	4	1	-	6	10	16	30	33	37	18	74	5	3	-	1	2	3	1	8	16	17	18

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Pneumonia (480-486)	661	9	5	1	-	11	14	41	97	134	202	147	542	7	3	-	3	4	8	11	29	81	161	235
White	502	5	2	-	-	5	4	25	67	102	164	128	472	2	-	-	2	3	5	10	22	65	146	217
All other	159	4	3	1	-	6	10	16	30	32	38	19	70	5	3	-	1	1	3	1	7	16	15	18
Black	156	4	3	1	-	6	10	16	30	32	36	18	70	5	3	-	1	1	3	1	7	16	15	18
Influenza (487)	21	1	1	2	-	1	-	-	1	3	6	6	29	-	-	-	-	1	1	1	1	6	6	13
White	18	1	-	2	-	1	-	-	1	2	5	6	25	-	-	-	-	-	1	1	-	6	4	13
All other	3	-	1	-	-	-	-	-	-	1	1	-	4	-	-	-	-	1	-	-	1	-	2	-
Black	3	-	1	-	-	-	-	-	-	1	1	-	4	-	-	-	-	1	-	-	1	-	2	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	821	-	-	-	2	2	5	33	155	289	262	73	423	1	-	-	-	2	7	27	85	140	113	48
White	707	-	-	-	1	1	5	24	132	244	235	65	378	1	-	-	-	-	5	23	71	128	105	45
All other	114	-	-	-	1	1	-	9	23	45	27	8	45	-	-	-	-	2	2	4	14	12	8	3
Black	112	-	-	-	1	1	-	9	23	43	27	8	44	-	-	-	-	2	2	4	13	12	8	3
Bronchitis, chronic and unspecified (490-491)	46	-	-	-	-	-	-	2	4	19	14	7	20	1	-	-	-	-	-	2	2	4	5	6
White	42	-	-	-	-	-	-	1	4	17	14	6	19	1	-	-	-	-	-	2	2	4	5	5
All other	4	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	4	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Emphysema (492)	176	-	-	-	-	-	2	5	43	54	57	15	81	-	-	-	-	-	-	3	14	40	17	7
White	155	-	-	-	-	-	2	5	38	45	52	13	78	-	-	-	-	-	-	3	14	37	17	7
All other	21	-	-	-	-	-	-	-	5	9	5	2	3	-	-	-	-	-	-	-	-	3	-	-
Black	20	-	-	-	-	-	-	-	5	8	5	2	3	-	-	-	-		-	-	-	3	-	-
Asthma (493)	28	-	-	-	2	2	2	2	5	8	5	2	50	-	-	-	-	2	3	5	11	12	12	5
White	21	-	-	-	1	1	2	2	4	4	5	2	33	-	-	-	-	-	1	3	5	10	9	5
All other	7	-	-	-	1	1	-	-	1	4	-	-	17	-	-	-	-	2	2	2	6	2	3	-
Black	7	-	-	-	1	1	-	-	1	4	-	-	16	-	-	-	-	2	2	2	5	2	3	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	571	-	-	-	-	-	1	24	103	208	186	49	272	-	-	-	-	-	4	17	58	84	79	30
White	489	-	-	-	-	-	1	16	86	178	164	44	248	-	-	-	-	-	4	15	50	77	74	28
All other	82	-	-	-	-	-	-	8	17	30	22	5	24	-	-	-	-	-	-	2	8	7	5	2
Black	81	-	-	-	-	-	-	8	17	29	22	5	24	-	-	-	-	-	-	2	8	7	5	2
Ulcer of stomach and duodenum (531-533)	68	-	-	-	-	1	1	6	10	27	18	5	52	-	-	-	-	-	2	4	5	15	15	11
White	59	-	-	-	-	-	-	5	8	25	16	5	50	-	-	-	-	-	1	4	5	14	15	11
All other	9	-	-	-	-	1	1	1	2	2	2	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	9	-	-	-	-	1	1	1	2	2	2	-	2	-	-	-	-	-	1	-	-	1	-	-
Appendicitis (540-543)	6	-	-	-	-	1	-	-	-	2	3	-	6	-	-	-	-	-	-	1	-	2	2	1
White	4	-	-	-	-	-	-	-	-	1	3	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	2	-	-	-	-	1	-	-	-	1	-	-	4	-	-	-	-	-	-	1	-	2	-	1
Black	2	-	-	-	-	1	-	-	-	1	-	-	4	-	-	-	-	-	-	1	-	2	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	46	2	-	1	-	-	1	1	6	13	13	9	60	1	1	1	-	-	1	2	3	13	19	19
White	30	2	-	-	-	-	-	-	4	8	9	7	47	1	-	-	-	-	-	1	3	9	16	17
All other	16	-	-	1	-	-	1	1	2	5	4	2	13	-	1	1	-	-	1	1	-	4	3	2
Black	16	-	-	1	-	-	1	1	2	5	4	2	13	-	1	1	-	-	1	1	-	4	3	2
Chronic liver disease and cirrhosis (571)	355	1	-	-	-	13	43	81	118	69	26	4	203	-	-	-	-	4	23	40	77	38	18	3
White	290	1	-	-	-	8	32	68	98	56	23	4	150	-	-	-	-	3	9	32	61	27	15	3
All other	65	-	-	-	-	5	11	13	20	13	3	-	53	-	-	-	-	1	14	8	16	11	3	-
Black	65	-	-	-	-	5	11	13	20	13	3	-	53	-	-	-	-	1	14	8	16	11	3	-
Cholelithiasis and other disorders of gallbladder (574-575)	24	-	-	-	-	-	-	-	1	11	8	4	27	-	-	-	-	-	-	2	4	5	9	7
White	18	-	-	-	-	-	-	-	-	9	6	3	20	-	-	-	-	-	-	-	1	3	9	7
All other	6	-	-	-	-	-	-	-	1	2	2	1	7	-	-	-	-	-	-	2	3	2	-	-
Black	6	-	-	-	-	-	-	-	1	2	2	1	6	-	-	-	-	-	-	2	2	2	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	179	-	-	1	-	3	8	11	20	49	58	29	165	4	-	1	-	2	4	7	21	34	51	41
White	116	-	-	1	-	3	5	8	10	23	43	23	108	2	-	1	-	-	2	6	13	17	34	33
All other	63	-	-	-	-	-	3	3	10	26	15	6	57	2	-	-	-	2	2	1	8	17	17	8
Black	63	-	-	-	-	-	3	3	10	26	15	6	56	2	-	-	-	2	1	1	8	17	17	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	16	-	-	1	-	1	2	1	1	5	2	3	15	-	-	1	-	1	-	2	1	3	4	3
White	11	-	-	1	-	1	1	1	-	2	2	3	11	-	-	1	-	-	-	2	1	2	3	2
All other	5	-	-	-	-	-	1	-	1	3	-	-	4	-	-	-	-	1	-	-	-	1	1	1
Black	5	-	-	-	-	-	1	-	1	3	-	-	4	-	-	-	-	1	-	-	-	1	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	162	-	-	-	-	2	6	10	19	43	56	26	150	4	-	-	-	1	4	5	20	31	47	38
White	104	-	-	-	-	2	4	7	10	20	41	20	97	2	-	-	-	-	2	4	12	15	31	31
All other	58	-	-	-	-	-	2	3	9	23	15	6	53	2	-	-	-	1	2	1	8	16	16	7
Black	58	-	-	-	-	-	2	3	9	23	15	6	52	2	-	-	-	1	1	1	8	16	16	7
Infections of kidney (590)	10	-	-	-	-	-	-	-	2	2	2	4	22	-	-	-	-	-	-	-	1	1	13	7
White	6	-	-	-	-	-	-	-	2	1	1	2	18	-	-	-	-	-	-	-	1	1	11	5
All other	4	-	-	-	-	-	-	-	-	1	1	2	4	-	-	-	-	-	-	-	-	-	2	2
Black	4	-	-	-	-	-	-	-	-	1	1	2	4	-	-	-	-	-	-	-	-	-	2	2
Hyperplasia of prostate (600)	8	-	-	-	-	-	-	-	-	3	3	2	...	...	...	...	...	...	...	...	...	...	...	...
White	6	-	-	-	-	-	-	-	-	2	2	2	...	...	...	...	...	...	...	...	...	...	...	...
All other	2	-	-	-	-	-	-	-	-	1	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	2	-	-	-	-	-	-	-	-	1	1	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	5	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	-	1	5	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	1	3	-	-	...	...	...	...
Congenital anomalies (740-759)	155	109	9	5	7	4	4	2	8	5	1	1	132	85	11	4	5	1	5	6	4	4	4	3
White	119	83	7	5	5	3	3	2	6	4	1	-	93	62	5	4	2	1	4	3	3	3	4	2
All other	36	26	2	-	2	1	1	-	2	1	-	1	39	23	6	-	3	-	1	3	1	1	-	1
Black	36	26	2	-	2	1	1	-	2	1	-	1	37	22	5	-	3	-	1	3	1	1	-	1
Certain conditions originating in the perinatal period (760-779)	307	305	-	1	-	-	-	-	1	-	-	-	249	247	1	-	-	1	-	-	-	-	-	-
White	184	182	-	1	-	-	-	-	1	-	-	-	144	143	-	-	-	1	-	-	-	-	-	-
All other	123	123	-	-	-	-	-	-	-	-	-	-	105	104	1	-	-	-	-	-	-	-	-	-
Black	121	121	-	-	-	-	-	-	-	-	-	-	103	102	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	73	73	-	-	-	-	-	-	-	-	-	-	54	52	1	-	-	1	-	-	-	-	-	-
White	54	54	-	-	-	-	-	-	-	-	-	-	39	38	-	-	-	1	-	-	-	-	-	-
All other	19	19	-	-	-	-	-	-	-	-	-	-	15	14	1	-	-	-	-	-	-	-	-	-
Black	19	19	-	-	-	-	-	-	-	-	-	-	15	14	1	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	234	232	-	1	-	-	-	-	1	-	-	-	195	195	-	-	-	-	-	-	-	-	-	-
White	130	128	-	1	-	-	-	-	1	-	-	-	105	105	-	-	-	-	-	-	-	-	-	-
All other	104	104	-	-	-	-	-	-	-	-	-	-	90	90	-	-	-	-	-	-	-	-	-	-
Black	102	102	-	-	-	-	-	-	-	-	-	-	88	88	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	166	63	2	1	4	13	5	6	12	22	19	17	154	43	1	2	2	4	2	4	9	19	30	38
White	123	43	-	1	4	10	4	3	10	15	16	16	105	25	-	1	1	2	-	2	6	13	22	33
All other	43	20	2	-	-	3	1	3	2	7	3	1	49	18	1	1	1	2	2	2	3	6	8	5
Black	43	20	2	-	-	3	1	3	2	7	3	1	49	18	1	1	1	2	2	2	3	6	8	5
All other diseases (Residual)	1,457	17	13	9	30	39	82	150	264	377	322	154	1,434	12	16	20	28	40	47	110	186	269	390	315
White	1,079	10	9	8	19	23	36	105	191	286	265	127	1,078	9	13	16	18	24	23	66	136	191	315	266
All other	378	7	4	1	11	16	46	45	73	91	57	27	356	3	3	4	10	16	24	44	50	78	75	49
Black	375	7	4	1	11	16	46	44	73	90	56	27	353	3	2	4	9	16	24	43	50	78	75	49
Accidents and adverse effects (E800-E949)	1,592	10	35	57	376	319	159	167	172	146	103	48	680	4	21	29	108	47	53	43	59	91	115	108
White	1,196	4	26	44	329	239	106	116	109	111	75	37	555	4	16	16	97	37	46	37	47	71	97	86
All other	396	6	9	13	47	80	53	51	63	35	28	11	125	-	5	13	12	10	7	6	12	20	18	22
Black	389	6	9	13	45	76	53	50	63	35	28	11	120	-	5	13	10	10	5	6	12	20	17	22

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Motor vehicle accidents (E810-E825)	779	4	10	29	280	190	81	64	57	40	22	2	276	1	6	19	90	38	39	16	17	25	18	6
White	619	2	9	24	247	142	57	52	40	30	15	1	240	1	5	13	82	33	32	15	13	22	17	6
All other	160	2	1	5	33	48	24	12	17	10	7	1	36	-	1	6	8	5	7	1	4	3	1	-
Black	155	2	1	5	31	45	24	12	17	10	7	1	32	-	1	6	6	5	5	1	4	3	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	813	6	25	28	96	129	78	103	115	106	81	46	404	3	15	10	19	9	14	27	42	66	97	102
White	577	2	17	20	82	97	49	64	69	81	60	36	315	3	11	3	15	4	14	22	34	49	80	80
All other	236	4	8	8	14	32	29	39	46	25	21	10	89	-	4	7	4	5	-	5	8	17	17	22
Black	234	4	8	8	14	31	29	38	46	25	21	10	88	-	4	7	4	5	-	5	8	17	16	22
Suicide (E950-E959)	540	...	...	1	98	137	75	68	75	48	28	9	172	...	...	3	20	28	37	33	30	19	2	-
White	477	...	...	1	90	116	62	62	66	43	27	9	157	...	...	3	17	27	33	31	27	17	2	-
All other	63	...	...	-	8	21	13	6	9	5	1	-	15	...	...	-	3	1	4	2	3	2	-	-
Black	61	...	...	-	7	21	13	6	8	5	1	-	14	...	...	-	2	1	4	2	3	2	-	-
Homicide and legal intervention (E960-E978)	360	4	1	6	72	100	75	47	32	19	3	-	140	4	8	8	30	36	17	17	10	7	3	-
White	182	3	-	6	39	44	42	20	18	10	-	-	86	-	4	6	20	25	12	8	6	3	2	-
All other	178	1	1	-	33	56	33	27	14	9	3	-	54	4	4	2	10	11	5	9	4	4	1	-
Black	176	1	1	-	32	56	33	27	14	8	3	-	49	3	4	2	8	9	5	9	4	4	1	-
All other external causes (E980-E999)	24	1	1	-	5	5	5	3	3	1	-	-	5	-	-	-	1	1	1	-	1	1	-	-
White	14	1	1	-	3	4	1	1	2	1	-	-	3	-	-	-	1	1	-	-	1	-	-	-
All other	10	-	-	-	2	1	4	2	1	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	10	-	-	-	2	1	4	2	1	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
WASHINGTON																								
All causes	17,313	433	79	100	561	622	644	1,177	2,799	4,391	4,080	2,423	14,718	300	57	63	201	244	345	732	1,679	3,000	3,912	4,185
White	16,448	371	73	90	502	555	565	1,093	2,641	4,229	3,950	2,375	14,173	258	43	56	176	215	307	684	1,598	2,914	3,809	4,113
All other	865	62	6	10	59	67	79	84	158	162	130	48	545	42	14	7	25	29	38	48	81	86	103	72
Black	418	32	3	4	23	29	40	45	95	76	53	18	245	13	5	3	9	7	13	22	39	54	43	37
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	-	-	-	-	-	-	2	3	-	1	-	-	-	-	-	-	-	1	1
White	2	-	-	-	-	-	-	-	-	-	-	2	3	-	1	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	11	-	-	-	-	-	1	-	1	5	3	1	6	-	-	-	-	-	1	1	-	1	3	-
White	9	-	-	-	-	-	1	-	-	5	3	-	5	-	-	-	-	-	1	1	-	1	2	-
All other	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	10	-	-	-	-	-	1	-	1	4	3	1	5	-	-	-	-	-	1	1	-	1	2	-
White	8	-	-	-	-	-	1	-	-	4	3	-	4	-	-	-	-	-	1	1	-	1	1	-
All other	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	1	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	2	-	-	-
White	2	1	1	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	2	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	42	1	1	-	-	1	-	3	8	11	11	6	59	2	1	-	1	-	3	2	4	19	11	16
White	39	1	1	-	-	1	-	1	8	11	10	6	55	1	1	-	1	-	2	2	3	18	11	16
All other	3	-	-	-	-	-	-	2	-	-	1	-	4	1	-	-	-	-	1	-	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con																								
Viral hepatitis (070)	14	-	-	-	1	1	2	4	-	5	-	1	4	-	-	-	-	-	-	1	1	1	-	1
White	14	-	-	-	1	1	2	4	-	5	-	1	4	-	-	-	-	-	-	1	1	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	39	1	1	2	1	4	1	2	3	9	9	6	27	-	1	-	-	1	2	3	3	6	8	3
White	36	1	1	-	1	4	1	2	3	8	9	6	24	-	-	-	-	1	2	3	3	6	6	3
All other	3	-	-	2	-	-	-	-	-	1	-	-	3	-	1	-	-	-	-	-	-	-	2	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,703	-	8	9	23	51	105	296	852	1,223	823	313	3,305	1	5	12	16	31	121	323	717	941	760	378
White	3,555	-	8	9	21	46	96	281	812	1,183	797	302	3,196	1	4	10	16	31	110	305	692	922	735	370
All other	148	-	-	-	2	5	9	15	40	40	26	11	109	-	1	2	-	-	11	18	25	19	25	8
Black	81	-	-	-	2	3	4	9	26	19	10	8	48	-	1	2	-	-	4	7	10	13	9	2
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	75	-	-	-	-	-	3	14	25	23	8	2	46	-	-	-	-	-	-	3	12	16	13	2
White	72	-	-	-	-	-	2	12	25	23	8	2	44	-	-	-	-	-	-	3	11	16	12	2
All other	3	-	-	-	-	-	1	2	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	873	-	1	-	3	7	20	72	211	277	201	81	896	-	-	-	-	1	14	48	146	261	275	151
White	831	-	1	-	2	6	20	64	199	269	190	80	855	-	-	-	-	1	12	43	136	253	264	146
All other	42	-	-	-	1	1	-	8	12	8	11	1	41	-	-	-	-	-	2	5	10	8	11	5
Black	19	-	-	-	1	-	-	2	8	3	4	1	18	-	-	-	-	-	1	2	4	5	5	1
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,344	-	-	-	-	4	27	115	378	509	248	63	638	-	-	1	-	1	16	85	182	228	90	35
White	1,289	-	-	-	-	3	23	110	363	490	242	58	621	-	-	1	-	1	14	81	178	224	88	34
All other	55	-	-	-	-	1	4	5	15	19	6	5	17	-	-	-	-	-	2	4	4	4	2	1
Black	34	-	-	-	-	1	2	5	11	8	4	3	12	-	-	-	-	-	-	3	3	4	1	1
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	1	1	1	3	-	574	-	-	-	-	3	38	80	159	149	97	48
White	6	-	-	-	-	-	-	1	1	1	3	-	556	-	-	-	-	3	35	75	155	145	95	48
All other	-	-	-	-	-	-	-	-	-	-	-	-	18	-	-	-	-	-	3	5	4	4	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	-	-	2	2	2	4	2	-
Malignant neoplasms of genital organs (179-187)	430	-	-	-	1	8	3	6	39	121	161	91	374	-	-	-	2	3	14	47	99	112	58	39
White	412	-	-	-	1	8	3	6	35	114	158	87	365	-	-	-	2	3	12	45	96	111	57	39
All other	18	-	-	-	-	-	-	-	4	7	3	4	9	-	-	-	-	-	2	2	3	1	1	-
Black	12	-	-	-	-	-	-	-	4	5	2	1	1	-	-	-	-	-	1	-	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	207	-	-	-	-	2	4	9	34	72	56	30	114	-	-	-	-	-	5	4	14	25	38	28
White	202	-	-	-	-	1	3	9	33	70	56	30	113	-	-	-	-	-	5	4	14	24	38	28
All other	5	-	-	-	-	1	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	4	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	412	-	4	5	9	14	22	52	92	118	71	25	352	-	3	6	5	13	18	34	58	80	94	41
White	403	-	4	5	9	14	22	52	87	116	69	25	341	-	3	4	5	13	18	33	57	79	89	40
All other	9	-	-	-	-	-	-	-	5	2	2	-	11	-	-	2	-	-	-	1	1	1	5	1
Black	4	-	-	-	-	-	-	-	3	1	-	-	2	-	-	2	-	-	-	-	-	-	-	-
Leukemia (204-208)	166	-	2	4	7	9	13	7	34	43	36	11	124	1	2	5	5	6	10	11	14	21	32	17
White	157	-	2	4	7	8	10	7	32	42	34	11	121	1	1	5	5	6	9	11	13	21	32	17
All other	9	-	-	-	-	1	3	-	2	1	2	-	3	-	1	-	-	-	1	-	1	-	-	-
Black	3	-	-	-	-	1	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	190	-	1	-	3	7	13	20	38	59	39	10	187	-	-	-	4	4	6	11	33	49	63	17
White	183	-	1	-	2	6	13	20	37	58	37	9	180	-	-	-	4	4	5	10	32	49	60	16
All other	7	-	-	-	1	1	-	-	1	1	2	1	7	-	-	-	-	-	1	1	1	-	3	1
Black	3	-	-	-	1	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	54	-	-	1	1	1	3	6	11	14	12	5	48	-	-	-	1	2	2	2	9	12	4	16
White	50	-	-	1	1	1	2	5	10	13	12	5	46	-	-	-	1	2	2	2	9	12	4	14
All other	4	-	-	-	-	-	1	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	4	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Diabetes mellitus (250)	247	-	-	-	3	8	17	15	48	70	58	28	312	-	-	-	3	5	9	24	33	81	91	66
White	220	-	-	-	3	7	15	11	39	65	54	26	294	-	-	-	2	5	9	24	30	74	85	65
All other	27	-	-	-	-	1	2	4	9	5	4	2	18	-	-	-	1	-	-	-	3	7	6	1
Black	16	-	-	-	-	-	1	2	7	2	4	-	11	-	-	-	1	-	-	-	2	5	3	-
Nutritional deficiencies (260-269)	16	-	-	-	-	-	-	-	1	3	4	8	39	-	-	-	-	1	-	1	5	7	6	19
White	15	-	-	-	-	-	-	-	1	2	4	8	38	-	-	-	-	1	-	1	5	6	6	19
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Anemias (280-285)	22	1	-	1	-	-	2	1	1	4	4	8	25	-	1	-	1	-	-	2	-	2	8	11
White	22	1	-	1	-	-	2	1	1	4	4	8	25	-	1	-	1	-	-	2	-	2	8	11
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	12	3	2	-	-	2	1	-	1	-	3	-	5	1	-	-	-	1	-	-	1	-	1	1
White	10	2	2	-	-	2	-	-	1	-	3	-	5	1	-	-	-	1	-	-	1	-	1	1
All other	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	7,811	5	3	1	17	36	148	477	1,270	2,067	2,309	1,475	7,300	5	4	-	4	25	54	179	536	1,336	2,283	2,874
White	7,517	5	3	1	14	29	134	448	1,201	1,991	2,233	1,455	7,104	5	2	-	3	23	46	163	509	1,289	2,233	2,831
All other	294	-	-	-	3	7	14	29	69	76	76	20	196	-	2	-	1	2	8	16	27	47	50	43
Black	143	-	-	-	-	2	7	16	43	36	30	9	117	-	2	-	-	1	3	12	19	30	25	25
Diseases of heart (390-398,402,404-429)	6,179	4	3	1	13	33	129	412	1,120	1,691	1,724	1,047	5,099	5	4	-	3	13	32	128	414	991	1,600	1,909
White	5,953	4	3	1	11	26	118	388	1,063	1,631	1,673	1,033	4,966	5	2	-	2	12	29	115	394	959	1,570	1,878
All other	226	-	-	-	2	7	11	24	57	60	51	14	133	-	2	-	1	1	3	13	20	32	30	31
Black	112	-	-	-	-	2	5	15	36	28	19	7	80	-	2	-	-	1	2	10	14	21	14	16
Rheumatic fever and rheumatic heart disease (390-398)	46	-	-	-	2	-	1	2	11	16	10	4	94	-	-	-	-	-	2	9	11	28	25	19
White	44	-	-	-	1	-	1	1	11	16	10	4	88	-	-	-	-	-	2	7	10	26	24	19
All other	2	-	-	-	1	-	-	1	-	-	-	-	6	-	-	-	-	-	-	2	1	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	1	1	-
Hypertensive heart disease (402)	116	-	-	-	-	1	1	9	24	43	25	13	154	-	-	-	-	-	1	1	8	23	51	70
White	105	-	-	-	-	1	1	8	22	38	22	13	146	-	-	-	-	-	1	1	7	20	49	68
All other	11	-	-	-	-	-	-	1	2	5	3	-	8	-	-	-	-	-	-	-	1	3	2	2
Black	6	-	-	-	-	-	-	1	1	4	-	-	6	-	-	-	-	-	-	-	1	3	1	1
Hypertensive heart and renal disease (404)	15	-	-	-	-	-	-	-	3	3	2	7	17	-	-	-	-	-	-	1	2	2	4	8
White	14	-	-	-	-	-	-	-	3	3	2	6	17	-	-	-	-	-	-	1	2	2	4	8
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	4,528	-	-	-	3	16	101	315	852	1,261	1,258	720	3,473	-	-	-	1	3	15	83	288	710	1,103	1,270
White	4,392	-	-	-	2	10	95	301	820	1,222	1,226	714	3,391	-	-	-	-	3	14	75	277	689	1,085	1,248
All other	136	-	-	-	1	6	6	14	32	39	32	6	82	-	-	-	1	-	1	8	11	21	18	22
Black	64	-	-	-	-	2	1	9	16	18	13	5	45	-	-	-	-	-	1	6	9	11	8	10
Acute myocardial infarction (410)	2,540	-	-	-	2	11	69	214	559	782	651	250	1,662	-	-	-	1	3	7	57	174	433	553	434
White	2,464	-	-	-	2	7	63	207	542	755	636	250	1,617	-	-	-	-	3	7	52	166	420	545	424
All other	76	-	-	-	-	4	6	7	17	27	15	-	45	-	-	-	1	-	-	5	8	13	8	10
Black	30	-	-	-	-	2	1	5	6	13	3	-	24	-	-	-	-	-	-	4	7	6	4	3
Other acute and subacute forms of ischemic heart disease (411)	17	-	-	-	-	-	-	3	4	3	2	5	12	-	-	-	-	-	-	-	1	4	1	6
White	17	-	-	-	-	-	-	3	4	3	2	5	12	-	-	-	-	-	-	-	1	4	1	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	11	-	-	-	-	-	-	2	1	2	2	4	7	-	-	-	-	-	-	-	2	-	2	3
White	10	-	-	-	-	-	-	1	1	2	2	4	7	-	-	-	-	-	-	-	2	-	2	3
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,960	-	-	-	1	5	32	96	288	474	603	461	1,792	-	-	-	-	-	8	26	111	273	547	827
White	1,901	-	-	-	-	3	32	90	273	462	586	455	1,755	-	-	-	-	-	7	23	108	265	537	815
All other	59	-	-	-	1	2	-	6	15	12	17	6	37	-	-	-	-	-	1	3	3	8	10	12
Black	33	-	-	-	-	-	-	3	10	5	10	5	21	-	-	-	-	-	1	2	2	5	4	7
Other diseases of endocardium (424)	95	-	-	-	1	1	-	5	14	25	32	17	84	-	-	-	-	-	1	2	3	13	29	36
White	93	-	-	-	1	1	-	4	13	25	32	17	84	-	-	-	-	-	1	2	3	13	29	36
All other	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
All other forms of heart disease (415-423,425-429)	1,379	4	3	1	7	15	26	81	216	343	397	286	1,277	5	4	-	2	10	13	32	102	215	388	506
White	1,305	4	3	1	7	14	21	74	194	327	381	279	1,240	5	2	-	2	9	11	29	95	209	379	499
All other	74	-	-	-	-	1	5	7	22	16	16	7	37	-	2	-	-	1	2	3	7	6	9	7
Black	40	-	-	-	-	-	4	4	18	6	6	2	26	-	2	-	-	1	1	3	4	6	4	5
Hypertension with or without renal disease (401,403)	50	-	-	-	-	-	2	7	6	9	13	13	72	-	-	-	-	1	-	5	6	11	28	21
White	47	-	-	-	-	-	1	7	5	9	12	13	67	-	-	-	-	1	-	4	5	10	28	19
All other	3	-	-	-	-	-	1	-	1	-	1	-	5	-	-	-	-	-	-	1	1	1	-	2
Black	1	-	-	-	-	-	1	-	-	-	-	-	4	-	-	-	-	-	-	1	1	1	-	1
Cerebrovascular diseases (430-438)	1,145	1	-	-	4	1	14	46	96	272	416	294	1,685	-	-	-	-	9	21	43	99	265	547	701
White	1,090	1	-	-	3	1	12	41	86	258	399	288	1,630	-	-	-	-	8	17	41	93	252	528	691
All other	55	-	-	-	1	-	2	5	10	14	17	6	55	-	-	-	-	1	4	2	6	13	19	10
Black	23	-	-	-	-	-	1	1	6	6	7	2	32	-	-	-	-	-	1	1	4	8	10	8
Intracerebral and other intracranial hemorrhage (431-432)	143	1	-	-	1	-	6	14	29	45	36	11	171	-	-	-	-	3	4	15	28	35	48	38
White	127	1	-	-	1	-	5	10	26	40	34	10	164	-	-	-	-	2	4	15	26	33	46	38
All other	16	-	-	-	-	-	1	4	3	5	2	1	7	-	-	-	-	1	-	-	2	2	2	-
Black	6	-	-	-	-	-	1	1	1	1	2	-	2	-	-	-	-	-	-	-	2	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	188	-	-	-	-	-	-	5	10	44	72	57	304	-	-	-	-	-	-	4	12	43	101	144
White	181	-	-	-	-	-	-	5	9	42	69	56	296	-	-	-	-	-	-	4	12	41	97	142
All other	7	-	-	-	-	-	-	-	1	2	3	1	8	-	-	-	-	-	-	-	-	2	4	2
Black	6	-	-	-	-	-	-	-	1	2	2	1	8	-	-	-	-	-	-	-	-	2	4	2
Cerebral embolism (434.1)	5	-	-	-	-	-	-	-	1	3	-	1	7	-	-	-	-	-	-	-	-	1	1	5
White	5	-	-	-	-	-	-	-	1	3	-	1	6	-	-	-	-	-	-	-	-	-	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	809	-	-	-	3	1	8	27	56	180	308	225	1,203	-	-	-	-	6	17	24	59	186	397	514
White	777	-	-	-	2	1	7	26	50	173	296	221	1,164	-	-	-	-	6	13	22	55	178	384	506
All other	32	-	-	-	1	-	1	1	6	7	12	4	39	-	-	-	-	-	4	2	4	8	13	8
Black	11	-	-	-	-	-	-	-	4	3	3	1	21	-	-	-	-	-	1	1	2	5	6	6
Atherosclerosis (440)	224	-	-	-	-	-	2	3	13	28	84	94	323	-	-	-	-	1	-	2	3	31	74	212
White	221	-	-	-	-	-	2	3	13	28	81	94	322	-	-	-	-	1	-	2	3	31	73	212
All other	3	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Other diseases of arteries, arterioles, and capillaries (441-448)	213	-	-	-	-	2	1	9	35	67	72	27	121	-	-	-	1	1	1	1	14	38	34	31
White	206	-	-	-	-	2	1	9	34	65	68	27	119	-	-	-	1	1	-	1	14	37	34	31
All other	7	-	-	-	-	-	-	-	1	2	4	-	2	-	-	-	-	-	1	-	-	1	-	-
Black	6	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	4	-	-	-	-	-	-	-	-	1	2	1	6	1	-	-	-	-	-	-	-	-	2	3
White	4	-	-	-	-	-	-	-	-	1	2	1	5	-	-	-	-	-	-	-	-	-	2	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	409	8	2	1	2	2	6	12	27	78	125	146	484	3	-	4	-	3	5	4	29	47	128	261
White	390	7	2	1	2	2	4	9	26	75	121	141	472	3	-	4	-	3	4	4	27	46	124	257
All other	19	1	-	-	-	-	2	3	1	3	4	5	12	-	-	-	-	-	1	-	2	1	4	4
Black	6	-	-	-	-	-	2	1	1	1	1	-	4	-	-	-	-	-	1	-	1	-	1	1
Pneumonia (480-486)	388	7	2	1	2	2	6	12	27	74	118	137	447	3	-	4	-	3	4	4	28	42	117	242
White	369	6	2	1	2	2	4	9	26	71	114	132	436	3	-	4	-	3	3	4	26	41	114	238
All other	19	1	-	-	-	-	2	3	1	3	4	5	11	-	-	-	-	-	1	-	2	1	3	4
Black	6	-	-	-	-	-	2	1	1	1	1	-	4	-	-	-	-	-	1	-	1	-	1	1
Influenza (487)	21	1	-	-	-	-	-	-	-	4	7	9	37	-	-	-	-	-	1	-	1	5	11	19
White	21	1	-	-	-	-	-	-	-	4	7	9	36	-	-	-	-	-	1	-	1	5	10	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	869	-	-	1	1	4	1	17	125	349	278	93	421	1	1	2	1	1	3	12	66	166	123	45
White	850	-	-	1	-	4	1	16	123	341	271	93	414	1	1	2	-	1	3	9	64	166	122	45
All other	19	-	-	-	1	-	-	1	2	8	7	-	7	-	-	-	1	-	-	3	2	-	1	-
Black	12	-	-	-	1	-	-	1	1	6	3	-	2	-	-	-	-	-	-	2	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	34	-	-	-	-	-	-	-	5	14	7	8	13	1	-	-	-	-	1	-	3	5	-	3
White	33	-	-	-	-	-	-	-	5	13	7	8	13	1	-	-	-	-	1	-	3	5	-	3
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	214	-	-	-	-	-	-	6	33	88	67	20	102	-	-	-	-	-	-	4	20	44	23	11
White	210	-	-	-	-	-	-	6	32	86	66	20	101	-	-	-	-	-	-	3	20	44	23	11
All other	4	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	1	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Asthma (493)	34	-	-	-	1	3	-	1	4	10	13	2	35	-	-	2	-	1	2	2	4	11	7	6
White	30	-	-	-	-	3	-	1	4	9	11	2	34	-	-	2	-	1	2	1	4	11	7	6
All other	4	-	-	-	1	-	-	-	-	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	2	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	587	-	-	1	-	1	1	10	83	237	191	63	271	-	1	-	1	-	-	6	39	106	93	25
White	577	-	-	1	-	1	1	9	82	233	187	63	266	-	1	-	-	-	-	5	37	106	92	25
All other	10	-	-	-	-	-	-	1	1	4	4	-	5	-	-	-	1	-	-	1	2	-	1	-
Black	6	-	-	-	-	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	56	-	-	-	-	1	2	-	8	12	21	12	51	-	-	-	-	-	-	2	5	12	17	15
White	55	-	-	-	-	1	2	-	8	11	21	12	50	-	-	-	-	-	-	2	5	12	17	14
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	7	-	-	1	-	-	-	1	-	3	1	1	4	-	-	-	1	-	-	1	1	1	-	-
White	7	-	-	1	-	-	-	1	-	3	1	1	4	-	-	-	1	-	-	1	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	43	-	-	-	-	2	1	1	2	9	12	16	55	-	-	1	-	1	-	1	1	12	21	18
White	42	-	-	-	-	2	1	1	2	9	11	16	51	-	-	1	-	1	-	1	1	11	19	17
All other	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	1	2	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
Chronic liver disease and cirrhosis (571)	285	-	1	-	-	4	34	63	88	71	19	5	196	-	-	-	2	6	16	36	67	51	11	7
White	256	-	1	-	-	3	27	56	77	71	17	4	180	-	-	-	1	5	14	33	61	48	11	7
All other	29	-	-	-	-	1	7	7	11	-	2	1	16	-	-	-	1	1	2	3	6	3	-	-
Black	5	-	-	-	-	-	1	2	2	-	-	-	3	-	-	-	1	-	-	-	1	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	31	-	-	-	-	-	2	-	-	8	16	5	12	-	-	-	-	-	-	-	1	4	4	3
White	28	-	-	-	-	-	1	-	-	8	15	4	11	-	-	-	-	-	-	-	1	3	4	3
All other	3	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	112	1	1	-	-	5	3	5	8	32	30	27	117	2	-	-	2	1	2	5	13	29	28	35
White	106	-	1	-	-	5	3	4	8	28	30	27	109	2	-	-	2	1	-	5	11	27	27	34
All other	6	1	-	-	-	-	-	1	-	4	-	-	8	-	-	-	-	-	2	-	2	2	1	1
Black	3	1	-	-	-	-	-	1	-	1	-	-	5	-	-	-	-	-	1	-	1	2	-	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	11	-	-	-	-	1	-	1	3	1	3	2	20	-	-	-	1	-	-	3	2	5	6	3
White	11	-	-	-	-	1	-	1	3	1	3	2	18	-	-	-	1	-	-	3	2	4	6	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	98	1	1	-	-	4	2	4	5	31	26	24	97	2	-	-	1	1	2	2	11	24	22	32
White	92	-	1	-	-	4	2	3	5	27	26	24	91	2	-	-	1	1	-	2	9	23	21	32
All other	6	1	-	-	-	-	-	1	-	4	-	-	6	-	-	-	-	-	2	-	2	1	1	-
Black	3	1	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	1	-	1	1	-	-
Infections of kidney (590)	17	-	-	-	-	-	1	1	1	1	8	5	17	-	-	-	-	-	-	1	1	5	5	5
White	17	-	-	-	-	-	1	1	1	1	8	5	15	-	-	-	-	-	-	-	1	5	4	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	15	-	-	-	-	-	-	-	-	3	4	8	...	...	...	...	...	...	...	...	...	...	...	...
White	15	-	-	-	-	-	-	-	-	3	4	8	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	-	2	-	2	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	1	-	2	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	-	2	-	1	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	-	1	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	1	-	-	-	...	...	...	...
Congenital anomalies (740-759)	141	95	11	7	8	4	1	1	3	8	-	3	122	81	9	6	3	3	2	2	6	5	4	1
White	134	90	11	6	8	4	1	1	3	7	-	3	111	73	8	5	3	3	2	2	5	5	4	1
All other	7	5	-	1	-	-	-	-	-	1	-	-	11	8	1	1	-	-	-	-	1	-	-	-
Black	3	2	-	1	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	179	177	1	-	1	-	-	-	-	-	-	-	126	125	-	1	-	-	-	-	-	-	-	-
White	154	153	-	-	1	-	-	-	-	-	-	-	106	105	-	1	-	-	-	-	-	-	-	-
All other	25	24	1	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
Black	16	15	1	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	84	82	1	-	1	-	-	-	-	-	-	-	49	48	-	1	-	-	-	-	-	-	-	-
White	71	70	-	-	1	-	-	-	-	-	-	-	44	43	-	1	-	-	-	-	-	-	-	-
All other	13	12	1	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	95	95	-	-	-	-	-	-	-	-	-	-	77	77	-	-	-	-	-	-	-	-	-	-
White	83	83	-	-	-	-	-	-	-	-	-	-	62	62	-	-	-	-	-	-	-	-	-	-
All other	12	12	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
Black	9	9	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	157	104	3	-	3	9	6	1	3	14	4	10	115	54	-	-	2	3	6	5	6	8	12	19
White	133	84	3	-	3	8	6	1	2	12	4	10	105	45	-	-	2	2	6	5	6	8	12	19
All other	24	20	-	-	-	1	-	-	1	2	-	-	10	9	-	-	-	1	-	-	-	-	-	-
Black	11	9	-	-	-	-	-	-	1	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	1,004	21	7	11	20	26	44	78	158	254	215	170	1,050	12	9	8	13	27	32	50	101	198	300	300
White	953	15	5	9	18	24	35	76	151	245	211	164	1,009	12	5	8	12	23	28	48	93	196	293	291
All other	51	6	2	2	2	2	9	2	7	9	4	6	41	-	4	-	1	4	4	2	8	2	7	9
Black	21	2	-	1	1	1	5	1	1	5	1	3	14	-	-	-	-	-	2	-	3	-	3	6
Accidents and adverse effects (E800-E949)	1,324	12	34	61	347	282	147	116	108	81	81	54	561	8	24	26	110	68	48	45	36	40	70	86
White	1,211	8	33	56	316	257	130	108	98	73	78	53	513	5	19	23	100	60	38	41	37	39	67	84
All other	113	4	1	5	31	25	17	8	10	8	3	1	48	3	5	3	10	8	8	4	1	1	3	2
Black	52	3	1	2	13	11	7	5	6	2	2	-	14	2	2	1	2	1	2	-	1	-	2	1
Motor vehicle accidents (E810-E825)	630	1	12	24	231	151	73	46	38	24	22	8	271	-	10	17	86	48	28	26	21	17	14	4
White	580	-	12	23	215	142	61	41	35	22	21	8	239	-	7	14	77	41	23	22	21	17	13	4
All other	50	1	-	1	16	9	12	5	3	2	1	-	32	-	3	3	9	7	5	4	-	-	1	-
Black	17	-	-	-	5	4	3	3	1	-	1	-	6	-	-	1	2	1	2	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	694	11	22	37	116	131	74	70	70	57	59	46	290	8	14	9	24	20	18	19	17	23	56	82
White	631	8	21	33	101	115	69	67	63	51	57	45	274	5	12	9	23	19	15	19	16	22	54	80
All other	63	3	1	4	15	16	5	3	7	6	2	1	16	3	2	-	1	1	3	-	1	1	2	2
Black	35	3	1	2	6	7	4	2	5	2	1	-	8	2	2	-	-	-	-	-	1	-	2	1
Suicide (E950-E959)	479	...	...	2	86	122	78	50	58	48	24	11	152	...	...	1	20	38	26	27	23	11	6	-
White	442	...	...	2	72	112	73	47	55	47	23	11	144	...	...	-	17	35	26	27	22	11	6	-
All other	37	...	...	-	14	10	5	3	3	1	1	-	8	...	...	1	3	3	-	-	1	-	-	-
Black	12	...	...	-	-	5	3	2	1	1	-	-	2	...	...	-	-	1	-	-	1	-	-	-
Homicide and legal intervention (E960-E978)	166	2	2	-	40	50	31	22	12	5	1	1	76	3	1	2	16	25	11	3	9	3	3	-
White	124	2	-	-	34	35	21	17	9	4	1	1	58	3	1	2	12	15	10	2	7	3	3	-
All other	42	-	2	-	6	15	10	5	3	1	-	-	18	-	-	-	4	10	1	1	2	-	-	-
Black	30	-	1	-	6	7	9	4	3	-	-	-	9	-	-	-	4	4	-	1	-	-	-	-
All other external causes (E980-E999)	39	-	1	2	7	7	7	5	2	3	3	2	10	-	-	-	3	2	2	-	1	1	-	1
White	35	-	1	2	7	7	6	2	2	3	3	2	8	-	-	-	1	2	2	-	1	1	-	1
All other	4	-	-	-	-	-	1	3	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA																								
All causes	10,550	228	39	71	252	289	365	762	1,906	2,874	2,530	1,233	8,503	135	38	32	77	114	141	427	1,110	1,919	2,462	2,048
White	10,100	212	37	70	239	267	348	728	1,829	2,759	2,421	1,190	8,111	126	35	31	71	106	133	408	1,047	1,825	2,348	1,981
All other	450	16	2	1	13	22	17	34	77	115	109	43	392	9	3	1	6	8	8	19	63	94	114	67
Black	443	16	2	1	12	21	17	34	74	113	109	43	387	9	3	1	6	8	7	18	62	92	114	67
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	3	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	15	-	-	-	-	-	-	1	1	6	5	2	5	-	-	-	-	-	-	-	-	1	3	1
White	14	-	-	-	-	-	-	1	1	5	5	2	5	-	-	-	-	-	-	-	-	1	3	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	14	-	-	-	-	-	-	1	1	5	5	2	5	-	-	-	-	-	-	-	-	1	3	1
White	14	-	-	-	-	-	-	1	1	5	5	2	5	-	-	-	-	-	-	-	-	1	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	3	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	3	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	45	-	1	-	-	1	1	6	7	11	11	7	33	1	-	-	-	-	-	3	5	5	11	8
White	40	-	1	-	-	-	1	4	7	11	10	6	30	1	-	-	-	-	-	3	4	4	10	8
All other	5	-	-	-	-	1	-	2	-	-	1	1	3	-	-	-	-	-	-	-	1	1	1	-
Black	5	-	-	-	-	1	-	2	-	-	1	1	3	-	-	-	-	-	-	-	1	1	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	2	-	-	-	1	-	-
White	2	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	2	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	18	1	1	1	1	-	1	-	2	6	4	1	18	-	-	-	2	1	1	1	2	5	4	2
White	18	1	1	1	1	-	1	-	2	6	4	1	16	-	-	-	2	-	1	1	1	5	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,069	-	2	2	9	23	55	164	496	703	471	144	1,654	-	2	3	6	23	43	172	406	484	373	142
White	1,980	-	2	2	9	22	53	159	477	670	448	138	1,580	-	2	3	6	23	43	167	383	462	353	138
All other	89	-	-	-	-	1	2	5	19	33	23	6	74	-	-	-	-	-	-	5	23	22	20	4
Black	89	-	-	-	-	1	2	5	19	33	23	6	73	-	-	-	-	-	-	5	22	22	20	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	40	-	-	-	-	-	3	4	19	11	2	1	18	-	-	-	-	-	-	2	4	1	7	4
White	37	-	-	-	-	-	2	4	17	11	2	1	17	-	-	-	-	-	-	2	3	1	7	4
All other	3	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	450	-	-	-	2	5	8	37	88	144	124	42	406	-	-	-	-	2	9	31	73	118	114	59
White	428	-	-	-	2	5	7	35	87	135	117	40	386	-	-	-	-	2	9	31	67	114	107	56
All other	22	-	-	-	-	-	1	2	1	9	7	2	20	-	-	-	-	-	-	-	6	4	7	3
Black	22	-	-	-	-	-	1	2	1	9	7	2	20	-	-	-	-	-	-	-	6	4	7	3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	799	-	-	-	-	2	12	75	230	314	135	31	284	-	-	-	-	1	2	39	89	90	53	10
White	765	-	-	-	-	2	12	73	218	299	130	31	278	-	-	-	-	1	2	38	88	88	51	10
All other	34	-	-	-	-	-	-	2	12	15	5	-	6	-	-	-	-	-	-	1	1	2	2	-
Black	34	-	-	-	-	-	-	2	12	15	5	-	6	-	-	-	-	-	-	1	1	2	2	-
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	-	1	1	294	-	-	-	-	2	11	41	84	93	44	19
White	2	-	-	-	-	-	-	-	-	-	1	1	277	-	-	-	-	2	11	40	78	85	43	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	17	-	-	-	-	-	-	1	6	8	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	17	-	-	-	-	-	-	1	6	8	1	1
Malignant neoplasms of genital organs (179-187)	187	-	-	-	-	-	3	2	17	65	70	30	176	-	-	-	-	6	10	19	42	58	35	6
White	171	-	-	-	-	-	3	2	15	61	63	27	167	-	-	-	-	6	10	19	37	56	33	6
All other	16	-	-	-	-	-	-	-	2	4	7	3	9	-	-	-	-	-	-	-	5	2	2	-
Black	16	-	-	-	-	-	-	-	2	4	7	3	8	-	-	-	-	-	-	-	4	2	2	-
Malignant neoplasms of urinary organs (188-189)	115	-	-	-	-	-	3	1	29	37	36	9	61	-	-	-	2	-	1	1	18	13	17	9
White	114	-	-	-	-	-	3	1	29	36	36	9	60	-	-	-	2	-	1	1	18	12	17	9
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	286	-	-	-	1	8	14	25	74	78	69	17	261	-	2	2	3	7	9	28	63	68	55	24
White	277	-	-	-	1	7	14	25	73	74	66	17	248	-	2	2	3	7	9	25	60	64	52	24
All other	9	-	-	-	-	1	-	-	1	4	3	-	13	-	-	-	-	-	-	3	3	4	3	-
Black	9	-	-	-	-	1	-	-	1	4	3	-	13	-	-	-	-	-	-	3	3	4	3	-
Leukemia (204-208)	102	-	2	1	4	4	4	14	13	29	20	11	68	-	-	1	-	4	-	3	11	13	28	8
White	101	-	2	1	4	4	4	13	13	29	20	11	65	-	-	1	-	4	-	3	11	13	25	8
All other	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	3	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	3	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	88	-	-	1	2	4	8	6	26	25	14	2	86	-	-	-	1	1	1	8	22	30	20	3
White	85	-	-	1	2	4	8	6	25	25	13	1	82	-	-	-	1	1	1	8	21	29	18	3
All other	3	-	-	-	-	-	-	-	1	-	1	1	4	-	-	-	-	-	-	-	1	1	2	-
Black	3	-	-	-	-	-	-	-	1	-	1	1	4	-	-	-	-	-	-	-	1	1	2	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	32	1	-	-	-	1	1	4	4	8	12	1	29	1	2	-	1	2	-	2	4	10	7	-
White	31	1	-	-	-	1	1	4	4	8	11	1	29	1	2	-	1	2	-	2	4	10	7	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	132	-	-	-	-	4	5	13	25	32	39	14	225	-	-	-	2	5	5	4	43	66	61	39
White	124	-	-	-	-	3	5	12	25	30	36	13	204	-	-	-	2	4	5	4	36	61	55	37
All other	8	-	-	-	-	1	-	1	-	2	3	1	21	-	-	-	-	1	-	-	7	5	6	2
Black	8	-	-	-	-	1	-	1	-	2	3	1	21	-	-	-	-	1	-	-	7	5	6	2
Nutritional deficiencies (260-269)	12	-	-	-	-	-	-	-	1	2	5	4	12	-	-	-	-	-	1	-	-	3	4	4
White	12	-	-	-	-	-	-	-	1	2	5	4	12	-	-	-	-	-	1	-	-	3	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	12	-	1	1	-	-	-	1	1	3	3	2	25	-	-	1	-	-	-	-	1	5	10	8
White	12	-	1	1	-	-	-	1	1	3	3	2	22	-	-	-	-	-	-	-	1	5	10	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	2
Meningitis (320-322)	9	1	3	-	1	-	-	1	-	-	2	1	5	-	2	-	-	-	1	-	-	-	1	1
White	9	1	3	-	1	-	-	1	-	-	2	1	5	-	2	-	-	-	1	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,165	5	1	4	7	26	103	338	968	1,485	1,431	797	4,721	4	6	1	7	8	38	131	453	989	1,584	1,500
White	4,971	5	1	4	5	23	98	324	927	1,432	1,376	776	4,517	4	6	1	5	7	35	121	432	936	1,516	1,454
All other	194	-	-	-	2	3	5	14	41	53	55	21	204	-	-	-	2	1	3	10	21	53	68	46
Black	189	-	-	-	2	3	5	14	38	51	55	21	203	-	-	-	2	1	3	10	21	52	68	46

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Diseases of heart (390-398,402,404-429)	4,313	5	1	2	6	22	92	302	860	1,270	1,133	620	3,646	4	6	1	5	6	29	102	387	767	1,220	1,119
White	4,159	5	1	2	4	19	87	290	826	1,228	1,091	606	3,503	4	6	1	3	5	27	95	368	735	1,171	1,088
All other	154	-	-	-	2	3	5	12	34	42	42	14	143	-	-	-	2	1	2	7	19	32	49	31
Black	149	-	-	-	2	3	5	12	31	40	42	14	142	-	-	-	2	1	2	7	19	31	49	31
Rheumatic fever and rheumatic heart disease (390-398)	10	-	-	-	-	1	2	1	1	2	3	-	53	-	-	-	1	2	5	4	14	13	11	3
White	10	-	-	-	-	1	2	1	1	2	3	-	51	-	-	-	1	1	5	4	13	13	11	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
Hypertensive heart disease (402)	83	-	-	-	-	1	5	5	16	18	26	12	120	-	-	-	-	-	1	4	18	22	45	30
White	75	-	-	-	-	1	4	4	14	16	24	12	108	-	-	-	-	-	1	3	16	20	42	26
All other	8	-	-	-	-	-	1	1	2	2	2	-	12	-	-	-	-	-	-	1	2	2	3	4
Black	8	-	-	-	-	-	1	1	2	2	2	-	12	-	-	-	-	-	-	1	2	2	3	4
Hypertensive heart and renal disease (404)	13	-	-	-	-	-	-	2	-	2	7	2	12	-	-	-	-	-	-	-	-	3	4	5
White	13	-	-	-	-	-	-	2	-	2	7	2	10	-	-	-	-	-	-	-	-	3	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Ischemic heart disease (410-414)	3,099	-	-	-	2	6	57	213	654	946	803	418	2,492	-	-	-	-	-	14	65	267	554	856	736
White	3,012	-	-	-	2	5	55	209	633	922	777	409	2,406	-	-	-	-	-	13	64	258	530	822	719
All other	87	-	-	-	-	1	2	4	21	24	26	9	86	-	-	-	-	-	1	1	9	24	34	17
Black	83	-	-	-	-	1	2	4	19	22	26	9	85	-	-	-	-	-	1	1	9	23	34	17
Acute myocardial infarction (410)	1,886	-	-	-	1	6	44	166	455	625	414	175	1,206	-	-	-	-	-	13	44	188	337	395	229
White	1,841	-	-	-	1	5	43	163	441	611	403	174	1,173	-	-	-	-	-	12	43	181	328	384	225
All other	45	-	-	-	-	1	1	3	14	14	11	1	33	-	-	-	-	-	1	1	7	9	11	4
Black	42	-	-	-	-	1	1	3	12	13	11	1	33	-	-	-	-	-	1	1	7	9	11	4
Other acute and subacute forms of ischemic heart disease (411)	10	-	-	-	-	-	2	2	2	1	1	2	8	-	-	-	-	-	-	-	1	1	5	1
White	8	-	-	-	-	-	1	2	2	1	-	2	8	-	-	-	-	-	-	-	1	1	5	1
All other	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	5	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
White	5	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,198	-	-	-	1	-	10	45	197	319	387	239	1,278	-	-	-	-	-	1	21	78	216	456	506
White	1,158	-	-	-	1	-	10	44	190	309	373	231	1,225	-	-	-	-	-	1	21	76	201	433	493
All other	40	-	-	-	-	-	-	1	7	10	14	8	53	-	-	-	-	-	-	-	2	15	23	13
Black	39	-	-	-	-	-	-	1	7	9	14	8	52	-	-	-	-	-	-	-	2	14	23	13
Other diseases of endocardium (424)	32	-	-	-	-	-	1	4	4	10	8	5	22	-	-	-	-	1	-	1	1	5	7	7
White	31	-	-	-	-	-	1	4	4	10	7	5	22	-	-	-	-	1	-	1	1	5	7	7
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	1,076	5	1	2	4	14	27	77	185	292	286	183	947	4	6	1	4	3	9	28	87	170	297	338
White	1,018	5	1	2	2	12	25	70	174	276	273	178	906	4	6	1	2	3	8	23	80	164	285	330
All other	58	-	-	-	2	2	2	7	11	16	13	5	41	-	-	-	2	-	1	5	7	6	12	8
Black	57	-	-	-	2	2	2	7	10	16	13	5	41	-	-	-	2	-	1	5	7	6	12	8
Hypertension with or without renal disease (401,403)	25	-	-	-	-	-	-	1	6	7	8	3	34	-	-	-	-	-	-	-	2	9	11	12
White	23	-	-	-	-	-	-	1	6	6	7	3	30	-	-	-	-	-	-	-	2	8	10	10
All other	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	-	1	1	2
Black	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	-	1	1	2
Cerebrovascular diseases (430-438)	622	-	-	2	1	4	8	28	73	157	221	128	841	-	-	-	2	2	8	26	52	173	293	285
White	590	-	-	2	1	4	8	26	68	148	212	121	792	-	-	-	2	2	7	23	51	154	278	275
All other	32	-	-	-	-	-	-	2	5	9	9	7	49	-	-	-	-	-	1	3	1	19	15	10
Black	32	-	-	-	-	-	-	2	5	9	9	7	49	-	-	-	-	-	1	3	1	19	15	10
Intracerebral and other intracranial hemorrhage (431-432)	93	-	-	-	1	-	7	10	14	22	29	10	71	-	-	-	-	-	-	10	8	19	22	12
White	89	-	-	-	1	-	7	9	13	21	29	9	68	-	-	-	-	-	-	9	8	17	22	12
All other	4	-	-	-	-	-	-	1	1	1	-	1	3	-	-	-	-	-	-	1	-	2	-	-
Black	4	-	-	-	-	-	-	1	1	1	-	1	3	-	-	-	-	-	-	1	-	2	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	88	-	-	-	-	-	-	6	10	12	39	21	163	-	-	-	-	-	1	2	6	29	53	72
White	84	-	-	-	-	-	-	6	9	11	37	21	159	-	-	-	-	-	1	2	6	29	52	69
All other	4	-	-	-	-	-	-	-	1	1	2	-	4	-	-	-	-	-	-	-	-	-	1	3
Black	4	-	-	-	-	-	-	-	1	1	2	-	4	-	-	-	-	-	-	-	-	-	1	3

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	1	-	1	-
White	4	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	437	-	-	2	-	4	1	12	49	123	151	95	605	-	-	-	2	2	7	14	37	125	217	201
White	413	-	-	2	-	4	1	11	46	116	144	89	563	-	-	-	2	2	6	12	36	108	203	194
All other	24	-	-	-	-	-	-	1	3	7	7	6	42	-	-	-	-	-	1	2	1	17	14	7
Black	24	-	-	-	-	-	-	1	3	7	7	6	42	-	-	-	-	-	1	2	1	17	14	7
Atherosclerosis (440)	103	-	-	-	-	-	2	1	9	18	36	37	136	-	-	-	-	-	-	2	3	16	45	70
White	100	-	-	-	-	-	2	1	8	18	34	37	129	-	-	-	-	-	-	2	3	15	42	67
All other	3	-	-	-	-	-	-	-	1	-	2	-	7	-	-	-	-	-	-	-	-	1	3	3
Black	3	-	-	-	-	-	-	-	1	-	2	-	7	-	-	-	-	-	-	-	-	1	3	3
Other diseases of arteries, arterioles, and capillaries (441-448)	102	-	-	-	-	-	1	6	20	33	33	9	64	-	-	-	-	-	1	1	9	24	15	14
White	99	-	-	-	-	-	1	6	19	32	32	9	63	-	-	-	-	-	1	1	8	24	15	14
All other	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-	1	-
White	2	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	247	1	2	2	2	2	7	10	22	54	81	63	227	2	-	2	-	2	-	2	5	37	80	97
White	241	1	2	2	2	2	6	9	22	53	79	63	221	2	-	2	-	2	-	1	5	35	79	95
All other	6	-	-	-	-	-	1	1	-	1	2	-	6	-	-	-	-	-	-	1	-	2	1	2
Black	6	-	-	-	-	-	1	1	-	1	2	-	6	-	-	-	-	-	-	1	-	2	1	2
Pneumonia (480-486)	236	1	2	2	2	2	7	10	22	52	76	59	212	2	-	2	-	2	-	2	5	33	75	91
White	230	1	2	2	2	2	6	9	22	51	74	59	206	2	-	2	-	2	-	1	5	31	74	89
All other	6	-	-	-	-	-	1	1	-	1	2	-	6	-	-	-	-	-	-	1	-	2	1	2
Black	6	-	-	-	-	-	1	1	-	1	2	-	6	-	-	-	-	-	-	1	-	2	1	2
Influenza (487)	11	-	-	-	-	-	-	-	-	2	5	4	15	-	-	-	-	-	-	-	-	4	5	6
White	11	-	-	-	-	-	-	-	-	2	5	4	15	-	-	-	-	-	-	-	-	4	5	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	502	-	1	-	-	1	3	12	81	206	150	48	239	-	-	-	-	1	2	17	51	99	47	22
White	479	-	1	-	-	1	3	11	77	197	143	46	230	-	-	-	-	1	2	17	49	97	43	21
All other	23	-	-	-	-	-	-	1	4	9	7	2	9	-	-	-	-	-	-	-	2	2	4	1
Black	23	-	-	-	-	-	-	1	4	9	7	2	9	-	-	-	-	-	-	-	2	2	4	1
Bronchitis, chronic and unspecified (490-491)	28	-	1	-	-	-	1	-	4	11	10	1	18	-	-	-	-	-	-	2	1	8	5	2
White	28	-	1	-	-	-	1	-	4	11	10	1	18	-	-	-	-	-	-	2	1	8	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	96	-	-	-	-	-	-	2	21	41	25	7	42	-	-	-	-	-	-	2	14	19	4	3
White	95	-	-	-	-	-	-	1	21	41	25	7	40	-	-	-	-	-	-	2	13	18	4	3
All other	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Asthma (493)	7	-	-	-	-	-	-	1	3	2	1	-	17	-	-	-	-	1	1	1	5	6	3	-
White	7	-	-	-	-	-	-	1	3	2	1	-	17	-	-	-	-	1	1	1	5	6	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	371	-	-	-	-	1	2	9	53	152	114	40	162	-	-	-	-	-	1	12	31	66	35	17
White	349	-	-	-	-	1	2	9	49	143	107	38	155	-	-	-	-	-	1	12	30	65	31	16
All other	22	-	-	-	-	-	-	-	4	9	7	2	7	-	-	-	-	-	-	-	1	1	4	1
Black	22	-	-	-	-	-	-	-	4	9	7	2	7	-	-	-	-	-	-	-	1	1	4	1
Ulcer of stomach and duodenum (531-533)	30	-	-	-	-	-	2	1	6	12	6	3	24	-	-	-	-	-	-	2	2	7	7	6
White	29	-	-	-	-	-	2	1	6	12	6	2	23	-	-	-	-	-	-	1	2	7	7	6
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Appendicitis (540-543)	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	2	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	20	1	-	1	-	1	-	1	4	1	9	2	31	-	-	-	1	-	-	3	2	8	11	6
White	19	1	-	1	-	1	-	1	4	1	9	1	27	-	-	-	1	-	-	3	2	7	8	6
All other	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	1	3	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	1	3	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Chronic liver disease and cirrhosis (571)	162	-	-	-	-	2	26	33	54	38	9	-	77	-	-	-	-	-	4	20	16	23	11	3
White	158	-	-	-	-	2	25	31	54	37	9	-	74	-	-	-	-	-	3	20	15	22	11	3
All other	4	-	-	-	-	-	1	2	-	1	-	-	3	-	-	-	-	-	1	-	1	1	-	-
Black	4	-	-	-	-	-	1	2	-	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	24	-	-	-	-	-	1	1	1	7	8	6	23	-	-	-	1	-	1	3	-	6	2	10
White	23	-	-	-	-	-	1	1	1	7	7	6	21	-	-	-	1	-	1	3	-	5	2	9
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	93	1	-	-	1	1	3	5	10	24	29	19	78	-	-	1	-	1	-	2	10	19	33	12
White	84	1	-	-	1	1	2	5	9	21	27	17	73	-	-	1	-	1	-	2	9	17	32	11
All other	9	-	-	-	-	-	1	-	1	3	2	2	5	-	-	-	-	-	-	-	1	2	1	1
Black	9	-	-	-	-	-	1	-	1	3	2	2	5	-	-	-	-	-	-	-	1	2	1	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	1	-	-	1	-	4	-	-	-	-	1	-	-	-	2	1	-
White	2	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	1	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	9	-	-	-	1	1	-	-	1	2	3	1	6	-	-	-	-	-	-	-	3	1	2	-
White	8	-	-	-	1	1	-	-	1	1	3	1	6	-	-	-	-	-	-	-	3	1	2	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	82	1	-	-	-	-	3	4	9	22	25	18	68	-	-	1	-	-	-	2	7	16	30	12
White	74	1	-	-	-	-	2	4	8	20	23	16	64	-	-	1	-	-	-	2	6	15	29	11
All other	8	-	-	-	-	-	1	-	1	2	2	2	4	-	-	-	-	-	-	-	1	1	1	1
Black	8	-	-	-	-	-	1	-	1	2	2	2	4	-	-	-	-	-	-	-	1	1	1	1
Infections of kidney (590)	6	-	-	-	-	-	-	-	-	1	4	1	14	-	-	-	-	-	-	-	1	2	4	7
White	6	-	-	-	-	-	-	-	-	1	4	1	13	-	-	-	-	-	-	-	1	2	3	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	-	-	2	4	1	...	...	...	...	...	...	...	...	...	...	...	...
White	7	-	-	-	-	-	-	-	-	2	4	1	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	1	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	67	42	6	4	1	5	2	1	3	2	1	-	57	35	5	5	1	-	1	2	1	4	3	-
White	66	41	6	4	1	5	2	1	3	2	1	-	53	34	5	5	1	-	-	2	1	4	1	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	1	-	-	-	2	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	1	-	-	-	2	-
Certain conditions originating in the perinatal period (760-779)	113	113	-	-	-	-	-	-	-	-	-	-	65	65	-	-	-	-	-	-	-	-	-	-
White	103	103	-	-	-	-	-	-	-	-	-	-	60	60	-	-	-	-	-	-	-	-	-	-
All other	10	10	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Black	10	10	-	-	-	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	40	40	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
White	36	36	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
All other	4	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	4	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Other conditions originating in the perinatal period (760-766,771-779)	73	73	-	-	-	-	-	-	-	-	-	-	37	37	-	-	-	-	-	-	-	-	-	-
White	67	67	-	-	-	-	-	-	-	-	-	-	34	34	-	-	-	-	-	-	-	-	-	-
All other	6	6	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Black	6	6	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	117	38	-	1	2	1	3	6	10	27	17	12	56	19	1	-	1	-	-	1	2	8	15	11
White	109	36	-	1	2	1	1	6	9	26	16	11	54	17	-	-	1	-	-	1	2	8	14	11
All other	8	2	-	-	-	-	2	-	1	1	1	1	4	2	1	-	-	-	-	-	-	-	1	-
Black	8	2	-	-	-	-	2	-	1	1	1	1	4	2	1	-	-	-	-	-	-	-	1	-
All other diseases (Residual)	646	12	5	9	10	12	30	46	116	159	169	78	522	3	4	6	4	14	16	26	65	108	138	138
White	610	10	4	9	9	12	29	43	111	151	161	71	495	3	3	6	4	12	14	25	60	105	133	130
All other	36	2	1	-	1	-	1	3	5	8	8	7	27	-	1	-	-	2	2	1	5	3	5	8
Black	36	2	1	-	1	-	1	3	5	8	8	7	27	-	1	-	-	2	2	1	5	3	5	8
Accidents and adverse effects (E800-E949)	697	8	12	42	169	143	70	74	56	60	38	25	255	2	12	13	36	34	13	16	26	25	48	30
White	665	7	12	41	162	132	69	72	52	57	36	25	249	1	11	13	35	32	13	16	26	25	47	30
All other	32	1	-	1	7	11	1	2	4	3	2	-	6	1	1	-	1	2	-	-	-	-	1	-
Black	31	1	-	1	7	10	1	2	4	3	2	-	6	1	1	-	1	2	-	-	-	-	1	-
Motor vehicle accidents (E810-E825)	325	2	3	16	109	84	31	27	20	23	7	3	113	1	2	6	30	23	9	10	14	7	8	3
White	311	2	3	16	107	78	30	26	19	21	6	3	111	1	2	6	29	22	9	10	14	7	8	3
All other	14	-	-	-	2	6	1	1	1	2	1	-	2	-	-	-	1	1	-	-	-	-	-	-
Black	13	-	-	-	2	5	1	1	1	2	1	-	2	-	-	-	1	1	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	372	6	9	26	60	59	39	47	36	37	31	22	142	1	10	7	6	11	4	6	12	18	40	27
White	354	5	9	25	55	54	39	46	33	36	30	22	138	-	9	7	6	10	4	6	12	18	39	27
All other	18	1	-	1	5	5	-	1	3	1	1	-	4	1	1	-	-	1	-	-	-	-	1	-
Black	18	1	-	1	5	5	-	1	3	1	1	-	4	1	1	-	-	1	-	-	-	-	1	-
Suicide (E950-E959)	186	. . .	. . .	2	29	35	29	27	30	18	16	-	50	. . .	. . .	-	5	10	9	12	12	1	1	-
White	182	. . .	. . .	2	28	34	29	26	29	18	16	-	49	. . .	. . .	-	4	10	9	12	12	1	1	-
All other	4	. . .	. . .	-	1	1	-	1	1	-	-	-	1	. . .	. . .	-	1	-	-	-	-	-	-	-
Black	3	. . .	. . .	-	-	1	-	1	1	-	-	-	1	. . .	. . .	-	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	88	-	1	2	18	25	18	13	6	3	1	1	39	1	4	-	8	10	5	7	2	1	1	-
White	75	-	-	2	16	22	15	11	5	3	-	1	33	1	4	-	6	9	4	6	1	1	1	-
All other	13	-	1	-	2	3	3	2	1	-	1	-	6	-	-	-	2	1	1	1	1	-	-	-
Black	13	-	1	-	2	3	3	2	1	-	1	-	5	-	-	-	2	1	1	-	1	-	-	-
All other external causes (E980-E999)	23	2	1	-	2	6	5	3	1	2	-	1	4	-	-	-	1	-	1	1	1	-	-	-
White	22	2	1	-	2	5	5	3	1	2	-	1	4	-	-	-	1	-	1	1	1	-	-	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN																								
All causes	21,779	454	81	119	644	532	502	1,328	3,302	5,474	5,986	3,357	18,781	319	69	66	199	226	333	799	1,818	3,642	5,641	5,668
White	21,094	393	66	110	608	482	458	1,246	3,159	5,361	5,888	3,323	18,273	273	57	56	182	199	303	728	1,750	3,539	5,565	5,621
All other	685	61	15	9	36	50	44	82	143	113	98	34	508	46	12	10	17	27	30	71	68	103	76	47
Black	531	45	10	7	23	38	36	71	116	88	73	24	410	39	10	7	13	22	23	59	58	80	61	37
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	3	-
White	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	14	-	-	-	-	-	-	1	1	5	5	2	12	-	-	-	-	-	1	-	-	4	6	1
White	12	-	-	-	-	-	-	1	1	5	3	2	12	-	-	-	-	-	1	-	-	4	6	1
All other	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	12	-	-	-	-	-	-	-	1	5	4	2	12	-	-	-	-	-	1	-	-	4	6	1
White	11	-	-	-	-	-	-	-	1	5	3	2	12	-	-	-	-	-	1	-	-	4	6	1
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Whooping cough (033)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	-	1	1	1	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
White	3	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Septicemia (038)	84	1	1	-	1	1	-	7	11	20	20	22	73	2	-	-	-	1	1	1	7	12	21	28
White	80	1	1	-	-	1	-	6	11	20	20	20	70	2	-	-	-	1	1	1	6	10	21	28
All other	4	-	-	-	1	-	-	1	-	-	-	2	3	-	-	-	-	-	-	-	1	2	-	-
Black	3	-	-	-	-	-	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	2	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	5	-	-	-	-	-	-	1	2	1	1	-	3	-	-	-	-	-	-	-	-	2	1	-
White	5	-	-	-	-	-	-	1	2	1	1	-	3	-	-	-	-	-	-	-	-	2	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, 098-139)	60	4	1	1	2	2	3	7	11	13	12	4	39	-	1	1	2	1	1	5	7	2	12	7
White	52	2	1	1	1	1	2	7	9	12	12	4	38	-	1	-	2	1	1	5	7	2	12	7
All other	8	2	-	-	1	1	1	-	2	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	5	1	-	-	1	1	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,768	1	6	28	34	49	86	354	1,034	1,463	1,234	479	4,048	-	3	8	21	44	114	375	767	1,132	1,038	546
White	4,618	1	6	26	33	47	80	329	992	1,419	1,211	474	3,943	-	3	5	20	40	110	352	745	1,105	1,024	539
All other	150	-	-	2	1	2	6	25	42	44	23	5	105	-	-	3	1	4	4	23	22	27	14	7
Black	136	-	-	2	1	2	5	24	40	38	20	4	83	-	-	2	1	2	3	20	19	19	11	6
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	118	-	-	-	1	-	4	14	29	43	16	11	58	-	-	-	-	1	1	5	14	22	8	7
White	112	-	-	-	1	-	3	12	27	43	15	11	57	-	-	-	-	1	1	5	14	22	8	6
All other	6	-	-	-	-	-	1	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	5	-	-	-	-	-	1	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,304	-	1	1	4	2	22	95	275	395	363	146	1,144	-	-	-	-	2	8	58	165	337	361	213
White	1,274	-	1	1	3	2	21	92	270	383	357	144	1,124	-	-	-	-	2	7	56	161	328	360	210
All other	30	-	-	-	1	-	1	3	5	12	6	2	20	-	-	-	-	-	1	2	4	9	1	3
Black	29	-	-	-	1	-	1	3	5	12	5	2	17	-	-	-	-	-	1	2	3	7	1	3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,382	-	-	-	2	1	21	133	368	487	303	67	506	-	-	-	1	3	16	74	120	184	81	27
White	1,316	-	-	-	2	1	17	117	349	467	297	66	485	-	-	-	1	3	16	65	115	180	79	26
All other	66	-	-	-	-	-	4	16	19	20	6	1	21	-	-	-	-	-	-	9	5	4	2	1
Black	61	-	-	-	-	-	3	16	19	17	5	1	18	-	-	-	-	-	-	8	5	2	2	1
Malignant neoplasm of breast (174-175)	5	-	-	-	-	1	-	2	1	-	-	1	797	-	-	-	-	11	38	110	181	211	172	74
White	5	-	-	-	-	1	-	2	1	-	-	1	778	-	-	-	-	9	38	105	173	209	170	74
All other	-	-	-	-	-	-	-	-	-	-	-	-	19	-	-	-	-	2	-	5	8	2	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	13	-	-	-	-	1	-	4	6	-	2	-
Malignant neoplasms of genital organs (179-187)	621	-	-	-	1	8	1	8	51	180	237	135	499	-	-	-	-	9	15	60	121	129	118	47
White	606	-	-	-	1	8	1	7	46	176	233	134	490	-	-	-	-	8	15	60	120	126	115	46
All other	15	-	-	-	-	-	-	1	5	4	4	1	9	-	-	-	-	1	-	-	1	3	3	1
Black	14	-	-	-	-	-	-	1	5	4	4	-	8	-	-	-	-	1	-	-	1	3	3	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Malignant neoplasms of urinary organs (188-189)	276	-	-	-	-	1	7	12	49	82	83	42	150	-	-	1	1	-	-	10	22	36	47	33
White	270	-	-	-	-	-	7	12	47	82	80	42	145	-	-	1	1	-	-	8	21	34	47	33
All other	6	-	-	-	-	1	-	-	2	-	3	-	5	-	-	-	-	-	-	2	1	2	-	-
Black	5	-	-	-	-	1	-	-	2	-	2	-	5	-	-	-	-	-	-	2	1	2	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	574	1	2	12	11	21	17	56	147	155	118	34	497	-	2	2	11	11	18	33	94	115	135	76
White	562	1	2	12	11	20	17	55	141	152	117	34	479	-	2	-	10	10	17	29	92	111	132	76
All other	12	-	-	-	-	1	-	1	6	3	1	-	18	-	-	2	1	1	1	4	2	4	3	-
Black	9	-	-	-	-	1	-	1	5	1	1	-	13	-	-	1	1	-	-	4	2	3	2	-
Leukemia (204-208)	228	-	3	11	7	8	7	14	49	51	60	18	155	-	1	5	4	4	9	11	16	30	44	31
White	220	-	3	10	7	8	7	13	47	49	59	17	151	-	1	4	4	4	7	11	16	30	43	31
All other	8	-	-	1	-	-	-	1	2	2	1	1	4	-	-	1	-	-	2	-	-	-	1	-
Black	7	-	-	1	-	-	-	1	1	2	1	1	3	-	-	1	-	-	2	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	260	-	-	4	8	7	7	20	65	70	54	25	242	-	-	-	4	3	9	14	34	68	72	38
White	253	-	-	3	8	7	7	19	64	67	53	25	234	-	-	-	4	3	9	13	33	65	70	37
All other	7	-	-	1	-	-	-	1	1	3	1	-	8	-	-	-	-	-	-	1	1	3	2	1
Black	6	-	-	1	-	-	-	1	1	2	1	-	5	-	-	-	-	-	-	-	1	2	1	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	44	1	1	1	-	2	-	4	7	13	13	2	56	-	-	-	-	-	-	2	5	15	21	13
White	41	1	-	1	-	2	-	4	5	13	13	2	55	-	-	-	-	-	-	2	5	15	20	13
All other	3	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Diabetes mellitus (250)	328	-	-	-	-	6	10	26	57	82	105	42	412	-	-	-	-	7	9	15	58	106	140	77
White	315	-	-	-	-	6	9	23	53	80	102	42	392	-	-	-	-	6	7	13	52	100	137	77
All other	13	-	-	-	-	-	1	3	4	2	3	-	20	-	-	-	-	1	2	2	6	6	3	-
Black	8	-	-	-	-	-	1	2	3	-	2	-	15	-	-	-	-	1	-	1	4	6	3	-
Nutritional deficiencies (260-269)	15	1	-	-	-	-	-	1	1	-	3	9	37	-	-	-	-	-	-	-	1	7	10	19
White	14	-	-	-	-	-	-	1	1	-	3	9	37	-	-	-	-	-	-	-	1	7	10	19
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	47	-	1	-	-	2	-	3	7	11	13	10	28	-	-	-	-	1	1	-	4	6	7	9
White	43	-	-	-	-	-	-	3	7	11	12	10	26	-	-	-	-	1	-	-	4	6	6	9
All other	4	-	1	-	-	2	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	1	-
Black	4	-	1	-	-	2	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	1	-
Meningitis (320-322)	16	1	3	1	-	3	1	1	-	3	2	1	8	-	-	1	1	-	-	-	2	3	1	-
White	16	1	3	1	-	3	1	1	-	3	2	1	8	-	-	1	1	-	-	-	2	3	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	10,792	12	3	3	21	34	144	543	1,519	2,904	3,522	2,087	10,248	9	8	2	5	29	69	199	648	1,797	3,499	3,983
White	10,565	9	3	3	19	29	130	514	1,459	2,856	3,474	2,069	10,051	8	4	2	4	26	60	172	628	1,745	3,452	3,950
All other	227	3	-	-	2	5	14	29	60	48	48	18	197	1	4	-	1	3	9	27	20	52	47	33
Black	170	2	-	-	2	3	11	24	47	34	35	12	161	1	4	-	-	3	8	22	17	42	37	27
Diseases of heart (390-398,402,404-429)	8,695	9	1	3	14	22	124	483	1,319	2,413	2,738	1,569	7,634	8	7	2	3	20	49	153	521	1,414	2,600	2,857
White	8,528	7	1	3	13	19	111	464	1,275	2,377	2,703	1,555	7,481	7	3	2	3	19	40	132	504	1,372	2,567	2,832
All other	167	2	-	-	1	3	13	19	44	36	35	14	153	1	4	-	-	1	9	21	17	42	33	25
Black	122	1	-	-	1	1	10	16	35	25	25	8	125	1	4	-	-	1	8	16	15	34	26	20
Rheumatic fever and rheumatic heart disease (390-398)	56	1	-	-	-	-	1	5	12	20	14	3	105	-	-	-	1	-	5	8	11	39	29	12
White	55	1	-	-	-	-	1	5	12	20	13	3	104	-	-	-	1	-	5	7	11	39	29	12
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Hypertensive heart disease (402)	154	-	-	-	1	1	3	13	34	48	[illegible]	12	207	-	-	-	-	-	5	5	20	40	62	75
White	129	-	-	-	1	-	-	10	24	43	41	10	192	-	-	-	-	-	1	4	19	33	61	74
All other	25	-	-	-	-	1	3	3	10	5	1	2	15	-	-	-	-	-	4	1	1	7	1	1
Black	24	-	-	-	-	1	3	3	10	4	1	2	14	-	-	-	-	-	3	1	1	7	1	1
Hypertensive heart and renal disease (404)	16	-	-	-	-	-	-	-	1	4	7	4	35	-	-	-	-	-	-	-	-	6	9	20
White	16	-	-	-	-	-	-	-	1	4	7	4	35	-	-	-	-	-	-	-	-	6	9	20
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	6,877	-	-	-	3	6	101	393	1,064	1,962	2,159	1,189	5,635	1	-	-	1	9	20	105	383	1,049	1,968	2,099
White	6,778	-	-	-	3	5	96	380	1,041	1,936	2,136	1,181	5,538	-	-	-	1	8	19	87	377	1,022	1,940	2,084
All other	99	-	-	-	-	1	5	13	23	26	23	8	97	1	-	-	-	1	1	18	6	27	28	15
Black	69	-	-	-	-	-	4	10	15	17	17	6	77	1	-	-	-	1	1	14	5	20	23	12
Acute myocardial infarction (410)	3,885	-	-	-	1	5	67	288	711	1,235	1,168	410	2,601	1	-	-	1	6	12	76	252	648	964	641
White	3,843	-	-	-	1	4	65	281	702	1,222	1,159	409	2,562	-	-	-	1	6	12	66	250	635	955	637
All other	42	-	-	-	-	1	2	7	9	13	9	1	39	1	-	-	-	-	-	10	2	13	9	4
Black	21	-	-	-	-	-	1	4	4	6	6	-	26	1	-	-	-	-	-	6	1	7	7	4

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	55	-	-	-	-	-	3	3	11	15	14	9	28	-	-	-	-	-	-	-	5	4	10	9
White	52	-	-	-	-	-	3	3	9	14	14	9	28	-	-	-	-	-	-	-	5	4	10	9
All other	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	-	-	1	9	-	-	-	-	-	-	-	-	1	6	2
White	1	-	-	-	-	-	-	-	-	-	-	1	9	-	-	-	-	-	-	-	-	1	6	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,936	-	-	-	2	1	31	102	342	712	977	769	2,997	-	-	-	-	3	8	29	126	396	988	1,447
White	2,882	-	-	-	2	1	28	96	330	700	963	762	2,939	-	-	-	-	2	7	21	122	382	969	1,436
All other	54	-	-	-	-	-	3	6	12	12	14	7	58	-	-	-	-	1	1	8	4	14	19	11
Black	45	-	-	-	-	-	3	6	9	10	11	6	51	-	-	-	-	1	1	8	4	13	16	8
Other diseases of endocardium (424)	67	-	1	-	-	-	1	1	7	28	22	7	78	-	-	-	-	-	-	3	11	14	29	21
White	67	-	1	-	-	-	1	1	7	28	22	7	78	-	-	-	-	-	-	3	11	14	29	21
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	1,525	8	-	3	10	15	18	71	201	351	494	354	1,574	7	7	2	1	11	19	32	96	266	503	630
White	1,483	6	-	3	9	14	13	68	190	346	484	350	1,534	7	3	2	1	11	15	31	86	258	499	621
All other	42	2	-	-	1	1	5	3	11	5	10	4	40	-	4	-	-	-	4	1	10	8	4	9
Black	29	1	-	-	1	-	3	3	10	4	7	-	33	-	4	-	-	-	4	-	9	7	2	7
Hypertension with or without renal disease (401,403)	74	-	-	-	-	-	-	4	9	20	25	16	81	-	-	-	-	-	-	4	6	17	28	26
White	70	-	-	-	-	-	-	3	9	19	23	16	75	-	-	-	-	-	-	1	6	16	26	26
All other	4	-	-	-	-	-	-	1	-	1	2	-	6	-	-	-	-	-	-	3	-	1	2	-
Black	4	-	-	-	-	-	-	1	-	1	2	-	5	-	-	-	-	-	-	3	-	1	1	-
Cerebrovascular diseases (430-438)	1,473	1	2	-	5	11	17	42	138	349	573	335	1,970	-	1	-	2	9	18	37	100	296	702	805
White	1,426	1	2	-	4	9	16	36	123	340	564	331	1,938	-	1	-	1	7	18	34	97	289	692	799
All other	47	-	-	-	1	2	1	6	15	9	9	4	32	-	-	-	1	2	-	3	3	7	10	6
Black	38	-	-	-	1	2	1	5	11	7	7	4	27	-	-	-	-	2	-	3	2	6	9	5
Intracerebral and other intracranial hemorrhage (431-432)	178	1	-	-	3	5	9	12	27	48	44	29	188	-	-	-	1	2	3	15	28	45	53	41
White	165	1	-	-	2	3	8	10	23	47	42	29	179	-	-	-	1	1	3	14	27	43	49	41
All other	13	-	-	-	1	2	1	2	4	1	2	-	9	-	-	-	-	1	-	1	1	2	4	-
Black	12	-	-	-	1	2	1	2	3	1	2	-	7	-	-	-	-	1	-	1	-	1	4	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	243	-	1	-	-	-	-	6	19	58	99	60	349	-	-	-	-	-	-	3	10	55	126	155
White	237	-	1	-	-	-	-	6	15	56	99	60	345	-	-	-	-	-	-	2	9	54	126	154
All other	6	-	-	-	-	-	-	-	4	2	-	-	4	-	-	-	-	-	-	1	1	1	-	1
Black	6	-	-	-	-	-	-	-	4	2	-	-	4	-	-	-	-	-	-	1	1	1	-	1
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	1	2	1	-	11	-	-	-	-	-	-	-	1	3	5	2
White	4	-	-	-	-	-	-	-	1	2	1	-	11	-	-	-	-	-	-	-	1	3	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,048	-	1	-	2	6	8	24	91	241	429	246	1,422	-	1	-	1	7	15	19	61	193	518	607
White	1,020	-	1	-	2	6	8	20	84	235	422	242	1,403	-	1	-	-	6	15	18	60	189	512	602
All other	28	-	-	-	-	-	-	4	7	6	7	4	19	-	-	-	1	1	-	1	1	4	6	5
Black	20	-	-	-	-	-	-	3	4	4	5	4	16	-	-	-	-	1	-	1	1	4	5	4
Atherosclerosis (440)	268	-	-	-	-	-	-	4	17	39	87	121	381	-	-	-	-	-	-	1	10	23	106	241
White	265	-	-	-	-	-	-	4	17	37	86	121	377	-	-	-	-	-	-	1	10	23	104	239
All other	3	-	-	-	-	-	-	-	-	2	1	-	4	-	-	-	-	-	-	-	-	-	2	2
Black	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	1	2
Other diseases of arteries, arterioles, and capillaries (441-448)	282	2	-	-	2	1	3	10	36	83	99	46	182	1	-	-	-	-	2	4	11	47	63	54
White	276	1	-	-	2	1	3	7	35	83	98	46	180	1	-	-	-	-	2	4	11	45	63	54
All other	6	1	-	-	-	-	-	3	1	-	1	-	2	-	-	-	-	-	-	-	-	2	-	-
Black	4	1	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Acute bronchitis and bronchiolitis (466)	3	1	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	-	-	-	1	2
White	3	1	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	-	-	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	626	10	1	3	9	5	6	9	53	106	216	208	577	4	1	3	2	5	2	13	22	57	182	286
White	611	10	1	3	9	5	6	7	52	102	213	203	572	4	1	3	2	4	1	13	21	55	182	286
All other	15	-	-	-	-	-	-	2	1	4	3	5	5	-	-	-	-	1	1	-	1	2	-	-
Black	10	-	-	-	-	-	-	2	1	3	2	2	3	-	-	-	-	-	1	-	1	1	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Pneumonia (480-486)	585	10	1	3	8	5	6	9	51	97	202	193	503	4	1	3	2	4	1	12	20	51	163	242
White	570	10	1	3	8	5	6	7	50	93	199	188	498	4	1	3	2	3	-	12	19	49	163	242
All other	15	-	-	-	-	-	-	2	1	4	3	5	5	-	-	-	-	1	1	-	1	2	-	-
Black	10	-	-	-	-	-	-	2	1	3	2	2	3	-	-	-	-	-	1	-	1	1	-	-
Influenza (487)	41	-	-	-	1	-	-	-	2	9	14	15	74	-	-	-	-	1	1	1	2	6	19	44
White	41	-	-	-	1	-	-	-	2	9	14	15	74	-	-	-	-	1	1	1	2	6	19	44
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	743	2	-	1	2	1	2	21	94	273	252	95	253	-	-	-	-	1	3	7	32	91	79	40
White	728	2	-	-	1	1	2	21	88	272	247	94	247	-	-	-	-	1	3	6	30	90	77	40
All other	15	-	-	1	1	-	-	-	6	1	5	1	6	-	-	-	-	-	-	1	2	1	2	-
Black	12	-	-	1	1	-	-	-	5	1	3	1	5	-	-	-	-	-	-	1	2	1	1	-
Bronchitis, chronic and unspecified (490-491)	41	2	-	-	-	-	1	1	3	11	11	12	21	-	-	-	-	1	-	2	-	10	4	4
White	40	2	-	-	-	-	1	1	3	11	10	12	20	-	-	-	-	1	-	1	-	10	4	4
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Emphysema (492)	163	-	-	-	-	-	-	3	33	63	48	16	48	-	-	-	-	-	1	2	4	22	14	5
White	160	-	-	-	-	-	-	3	32	63	46	16	47	-	-	-	-	-	1	2	4	22	13	5
All other	3	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Asthma (493)	25	-	-	-	2	1	1	2	3	8	4	4	24	-	-	-	-	-	1	-	6	6	7	4
White	24	-	-	-	1	1	1	2	3	8	4	4	22	-	-	-	-	-	1	-	4	6	7	4
All other	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	514	-	-	1	-	-	-	15	55	191	189	63	160	-	-	-	-	-	1	3	22	53	54	27
White	504	-	-	-	-	-	-	15	50	190	187	62	158	-	-	-	-	-	1	3	22	52	53	27
All other	10	-	-	1	-	-	-	-	5	1	2	1	2	-	-	-	-	-	-	-	-	1	1	-
Black	8	-	-	1	-	-	-	-	4	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Ulcer of stomach and duodenum (531-533)	71	-	-	-	-	1	1	4	11	19	25	10	74	-	-	-	-	-	2	1	4	15	24	28
White	68	-	-	-	-	1	-	4	10	19	24	10	73	-	-	-	-	-	2	1	4	15	24	27
All other	3	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Appendicitis (540-543)	4	-	-	-	-	1	1	-	-	-	1	1	5	-	-	-	-	-	-	-	-	3	-	2
White	4	-	-	-	-	1	1	-	-	-	1	1	5	-	-	-	-	-	-	-	-	3	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	43	3	-	-	-	1	-	2	2	10	15	10	77	-	2	-	-	1	1	4	2	8	19	40
White	42	2	-	-	-	1	-	2	2	10	15	10	73	-	2	-	-	1	1	3	2	7	19	38
All other	1	1	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	1	-	1	-	2
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Chronic liver disease and cirrhosis (571)	320	-	-	-	-	8	21	64	113	87	22	5	168	-	-	-	1	2	11	42	39	47	21	5
White	306	-	-	-	-	7	19	61	108	84	22	5	156	-	-	-	1	2	10	38	35	45	20	5
All other	14	-	-	-	-	1	2	3	5	3	-	-	12	-	-	-	-	-	1	4	4	2	1	-
Black	11	-	-	-	-	1	2	2	4	2	-	-	11	-	-	-	-	-	1	4	4	1	1	-
Cholelithiasis and other disorders of gallbladder (574-575)	33	-	-	-	-	-	-	3	-	8	12	10	32	-	-	-	-	-	-	1	1	1	17	12
White	33	-	-	-	-	-	-	3	-	8	12	10	32	-	-	-	-	-	-	1	1	1	17	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	165	3	1	1	-	1	3	5	17	31	60	43	138	3	-	-	2	2	1	4	10	22	48	46
White	161	2	1	-	-	1	2	5	17	30	60	43	131	3	-	-	1	1	1	4	8	21	47	45
All other	4	1	-	1	-	-	1	-	-	1	-	-	7	-	-	-	1	1	-	-	2	1	1	1
Black	4	1	-	1	-	-	1	-	-	1	-	-	6	-	-	-	1	1	-	-	1	1	1	1
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
White	1	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	23	-	-	1	-	-	-	1	2	9	8	2	18	-	-	-	-	1	-	-	1	3	8	5
White	21	-	-	-	-	-	-	1	2	8	8	2	18	-	-	-	-	1	-	-	1	3	8	5
All other	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	141	3	-	-	-	1	3	4	15	22	52	41	117	3	-	-	2	1	1	4	9	18	39	40
White	139	2	-	-	-	1	2	4	15	22	52	41	110	3	-	-	1	-	1	4	7	17	38	39
All other	2	1	-	-	-	-	1	-	-	-	-	-	7	-	-	-	1	1	-	-	2	1	1	1
Black	2	1	-	-	-	-	1	-	-	-	-	-	6	-	-	-	1	1	-	-	1	1	1	1
Infections of kidney (590)	16	-	-	-	-	-	-	-	3	3	5	5	41	-	-	-	-	-	-	2	2	4	14	19
White	16	-	-	-	-	-	-	-	3	3	5	5	41	-	-	-	-	-	-	2	2	4	14	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	14	-	-	-	-	-	-	-	-	6	3	5	...	...	...	...	...	...	...	...	...	...	...	...
White	14	-	-	-	-	-	-	-	-	6	3	5	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	1	-	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	1	-	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	1	-	2	-	-	...	...	...	...
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	-	-	2	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	120	82	4	4	8	5	3	4	4	5	1	-	138	85	11	6	8	4	-	6	7	6	4	1
White	114	76	4	4	8	5	3	4	4	5	1	-	126	73	11	6	8	4	-	6	7	6	4	1
All other	6	6	-	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	231	229	1	1	-	-	-	-	-	-	-	-	150	149	1	-	-	-	-	-	-	-	-	-
White	204	202	1	1	-	-	-	-	-	-	-	-	130	129	1	-	-	-	-	-	-	-	-	-
All other	27	27	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-
Black	22	22	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	87	87	-	-	-	-	-	-	-	-	-	-	51	50	1	-	-	-	-	-	-	-	-	-
White	78	78	-	-	-	-	-	-	-	-	-	-	44	43	1	-	-	-	-	-	-	-	-	-
All other	9	9	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	144	142	1	1	-	-	-	-	-	-	-	-	99	99	-	-	-	-	-	-	-	-	-	-
White	126	124	1	1	-	-	-	-	-	-	-	-	86	86	-	-	-	-	-	-	-	-	-	-
All other	18	18	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
Black	15	15	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	134	71	3	1	1	3	3	4	5	13	9	21	126	46	5	1	1	3	2	2	-	9	19	37
White	121	60	3	1	1	3	3	3	5	13	9	20	108	36	3	1	1	-	2	1	-	9	19	36
All other	13	11	-	-	-	-	-	1	-	-	-	1	18	10	2	-	-	3	-	1	-	-	-	1
Black	10	8	-	-	-	-	-	1	-	-	-	1	17	9	2	-	-	3	-	1	-	-	-	1
All other diseases (Residual)	1,258	20	17	15	29	31	39	105	193	258	331	220	1,267	12	14	12	19	18	35	60	133	220	368	376
White	1,202	15	13	14	26	26	35	99	180	253	323	218	1,226	10	12	10	16	16	29	54	126	214	365	374
All other	56	5	4	1	3	5	4	6	13	5	8	2	41	2	2	2	3	2	6	6	7	6	3	2
Black	47	3	4	-	3	5	3	6	11	5	5	2	35	2	2	2	3	2	5	5	7	4	2	1
Accidents and adverse effects (E800-E949)	1,229	10	35	54	393	225	99	96	89	93	80	55	536	5	20	29	101	64	38	26	37	50	79	87
White	1,176	6	26	52	383	215	96	90	85	91	77	55	510	5	17	26	96	58	37	23	36	47	78	87
All other	53	4	9	2	10	10	3	6	4	2	3	-	26	-	3	3	5	6	1	3	1	3	1	-
Black	27	3	4	1	4	5	2	3	2	1	2	-	16	-	1	1	3	4	1	2	1	2	1	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con																								
Motor vehicle accidents (E810-E825)	696	4	16	25	306	149	56	40	37	34	24	5	253	3	5	16	84	44	27	14	21	16	18	5
White	668	2	13	24	298	143	54	38	35	34	22	5	239	3	4	13	80	42	26	12	21	15	18	5
All other	28	2	3	1	8	6	2	2	2	-	2	-	14	-	1	3	4	2	1	2	-	1	-	-
Black	9	1	1	-	3	2	1	-	-	-	1	-	7	-	-	1	2	1	1	2	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	533	6	19	29	87	76	43	56	52	59	56	50	283	2	15	13	17	20	11	12	16	34	61	82
White	508	4	13	28	85	72	42	52	50	57	55	50	271	2	13	13	16	16	11	11	15	32	60	82
All other	25	2	6	1	2	4	1	4	2	2	1	-	12	-	2	-	1	4	-	1	1	2	1	-
Black	18	2	3	1	1	3	1	3	2	1	1	-	9	-	1	-	1	3	-	-	1	2	1	-
Suicide (E950-E959)	438	...	...	2	108	105	54	47	53	38	21	10	149	...	...	2	18	29	35	24	21	16	3	1
White	421	...	...	2	102	98	52	46	52	38	21	10	146	...	...	2	18	28	34	24	20	16	3	1
All other	17	...	...	-	6	7	2	1	1	-	-	-	3	...	...	-	-	1	1	-	1	-	-	-
Black	8	...	...	-	3	3	-	1	1	-	-	-	2	...	...	-	-	1	-	-	1	-	-	-
Homicide and legal intervention (E960-E978)	116	1	1	1	25	39	18	13	10	6	1	1	50	2	1	-	14	10	6	6	4	3	2	2
White	75	1	1	-	16	23	11	9	8	4	1	1	37	2	1	-	8	8	2	6	4	3	1	2
All other	41	-	-	1	9	16	7	4	2	2	-	-	13	-	-	-	6	2	4	-	-	-	1	-
Black	36	-	-	1	6	15	7	4	1	2	-	-	11	-	-	-	5	2	3	-	-	-	1	-
All other external causes (E980-E999)	37	-	1	1	10	7	8	2	4	2	2	-	22	1	2	-	4	2	1	3	5	3	-	1
White	30	-	1	1	8	6	6	1	4	2	1	-	16	-	1	-	4	1	1	1	4	3	-	1
All other	7	-	-	-	2	1	2	1	-	-	1	-	6	1	1	-	-	1	-	2	1	-	-	-
Black	7	-	-	-	2	1	2	1	-	-	1	-	5	1	1	-	-	1	-	1	1	-	-	-
WYOMING																								
All causes	1,843	69	15	19	126	112	107	162	254	418	356	203	1,322	46	7	3	36	33	27	89	142	241	335	359
White	1,786	68	13	19	120	105	98	157	242	412	349	202	1,291	43	6	3	31	31	25	82	136	240	333	357
All other	57	1	2	-	6	7	9	5	12	6	7	1	31	3	1	-	5	2	2	7	6	1	2	2
Black	7	-	-	-	-	1	-	1	-	1	2	1	10	1	-	-	-	-	1	2	3	-	2	1
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	3	-	-	-	-	-	-	-	-	1	-	2	8	-	-	-	-	1	1	-	1	3	2	-
White	3	-	-	-	-	-	-	-	-	1	-	2	8	-	-	-	-	1	1	-	1	3	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, 046-054,056-066,071-088, (099-139)	3	-	1	-	-	-	1	-	-	-	-	1	7	-	-	-	-	2	-	1	-	-	3	1
White	3	-	1	-	-	-	1	-	-	-	-	1	7	-	-	-	-	2	-	1	-	-	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	337	-	1	3	2	1	10	31	69	99	85	36	245	-	-	-	1	2	6	34	57	64	51	30
White	333	-	1	3	2	1	10	31	67	98	84	36	240	-	-	-	1	2	6	32	55	63	51	30
All other	4	-	-	-	-	-	-	-	2	1	1	-	5	-	-	-	-	-	-	2	2	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	-	-	-	-	-	-	1	-	1	-	-	4	-	-	-	-	-	-	-	-	3	1	-
White	2	-	-	-	-	-	-	1	-	1	-	-	4	-	-	-	-	-	-	-	-	3	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	85	-	-	-	-	-	1	7	18	21	22	16	68	-	-	-	-	-	-	4	11	17	20	16
White	84	-	-	-	-	-	1	7	17	21	22	16	67	-	-	-	-	-	-	4	10	17	20	16
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	97	-	-	-	-	-	3	11	25	32	22	4	31	-	-	-	-	-	1	4	15	9	2	-
White	95	-	-	-	-	-	3	11	24	31	22	4	30	-	-	-	-	-	1	4	14	9	2	-
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	1	-	-	57	-	-	-	1	-	3	10	15	14	9	5
White	1	-	-	-	-	-	-	-	-	1	-	-	57	-	-	-	1	-	3	10	15	14	9	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	43	-	-	-	-	-	-	-	3	9	20	11	28	-	-	-	-	-	1	8	4	7	7	1
White	43	-	-	-	-	-	-	-	3	9	20	11	26	-	-	-	-	-	1	6	4	7	7	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of urinary organs (188-189)	25	-	-	-	-	-	1	3	4	7	9	1	5	-	-	-	-	-	-	2	1	-	1	1
White	25	-	-	-	-	-	1	3	4	7	9	1	5	-	-	-	-	-	-	2	1	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	52	-	1	2	-	-	2	5	14	19	6	3	33	-	-	-	-	1	1	4	8	8	5	6
White	51	-	1	2	-	-	2	5	14	19	5	3	32	-	-	-	-	1	1	4	8	7	5	6
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	13	-	-	1	2	1	2	2	2	1	2	-	10	-	-	-	-	1	-	2	2	3	2	-
White	13	-	-	1	2	1	2	2	2	1	2	-	10	-	-	-	-	1	-	2	2	3	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	19	-	-	-	-	-	1	2	3	8	4	1	9	-	-	-	-	-	-	-	1	3	4	1
White	19	-	-	-	-	-	1	2	3	8	4	1	9	-	-	-	-	-	-	-	1	3	4	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con																								
Diabetes mellitus (250)	24	-	-	-	-	1	2	4	2	10	4	1	26	-	-	-	1	2	1	1	-	6	10	5
White	21	-	-	-	-	1	1	4	1	9	4	1	25	-	-	-	1	2	-	1	-	6	10	5
All other	3	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Nutritional deficiencies (260-269)	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	3	-
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	3	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	3	-	-	-	-	-	-	1	-	1	1	-	4	-	-	-	-	-	-	-	-	1	-	3
White	3	-	-	-	-	-	-	1	-	1	1	-	4	-	-	-	-	-	-	-	-	1	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	3	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Major cardiovascular diseases (390-448)	676	-	-	1	1	6	21	59	102	197	177	112	633	2	1	-	1	2	5	19	41	111	203	248
White	664	-	-	1	1	6	20	57	98	195	174	112	625	1	-	-	1	2	4	18	39	111	202	247
All other	12	-	-	-	-	-	1	2	4	2	3	-	8	1	1	-	-	-	1	1	2	-	1	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	4	1	-	-	-	-	-	-	1	-	1	1
Diseases of heart (390-398,402,404-429)	556	-	-	1	1	4	17	51	92	168	140	82	464	1	1	-	-	2	5	14	34	88	150	169
White	547	-	-	1	1	4	16	51	88	166	138	82	458	1	-	-	-	2	4	13	32	88	149	169
All other	9	-	-	-	-	-	1	-	4	2	2	-	6	-	1	-	-	-	1	1	2	-	1	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Rheumatic fever and rheumatic heart disease (390-398)	4	-	-	-	-	-	-	2	1	1	-	-	9	-	-	-	-	1	-	1	-	3	2	2
White	4	-	-	-	-	-	-	2	1	1	-	-	9	-	-	-	-	1	-	1	-	3	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	7	-	-	-	-	-	-	-	1	1	3	2	13	-	-	-	-	-	-	-	1	4	1	7
White	7	-	-	-	-	-	-	-	1	1	3	2	13	-	-	-	-	-	-	-	1	4	1	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	416	-	-	-	-	3	16	42	71	134	103	47	297	-	-	-	-	-	2	10	20	53	110	102
White	409	-	-	-	-	3	15	42	68	133	101	47	296	-	-	-	-	-	2	9	20	53	110	102
All other	7	-	-	-	-	-	1	-	3	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	294	-	-	-	-	3	15	25	56	105	69	21	168	-	-	-	-	-	1	6	12	37	68	44
White	289	-	-	-	-	3	14	25	54	105	67	21	168	-	-	-	-	-	1	6	12	37	68	44
All other	5	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
White	3	-	-	-	-	-	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	119	-	-	-	-	-	1	16	13	29	34	26	127	-	-	-	-	-	1	4	8	16	40	58
White	117	-	-	-	-	-	1	16	12	28	34	26	126	-	-	-	-	-	1	3	8	16	40	58
All other	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	9	-	-	-	-	-	-	-	-	3	4	2	2	-	-	-	-	-	-	1	-	1	-	-
White	9	-	-	-	-	-	-	-	-	3	4	2	2	-	-	-	-	-	-	1	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
All other forms of heart disease (415-423,425-429)	119	-	-	1	1	1	1	7	19	29	30	30	143	1	1	-	-	1	3	2	13	27	37	58
White	117	-	-	1	1	1	1	7	18	28	30	30	138	1	-	-	-	1	2	2	11	27	36	58
All other	2	-	-	-	-	-	-	-	1	1	-	-	5	-	1	-	-	-	1	-	2	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Hypertension with or without renal disease (401,403)	5	-	-	-	-	-	-	2	-	-	1	2	2	-	-	-	-	-	-	-	-	-	2	-
White	4	-	-	-	-	-	-	1	-	-	1	2	2	-	-	-	-	-	-	-	-	-	2	-
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	83	-	-	-	-	2	3	6	8	19	27	18	135	1	-	-	1	-	-	5	5	19	41	63
White	81	-	-	-	-	2	3	5	8	19	26	18	134	-	-	-	1	-	-	5	5	19	41	63
All other	2	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Intracerebral and other intracranial hemorrhage (431-432)	9	-	-	-	-	1	1	3	2	2	-	-	16	1	-	-	1	-	-	1	1	5	5	2
White	8	-	-	-	-	1	1	2	2	2	-	-	15	-	-	-	1	-	-	1	1	5	5	2
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	12	-	-	-	-	-	-	2	3	2	4	1	14	-	-	-	-	-	-	-	2	2	7	3
White	12	-	-	-	-	-	-	2	3	2	4	1	14	-	-	-	-	-	-	-	2	2	7	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	61	-	-	-	-	1	2	1	3	15	22	17	105	-	-	-	-	-	-	4	2	12	29	58
White	60	-	-	-	-	1	2	1	3	15	21	17	105	-	-	-	-	-	-	4	2	12	29	58
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atherosclerosis (440)	15	-	-	-	-	-	-	-	1	4	1	9	21	-	-	-	-	-	-	-	-	1	5	15
White	15	-	-	-	-	-	-	-	1	4	1	9	20	-	-	-	-	-	-	-	-	1	5	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	17	-	-	-	-	-	1	-	1	6	8	1	11	-	-	-	-	-	-	-	2	3	5	1
White	17	-	-	-	-	-	1	-	1	6	8	1	11	-	-	-	-	-	-	-	2	3	5	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	33	1	-	-	-	-	-	1	3	4	13	11	38	-	-	-	1	-	-	2	2	6	8	19
White	32	1	-	-	-	-	-	1	3	3	13	11	37	-	-	-	1	-	-	1	2	6	8	19
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	31	1	-	-	-	-	-	1	2	4	12	11	34	-	-	-	1	-	-	2	1	5	8	17
White	30	1	-	-	-	-	-	1	2	3	12	11	33	-	-	-	1	-	-	1	1	5	8	17
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza (487)	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-	-	-	1	1	-	2
White	2	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	-	-	-	1	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	97	-	-	-	-	1	2	4	13	42	29	6	39	-	-	-	-	-	-	2	7	14	10	6
White	95	-	-	-	-	1	2	4	12	42	28	6	39	-	-	-	-	-	-	2	7	14	10	6
All other	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (490-491)	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	16	-	-	-	-	-	-	1	3	7	4	1	2	-	-	-	-	-	-	-	1	-	-	1
White	16	-	-	-	-	-	-	1	3	7	4	1	2	-	-	-	-	-	-	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con																								
Asthma (493)	5	-	-	-	-	1	2	-	-	1	1	-	4	-	-	-	-	-	-	-	-	2	1	1
White	5	-	-	-	-	1	2	-	-	1	1	-	4	-	-	-	-	-	-	-	-	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	73	-	-	-	-	-	-	3	10	32	23	5	33	-	-	-	-	-	-	2	6	12	9	4
White	71	-	-	-	-	-	-	3	9	32	22	5	33	-	-	-	-	-	-	2	6	12	9	4
All other	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	5	-	-	-	-	1	-	1	1	-	1	1	6	-	-	-	-	-	1	-	2	1	-	2
White	5	-	-	-	-	1	-	1	1	-	1	1	6	-	-	-	-	-	1	-	2	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	-	-	-	-	-	-	-	-	1	-	1	9	-	-	-	-	-	-	1	-	-	4	4
White	2	-	-	-	-	-	-	-	-	1	-	1	9	-	-	-	-	-	-	1	-	-	4	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	30	-	-	-	-	3	3	6	10	6	1	1	15	-	-	-	-	1	1	4	5	3	1	-
White	24	-	-	-	-	1	2	4	9	6	1	1	15	-	-	-	-	1	1	4	5	3	1	-
All other	6	-	-	-	-	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	3	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	1	-	-
White	3	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	15	1	-	-	-	-	-	1	-	4	5	4	9	-	-	-	-	-	2	1	-	2	2	2
White	14	1	-	-	-	-	-	1	-	4	5	3	9	-	-	-	-	-	2	1	-	2	2	2
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
White	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	14	1	-	-	-	-	-	-	-	4	5	4	7	-	-	-	-	-	1	1	-	2	1	2
White	13	1	-	-	-	-	-	-	-	4	5	3	7	-	-	-	-	-	1	1	-	2	1	2
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	-	1	-	1	4	-	-	-	-	-	-	2	-	-	1	1
White	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	2	-	-	1	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
White	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
All other	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Black	-	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	...	...	...
Complications of pregnancy, childbirth, and the puerperium (630-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Area, cause of death, and race	Male												Female											
	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total [1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con																								
Pregnancy with abortive outcome (630-638)	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Other complications of pregnancy, childbirth, and the puerperium (640-676)	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
White	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	-	-	1	-	-	...	...	...	...
All other	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Black	...	...	...	...	...	...	...	...	...	...	...	...	-	...	...	-	-	-	-	-	...	...	...	...
Congenital anomalies (740-759)	16	11	-	-	2	1	-	-	1	1	-	-	11	6	1	-	-	-	-	-	1	-	-	1
White	16	11	-	-	2	1	-	-	1	1	-	-	11	6	1	-	-	-	-	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	35	34	1	-	-	-	-	-	-	-	-	-	27	26	1	-	-	-	-	-	-	-	-	-
White	34	33	1	-	-	-	-	-	-	-	-	-	27	26	1	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	11	10	1	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
White	10	9	1	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	24	24	-	-	-	-	-	-	-	-	-	-	14	13	1	-	-	-	-	-	-	-	-	-
White	24	24	-	-	-	-	-	-	-	-	-	-	14	13	1	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	28	18	1	-	1	-	1	-	-	3	3	1	16	10	-	-	-	-	-	-	1	-	5	-
White	26	18	-	-	1	-	1	-	-	3	2	1	14	8	-	-	-	-	-	-	1	-	5	-
All other	2	-	1	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	106	2	2	-	6	2	7	6	15	22	27	16	104	1	1	-	4	4	1	10	13	19	24	26
White	101	2	1	-	4	2	6	6	15	22	26	16	100	1	1	-	4	4	1	9	11	19	24	25
All other	5	-	1	-	2	-	1	-	-	-	1	-	4	-	-	-	-	-	-	1	2	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Accidents and adverse effects (E800-E949)	323	1	8	13	99	79	39	36	25	13	4	5	82	-	3	1	23	10	6	9	7	7	6	9
White	313	1	8	13	96	76	38	35	24	13	4	5	75	-	3	1	19	8	6	8	7	7	6	9
All other	10	-	-	-	3	3	1	1	1	-	-	-	7	-	-	-	4	2	-	1	-	-	-	-
Black	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	197	1	2	6	79	53	23	16	11	3	1	2	44	-	2	-	23	9	3	4	2	1	-	-
White	193	1	2	6	77	52	22	16	11	3	1	2	37	-	2	-	19	7	3	3	2	1	-	-
All other	4	-	-	-	2	1	1	-	-	-	-	-	7	-	-	-	4	2	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	126	-	6	7	20	26	16	20	14	10	3	3	38		1	1	-	1	3	5	5	6	6	9
White	120	-	6	7	19	24	16	19	13	10	3	3	38	-	1	1	-	1	3	5	5	6	6	9
All other	6	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	70	...	...	1	11	11	14	8	10	10	3	2	14	...	...	-	4	3	2	1	3	1	-	-
White	65	...	...	1	10	11	12	8	8	10	3	2	14	...	...	-	4	3	2	1	3	1	-	-
All other	5	...	...	-	1	-	2	-	2	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Black	-	...	...	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	18	-	-	1	2	5	7	3	-	-	-	-	10	-	-	2	1	4	1	1	-	1	-	-
White	14	-	-	1	2	3	5	3	-	-	-	-	9	-	-	2	-	4	1	1	-	1	-	-
All other	4	-	-	-	-	2	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	4	-	-	-	2	1	-	-	1	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
White	4	-	-	-	2	1	-	-	1	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1] Figures for age not stated included in "Total" but not distributed among age groups.

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1981

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	United States	Alabama	Alaska	Arizona	Arkansas	California	Colorado	Connecticut	Delaware	District of Columbia
All causes	1,981,309	35,163	1,794	21,900	22,118	185,676	20,039	26,844	5,181	8,686
Shigellosis and amebiasis (004,006)	30	-	-	2	1	11	1	2	-	-
Certain other intestinal infections (007-009)	372	12	-	7	1	60	2	6	-	2
Tuberculosis (010-018)	1,945	73	4	37	25	163	10	11	4	13
Tuberculosis of respiratory system (010-012)	1,592	62	4	33	23	129	8	9	4	10
Other tuberculosis (013-018)	353	11	-	4	2	34	2	2	-	3
Whooping cough (033)	6	-	-	-	-	-	1	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	13	-	-	-	1	3	-	-	-	-
Meningococcal infection (036)	461	6	-	5	7	29	6	12	-	1
Septicemia (038)	10,469	165	5	111	125	514	136	183	34	116
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-
Measles (055)	2	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	866	12	2	13	5	125	5	11	-	11
Syphilis (090-097)	139	4	-	6	1	14	1	1	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	4,282	89	5	90	41	463	59	61	7	29
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	422,584	7,093	282	4,557	4,476	41,205	3,848	6,244	1,294	2,334
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,516	147	9	86	72	950	67	147	28	97
Malignant neoplasms of digestive organs and peritoneum (150-159)	111,412	1,697	67	1,155	1,121	10,669	952	1,728	302	628
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	111,384	1,967	91	1,230	1,246	10,880	932	1,498	425	577
Malignant neoplasm of breast (174-175)	36,765	520	29	397	295	3,623	332	588	103	205
Malignant neoplasms of genital organs (179-187)	46,778	859	27	493	483	4,607	490	665	143	250
Malignant neoplasms of urinary organs (188-189)	18,017	276	12	217	172	1,638	173	295	48	88
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	51,778	997	34	547	691	5,096	493	785	152	296
Leukemia (204-208)	16,338	264	6	203	174	1,634	185	215	39	74
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	21,596	366	7	229	222	2,108	224	323	54	119
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6,250	84	6	76	64	629	52	107	20	34
Diabetes mellitus (250)	34,680	626	19	353	385	2,629	292	441	132	118
Nutritional deficiencies (260-269)	2,333	37	1	30	18	211	40	17	7	16
Anemias (280-285)	3,308	92	1	28	19	253	34	37	4	23
Meningitis (320-322)	1,411	33	3	20	19	147	17	11	4	3
Major cardiovascular diseases (390-448)	974,411	16,301	496	9,569	11,153	87,099	8,868	13,336	2,442	3,225
Diseases of heart (390-398,402,404-429)	755,082	12,000	381	7,593	8,263	65,657	6,810	10,390	1,981	2,487
Rheumatic fever and rheumatic heart disease (390-398)	7,409	67	6	109	41	861	123	104	13	30
Hypertensive heart disease (402)	20,827	401	6	125	166	2,542	95	259	108	193
Hypertensive heart and renal disease (404)	3,348	95	-	11	35	244	40	39	12	18
Ischemic heart disease (410-414)	556,041	8,375	267	5,775	5,687	46,741	4,781	7,983	1,071	1,554
Acute myocardial infarction (410)	292,999	5,546	159	2,697	3,631	21,672	2,588	3,470	651	559
Other acute and subacute forms of ischemic heart disease (411)	4,560	81	1	443	2	282	59	13	20	3
Angina pectoris (413)	570	13	-	4	3	49	1	19	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	257,912	2,735	107	2,631	2,051	24,738	2,133	4,481	399	991
Other diseases of endocardium (424)	7,359	105	11	98	48	830	82	110	13	32
All other forms of heart disease (415-423,425-429)	160,098	2,957	91	1,475	2,286	14,439	1,689	1,895	764	660
Hypertension with or without renal disease (401,403)	7,589	185	1	64	72	673	66	107	18	36
Cerebrovascular diseases (430-438)	163,671	3,409	80	1,398	2,274	15,895	1,406	2,095	326	463
Intracerebral and other intracranial hemorrhage (431-432)	20,244	414	13	198	207	1,989	176	264	42	86
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	31,042	626	8	239	265	3,269	210	483	68	91
Cerebral embolism (434.1)	807	13	-	9	10	72	7	16	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	111,578	2,356	50	952	1,792	10,565	1,013	1,332	215	285
Atherosclerosis (440)	28,012	384	13	264	346	2,728	358	443	61	164
Other diseases of arteries, arterioles, and capillaries (441-448)	20,057	323	21	250	198	2,146	228	301	56	75
Acute bronchitis and bronchiolitis (466)	574	10	-	3	6	76	5	16	-	4
Pneumonia and influenza (480-487)	53,784	777	35	624	568	5,662	689	768	120	189
Pneumonia (480-486)	50,778	736	35	586	507	5,434	654	720	117	187
Influenza (487)	3,006	41	-	38	61	228	35	48	3	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	58,871	1,002	35	1,038	624	6,314	929	756	151	173
Bronchitis, chronic and unspecified (490-491)	3,687	51	2	48	45	473	43	56	8	6
Emphysema (492)	13,379	226	5	252	153	1,611	186	90	39	42
Asthma (493)	3,061	40	1	61	19	345	53	33	1	19
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	38,744	685	27	677	407	3,885	647	577	103	106
Ulcer of stomach and duodenum (531-533)	6,502	97	5	73	45	727	70	78	12	30
Appendicitis (540-543)	591	14	1	9	6	67	4	3	2	3
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5,287	102	1	38	52	494	60	73	12	20
Chronic liver disease and cirrhosis (571)	29,358	388	39	367	220	4,199	277	409	67	285
Cholelithiasis and other disorders of gallbladder (574-575)	3,094	58	1	34	30	295	38	33	3	11
Nephritis, nephrotic syndrome, and nephrosis (580-589)	17,296	310	11	180	278	1,112	166	200	58	112
Acute glomerulonephritis and nephrotic syndrome (580-581)	302	3	-	1	6	20	3	1	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2,056	32	1	26	37	170	22	26	8	6
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	14,938	275	10	153	235	922	141	173	49	106
Infections of kidney (590)	2,306	73	2	22	29	235	19	16	6	4
Hyperplasia of prostate (600)	693	23	-	8	5	63	8	8	1	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	313	7	1	4	4	39	4	1	-	3
Pregnancy with abortive outcome (630-638)	47	1	-	-	-	7	-	1	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	266	6	1	4	4	32	4	-	-	3
Congenital anomalies (740-759)	13,621	271	23	215	117	1,625	185	186	37	124
Certain conditions originating in the perinatal period (760-779)	21,663	378	60	260	132	1,873	253	288	77	277
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6,688	118	23	86	33	659	72	65	13	91
Other conditions originating in the perinatal period (760-766,770-779)	14,975	260	37	174	99	1,214	181	223	64	186
Symptoms, signs, and ill-defined conditions (780-799)	29,526	1,741	37	273	823	1,188	177	367	28	101
All other diseases (Residual)	117,977	2,129	121	1,416	1,230	10,704	1,446	1,650	313	749
Accidents and adverse effects (E800-E949)	101,278	2,125	458	1,655	1,068	10,369	1,488	1,031	222	296
Motor vehicle accidents (E810-E825)	51,669	1,084	102	952	554	5,498	800	508	116	81
All other accidents and adverse effects (E800-E807,E826-E949)	49,609	1,041	356	703	514	4,871	688	523	106	215
Suicide (E950-E959)	27,643	396	62	461	262	3,567	538	297	77	56
Homicide and legal intervention (E960-E978)	23,725	555	53	282	244	3,248	253	152	43	237
All other external causes (E980-E999)	3,645	80	25	34	34	264	58	32	4	88

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1981—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Florida	Georgia	Hawaii	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana
All causes	110,833	45,462	5,269	6,611	99,155	47,532	26,772	21,131	32,965	36,374
Shigellosis and amebiasis (004,006)	-	-	-	-	-	1	-	-	-	-
Certain other intestinal infections (007-009)	33	5	2	-	19	5	3	4	5	9
Tuberculosis (010-018)	148	56	6	2	102	29	5	14	46	58
Tuberculosis of respiratory system (010-012)	129	48	6	2	89	22	2	12	36	51
Other tuberculosis (013-018)	19	8	-	-	13	7	3	2	10	7
Whooping cough (033)	-	1	-	-	-	-	-	-	1	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	1
Meningococcal infection (036)	37	19	-	-	12	15	7	1	9	26
Septicemia (038)	492	336	33	17	417	276	124	95	152	278
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-
Measles (055)	1	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	58	22	6	1	37	15	3	4	19	27
Syphilis (090-097)	10	3	1	-	7	4	-	3	1	4
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	239	120	21	11	170	84	66	49	67	75
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	23,975	8,724	1,247	1,263	21,069	10,156	5,631	4,176	6,741	7,242
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	555	196	40	20	490	157	80	82	119	163
Malignant neoplasms of digestive organs and peritoneum (150-159)	6,272	2,010	432	299	5,940	2,560	1,620	1,104	1,741	1,755
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	6,850	2,504	295	293	5,379	2,846	1,336	1,067	2,060	2,144
Malignant neoplasm of breast (174-175)	1,858	695	87	113	1,953	906	486	357	522	530
Malignant neoplasms of genital organs (179-187)	2,643	971	101	165	2,302	1,130	694	541	732	723
Malignant neoplasms of urinary organs (188-189)	1,100	374	39	51	866	418	274	200	282	263
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2,674	1,271	158	194	2,374	1,246	573	408	745	1,020
Leukemia (204-208)	844	321	34	67	761	386	223	181	227	295
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,179	382	61	61	1,004	507	345	236	313	349
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	367	162	23	28	303	139	55	58	78	138
Diabetes mellitus (250)	1,615	721	125	116	1,726	1,055	471	397	631	824
Nutritional deficiencies (260-269)	114	49	14	6	89	44	36	36	44	45
Anemias (280-285)	206	76	3	15	165	82	60	36	70	78
Meningitis (320-322)	71	46	5	4	68	27	11	12	30	38
Major cardiovascular diseases (390-448)	54,578	21,921	2,185	3,090	51,071	24,221	14,195	10,579	16,667	17,493
Diseases of heart (390-398,402,404-429)	42,072	16,354	1,704	2,281	40,795	18,038	10,548	8,005	12,808	13,185
Rheumatic fever and rheumatic heart disease (390-398)	440	80	19	27	344	172	93	68	69	61
Hypertensive heart disease (402)	1,229	563	56	34	1,198	399	201	176	338	551
Hypertensive heart and renal disease (404)	118	109	4	9	187	191	76	30	30	86
Ischemic heart disease (410-414)	31,673	10,790	1,255	1,626	29,694	13,614	8,208	6,080	9,120	9,043
Acute myocardial infarction (410)	15,381	7,174	590	977	14,930	7,444	4,767	3,357	6,045	4,876
Other acute and subacute forms of ischemic heart disease (411)	365	177	18	8	271	29	33	10	24	13
Angina pectoris (413)	35	16	1	4	19	3	7	9	11	16
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	15,892	3,423	646	637	14,474	6,138	3,401	2,704	3,040	4,138
Other diseases of endocardium (424)	475	135	29	35	305	193	93	79	86	99
All other forms of heart disease (415-423,425-429)	8,137	4,677	341	550	9,067	3,469	1,877	1,572	3,165	3,345
Hypertension with or without renal disease (401,403)	473	217	15	23	487	197	121	68	102	148
Cerebrovascular diseases (430-438)	9,439	4,505	382	603	7,633	4,423	2,629	1,849	3,000	3,136
Intracerebral and other intracranial hemorrhage (431-432)	1,178	597	73	69	1,117	520	219	181	341	299
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	2,206	769	60	81	1,831	749	438	306	522	510
Cerebral embolism (434.1)	48	18	2	7	24	10	9	16	6	5
All other and late effects of cerebrovascular diseases (430,433,435-438)	6,007	3,121	247	446	4,661	3,144	1,963	1,346	2,131	2,322
Atherosclerosis (440)	1,377	444	31	124	1,323	1,084	558	422	467	716
Other diseases of arteries, arterioles, and capillaries (441-448)	1,217	401	53	59	833	479	339	235	290	308
Acute bronchitis and bronchiolitis (466)	33	11	2	3	18	15	7	4	7	13
Pneumonia and influenza (480-487)	2,312	1,232	149	218	2,824	1,164	1,009	667	995	728
Pneumonia (480-486)	2,234	1,177	147	188	2,688	1,053	907	618	917	685
Influenza (487)	78	55	2	30	136	111	102	49	78	43
Chronic obstructive pulmonary diseases and allied conditions (490-496)	3,734	1,230	135	255	2,623	1,529	824	772	1,143	867
Bronchitis, chronic and unspecified (490-491)	242	94	8	15	186	64	42	51	73	47
Emphysema (492)	966	289	22	63	705	351	184	128	218	195
Asthma (493)	166	90	22	9	141	73	43	25	40	57
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,360	757	83	168	1,591	1,041	555	568	812	568
Ulcer of stomach and duodenum (531-533)	378	161	16	27	353	168	106	82	108	74
Appendicitis (540-543)	22	18	4	3	26	17	8	8	8	18
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	263	138	11	16	274	131	70	84	80	105
Chronic liver disease and cirrhosis (571)	1,808	579	72	51	1,533	526	222	194	360	444
Cholelithiasis and other disorders of gallbladder (574-575)	155	81	8	14	158	50	48	28	72	53
Nephritis, nephrotic syndrome, and nephrosis (580-589)	968	441	44	44	857	417	128	204	268	480
Acute glomerulonephritis and nephrotic syndrome (580-581)	14	13	2	-	10	7	3	4	1	3
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	113	62	5	3	104	48	33	28	27	60
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	841	366	37	41	743	362	92	172	240	417
Infections of kidney (590)	103	68	2	9	118	49	40	32	56	55
Hyperplasia of prostate (600)	34	26	1	2	47	8	21	11	12	9
Complications of pregnancy, childbirth, and the puerperium (630-676)	15	9	1	-	23	7	-	5	6	13
Pregnancy with abortive outcome (630-638)	6	1	1	-	2	-	-	-	4	3
Other complications of pregnancy, childbirth, and the puerperium (640-676)	9	8	-	-	21	7	-	5	2	10
Congenital anomalies (740-759)	528	307	74	49	672	297	197	146	214	318
Certain conditions originating in the perinatal period (760-779)	943	634	93	43	1,315	467	194	215	314	593
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	301	203	25	11	421	124	59	57	84	152
Other conditions originating in the perinatal period (760-766,770-779)	642	431	68	32	894	343	135	158	230	441
Symptoms, signs, and ill-defined conditions (780-799)	1,852	471	118	142	685	510	99	301	199	344
All other diseases (Residual)	6,720	3,198	325	411	5,483	2,656	1,429	1,282	1,967	2,115
Accidents and adverse effects (E800-E949)	5,627	2,952	348	562	3,960	2,323	1,290	1,173	1,807	2,555
Motor vehicle accidents (E810-E825)	3,198	1,511	168	301	1,882	1,212	659	583	865	1,270
All other accidents and adverse effects (E800-E807,E826-E949)	2,429	1,441	180	261	2,078	1,111	631	590	942	1,285
Suicide (E950-E959)	1,619	712	98	159	1,060	604	304	274	439	503
Homicide and legal intervention (E960-E978)	1,633	816	55	38	1,392	366	79	164	315	732
All other external causes (E980-E999)	142	117	42	12	479	75	30	21	34	19

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1981—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Maine	Maryland	Massachusetts	Michigan	Minnesota	Mississippi	Missouri	Montana	Nebraska	Nevada
All causes	10,334	33,488	53,409	74,683	33,340	22,988	49,780	6,707	14,664	6,419
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	1	-	-	1
Certain other intestinal infections (007-009)	1	5	2	14	7	11	11	-	5	2
Tuberculosis (010-018)	7	33	29	51	11	24	41	4	5	5
Tuberculosis of respiratory system (010-012)	6	22	21	40	10	21	31	3	5	3
Other tuberculosis (013-018)	1	11	8	11	1	3	10	1	-	2
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	1	-	1	-	1	-
Meningococcal infection (036)	2	3	7	12	6	7	7	2	2	1
Septicemia (038)	48	299	367	436	117	90	318	27	64	39
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	15	23	32	16	14	24	2	1	4
Syphilis (090-097)	-	3	-	4	1	1	9	1	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	18	71	132	121	111	60	96	13	43	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,284	7,845	12,560	15,963	7,092	4,190	10,447	1,315	3,005	1,312
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	47	192	268	268	111	70	186	21	44	26
Malignant neoplasms of digestive organs and peritoneum (150-159)	639	2,035	3,543	4,126	2,007	943	2,553	344	867	331
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	607	2,075	2,891	4,194	1,545	1,274	2,894	297	710	386
Malignant neoplasm of breast (174-175)	190	683	1,213	1,426	645	286	840	125	289	105
Malignant neoplasms of genital organs (179-187)	237	804	1,273	1,744	871	555	1,128	177	377	133
Malignant neoplasms of urinary organs (188-189)	103	323	593	675	315	172	446	60	126	53
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	294	1,086	1,684	2,059	753	551	1,357	156	312	176
Leukemia (204-208)	70	291	454	577	313	152	456	56	137	44
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	97	356	641	884	532	187	587	79	143	58
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	37	146	209	135	122	52	121	16	38	20
Diabetes mellitus (250)	134	632	940	1,465	490	385	761	99	232	75
Nutritional deficiencies (260-269)	13	35	57	90	54	33	77	7	14	12
Anemias (280-285)	19	68	91	140	53	40	92	10	21	7
Meningitis (320-322)	6	22	29	43	17	24	32	8	12	11
Major cardiovascular diseases (390-448)	5,278	15,882	26,767	38,098	16,558	11,011	24,129	3,060	7,543	2,736
Diseases of heart (390-398,402,404-429)	4,050	12,768	21,216	29,727	12,260	8,302	18,479	2,290	5,604	2,185
Rheumatic fever and rheumatic heart disease (390-398)	35	123	229	261	175	31	180	30	57	24
Hypertensive heart disease (402)	88	665	366	677	153	343	509	54	57	110
Hypertensive heart and renal disease (404)	19	92	52	108	27	56	171	7	38	3
Ischemic heart disease (410-414)	3,083	6,644	17,321	21,965	9,419	5,433	14,133	1,579	4,277	1,448
Acute myocardial infarction (410)	1,735	4,243	8,875	12,085	4,825	3,692	7,185	919	2,258	719
Other acute and subacute forms of ischemic heart disease (411)	8	77	31	57	31	28	36	5	6	30
Angina pectoris (413)	6	22	15	20	11	6	30	-	2	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,334	2,302	8,400	9,803	4,552	1,707	6,882	655	2,011	699
Other diseases of endocardium (424)	59	108	253	262	182	41	171	36	63	21
All other forms of heart disease (415-423,425-429)	766	5,136	2,995	6,454	2,304	2,398	3,335	584	1,112	579
Hypertension with or without renal disease (401,403)	48	135	181	274	144	99	195	25	58	17
Cerebrovascular diseases (430-438)	819	2,248	4,065	6,027	3,140	2,178	4,210	544	1,366	412
Intracerebral and other intracranial hemorrhage (431-432)	131	318	607	735	306	209	526	39	144	63
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	146	337	991	1,354	494	333	852	95	232	21
Cerebral embolism (434.1)	7	11	38	31	18	5	28	4	11	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	535	1,582	2,429	3,907	2,322	1,631	2,804	406	979	328
Atherosclerosis (440)	203	375	703	1,268	600	252	746	147	345	58
Other diseases of arteries, arterioles, and capillaries (441-448)	158	356	602	802	414	180	499	54	170	64
Acute bronchitis and bronchiolitis (466)	2	8	12	10	13	2	16	4	2	1
Pneumonia and influenza (480-487)	285	693	1,955	1,700	1,092	522	1,528	183	511	113
Pneumonia (480-486)	257	662	1,852	1,630	1,023	462	1,427	173	469	109
Influenza (487)	28	31	103	70	69	60	101	10	42	4
Chronic obstructive pulmonary diseases and allied conditions (490-496)	378	887	1,509	2,178	855	534	1,499	293	437	281
Bronchitis, chronic and unspecified (490-491)	32	43	75	125	57	29	99	24	24	13
Emphysema (492)	70	157	282	516	176	98	292	69	103	69
Asthma (493)	17	29	80	109	62	34	46	21	21	21
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	259	658	1,072	1,428	560	373	1,062	179	289	178
Ulcer of stomach and duodenum (531-533)	27	96	160	232	134	52	153	30	59	16
Appendicitis (540-543)	1	12	12	26	11	7	19	-	5	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	23	94	137	207	96	51	133	23	54	12
Chronic liver disease and cirrhosis (571)	155	416	752	1,234	401	217	491	110	131	162
Cholelithiasis and other disorders of gallbladder (574-575)	15	49	86	90	61	32	84	12	30	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	95	373	476	661	219	258	472	72	120	44
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	1	9	15	5	10	6	3	4	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	13	22	45	75	30	21	55	11	13	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	79	350	422	571	184	227	411	58	103	42
Infections of kidney (590)	10	27	47	60	31	42	60	6	17	5
Hyperplasia of prostate (600)	4	11	11	28	18	6	21	4	5	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	4	1	7	3	7	7	1	2	2
Pregnancy with abortive outcome (630-638)	-	-	-	1	-	1	-	-	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	4	1	6	3	6	7	1	2	1
Congenital anomalies (740-759)	60	210	293	494	289	142	369	34	112	42
Certain conditions originating in the perinatal period (760-779)	66	354	360	1,020	304	342	511	60	135	67
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	18	84	92	291	115	104	186	15	55	33
Other conditions originating in the perinatal period (760-766,770-779)	48	270	268	729	189	238	325	45	80	34
Symptoms, signs, and ill-defined conditions (780-799)	51	528	331	421	714	1,390	1,834	109	190	89
All other diseases (Residual)	649	2,198	3,332	4,370	2,170	1,256	2,774	398	874	349
Accidents and adverse effects (E800-E949)	464	1,556	1,954	3,269	1,706	1,567	2,431	603	759	606
Motor vehicle accidents (E810-E825)	221	812	814	1,635	812	792	1,097	345	383	355
All other accidents and adverse effects (E800-E807,E826-E949)	243	744	1,140	1,634	894	775	1,334	258	376	251
Suicide (E950-E959)	159	433	490	1,064	446	243	578	143	156	221
Homicide and legal intervention (E960-E978)	37	429	222	922	92	350	569	47	58	151
All other external causes (E980-E999)	3	51	56	86	29	26	64	11	21	16

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1981—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	New Hampshire	New Jersey	New Mexico	New York	North Carolina	North Dakota	Ohio	Oklahoma	Oregon	Pennsylvania	Rhode Island
All causes	7,602	65,562	8,598	167,690	49,668	5,771	96,271	27,811	21,794	119,964	9,391
Shigellosis and amebiasis (004,006)	-	-	1	3	1	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	10	2	21	4	1	10	2	4	15	-
Tuberculosis (010-018)	-	55	15	212	65	1	68	31	13	95	9
Tuberculosis of respiratory system (010-012)	-	46	13	165	49	1	55	26	11	74	9
Other tuberculosis (013-018)	-	9	2	47	16	-	13	5	2	21	-
Whooping cough (033)	-	-	-	-	-	1	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	1	2	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	13	1	32	10	2	23	5	5	29	1
Septicemia (038)	27	498	36	762	310	14	498	151	79	885	71
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	1	-	-	-	-
Viral hepatitis (070)	3	34	1	89	16	3	20	10	9	26	4
Syphilis (090-097)	-	3	-	6	2	-	12	2	2	6	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	14	93	26	312	135	11	168	56	43	185	18
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,743	14,970	1,548	37,400	9,982	1,226	20,964	5,452	4,700	26,256	2,159
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	31	282	30	777	200	9	403	93	72	522	44
Malignant neoplasms of digestive organs and peritoneum (150-159)	486	4,441	441	11,057	2,390	378	5,472	1,366	1,177	7,149	635
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	423	3,908	327	8,982	2,696	245	5,742	1,593	1,269	6,463	567
Malignant neoplasm of breast (174-175)	159	1,425	137	3,693	818	103	2,013	441	420	2,407	188
Malignant neoplasms of genital organs (179-187)	199	1,595	176	3,983	1,234	130	2,290	579	500	2,715	201
Malignant neoplasms of urinary organs (188-189)	91	649	67	1,684	366	49	937	236	218	1,143	91
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	214	1,512	225	3,905	1,384	162	2,252	631	558	3,574	242
Leukemia (204-208)	62	465	61	1,428	401	65	835	226	221	969	68
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	78	693	84	1,891	493	85	1,020	287	265	1,314	123
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	24	190	26	617	156	16	312	74	87	444	37
Diabetes mellitus (250)	157	1,406	164	3,078	803	98	2,022	455	299	2,487	189
Nutritional deficiencies (260-269)	12	69	14	114	46	11	148	46	34	170	14
Anemias (280-285)	12	112	15	236	93	13	156	37	25	218	14
Meningitis (320-322)	3	41	13	107	43	3	58	20	9	59	5
Major cardiovascular diseases (390-448)	3,748	34,087	2,763	87,004	24,418	2,853	48,826	13,647	10,416	60,895	4,802
Diseases of heart (390-398,402,404-429)	2,865	27,727	2,021	72,009	18,390	2,132	38,180	10,372	7,650	48,714	3,905
Rheumatic fever and rheumatic heart disease (390-398)	22	327	39	747	159	17	383	61	104	602	41
Hypertensive heart disease (402)	37	831	33	1,523	696	30	1,166	250	159	1,017	69
Hypertensive heart and renal disease (404)	8	123	2	194	124	4	212	34	38	225	12
Ischemic heart disease (410-414)	2,262	21,778	1,462	61,796	13,220	1,578	29,086	7,886	6,012	33,976	3,169
Acute myocardial infarction (410)	1,376	10,644	757	26,947	8,156	961	14,368	4,577	2,274	19,288	1,648
Other acute and subacute forms of ischemic heart disease (411)	3	181	3	338	153	1	102	257	14	138	6
Angina pectoris (413)	5	11	3	34	15	1	16	6	6	32	4
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	878	10,942	699	34,477	4,896	615	14,600	3,046	3,718	14,518	1,511
Other diseases of endocardium (424)	36	206	21	505	161	31	362	64	146	505	44
All other forms of heart disease (415-423,425-429)	500	4,462	464	7,244	4,030	472	6,971	2,077	1,191	12,389	570
Hypertension with or without renal disease (401,403)	19	183	72	626	248	20	355	96	60	405	32
Cerebrovascular diseases (430-438)	610	4,984	518	11,113	4,731	530	7,812	2,526	1,971	8,903	637
Intracerebral and other intracranial hemorrhage (431-432)	90	718	75	1,602	505	53	1,024	223	162	1,197	109
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	131	1,164	47	2,322	875	87	1,604	328	378	1,716	157
Cerebral embolism (434.1)	5	30	1	59	27	1	37	10	12	54	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	384	3,072	395	7,130	3,324	389	5,147	1,965	1,419	5,936	368
Atherosclerosis (440)	149	619	86	1,720	583	107	1,446	411	486	1,606	117
Other diseases of arteries, arterioles, and capillaries (441-448)	105	574	66	1,536	466	64	1,033	242	249	1,267	111
Acute bronchitis and bronchiolitis (466)	5	10	3	57	17	1	25	7	6	48	3
Pneumonia and influenza (480-487)	211	1,589	235	5,140	1,421	207	2,281	831	624	2,678	252
Pneumonia (480-486)	192	1,534	222	5,014	1,332	193	2,119	791	575	2,508	237
Influenza (487)	19	55	13	126	89	14	162	40	49	170	15
Chronic obstructive pulmonary diseases and allied conditions (490-496)	253	1,696	355	4,025	1,314	133	2,851	782	843	3,144	279
Bronchitis, chronic and unspecified (490-491)	24	114	10	279	84	11	202	35	71	162	18
Emphysema (492)	63	355	73	1,104	264	35	581	153	202	632	36
Asthma (493)	16	77	27	301	83	5	119	38	63	122	5
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	150	1,150	245	2,341	883	82	1,949	556	507	2,228	220
Ulcer of stomach and duodenum (531-533)	23	214	25	655	164	25	294	91	58	334	22
Appendicitis (540-543)	1	16	3	47	9	2	32	4	2	27	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	21	189	22	372	125	16	287	83	69	307	24
Chronic liver disease and cirrhosis (571)	108	1,119	171	3,332	670	61	1,239	356	362	1,533	135
Cholelithiasis and other disorders of gallbladder (574-575)	14	86	33	238	89	11	165	49	43	178	13
Nephritis, nephrotic syndrome, and nephrosis (580-589)	53	583	64	1,143	523	68	900	309	156	1,225	96
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	11	2	32	8	-	24	6	-	20	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	80	8	155	60	6	93	42	27	95	15
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	50	492	54	956	455	62	783	261	129	1,110	81
Infections of kidney (590)	6	67	10	170	87	5	113	69	21	77	10
Hyperplasia of prostate (600)	2	11	-	76	18	9	22	9	6	26	4
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	7	-	28	8	-	16	7	-	7	-
Pregnancy with abortive outcome (630-638)	-	-	-	6	1	-	4	-	-	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	7	-	22	7	-	12	7	-	6	-
Congenital anomalies (740-759)	42	261	66	1,011	347	49	677	186	139	637	61
Certain conditions originating in the perinatal period (760-779)	53	497	83	1,606	596	87	1,095	282	228	1,092	96
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	12	160	23	468	137	39	370	117	73	332	33
Other conditions originating in the perinatal period (760-766,770-779)	41	337	60	1,138	459	48	725	165	155	760	63
Symptoms, signs, and ill-defined conditions (780-799)	83	521	910	1,302	386	77	1,616	346	398	2,623	37
All other diseases (Residual)	458	3,490	726	8,450	3,326	318	5,623	1,703	1,281	7,562	561
Accidents and adverse effects (E800-E949)	358	2,545	816	5,637	3,043	358	3,609	1,869	1,278	4,372	308
Motor vehicle accidents (E810-E825)	154	1,203	501	2,623	1,563	190	1,745	1,049	675	2,061	131
All other accidents and adverse effects (E800-E807,E826-E949)	204	1,342	315	3,014	1,480	168	1,864	820	603	2,311	177
Suicide (E950-E959)	133	523	245	1,549	754	61	1,288	473	392	1,301	108
Homicide and legal intervention (E960-E978)	25	519	168	2,232	623	23	774	327	118	764	47
All other external causes (E980-E999)	6	37	36	627	62	7	80	40	45	259	9

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1981—Con.

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	South Carolina	South Dakota	Tennessee	Texas	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
All causes	24,603	6,308	42,946	112,757	8,640	4,352	41,509	32,246	19,069	40,414	3,024
Shigellosis and amebiasis (004,006)	-	-	-	4	-	-	-	1	-	-	-
Certain other intestinal infections (007-009)	9	-	10	23	1	1	8	6	4	4	2
Tuberculosis (010-018)	42	8	66	138	4	-	38	19	22	26	2
Tuberculosis of respiratory system (010-012)	33	3	57	117	2	-	29	16	20	24	1
Other tuberculosis (013-018)	9	5	9	21	2	-	9	3	2	2	1
Whooping cough (033)	-	-	-	-	-	-	-	1	-	1	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	2	-	-	-	-	-	-	-
Meningococcal infection (036)	13	1	11	33	-	4	18	5	5	7	-
Septicemia (038)	145	29	164	656	30	15	345	99	77	157	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	8	1	27	55	5	-	11	19	5	9	1
Syphilis (090-097)	4	-	2	14	-	-	-	2	1	2	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	70	17	104	263	23	12	93	76	36	99	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,611	1,232	9,050	22,284	1,470	971	8,804	7,171	3,761	8,742	518
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	93	13	197	430	19	11	188	124	62	172	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,121	374	2,143	5,371	363	267	2,116	1,784	861	2,442	138
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,374	290	2,648	6,209	252	244	2,520	2,046	1,112	1,860	121
Malignant neoplasm of breast (174-175)	376	109	691	1,695	164	76	715	593	297	800	44
Malignant neoplasms of genital organs (179-187)	573	134	1,016	2,513	198	116	941	819	365	1,114	69
Malignant neoplasms of urinary organs (188-189)	178	47	363	845	55	45	357	318	169	431	26
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	537	126	1,124	3,081	239	133	1,218	779	560	1,059	79
Leukemia (204-208)	139	68	376	1,002	85	29	296	321	156	371	11
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	220	69	492	1,138	95	50	453	387	179	493	24
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	40	25	138	298	29	24	127	105	61	97	4
Diabetes mellitus (250)	485	69	634	1,877	156	65	642	559	357	742	47
Nutritional deficiencies (260-269)	30	6	49	136	12	3	37	55	23	50	4
Anemias (280-285)	42	12	68	191	14	5	59	49	35	72	7
Meningitis (320-322)	24	4	34	114	15	3	29	19	13	21	1
Major cardiovascular diseases (390-448)	11,876	3,270	21,089	51,640	3,905	2,121	20,215	15,156	9,823	21,022	1,284
Diseases of heart (390-398,402,404-429)	8,994	2,515	15,613	39,166	3,032	1,678	15,349	11,305	7,896	16,326	1,010
Rheumatic fever and rheumatic heart disease (390-398)	53	31	113	264	82	13	121	139	56	168	15
Hypertensive heart disease (402)	340	32	502	1,139	68	32	398	266	196	361	20
Hypertensive heart and renal disease (404)	45	10	68	144	11	4	76	33	23	50	1
Ischemic heart disease (410-414)	5,843	1,889	11,627	25,105	1,976	1,173	10,817	8,010	5,533	12,493	711
Acute myocardial infarction (410)	3,728	1,205	7,032	15,189	1,035	679	5,843	4,218	3,073	6,482	469
Other acute and subacute forms of ischemic heart disease (411)	72	9	64	88	42	13	795	26	13	75	4
Angina pectoris (413)	12	2	13	28	2	6	15	19	6	10	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,031	673	4,518	9,800	897	475	4,164	3,745	2,441	5,926	236
Other diseases of endocardium (424)	72	21	143	390	32	25	159	177	53	142	10
All other forms of heart disease (415-423,425-429)	2,641	532	3,160	12,124	863	431	3,778	2,680	2,035	3,112	253
Hypertension with or without renal disease (401,403)	103	27	164	381	23	13	164	119	62	161	7
Cerebrovascular diseases (430-438)	2,302	541	4,283	9,574	649	309	3,774	2,853	1,475	3,420	202
Intracerebral and other intracranial hemorrhage (431-432)	323	50	485	1,101	81	24	496	315	169	359	22
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	368	83	727	1,323	97	57	640	503	245	579	25
Cerebral embolism (434.1)	8	3	22	50	4	2	18	12	6	15	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,603	405	3,049	7,100	467	226	2,620	2,023	1,055	2,467	154
Atherosclerosis (440)	261	118	632	1,530	92	59	528	541	233	649	35
Other diseases of arteries, arterioles, and capillaries (441-448)	216	69	397	989	109	62	400	338	157	466	30
Acute bronchitis and bronchiolitis (466)	3	2	14	29	4	4	10	10	5	6	2
Pneumonia and influenza (480-487)	637	233	1,216	2,730	208	137	1,213	895	475	1,195	64
Pneumonia (480-486)	605	202	1,100	2,595	196	120	1,164	837	448	1,082	58
Influenza (487)	32	31	116	135	12	17	49	58	27	113	6
Chronic obstructive pulmonary diseases and allied conditions (490-496)	639	194	1,371	3,200	271	170	1,206	1,291	733	998	138
Bronchitis, chronic and unspecified (490-491)	38	9	83	214	17	10	66	49	47	66	3
Emphysema (492)	140	56	289	835	55	17	247	317	142	208	18
Asthma (493)	42	9	70	143	29	7	76	70	22	50	9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	419	120	929	2,008	170	136	817	855	522	674	106
Ulcer of stomach and duodenum (531-533)	57	21	145	316	31	23	116	109	54	147	9
Appendicitis (540-543)	8	3	14	43	6	2	12	10	5	9	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	54	17	96	328	28	13	104	100	49	118	11
Chronic liver disease and cirrhosis (571)	294	67	437	1,405	103	70	535	479	252	478	43
Cholelithiasis and other disorders of gallbladder (574-575)	33	8	90	177	10	10	52	46	46	63	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	250	59	394	1,222	86	36	343	234	162	302	20
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	-	7	23	-	-	1	3	7	5	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	54	8	77	93	19	4	30	31	15	40	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	191	51	310	1,106	67	32	312	200	140	257	17
Infections of kidney (590)	31	10	58	170	5	9	31	34	20	56	4
Hyperplasia of prostate (600)	13	-	18	35	2	2	8	15	8	13	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	3	1	11	33	-	-	6	4	2	4	-
Pregnancy with abortive outcome (630-638)	1	-	-	2	-	-	-	1	-	2	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	1	11	31	-	-	6	3	2	2	-
Congenital anomalies (740-759)	197	34	297	915	145	20	256	265	119	254	13
Certain conditions originating in the perinatal period (760-779)	424	74	521	1,643	202	25	529	297	198	379	28
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	90	21	162	529	66	10	112	131	68	137	8
Other conditions originating in the perinatal period (760-766,770-779)	334	53	359	1,114	136	15	417	166	130	242	20
Symptoms, signs, and ill-defined conditions (780-799)	555	74	719	3,549	151	18	305	270	178	255	40
All other diseases (Residual)	1,596	361	2,542	6,545	683	282	2,849	2,048	1,147	2,521	191
Accidents and adverse effects (E800-E949)	1,693	342	2,353	8,142	735	207	2,274	1,893	1,004	1,766	452
Motor vehicle accidents (E810-E825)	871	186	1,230	4,684	392	103	1,051	936	486	949	276
All other accidents and adverse effects (E800-E807,E826-E949)	822	156	1,123	3,458	343	104	1,223	957	518	817	176
Suicide (E950-E959)	343	83	593	1,854	195	84	717	624	232	582	88
Homicide and legal intervention (E960-E978)	357	29	514	2,551	67	14	496	229	129	160	25
All other external causes (E980-E999)	17	20	97	142	44	2	21	51	28	57	5

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area						
	Total, 305 areas	Abilene, Tex.	Akron, Ohio	Albany, Ga.	Albany-Schenectady-Troy, N.Y.	Albuquerque, N.Mex.	Alexandria, La.
All causes	1,437,758	1,401	5,623	805	7,949	2,732	1,417
Shigellosis and amebiasis (004,006)	22	-	-	-	-	1	-
Certain other intestinal infections (007-009)	262	-	-	-	2	-	-
Tuberculosis (010-018)	1,441	1	6	3	9	3	3
Tuberculosis of respiratory system (010-012)	1,177	1	4	2	7	2	3
Other tuberculosis (013-018)	264	-	2	1	2	1	-
Whooping cough (033)	3	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	9	-	-	-	-	1	-
Meningococcal infection (036)	343	-	1	1	1	-	-
Septicemia (038)	8,030	5	33	4	46	18	13
Acute poliomyelitis (045)	-	-	-	-	-	-	-
Measles (055)	2	-	-	-	-	-	-
Viral hepatitis (070)	695	-	1	-	-	-	1
Syphilis (090-097)	108	-	1	-	1	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3,137	4	10	3	19	6	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	314,542	227	1,172	152	1,794	539	275
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6,688	6	24	2	43	13	8
Malignant neoplasms of digestive organs and peritoneum (150-159)	83,496	60	282	31	542	149	58
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	83,215	63	312	46	452	111	83
Malignant neoplasm of breast (174-175)	28,233	12	111	14	147	56	18
Malignant neoplasms of genital organs (179-187)	33,912	21	146	13	189	58	30
Malignant neoplasms of urinary organs (188-189)	13,317	11	45	6	94	24	14
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	37,773	32	126	22	173	69	42
Leukemia (204-208)	11,856	12	52	15	73	24	10
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	16,052	10	72	3	81	35	12
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4,705	6	14	5	27	10	5
Diabetes mellitus (250)	24,961	15	108	18	151	52	24
Nutritional deficiencies (260-269)	1,637	2	7	2	9	5	1
Anemias (280-285)	2,349	3	8	4	12	6	6
Meningitis (320-322)	1,047	-	2	-	3	1	4
Major cardiovascular diseases (390-448)	699,950	730	2,623	356	4,228	863	695
Diseases of heart (390-398,402,404-429)	547,247	514	2,028	245	3,440	643	534
Rheumatic fever and rheumatic heart disease (390-398)	5,801	2	29	2	32	19	1
Hypertensive heart disease (402)	16,207	11	57	12	69	7	35
Hypertensive heart and renal disease (404)	2,138	2	5	1	11	-	-
Ischemic heart disease (410-414)	402,738	357	1,530	172	2,786	456	408
Acute myocardial infarction (410)	201,251	238	788	71	1,205	234	184
Other acute and subacute forms of ischemic heart disease (411)	3,374	1	9	-	35	-	-
Angina pectoris (413)	387	-	1	-	3	2	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	197,726	118	732	101	1,523	220	223
Other diseases of endocardium (424)	5,470	4	30	1	38	5	3
All other forms of heart disease (415-423,425-429)	114,893	138	377	57	524	156	87
Hypertension with or without renal disease (401,403)	5,503	6	35	12	30	22	5
Cerebrovascular diseases (430-438)	114,030	172	431	75	559	153	124
Intracerebral and other intracranial hemorrhage (431-432)	14,972	17	74	15	97	22	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	22,883	11	74	20	152	7	23
Cerebral embolism (434.1)	554	2	1	2	4	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	75,621	142	282	38	306	123	98
Atherosclerosis (440)	18,805	24	75	12	112	25	15
Other diseases of arteries, arterioles, and capillaries (441-448)	14,365	14	54	12	87	20	17
Acute bronchitis and bronchiolitis (466)	427	-	-	-	6	1	-
Pneumonia and influenza (480-487)	38,219	35	123	8	225	74	42
Pneumonia (480-486)	36,524	30	116	8	216	70	36
Influenza (487)	1,695	5	7	-	9	4	6
Chronic obstructive pulmonary diseases and allied conditions (490-496)	42,351	48	155	19	231	136	59
Bronchitis, chronic and unspecified (490-491)	2,735	1	4	-	15	3	2
Emphysema (492)	9,664	14	34	1	75	20	19
Asthma (493)	2,243	2	6	2	11	9	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	27,709	31	111	16	130	104	37
Ulcer of stomach and duodenum (531-533)	4,799	1	13	2	22	13	1
Appendicitis (540-543)	412	-	1	2	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3,793	4	10	3	21	4	5
Chronic liver disease and cirrhosis (571)	23,533	14	65	9	117	51	13
Cholelithiasis and other disorders of gallbladder (574-575)	2,133	2	12	1	12	6	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	12,250	21	48	6	59	21	22
Acute glomerulonephritis and nephrotic syndrome (580-581)	209	2	2	-	2	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,450	1	2	1	8	4	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	10,591	18	44	5	49	17	20
Infections of kidney (590)	1,532	-	5	1	9	3	2
Hyperplasia of prostate (600)	446	1	-	-	4	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	229	-	-	-	-	-	1
Pregnancy with abortive outcome (630-638)	39	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	190	-	-	-	-	-	1
Congenital anomalies (740-759)	10,177	8	43	5	44	26	13
Certain conditions originating in the perinatal period (760-779)	16,516	13	71	23	70	33	18
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5,032	2	26	8	15	9	3
Other conditions originating in the perinatal period (760-766,770-779)	11,484	11	45	15	55	24	15
Symptoms, signs, and ill-defined conditions (780-799)	19,386	55	594	38	48	236	9
All other diseases (Residual)	86,379	75	317	56	392	263	78
Accidents and adverse effects (E800-E949)	68,393	96	119	45	284	205	69
Motor vehicle accidents (E810-E825)	34,372	45	51	26	124	102	41
All other accidents and adverse effects (E800-E807,E826-E949)	34,021	51	68	19	160	103	28
Suicide (E950-E959)	20,778	18	42	15	77	83	17
Homicide and legal intervention (E960-E978)	19,860	14	16	23	24	57	31
All other external causes (E980-E999)	2,902	3	3	3	2	14	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Allentown-Bethlehem-Easton, Pa.-N.J.	Altoona, Pa.	Amarillo, Tex.	Anaheim-Santa Ana-Garden Grove, Calif.	Anchorage, Alaska	Anderson, Ind.	Anderson, S.C.	Ann Arbor, Mich.
All causes	6,054	1,497	1,401	11,870	599	1,233	1,126	1,392
Shigellosis and amebiasis (004,006)	-	-	-	1	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	6	-	-	-	-
Tuberculosis (010-018)	2	1	-	8	1	2	3	-
Tuberculosis of respiratory system (010-012)	2	1	-	4	1	2	3	-
Other tuberculosis (013-018)	-	-	-	4	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	1	1	1	-	1	1	-
Septicemia (038)	36	11	4	17	2	6	11	8
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	-	9	-	-	-	-
Syphilis (090-097)	-	-	1	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	11	2	4	28	1	3	4	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,366	304	248	2,817	111	265	231	300
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	19	2	-	58	4	2	8	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	374	90	65	724	22	65	58	61
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	343	72	71	743	36	81	49	91
Malignant neoplasm of breast (174-175)	98	32	17	292	17	18	27	20
Malignant neoplasms of genital organs (179-187)	151	31	27	295	10	29	32	36
Malignant neoplasms of urinary organs (188-189)	88	8	14	86	3	14	10	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	186	42	30	338	13	33	19	46
Leukemia (204-208)	57	11	12	135	3	9	14	17
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	50	16	12	146	3	14	14	18
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	17	3	2	32	2	5	1	3
Diabetes mellitus (250)	122	30	16	155	10	30	14	21
Nutritional deficiencies (260-269)	11	1	6	3	-	3	2	4
Anemias (280-285)	5	5	2	17	-	2	-	2
Meningitis (320-322)	1	-	-	7	2	-	-	1
Major cardiovascular diseases (390-448)	3,277	842	730	5,595	154	648	467	652
Diseases of heart (390-398,402,404-429)	2,714	636	557	4,391	124	475	352	486
Rheumatic fever and rheumatic heart disease (390-398)	24	5	3	73	2	3	3	6
Hypertensive heart disease (402)	51	13	5	101	4	6	5	6
Hypertensive heart and renal disease (404)	5	3	1	12	-	5	2	1
Ischemic heart disease (410-414)	1,885	515	408	3,432	87	392	261	355
Acute myocardial infarction (410)	1,063	289	271	1,945	50	194	176	198
Other acute and subacute forms of ischemic heart disease (411)	9	1	1	51	-	-	2	-
Angina pectoris (413)	-	2	-	1	-	-	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	813	223	136	1,435	37	198	83	156
Other diseases of endocardium (424)	34	11	4	46	3	4	2	1
All other forms of heart disease (415-423,425-429)	715	89	136	727	28	65	79	117
Hypertension with or without renal disease (401,403)	17	13	2	29	1	7	3	2
Cerebrovascular diseases (430-438)	407	138	105	871	19	130	94	137
Intracerebral and other intracranial hemorrhage (431-432)	68	22	7	129	5	10	7	16
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	96	25	13	176	3	26	21	21
Cerebral embolism (434.1)	3	-	-	8	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	240	91	85	558	11	94	66	100
Atherosclerosis (440)	68	32	40	157	3	25	2	15
Other diseases of arteries, arterioles, and capillaries (441-448)	71	23	16	147	7	11	16	12
Acute bronchitis and bronchiolitis (466)	-	-	-	3	-	-	-	-
Pneumonia and influenza (480-487)	149	27	33	334	13	13	40	32
Pneumonia (480-486)	144	23	32	320	13	13	38	30
Influenza (487)	5	4	1	14	-	-	2	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	150	49	59	432	14	47	29	45
Bronchitis, chronic and unspecified (490-491)	3	3	2	36	1	3	-	1
Emphysema (492)	24	9	25	117	1	10	7	7
Asthma (493)	7	-	1	15	-	2	-	5
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	116	37	31	264	12	32	22	32
Ulcer of stomach and duodenum (531-533)	15	5	2	62	-	4	4	4
Appendicitis (540-543)	1	-	-	2	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	15	3	2	34	-	2	2	7
Chronic liver disease and cirrhosis (571)	59	12	10	264	18	17	10	15
Cholelithiasis and other disorders of gallbladder (574-575)	7	2	2	18	-	1	3	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	51	14	11	66	2	15	8	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	2	-	10	-	2	-	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	46	12	11	56	2	13	8	6
Infections of kidney (590)	4	-	-	14	1	-	-	-
Hyperplasia of prostate (600)	-	1	1	6	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	5	-	1	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	1	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	4	-	1	-	-
Congenital anomalies (740-759)	30	6	12	133	14	4	8	5
Certain conditions originating in the perinatal period (760-779)	46	13	19	124	23	4	21	30
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	7	6	6	37	9	1	5	12
Other conditions originating in the perinatal period (760-766,770-779)	39	7	13	87	14	3	16	18
Symptoms, signs, and ill-defined conditions (780-799)	29	3	9	51	15	11	93	11
All other diseases (Residual)	336	84	79	634	40	70	69	117
Accidents and adverse effects (E800-E949)	223	52	97	638	111	60	75	72
Motor vehicle accidents (E810-E825)	121	25	50	328	47	30	34	33
All other accidents and adverse effects (E800-E807,E826-E949)	102	27	47	310	64	30	41	39
Suicide (E950-E959)	79	11	34	244	33	11	12	39
Homicide and legal intervention (E960-E978)	12	4	17	107	28	5	18	11
All other external causes (E980-E999)	3	-	1	3	4	3	-	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Anniston, Ala.	Appleton-Oshkosh, Wis.	Asheville, N.C.	Athens, Ga.	Atlanta, Ga.	Atlantic City, N.J.	Augusta, Ga.-S.C.	Austin, Tex.
All causes	955	2,238	1,774	867	14,080	2,403	2,563	3,221
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	3	-	-	1
Tuberculosis (010-018)	1	1	2	1	12	-	4	2
Tuberculosis of respiratory system (010-012)	1	1	1	1	11	-	4	1
Other tuberculosis (013-018)	-	-	1	-	1	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	1	-	7	-	3	2
Septicemia (038)	1	4	7	4	127	19	22	22
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	2	-	-	7	-	-	2
Syphilis (090-097)	-	-	-	-	1	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3	6	4	1	34	2	12	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	186	486	381	163	2,811	501	525	643
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	13	9	4	64	11	8	14
Malignant neoplasms of digestive organs and peritoneum (150-159)	48	119	95	44	650	146	119	149
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	48	94	101	51	815	130	156	160
Malignant neoplasm of breast (174-175)	7	56	26	10	263	44	34	52
Malignant neoplasms of genital organs (179-187)	25	69	50	13	308	52	54	67
Malignant neoplasms of urinary organs (188-189)	6	34	14	5	117	31	29	29
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	29	54	55	28	382	50	76	115
Leukemia (204-208)	5	19	15	4	103	19	24	21
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	13	28	16	4	109	18	25	36
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	5	6	4	45	7	7	9
Diabetes mellitus (250)	17	46	25	11	223	36	55	64
Nutritional deficiencies (260-269)	-	-	3	1	13	2	7	2
Anemias (280-285)	1	2	3	3	24	5	1	7
Meningitis (320-322)	-	2	1	2	14	1	3	3
Major cardiovascular diseases (390-448)	522	1,192	872	426	6,340	1,351	1,135	1,473
Diseases of heart (390-398,402,404-429)	376	885	664	328	4,840	1,111	874	1,049
Rheumatic fever and rheumatic heart disease (390-398)	2	9	10	1	26	9	9	13
Hypertensive heart disease (402)	6	9	19	10	210	25	45	38
Hypertensive heart and renal disease (404)	1	4	1	-	15	3	7	1
Ischemic heart disease (410-414)	241	685	477	239	2,977	797	522	671
Acute myocardial infarction (410)	185	371	267	163	1,860	337	316	392
Other acute and subacute forms of ischemic heart disease (411)	2	3	1	-	10	2	-	5
Angina pectoris (413)	-	-	-	-	3	-	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	54	311	209	76	1,104	458	206	273
Other diseases of endocardium (424)	2	4	9	1	43	3	11	15
All other forms of heart disease (415-423,425-429)	124	174	148	77	1,569	274	280	311
Hypertension with or without renal disease (401,403)	2	20	8	6	61	3	9	11
Cerebrovascular diseases (430-438)	115	216	166	79	1,229	187	216	266
Intracerebral and other intracranial hemorrhage (431-432)	6	20	20	7	179	36	39	29
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	38	50	27	18	145	39	47	31
Cerebral embolism (434.1)	1	2	2	-	6	1	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	70	144	117	54	899	111	130	205
Atherosclerosis (440)	14	37	19	5	100	26	17	128
Other diseases of arteries, arterioles, and capillaries (441-448)	15	34	15	8	110	24	19	19
Acute bronchitis and bronchiolitis (466)	-	1	-	-	4	-	-	3
Pneumonia and influenza (480-487)	22	64	68	30	406	50	62	74
Pneumonia (480-486)	19	63	61	30	397	48	57	72
Influenza (487)	3	1	7	-	9	2	5	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	31	38	57	25	398	58	84	93
Bronchitis, chronic and unspecified (490-491)	2	3	4	1	33	1	4	3
Emphysema (492)	4	12	11	9	91	5	19	28
Asthma (493)	-	1	-	5	29	3	3	6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	25	22	42	10	245	49	58	56
Ulcer of stomach and duodenum (531-533)	-	10	6	2	60	8	14	16
Appendicitis (540-543)	-	2	-	-	3	1	2	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	-	3	3	1	47	6	7	13
Chronic liver disease and cirrhosis (571)	8	27	23	16	212	37	34	48
Cholelithiasis and other disorders of gallbladder (574-575)	1	4	3	2	23	2	2	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8	10	12	12	137	20	26	37
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	1	3	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	5	2	3	12	2	3	6
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	7	5	10	8	122	18	22	31
Infections of kidney (590)	1	7	2	1	23	2	4	6
Hyperplasia of prostate (600)	-	1	1	-	4	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	1	1	1	1
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	1	1	1	1
Congenital anomalies (740-759)	6	16	3	5	117	9	15	33
Certain conditions originating in the perinatal period (760-779)	11	28	15	11	248	18	37	42
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	9	3	5	66	5	16	20
Other conditions originating in the perinatal period (760-766,770-779)	9	19	12	6	182	13	21	22
Symptoms, signs, and ill-defined conditions (780-799)	6	16	6	6	138	19	14	50
All other diseases (Residual)	51	142	141	54	1,036	98	235	205
Accidents and adverse effects (E800-E949)	50	82	84	57	936	112	155	216
Motor vehicle accidents (E810-E825)	19	52	35	33	494	61	79	125
All other accidents and adverse effects (E800-E807,E826-E949)	31	30	49	24	442	51	76	91
Suicide (E950-E959)	4	35	20	18	283	15	38	79
Homicide and legal intervention (E960-E978)	15	4	21	11	301	20	51	57
All other external causes (E980-E999)	3	1	4	2	22	3	8	6

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Bakersfield, Calif	Baltimore, Md	Bangor, Maine	Baton Rouge, La	Battle Creek, Mich	Bay City, Mich	Beaumont-Port Arthur-Orange, Tex	Bellingham, Wash
All causes	3,337	19,426	1,109	3,341	1,583	929	3,342	791
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	2	1	1	-	-	-	-
Tuberculosis (010-018)	3	20	-	5	1	1	8	-
Tuberculosis of respiratory system (010-012)	3	13	-	4	1	1	6	-
Other tuberculosis (013-018)	-	7	-	1	-	-	2	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	1	-	-	-	-
Meningococcal infection (036)	3	1	1	2	1	1	2	-
Septicemia (038)	15	221	8	26	8	5	20	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	9	-	2	-	-	2	-
Syphilis (090-097)	-	-	-	2	-	-	1	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	8	47	1	8	7	1	6	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	678	4,652	238	643	350	193	711	176
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	22	120	8	16	5	3	24	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	164	1,203	60	144	65	40	180	53
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	193	1,274	80	185	94	45	225	34
Malignant neoplasm of breast (174-175)	52	377	17	62	36	25	55	18
Malignant neoplasms of genital organs (179-187)	69	474	17	53	44	15	67	22
Malignant neoplasms of urinary organs (188-189)	25	192	11	29	25	8	12	12
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	90	674	31	95	48	43	97	15
Leukemia (204-208)	34	131	7	24	15	4	17	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	29	207	7	35	18	10	34	16
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	86	3	15	2	3	10	5
Diabetes mellitus (250)	47	372	12	57	44	8	55	18
Nutritional deficiencies (260-269)	1	23	1	3	2	1	1	1
Anemias (280-285)	6	38	4	7	1	-	5	-
Meningitis (320-322)	1	14	1	5	4	1	4	-
Major cardiovascular diseases (390-448)	1,438	9,056	551	1,569	766	510	1,501	391
Diseases of heart (390-398,402,404-429)	1,130	7,457	435	1,240	582	394	1,153	289
Rheumatic fever and rheumatic heart disease (390-398)	15	64	3	6	6	2	6	3
Hypertensive heart disease (402)	43	385	10	71	13	4	21	10
Hypertensive heart and renal disease (404)	5	41	1	6	7	-	3	-
Ischemic heart disease (410-414)	847	3,672	329	922	441	354	740	229
Acute myocardial infarction (410)	389	2,543	197	283	263	184	411	83
Other acute and subacute forms of ischemic heart disease (411)	3	31	2	1	2	-	4	1
Angina pectoris (413)	1	17	2	2	3	-	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	454	1,081	128	636	173	170	325	144
Other diseases of endocardium (424)	16	64	6	13	13	2	8	5
All other forms of heart disease (415-423,425-429)	204	3,231	86	222	102	32	375	42
Hypertension with or without renal disease (401,403)	9	73	3	16	3	-	12	2
Cerebrovascular diseases (430-438)	224	1,179	76	230	138	64	269	73
Intracerebral and other intracranial hemorrhage (431-432)	35	187	11	29	13	11	42	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	46	121	18	39	22	18	47	13
Cerebral embolism (434.1)	1	5	-	-	-	-	3	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	142	866	47	162	103	35	177	56
Atherosclerosis (440)	41	143	18	59	27	42	43	22
Other diseases of arteries, arterioles, and capillaries (441-448)	34	204	19	24	16	10	24	5
Acute bronchitis and bronchiolitis (466)	-	8	-	1	-	-	-	-
Pneumonia and influenza (480-487)	105	400	46	61	49	10	81	22
Pneumonia (480-486)	100	387	45	60	44	10	81	22
Influenza (487)	5	13	1	1	5	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	128	452	39	70	63	31	70	28
Bronchitis, chronic and unspecified (490-491)	6	17	1	7	5	1	2	-
Emphysema (492)	56	68	8	7	22	7	13	7
Asthma (493)	5	14	1	7	3	3	3	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	61	353	29	49	33	20	52	19
Ulcer of stomach and duodenum (531-533)	17	60	3	7	8	3	9	2
Appendicitis (540-543)	4	8	-	1	1	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	13	55	5	11	1	-	5	7
Chronic liver disease and cirrhosis (571)	91	268	15	34	24	18	44	7
Cholelithiasis and other disorders of gallbladder (574-575)	9	30	1	4	-	-	6	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	18	258	16	45	18	8	49	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	1	-	-	2	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	11	5	7	1	1	4	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	17	246	11	38	15	7	44	6
Infections of kidney (590)	3	13	-	7	2	-	4	-
Hyperplasia of prostate (600)	2	4	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	2	-	1	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	2	-	1	-	-	-	-
Congenital anomalies (740-759)	33	134	13	35	11	7	24	7
Certain conditions originating in the perinatal period (760-779)	53	228	4	94	18	5	47	4
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	26	57	3	19	6	-	25	1
Other conditions originating in the perinatal period (760-766,770-779)	27	171	1	75	12	5	22	3
Symptoms, signs, and ill-defined conditions (780-799)	30	333	4	29	18	2	126	8
All other diseases (Residual)	174	1,337	73	191	83	47	191	43
Accidents and adverse effects (E800-E949)	290	753	50	263	66	54	244	41
Motor vehicle accidents (E810-E825)	179	353	26	135	35	24	132	19
All other accidents and adverse effects (E800-E807,E826-E949)	111	400	24	128	31	30	112	22
Suicide (E950-E959)	59	213	11	59	24	14	56	10
Homicide and legal intervention (E960-E978)	84	297	7	79	10	5	56	4
All other external causes (E980-E999)	5	32	1	3	1	1	3	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Benton Harbor, Mich.	Billings, Mont.	Biloxi-Gulfport, Miss.	Binghamton, N.Y.-Pa.	Birmingham, Ala.	Bismarck, N.Dak.	Bloomington, Ind.	Bloomington-Normal, Ill.
All causes	1,484	791	1,653	2,801	6,110	487	540	841
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	1	-	3	-	-	-
Tuberculosis (010-018)	1	-	-	2	25	-	-	-
Tuberculosis of respiratory system (010-012)	-	-	-	2	20	-	-	-
Other tuberculosis (013-018)	1	-	-	-	5	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	4	3	-	-	1
Septicemia (038)	4	3	5	5	46	1	1	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	1	2	4	-	1	1
Syphilis (090-097)	-	1	1	-	4	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	5	2	6	9	33	3	-	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	324	164	327	636	1,796	117	113	166
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	2	11	10	29	-	2	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	73	37	56	166	464	33	35	57
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	80	42	118	153	511	24	22	40
Malignant neoplasm of breast (174-175)	29	17	17	66	130	6	13	18
Malignant neoplasms of genital organs (179-187)	38	23	35	83	208	11	19	13
Malignant neoplasms of urinary organs (188-189)	29	10	14	32	67	7	3	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	42	19	50	63	211	17	11	16
Leukemia (204-208)	12	5	9	27	72	11	3	7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	16	9	17	36	104	8	5	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	3	5	7	22	-	-	3
Diabetes mellitus (250)	30	10	21	63	143	5	12	8
Nutritional deficiencies (260-269)	-	1	2	3	11	2	1	2
Anemias (280-285)	2	-	3	10	26	-	-	3
Meningitis (320-322)	-	1	1	2	7	-	-	1
Major cardiovascular diseases (390-448)	753	381	806	1,439	3,461	231	275	440
Diseases of heart (390-398,402,404-429)	574	273	668	1,101	2,517	161	192	313
Rheumatic fever and rheumatic heart disease (390-398)	5	10	3	13	27	4	1	5
Hypertensive heart disease (402)	8	15	18	34	106	2	3	5
Hypertensive heart and renal disease (404)	6	-	2	3	16	-	1	1
Ischemic heart disease (410-414)	453	194	372	919	1,702	126	134	238
Acute myocardial infarction (410)	195	87	259	445	973	89	71	101
Other acute and subacute forms of ischemic heart disease (411)	3	-	2	1	12	-	-	-
Angina pectoris (413)	-	-	-	-	5	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	255	107	111	473	712	37	63	137
Other diseases of endocardium (424)	8	6	3	7	36	3	3	2
All other forms of heart disease (415-423,425-429)	94	48	270	125	631	26	50	62
Hypertension with or without renal disease (401,403)	7	3	2	11	68	1	1	5
Cerebrovascular diseases (430-438)	123	69	109	237	749	56	66	98
Intracerebral and other intracranial hemorrhage (431-432)	13	7	7	22	76	7	5	21
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	13	15	20	48	136	18	10	23
Cerebral embolism (434.1)	-	-	-	1	2	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	97	47	82	166	535	31	51	53
Atherosclerosis (440)	34	12	8	44	65	8	13	16
Other diseases of arteries, arterioles, and capillaries (441-448)	15	4	19	48	62	5	3	8
Acute bronchitis and bronchiolitis (466)	-	1	-	-	1	-	-	1
Pneumonia and influenza (480-487)	41	16	38	66	186	15	10	20
Pneumonia (480-486)	38	16	36	65	179	14	9	19
Influenza (487)	3	-	3	1	7	1	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	52	41	59	99	282	12	25	29
Bronchitis, chronic and unspecified (490-491)	5	5	2	3	17	-	-	-
Emphysema (492)	16	2	13	41	64	3	6	6
Asthma (493)	3	3	1	2	8	-	3	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	28	31	43	52	193	9	16	22
Ulcer of stomach and duodenum (531-533)	6	3	1	11	34	3	2	3
Appendicitis (540-543)	-	-	2	1	4	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	3	3	7	22	2	-	5
Chronic liver disease and cirrhosis (571)	19	14	23	38	90	6	4	12
Cholelithiasis and other disorders of gallbladder (574-575)	2	-	4	7	10	1	1	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	12	10	16	23	77	1	4	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	1	1	1	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	3	1	2	4	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	11	7	14	20	72	1	4	3
Infections of kidney (590)	-	-	1	3	9	1	1	1
Hyperplasia of prostate (600)	1	2	-	1	4	-	-	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	2	-	1	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	2	-	1	-	-	-
Congenital anomalies (740-759)	8	7	13	8	59	8	6	8
Certain conditions originating in the perinatal period (760-779)	19	13	16	15	80	9	9	14
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	1	8	4	26	6	4	5
Other conditions originating in the perinatal period (760-766,770-779)	11	12	8	11	54	3	5	9
Symptoms, signs, and ill-defined conditions (780-799)	7	5	19	32	384	8	8	6
All other diseases (Residual)	74	34	99	141	592	28	31	44
Accidents and adverse effects (E800-E949)	78	51	117	130	441	27	23	42
Motor vehicle accidents (E810-E825)	52	26	61	61	206	12	10	26
All other accidents and adverse effects (E800-E807,E826-E949)	26	25	56	69	235	15	13	16
Suicide (E950-E959)	15	34	32	29	94	7	7	12
Homicide and legal intervention (E960-E978)	15	10	29	7	147	-	5	4
All other external causes (E980-E999)	2	1	-	4	9	-	1	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Boise City, Idaho	Boston-Lowell-Brockton-Lawrence-Haverhill, Mass.	Bradenton, Fla.	Bremerton, Wash.	Bridgeport-Stamford-Norwalk-Danbury, Conn.	Brownsville-Harlingen-San Benito, Tex.	Bryan-College Station, Tex.	Buffalo, N.Y.
All causes	1,185	32,904	2,300	1,076	6,994	1,272	526	12,493
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	1	-	1	-	-	-
Tuberculosis (010-018)	1	19	2	-	2	3	1	8
Tuberculosis of respiratory system (010-012)	1	14	2	-	1	2	1	7
Other tuberculosis (013-018)	-	5	-	-	1	1	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	2
Meningococcal infection (036)	-	4	-	-	4	-	-	-
Septicemia (038)	4	262	9	2	35	5	5	61
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	13	-	-	4	1	-	2
Syphilis (090-097)	-	-	-	-	-	-	1	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	4	76	7	-	15	1	-	19
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	263	7,700	547	241	1,672	213	93	2,763
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	170	15	2	54	2	2	62
Malignant neoplasms of digestive organs and peritoneum (150-159)	47	2,165	152	53	472	67	21	751
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	83	1,780	132	62	398	43	24	759
Malignant neoplasm of breast (174-175)	27	757	41	23	147	15	3	291
Malignant neoplasms of genital organs (179-187)	30	721	63	35	197	28	14	271
Malignant neoplasms of urinary organs (188-189)	11	332	29	18	87	8	5	140
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	29	1,092	73	21	179	31	17	259
Leukemia (204-208)	16	259	21	11	57	8	2	89
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	16	404	21	16	81	11	5	141
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	119	9	5	31	4	1	48
Diabetes mellitus (250)	21	572	34	20	125	36	9	270
Nutritional deficiencies (260-269)	2	34	1	-	8	2	-	12
Anemias (280-285)	7	60	5	1	9	-	-	17
Meningitis (320-322)	-	29	-	1	-	4	-	4
Major cardiovascular diseases (390-448)	543	16,213	1,147	498	3,467	483	228	6,672
Diseases of heart (390-398,402,404-429)	397	13,070	876	409	2,654	358	154	5,159
Rheumatic fever and rheumatic heart disease (390-398)	7	149	5	1	34	5	-	52
Hypertensive heart disease (402)	6	259	9	9	62	7	2	98
Hypertensive heart and renal disease (404)	2	25	4	1	8	-	1	21
Ischemic heart disease (410-414)	274	10,571	666	311	2,099	265	110	4,407
Acute myocardial infarction (410)	159	5,598	383	209	864	168	69	2,419
Other acute and subacute forms of ischemic heart disease (411)	2	20	4	2	6	-	2	12
Angina pectoris (413)	-	9	1	-	2	-	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	113	4,944	278	100	1,227	97	38	1,976
Other diseases of endocardium (424)	5	146	6	3	44	3	-	38
All other forms of heart disease (415-423,425-429)	103	1,920	186	84	407	78	41	543
Hypertension with or without renal disease (401,403)	4	104	4	2	31	3	-	49
Cerebrovascular diseases (430-438)	96	2,320	213	66	593	93	62	1,166
Intracerebral and other intracranial hemorrhage (431-432)	15	347	26	12	76	7	7	121
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	7	564	73	15	133	18	6	401
Cerebral embolism (434.1)	-	17	1	-	2	2	-	8
All other and late effects of cerebrovascular diseases (430,433,435-438)	74	1,392	113	39	382	66	49	636
Atherosclerosis (440)	34	374	17	12	113	18	9	161
Other diseases of arteries, arterioles, and capillaries (441-448)	12	345	37	9	76	11	3	137
Acute bronchitis and bronchiolitis (466)	1	7	-	1	2	-	-	6
Pneumonia and influenza (480-487)	34	1,243	42	36	181	32	14	308
Pneumonia (480-486)	31	1,191	39	32	166	30	13	293
Influenza (487)	3	52	3	4	15	2	1	15
Chronic obstructive pulmonary diseases and allied conditions (490-496)	30	929	82	50	189	36	7	383
Bronchitis, chronic and unspecified (490-491)	3	41	5	3	17	5	-	22
Emphysema (492)	8	168	19	14	21	1	3	141
Asthma (493)	1	54	-	1	15	-	1	16
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	18	666	58	32	136	30	3	204
Ulcer of stomach and duodenum (531-533)	3	89	5	7	19	7	1	37
Appendicitis (540-543)	-	10	-	2	-	-	-	4
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	92	3	-	17	5	4	34
Chronic liver disease and cirrhosis (571)	8	472	16	19	121	16	1	205
Cholelithiasis and other disorders of gallbladder (574-575)	2	50	3	1	7	5	-	21
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8	307	13	4	59	15	3	86
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	6	-	-	-	-	-	3
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	29	1	-	14	2	-	10
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8	272	12	4	45	13	3	73
Infections of kidney (590)	-	31	1	2	5	1	1	18
Hyperplasia of prostate (600)	-	5	1	1	2	-	1	4
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	1	1	-	1	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	1	1	1	-	1	-	-
Congenital anomalies (740-759)	20	163	10	12	45	16	4	66
Certain conditions originating in the perinatal period (760-779)	8	203	8	13	68	18	9	103
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	48	3	5	24	6	4	20
Other conditions originating in the perinatal period (760-766,770-779)	5	155	5	8	44	12	5	83
Symptoms, signs, and ill-defined conditions (780-799)	19	225	105	12	74	158	54	92
All other diseases (Residual)	77	2,166	139	61	441	78	33	640
Accidents and adverse effects (E800-E949)	75	1,262	79	57	239	88	38	400
Motor vehicle accidents (E810-E825)	42	498	47	24	124	47	23	192
All other accidents and adverse effects (E800-E807,E826-E949)	33	764	32	33	115	41	15	208
Suicide (E950-E959)	38	334	21	19	83	15	9	92
Homicide and legal intervention (E960-E978)	9	177	7	6	57	24	9	60
All other external causes (E980-E999)	1	45	2	4	12	5	-	55

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Burlington, N.C.	Burlington, Vt.	Canton, Ohio	Casper, Wyo.	Cedar Rapids, Iowa	Champaign-Urbana-Rantoul, Ill.	Charleston-North Charleston, S.C.	Charleston, W. Va.
All causes	951	695	3,619	429	1,227	927	2,747	2,630
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	2	-	-
Tuberculosis (010-018)	-	-	2	-	-	1	6	6
Tuberculosis of respiratory system (010-012)	-	-	2	-	-	1	3	6
Other tuberculosis (013-018)	-	-	-	-	-	-	3	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-
Septicemia (038)	6	-	7	2	8	4	18	15
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	1	4	-
Syphilis (090-097)	-	-	-	1	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	1	5	2	2	-	10	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	196	163	749	84	294	192	567	556
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	3	16	-	9	2	13	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	41	27	180	22	85	56	154	107
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	55	50	206	21	65	48	184	178
Malignant neoplasm of breast (174-175)	16	15	75	5	27	15	45	39
Malignant neoplasms of genital organs (179-187)	24	14	78	6	33	19	54	53
Malignant neoplasms of urinary organs (188-189)	6	11	25	5	17	10	26	26
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	28	30	97	17	25	15	49	87
Leukemia (204-208)	7	7	33	5	14	15	21	27
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	12	6	39	3	19	12	21	32
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	6	12	1	4	2	4	14
Diabetes mellitus (250)	16	12	88	6	24	13	44	46
Nutritional deficiencies (260-269)	-	1	9	1	2	1	8	1
Anemias (280-285)	1	2	6	1	4	3	4	6
Meningitis (320-322)	-	-	2	-	2	2	3	4
Major cardiovascular diseases (390-448)	485	326	1,878	155	588	465	1,189	1,310
Diseases of heart (390-398,402,404-429)	377	278	1,492	122	432	321	925	1,054
Rheumatic fever and rheumatic heart disease (390-398)	3	-	12	1	4	2	9	9
Hypertensive heart disease (402)	13	6	57	2	6	13	45	36
Hypertensive heart and renal disease (404)	-	-	15	-	-	1	1	3
Ischemic heart disease (410-414)	306	182	1,175	80	332	241	613	602
Acute myocardial infarction (410)	159	115	519	56	168	118	330	326
Other acute and subacute forms of ischemic heart disease (411)	1	4	4	2	-	1	46	2
Angina pectoris (413)	-	3	2	-	2	1	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	146	60	650	22	162	121	236	273
Other diseases of endocardium (424)	3	2	28	2	3	4	7	7
All other forms of heart disease (415-423,425-429)	52	88	205	37	87	60	250	397
Hypertension with or without renal disease (401,403)	4	-	14	2	7	8	9	15
Cerebrovascular diseases (430-438)	81	30	291	22	115	99	217	185
Intracerebral and other intracranial hemorrhage (431-432)	5	3	43	1	13	12	38	30
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	24	7	64	-	15	23	50	26
Cerebral embolism (434.1)	1	-	1	-	1	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	51	29	183	21	86	64	128	129
Atherosclerosis (440)	14	2	37	3	21	29	21	32
Other diseases of arteries, arterioles, and capillaries (441-448)	9	7	44	6	13	8	17	24
Acute bronchitis and bronchiolitis (466)	-	1	2	-	-	-	2	-
Pneumonia and influenza (480-487)	20	25	96	8	35	31	55	72
Pneumonia (480-486)	18	23	88	8	28	30	54	70
Influenza (487)	2	2	8	-	7	1	1	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	20	31	143	21	44	31	61	93
Bronchitis, chronic and unspecified (490-491)	2	4	4	-	-	1	4	3
Emphysema (492)	5	2	28	4	13	16	7	20
Asthma (493)	-	-	10	2	3	3	4	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	13	25	101	15	28	11	46	67
Ulcer of stomach and duodenum (531-533)	3	3	10	2	4	3	9	11
Appendicitis (540-543)	-	1	-	-	2	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	-	-	12	3	3	3	5	4
Chronic liver disease and cirrhosis (571)	9	14	38	3	12	11	36	50
Cholelithiasis and other disorders of gallbladder (574-575)	1	3	3	-	2	2	4	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	3	29	1	5	8	34	37
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	1	-	-	-	2	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	3	-	-	2	7	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	3	25	1	5	6	25	33
Infections of kidney (590)	-	2	6	-	3	1	2	3
Hyperplasia of prostate (600)	-	-	1	-	-	-	2	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	-	-	1	1	1
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	-	-	1	1	1
Congenital anomalies (740-759)	10	3	25	3	12	7	37	13
Certain conditions originating in the perinatal period (760-779)	8	7	33	8	10	13	77	32
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	3	11	2	3	3	18	16
Other conditions originating in the perinatal period (760-766,770-779)	3	4	22	6	7	10	59	16
Symptoms, signs, and ill-defined conditions (780-799)	4	2	21	13	8	7	32	23
All other diseases (Residual)	77	44	216	29	73	59	196	149
Accidents and adverse effects (E800-E949)	45	27	157	60	60	47	241	125
Motor vehicle accidents (E810-E825)	27	13	88	38	32	23	136	63
All other accidents and adverse effects (E800-E807,E826-E949)	18	14	69	22	28	24	105	62
Suicide (E950-E959)	21	12	54	18	22	10	55	29
Homicide and legal intervention (E960-E978)	16	8	15	4	4	4	37	19
All other external causes (E980-E999)	-	-	1	3	-	3	3	4

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Charlotte-Gastonia, N.C.	Charlottesville, Va	Chattanooga, Tenn.-Ga.	Chicago, Ill.	Chico, Calif.	Cincinnati, Ohio-Ky.-Ind.	Clarksville-Hopkinsville, Tenn.-Ky.	Cleveland, Ohio
All causes	4,850	879	3,789	60,512	1,482	12,699	1,003	18,425
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	8	-	3	-	3
Tuberculosis (010-018)	3	1	10	76	1	11	4	14
Tuberculosis of respiratory system (010-012)	2	1	8	70	1	10	2	11
Other tuberculosis (013-018)	1	-	2	6	-	1	2	3
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	4	1	6	1	2
Septicemia (038)	35	8	23	296	7	70	4	106
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	1
Viral hepatitis (070)	3	1	1	29	-	7	1	4
Syphilis (090-097)	-	-	1	3	-	5	-	2
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	13	3	11	123	5	22	6	36
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,016	186	806	13,030	329	2,995	186	4,193
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	25	3	19	352	7	64	7	98
Malignant neoplasms of digestive organs and peritoneum (150-159)	241	46	190	3,746	76	768	44	1,128
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	282	56	247	3,246	91	879	51	1,113
Malignant neoplasm of breast (174-175)	85	14	65	1,238	34	294	14	423
Malignant neoplasms of genital organs (179-187)	116	12	95	1,398	45	336	26	449
Malignant neoplasms of urinary organs (188-189)	29	8	42	514	13	150	10	192
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	151	28	83	1,456	32	287	18	430
Leukemia (204-208)	36	6	30	472	11	98	5	161
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	51	13	35	608	20	119	11	199
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	1	17	194	4	41	3	63
Diabetes mellitus (250)	70	16	58	1,054	20	234	12	380
Nutritional deficiencies (260-269)	6	-	4	47	5	12	2	21
Anemias (280-285)	10	-	7	88	1	19	-	31
Meningitis (320-322)	6	-	1	51	-	8	1	10
Major cardiovascular diseases (390-448)	2,291	407	1,848	30,208	684	6,210	446	9,091
Diseases of heart (390-398,402,404-429)	1,746	297	1,454	24,872	496	4,988	338	7,151
Rheumatic fever and rheumatic heart disease (390-398)	15	3	12	228	5	42	1	94
Hypertensive heart disease (402)	69	2	33	839	8	246	7	300
Hypertensive heart and renal disease (404)	27	-	4	67	-	20	4	27
Ischemic heart disease (410-414)	1,250	219	1,160	17,133	377	3,705	249	5,573
Acute myocardial infarction (410)	741	105	394	8,322	191	1,435	165	2,193
Other acute and subacute forms of ischemic heart disease (411)	1	13	4	214	1	11	2	11
Angina pectoris (413)	1	-	3	7	-	4	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	507	101	759	8,590	185	2,255	82	3,368
Other diseases of endocardium (424)	12	4	8	207	12	36	3	64
All other forms of heart disease (415-423,425-429)	373	69	237	6,398	94	939	74	1 093
Hypertension with or without renal disease (401,403)	23	-	11	258	6	27	5	79
Cerebrovascular diseases (430-438)	427	94	316	4,085	140	952	80	1,430
Intracerebral and other intracranial hemorrhage (431-432)	52	12	36	684	10	105	16	231
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	63	13	49	1,050	29	207	11	316
Cerebral embolism (434.1)	1	1	-	13	1	1	-	11
All other and late effects of cerebrovascular diseases (430,433,435-438)	311	68	231	2,338	100	639	53	872
Atherosclerosis (440)	45	12	33	567	10	128	17	235
Other diseases of arteries, arterioles, and capillaries (441-448)	50	4	34	426	32	115	6	196
Acute bronchitis and bronchiolitis (466)	4	-	6	8	2	7	-	6
Pneumonia and influenza (480-487)	134	29	121	1,681	57	374	27	378
Pneumonia (480-486)	131	27	115	1,630	50	361	25	352
Influenza (487)	3	2	6	51	7	13	2	26
Chronic obstructive pulmonary diseases and allied conditions (490-496)	113	21	113	1,397	79	384	34	470
Bronchitis, chronic and unspecified (490-491)	6	-	7	89	2	19	1	39
Emphysema (492)	23	5	25	304	33	63	4	110
Asthma (493)	7	-	5	91	-	21	2	18
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	77	16	76	913	44	281	27	303
Ulcer of stomach and duodenum (531-533)	21	-	14	219	7	53	2	57
Appendicitis (540-543)	-	-	2	13	-	7	-	7
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	19	5	12	144	7	45	3	57
Chronic liver disease and cirrhosis (571)	72	14	37	1,154	21	160	12	309
Cholelithiasis and other disorders of gallbladder (574-575)	14	-	11	99	5	18	7	24
Nephritis, nephrotic syndrome, and nephrosis (580-589)	59	7	37	581	8	85	9	210
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	1	7	-	-	-	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	8	1	8	58	-	10	4	21
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	50	6	28	516	8	75	5	187
Infections of kidney (590)	14	1	5	68	5	21	2	19
Hyperplasia of prostate (600)	-	-	2	20	-	2	1	7
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	14	-	2	1	3
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	14	-	2	1	3
Congenital anomalies (740-759)	37	10	25	445	5	92	6	116
Certain conditions originating in the perinatal period (760-779)	69	2	40	959	9	133	20	257
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	18	2	16	279	5	45	6	92
Other conditions originating in the perinatal period (760-766,770-779)	51	-	24	680	4	88	14	165
Symptoms, signs, and ill-defined conditions (780-799)	35	11	26	450	5	45	18	122
All other diseases (Residual)	328	61	219	3,466	92	792	77	1,161
Accidents and adverse effects (E800-E949)	306	57	219	2,291	93	542	82	687
Motor vehicle accidents (E810-E825)	156	24	109	1,020	43	261	44	277
All other accidents and adverse effects (E800-E807,E826-E949)	150	33	110	1,271	50	281	38	410
Suicide (E950-E959)	73	24	49	665	22	192	19	290
Homicide and legal intervention (E960-E978)	81	13	53	1,198	6	82	13	274
All other external causes (E980-E999)	4	1	9	429	2	20	4	15

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Colorado Springs, Colo	Columbia, Mo	Columbia, S.C.	Columbus, Ga.-Ala.	Columbus, Ohio	Corpus Christi, Tex	Cumberland, Md.-W. Va.	Dallas-Fort Worth, Tex.
All causes	1,800	582	3,032	2,012	8,615	2,373	1,243	21,604
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	1	1	-	-	-	4
Tuberculosis (010-018)	-	1	6	2	5	4	-	19
Tuberculosis of respiratory system (010-012)	-	-	5	2	3	3	-	16
Other tuberculosis (013-018)	-	1	1	-	2	1	-	3
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	3	-	-	4
Septicemia (038)	7	3	17	15	81	14	3	128
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	1	-	3	1	1	-	8
Syphilis (090-097)	1	1	-	-	1	-	-	4
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	6	1	8	2	13	4	2	49
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	399	126	595	406	1,858	505	256	4,388
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	3	12	9	38	10	4	96
Malignant neoplasms of digestive organs and peritoneum (150-159)	103	23	128	109	464	119	67	1,080
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	83	35	209	117	530	163	64	1,279
Malignant neoplasm of breast (174-175)	36	7	42	29	177	35	18	320
Malignant neoplasms of genital organs (179-187)	67	13	71	34	186	55	33	465
Malignant neoplasms of urinary organs (188-189)	17	6	27	24	69	15	14	171
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	48	23	62	51	216	68	31	578
Leukemia (204-208)	15	9	16	11	77	22	14	154
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	25	7	28	22	101	18	11	245
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	2	8	5	26	5	7	76
Diabetes mellitus (250)	15	9	73	31	162	57	26	300
Nutritional deficiencies (260-269)	5	-	5	-	17	4	-	21
Anemias (280-285)	2	-	6	3	18	10	-	40
Meningitis (320-322)	-	-	3	3	4	2	-	22
Major cardiovascular diseases (390-448)	770	257	1,426	996	4,091	994	668	9,954
Diseases of heart (390-398,402,404-429)	582	195	1,107	754	3,124	783	537	7,586
Rheumatic fever and rheumatic heart disease (390-398)	7	2	3	3	21	6	6	54
Hypertensive heart disease (402)	11	4	60	26	70	13	8	398
Hypertensive heart and renal disease (404)	1	1	7	5	42	-	-	20
Ischemic heart disease (410-414)	453	133	734	537	2,123	491	383	4,664
Acute myocardial infarction (410)	179	63	438	286	1,128	267	260	2,472
Other acute and subacute forms of ischemic heart disease (411)	37	-	2	111	7	5	2	18
Angina pectoris (413)	-	-	3	1	1	-	-	9
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	237	70	291	139	987	219	121	2,165
Other diseases of endocardium (424)	9	1	11	10	38	8	6	60
All other forms of heart disease (415-423,425-429)	101	54	292	173	830	265	134	2,390
Hypertension with or without renal disease (401,403)	5	2	15	10	28	3	2	79
Cerebrovascular diseases (430-438)	129	51	252	189	729	167	102	1,809
Intracerebral and other intracranial hemorrhage (431-432)	13	6	38	33	81	21	6	215
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	29	22	47	35	158	19	10	220
Cerebral embolism (434.1)	-	-	1	1	2	1	-	9
All other and late effects of cerebrovascular diseases (430,433,435-438)	87	23	166	120	488	126	86	1,365
Atherosclerosis (440)	31	4	28	20	118	16	14	330
Other diseases of arteries, arterioles, and capillaries (441-448)	23	5	24	23	92	25	13	150
Acute bronchitis and bronchiolitis (466)	-	-	-	2	-	-	-	7
Pneumonia and influenza (480-487)	58	22	104	65	214	48	30	553
Pneumonia (480-486)	55	21	100	65	206	43	27	526
Influenza (487)	3	1	4	-	8	5	3	27
Chronic obstructive pulmonary diseases and allied conditions (490-496)	80	18	91	34	278	53	41	716
Bronchitis, chronic and unspecified (490-491)	8	-	4	1	25	3	1	89
Emphysema (492)	24	4	26	9	71	20	3	136
Asthma (493)	5	1	9	3	10	3	1	37
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	43	13	52	21	172	27	36	454
Ulcer of stomach and duodenum (531-533)	6	3	7	7	30	5	9	71
Appendicitis (540-543)	2	-	1	2	2	1	1	11
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	1	8	9	22	5	2	71
Chronic liver disease and cirrhosis (571)	26	2	53	33	113	41	8	270
Cholelithiasis and other disorders of gallbladder (574-575)	4	1	1	2	24	6	3	19
Nephritis, nephrotic syndrome, and nephrosis (580-589)	16	6	28	16	78	16	10	195
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	3	-	-	4
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	8	3	5	-	1	25
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	14	6	20	13	70	16	9	166
Infections of kidney (590)	3	-	3	5	4	5	1	32
Hyperplasia of prostate (600)	-	-	1	1	1	1	-	10
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	1	1	-	-	6
Pregnancy with abortive outcome (630-638)	-	-	-	1	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	1	-	-	6
Congenital anomalies (740-759)	21	1	22	24	55	25	5	183
Certain conditions originating in the perinatal period (760-779)	29	7	40	33	102	62	10	356
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	7	1	6	13	38	30	1	111
Other conditions originating in the perinatal period (760-766,770-779)	22	6	34	20	64	32	9	245
Symptoms, signs, and ill-defined conditions (780-799)	12	8	23	15	297	52	9	512
All other diseases (Residual)	127	52	220	123	569	153	71	1,259
Accidents and adverse effects (E800-E949)	123	45	166	112	342	169	63	1,365
Motor vehicle accidents (E810-E825)	79	18	81	50	166	106	23	797
All other accidents and adverse effects (E800-E807,E826-E949)	44	27	85	62	176	63	40	568
Suicide (E950-E959)	49	9	57	15	129	48	11	409
Homicide and legal intervention (E960-E978)	24	4	55	38	71	69	7	518
All other external causes (E980-E999)	6	2	4	8	3	14	-	24

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Danville, Va.	Davenport-Rock Island-Moline, Iowa-Ill.	Dayton, Ohio	Daytona Beach, Fla.	Decatur, Ill.	Denver-Boulder, Colo.	Des Moines, Iowa	Detroit, Mich.
All causes	1,129	3,280	6,634	3,778	1,225	10,358	2,812	37,200
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	1	-	-	1	1	4
Tuberculosis (010-018)	1	1	4	4	1	6	2	28
Tuberculosis of respiratory system (010-012)	-	1	4	4	1	4	1	22
Other tuberculosis (013-018)	1	-	-	-	-	2	1	6
Whooping cough (033)	-	-	-	-	-	1	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	2	1	1	-	2	-	3
Septicemia (038)	6	13	31	16	4	60	15	279
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	1	1	1	4	-	20
Syphilis (090-097)	-	-	-	-	-	-	-	2
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	8	10	2	4	27	7	62
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	224	718	1,509	829	273	2,040	611	7,908
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	11	27	8	8	35	11	141
Malignant neoplasms of digestive organs and peritoneum (150-159)	53	211	402	224	68	493	176	2,022
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	66	168	420	240	80	505	181	2,195
Malignant neoplasm of breast (174-175)	12	61	158	71	24	174	41	709
Malignant neoplasms of genital organs (179-187)	37	94	149	93	25	244	69	858
Malignant neoplasms of urinary organs (188-189)	6	25	57	43	19	96	29	345
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	11	84	138	87	22	279	53	924
Leukemia (204-208)	15	26	67	35	16	96	19	280
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	17	38	91	28	11	118	32	434
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	12	23	13	4	28	7	66
Diabetes mellitus (250)	34	65	115	52	24	163	41	690
Nutritional deficiencies (260-269)	1	6	14	2	-	17	2	39
Anemias (280-285)	2	6	12	7	2	24	1	73
Meningitis (320-322)	-	2	5	7	-	9	3	21
Major cardiovascular diseases (390-448)	574	1,681	3,293	2,002	679	4,508	1,273	18,791
Diseases of heart (390-398,402,404-429)	420	1,273	2,572	1,529	517	3,436	1,025	15,092
Rheumatic fever and rheumatic heart disease (390-398)	2	10	28	16	1	67	11	138
Hypertensive heart disease (402)	5	37	77	66	6	36	9	430
Hypertensive heart and renal disease (404)	5	5	9	6	2	29	4	37
Ischemic heart disease (410-414)	309	1,016	1,779	1,132	356	2,358	765	10,671
Acute myocardial infarction (410)	168	593	947	600	133	1,250	539	5,769
Other acute and subacute forms of ischemic heart disease (411)	6	2	9	5	-	12	11	26
Angina pectoris (413)	-	-	2	1	-	2	-	8
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	135	421	821	526	223	1,086	215	4,868
Other diseases of endocardium (424)	3	4	20	14	6	47	8	124
All other forms of heart disease (415-423,425-429)	96	201	659	295	146	898	228	3,692
Hypertension with or without renal disease (401,403)	6	18	30	18	4	32	9	126
Cerebrovascular diseases (430-438)	122	289	517	376	119	752	161	2,800
Intracerebral and other intracranial hemorrhage (431-432)	12	24	90	33	10	93	16	394
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	15	52	91	96	38	112	30	742
Cerebral embolism (434.1)	-	1	3	1	-	4	1	15
All other and late effects of cerebrovascular diseases (430,433,435-438)	95	212	333	246	71	543	114	1,649
Atherosclerosis (440)	16	60	105	34	21	180	32	402
Other diseases of arteries, arterioles, and capillaries (441-448)	10	41	69	45	18	108	46	371
Acute bronchitis and bronchiolitis (466)	1	-	1	-	-	3	-	4
Pneumonia and influenza (480-487)	37	80	160	79	20	391	70	799
Pneumonia (480-486)	34	75	145	73	15	376	66	783
Influenza (487)	3	5	15	6	5	15	4	16
Chronic obstructive pulmonary diseases and allied conditions (490-496)	27	125	209	161	37	486	83	1,046
Bronchitis, chronic and unspecified (490-491)	3	8	16	7	-	26	1	61
Emphysema (492)	4	37	33	34	18	97	23	253
Asthma (493)	4	6	10	6	1	27	3	42
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	16	74	150	114	18	336	56	690
Ulcer of stomach and duodenum (531-533)	3	13	18	16	6	40	7	113
Appendicitis (540-543)	-	1	2	2	-	2	2	11
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	9	18	10	2	36	7	101
Chronic liver disease and cirrhosis (571)	12	35	94	68	8	162	36	766
Cholelithiasis and other disorders of gallbladder (574-575)	2	6	13	3	4	11	1	40
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	14	60	21	8	82	16	352
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	4	-	-	1	-	9
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	1	12	4	-	13	4	36
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	5	13	44	17	8	68	12	307
Infections of kidney (590)	1	4	4	1	1	9	1	28
Hyperplasia of prostate (600)	-	2	-	-	2	3	1	13
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	2	-	-	1	-	2
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	2	-	-	1	-	1
Congenital anomalies (740-759)	3	18	37	10	6	90	30	226
Certain conditions originating in the perinatal period (760-779)	12	43	78	19	11	118	26	515
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	22	26	3	5	30	7	142
Other conditions originating in the perinatal period (760-766,770-779)	11	21	52	16	6	88	19	373
Symptoms, signs, and ill-defined conditions (780-799)	5	27	140	18	15	95	12	192
All other diseases (Residual)	77	167	363	219	51	761	155	2,251
Accidents and adverse effects (E800-E949)	64	151	239	128	48	643	145	1,442
Motor vehicle accidents (E810-E825)	36	66	134	74	21	318	64	711
All other accidents and adverse effects (E800-E807,E826-E949)	28	85	105	54	27	325	81	731
Suicide (E950-E959)	17	49	81	41	11	316	42	523
Homicide and legal intervention (E960-E978)	12	18	91	31	3	169	13	697
All other external causes (E980-E999)	1	2	5	15	-	31	2	71

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Dubuque, Iowa	Duluth-Superior, Minn.-Wis.	Eau Claire, Wis.	El Paso, Tex.	Elkhart, Ind.	Elmira, N.Y.	Enid, Okla.	Erie, Pa.
All causes	847	2,619	1,119	2,504	1,016	941	581	2,577
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	1	-	3	-	-	-	-
Tuberculosis (010-018)	-	-	-	8	-	3	-	1
Tuberculosis of respiratory system (010-012)	-	-	-	6	-	2	-	-
Other tuberculosis (013-018)	-	-	-	2	-	1	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	-	-	-	-	-	-
Septicemia (038)	1	7	5	14	4	4	5	10
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	2	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3	6	1	10	2	2	1	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	162	547	252	525	191	216	93	504
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	11	3	5	-	10	1	16
Malignant neoplasms of digestive organs and peritoneum (150-159)	50	157	79	133	37	57	22	122
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	33	117	51	127	64	64	27	123
Malignant neoplasm of breast (174-175)	12	58	20	48	13	18	9	49
Malignant neoplasms of genital organs (179-187)	17	61	24	65	26	28	15	53
Malignant neoplasms of urinary organs (188-189)	4	21	13	26	9	4	1	29
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	18	69	27	72	21	19	10	70
Leukemia (204-208)	6	18	8	21	9	9	5	20
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	21	35	27	28	12	7	3	22
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	5	3	2	6	1	2	10
Diabetes mellitus (250)	21	42	8	53	17	14	10	61
Nutritional deficiencies (260-269)	-	-	1	6	-	1	-	4
Anemias (280-285)	3	4	-	3	2	1	1	2
Meningitis (320-322)	-	1	-	3	-	-	1	1
Major cardiovascular diseases (390-448)	472	1,368	586	1,020	559	494	274	1,374
Diseases of heart (390-398,402,404-429)	355	1,052	454	781	405	382	208	1,071
Rheumatic fever and rheumatic heart disease (390-398)	8	10	7	14	9	2	-	7
Hypertensive heart disease (402)	15	27	15	25	8	10	6	19
Hypertensive heart and renal disease (404)	1	-	2	1	1	-	-	1
Ischemic heart disease (410-414)	278	761	320	573	316	313	157	852
Acute myocardial infarction (410)	124	352	164	236	194	130	99	446
Other acute and subacute forms of ischemic heart disease (411)	2	6	3	2	-	-	12	2
Angina pectoris (413)	1	2	-	-	-	-	-	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	151	401	153	335	122	174	46	401
Other diseases of endocardium (424)	1	12	8	9	5	11	-	17
All other forms of heart disease (415-423,425-429)	52	242	102	159	66	46	43	175
Hypertension with or without renal disease (401,403)	3	12	-	13	5	3	2	9
Cerebrovascular diseases (430-438)	90	216	88	183	108	91	51	225
Intracerebral and other intracranial hemorrhage (431-432)	9	22	11	27	6	11	3	23
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	20	34	19	29	18	30	9	42
Cerebral embolism (434.1)	1	2	-	-	-	-	-	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	60	158	58	127	84	50	39	157
Atherosclerosis (440)	8	49	22	26	26	6	6	38
Other diseases of arteries, arterioles, and capillaries (441-448)	16	39	22	17	15	12	9	31
Acute bronchitis and bronchiolitis (466)	-	-	-	1	-	2	-	1
Pneumonia and influenza (480-487)	24	91	28	49	23	20	12	50
Pneumonia (480-486)	19	87	23	47	23	20	12	49
Influenza (487)	5	4	5	2	-	-	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	29	54	33	76	30	31	21	76
Bronchitis, chronic and unspecified (490-491)	3	4	-	2	1	3	-	2
Emphysema (492)	7	13	9	18	9	[illegible]	4	13
Asthma (493)	-	2	2	6	2	1	-	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	19	35	22	50	18	18	17	59
Ulcer of stomach and duodenum (531-533)	4	18	4	11	3	8	2	15
Appendicitis (540-543)	-	1	1	2	1	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	5	6	7	2	1	5	11
Chronic liver disease and cirrhosis (571)	10	37	11	77	13	15	7	49
Cholelithiasis and other disorders of gallbladder (574-575)	1	2	3	9	-	1	1	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	14	10	33	9	8	7	21
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	1	1	-	1	-	3	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	1	13	9	33	8	8	4	20
Infections of kidney (590)	-	2	2	2	-	2	1	3
Hyperplasia of prostate (600)	1	2	-	1	-	-	1	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	4	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	4	-	-	-	-
Congenital anomalies (740-759)	3	12	7	22	11	9	3	14
Certain conditions originating in the perinatal period (760-779)	6	22	12	57	9	7	5	35
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	-	12	5	18	1	5	1	9
Other conditions originating in the perinatal period (760-766,770-779)	6	10	7	39	8	2	4	26
Symptoms, signs, and ill-defined conditions (780-799)	1	39	4	53	7	5	3	20
All other diseases (Residual)	56	160	61	172	54	51	50	145
Accidents and adverse effects (E800-E949)	36	122	55	189	53	34	60	103
Motor vehicle accidents (E810-E825)	21	54	25	115	30	23	30	59
All other accidents and adverse effects (E800-E807,E826-E949)	15	68	30	74	23	11	30	44
Suicide (E950-E959)	6	42	19	44	15	9	10	39
Homicide and legal intervention (E960-E978)	-	7	6	36	4	1	5	12
All other external causes (E980-E999)	2	5	1	12	1	-	1	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Eugene-Springfield, Oreg.	Evansville, Ind.-Ky.	Fargo-Moorhead, N.Dak.-Minn.	Fayetteville, N.C.	Fayetteville-Springdale, Ark.	Flint, Mich.	Florence, Ala.	Florence, S.C.
All causes	1,902	2,981	950	1,253	1,593	3,738	1,146	963
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	1	-
Tuberculosis (010-018)	1	2	-	3	1	1	2	5
Tuberculosis of respiratory system (010-012)	1	2	-	2	1	1	1	4
Other tuberculosis (013-018)	-	-	-	1	-	-	1	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	1	1	-	2	-	-
Septicemia (038)	6	16	3	8	6	23	5	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	-	-	-	1	2	1
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	6	7	2	2	4	5	2	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	428	648	209	238	311	828	218	152
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	9	6	4	7	5	13	4	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	98	142	56	60	96	228	59	27
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	120	203	45	65	79	213	66	56
Malignant neoplasm of breast (174-175)	39	54	21	20	18	70	17	9
Malignant neoplasms of genital organs (179-187)	54	64	17	27	28	96	24	22
Malignant neoplasms of urinary organs (188-189)	16	25	11	9	10	28	6	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	51	91	30	30	53	104	20	20
Leukemia (204-208)	17	26	13	13	6	36	8	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	24	37	12	7	16	40	14	10
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	11	3	3	2	5	3	-
Diabetes mellitus (250)	22	61	10	15	21	78	14	19
Nutritional deficiencies (260-269)	-	1	1	2	2	2	-	1
Anemias (280-285)	3	6	2	1	-	8	1	2
Meningitis (320-322)	-	-	-	1	1	2	1	2
Major cardiovascular diseases (390-448)	901	1,576	484	541	814	1,874	500	554
Diseases of heart (390-398,402,404-429)	651	1,234	347	373	615	1,411	349	428
Rheumatic fever and rheumatic heart disease (390-398)	8	15	-	3	6	15	1	1
Hypertensive heart disease (402)	14	35	3	30	8	36	10	16
Hypertensive heart and renal disease (404)	4	29	1	1	2	9	1	1
Ischemic heart disease (410-414)	537	936	262	266	401	1,093	276	202
Acute myocardial infarction (410)	204	616	154	166	230	694	174	114
Other acute and subacute forms of ischemic heart disease (411)	2	-	-	1	-	2	-	4
Angina pectoris (413)	1	-	-	-	-	-	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	330	320	108	99	171	397	101	83
Other diseases of endocardium (424)	11	8	8	4	6	9	3	-
All other forms of heart disease (415-423,425-429)	77	211	73	69	192	249	58	208
Hypertension with or without renal disease (401,403)	8	6	2	9	4	18	5	4
Cerebrovascular diseases (430-438)	175	222	109	129	146	352	132	99
Intracerebral and other intracranial hemorrhage (431-432)	9	34	6	11	13	35	9	24
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	41	65	19	32	15	57	51	24
Cerebral embolism (434.1)	1	2	-	-	-	-	2	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	124	121	84	86	118	260	70	49
Atherosclerosis (440)	52	86	20	21	30	67	6	6
Other diseases of arteries, arterioles, and capillaries (441-448)	15	28	6	9	19	26	8	17
Acute bronchitis and bronchiolitis (466)	-	2	-	-	1	-	-	-
Pneumonia and influenza (480-487)	53	61	35	27	52	75	28	15
Pneumonia (480-486)	51	56	32	25	47	74	27	12
Influenza (487)	2	5	3	2	5	1	1	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	86	85	23	22	56	105	39	19
Bronchitis, chronic and unspecified (490-491)	4	8	2	3	1	3	2	4
Emphysema (492)	31	16	7	5	14	25	11	1
Asthma (493)	5	7	2	4	2	3	-	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	46	54	12	10	39	74	26	13
Ulcer of stomach and duodenum (531-533)	6	9	2	5	6	14	1	2
Appendicitis (540-543)	-	2	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	5	1	2	4	11	3	4
Chronic liver disease and cirrhosis (571)	20	34	11	24	14	42	11	12
Cholelithiasis and other disorders of gallbladder (574-575)	5	2	-	2	4	5	3	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8	27	6	8	16	29	8	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	2	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	4	1	1	-	4	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	7	21	5	7	16	25	7	8
Infections of kidney (590)	2	3	-	4	2	5	3	3
Hyperplasia of prostate (600)	-	2	1	-	-	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	1	-	1
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	1	-	-
Congenital anomalies (740-759)	9	16	13	15	10	31	9	3
Certain conditions originating in the perinatal period (760-779)	17	27	16	42	5	67	9	17
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	8	9	5	2	15	2	6
Other conditions originating in the perinatal period (760-766,770-779)	11	19	7	37	3	52	7	11
Symptoms, signs, and ill-defined conditions (780-799)	30	15	12	19	27	32	133	3
All other diseases (Residual)	116	184	61	87	34	224	63	42
Accidents and adverse effects (E800-E949)	113	124	37	107	99	175	60	61
Motor vehicle accidents (E810-E825)	57	51	19	55	52	98	33	27
All other accidents and adverse effects (E800-E807,E826-E949)	56	73	18	52	47	77	27	34
Suicide (E950-E959)	44	26	13	46	27	44	11	9
Homicide and legal intervention (E960-E978)	7	19	3	27	12	43	14	14
All other external causes (E980-E999)	1	6	1	1	3	4	2	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Fort Collins, Colo.	Fort Lauderdale-Hollywood, Fla.	Fort Myers-Cape Coral, Fla.	Fort Smith, Ark.-Okla.	Fort Walton Beach, Fla.	Fort Wayne, Ind.	Fresno, Calif.	Gadsden, Ala.
All causes	924	12,427	2,572	1,924	616	2,903	3,973	994
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	5	3	1	-	-	1	-
Tuberculosis (010-018)	1	12	1	-	1	-	1	2
Tuberculosis of respiratory system (010-012)	1	11	1	-	1	-	1	1
Other tuberculosis (013-018)	-	1	-	-	-	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	-	2	-	3	-	1
Septicemia (038)	4	54	11	11	2	15	13	7
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	6	-	1	-	-	6	-
Syphilis (090-097)	-	2	1	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	5	30	7	5	-	8	14	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	167	3,008	624	420	138	628	792	224
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	74	15	12	3	4	21	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	41	817	164	99	31	153	199	46
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	43	749	179	127	46	164	230	55
Malignant neoplasm of breast (174-175)	12	226	49	29	12	61	58	21
Malignant neoplasms of genital organs (179-187)	20	322	60	41	8	82	86	22
Malignant neoplasms of urinary organs (188-189)	6	160	27	19	8	21	30	12
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	26	365	78	56	20	82	95	41
Leukemia (204-208)	6	102	20	19	5	28	31	8
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	8	193	32	18	5	33	42	12
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	51	6	7	1	6	13	-
Diabetes mellitus (250)	7	161	32	39	11	60	76	21
Nutritional deficiencies (260-269)	3	9	6	1	-	6	6	-
Anemias (280-285)	1	32	4	-	-	5	2	5
Meningitis (320-322)	1	4	-	3	2	2	-	-
Major cardiovascular diseases (390-448)	432	6,101	1,247	907	286	1,527	1,750	491
Diseases of heart (390-398,402,404-429)	334	4,836	983	716	217	1,133	1,261	383
Rheumatic fever and rheumatic heart disease (390-398)	3	60	23	9	-	12	19	1
Hypertensive heart disease (402)	6	105	23	9	4	14	54	15
Hypertensive heart and renal disease (404)	6	13	3	2	1	8	3	2
Ischemic heart disease (410-414)	226	3,780	707	478	159	912	994	295
Acute myocardial infarction (410)	94	1,751	333	273	72	467	363	185
Other acute and subacute forms of ischemic heart disease (411)	3	48	1	-	-	1	20	2
Angina pectoris (413)	-	2	2	-	-	-	2	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	129	1,979	371	205	87	444	609	108
Other diseases of endocardium (424)	6	63	10	4	7	14	11	1
All other forms of heart disease (415-423,425-429)	87	815	217	214	46	173	180	69
Hypertension with or without renal disease (401,403)	5	48	8	2	2	17	14	3
Cerebrovascular diseases (430-438)	67	970	183	165	31	298	310	87
Intracerebral and other intracranial hemorrhage (431-432)	11	132	22	11	6	35	35	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	8	228	44	35	1	38	53	37
Cerebral embolism (434.1)	-	4	-	1	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	48	606	117	118	24	225	221	38
Atherosclerosis (440)	12	104	43	12	11	55	116	10
Other diseases of arteries, arterioles, and capillaries (441-448)	14	143	30	12	5	24	49	8
Acute bronchitis and bronchiolitis (466)	1	6	1	1	-	-	5	-
Pneumonia and influenza (480-487)	23	205	58	52	13	67	108	35
Pneumonia (480-486)	23	203	52	47	13	60	107	34
Influenza (487)	-	2	6	5	-	7	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	49	390	100	45	22	99	143	40
Bronchitis, chronic and unspecified (490-491)	1	21	11	5	2	5	10	-
Emphysema (492)	13	104	25	16	3	22	23	6
Asthma (493)	6	18	3	2	1	8	5	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	29	247	61	22	16	64	105	30
Ulcer of stomach and duodenum (531-533)	3	47	3	3	2	9	12	3
Appendicitis (540-543)	-	3	-	1	-	1	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	45	4	2	1	6	18	4
Chronic liver disease and cirrhosis (571)	9	175	52	19	9	28	75	11
Cholelithiasis and other disorders of gallbladder (574-575)	3	17	7	4	1	4	13	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	121	11	18	10	14	26	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	1	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	14	3	3	2	4	3	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	107	8	14	8	10	23	7
Infections of kidney (590)	1	7	3	1	1	4	6	1
Hyperplasia of prostate (600)	1	2	-	1	-	-	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	-	1	-	-	3	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	1	-	1	-	-	3	-
Congenital anomalies (740-759)	11	59	9	10	9	18	43	4
Certain conditions originating in the perinatal period (760-779)	8	96	13	12	14	30	52	9
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	29	4	8	3	12	21	1
Other conditions originating in the perinatal period (760-766,770-779)	5	67	9	4	11	18	31	8
Symptoms, signs, and ill-defined conditions (780-799)	10	63	27	123	6	17	39	8
All other diseases (Residual)	68	817	149	99	41	156	286	46
Accidents and adverse effects (E800-E949)	68	509	121	93	44	133	317	38
Motor vehicle accidents (E810-E825)	38	301	77	48	28	76	190	21
All other accidents and adverse effects (E800-E807,E826-E949)	30	208	44	45	16	57	127	17
Suicide (E950-E959)	28	209	38	19	17	32	65	13
Homicide and legal intervention (E960-E978)	8	173	26	21	5	25	81	17
All other external causes (E980-E999)	2	6	8	2	-	-	6	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Gainesville, Fla	Galveston-Texas City, Tex	Gary-Hammond-East Chicago, Ind	Glens Falls, N.Y.	Grand Forks, N.Dak.-Minn	Grand Rapids, Mich	Great Falls, Mont	Greeley, Colo
All causes	923	1,654	5,016	1,120	718	4,372	629	780
Shigellosis and amebiasis (004,006)	-	1	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	1	1	-	-
Tuberculosis (010-018)	2	3	5	1	-	5	-	-
Tuberculosis of respiratory system (010-012)	1	3	3	-	-	4	-	-
Other tuberculosis (013-018)	1	-	2	1	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	1	-	1	1	-	-
Septicemia (038)	-	7	23	2	1	23	-	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	2	-	-	2	-	-
Syphilis (090-097)	-	1	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	-	4	4	4	3	7	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	192	391	1,072	249	142	955	121	144
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	10	16	3	3	18	3	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	56	92	306	65	49	262	25	40
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	52	131	272	67	23	206	30	33
Malignant neoplasm of breast (174-175)	18	26	91	27	9	90	13	13
Malignant neoplasms of genital organs (179-187)	22	43	116	29	19	108	14	20
Malignant neoplasms of urinary organs (188-189)	8	10	38	15	7	36	8	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	23	42	134	19	17	121	8	14
Leukemia (204-208)	3	23	45	10	5	45	9	9
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	8	14	54	14	10	69	11	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	6	20	3	2	10	1	3
Diabetes mellitus (250)	16	22	143	11	11	76	5	11
Nutritional deficiencies (260-269)	-	2	2	-	-	1	-	-
Anemias (280-285)	4	3	11	1	1	9	2	1
Meningitis (320-322)	2	1	4	2	-	1	-	1
Major cardiovascular diseases (390-448)	365	734	2,438	591	371	2,270	329	359
Diseases of heart (390-398,402,404-429)	240	608	1,915	487	282	1,679	268	267
Rheumatic fever and rheumatic heart disease (390-398)	5	3	19	8	3	13	5	1
Hypertensive heart disease (402)	5	17	67	13	7	21	5	3
Hypertensive heart and renal disease (404)	2	4	5	1	2	15	1	-
Ischemic heart disease (410-414)	158	414	1,463	372	197	1,283	179	216
Acute myocardial infarction (410)	76	184	695	215	123	712	128	127
Other acute and subacute forms of ischemic heart disease (411)	-	-	3	-	-	3	1	3
Angina pectoris (413)	-	1	1	-	-	2	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	82	229	764	157	74	566	50	86
Other diseases of endocardium (424)	5	4	23	5	1	14	4	1
All other forms of heart disease (415-423,425-429)	65	166	338	88	72	333	74	46
Hypertension with or without renal disease (401,403)	3	1	15	4	6	16	2	4
Cerebrovascular diseases (430-438)	69	96	388	75	55	373	39	67
Intracerebral and other intracranial hemorrhage (431-432)	6	7	55	10	3	40	5	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	22	6	62	7	12	113	4	8
Cerebral embolism (434.1)	-	-	-	-	1	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	41	83	271	58	39	219	30	51
Atherosclerosis (440)	24	13	81	17	20	142	19	8
Other diseases of arteries, arterioles, and capillaries (441-448)	9	16	39	8	8	60	1	13
Acute bronchitis and bronchiolitis (466)	1	1	2	3	1	-	-	1
Pneumonia and influenza (480-487)	16	27	85	28	18	96	12	24
Pneumonia (480-486)	16	27	81	28	15	92	12	24
Influenza (487)	-	-	4	-	3	4	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	28	44	107	43	18	108	19	44
Bronchitis, chronic and unspecified (490-491)	3	2	3	2	1	7	1	2
Emphysema (492)	8	14	41	5	5	19	5	6
Asthma (493)	1	1	4	-	1	5	3	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	16	27	59	36	11	77	10	34
Ulcer of stomach and duodenum (531-533)	5	2	13	3	3	20	1	4
Appendicitis (540-543)	1	1	2	-	-	2	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	3	11	7	-	13	3	3
Chronic liver disease and cirrhosis (571)	13	24	94	15	9	51	13	3
Cholelithiasis and other disorders of gallbladder (574-575)	1	2	4	3	2	7	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	27	49	8	8	31	3	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	2	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	7	2	-	4	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	10	27	40	6	8	27	3	4
Infections of kidney (590)	3	1	2	2	-	3	-	1
Hyperplasia of prostate (600)	-	-	-	2	1	3	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	1	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	1	-	-	-	-
Congenital anomalies (740-759)	8	9	40	9	7	37	3	8
Certain conditions originating in the perinatal period (760-779)	15	21	78	11	13	73	7	5
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	7	27	3	5	15	2	-
Other conditions originating in the perinatal period (760-766,770-779)	12	14	51	8	8	58	5	5
Symptoms, signs, and ill-defined conditions (780-799)	51	17	100	2	9	38	13	4
All other diseases (Residual)	78	95	201	55	40	243	36	46
Accidents and adverse effects (E800-E949)	68	134	301	53	47	201	42	84
Motor vehicle accidents (E810-E825)	28	67	157	27	25	111	20	44
All other accidents and adverse effects (E800-E807,E826-E949)	40	67	144	26	22	90	22	40
Suicide (E950-E959)	22	31	57	11	5	54	12	15
Homicide and legal intervention (E960-E978)	14	33	119	-	3	27	2	5
All other external causes (E980-E999)	4	5	25	-	1	3	2	3

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Green Bay, Wis.	Greensboro--Winston-Salem--High Point, N.C.	Greenville-Spartanburg, S.C.	Hagerstown, Md.	Hamilton-Middletown, Ohio	Harrisburg, Pa.	Hartford-New Britain-Bristol, Conn.	Hickory, N.C.
All causes	1,287	6,534	4,526	1,016	1,980	4,088	8,568	1,007
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	1	-
Certain other intestinal infections (007-009)	-	1	3	-	-	-	3	-
Tuberculosis (010-018)	1	6	2	1	1	3	2	-
Tuberculosis of respiratory system (010-012)	1	4	2	1	1	2	2	-
Other tuberculosis (013-018)	-	2	-	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	3	1	-	-	4	-
Septicemia (038)	5	47	36	2	7	36	67	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	1	-	-	-	6	-
Syphilis (090-097)	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3	21	17	2	5	10	17	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	288	1,383	924	223	424	842	2,074	203
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	22	16	6	9	14	34	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	79	352	226	58	107	236	562	51
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	54	361	254	66	135	199	495	47
Malignant neoplasm of breast (174-175)	27	123	80	19	36	81	192	19
Malignant neoplasms of genital organs (179-187)	46	167	121	31	32	82	215	20
Malignant neoplasms of urinary organs (188-189)	9	59	37	6	22	36	88	8
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	40	167	122	19	46	115	297	29
Leukemia (204-208)	18	60	25	10	16	31	75	12
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10	72	43	8	21	48	116	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	22	9	6	9	11	36	-
Diabetes mellitus (250)	23	91	87	20	39	65	140	11
Nutritional deficiencies (260-269)	1	7	5	1	3	6	-	-
Anemias (280-285)	3	8	5	2	5	9	13	1
Meningitis (320-322)	1	4	4	-	1	-	10	1
Major cardiovascular diseases (390-448)	680	3,243	2,161	542	995	2,173	4,090	495
Diseases of heart (390-398,402,404-429)	516	2,425	1,662	432	773	1,713	3,226	371
Rheumatic fever and rheumatic heart disease (390-398)	7	24	13	7	6	21	27	6
Hypertensive heart disease (402)	3	83	54	9	35	28	62	13
Hypertensive heart and renal disease (404)	4	6	10	4	12	4	15	2
Ischemic heart disease (410-414)	397	1,765	1,182	306	565	1,031	2,530	270
Acute myocardial infarction (410)	258	1,062	806	157	303	594	1,169	197
Other acute and subacute forms of ischemic heart disease (411)	3	32	5	1	2	7	7	1
Angina pectoris (413)	-	1	1	-	-	1	2	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	136	670	370	148	260	429	1,352	71
Other diseases of endocardium (424)	2	24	18	2	5	17	25	4
All other forms of heart disease (415-423,425-429)	103	523	385	104	150	612	567	76
Hypertension with or without renal disease (401,403)	5	34	13	3	9	20	20	6
Cerebrovascular diseases (430-438)	119	653	387	77	148	342	634	95
Intracerebral and other intracranial hemorrhage (431-432)	15	69	55	7	14	31	81	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	15	135	57	10	14	54	158	27
Cerebral embolism (434.1)	-	3	2	-	1	-	8	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	89	446	273	60	119	257	387	60
Atherosclerosis (440)	25	66	53	19	43	52	115	9
Other diseases of arteries, arterioles, and capillaries (441-448)	15	65	46	11	22	46	95	14
Acute bronchitis and bronchiolitis (466)	2	7	1	1	2	-	8	-
Pneumonia and influenza (480-487)	42	165	134	21	54	110	237	14
Pneumonia (480-486)	37	158	128	19	47	106	219	14
Influenza (487)	5	7	6	2	7	4	18	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	24	170	148	30	69	114	225	25
Bronchitis, chronic and unspecified (490-491)	1	10	12	3	2	2	11	4
Emphysema (492)	12	34	29	12	18	19	44	2
Asthma (493)	1	8	11	1	3	2	5	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	10	118	96	14	46	91	165	17
Ulcer of stomach and duodenum (531-533)	4	21	10	2	7	11	23	3
Appendicitis (540-543)	-	-	1	-	-	1	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	13	11	4	3	14	28	6
Chronic liver disease and cirrhosis (571)	14	88	53	8	33	39	133	19
Cholelithiasis and other disorders of gallbladder (574-575)	1	13	6	-	2	9	11	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	69	50	6	18	46	73	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	-	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	3	8	1	3	5	5	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	6	65	42	5	15	41	67	5
Infections of kidney (590)	4	6	3	2	1	4	3	3
Hyperplasia of prostate (600)	-	4	2	-	-	2	2	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	1	-	-	-	1	-
Pregnancy with abortive outcome (630-638)	-	1	-	-	-	-	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	-	-	-	-	-
Congenital anomalies (740-759)	14	47	41	11	22	25	57	6
Certain conditions originating in the perinatal period (760-779)	18	50	62	5	24	51	100	12
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	10	14	-	11	22	18	2
Other conditions originating in the perinatal period (760-766,770-779)	13	40	48	5	13	29	82	10
Symptoms, signs, and ill-defined conditions (780-799)	9	46	27	13	26	17	130	10
All other diseases (Residual)	60	428	336	60	91	224	535	70
Accidents and adverse effects (E800-E949)	49	382	250	39	96	163	391	74
Motor vehicle accidents (E810-E825)	28	190	125	26	53	92	177	35
All other accidents and adverse effects (E800-E807,E826-E949)	21	192	125	13	43	71	214	39
Suicide (E950-E959)	24	109	67	11	32	46	89	19
Homicide and legal intervention (E960-E978)	3	66	64	3	19	32	48	15
All other external causes (E980-E999)	1	5	2	-	2	4	9	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Honolulu, Hawaii	Houston, Tex.	Huntington-Ashland, W. Va.-Ky.-Ohio	Huntsville, Ala.	Indianapolis, Ind.	Iowa City, Iowa	Jackson, Mich.	Jackson, Miss.
All causes	3,701	18,192	3,108	2,361	9,863	392	1,228	2,617
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	2	1	-	4	-	1	1
Tuberculosis (010-018)	6	35	4	6	8	-	1	5
Tuberculosis of respiratory system (010-012)	6	32	3	6	6	-	-	4
Other tuberculosis (013-018)	-	3	1	-	2	-	1	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	11	1	-	1	-	-	1
Septicemia (038)	24	132	14	4	95	1	1	15
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	5	11	1	-	6	-	-	3
Syphilis (090-097)	1	4	1	-	1	-	1	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	13	47	5	5	19	-	1	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	946	3,686	653	470	2,224	100	257	498
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	32	83	15	5	42	-	9	9
Malignant neoplasms of digestive organs and peritoneum (150-159)	339	836	171	126	558	24	66	102
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	220	1,118	180	121	697	23	78	144
Malignant neoplasm of breast (174-175)	75	288	58	35	201	13	25	48
Malignant neoplasms of genital organs (179-187)	72	391	72	58	230	13	21	60
Malignant neoplasms of urinary organs (188-189)	32	139	37	19	80	5	9	25
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	105	456	73	56	237	10	33	60
Leukemia (204-208)	24	166	18	12	73	3	6	24
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	47	209	29	38	106	9	10	26
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	15	30	7	4	23	1	1	7
Diabetes mellitus (250)	89	236	65	42	219	6	25	46
Nutritional deficiencies (260-269)	8	9	5	1	8	2	-	7
Anemias (280-285)	2	26	2	4	15	1	2	9
Meningitis (320-322)	4	31	1	4	7	-	-	4
Major cardiovascular diseases (390-448)	1,503	7,559	1,653	1,122	4,645	182	656	1,204
Diseases of heart (390-398,402,404-429)	1,158	5,968	1,324	834	3,557	134	502	914
Rheumatic fever and rheumatic heart disease (390-398)	15	35	6	3	34	1	7	5
Hypertensive heart disease (402)	37	193	27	21	117	2	6	52
Hypertensive heart and renal disease (404)	4	17	6	3	19	1	1	5
Ischemic heart disease (410-414)	864	3,380	923	645	2,423	106	373	639
Acute myocardial infarction (410)	384	1,795	524	453	1,141	59	213	478
Other acute and subacute forms of ischemic heart disease (411)	16	11	2	2	5	-	1	-
Angina pectoris (413)	1	2	1	-	1	-	3	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	463	1,572	396	190	1,276	47	156	161
Other diseases of endocardium (424)	18	84	10	5	42	-	5	4
All other forms of heart disease (415-423,425-429)	220	2,259	352	157	922	24	110	209
Hypertension with or without renal disease (401,403)	12	53	7	8	41	1	6	13
Cerebrovascular diseases (430-438)	273	1,224	250	222	759	36	89	225
Intracerebral and other intracranial hemorrhage (431-432)	58	159	18	38	116	6	15	39
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	40	209	47	39	117	10	15	38
Cerebral embolism (434.1)	1	7	-	1	2	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	174	849	185	144	524	20	59	147
Atherosclerosis (440)	23	175	37	35	196	5	45	27
Other diseases of arteries, arterioles, and capillaries (441-448)	37	139	35	23	92	6	14	25
Acute bronchitis and bronchiolitis (466)	2	4	1	-	3	-	1	-
Pneumonia and influenza (480-487)	90	337	54	46	270	10	21	77
Pneumonia (480-486)	89	328	51	40	256	10	21	73
Influenza (487)	1	9	3	6	14	-	-	4
Chronic obstructive pulmonary diseases and allied conditions (490-496)	112	481	98	50	380	12	47	73
Bronchitis, chronic and unspecified (490-491)	6	29	10	4	11	-	2	3
Emphysema (492)	20	127	17	13	64	3	9	15
Asthma (493)	17	23	4	4	24	-	4	7
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	69	302	67	29	281	9	32	48
Ulcer of stomach and duodenum (531-533)	12	48	14	5	42	1	1	6
Appendicitis (540-543)	3	7	-	1	3	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	44	7	6	21	3	5	10
Chronic liver disease and cirrhosis (571)	47	272	32	22	113	5	14	35
Cholelithiasis and other disorders of gallbladder (574-575)	3	25	5	6	7	1	1	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	29	187	26	19	106	1	6	28
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	5	1	1	1	-	-	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	11	2	7	7	-	2	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	22	171	23	11	98	1	4	22
Infections of kidney (590)	2	29	7	4	13	1	1	1
Hyperplasia of prostate (600)	-	4	3	3	3	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	7	-	-	-	-	-	1
Pregnancy with abortive outcome (630-638)	1	2	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	5	-	-	-	-	-	1
Congenital anomalies (740-759)	52	191	22	24	72	6	9	27
Certain conditions originating in the perinatal period (760-779)	63	382	20	24	126	5	12	38
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	13	84	11	6	29	2	4	14
Other conditions originating in the perinatal period (760-766,770-779)	50	298	9	18	97	3	8	24
Symptoms, signs, and ill-defined conditions (780-799)	77	287	23	97	95	5	7	75
All other diseases (Residual)	228	1,071	178	159	622	16	66	173
Accidents and adverse effects (E800-E949)	215	1,629	136	150	433	20	59	179
Motor vehicle accidents (E810-E825)	110	957	54	80	227	8	34	81
All other accidents and adverse effects (E800-E807,E826-E949)	105	672	82	70	206	12	25	98
Suicide (E950-E959)	65	432	38	32	165	11	21	27
Homicide and legal intervention (E960-E978)	42	923	26	28	94	2	11	58
All other external causes (E980-E999)	25	13	5	12	20	-	-	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Jacksonville, Fla.	Jacksonville, N.C.	Janesville-Beloit, Wis.	Jersey City, N.J.	Johnson City-Kingsport-Bristol, Tenn.-Va.	Johnstown, Pa.	Joplin, Mo.	Kalamazoo-Portage, Mich.
All causes	6,685	447	1,139	5,724	3,774	2,739	1,325	2,068
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	-	-	1	1	-	1	1
Tuberculosis (010-018)	10	2	1	13	2	3	1	1
Tuberculosis of respiratory system (010-012)	9	1	1	13	2	3	1	-
Other tuberculosis (013-018)	1	1	-	-	-	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	-	2	-	2	-	-
Septicemia (038)	45	2	3	59	11	9	4	11
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	1	3	-	-	2	2
Syphilis (090-097)	1	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	16	2	3	7	7	4	6	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,449	88	250	1,200	776	540	306	475
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	40	-	8	32	13	15	2	7
Malignant neoplasms of digestive organs and peritoneum (150-159)	328	13	73	372	181	131	65	111
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	461	36	59	324	247	124	88	135
Malignant neoplasm of breast (174-175)	139	10	22	109	53	51	17	39
Malignant neoplasms of genital organs (179-187)	168	9	30	118	75	66	45	50
Malignant neoplasms of urinary organs (188-189)	47	5	21	49	44	21	23	20
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	160	12	19	115	102	90	38	63
Leukemia (204-208)	51	2	6	35	18	15	16	14
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	55	1	12	46	43	27	12	36
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	15	1	1	21	9	10	3	6
Diabetes mellitus (250)	88	3	13	134	66	79	15	42
Nutritional deficiencies (260-269)	11	1	5	9	3	7	14	5
Anemias (280-285)	11	-	2	13	5	10	1	5
Meningitis (320-322)	7	4	-	3	3	2	1	2
Major cardiovascular diseases (390-448)	3,005	175	604	2,996	1,843	1,474	562	1,006
Diseases of heart (390-398,402,404-429)	2,274	143	444	2,495	1,409	1,152	425	785
Rheumatic fever and rheumatic heart disease (390-398)	16	2	4	28	11	22	5	7
Hypertensive heart disease (402)	116	5	8	51	44	41	16	19
Hypertensive heart and renal disease (404)	7	-	1	13	9	15	1	2
Ischemic heart disease (410-414)	1,345	103	366	2,148	1,028	873	325	611
Acute myocardial infarction (410)	641	56	209	934	614	448	212	243
Other acute and subacute forms of ischemic heart disease (411)	5	1	1	3	3	2	-	1
Angina pectoris (413)	2	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	697	46	156	1,211	411	423	113	367
Other diseases of endocardium (424)	25	1	6	19	12	14	6	10
All other forms of heart disease (415-423,425-429)	765	32	59	236	305	187	72	136
Hypertension with or without renal disease (401,403)	29	1	5	8	15	11	5	11
Cerebrovascular diseases (430-438)	560	26	117	400	339	235	100	159
Intracerebral and other intracranial hemorrhage (431-432)	75	3	6	63	28	28	20	15
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	132	4	28	75	69	57	12	24
Cerebral embolism (434.1)	2	-	-	2	3	1	-	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	351	19	83	260	239	149	68	118
Atherosclerosis (440)	81	2	23	44	41	48	18	20
Other diseases of arteries, arterioles, and capillaries (441-448)	61	3	15	49	39	28	14	31
Acute bronchitis and bronchiolitis (466)	2	1	-	1	1	-	-	-
Pneumonia and influenza (480-487)	175	13	40	117	129	55	45	71
Pneumonia (480-486)	167	13	39	114	127	52	40	65
Influenza (487)	8	-	1	3	2	3	5	6
Chronic obstructive pulmonary diseases and allied conditions (490-496)	285	11	34	134	139	82	49	57
Bronchitis, chronic and unspecified (490-491)	26	-	2	9	10	7	-	5
Emphysema (492)	56	-	10	39	24	23	8	13
Asthma (493)	19	-	-	7	6	3	2	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	184	11	22	79	99	49	39	35
Ulcer of stomach and duodenum (531-533)	25	-	2	19	20	5	8	7
Appendicitis (540-543)	2	-	1	-	-	1	2	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	14	4	5	10	10	6	3	7
Chronic liver disease and cirrhosis (571)	151	8	13	97	52	33	15	23
Cholelithiasis and other disorders of gallbladder (574-575)	6	-	1	7	14	10	1	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	76	6	12	61	27	23	18	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	-	-	1	1	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	-	2	7	6	1	4	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	67	6	10	53	20	21	14	12
Infections of kidney (590)	11	-	3	4	4	4	3	1
Hyperplasia of prostate (600)	3	-	-	2	1	3	1	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	-	3	1	-	-	-
Pregnancy with abortive outcome (630-638)	1	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	3	1	-	-	-
Congenital anomalies (740-759)	44	10	5	21	17	20	10	14
Certain conditions originating in the perinatal period (760-779)	94	17	8	49	34	21	5	25
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	27	6	2	16	14	9	2	11
Other conditions originating in the perinatal period (760-766,770-779)	67	11	6	33	20	12	3	14
Symptoms, signs, and ill-defined conditions (780-799)	105	9	7	67	77	15	84	13
All other diseases (Residual)	428	22	54	333	237	189	82	133
Accidents and adverse effects (E800-E949)	372	41	50	225	199	95	66	91
Motor vehicle accidents (E810-E825)	216	15	33	71	93	48	24	46
All other accidents and adverse effects (E800-E807,E826-E949)	156	26	17	154	106	47	42	45
Suicide (E950-E959)	110	12	16	35	49	26	14	39
Homicide and legal intervention (E960-E978)	109	11	4	70	26	8	3	7
All other external causes (E980-E999)	9	3	1	8	11	3	-	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Kankakee, Ill	Kansas City, Mo.-Kans.	Kenosha, Wis	Killeen-Temple, Tex	Knoxville, Tenn	Kokomo, Ind	La Crosse, Wis	Lafayette, La
All causes	860	11,242	1,024	1,331	4,190	823	748	911
Shigellosis and amebiasis (004,006)	-	1	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	3	-	1	-	-	-	1
Tuberculosis (010-018)	-	11	2	-	3	1	-	-
Tuberculosis of respiratory system (010-012)	-	8	2	-	3	1	-	-
Other tuberculosis (013-018)	-	3	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	2	-	-	-	-	-	4
Septicemia (038)	3	88	3	5	12	8	3	8
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	3	-	-	2	-	-	-
Syphilis (090-097)	-	-	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	27	2	-	9	4	3	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	173	2,362	219	222	880	181	144	197
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	40	1	4	24	5	3	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	40	570	63	50	204	46	44	60
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	54	683	51	54	267	45	33	55
Malignant neoplasm of breast (174-175)	18	205	20	20	71	21	9	20
Malignant neoplasms of genital organs (179-187)	19	269	27	17	94	15	19	16
Malignant neoplasms of urinary organs (188-189)	3	103	8	4	26	8	5	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	19	278	25	46	103	22	23	24
Leukemia (204-208)	7	96	10	11	37	13	3	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	11	118	14	16	54	6	5	10
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	29	3	3	13	3	5	2
Diabetes mellitus (250)	19	154	22	9	57	13	10	16
Nutritional deficiencies (260-269)	-	16	-	3	6	1	2	1
Anemias (280-285)	2	22	3	3	5	-	1	2
Meningitis (320-322)	2	9	1	-	2	-	-	-
Major cardiovascular diseases (390-448)	460	5,193	545	684	2,022	386	363	415
Diseases of heart (390-398,402,404-429)	377	4,001	438	567	1,487	277	254	309
Rheumatic fever and rheumatic heart disease (390-398)	-	39	3	4	10	6	5	1
Hypertensive heart disease (402)	13	111	4	3	46	3	-	12
Hypertensive heart and renal disease (404)	1	8	3	1	3	-	-	-
Ischemic heart disease (410-414)	306	2,937	362	340	1,115	186	203	200
Acute myocardial infarction (410)	116	1,420	180	273	736	101	62	106
Other acute and subacute forms of ischemic heart disease (411)	11	11	4	1	1	3	1	1
Angina pectoris (413)	1	1	-	2	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	178	1,505	178	64	377	82	140	93
Other diseases of endocardium (424)	3	46	2	5	13	4	6	3
All other forms of heart disease (415-423,425-429)	54	860	64	214	300	78	40	93
Hypertension with or without renal disease (401,403)	3	51	1	6	18	4	1	5
Cerebrovascular diseases (430-438)	61	900	81	88	416	73	88	66
Intracerebral and other intracranial hemorrhage (431-432)	9	104	10	5	41	5	8	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	8	139	16	8	56	6	14	10
Cerebral embolism (434.1)	-	2	1	-	2	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	44	655	54	75	317	62	66	49
Atherosclerosis (440)	8	150	13	13	59	23	9	27
Other diseases of arteries, arterioles, and capillaries (441-448)	11	91	12	10	42	9	11	8
Acute bronchitis and bronchiolitis (466)	-	2	-	-	1	-	1	-
Pneumonia and influenza (480-487)	28	291	28	31	108	22	32	11
Pneumonia (480-486)	28	274	28	27	92	21	30	11
Influenza (487)	-	17	-	4	16	1	2	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	27	410	16	28	144	30	28	19
Bronchitis, chronic and unspecified (490-491)	4	36	-	2	12	-	3	4
Emphysema (492)	2	80	4	7	35	11	2	4
Asthma (493)	2	10	-	1	6	-	1	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	19	284	12	18	91	19	22	10
Ulcer of stomach and duodenum (531-533)	2	36	1	4	14	3	5	1
Appendicitis (540-543)	-	6	-	1	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	24	4	5	5	4	1	2
Chronic liver disease and cirrhosis (571)	6	129	19	12	47	6	10	9
Cholelithiasis and other disorders of gallbladder (574-575)	-	12	1	1	12	1	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	117	9	14	22	9	3	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	1	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	15	-	1	1	2	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8	102	9	13	20	7	3	12
Infections of kidney (590)	2	17	2	-	3	-	-	2
Hyperplasia of prostate (600)	-	2	-	-	1	-	2	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	3	1	-	1	1	-	1
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	3	1	-	1	1	-	1
Congenital anomalies (740-759)	5	101	4	11	31	8	6	15
Certain conditions originating in the perinatal period (760-779)	19	110	8	32	37	15	8	22
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	9	38	2	7	21	1	2	6
Other conditions originating in the perinatal period (760-766,770-779)	10	72	6	25	16	14	6	16
Symptoms, signs, and ill-defined conditions (780-799)	6	381	6	41	215	17	5	13
All other diseases (Residual)	45	676	45	67	243	40	66	46
Accidents and adverse effects (E800-E949)	34	616	55	110	188	42	38	65
Motor vehicle accidents (E810-E825)	14	252	37	57	108	18	19	43
All other accidents and adverse effects (E800-E807,E826-E949)	20	364	18	53	80	24	19	22
Suicide (E950-E959)	5	201	14	22	62	20	8	22
Homicide and legal intervention (E960-E978)	7	182	9	22	42	6	1	17
All other external causes (E980-E999)	2	6	2	-	3	1	2	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Lafayette-West Lafayette, Ind	Lake Charles, La	Lakeland-Winter Haven, Fla	Lancaster, Pa	Lansing-East Lansing, Mich	Laredo, Tex	Las Cruces, N Mex	Las Vegas, Nev
All causes	751	1,314	3,389	3,153	2,873	622	525	3,226
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	1	1
Certain other intestinal infections (007-009)	-	-	-	1	-	-	-	1
Tuberculosis (010-018)	-	1	8	1	3	2	1	2
Tuberculosis of respiratory system (010-012)	-	1	7	1	3	2	1	1
Other tuberculosis (013-018)	-	-	1	-	-	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	2	2	-	-	-	-	-
Septicemia (038)	3	12	10	14	11	-	3	17
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	1	-	-	-	-	-
Viral hepatitis (070)	1	-	1	1	-	-	-	2
Syphilis (090-097)	-	-	2	1	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	4	6	6	5	2	2	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	170	272	696	724	667	120	115	744
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	10	16	18	8	-	3	14
Malignant neoplasms of digestive organs and peritoneum (150-159)	45	73	176	184	176	37	32	182
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	49	89	221	166	168	19	28	228
Malignant neoplasm of breast (174-175)	10	21	57	65	56	11	5	53
Malignant neoplasms of genital organs (179-187)	24	18	74	96	70	13	9	82
Malignant neoplasms of urinary organs (188-189)	8	10	31	32	31	10	2	31
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	19	32	67	98	95	17	24	99
Leukemia (204-208)	7	7	23	24	24	6	7	26
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	7	12	31	41	39	7	5	29
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	5	9	13	6	2	4	8
Diabetes mellitus (250)	22	32	57	63	74	19	14	49
Nutritional deficiencies (260-269)	-	3	1	5	6	2	-	9
Anemias (280-285)	1	-	7	5	4	1	-	3
Meningitis (320-322)	1	2	1	-	2	3	-	5
Major cardiovascular diseases (390-448)	368	653	1,613	1,669	1,386	239	185	1,300
Diseases of heart (390-398,402,404-429)	281	436	1,275	1,338	1,032	186	137	1,016
Rheumatic fever and rheumatic heart disease (390-398)	2	-	18	14	9	-	1	16
Hypertensive heart disease (402)	4	19	55	38	30	4	2	55
Hypertensive heart and renal disease (404)	2	1	4	5	5	1	-	-
Ischemic heart disease (410-414)	231	301	998	865	724	124	99	629
Acute myocardial infarction (410)	116	174	505	468	424	61	52	343
Other acute and subacute forms of ischemic heart disease (411)	1	-	2	3	5	1	-	18
Angina pectoris (413)	-	1	-	1	2	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	114	126	491	393	293	62	47	268
Other diseases of endocardium (424)	3	10	15	18	15	2	1	10
All other forms of heart disease (415-423,425-429)	39	105	185	398	249	55	34	306
Hypertension with or without renal disease (401,403)	-	12	16	12	11	2	4	11
Cerebrovascular diseases (430-438)	70	145	238	225	233	45	29	213
Intracerebral and other intracranial hemorrhage (431-432)	10	18	32	28	29	6	5	34
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	14	25	54	40	36	21	-	7
Cerebral embolism (434.1)	-	1	1	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	46	101	151	157	168	18	24	172
Atherosclerosis (440)	6	47	56	57	73	4	12	32
Other diseases of arteries, arterioles, and capillaries (441-448)	11	13	28	37	37	2	3	28
Acute bronchitis and bronchiolitis (466)	1	-	1	-	1	-	-	-
Pneumonia and influenza (480-487)	18	18	69	76	60	23	8	43
Pneumonia (480-486)	17	18	67	70	60	23	8	43
Influenza (487)	1	-	2	6	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	28	35	124	84	92	9	12	151
Bronchitis, chronic and unspecified (490-491)	-	-	11	2	4	-	1	9
Emphysema (492)	4	7	29	11	20	5	5	46
Asthma (493)	1	1	5	3	6	-	2	9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	23	27	79	68	62	4	4	87
Ulcer of stomach and duodenum (531-533)	4	4	11	13	5	1	1	9
Appendicitis (540-543)	-	1	1	1	2	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	2	9	7	7	3	3	5
Chronic liver disease and cirrhosis (571)	4	15	50	32	36	13	7	82
Cholelithiasis and other disorders of gallbladder (574-575)	2	2	5	1	-	1	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	20	27	28	25	7	5	29
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	-	-	1	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	2	2	5	3	-	1	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8	17	25	23	21	7	3	27
Infections of kidney (590)	1	2	-	3	1	1	-	3
Hyperplasia of prostate (600)	1	-	2	2	1	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	1	1	-	1	1
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	1	1	-	1	1
Congenital anomalies (740-759)	7	9	21	31	30	11	3	32
Certain conditions originating in the perinatal period (760-779)	7	15	48	30	35	18	7	46
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	4	9	10	12	12	1	22
Other conditions originating in the perinatal period (760-766,770-779)	5	11	39	20	23	6	6	24
Symptoms, signs, and ill-defined conditions (780-799)	15	8	112	15	32	40	44	30
All other diseases (Residual)	42	66	197	150	160	35	47	154
Accidents and adverse effects (E800-E949)	32	95	218	132	149	40	43	265
Motor vehicle accidents (E810-E825)	15	46	138	68	73	20	26	153
All other accidents and adverse effects (E800-E807,E826-E949)	17	49	80	64	76	20	17	112
Suicide (E950-E959)	7	20	34	34	53	10	9	109
Homicide and legal intervention (E960-E978)	-	16	36	8	18	17	7	107
All other external causes (E980-E999)	1	-	9	2	1	3	2	9

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Lawrence, Kans	Lawton, Okla	Lewiston-Auburn, Maine	Lexington-Fayette, Ky	Lima, Ohio	Lincoln, Nebr	Little Rock-North Little Rock, Ark	Long Branch-Asbury Park, N.J
All causes	358	691	900	2,490	1,926	1,302	3,080	4,739
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	1	-
Certain other intestinal infections (007-009)	-	-	-	1	-	-	-	-
Tuberculosis (010-018)	-	1	-	3	4	-	4	8
Tuberculosis of respiratory system (010-012)	-	-	-	3	4	-	4	5
Other tuberculosis (013-018)	-	1	-	-	-	-	-	3
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	1	-
Meningococcal infection (036)	-	-	-	-	-	1	-	1
Septicemia (038)	4	8	4	19	3	7	25	30
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	4	-	-	1	6
Syphilis (090-097)	-	-	-	-	-	-	1	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	3	1	7	5	4	5	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	68	141	217	560	384	267	697	1,103
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	3	6	8	6	4	11	23
Malignant neoplasms of digestive organs and peritoneum (150-159)	18	37	62	141	101	83	164	290
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	16	40	59	162	104	56	182	278
Malignant neoplasm of breast (174-175)	5	15	24	54	39	26	50	120
Malignant neoplasms of genital organs (179-187)	9	11	16	61	37	32	65	123
Malignant neoplasms of urinary organs (188-189)	-	12	12	28	19	13	33	43
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	7	11	21	67	45	26	109	115
Leukemia (204-208)	3	6	4	9	17	16	33	42
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	9	6	13	30	16	11	50	69
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	-	1	10	4	4	3	13	16
Diabetes mellitus (250)	9	13	17	35	44	33	42	112
Nutritional deficiencies (260-269)	1	1	1	2	1	-	5	4
Anemias (280-285)	-	1	1	7	5	-	4	13
Meningitis (320-322)	1	-	-	5	1	3	3	1
Major cardiovascular diseases (390-448)	174	288	450	1,195	1,032	675	1,480	2,418
Diseases of heart (390-398,402,404-429)	126	227	344	953	786	492	1,029	1,835
Rheumatic fever and rheumatic heart disease (390-398)	-	1	1	4	10	5	7	24
Hypertensive heart disease (402)	4	7	8	39	23	8	27	36
Hypertensive heart and renal disease (404)	-	1	1	3	2	1	3	9
Ischemic heart disease (410-414)	85	171	273	543	555	352	662	1,535
Acute myocardial infarction (410)	31	102	138	379	278	128	335	819
Other acute and subacute forms of ischemic heart disease (411)	-	12	2	1	2	1	1	6
Angina pectoris (413)	-	-	-	2	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	54	57	133	161	274	223	326	710
Other diseases of endocardium (424)	2	2	4	8	12	3	3	12
All other forms of heart disease (415-423,425-429)	35	45	57	356	184	123	327	219
Hypertension with or without renal disease (401,403)	5	6	7	7	4	6	6	22
Cerebrovascular diseases (430-438)	31	47	59	175	162	127	352	410
Intracerebral and other intracranial hemorrhage (431-432)	4	4	8	19	25	9	37	52
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	5	2	7	39	33	7	67	106
Cerebral embolism (434.1)	-	-	-	-	-	-	1	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	22	41	44	117	104	111	247	250
Atherosclerosis (440)	5	5	25	32	54	34	57	90
Other diseases of arteries, arterioles, and capillaries (441-448)	7	3	15	28	26	16	36	61
Acute bronchitis and bronchiolitis (466)	-	1	-	-	-	-	3	-
Pneumonia and influenza (480-487)	12	22	22	77	49	47	49	107
Pneumonia (480-486)	11	21	18	74	45	43	45	101
Influenza (487)	1	1	4	3	4	4	4	6
Chronic obstructive pulmonary diseases and allied conditions (490-496)	7	22	23	81	57	33	96	141
Bronchitis, chronic and unspecified (490-491)	1	-	1	2	5	1	7	13
Emphysema (492)	2	1	7	10	12	17	21	35
Asthma (493)	-	1	1	6	2	1	2	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	4	20	14	63	38	14	66	89
Ulcer of stomach and duodenum (531-533)	-	4	-	12	9	8	8	18
Appendicitis (540-543)	-	-	-	1	1	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	1	-	6	5	6	9	9
Chronic liver disease and cirrhosis (571)	2	18	14	39	12	5	31	98
Cholelithiasis and other disorders of gallbladder (574-575)	-	3	3	3	5	-	4	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	4	8	33	14	11	36	49
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	1	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	2	2	3	8	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	3	4	8	31	12	7	27	45
Infections of kidney (590)	1	2	1	3	3	2	6	6
Hyperplasia of prostate (600)	-	-	-	3	-	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	1	-	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	1	-	1	-
Congenital anomalies (740-759)	5	8	5	24	21	9	22	23
Certain conditions originating in the perinatal period (760-779)	2	15	2	24	18	11	33	32
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	-	3	-	10	5	2	5	13
Other conditions originating in the perinatal period (760-766,770-779)	2	12	2	14	13	9	28	19
Symptoms, signs, and ill-defined conditions (780-799)	11	11	8	13	10	14	39	12
All other diseases (Residual)	28	52	53	155	119	74	203	270
Accidents and adverse effects (E800-E949)	18	40	40	112	72	60	153	189
Motor vehicle accidents (E810-E825)	7	23	20	48	41	32	75	84
All other accidents and adverse effects (E800-E807,E826-E949)	11	17	20	64	31	28	78	105
Suicide (E950-E959)	8	22	15	38	32	19	36	35
Homicide and legal intervention (E960-E978)	-	9	5	24	13	6	53	22
All other external causes (E980-E999)	-	-	-	-	2	4	4	4

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Longview-Marshall, Tex.	Lorain-Elyria, Ohio	Los Angeles-Long Beach, Calif.	Louisville, Ky.-Ind.	Lubbock, Tex.	Lynchburg, Va.	Macon, Ga.	Madison, Wis.
All causes	1,478	1,878	59,506	8,047	1,296	1,437	2,142	2,002
Shigellosis and amebiasis (004,006)	-	-	1	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	25	1	-	-	2	1
Tuberculosis (010-018)	-	-	53	8	-	-	1	1
Tuberculosis of respiratory system (010-012)	-	-	38	5	-	-	1	-
Other tuberculosis (013-018)	-	-	15	3	-	-	-	-
Whooping cough (033)	-	-	-	1	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	2	-	-	-	-	-
Meningococcal infection (036)	1	-	7	5	-	-	1	-
Septicemia (038)	5	6	110	37	8	15	14	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	4	48	4	-	-	-	1
Syphilis (090-097)	-	-	5	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	7	3	131	12	5	2	2	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	289	414	12,695	1,797	220	280	402	452
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	10	289	42	5	7	8	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	69	114	3,393	476	58	73	97	121
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	79	115	3,222	562	44	79	110	98
Malignant neoplasm of breast (174-175)	23	36	1,150	162	16	20	31	49
Malignant neoplasms of genital organs (179-187)	37	49	1,464	164	24	31	34	54
Malignant neoplasms of urinary organs (188-189)	12	19	546	67	7	12	17	21
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	39	37	1,478	191	39	37	75	57
Leukemia (204-208)	11	16	488	55	14	5	15	25
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	16	18	665	78	13	16	15	22
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	4	161	25	1	6	13	3
Diabetes mellitus (250)	22	34	868	185	22	16	22	32
Nutritional deficiencies (260-269)	3	7	39	10	9	1	1	1
Anemias (280-285)	-	3	83	21	1	1	3	3
Meningitis (320-322)	3	1	48	8	-	-	2	1
Major cardiovascular diseases (390-448)	669	897	29,322	3,895	633	779	1,055	927
Diseases of heart (390-398,402,404-429)	473	723	22,677	2,956	481	584	757	686
Rheumatic fever and rheumatic heart disease (390-398)	2	10	270	31	5	3	1	12
Hypertensive heart disease (402)	12	12	1,185	104	12	21	18	15
Hypertensive heart and renal disease (404)	2	4	85	10	-	4	10	3
Ischemic heart disease (410-414)	335	602	14,183	2,045	253	395	436	527
Acute myocardial infarction (410)	210	317	6,614	1,203	150	223	316	266
Other acute and subacute forms of ischemic heart disease (411)	-	11	28	5	3	32	2	-
Angina pectoris (413)	-	-	18	1	-	1	2	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	125	274	7,523	836	100	139	116	260
Other diseases of endocardium (424)	7	3	193	19	5	8	11	4
All other forms of heart disease (415-423,425-429)	115	92	6,761	747	206	153	281	125
Hypertension with or without renal disease (401,403)	8	8	264	36	5	5	15	8
Cerebrovascular diseases (430-438)	159	126	5,018	725	120	156	217	179
Intracerebral and other intracranial hemorrhage (431-432)	11	12	710	86	13	37	45	13
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	29	22	1,192	125	12	37	37	38
Cerebral embolism (434.1)	-	1	17	1	2	-	-	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	119	91	3,099	513	93	82	135	126
Atherosclerosis (440)	13	16	857	105	12	20	50	27
Other diseases of arteries, arterioles, and capillaries (441-448)	16	24	506	73	15	14	16	27
Acute bronchitis and bronchiolitis (466)	-	-	11	4	1	1	-	-
Pneumonia and influenza (480-487)	33	37	1,776	208	35	37	51	50
Pneumonia (480-486)	32	35	1,702	190	33	37	49	47
Influenza (487)	1	2	74	18	2	-	2	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	53	59	1,664	309	35	32	42	55
Bronchitis, chronic and unspecified (490-491)	3	2	134	20	1	3	4	6
Emphysema (492)	14	13	401	48	11	7	19	11
Asthma (493)	2	2	105	5	1	3	5	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	34	42	1,024	236	22	19	14	35
Ulcer of stomach and duodenum (531-533)	2	1	214	22	6	5	4	6
Appendicitis (540-543)	-	-	23	-	-	1	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	7	108	12	3	6	7	11
Chronic liver disease and cirrhosis (571)	16	35	1,412	114	10	20	32	27
Cholelithiasis and other disorders of gallbladder (574-575)	1	3	96	15	3	1	9	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	19	24	322	62	7	10	29	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	5	-	-	-	3	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	60	5	-	-	5	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	19	24	257	57	7	10	21	11
Infections of kidney (590)	2	2	77	11	4	3	4	1
Hyperplasia of prostate (600)	-	-	26	2	-	-	1	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	14	1	-	-	2	1
Pregnancy with abortive outcome (630-638)	-	-	3	1	-	-	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	11	-	-	-	2	-
Congenital anomalies (740-759)	7	10	573	50	12	8	15	19
Certain conditions originating in the perinatal period (760-779)	14	47	746	91	15	16	29	37
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	14	272	21	8	7	10	13
Other conditions originating in the perinatal period (760-766,770-779)	13	33	474	70	7	9	19	24
Symptoms, signs, and ill-defined conditions (780-799)	95	40	387	38	17	8	19	10
All other diseases (Residual)	77	97	2,880	519	81	94	147	179
Accidents and adverse effects (E800-E949)	100	90	2,867	373	101	63	142	100
Motor vehicle accidents (E810-E825)	60	51	1,526	158	57	30	74	59
All other accidents and adverse effects (E800-E807,E826-E949)	40	39	1,341	215	44	33	68	41
Suicide (E950-E959)	18	41	1,099	117	32	19	40	46
Homicide and legal intervention (E960-E978)	32	9	1,585	83	33	13	47	13
All other external causes (E980-E999)	-	3	28	7	2	-	5	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Manchester-Nashua, N.H.	Mansfield, Ohio	McAllen-Pharr-Edinburg, Tex.	Medford, Oreg.	Melbourne-Titusville-Cocoa, Fla.	Memphis, Tenn.-Ark.-Miss.	Miami, Fla.	Midland, Tex.
All causes	2,149	1,065	1,588	1,119	2,435	7,733	17,159	578
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	1	1	9	-
Tuberculosis (010-018)	1	2	6	-	5	5	24	1
Tuberculosis of respiratory system (010-012)	-	2	5	-	5	3	21	1
Other tuberculosis (013-018)	1	-	1	-	-	2	3	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	2	13	-
Septicemia (038)	11	3	9	5	11	37	83	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	2	-	1	5	15	2
Syphilis (090-097)	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	7	2	7	2	5	21	36	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	511	205	277	264	600	1,696	3,563	100
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	15	2	2	5	18	26	102	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	145	47	66	49	153	417	1,015	16
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	124	69	73	80	191	510	912	31
Malignant neoplasm of breast (174-175)	41	21	23	31	43	137	288	11
Malignant neoplasms of genital organs (179-187)	60	18	32	33	46	180	386	15
Malignant neoplasms of urinary organs (188-189)	24	7	16	9	29	64	170	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	64	20	38	34	72	231	390	15
Leukemia (204-208)	17	11	9	12	24	58	123	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	21	10	18	11	24	73	107	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	2	5	4	9	23	51	3
Diabetes mellitus (250)	39	20	41	22	35	112	314	15
Nutritional deficiencies (260-269)	2	1	3	2	2	2	10	-
Anemias (280-285)	6	4	2	1	5	15	33	2
Meningitis (320-322)	2	-	-	-	-	7	10	-
Major cardiovascular diseases (390-448)	1,063	572	677	521	1,177	3,814	8,130	247
Diseases of heart (390-398,402,404-429)	788	427	516	387	886	2,632	6,494	199
Rheumatic fever and rheumatic heart disease (390-398)	2	2	-	4	18	16	62	4
Hypertensive heart disease (402)	7	11	9	6	26	140	199	4
Hypertensive heart and renal disease (404)	2	2	1	1	4	9	9	2
Ischemic heart disease (410-414)	620	356	355	292	696	1,564	4,963	148
Acute myocardial infarction (410)	393	218	250	111	362	814	2,268	83
Other acute and subacute forms of ischemic heart disease (411)	-	1	-	2	2	1	32	-
Angina pectoris (413)	2	-	1	-	-	2	5	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	225	137	104	179	332	747	2,658	65
Other diseases of endocardium (424)	5	4	3	3	8	30	89	5
All other forms of heart disease (415-423,425-429)	152	52	148	81	134	873	1,172	36
Hypertension with or without renal disease (401,403)	6	2	6	3	11	34	75	3
Cerebrovascular diseases (430-438)	180	97	122	100	209	771	1,276	33
Intracerebral and other intracranial hemorrhage (431-432)	27	12	24	13	34	103	202	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	56	12	26	21	42	164	320	7
Cerebral embolism (434.1)	4	-	-	-	-	6	12	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	93	73	72	66	133	498	742	20
Atherosclerosis (440)	55	32	21	17	40	122	127	5
Other diseases of arteries, arterioles, and capillaries (441-448)	34	14	12	14	31	95	158	7
Acute bronchitis and bronchiolitis (466)	1	2	1	-	-	1	2	2
Pneumonia and influenza (480-487)	57	20	44	26	51	188	362	13
Pneumonia (480-486)	51	17	43	23	48	177	357	13
Influenza (487)	6	3	1	3	3	11	5	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	66	30	34	53	96	224	452	16
Bronchitis, chronic and unspecified (490-491)	5	5	2	7	11	18	30	-
Emphysema (492)	16	4	15	10	26	39	137	4
Asthma (493)	2	2	1	3	4	8	25	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	43	19	16	33	55	159	260	12
Ulcer of stomach and duodenum (531-533)	6	4	3	1	5	19	64	3
Appendicitis (540-543)	-	-	1	-	-	2	4	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	4	3	1	6	21	51	3
Chronic liver disease and cirrhosis (571)	35	14	29	13	51	75	293	8
Cholelithiasis and other disorders of gallbladder (574-575)	3	3	5	1	1	14	23	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	14	3	26	10	20	68	165	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	2	3	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	2	1	2	21	21	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	14	3	24	9	18	45	141	6
Infections of kidney (590)	1	4	2	-	1	7	19	1
Hyperplasia of prostate (600)	-	-	-	-	-	3	9	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	2	1	-	2	1	6	-
Pregnancy with abortive outcome (630-638)	-	2	-	-	-	-	4	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	-	2	1	2	-
Congenital anomalies (740-759)	20	9	23	4	7	58	108	8
Certain conditions originating in the perinatal period (760-779)	16	10	33	8	14	154	168	13
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	3	9	4	5	31	49	7
Other conditions originating in the perinatal period (760-766,770-779)	14	7	24	4	9	123	119	6
Symptoms, signs, and ill-defined conditions (780-799)	28	7	107	37	2	190	205	13
All other diseases (Residual)	113	61	90	64	148	506	1,216	31
Accidents and adverse effects (E800-E949)	78	47	113	55	128	367	822	58
Motor vehicle accidents (E810-E825)	34	29	72	26	76	174	444	28
All other accidents and adverse effects (E800-E807,E826-E949)	44	18	41	29	52	193	378	30
Suicide (E950-E959)	46	15	27	19	31	114	275	10
Homicide and legal intervention (E960-E978)	6	9	26	2	14	174	601	16
All other external causes (E980-E999)	3	1	1	4	7	7	2	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Milwaukee, Wis.	Minneapolis-St. Paul, Minn.-Wis.	Mobile, Ala.	Modesto, Calif.	Monroe, La.	Montgomery, Ala.	Muncie, Ind.	Muskegon-Norton Shores-Muskegon Heights, Mich.
All causes	11,623	14,648	3,843	2,316	1,108	2,296	1,101	1,616
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	3	-	2	1	1	-	-
Tuberculosis (010-018)	12	5	8	-	2	3	-	3
Tuberculosis of respiratory system (010-012)	11	4	8	-	2	3	-	2
Other tuberculosis (013-018)	1	1	-	-	-	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	5	-	-	-	-	1	-
Septicemia (038)	59	67	22	7	4	11	9	6
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	7	2	1	1	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	31	42	8	1	-	5	1	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,598	3,280	859	484	200	492	225	337
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	62	61	14	16	2	14	3	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	699	914	193	117	48	105	52	83
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	852	782	290	141	58	134	73	87
Malignant neoplasm of breast (174-175)	237	299	50	33	9	40	13	37
Malignant neoplasms of genital organs (179-187)	290	369	92	55	20	72	20	37
Malignant neoplasms of urinary organs (188-189)	124	144	30	15	5	12	19	13
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	295	360	101	67	46	70	23	38
Leukemia (204-208)	102	127	38	21	7	26	8	14
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	137	224	51	19	5	19	14	22
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	39	50	9	8	3	5	1	3
Diabetes mellitus (250)	137	217	77	40	26	46	14	36
Nutritional deficiencies (260-269)	11	23	6	3	2	1	3	2
Anemias (280-285)	23	18	7	-	4	4	2	2
Meningitis (320-322)	5	11	7	-	3	3	2	1
Major cardiovascular diseases (390-448)	5,907	6,772	1,762	1,047	600	1,025	539	808
Diseases of heart (390-398,402,404-429)	4,661	5,010	1,312	742	504	743	399	612
Rheumatic fever and rheumatic heart disease (390-398)	50	76	11	10	1	4	1	6
Hypertensive heart disease (402)	181	52	55	15	12	26	13	11
Hypertensive heart and renal disease (404)	12	10	17	2	4	2	3	2
Ischemic heart disease (410-414)	3,540	3,940	872	514	206	496	320	500
Acute myocardial infarction (410)	1,551	1,721	486	270	146	306	178	215
Other acute and subacute forms of ischemic heart disease (411)	28	13	28	-	-	2	-	4
Angina pectoris (413)	4	4	-	-	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,957	2,202	358	244	60	187	142	281
Other diseases of endocardium (424)	45	76	9	16	2	9	4	5
All other forms of heart disease (415-423,425-429)	853	856	348	185	279	206	58	88
Hypertension with or without renal disease (401,403)	43	79	28	6	3	9	4	13
Cerebrovascular diseases (430-438)	926	1,237	318	227	74	213	107	150
Intracerebral and other intracranial hemorrhage (431-432)	120	146	49	20	11	35	8	11
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	186	196	58	59	5	15	32	40
Cerebral embolism (434.1)	2	9	1	3	-	1	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	618	886	210	145	58	162	67	98
Atherosclerosis (440)	139	255	58	42	15	32	15	21
Other diseases of arteries, arterioles, and capillaries (441-448)	118	191	46	30	4	28	14	12
Acute bronchitis and bronchiolitis (466)	-	6	3	5	-	-	-	-
Pneumonia and influenza (480-487)	318	449	49	87	21	50	31	40
Pneumonia (480-486)	299	433	48	80	21	46	29	36
Influenza (487)	19	16	1	7	-	4	2	4
Chronic obstructive pulmonary diseases and allied conditions (490-496)	290	398	124	101	24	72	47	60
Bronchitis, chronic and unspecified (490-491)	20	30	4	8	1	2	1	4
Emphysema (492)	43	82	33	27	7	13	9	15
Asthma (493)	13	19	3	6	1	5	1	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	214	267	84	60	15	52	36	39
Ulcer of stomach and duodenum (531-533)	41	48	8	6	-	5	7	5
Appendicitis (540-543)	1	2	1	1	-	1	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	41	41	5	8	2	6	6	3
Chronic liver disease and cirrhosis (571)	176	203	62	35	10	34	11	19
Cholelithiasis and other disorders of gallbladder (574-575)	18	20	3	5	2	1	4	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	92	90	32	20	14	24	5	16
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	16	13	3	-	2	9	1	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588,589)	75	77	29	20	12	15	4	12
Infections of kidney (590)	14	11	11	7	-	5	3	3
Hyperplasia of prostate (600)	2	5	3	1	-	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	1	1	2	-	-	-	-
Pregnancy with abortive outcome (630-638)	1	-	1	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	1	-	2	-	-	-	-
Congenital anomalies (740-759)	72	118	28	21	7	15	9	11
Certain conditions originating in the perinatal period (760-779)	101	142	41	22	19	35	12	28
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	34	45	11	9	7	13	4	9
Other conditions originating in the perinatal period (760-766,770-779)	67	97	30	13	12	22	8	1
Symptoms, signs, and ill-defined conditions (780-799)	77	451	93	8	20	134	13	9
All other diseases (Residual)	811	1,019	214	159	55	125	76	98
Accidents and adverse effects (E800-E949)	377	807	235	172	59	121	55	84
Motor vehicle accidents (E810-E825)	195	394	122	84	27	63	28	48
All other accidents and adverse effects (E800-E807,E826-E949)	182	413	113	88	32	58	27	36
Suicide (E950-E959)	187	254	50	41	13	33	15	22
Homicide and legal intervention (E960-E978)	81	65	102	20	16	38	4	17
All other external causes (E980-E999)	35	18	11	2	-	2	5	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Nashville-Davidson, Tenn	Nassau-Suffolk, N Y	New Bedford-Fall River, Mass	New Brunswick-Perth Amboy-Sayreville, N J	New Haven-Waterbury-Meriden, Conn	New London-Norwich, Conn	New Orleans, La	New York, N Y-N J
All causes	6,823	20,857	4,516	4,427	6,969	1,983	10,515	91,723
Shigellosis and amebiasis (004,006)	-	1	-	-	-	-	-	3
Certain other intestinal infections (007-009)	1	2	-	1	1	-	1	13
Tuberculosis (010-018)	12	17	1	1	3	1	23	143
Tuberculosis of respiratory system (010-012)	12	13	-	1	2	1	22	112
Other tuberculosis (013-018)	-	4	1	-	1	-	1	31
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	4	1	1	3	1	8	14
Septicemia (038)	17	141	16	18	61	8	91	341
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	8	11	3	2	1	-	9	71
Syphilis (090-097)	-	-	-	-	-	-	1	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	17	32	8	7	16	6	23	173
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,450	5,073	1,052	1,149	1,586	434	2,217	19,824
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	40	101	20	20	43	10	57	404
Malignant neoplasms of digestive organs and peritoneum (150-159)	355	1,441	320	317	456	111	528	6,130
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	389	1,289	240	294	371	115	673	4,512
Malignant neoplasm of breast (174-175)	114	503	98	114	157	38	180	2,088
Malignant neoplasms of genital organs (179-187)	176	513	124	122	147	44	206	2,127
Malignant neoplasms of urinary organs (188-189)	47	240	43	61	73	24	79	812
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	171	532	114	133	193	57	298	2,081
Leukemia (204-208)	60	181	39	36	65	20	88	698
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	98	273	54	52	81	15	108	972
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	16	66	10	20	25	7	36	322
Diabetes mellitus (250)	104	390	88	87	107	24	295	1,705
Nutritional deficiencies (260-269)	12	9	3	4	3	4	16	41
Anemias (280-285)	10	30	4	5	7	3	22	129
Meningitis (320-322)	8	10	3	3	1	-	12	73
Major cardiovascular diseases (390-448)	3,342	10,785	2,455	2,205	3,544	991	4,847	47,984
Diseases of heart (390-398,402,404-429)	2,481	8,883	1,865	1,817	2,827	728	3,753	41,098
Rheumatic fever and rheumatic heart disease (390-398)	27	129	22	23	29	6	20	367
Hypertensive heart disease (402)	112	209	33	59	101	7	182	901
Hypertensive heart and renal disease (404)	15	28	9	3	10	2	15	88
Ischemic heart disease (410-414)	1,886	7,569	1,617	1,526	1,989	637	2,672	36,256
Acute myocardial infarction (410)	1,186	2,637	921	646	836	285	1,376	15,031
Other acute and subacute forms of ischemic heart disease (411)	48	19	5	14	1	3	6	97
Angina pectoris (413)	2	2	2	1	14	-	4	15
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	650	4,911	689	865	1,138	349	1,286	21,113
Other diseases of endocardium (424)	28	66	15	14	26	4	26	210
All other forms of heart disease (415-423,425-429)	413	882	169	192	672	72	838	3,276
Hypertension with or without renal disease (401,403)	24	61	19	5	30	18	32	325
Cerebrovascular diseases (430-438)	672	1,466	476	283	511	183	850	5,086
Intracerebral and other intracranial hemorrhage (431-432)	84	199	95	46	74	16	94	831
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	96	355	107	71	101	44	148	888
Cerebral embolism (434.1)	2	8	13	1	3	-	3	36
All other and late effects of cerebrovascular diseases (430,433,435-438)	490	904	261	165	333	123	605	3,331
Atherosclerosis (440)	107	147	54	64	98	40	121	788
Other diseases of arteries, arterioles, and capillaries (441-448)	58	228	41	36	78	22	91	687
Acute bronchitis and bronchiolitis (466)	-	5	5	-	3	-	5	21
Pneumonia and influenza (480-487)	180	489	136	102	205	71	180	3,117
Pneumonia (480-486)	156	468	128	102	196	69	167	3,083
Influenza (487)	24	21	8	-	9	2	13	34
Chronic obstructive pulmonary diseases and allied conditions (490-496)	227	460	120	90	209	67	242	1,695
Bronchitis, chronic and unspecified (490-491)	13	30	7	6	22	1	21	143
Emphysema (492)	69	130	30	13	13	6	59	445
Asthma (493)	12	20	8	7	9	2	18	211
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	133	280	75	64	165	58	144	896
Ulcer of stomach and duodenum (531-533)	22	72	15	12	22	3	25	386
Appendicitis (540-543)	1	4	-	1	2	-	5	23
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	16	35	7	19	11	8	33	206
Chronic liver disease and cirrhosis (571)	80	308	59	99	97	33	185	2,264
Cholelithiasis and other disorders of gallbladder (574-575)	19	31	7	3	10	2	11	111
Nephritis, nephrotic syndrome, and nephrosis (580-589)	60	160	37	23	55	12	139	540
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	8	-	1	-	-	-	11
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	9	15	8	4	4	3	22	84
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	51	137	29	18	51	9	117	445
Infections of kidney (590)	13	21	4	3	4		8	75
Hyperplasia of prostate (600)	4	7	-	-	2	1	-	41
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	3	-	-	-	-	2	23
Pregnancy with abortive outcome (630-638)	-	1	-	-	-	-	-	5
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	2	-	-	-	-	2	18
Congenital anomalies (740-759)	47	125	27	34	44	15	80	523
Certain conditions originating in the perinatal period (760-779)	87	142	29	39	74	23	166	958
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	29	45	11	10	14	7	44	319
Other conditions originating in the perinatal period (760-766,770-779)	58	97	18	29	60	16	122	639
Symptoms, signs, and ill-defined conditions (780-799)	30	271	22	42	113	24	74	763
All other diseases (Residual)	420	1,040	194	223	414	110	727	4,231
Accidents and adverse effects (E800-E949)	388	765	168	173	245	97	604	2,723
Motor vehicle accidents (E810-E825)	205	408	92	86	117	54	246	1,164
All other accidents and adverse effects (E800-E807,E826-E949)	183	357	76	87	128	43	358	1,559
Suicide (E950-E959)	101	195	31	41	61	33	138	773
Homicide and legal intervention (E960-E978)	106	111	10	19	34	4	287	1,925
All other external causes (E980-E999)	21	22	1	1	6	1	5	486

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Newark, N.J.	Newark, Ohio	Newburgh-Middletown, N.Y.	Newport News-Hampton, Va.	Norfolk-Virginia Beach-Portsmouth, Va.-N.C.	Northeast Pennsylvania	Ocala, Fla.	Odessa, Tex.
All causes	17,351	1,030	2,297	2,611	5,968	7,622	1,363	765
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	1	2	-	2	-
Tuberculosis (010-018)	12	-	5	3	8	12	3	-
Tuberculosis of respiratory system (010-012)	10	-	3	2	7	11	3	-
Other tuberculosis (013-018)	2	-	2	1	1	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	-	2	6	1	-	-
Septicemia (038)	154	4	8	38	55	37	8	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	12	-	1	1	-	1	2	-
Syphilis (090-097)	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	29	-	7	5	14	14	8	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,177	246	507	605	1,335	1,588	300	133
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	106	2	13	8	40	33	6	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,229	58	157	135	318	488	77	27
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,024	73	123	205	390	338	95	47
Malignant neoplasm of breast (174-175)	386	33	46	44	95	145	27	13
Malignant neoplasms of genital organs (179-187)	464	24	52	45	142	160	35	11
Malignant neoplasms of urinary organs (188-189)	167	8	17	25	47	58	9	8
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	426	30	47	95	193	231	31	17
Leukemia (204-208)	162	3	18	23	40	52	5	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	203	15	34	25	61	83	15	2
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	50	3	9	2	21	41	4	3
Diabetes mellitus (250)	375	12	42	32	83	181	26	11
Nutritional deficiencies (260-269)	15	1	1	3	1	9	1	1
Anemias (280-285)	31	-	4	3	8	14	4	2
Meningitis (320-322)	14	-	3	2	6	3	1	1
Major cardiovascular diseases (390-448)	8,619	540	1,191	1,161	2,792	4,284	653	237
Diseases of heart (390-398,402,404-429)	6,951	409	970	938	2,174	3,514	471	168
Rheumatic fever and rheumatic heart disease (390-398)	102	2	9	6	15	54	5	1
Hypertensive heart disease (402)	214	5	19	18	86	83	25	2
Hypertensive heart and renal disease (404)	42	2	1	3	21	21	2	1
Ischemic heart disease (410-414)	5,445	330	814	631	1,454	2,332	338	119
Acute myocardial infarction (410)	2,577	210	428	336	740	1,343	145	72
Other acute and subacute forms of ischemic heart disease (411)	15	-	5	83	179	8	3	-
Angina pectoris (413)	6	-	1	-	1	4	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,847	120	380	212	534	977	190	47
Other diseases of endocardium (424)	72	2	14	14	17	45	4	4
All other forms of heart disease (415-423,425-429)	1,076	68	113	286	581	979	97	41
Hypertension with or without renal disease (401,403)	63	2	9	10	30	25	3	2
Cerebrovascular diseases (430-438)	1,355	97	164	186	501	531	147	54
Intracerebral and other intracranial hemorrhage (431-432)	195	8	9	18	86	63	13	12
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	338	31	31	33	85	107	38	8
Cerebral embolism (434.1)	9	-	-	2	1	10	3	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	813	58	124	115	329	351	92	34
Atherosclerosis (440)	110	18	26	14	46	125	18	11
Other diseases of arteries, arterioles, and capillaries (441-448)	140	14	22	33	41	69	16	2
Acute bronchitis and bronchiolitis (466)	3	-	-	-	2	4	-	-
Pneumonia and influenza (480-487)	450	21	58	81	174	121	30	11
Pneumonia (480-486)	435	19	55	79	162	110	30	11
Influenza (487)	15	2	3	2	12	11	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	414	45	79	72	175	173	90	32
Bronchitis, chronic and unspecified (490-491)	28	7	4	3	4	13	1	2
Emphysema (492)	112	5	19	6	30	51	10	6
Asthma (493)	24	2	3	7	12	8	3	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	250	31	53	56	129	101	36	22
Ulcer of stomach and duodenum (531-533)	57	1	6	8	10	18	5	-
Appendicitis (540-543)	3	-	-	4	1	2	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	66	7	3	10	18	12	4	2
Chronic liver disease and cirrhosis (571)	303	13	33	42	78	113	28	6
Cholelithiasis and other disorders of gallbladder (574-575)	30	3	4	2	5	10	1	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	166	3	21	20	58	54	7	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	-	-	-	-	3	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	26	-	2	2	4	6	3	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	136	3	19	18	54	45	4	4
Infections of kidney (590)	16	-	2	1	6	5	2	1
Hyperplasia of prostate (600)	2	-	-	-	1	1	2	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	-	1	2	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	-	1	2	-	-	-
Congenital anomalies (740-759)	89	8	7	30	50	32	7	8
Certain conditions originating in the perinatal period (760-779)	146	6	13	49	143	33	7	9
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	51	2	5	6	22	12	2	5
Other conditions originating in the perinatal period (760-766,770-779)	95	4	8	43	121	21	5	4
Symptoms, signs, and ill-defined conditions (780-799)	162	7	14	22	50	26	9	85
All other diseases (Residual)	956	58	125	198	393	734	68	47
Accidents and adverse effects (E800-E949)	598	39	115	132	276	245	95	112
Motor vehicle accidents (E810-E825)	233	26	64	64	119	126	54	71
All other accidents and adverse effects (E800-E807,E826-E949)	365	13	51	68	157	119	41	41
Suicide (E950-E959)	134	11	29	38	89	62	22	22
Homicide and legal intervention (E960-E978)	248	1	10	40	100	26	12	27
All other external causes (E980-E999)	15	-	-	2	6	6	4	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Oklahoma City, Okla.	Olympia, Wash.	Omaha, Nebr.-Iowa	Orlando, Fla.	Owensboro, Ky.	Oxnard-Simi Valley-Ventura, Calif.	Panama City, Fla.	Parkersburg-Marietta, W. Va.-Ohio
All causes	6,784	939	4,513	5,998	796	3,179	813	1,474
Shigellosis and amebiasis (004,006)	-	-	-	-	-	1	-	-
Certain other intestinal infections (007-009)	-	-	2	1	-	-	-	1
Tuberculosis (010-018)	5	1	1	14	1	3	1	2
Tuberculosis of respiratory system (010-012)	5	1	1	13	-	3	1	2
Other tuberculosis (013-018)	-	-	-	1	1	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	-	2	-	1	-	-
Septicemia (038)	30	2	22	25	6	7	3	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	-	6	1	1	-	-
Syphilis (090-097)	2	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	13	1	20	18	-	4	1	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,443	240	987	1,320	161	726	207	287
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	29	3	13	27	3	15	5	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	355	57	273	339	38	161	45	83
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	431	65	283	378	54	195	74	87
Malignant neoplasm of breast (174-175)	111	23	107	105	16	64	13	32
Malignant neoplasms of genital organs (179-187)	154	35	91	127	13	78	22	26
Malignant neoplasms of urinary organs (188-189)	54	5	32	58	10	31	5	11
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	163	28	99	160	15	106	28	22
Leukemia (204-208)	58	15	45	53	5	30	10	8
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	88	9	44	73	7	46	5	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	24	4	12	23	2	11	4	5
Diabetes mellitus (250)	103	17	60	76	20	56	12	30
Nutritional deficiencies (260-269)	13	2	5	11	-	2	-	1
Anemias (280-285)	9	2	6	10	1	2	3	2
Meningitis (320-322)	4	-	3	5	1	3	-	-
Major cardiovascular diseases (390-448)	3,136	443	2,234	2,776	417	1,446	350	783
Diseases of heart (390-398,402,404-429)	2,352	356	1,749	2,167	316	1,101	287	619
Rheumatic fever and rheumatic heart disease (390-398)	22	3	24	21	3	12	2	6
Hypertensive heart disease (402)	53	16	20	42	7	40	9	18
Hypertensive heart and renal disease (404)	6	2	6	6	1	9	2	2
Ischemic heart disease (410-414)	1,762	235	1,453	1,587	203	686	194	427
Acute myocardial infarction (410)	971	142	655	727	108	335	103	276
Other acute and subacute forms of ischemic heart disease (411)	119	1	-	116	-	1	1	1
Angina pectoris (413)	1	1	2	3	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	671	91	796	741	95	350	90	150
Other diseases of endocardium (424)	17	4	12	25	1	14	2	2
All other forms of heart disease (415-423,425-429)	492	96	234	486	101	340	78	164
Hypertension with or without renal disease (401,403)	24	4	15	21	2	8	3	2
Cerebrovascular diseases (430-438)	617	66	354	447	88	254	50	113
Intracerebral and other intracranial hemorrhage (431-432)	80	6	43	57	12	20	7	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	85	6	89	96	6	40	9	12
Cerebral embolism (434.1)	-	-	1	2	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	452	54	221	292	70	193	34	92
Atherosclerosis (440)	85	4	79	78	6	44	6	21
Other diseases of arteries, arterioles, and capillaries (441-448)	58	13	37	63	5	39	4	28
Acute bronchitis and bronchiolitis (466)	2	-	1	5	-	-	1	-
Pneumonia and influenza (480-487)	204	18	154	160	27	81	13	42
Pneumonia (480-486)	196	18	149	154	23	77	13	42
Influenza (487)	8	-	5	6	4	4	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	190	32	153	251	25	111	21	46
Bronchitis, chronic and unspecified (490-491)	12	-	11	16	3	6	5	4
Emphysema (492)	32	12	32	61	6	26	2	9
Asthma (493)	7	1	9	8	-	6	3	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	139	19	101	166	16	73	11	33
Ulcer of stomach and duodenum (531-533)	20	3	12	17	1	9	3	3
Appendicitis (540-543)	-	-	2	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	17	3	10	15	3	9	4	4
Chronic liver disease and cirrhosis (571)	111	16	42	113	12	58	9	13
Cholelithiasis and other disorders of gallbladder (574-575)	11	1	6	11	2	6	2	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	66	5	38	51	2	22	15	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	2	1	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	2	4	6	-	2	1	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	55	3	32	44	2	20	14	8
Infections of kidney (590)	8	1	6	6	2	8	4	-
Hyperplasia of prostate (600)	-	-	1	-	1	1	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	-	-	-	1	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	-	-	-	1	1	-
Congenital anomalies (740-759)	51	7	41	39	-	36	8	6
Certain conditions originating in the perinatal period (760-779)	96	9	54	63	7	49	11	14
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	40	4	24	31	-	19	4	6
Other conditions originating in the perinatal period (760-766,770-779)	56	5	30	32	7	30	7	8
Symptoms, signs, and ill-defined conditions (780-799)	74	8	50	62	7	22	3	23
All other diseases (Residual)	423	50	278	383	51	201	47	82
Accidents and adverse effects (E800-E949)	460	50	219	346	37	196	59	81
Motor vehicle accidents (E810-E825)	257	24	104	208	13	103	35	43
All other accidents and adverse effects (E800-E807,E826-E949)	203	26	115	138	24	93	24	38
Suicide (E950-E959)	146	16	52	101	6	65	17	27
Homicide and legal intervention (E960-E978)	99	9	37	96	3	32	10	1
All other external causes (E980-E999)	9	1	7	12	-	7	3	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Pascagoula-Moss Point, Miss.	Paterson-Clifton-Passaic, N.J.	Pensacola, Fla.	Peoria, Ill.	Petersburg-Colonial Heights-Hopewell, Va.	Philadelphia, Pa.-N.J.	Phoenix, Ariz.	Pine Bluff, Ark.
All causes	675	4,223	2,229	2,863	1,108	45,913	11,930	849
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	1	2	-	10	3	-
Tuberculosis (010-018)	-	5	2	2	-	43	20	3
Tuberculosis of respiratory system (010-012)	-	4	2	-	-	35	17	3
Other tuberculosis (013-018)	-	1	-	2	-	8	3	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	1	-	-	-	-	-	-
Meningococcal infection (036)	-	-	1	-	1	9	4	1
Septicemia (038)	4	29	16	9	8	496	44	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	4	2	-	2	14	10	-
Syphilis (090-097)	-	1	-	-	-	3	4	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	5	7	9	4	3	87	48	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	139	893	401	636	240	10,458	2,609	184
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	21	16	13	6	223	53	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	21	283	112	166	69	2,856	652	41
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	54	211	162	173	60	2,700	701	47
Malignant neoplasm of breast (174-175)	9	79	32	62	26	961	234	8
Malignant neoplasms of genital organs (179-187)	14	80	49	77	20	1,067	288	20
Malignant neoplasms of urinary organs (188-189)	5	36	20	19	10	427	117	5
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	17	97	68	70	25	1,328	311	25
Leukemia (204-208)	10	42	14	29	11	337	124	7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	5	44	18	27	13	490	129	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	13	5	11	4	151	51	1
Diabetes mellitus (250)	10	105	35	38	13	789	187	14
Nutritional deficiencies (260-269)	3	7	4	2	-	75	15	3
Anemias (280-285)	2	7	2	2	1	76	25	-
Meningitis (320-322)	-	3	1	4	2	29	12	1
Major cardiovascular diseases (390-448)	275	2,209	1,016	1,403	537	21,423	5,283	435
Diseases of heart (390-398,402,404-429)	210	1,845	773	1,015	394	17,046	4,205	311
Rheumatic fever and rheumatic heart disease (390-398)	1	26	5	14	1	205	65	2
Hypertensive heart disease (402)	8	44	23	15	10	453	49	8
Hypertensive heart and renal disease (404)	1	6	6	6	2	73	9	-
Ischemic heart disease (410-414)	138	1,567	536	797	309	11,430	3,264	215
Acute myocardial infarction (410)	79	750	278	518	136	7,105	1,458	84
Other acute and subacute forms of ischemic heart disease (411)	-	3	1	3	43	92	314	-
Angina pectoris (413)	-	1	1	1	-	16	3	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	50	813	256	275	130	4,217	1,489	131
Other diseases of endocardium (424)	1	9	15	7	1	158	50	3
All other forms of heart disease (415-423,425-429)	61	193	189	176	71	4,727	788	83
Hypertension with or without renal disease (401,403)	2	11	15	16	2	157	38	6
Cerebrovascular diseases (430-438)	54	293	171	293	124	3,315	784	93
Intracerebral and other intracranial hemorrhage (431-432)	7	40	17	38	10	522	102	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	8	76	22	33	27	582	142	18
Cerebral embolism (434.1)	-	-	1	-	-	18	6	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	38	177	131	222	87	2,193	594	67
Atherosclerosis (440)	5	32	35	44	9	467	124	12
Other diseases of arteries, arterioles, and capillaries (441-448)	4	29	22	35	8	438	134	13
Acute bronchitis and bronchiolitis (466)	-	-	1	2	-	19	2	-
Pneumonia and influenza (480-487)	11	130	37	105	29	1,086	314	16
Pneumonia (480-486)	11	125	36	101	29	1,043	291	15
Influenza (487)	-	5	1	4	-	43	23	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	20	103	79	87	21	1,189	574	18
Bronchitis, chronic and unspecified (490-491)	1	14	7	6	1	75	27	-
Emphysema (492)	5	25	16	19	5	206	151	5
Asthma (493)	2	3	3	2	-	50	33	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	12	61	53	60	15	858	383	12
Ulcer of stomach and duodenum (531-533)	2	16	2	8	9	125	38	1
Appendicitis (540-543)	1	-	-	1	-	15	7	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	8	5	9	3	115	19	1
Chronic liver disease and cirrhosis (571)	6	78	39	33	12	622	186	12
Cholelithiasis and other disorders of gallbladder (574-575)	1	7	1	3	1	38	14	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8	27	26	28	8	524	96	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	-	-	6	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	3	3	2	1	31	13	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	6	24	23	26	7	487	82	9
Infections of kidney (590)	-	3	3	3	1	31	10	-
Hyperplasia of prostate (600)	1	1	-	1	-	7	5	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	-	2	-	4	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	-	2	-	4	1	-
Congenital anomalies (740-759)	9	22	12	22	7	252	117	4
Certain conditions originating in the perinatal period (760-779)	16	44	29	43	18	451	150	7
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	21	14	17	2	119	44	2
Other conditions originating in the perinatal period (760-766,770-779)	8	23	14	26	16	332	108	5
Symptoms, signs, and ill-defined conditions (780-799)	30	30	15	16	10	2,107	97	23
All other diseases (Residual)	48	219	156	150	87	2,883	787	52
Accidents and adverse effects (E800-E949)	63	182	180	168	63	1,612	792	36
Motor vehicle accidents (E810-E825)	34	64	102	81	27	715	447	12
All other accidents and adverse effects (E800-E807,E826-E949)	29	118	78	87	36	897	345	24
Suicide (E950-E959)	6	20	35	40	16	504	254	13
Homicide and legal intervention (E960-E978)	7	46	19	18	12	548	158	25
All other external causes (E980-E999)	2	3	6	2	-	119	16	1

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Pittsburgh, Pa	Pittsfield, Mass	Portland, Maine	Portland, Oreg.-Wash	Portsmouth-Dover-Rochester, N.H.-Maine	Poughkeepsie, N.Y	Providence-Warwick-Pawtucket, R.I.	Provo-Orem, Utah
All causes	23,703	1,548	2,195	10,120	3,293	2,112	8,500	911
Shigellosis and amebiasis (004,006)	-	-	-	1	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	1	-	-	-	-
Tuberculosis (010-018)	11	-	5	8	1	4	8	-
Tuberculosis of respiratory system (010-012)	7	-	4	6	1	4	8	-
Other tuberculosis (013-018)	4	-	1	2	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	9	-	1	4	-	-	2	-
Septicemia (038)	167	8	13	45	13	8	64	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	1	2	-	1	4	-
Syphilis (090-097)	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	27	5	8	24	5	1	19	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,416	360	500	2,189	767	474	1,985	147
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	97	14	11	34	10	16	38	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,437	101	143	571	222	139	589	33
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,487	75	118	571	224	111	521	22
Malignant neoplasm of breast (174-175)	501	42	46	191	57	44	169	22
Malignant neoplasms of genital organs (179-187)	501	43	55	211	71	54	183	20
Malignant neoplasms of urinary organs (188-189)	226	13	20	106	42	23	90	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	703	48	56	282	79	48	225	24
Leukemia (204-208)	214	13	21	97	26	19	62	15
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	250	11	30	126	36	20	108	8
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	87	6	4	38	12	11	33	2
Diabetes mellitus (250)	509	36	22	132	65	41	173	19
Nutritional deficiencies (260-269)	17	3	5	16	6	-	15	-
Anemias (280-285)	47	4	2	8	6	1	11	2
Meningitis (320-322)	14	1	2	4	2	2	3	-
Major cardiovascular diseases (390-448)	12,354	778	1,117	4,825	1,580	1,099	4,344	433
Diseases of heart (390-398,402,404-429)	10,102	592	855	3,529	1,235	883	3,536	346
Rheumatic fever and rheumatic heart disease (390-398)	144	6	10	57	14	6	34	5
Hypertensive heart disease (402)	183	9	19	75	19	6	64	10
Hypertensive heart and renal disease (404)	34	2	2	24	7	6	12	1
Ischemic heart disease (410-414)	7,366	462	626	2,802	958	760	2,853	220
Acute myocardial infarction (410)	3,745	250	288	982	585	421	1,475	126
Other acute and subacute forms of ischemic heart disease (411)	16	1	2	6	3	3	5	1
Angina pectoris (413)	2	1	2	-	1	1	3	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,603	210	334	1,814	369	335	1,370	93
Other diseases of endocardium (424)	73	12	22	76	16	10	39	4
All other forms of heart disease (415-423,425-429)	2,302	101	176	495	221	95	534	106
Hypertension with or without renal disease (401,403)	60	3	9	28	7	8	28	2
Cerebrovascular diseases (430-438)	1,681	128	192	914	241	156	573	67
Intracerebral and other intracranial hemorrhage (431-432)	213	15	24	90	31	20	98	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	405	20	51	197	48	22	145	9
Cerebral embolism (434.1)	9	-	2	8	2	1	3	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,054	93	115	619	160	113	327	51
Atherosclerosis (440)	262	28	25	225	57	24	106	8
Other diseases of arteries, arterioles, and capillaries (441-448)	249	27	36	129	40	28	101	10
Acute bronchitis and bronchiolitis (466)	2	-	-	3	2	1	2	-
Pneumonia and influenza (480-487)	517	61	63	297	104	59	218	21
Pneumonia (480-486)	485	55	59	279	97	56	204	19
Influenza (487)	32	6	4	18	7	3	14	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	605	53	75	361	108	51	251	29
Bronchitis, chronic and unspecified (490-491)	24	3	8	29	11	4	18	3
Emphysema (492)	112	7	16	87	24	7	34	5
Asthma (493)	27	1	5	21	6	3	4	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	442	42	46	224	67	37	195	18
Ulcer of stomach and duodenum (531-533)	56	4	7	28	8	6	17	6
Appendicitis (540-543)	5	-	1	-	1	1	2	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	59	6	7	35	8	4	21	4
Chronic liver disease and cirrhosis (571)	378	18	32	205	43	37	121	10
Cholelithiasis and other disorders of gallbladder (574-575)	42	4	5	22	6	4	12	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	244	9	15	73	28	23	90	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	1	-	-	2	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	18	2	1	11	1	5	12	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	221	6	14	62	25	18	78	3
Infections of kidney (590)	18	3	4	12	4	3	9	-
Hyperplasia of prostate (600)	3	1	1	2	1	1	3	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	-	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	1	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	115	7	18	58	21	14	53	27
Certain conditions originating in the perinatal period (760-779)	215	17	17	96	24	16	74	34
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	56	5	2	31	10	4	17	15
Other conditions originating in the perinatal period (760-766,770-779)	159	12	15	65	14	12	57	19
Symptoms, signs, and ill-defined conditions (780-799)	229	12	9	192	25	7	31	24
All other diseases (Residual)	1,338	84	143	618	219	103	513	68
Accidents and adverse effects (E800-E949)	776	47	71	550	177	99	268	47
Motor vehicle accidents (E810-E825)	304	23	23	281	82	62	106	23
All other accidents and adverse effects (E800-E807,E826-E949)	472	24	48	269	95	37	162	24
Suicide (E950-E959)	232	18	39	170	46	27	96	20
Homicide and legal intervention (E960-E978)	105	2	7	70	11	7	49	5
All other external causes (E980-E999)	102	1	1	31	-	7	8	5

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Pueblo, Colo	Racine, Wis	Raleigh-Durham, N C	Reading, Pa	Redding, Calif	Reno, Nev	Richland-Kennewick-Pasco, Wash	Richmond, Va
All causes	1,050	1,389	3,666	3,174	972	1,448	778	5,502
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	9	2	2	1	-	8
Tuberculosis of respiratory system (010-012)	-	-	6	2	2	1	-	6
Other tuberculosis (013-018)	-	-	3	-	-	-	-	2
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	2	-	-	1	-	-	1
Septicemia (038)	2	5	31	16	2	11	-	65
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	2	2	-	1	1	3
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3	6	9	3	2	3	1	10
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	174	289	809	730	227	340	171	1,172
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	8	21	14	4	12	1	30
Malignant neoplasms of digestive organs and peritoneum (150-159)	43	86	175	199	56	82	56	254
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	49	61	242	169	63	93	52	342
Malignant neoplasm of breast (174-175)	13	30	73	84	25	23	11	98
Malignant neoplasms of genital organs (179-187)	20	33	93	70	21	34	17	124
Malignant neoplasms of urinary organs (188-189)	10	14	34	36	8	17	1	49
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	18	26	113	96	25	48	15	159
Leukemia (204-208)	7	16	25	22	16	12	10	44
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	13	15	33	40	9	19	8	72
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	7	18	14	3	4	2	22
Diabetes mellitus (250)	20	29	66	68	10	10	19	75
Nutritional deficiencies (260-269)	4	3	5	5	2	1	-	8
Anemias (280-285)	-	2	6	5	2	2	2	9
Meningitis (320-322)	1	-	3	-	2	2	1	2
Major cardiovascular diseases (390-448)	493	724	1,623	1,665	438	587	317	2,637
Diseases of heart (390-398,402,404-429)	397	563	1,236	1,304	325	468	245	1,959
Rheumatic fever and rheumatic heart disease (390-398)	9	5	14	14	5	7	6	11
Hypertensive heart disease (402)	12	7	57	31	8	17	11	50
Hypertensive heart and renal disease (404)	1	2	2	12	-	3	-	8
Ischemic heart disease (410-414)	297	473	893	936	214	361	191	1,372
Acute myocardial infarction (410)	130	199	497	619	113	105	106	680
Other acute and subacute forms of ischemic heart disease (411)	1	3	19	2	2	2	1	77
Angina pectoris (413)	-	-	2	1	2	-	1	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	166	271	375	314	97	254	83	613
Other diseases of endocardium (424)	5	4	7	21	7	3	1	25
All other forms of heart disease (415-423,425-429)	73	72	263	290	91	77	36	493
Hypertension with or without renal disease (401,403)	3	12	13	13	2	2	3	34
Cerebrovascular diseases (430-438)	66	112	304	265	77	91	58	483
Intracerebral and other intracranial hemorrhage (431-432)	8	12	36	48	10	13	3	69
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	19	25	38	49	8	8	7	50
Cerebral embolism (434.1)	-	1	3	-	-	-	1	4
All other and late effects of cerebrovascular diseases (430,433,435-438)	39	74	227	168	59	70	47	360
Atherosclerosis (440)	14	20	41	51	15	7	4	102
Other diseases of arteries, arterioles, and capillaries (441-448)	13	17	29	32	19	19	7	59
Acute bronchitis and bronchiolitis (466)	-	1	1	4	1	-	-	1
Pneumonia and influenza (480-487)	29	28	119	86	27	29	15	151
Pneumonia (480-486)	26	25	112	74	26	28	12	149
Influenza (487)	3	3	7	12	1	1	3	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	49	32	109	86	52	66	42	172
Bronchitis, chronic and unspecified (490-491)	-	4	10	7	9	2	1	8
Emphysema (492)	12	10	21	26	15	9	6	27
Asthma (493)	2	1	11	5	1	3	4	15
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	35	17	67	48	27	52	31	122
Ulcer of stomach and duodenum (531-533)	3	6	14	9	4	3	2	16
Appendicitis (540-543)	-	1	3	-	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	4	7	6	1	3	4	10
Chronic liver disease and cirrhosis (571)	22	23	51	29	19	52	19	76
Cholelithiasis and other disorders of gallbladder (574-575)	3	3	4	5	1	2	1	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	9	41	30	3	9	3	37
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	1	2	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	3	3	3	1	-	1	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8	6	37	25	2	9	2	33
Infections of kidney (590)	-	3	2	-	1	2	2	4
Hyperplasia of prostate (600)	1	-	2	-	-	-	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	2	-	-	1	-	1
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	1	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	2	-	-	-	-	1
Congenital anomalies (740-759)	8	7	31	12	5	7	11	33
Certain conditions originating in the perinatal period (760-779)	13	15	54	10	6	12	9	81
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	9	10	2	1	3	5	17
Other conditions originating in the perinatal period (760-766,770-779)	10	6	44	8	5	9	4	64
Symptoms, signs, and ill-defined conditions (780-799)	18	8	25	19	5	18	2	34
All other diseases (Residual)	82	87	290	188	55	90	74	416
Accidents and adverse effects (E800-E949)	62	65	227	115	66	111	60	269
Motor vehicle accidents (E810-E825)	31	39	112	58	34	61	29	105
All other accidents and adverse effects (E800-E807,E826-E949)	31	26	115	57	32	50	31	164
Suicide (E950-E959)	31	22	55	46	23	59	12	91
Homicide and legal intervention (E960-E978)	8	5	44	17	9	17	7	88
All other external causes (E980-E999)	5	3	4	2	3	5	1	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Riverside-San Bernardino-Ontario, Calif.	Roanoke, Va.	Rochester, Minn.	Rochester, N.Y.	Rockford, Ill.	Rock Hill, S.C.	Sacramento, Calif.	Saginaw, Mich.
All causes	13,796	2,233	562	8,207	2,202	850	7,965	1,671
Shigellosis and amebiasis (004,006)	2	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	-	-	1	1	-	1	-
Tuberculosis (010-018)	12	3	-	5	1	1	10	-
Tuberculosis of respiratory system (010-012)	11	2	-	4	1	1	10	-
Other tuberculosis (013-018)	1	1	-	1	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	1	-	-	1	1
Septicemia (038)	37	19	1	68	7	3	34	6
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	9	-	2	2	1	-	5	4
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	25	3	1	20	1	2	16	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,906	441	123	1,882	512	158	1,824	345
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	61	10	2	31	6	7	44	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	692	108	32	552	116	39	472	82
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	823	113	28	453	142	45	515	89
Malignant neoplasm of breast (174-175)	209	42	20	187	56	14	144	43
Malignant neoplasms of genital organs (179-187)	336	51	11	195	57	14	180	26
Malignant neoplasms of urinary organs (188-189)	124	22	1	85	22	7	76	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	392	57	12	189	64	21	217	60
Leukemia (204-208)	115	10	9	77	18	2	76	17
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	154	28	8	113	31	9	100	18
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	52	8	7	32	8	1	36	2
Diabetes mellitus (250)	168	28	8	107	25	20	122	30
Nutritional deficiencies (260-269)	16	1	3	10	1	-	15	-
Anemias (280-285)	21	5	2	11	4	1	15	3
Meningitis (320-322)	27	3	-	6	1	-	6	1
Major cardiovascular diseases (390-448)	6,428	1,158	254	3,962	1,103	453	3,556	840
Diseases of heart (390-398,402,404-429)	4,863	872	190	3,065	849	311	2,683	624
Rheumatic fever and rheumatic heart disease (390-398)	64	6	5	37	9	2	31	8
Hypertensive heart disease (402)	120	13	3	58	16	10	57	8
Hypertensive heart and renal disease (404)	28	4	1	7	4	-	9	1
Ischemic heart disease (410-414)	3,977	611	141	2,325	691	221	2,123	454
Acute myocardial infarction (410)	1,778	309	69	1,386	336	139	1,043	240
Other acute and subacute forms of ischemic heart disease (411)	18	105	-	70	1	1	3	2
Angina pectoris (413)	5	2	-	5	-	-	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,176	195	72	864	354	81	1,077	211
Other diseases of endocardium (424)	52	10	7	38	5	-	47	5
All other forms of heart disease (415-423,425-429)	622	228	33	600	124	78	416	148
Hypertension with or without renal disease (401,403)	47	6	2	38	9	4	32	12
Cerebrovascular diseases (430-438)	1,158	225	42	669	192	87	642	144
Intracerebral and other intracranial hemorrhage (431-432)	129	24	7	84	24	16	66	11
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	256	45	4	90	35	7	92	26
Cerebral embolism (434.1)	4	2	-	1	-	-	6	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	769	154	31	494	133	64	476	106
Atherosclerosis (440)	201	29	8	100	34	37	102	42
Other diseases of arteries, arterioles, and capillaries (441-448)	159	26	12	90	19	14	97	18
Acute bronchitis and bronchiolitis (466)	11	-	1	6	2	-	-	1
Pneumonia and influenza (480-487)	532	86	17	259	58	23	225	40
Pneumonia (480-486)	509	78	17	250	55	22	216	35
Influenza (487)	23	8	-	9	3	1	9	5
Chronic obstructive pulmonary diseases and allied conditions (490-496)	505	73	28	279	68	16	355	45
Bronchitis, chronic and unspecified (490-491)	26	3	3	10	4	1	24	5
Emphysema (492)	131	7	2	50	20	1	85	9
Asthma (493)	30	4	1	17	2	-	10	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	318	59	22	202	42	14	236	29
Ulcer of stomach and duodenum (531-533)	56	6	1	40	8	3	23	4
Appendicitis (540-543)	8	-	-	3	-	-	4	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	34	8	-	14	8	3	20	4
Chronic liver disease and cirrhosis (571)	266	31	8	97	28	7	189	37
Cholelithiasis and other disorders of gallbladder (574-575)	20	5	1	12	3	1	12	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	102	18	2	78	14	8	56	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	1	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	13	3	-	6	5	2	5	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	87	15	2	71	9	6	51	13
Infections of kidney (590)	27	2	-	7	6	4	9	1
Hyperplasia of prostate (600)	5	-	-	4	1	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	3	-	-	1	-	-	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	3	-	-	1	-	-	1	-
Congenital anomalies (740-759)	131	6	5	50	15	4	64	19
Certain conditions originating in the perinatal period (760-779)	146	9	5	82	45	12	62	35
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	54	6	1	11	20	3	19	7
Other conditions originating in the perinatal period (760-766,770-779)	92	3	4	71	25	9	43	28
Symptoms, signs, and ill-defined conditions (780-799)	87	13	14	53	9	3	75	7
All other diseases (Residual)	762	170	45	638	133	45	493	84
Accidents and adverse effects (E800-E949)	895	82	27	308	89	59	455	98
Motor vehicle accidents (E810-E825)	575	23	10	151	50	33	247	36
All other accidents and adverse effects (E800-E807,E826-E949)	320	59	17	157	39	26	208	62
Suicide (E950-E959)	226	37	7	113	34	12	156	14
Homicide and legal intervention (E960-E978)	234	18	-	45	15	10	108	28
All other external causes (E980-E999)	40	-	-	11	1	1	16	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	St. Cloud, Minn.	St. Joseph, Mo.	St. Louis, Mo.-Ill.	Salem, Oreg.	Salinas-Seaside-Monterey, Calif.	Salisbury-Concord, N.C.	Salt Lake City-Ogden, Utah	San Angelo, Tex.
All causes	1,094	1,140	22,100	2,195	1,920	1,881	5,367	787
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	4	-	1	1	1	-
Tuberculosis (010-018)	1	-	27	1	2	3	1	1
Tuberculosis of respiratory system (010-012)	1	-	20	1	2	3	1	1
Other tuberculosis (013-018)	-	-	7	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	5	-	-	-	-	-
Septicemia (038)	3	1	150	6	4	8	22	8
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	9	-	2	-	4	-
Syphilis (090-097)	-	-	4	1	-	-	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3	3	35	2	3	4	11	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	224	219	4,907	464	392	359	950	157
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	2	93	5	8	11	14	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	68	61	1,259	114	92	83	243	40
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	39	50	1,388	112	106	96	163	48
Malignant neoplasm of breast (174-175)	26	14	416	48	45	26	105	14
Malignant neoplasms of genital organs (179-187)	26	28	530	61	42	46	130	16
Malignant neoplasms of urinary organs (188-189)	8	13	191	16	9	12	37	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	17	28	576	60	58	52	151	21
Leukemia (204-208)	9	8	189	25	17	9	47	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	29	15	265	23	15	24	60	7
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	3	66	6	11	5	23	2
Diabetes mellitus (250)	15	13	398	33	23	31	98	16
Nutritional deficiencies (260-269)	-	-	23	4	12	-	9	-
Anemias (280-285)	-	2	39	2	2	-	8	1
Meningitis (320-322)	1	1	15	1	-	2	14	-
Major cardiovascular diseases (390-448)	591	593	10,966	1,091	867	962	2,499	363
Diseases of heart (390-398,402,404-429)	448	444	8,645	829	610	703	1,964	241
Rheumatic fever and rheumatic heart disease (390-398)	6	1	96	8	1	8	56	2
Hypertensive heart disease (402)	14	10	352	17	12	12	48	1
Hypertensive heart and renal disease (404)	1	5	66	5	1	2	6	2
Ischemic heart disease (410-414)	352	359	6,871	662	471	537	1,298	164
Acute myocardial infarction (410)	197	156	3,163	256	246	379	638	104
Other acute and subacute forms of ischemic heart disease (411)	2	-	12	1	1	1	26	-
Angina pectoris (413)	-	-	6	2	-	1	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	153	203	3,690	403	224	156	633	60
Other diseases of endocardium (424)	7	2	68	13	17	6	22	1
All other forms of heart disease (415-423,425-429)	68	67	1,192	124	108	138	534	71
Hypertension with or without renal disease (401,403)	2	3	111	5	6	9	16	2
Cerebrovascular diseases (430-438)	102	106	1,694	194	202	207	394	94
Intracerebral and other intracranial hemorrhage (431-432)	9	13	244	10	22	18	46	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	13	14	426	37	44	42	68	8
Cerebral embolism (434.1)	-	-	6	1	-	2	2	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	80	79	1,018	146	136	145	278	80
Atherosclerosis (440)	32	31	319	40	28	29	61	14
Other diseases of arteries, arterioles, and capillaries (441-448)	7	9	197	23	21	14	64	12
Acute bronchitis and bronchiolitis (466)	-	-	6	-	-	-	1	1
Pneumonia and influenza (480-487)	23	45	597	58	56	78	118	11
Pneumonia (480-486)	22	39	575	56	53	69	112	11
Influenza (487)	1	6	22	2	3	9	6	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	27	45	554	89	60	51	171	45
Bronchitis, chronic and unspecified (490-491)	3	2	47	11	6	-	12	2
Emphysema (492)	4	7	114	14	14	11	33	17
Asthma (493)	1	-	22	9	3	2	21	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	19	36	371	55	37	38	105	26
Ulcer of stomach and duodenum (531-533)	2	1	71	4	8	10	18	2
Appendicitis (540-543)	1	-	8	-	2	-	3	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	2	72	6	4	6	15	3
Chronic liver disease and cirrhosis (571)	8	10	255	22	41	23	67	15
Cholelithiasis and other disorders of gallbladder (574-575)	3	2	43	5	2	3	9	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	12	169	19	9	28	50	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	3	-	1	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	1	19	5	1	3	15	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	3	11	147	14	7	24	35	7
Infections of kidney (590)	1	1	20	2	2	3	3	-
Hyperplasia of prostate (600)	1	-	9	1	1	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	5	-	1	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	5	-	1	-	-	-
Congenital anomalies (740-759)	13	4	155	23	15	8	79	6
Certain conditions originating in the perinatal period (760-779)	12	7	230	32	19	12	87	7
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	2	70	9	7	1	17	3
Other conditions originating in the perinatal period (760-766,770-779)	6	5	160	23	12	11	70	4
Symptoms, signs, and ill-defined conditions (780-799)	11	50	313	34	17	22	80	16
All other diseases (Residual)	54	62	1,301	98	137	127	429	39
Accidents and adverse effects (E800-E949)	78	49	955	131	139	92	386	52
Motor vehicle accidents (E810-E825)	49	19	423	82	74	49	204	28
All other accidents and adverse effects (E800-E807,E826-E949)	29	30	532	49	65	43	184	24
Suicide (E950-E959)	10	12	242	39	43	26	138	15
Homicide and legal intervention (E960-E978)	1	3	411	18	44	14	41	9
All other external causes (E980-E999)	-	-	36	3	1	3	29	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	San Antonio, Tex.	San Diego, Calif.	San Francisco-Oakland, Calif.	San Jose, Calif.	Santa Barbara-Santa Maria-Lompoc, Calif.	Santa Cruz, Calif.	Santa Rosa, Calif.	Sarasota, Fla.
All causes	7,991	13,669	27,614	7,759	2,426	1,635	2,831	3,097
Shigellosis and amebiasis (004,006)	-	2	-	1	-	-	-	-
Certain other intestinal infections (007-009)	-	3	9	3	1	-	-	-
Tuberculosis (010-018)	9	8	26	6	1	1	3	1
Tuberculosis of respiratory system (010-012)	7	8	20	5	1	1	1	-
Other tuberculosis (013-018)	2	-	6	1	-	-	2	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	2	-	-	-	-	-	-	-
Meningococcal infection (036)	4	5	4	2	-	1	-	1
Septicemia (038)	79	43	101	29	7	6	10	11
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	5	7	18	4	2	-	2	1
Syphilis (090-097)	-	4	1	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	23	34	86	30	14	1	3	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,623	3,202	6,478	1,719	531	366	690	695
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	38	52	202	30	16	4	13	14
Malignant neoplasms of digestive organs and peritoneum (150-159)	426	843	1,803	452	139	92	156	187
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	418	894	1,631	388	138	91	193	191
Malignant neoplasm of breast (174-175)	136	287	583	164	44	31	54	54
Malignant neoplasms of genital organs (179-187)	174	343	677	208	67	35	91	88
Malignant neoplasms of urinary organs (188-189)	51	118	241	50	20	15	31	34
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	223	376	797	272	67	53	95	74
Leukemia (204-208)	78	127	214	76	19	24	26	25
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	79	162	330	79	21	21	31	28
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	22	48	110	33	11	6	18	15
Diabetes mellitus (250)	194	154	385	115	35	27	38	49
Nutritional deficiencies (260-269)	6	22	36	11	2	3	4	5
Anemias (280-285)	9	17	43	11	5	-	-	11
Meningitis (320-322)	6	6	18	6	2	-	3	1
Major cardiovascular diseases (390-448)	3,628	6,229	12,678	3,529	1,126	811	1,303	1,640
Diseases of heart (390-398,402,404-429)	2,806	4,539	9,367	2,656	820	562	924	1,173
Rheumatic fever and rheumatic heart disease (390-398)	16	67	123	42	14	5	9	12
Hypertensive heart disease (402)	80	110	435	89	20	43	26	11
Hypertensive heart and renal disease (404)	12	17	33	7	1	1	3	3
Ischemic heart disease (410-414)	1,712	3,685	7,065	1,703	524	357	688	958
Acute myocardial infarction (410)	949	1,627	2,906	842	246	146	370	564
Other acute and subacute forms of ischemic heart disease (411)	1	83	15	5	3	-	5	3
Angina pectoris (413)	1	3	6	3	-	1	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	761	1,972	4,138	853	275	210	312	391
Other diseases of endocardium (424)	39	68	145	31	15	9	20	21
All other forms of heart disease (415-423,425-429)	947	592	1,566	784	246	147	178	168
Hypertension with or without renal disease (401,403)	43	52	80	27	7	8	10	17
Cerebrovascular diseases (430-438)	622	1,225	2,464	665	244	182	278	345
Intracerebral and other intracranial hemorrhage (431-432)	86	144	307	82	32	17	35	41
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	108	262	500	108	43	32	46	84
Cerebral embolism (434.1)	3	6	10	5	-	1	1	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	425	813	1,647	470	169	132	196	218
Atherosclerosis (440)	87	223	404	94	29	41	48	64
Other diseases of arteries, arterioles, and capillaries (441-448)	70	190	363	87	26	18	43	41
Acute bronchitis and bronchiolitis (466)	1	2	28	1	-	1	2	-
Pneumonia and influenza (480-487)	206	401	835	255	74	53	94	69
Pneumonia (480-486)	203	387	805	246	69	51	94	67
Influenza (487)	3	14	30	9	5	2	-	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	181	544	883	241	85	49	100	110
Bronchitis, chronic and unspecified (490-491)	6	49	69	19	3	5	12	4
Emphysema (492)	47	123	233	51	21	5	34	26
Asthma (493)	9	31	67	11	6	2	5	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	119	341	514	160	55	37	49	79
Ulcer of stomach and duodenum (531-533)	19	56	143	21	6	3	14	13
Appendicitis (540-543)	1	5	8	1	-	-	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	24	46	88	22	13	2	11	2
Chronic liver disease and cirrhosis (571)	115	306	724	167	53	39	55	37
Cholelithiasis and other disorders of gallbladder (574-575)	11	20	42	8	2	5	3	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	116	73	160	47	14	8	19	18
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	2	4	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	11	16	21	7	3	2	1	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	103	55	135	40	11	6	18	16
Infections of kidney (590)	13	16	25	12	2	-	3	3
Hyperplasia of prostate (600)	1	5	8	1	-	1	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	2	1	2	-	-	-	1
Pregnancy with abortive outcome (630-638)	-	-	1	1	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	2	-	1	-	-	-	1
Congenital anomalies (740-759)	85	115	183	77	27	9	17	7
Certain conditions originating in the perinatal period (760-779)	106	129	194	93	22	12	17	10
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	24	46	54	29	10	2	4	1
Other conditions originating in the perinatal period (760-766,770-779)	82	83	140	64	12	10	13	9
Symptoms, signs, and ill-defined conditions (780-799)	167	95	163	77	7	7	16	18
All other diseases (Residual)	529	829	1,816	480	177	108	181	213
Accidents and adverse effects (E800-E949)	467	756	1,284	479	138	72	149	108
Motor vehicle accidents (E810-E825)	299	377	494	272	73	48	87	51
All other accidents and adverse effects (E800-E807,E826-E949)	168	379	790	207	65	24	62	57
Suicide (E950-E959)	109	295	572	189	51	28	52	24
Homicide and legal intervention (E960-E978)	225	163	373	98	19	12	21	16
All other external causes (E980-E999)	5	27	89	9	1	4	2	7

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Savannah, Ga	Seattle-Everett, Wash	Sharon, Pa	Sheboygan, Wis	Sherman-Denison, Tex	Shreveport, La	Sioux City, Iowa-Nebr	Sioux Falls, S Dak
All causes	2,133	11,896	1,269	895	1,078	3,488	1,097	834
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	1	-	-	-	-	-	-
Tuberculosis (010-018)	3	8	-	-	-	7	-	1
Tuberculosis of respiratory system (010-012)	2	8	-	-	-	6	-	-
Other tuberculosis (013-018)	1	-	-	-	-	1	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	2	-	-	-	2	-	-
Septicemia (038)	17	48	4	2	2	38	3	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	9	2	-	-	1	-	-
Syphilis (090-097)	-	-	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	6	28	3	1	1	3	4	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	436	2,636	234	202	197	777	219	191
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	48	4	3	5	20	6	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	122	684	63	62	43	166	61	58
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	130	696	62	30	49	234	59	41
Malignant neoplasm of breast (174-175)	41	229	22	20	18	59	20	22
Malignant neoplasms of genital organs (179-187)	39	299	27	34	21	90	23	17
Malignant neoplasms of urinary organs (188-189)	18	113	11	11	12	28	10	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	58	310	25	24	32	103	16	18
Leukemia (204-208)	7	98	11	7	8	38	13	11
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	14	159	9	11	9	39	11	11
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	40	3	1	2	18	4	1
Diabetes mellitus (250)	39	194	34	23	15	73	26	7
Nutritional deficiencies (260-269)	5	30	2	-	-	4	4	2
Anemias (280-285)	8	16	3	-	1	6	2	-
Meningitis (320-322)	2	9	-	-	-	1	-	1
Major cardiovascular diseases (390-448)	977	5,486	682	475	598	1,655	573	406
Diseases of heart (390-398,402,404-429)	727	4,052	574	340	438	1,242	441	313
Rheumatic fever and rheumatic heart disease (390-398)	5	61	10	4	1	8	6	2
Hypertensive heart disease (402)	24	99	12	16	6	43	15	1
Hypertensive heart and renal disease (404)	8	9	4	2	3	4	2	-
Ischemic heart disease (410-414)	535	2,629	448	259	292	807	337	268
Acute myocardial infarction (410)	346	1,361	247	110	149	357	170	139
Other acute and subacute forms of ischemic heart disease (411)	2	11	3	-	-	2	2	2
Angina pectoris (413)	1	5	-	1	-	2	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	186	1,252	198	148	143	446	165	126
Other diseases of endocardium (424)	7	74	7	3	4	8	4	4
All other forms of heart disease (415-423,425-429)	148	1,180	93	56	132	372	77	38
Hypertension with or without renal disease (401,403)	6	52	5	2	2	15	6	8
Cerebrovascular diseases (430-438)	199	1,057	82	102	121	340	93	66
Intracerebral and other intracranial hemorrhage (431-432)	33	142	11	13	15	39	11	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	39	191	13	19	34	48	17	7
Cerebral embolism (434.1)	2	8	2	-	1	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	125	716	56	70	71	253	65	56
Atherosclerosis (440)	18	194	12	24	20	29	20	12
Other diseases of arteries, arterioles, and capillaries (441-448)	27	131	9	7	17	29	13	7
Acute bronchitis and bronchiolitis (466)	-	1	2	-	-	-	-	-
Pneumonia and influenza (480-487)	48	364	48	39	29	83	40	29
Pneumonia (480-486)	47	348	37	32	26	78	40	27
Influenza (487)	1	16	11	7	3	5	-	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	56	444	35	16	43	84	37	34
Bronchitis, chronic and unspecified (490-491)	4	18	4	2	2	2	2	-
Emphysema (492)	18	111	11	6	7	21	10	6
Asthma (493)	3	32	2	1	1	9	1	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	31	283	18	7	33	52	24	26
Ulcer of stomach and duodenum (531-533)	8	42	9	3	1	7	4	5
Appendicitis (540-543)	-	7	-	1	-	2	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	11	45	4	1	3	11	-	2
Chronic liver disease and cirrhosis (571)	51	204	24	11	11	46	14	8
Cholelithiasis and other disorders of gallbladder (574-575)	2	16	4	-	2	3	3	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	16	93	7	6	14	37	6	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	-	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	13	2	-	2	3	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	11	79	5	6	12	33	4	6
Infections of kidney (590)	1	14	-	2	-	3	1	1
Hyperplasia of prostate (600)	-	4	-	-	-	1	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	2	-	-	-	2	-	-
Pregnancy with abortive outcome (630-638)	-	1	-	-	-	1	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	1	-	-	-	1	-	-
Congenital anomalies (740-759)	15	88	6	5	6	19	5	7
Certain conditions originating in the perinatal period (760-779)	30	113	8	8	5	42	17	18
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	11	49	3	3	-	8	8	9
Other conditions originating in the perinatal period (760-766,770-779)	19	64	5	5	5	34	9	9
Symptoms, signs, and ill-defined conditions (780-799)	22	94	6	1	20	36	13	3
All other diseases (Residual)	161	801	75	60	62	188	57	56
Accidents and adverse effects (E800-E949)	111	672	54	33	48	221	44	28
Motor vehicle accidents (E810-E825)	50	299	18	10	28	92	20	16
All other accidents and adverse effects (E800-E807,E826-E949)	61	373	36	23	20	129	24	12
Suicide (E950-E959)	29	264	17	4	12	44	12	13
Homicide and legal intervention (E960-E978)	65	109	3	1	6	72	4	1
All other external causes (E980-E999)	2	12	-	-	-	1	4	4

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	South Bend, Ind	Spokane, Wash	Springfield, Ill	Springfield, Mo	Springfield, Ohio	Springfield-Chicopee-Holyoke, Mass	State College, Pa	Steubenville-Weirton, Ohio-W Va
All causes	2,608	2,899	1,839	1,814	1,741	5,428	660	1,675
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	1	1	1	-	-
Tuberculosis (010-018)	2	-	2	1	1	3	-	-
Tuberculosis of respiratory system (010-012)	2	-	2	1	-	2	-	-
Other tuberculosis (013-018)	-	-	-	-	1	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	1	-	1	-	1	-	-
Septicemia (038)	7	10	6	10	7	37	7	8
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	1	-	1	-	2	-	-
Syphilis (090-097)	2	-	-	1	-	-	1	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	2	8	3	4	2	14	1	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	570	621	420	382	356	1,234	146	378
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	9	6	4	4	3	31	2	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	159	151	115	83	103	334	39	81
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	156	180	115	96	97	300	37	117
Malignant neoplasm of breast (174-175)	49	55	44	31	25	111	11	38
Malignant neoplasms of genital organs (179-187)	64	79	44	46	49	142	13	46
Malignant neoplasms of urinary organs (188-189)	19	27	21	17	16	80	8	18
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	62	64	41	64	35	136	20	49
Leukemia (204-208)	19	27	13	17	10	47	5	10
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	33	32	23	24	18	53	11	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	10	7	1	5	25	4	4
Diabetes mellitus (250)	52	52	38	19	38	94	17	34
Nutritional deficiencies (260-269)	2	5	3	2	3	6	-	3
Anemias (280-285)	6	7	4	4	2	4	1	6
Meningitis (320-322)	1	-	1	3	1	1	-	1
Major cardiovascular diseases (390-448)	1,377	1,423	899	804	921	2,731	339	875
Diseases of heart (390-398,402,404-429)	976	1,051	688	537	680	2,132	272	705
Rheumatic fever and rheumatic heart disease (390-398)	8	16	5	5	5	18	5	8
Hypertensive heart disease (402)	33	23	16	8	18	37	3	16
Hypertensive heart and renal disease (404)	1	4	7	5	3	9	1	1
Ischemic heart disease (410-414)	735	733	523	392	531	1,762	193	492
Acute myocardial infarction (410)	392	408	251	229	297	728	106	252
Other acute and subacute forms of ischemic heart disease (411)	2	1	3	1	5	3	2	1
Angina pectoris (413)	1	1	1	1	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	340	323	268	161	229	1,030	85	239
Other diseases of endocardium (424)	13	23	10	11	8	31	2	5
All other forms of heart disease (415-423,425-429)	186	252	127	116	115	275	68	183
Hypertension with or without renal disease (401,403)	14	10	15	4	8	18	2	6
Cerebrovascular diseases (430-438)	321	266	158	225	188	441	53	143
Intracerebral and other intracranial hemorrhage (431-432)	28	19	19	15	21	56	6	18
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	40	45	40	31	87	124	4	18
Cerebral embolism (434.1)	1	1	1	1	2	4	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	252	201	98	178	78	257	43	106
Atherosclerosis (440)	45	71	17	20	33	89	10	12
Other diseases of arteries, arterioles, and capillaries (441-448)	21	25	21	18	12	51	2	9
Acute bronchitis and bronchiolitis (466)	4	-	-	1	-	2	-	1
Pneumonia and influenza (480-487)	51	68	58	61	40	190	11	31
Pneumonia (480-486)	47	65	55	55	39	175	8	28
Influenza (487)	4	3	3	6	1	15	3	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	63	139	67	69	61	163	15	53
Bronchitis, chronic and unspecified (490-491)	4	4	4	7	2	8	-	8
Emphysema (492)	8	40	33	14	14	24	7	9
Asthma (493)	5	3	3	1	2	5	1	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	46	92	27	47	43	126	7	33
Ulcer of stomach and duodenum (531-533)	7	7	10	7	11	18	2	6
Appendicitis (540-543)	-	-	-	-	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	6	9	3	5	16	3	4
Chronic liver disease and cirrhosis (571)	31	31	17	14	20	86	5	23
Cholelithiasis and other disorders of gallbladder (574-575)	5	3	1	5	5	11	1	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	13	26	13	14	19	39	7	19
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	1	-	-	-	2	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	3	2	1	2	2	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	10	22	11	13	17	35	7	17
Infections of kidney (590)	1	1	3	-	2	4	1	1
Hyperplasia of prostate (600)	-	2	-	1	1	2	1	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	1	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	22	25	14	13	12	29	5	9
Certain conditions originating in the perinatal period (760-779)	23	24	29	16	14	70	9	15
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	14	11	3	2	16	2	2
Other conditions originating in the perinatal period (760-766,770-779)	18	10	18	13	12	54	7	13
Symptoms, signs, and ill-defined conditions (780-799)	40	29	17	161	9	44	4	12
All other diseases (Residual)	133	184	106	89	99	303	36	92
Accidents and adverse effects (E800-E949)	130	135	74	86	71	223	29	61
Motor vehicle accidents (E810-E825)	71	65	37	48	43	105	10	27
All other accidents and adverse effects (E800-E807,E826-E949)	59	70	37	38	28	118	19	34
Suicide (E950-E959)	23	61	20	21	23	49	13	16
Homicide and legal intervention (E960-E978)	17	17	11	15	10	23	2	12
All other external causes (E980-E999)	-	2	6	4	2	3	-	2

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area							
	Stockton, Calif	Syracuse, N.Y.	Tacoma, Wash	Tallahassee, Fla	Tampa-St. Petersburg, Fla	Terre Haute, Ind	Texarkana, Tex.-Ark.	Toledo, Ohio-Mich.
All causes	3,073	5,664	3,703	898	20,689	1,963	1,148	7,115
Shigellosis and amebiasis (004,006)	1	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	1	4	1	-	1
Tuberculosis (010-018)	7	9	1	2	14	1	1	8
Tuberculosis of respiratory system (010-012)	5	7	1	2	13	1	1	6
Other tuberculosis (013-018)	2	2	-	-	1	-	-	2
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	3	1	-	5	-	-	4
Septicemia (038)	14	37	9	9	96	13	6	28
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	2	3	-	7	-	-	1
Syphilis (090-097)	2	-	-	-	2	1	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	5	9	5	3	30	3	2	13
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	637	1,265	816	184	4,423	398	240	1,480
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	18	14	19	4	98	8	2	26
Malignant neoplasms of digestive organs and peritoneum (150-159)	165	323	198	41	1,192	91	57	400
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	174	347	250	51	1,243	102	65	398
Malignant neoplasm of breast (174-175)	49	132	81	14	321	31	20	127
Malignant neoplasms of genital organs (179-187)	79	125	97	22	519	52	26	171
Malignant neoplasms of urinary organs (188-189)	29	55	40	8	210	21	14	72
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	66	155	73	30	485	57	39	154
Leukemia (204-208)	19	48	32	6	142	20	6	60
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	38	66	28	8	213	16	11	72
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	22	8	3	69	9	2	30
Diabetes mellitus (250)	66	83	63	17	245	38	18	180
Nutritional deficiencies (260-269)	2	15	4	1	24	2	-	10
Anemias (280-285)	5	6	8	3	32	2	-	9
Meningitis (320-322)	2	-	2	-	15	2	-	5
Major cardiovascular diseases (390-448)	1,364	2,857	1,745	386	10,644	1,053	588	3,737
Diseases of heart (390-398,402,404-429)	1,030	2,125	1,270	280	[illegible],046	703	456	2,901
Rheumatic fever and rheumatic heart disease (390-398)	15	30	12	6	84	6	3	24
Hypertensive heart disease (402)	28	48	34	11	267	9	23	78
Hypertensive heart and renal disease (404)	5	3	3	-	28	20	2	16
Ischemic heart disease (410-414)	832	1,696	969	186	5,890	537	316	2,304
Acute myocardial infarction (410)	307	781	526	102	2,720	277	229	1,291
Other acute and subacute forms of ischemic heart disease (411)	5	2	2	1	12	2	-	4
Angina pectoris (413)	-	2	3	-	6	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	520	911	438	83	3,152	258	87	1,009
Other diseases of endocardium (424)	14	22	20	6	75	4	4	34
All other forms of heart disease (415-423,425-429)	136	326	232	71	1,702	127	108	445
Hypertension with or without renal disease (401,403)	11	23	17	12	106	7	3	22
Cerebrovascular diseases (430-438)	241	543	366	81	1,938	246	111	629
Intracerebral and other intracranial hemorrhage (431-432)	30	57	30	9	189	26	11	71
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	33	112	50	16	460	59	16	158
Cerebral embolism (434.1)	2	1	1	1	8	-	2	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	176	373	285	55	1,281	161	82	398
Atherosclerosis (440)	40	100	62	3	341	78	10	95
Other diseases of arteries, arterioles, and capillaries (441-448)	42	66	30	10	213	19	8	90
Acute bronchitis and bronchiolitis (466)	1	1	3	1	4	-	-	2
Pneumonia and influenza (480-487)	80	132	88	11	502	39	26	165
Pneumonia (480-486)	76	127	85	11	487	39	23	160
Influenza (487)	4	5	3	-	15	-	3	5
Chronic obstructive pulmonary diseases and allied conditions (490-496)	98	179	154	28	723	65	36	233
Bronchitis, chronic and unspecified (490-491)	8	11	4	4	49	-	9	21
Emphysema (492)	22	38	34	5	178	14	11	44
Asthma (493)	4	7	7	3	20	1	-	12
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	64	123	109	16	476	50	16	156
Ulcer of stomach and duodenum (531-533)	14	16	12	4	65	5	5	28
Appendicitis (540-543)	3	2	-	-	4	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	14	14	7	2	36	3	1	20
Chronic liver disease and cirrhosis (571)	78	66	57	14	306	33	9	107
Cholelithiasis and other disorders of gallbladder (574-575)	7	12	3	2	32	3	3	10
Nephritis, nephrotic syndrome, and nephrosis (580-589)	24	31	26	3	179	10	11	59
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	2	1	-	4	-	-	3
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	7	4	2	23	1	1	8
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	20	22	21	1	152	9	10	48
Infections of kidney (590)	4	9	5	-	15	1	2	8
Hyperplasia of prostate (600)	2	4	1	1	8	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	1	-	-	2
Pregnancy with abortive outcome (630-638)	-	-	-	-	1	-	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	1
Congenital anomalies (740-759)	23	37	38	7	74	6	5	51
Certain conditions originating in the perinatal period (760-779)	23	74	55	18	121	11	10	63
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	7	22	7	34	5	3	16
Other conditions originating in the perinatal period (760-766,770-779)	15	67	33	11	87	6	7	47
Symptoms, signs, and ill-defined conditions (780-799)	33	37	27	35	660	22	33	34
All other diseases (Residual)	221	396	219	58	1,141	113	69	383
Accidents and adverse effects (E800-E949)	210	237	215	63	793	93	55	265
Motor vehicle accidents (E810-E825)	116	121	110	40	429	45	28	121
All other accidents and adverse effects (E800-E807,E826-E949)	94	116	105	23	364	48	27	144
Suicide (E950-E959)	61	58	92	21	247	22	14	103
Homicide and legal intervention (E960-E978)	49	27	33	17	165	7	11	73
All other external causes (E980-E999)	13	4	3	4	3	2	-	3

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area								
	Topeka, Kans.	Trenton, N.J.	Tucson, Ariz.	Tulsa, Okla.	Tuscaloosa, Ala.	Tyler, Tex.	Utica-Rome, N.Y.	Vallejo-Fairfield-Napa, Calif.	Victoria, Tex.
All causes	1,604	2,844	4,256	5,736	1,086	1,162	3,337	2,485	536
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	4	-	-	1	-	1	-
Tuberculosis (010-018)	3	3	11	6	3	2	1	1	-
Tuberculosis of respiratory system (010-012)	2	2	10	4	2	1	1	1	-
Other tuberculosis (013-018)	1	1	1	2	1	1	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	2	-	2	-	1	-	2	1
Septicemia (038)	11	19	31	25	9	-	16	7	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	2	2	2	-	-	2	2	-
Syphilis (090-097)	1	-	1	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	4	8	20	12	1	3	2	9	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	316	650	904	1,168	212	234	685	545	111
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	16	17	22	4	4	10	10	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	91	206	222	277	41	56	209	133	32
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	87	158	245	370	62	67	170	151	32
Malignant neoplasm of breast (174-175)	22	55	91	108	22	25	55	59	9
Malignant neoplasms of genital organs (179-187)	38	57	92	127	26	28	89	62	10
Malignant neoplasms of urinary organs (188-189)	19	22	47	36	12	5	33	26	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	29	76	98	133	31	27	57	54	11
Leukemia (204-208)	12	29	45	49	5	11	25	18	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	14	31	47	66	9	11	37	31	4
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	8	12	12	3	5	12	7	1
Diabetes mellitus (250)	28	50	65	94	20	21	73	36	7
Nutritional deficiencies (260-269)	1	3	7	7	-	2	5	2	2
Anemias (280-285)	-	6	1	6	2	1	7	4	2
Meningitis (320-322)	1	1	1	6	1	-	1	1	-
Major cardiovascular diseases (390-448)	788	1,408	1,841	2,778	494	588	1,810	1,151	275
Diseases of heart (390-398,402,404-429)	592	1,179	1,435	2,129	358	458	1,407	858	199
Rheumatic fever and rheumatic heart disease (390-398)	4	13	21	16	1	1	17	10	3
Hypertensive heart disease (402)	23	69	41	77	22	13	21	24	3
Hypertensive heart and renal disease (404)	3	7	-	4	4	1	5	4	3
Ischemic heart disease (410-414)	422	728	1,048	1,596	239	306	1,122	637	153
Acute myocardial infarction (410)	205	331	480	799	143	208	622	297	83
Other acute and subacute forms of ischemic heart disease (411)	1	90	7	9	-	-	7	2	-
Angina pectoris (413)	1	1	1	1	-	-	3	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	215	306	560	787	96	98	490	337	70
Other diseases of endocardium (424)	10	7	18	13	3	4	16	10	2
All other forms of heart disease (415-423,425-429)	130	355	307	423	89	133	226	173	35
Hypertension with or without renal disease (401,403)	4	6	11	13	5	8	15	6	6
Cerebrovascular diseases (430-438)	152	192	264	524	106	97	298	212	65
Intracerebral and other intracranial hemorrhage (431-432)	20	30	38	47	17	17	55	19	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	32	39	53	73	25	11	60	37	9
Cerebral embolism (434.1)	1	3	-	1	-	1	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	99	120	173	403	64	68	183	156	48
Atherosclerosis (440)	23	13	73	60	15	13	51	32	4
Other diseases of arteries, arterioles, and capillaries (441-448)	17	18	58	52	10	12	39	43	1
Acute bronchitis and bronchiolitis (466)	2	1	-	-	-	-	3	-	-
Pneumonia and influenza (480-487)	56	87	136	160	19	25	89	71	8
Pneumonia (480-486)	54	85	132	155	18	22	81	68	8
Influenza (487)	2	2	4	5	1	3	8	3	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	75	82	246	162	26	28	126	100	9
Bronchitis, chronic and unspecified (490-491)	7	4	12	6	-	1	12	4	1
Emphysema (492)	7	13	55	36	6	10	38	36	3
Asthma (493)	2	4	24	5	1	1	8	6	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	59	61	155	115	19	16	68	54	5
Ulcer of stomach and duodenum (531-533)	7	8	13	27	2	2	13	6	3
Appendicitis (540-543)	1	2	1	-	-	-	2	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	12	12	23	-	5	5	4	-
Chronic liver disease and cirrhosis (571)	11	51	69	73	9	8	51	33	7
Cholelithiasis and other disorders of gallbladder (574-575)	2	6	4	5	1	1	2	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	23	35	40	10	7	37	19	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	2	-	2	-	-	1	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	3	5	6	1	-	5	5	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	7	18	30	32	9	7	31	14	4
Infections of kidney (590)	3	5	7	12	1	3	6	1	-
Hyperplasia of prostate (600)	1	-	1	-	2	1	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	-	3	-	-	-	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	-	3	-	-	-	-	-
Congenital anomalies (740-759)	11	9	27	53	11	8	25	18	4
Certain conditions originating in the perinatal period (760-779)	22	39	37	61	10	17	21	20	1
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	12	10	15	23	5	4	7	8	-
Other conditions originating in the perinatal period (760-766,770-779)	10	29	22	38	5	13	14	12	1
Symptoms, signs, and ill-defined conditions (780-799)	15	17	43	66	88	19	21	16	7
All other diseases (Residual)	72	185	285	357	66	64	135	169	27
Accidents and adverse effects (E800-E949)	100	112	279	351	73	75	144	166	49
Motor vehicle accidents (E810-E825)	46	56	172	208	32	53	63	98	32
All other accidents and adverse effects (E800-E807,E826-E949)	54	56	107	143	41	22	81	68	17
Suicide (E950-E959)	30	23	107	106	7	21	28	59	7
Homicide and legal intervention (E960-E978)	17	19	47	88	10	20	9	26	5
All other external causes (E980-E999)	3	3	7	11	6	-	4	6	-

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area								
	Vineland-Millville-Bridgeton, N.J.	Visalia-Tulare-Porterville, Calif.	Waco, Tex.	Washington, D.C.-Md.-Va.	Waterloo-Cedar Falls, Iowa	Wausau, Wis.	West Palm Beach-Boca Raton, Fla.	Wheeling, W. Va.-Ohio	Wichita, Kans.
All causes	1,317	1,981	1,717	20,090	1,041	768	7,576	1,980	3,226
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	2	-	-	-	-	-
Tuberculosis (010-018)	2	3	-	20	-	-	7	2	2
Tuberculosis of respiratory system (010-012)	2	1	-	16	-	-	6	2	2
Other tuberculosis (013-018)	-	2	-	4	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	1	4	-	-	1	-	-
Septicemia (038)	16	4	11	179	1	-	32	7	9
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	2	18	-	-	7	1	1
Syphilis (090-097)	-	-	-	1	-	1	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	9	2	54	2	1	18	5	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	283	385	352	4,869	206	162	1,802	432	699
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	7	7	158	6	2	30	10	14
Malignant neoplasms of digestive organs and peritoneum (150-159)	76	75	91	1,254	54	51	491	108	149
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	77	118	98	1,242	53	20	497	118	203
Malignant neoplasm of breast (174-175)	29	28	22	511	15	14	138	46	61
Malignant neoplasms of genital organs (179-187)	34	50	42	477	27	29	207	47	92
Malignant neoplasms of urinary organs (188-189)	7	11	15	192	4	10	84	16	36
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	33	56	48	637	29	22	190	51	76
Leukemia (204-208)	8	19	17	171	5	7	72	15	33
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	18	21	12	229	13	7	93	21	35
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	9	5	77	2	3	33	9	10
Diabetes mellitus (250)	41	29	25	319	17	14	113	41	83
Nutritional deficiencies (260-269)	2	4	3	29	2	-	10	-	9
Anemias (280-285)	4	3	2	52	2	1	15	1	4
Meningitis (320-322)	1	2	3	9	-	2	4	1	-
Major cardiovascular diseases (390-448)	668	307	883	8,677	562	404	3,875	1,085	1,519
Diseases of heart (390-398,402,404-429)	566	645	634	6,695	366	325	2,951	860	1,144
Rheumatic fever and rheumatic heart disease (390-398)	7	9	-	84	5	3	37	5	10
Hypertensive heart disease (402)	8	17	11	405	4	2	42	20	26
Hypertensive heart and renal disease (404)	7	1	2	50	2	1	1	2	5
Ischemic heart disease (410-414)	383	512	484	4,044	296	264	2,422	692	857
Acute myocardial infarction (410)	271	235	307	1,761	152	173	1,122	351	431
Other acute and subacute forms of ischemic heart disease (411)	-	6	2	81	-	-	52	1	2
Angina pectoris (413)	-	1	-	5	-	-	3	-	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	112	270	175	2,197	144	91	1,245	340	372
Other diseases of endocardium (424)	2	7	6	58	6	5	25	8	19
All other forms of heart disease (415-423,425-429)	159	99	131	2,054	53	50	424	133	227
Hypertension with or without renal disease (401,403)	7	14	5	85	10	5	24	5	11
Cerebrovascular diseases (430-438)	75	188	208	1,342	142	58	709	173	281
Intracerebral and other intracranial hemorrhage (431-432)	11	14	23	219	13	6	80	20	40
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	13	33	35	256	20	7	201	34	66
Cerebral embolism (434.1)	-	1	-	4	-	-	1	-	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	51	140	150	863	109	45	427	119	172
Atherosclerosis (440)	9	33	24	347	30	10	111	19	48
Other diseases of arteries, arterioles, and capillaries (441-448)	11	27	12	208	14	6	80	28	35
Acute bronchitis and bronchiolitis (466)	1	-	-	5	-	-	1	1	-
Pneumonia and influenza (480-487)	25	83	47	409	26	13	128	57	63
Pneumonia (480-486)	23	83	44	396	24	11	125	43	61
Influenza (487)	2	-	3	13	2	2	3	14	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	33	73	46	538	46	25	206	51	107
Bronchitis, chronic and unspecified (490-491)	-	2	2	33	1	2	3	3	7
Emphysema (492)	13	16	21	142	11	6	60	11	23
Asthma (493)	-	5	-	31	3	-	8	1	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	20	50	23	332	31	17	135	36	73
Ulcer of stomach and duodenum (531-533)	7	7	7	62	5	1	22	3	13
Appendicitis (540-543)	1	1	-	9	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	7	4	50	2	3	19	6	15
Chronic liver disease and cirrhosis (571)	12	34	15	461	7	8	132	16	40
Cholelithiasis and other disorders of gallbladder (574-575)	3	6	5	29	-	-	8	3	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	17	16	25	203	4	6	70	19	32
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	-	1	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	1	7	11	1	-	8	2	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	13	14	18	191	3	6	61	17	28
Infections of kidney (590)	-	2	2	16	1	-	5	1	3
Hyperplasia of prostate (600)	-	2	1	7	-	-	2	2	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	3	-	-	-	-	1
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	3	-	-	-	-	1
Congenital anomalies (740-759)	6	7	11	152	15	9	29	10	32
Certain conditions originating in the perinatal period (760-779)	9	14	18	380	9	8	55	22	60
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	9	5	107	-	4	25	3	16
Other conditions originating in the perinatal period (760-766,770-779)	7	5	13	273	9	4	30	19	44
Symptoms, signs, and ill-defined conditions (780-799)	13	13	22	250	4	9	61	24	29
All other diseases (Residual)	76	115	109	1,460	52	37	398	98	199
Accidents and adverse effects (E800-E949)	71	182	86	964	50	43	336	55	201
Motor vehicle accidents (E810-E825)	33	114	51	481	24	26	197	12	99
All other accidents and adverse effects (E800-E807,E826-E949)	38	68	35	483	26	17	139	43	102
Suicide (E950-E959)	10	28	11	316	15	16	111	16	50
Homicide and legal intervention (E960-E978)	5	35	18	377	10	2	67	8	45
All other external causes (E980-E999)	-	-	-	89	1	-	9	4	6

Table 8-8. Deaths From 72 Selected Causes for Standard Metropolitan Statistical Areas of the United States: 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Standard Metropolitan Statistical Areas are those defined by the Office of Management and Budget for 1980 except for New England, where areas are New England County Metropolitan Areas. For further explanation of areas, see Technical Appendix]

Cause of death	Standard metropolitan statistical area								
	Wichita Falls, Tex	Williamsport, Pa	Wilmington, Del-N J-Md	Wilmington, N C	Worcester-Fitchburg-Leominster, Mass	Yakima, Wash	York, Pa	Youngstown-Warren, Ohio	Yuba City, Calif
All causes	1,125	1,143	4,264	1,252	5,994	1,586	3,153	5,158	842
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	1	-	-	-	-	1	-
Tuberculosis (010-018)	-	-	-	1	5	2	3	5	-
Tuberculosis of respiratory system (010-012)	-	-	-	1	5	1	2	3	-
Other tuberculosis (013-018)	-	-	-	-	-	1	1	2	-
Whooping cough (033)	-	-	-	-	-	1	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	1	-	1	-	-	2	-
Septicemia (038)	2	7	24	10	30	5	11	29	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	4	1	1	1	1
Syphilis (090-097)	-	-	-	-	-	-	-	2	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	3	1	4	1	18	3	4	9	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	224	254	1,002	237	1,342	312	710	1,114	165
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	5	18	7	16	5	12	19	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	52	73	257	60	387	74	188	309	39
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	58	53	303	58	297	112	150	283	47
Malignant neoplasm of breast (174-175)	19	27	99	12	129	13	58	106	10
Malignant neoplasms of genital organs (179-187)	32	24	104	29	151	32	75	127	13
Malignant neoplasms of urinary organs (188-189)	10	17	44	5	72	11	33	50	11
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	27	36	106	45	175	32	113	120	26
Leukemia (204-208)	11	5	32	10	49	10	30	52	8
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	11	14	39	11	66	23	51	48	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	4	16	5	27	2	15	14	3
Diabetes mellitus (250)	14	22	110	9	102	22	51	138	16
Nutritional deficiencies (260-269)	1	1	8	1	4	2	6	17	-
Anemias (280-285)	2	2	4	1	10	3	7	7	-
Meningitis (320-322)	4	-	4	4	3	-	3	6	1
Major cardiovascular diseases (390-448)	564	606	2,081	651	3,125	790	1,666	2,773	400
Diseases of heart (390-398,402,404-429)	416	475	1,687	490	2,518	590	1,353	2,174	280
Rheumatic fever and rheumatic heart disease (390-398)	3	6	16	3	26	9	10	19	5
Hypertensive heart disease (402)	17	9	111	12	12	6	34	26	5
Hypertensive heart and renal disease (404)	1	2	13	5	4	1	13	9	-
Ischemic heart disease (410-414)	287	293	907	330	2,057	450	837	1,706	211
Acute myocardial infarction (410)	193	179	520	215	925	207	635	1,006	122
Other acute and subacute forms of ischemic heart disease (411)	2	2	16	-	3	1	2	11	-
Angina pectoris (413)	-	-	-	-	2	1	-	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	92	112	371	115	1,127	241	200	689	88
Other diseases of endocardium (424)	1	10	13	6	22	8	13	29	8
All other forms of heart disease (415-423,425-429)	107	155	627	134	397	116	446	385	51
Hypertension with or without renal disease (401,403)	4	2	13	7	22	4	8	15	2
Cerebrovascular diseases (430-438)	127	97	276	115	429	152	215	437	96
Intracerebral and other intracranial hemorrhage (431-432)	10	12	33	8	57	16	28	75	15
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434 0,434 9)	23	13	73	33	108	39	38	74	23
Cerebral embolism (434 1)	-	1	1	-	3	-	2	4	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	94	71	169	74	261	97	147	284	57
Atherosclerosis (440)	7	14	56	28	79	25	46	103	9
Other diseases of arteries, arterioles, and capillaries (441-448)	10	18	49	11	77	19	44	44	13
Acute bronchitis and bronchiolitis (466)	1	1	-	-	-	-	4	-	-
Pneumonia and influenza (480-487)	29	24	87	34	210	57	64	90	16
Pneumonia (480-486)	29	24	86	30	199	52	60	84	16
Influenza (487)	-	-	1	4	11	5	4	6	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	34	46	123	35	167	64	90	109	38
Bronchitis, chronic and unspecified (490-491)	5	4	8	1	9	1	9	7	2
Emphysema (492)	9	11	34	9	31	25	17	22	12
Asthma (493)	2	2	1	2	10	2	3	7	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	18	29	80	23	117	36	61	73	23
Ulcer of stomach and duodenum (531-533)	2	2	9	3	22	3	13	14	4
Appendicitis (540-543)	-	-	3	-	-	-	2	2	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	1	10	5	8	3	8	7	4
Chronic liver disease and cirrhosis (571)	9	9	55	21	81	24	30	61	16
Cholelithiasis and other disorders of gallbladder (574-575)	2	1	4	1	12	2	4	7	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	18	17	45	7	49	11	36	43	6
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	1	-	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	1	5	1	3	1	5	5	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	17	16	39	6	46	10	30	38	5
Infections of kidney (590)	5	-	7	3	7	2	-	5	-
Hyperplasia of prostate (600)	1	1	2	-	1	-	1	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	1	1	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	1	1	-	-
Congenital anomalies (740-759)	4	7	38	9	23	10	16	32	9
Certain conditions originating in the perinatal period (760-779)	22	13	66	10	44	12	32	55	7
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	4	14	1	18	6	11	20	2
Other conditions originating in the perinatal period (760-766,770-779)	18	9	52	9	26	6	21	35	5
Symptoms, signs, and ill-defined conditions (780-799)	14	6	30	12	22	18	9	29	11
All other diseases (Residual)	62	55	255	75	392	96	161	284	43
Accidents and adverse effects (E800-E949)	67	52	172	75	224	108	138	197	58
Motor vehicle accidents (E810-E825)	35	30	99	37	110	57	81	105	34
All other accidents and adverse effects (E800-E807,E826-E949)	32	22	73	38	114	51	57	92	24
Suicide (E950-E959)	18	10	65	23	46	19	44	47	19
Homicide and legal intervention (E960-E978)	13	-	30	15	12	9	17	52	15
All other external causes (E980-E999)	3	1	8	4	3	4	6	5	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
United States	1,977,981	1,937	136	16,441	422,094	111,297	111,296	36,737	46,732	17,999	16,273	81,760	34,642	972,992	753,884	7,378	24,140	555,158	167,208
Urban places	1,097,237	1,201	98	9,707	234,809	63,344	61,530	20,994	25,709	9,761	8,659	44,812	19,488	537,712	418,396	4,374	14,753	306,607	92,662
Balance of area	880,744	736	38	6,734	187,285	47,953	49,766	15,743	21,023	8,238	7,614	36,948	15,154	435,280	335,488	3,004	9,387	248,551	74,546
Metropolitan counties	1,437,758	1,441	108	12,503	314,542	83,496	83,215	28,233	33,912	13,317	11,856	60,513	24,961	699,950	547,247	5,801	18,345	402,738	120,363
Urban places	989,892	1,104	91	8,951	213,433	57,701	56,026	19,177	23,205	8,830	7,838	40,656	17,471	483,024	377,888	4,005	13,528	276,602	83,753
Balance of area	447,866	337	17	3,552	101,109	25,795	27,189	9,056	10,707	4,487	4,018	19,857	7,490	216,926	169,359	1,796	4,817	126,136	36,610
Nonmetropolitan counties	540,223	496	28	3,938	107,552	27,801	28,081	8,504	12,820	4,682	4,417	21,247	9,681	273,042	206,637	1,577	5,795	152,420	46,845
Urban places	107,345	97	7	756	21,376	5,643	5,504	1,817	2,504	931	821	4,156	2,017	54,688	40,508	369	1,225	30,005	8,909
Balance of area	432,878	399	21	3,182	86,176	22,158	22,577	6,687	10,316	3,751	3,596	17,091	7,664	218,354	166,129	1,208	4,570	122,415	37,936
Alabama	35,412	77	4	287	7,176	1,713	1,995	525	874	273	281	1,515	627	16,396	12,056	68	491	8,418	3,079
Urban places	14,844	35	3	143	3,147	777	874	240	402	113	118	623	282	6,683	4,805	30	226	3,283	1,266
Balance of area	20,568	42	1	144	4,029	936	1,121	285	472	160	163	892	345	9,713	7,251	38	265	5,135	1,813
Metropolitan counties	21,283	52	4	184	4,549	1,106	1,318	327	534	170	176	918	386	9,630	7,065	51	315	4,925	1,774
Urban places	12,135	31	3	119	2,641	662	735	202	344	97	100	501	234	5,431	3,917	26	189	2,679	1,023
Balance of area	9,148	21	1	65	1,908	444	583	125	190	73	76	417	152	4,199	3,148	25	126	2,246	751
Nonmetropolitan counties	14,129	25	-	103	2,627	607	677	198	340	103	105	597	241	6,766	4,991	17	176	3,493	1,305
Urban places	2,709	4	-	24	506	115	139	38	58	16	18	122	48	1,252	888	4	37	604	243
Balance of area	11,420	21	-	79	2,121	492	538	160	282	87	87	475	193	5,514	4,103	13	139	2,889	1,062
Autauga	221	-	-	1	53	15	11	3	4	1	3	16	2	98	77	1	6	56	14
Prattville	117	-	-	1	29	11	4	2	2	-	2	8	1	47	34	-	2	27	5
Balance of county	104	-	-	-	24	4	7	1	2	1	1	8	1	51	43	1	4	29	9
Baldwin	753	-	-	5	172	35	58	10	13	7	11	38	5	380	299	2	15	199	83
Barbour	297	-	-	5	35	8	10	1	7	1	-	8	7	119	82	-	3	50	29
Bibb	154	-	-	1	25	5	4	3	2	-	1	10	4	79	64	-	1	50	13
Blount	305	1	-	-	65	16	17	4	9	3	4	12	6	151	117	1	-	88	28
Bullock	114	-	-	-	19	5	5	3	2	1	-	3	5	63	48	-	4	35	9
Butler	251	-	-	1	41	7	15	2	2	-	4	11	6	139	91	-	1	52	38
Calhoun	955	1	-	4	186	48	48	7	25	6	5	47	17	522	376	2	7	241	126
Anniston	454	-	-	3	88	25	19	4	14	3	1	22	8	242	178	-	3	104	71
Balance of county	501	1	-	1	98	23	29	3	11	3	4	25	9	280	198	2	4	137	55
Chambers	413	-	-	4	68	19	16	6	12	3	1	11	7	218	163	-	3	121	39
Cherokee	190	2	-	-	31	4	5	4	5	2	2	9	3	101	81	1	3	50	27
Chilton	330	-	-	2	77	14	26	9	6	1	1	20	4	169	125	2	3	91	29
Choctaw	155	-	-	1	25	6	8	1	3	2	1	4	1	80	60	-	1	48	11
Clarke	320	-	-	3	64	15	18	5	9	4	1	12	8	155	125	-	3	102	20
Clay	148	2	-	-	32	9	4	3	4	4	-	8	2	62	38	1	1	33	3
Cleburne	118	-	-	1	27	5	8	2	6	2	1	3	3	53	35	-	1	20	14
Coffee	339	-	-	2	70	17	19	5	13	1	1	14	2	169	135	-	6	87	42
Enterprise	115	-	-	-	27	5	8	1	7	1	-	5	1	56	45	-	1	26	18
Balance of county	224	-	-	2	43	12	11	4	6	-	1	9	1	113	90	-	5	61	24
Colbert	477	1	-	4	101	27	33	8	14	2	3	14	5	221	163	-	4	140	19
Sheffield	151	1	-	2	33	7	10	2	8	-	1	5	1	77	54	-	3	42	9
Balance of county	326	-	-	2	68	20	23	6	6	2	2	9	4	144	109	-	1	98	10
Conecuh	157	-	-	-	33	9	8	2	6	2	1	5	2	88	67	-	1	57	9
Coosa	128	-	-	-	25	6	4	2	4	1	2	6	3	71	51	-	1	35	15
Covington	434	1	-	3	68	10	22	3	10	2	4	17	6	211	158	2	4	99	53
Andalusia	109	-	-	1	10	1	4	-	2	-	1	2	-	49	37	-	1	21	15
Balance of county	325	1	-	2	58	9	18	3	8	2	3	15	6	162	121	2	3	78	38
Crenshaw	172	1	-	1	34	11	6	2	6	2	-	7	1	77	60	-	-	44	16
Cullman	555	-	-	2	136	21	36	10	21	4	3	41	6	263	209	1	5	152	51
Cullman	150	-	-	-	41	8	12	3	5	1	1	11	2	78	61	1	-	45	15
Balance of county	405	-	-	2	95	13	24	7	16	3	2	30	4	185	148	-	5	107	36
Dale	312	1	-	2	54	12	15	5	8	-	4	10	8	140	107	-	6	63	38
Ozark	117	-	-	-	16	5	7	-	-	-	-	4	3	59	43	-	1	29	13
Balance of county	195	1	-	2	38	7	8	5	8	-	4	6	5	81	64	-	5	34	25
Dallas	597	3	-	7	102	25	24	10	15	3	2	23	14	273	186	-	10	100	76
Selma	360	1	-	7	58	13	17	4	10	1	2	11	12	157	108	-	5	58	45
Balance of county	237	2	-	-	44	12	7	6	5	2	-	12	2	116	78	-	5	42	31
De Kalb	480	2	-	3	102	28	21	7	12	3	6	25	6	233	191	2	4	124	61
Elmore	361	1	-	3	85	15	24	8	14	3	4	17	6	173	137	2	1	94	40
Escambia	367	2	-	9	73	19	26	2	6	3	4	13	7	157	119	-	1	83	35
Etowah	994	2	-	11	224	46	55	21	22	12	8	60	21	491	383	1	17	295	70
Gadsden	604	1	-	9	138	27	35	17	15	6	4	34	12	301	236	1	14	179	42
Balance of county	390	1	-	2	86	19	20	4	7	6	4	26	9	190	147	-	3	116	28
Fayette	205	-	-	4	40	10	8	-	7	3	4	8	8	96	68	-	5	37	26
Franklin	277	-	-	-	52	14	16	4	2	1	-	15	6	144	109	-	2	87	20
Geneva	259	1	-	2	39	6	17	1	3	1	2	9	4	138	103	-	12	69	22
Greene	127	-	-	-	18	5	1	3	1	1	-	7	1	56	42	1	3	20	18
Hale	168	-	-	1	27	6	4	2	5	1	1	8	3	92	51	-	1	24	26
Henry	190	-	-	3	29	6	14	1	1	-	-	7	4	80	61	-	6	44	11
Houston	590	-	-	6	100	24	32	8	11	3	2	20	2	210	138	-	12	102	24
Dothan	384	-	-	3	67	15	26	5	4	-	1	16	1	146	96	-	11	65	20
Balance of county	206	-	-	3	33	9	6	3	7	3	1	4	1	64	42	-	1	37	4
Jackson	447	1	-	3	88	24	24	5	10	4	3	18	10	249	190	2	3	148	37
Jefferson	6,625	19	4	79	1,505	392	432	101	181	57	65	277	127	2,854	2,081	21	113	1,383	564
Bessemer	388	2	1	3	100	23	28	4	19	4	2	20	9	162	122	-	10	81	31
Birmingham	3,384	13	2	47	747	210	200	46	94	24	38	135	68	1,417	1,008	11	58	636	303
Fairfield	177	-	-	2	46	11	9	4	10	3	1	8	2	70	49	-	6	28	15
Homewood	196	-	-	3	50	16	15	4	4	2	1	8	3	90	61	1	4	48	8
Mountain Brook	159	-	-	2	31	11	7	3	4	1	-	5	1	89	65	-	1	51	13
Balance of county	2,321	4	1	22	531	121	173	40	50	23	23	101	44	1,026	776	9	34	539	194

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
United States	7,587	163,504	28,004	20,013	53,731	58,832	6,489	29,308	17,277	309	13,527	21,626	29,472	143,592	51,385	49,319	27,596	23,646	3,630
Urban places	4,467	89,314	14,736	10,799	30,393	31,804	3,796	18,931	9,562	191	7,486	13,110	15,551	81,176	21,946	25,624	15,086	17,138	2,428
Balance of area	3,120	74,190	13,268	9,214	23,338	27,028	2,693	10,377	7,715	118	6,041	8,516	13,921	62,416	29,439	23,695	12,510	6,508	1,202
Metropolitan counties	5,503	114,030	18,805	14,365	38,219	42,351	4,799	23,533	12,250	229	10,177	16,516	19,386	104,860	34,372	34,021	20,778	19,860	2,902
Urban places	3,966	78,825	12,765	9,580	27,269	28,336	3,443	17,617	8,577	172	6,837	11,974	13,569	73,165	19,467	22,937	13,824	16,339	2,292
Balance of area	1,537	35,205	6,040	4,785	10,950	14,015	1,356	5,916	3,673	57	3,340	4,542	5,817	31,695	14,905	11,084	6,954	3,521	610
Nonmetropolitan counties	2,084	49,474	9,199	5,648	15,512	16,481	1,690	5,775	5,027	80	3,350	5,110	10,086	38,732	17,013	15,296	6,816	3,786	728
Urban places	501	10,489	1,971	1,219	3,124	3,468	353	1,314	985	19	649	1,136	1,982	8,011	2,479	2,687	1,262	799	136
Balance of area	1,583	38,985	7,228	4,429	12,388	13,013	1,337	4,461	4,042	61	2,701	3,974	8,104	30,721	14,534	12,611	5,556	2,987	592
Alabama	187	3,445	383	325	782	1,004	96	394	313	7	255	378	1,741	2,683	1,102	1,054	393	558	85
Urban places	106	1,460	163	149	333	417	40	192	145	4	112	199	711	1,180	344	392	155	292	35
Balance of area	81	1,985	220	176	449	587	56	202	168	3	143	179	1,030	1,503	758	662	238	266	50
Metropolitan counties	130	1,993	237	205	452	681	58	258	188	2	160	225	954	1,625	592	609	249	376	49
Urban places	89	1,173	140	112	258	371	33	149	116	2	91	155	524	960	267	325	131	261	33
Balance of area	41	820	97	93	194	310	25	109	72	-	69	70	430	665	325	284	118	115	16
Nonmetropolitan counties	57	1,452	146	120	330	323	38	136	125	5	95	153	787	1,058	510	445	144	182	36
Urban places	17	287	23	37	75	46	7	43	29	2	21	44	187	220	77	67	24	31	2
Balance of area	40	1,165	123	83	255	277	31	93	96	3	74	109	600	838	433	378	120	151	34
Autauga	1	14	4	2	3	12	2	-	3	-	2	1	4	16	13	6	3	2	-
Prattville	1	9	2	1	3	7	1	-	1	-	2	1	1	8	6	6	2	1	-
Balance of county	-	5	2	1	-	5	1	-	2	-	-	-	3	8	7	-	1	1	-
Baldwin	-	55	14	12	11	22	1	8	8	-	6	3	9	56	22	24	8	10	1
Barbour	1	29	4	3	8	9	1	5	2	-	2	2	45	19	12	11	4	9	2
Bibb	-	12	2	1	7	3	-	1	-	-	-	-	3	19	4	6	1	-	1
Blount	1	30	2	1	4	11	1	1	-	-	1	2	3	20	17	14	2	5	1
Bullock	-	14	-	1	3	1	-	-	-	1	-	2	3	13	1	2	-	1	-
Butler	4	42	-	2	13	3	-	3	2	-	-	3	4	16	7	7	-	3	3
Calhoun	2	115	14	15	22	31	-	8	8	-	6	11	8	59	19	31	4	15	3
Anniston	1	47	8	8	7	14	-	2	4	-	3	8	2	53	8	18	3	9	2
Balance of county	1	68	6	7	15	17	-	6	4	-	3	3	6	26	11	13	1	6	1
Chambers	3	47	1	4	9	8	2	7	6	-	4	7	3	27	17	10	6	10	-
Cherokee	1	12	6	1	3	6	1	1	2	-	-	3	10	14	6	3	4	-	-
Chilton	-	42	-	2	8	8	1	-	3	-	1	1	10	19	11	7	5	2	2
Choctaw	1	18	1	-	5	3	-	1	2	-	1	-	4	13	10	5	1	3	-
Clarke	1	22	5	2	3	10	1	2	2	-	3	1	2	26	16	9	3	11	1
Clay	2	21	1	-	4	7	-	1	2	-	-	-	12	8	11	3	1	1	-
Cleburne	2	15	1	-	2	4	1	1	-	-	-	1	3	9	5	1	2	4	1
Coffee	2	26	4	2	7	9	-	2	3	-	4	10	5	25	16	8	3	3	1
Enterprise	1	7	3	-	2	4	-	2	1	-	1	1	2	6	5	1	3	3	-
Balance of county	1	19	1	2	5	5	-	-	2	-	3	9	3	19	11	7	-	-	1
Colbert	3	50	2	3	8	18	-	4	4	-	5	6	34	28	10	16	4	8	-
Sheffield	2	20	1	-	2	6	-	1	2	-	-	1	10	8	2	3	-	2	-
Balance of county	1	30	1	3	6	12	-	3	2	-	5	5	24	20	8	13	4	6	-
Conecuh	-	19	-	2	1	7	1	1	-	-	-	-	1	11	3	3	3	2	1
Coosa	1	16	-	3	4	1	2	-	-	-	-	-	2	7	4	4	3	2	-
Covington	-	46	5	2	12	10	1	5	6	-	3	4	49	30	8	11	2	4	-
Andalusia	-	12	-	-	6	1	1	1	3	-	2	-	14	11	3	4	1	2	-
Balance of county	-	34	5	2	6	9	-	4	3	-	1	4	35	19	5	7	1	2	-
Crenshaw	-	15	1	1	7	9	-	5	2	-	2	-	2	8	6	10	2	3	2
Cullman	1	38	11	4	12	12	2	4	4	1	4	1	20	46	20	17	2	1	2
Cullman	1	13	1	2	2	1	-	1	1	-	-	1	1	13	6	1	-	1	1
Balance of county	-	25	10	2	10	11	2	3	3	1	4	-	19	33	14	16	2	-	1
Dale	2	19	5	7	4	6	1	7	5	-	3	2	22	24	11	18	2	2	-
Ozark	-	11	2	3	3	2	-	3	2	-	-	-	11	11	3	4	-	-	-
Balance of county	2	8	3	4	1	4	1	4	3	-	3	2	11	13	8	14	2	2	-
Dallas	1	71	8	7	16	13	1	14	11	-	6	10	15	69	11	22	2	8	-
Selma	1	37	7	4	9	10	1	11	9	-	4	8	6	43	6	10	1	7	-
Balance of county	-	34	1	3	7	3	-	3	2	-	2	2	9	26	5	12	1	1	-
De Kalb	-	36	5	1	11	10	1	2	3	-	2	3	31	28	18	15	7	3	-
Elmore	2	25	4	5	5	10	1	5	2	-	-	3	8	22	10	16	6	5	-
Escambia	2	28	5	3	13	11	2	3	1	-	1	4	7	42	14	14	2	3	2
Etowah	3	87	10	8	35	40	3	11	7	-	4	9	8	60	21	17	13	17	-
Gadsden	2	51	6	6	25	27	1	6	4	-	-	4	5	42	7	8	6	8	-
Balance of county	1	36	4	2	10	13	2	5	3	-	4	5	3	18	14	9	7	9	-
Fayette	2	26	-	-	2	9	-	2	1	-	-	3	8	13	7	5	5	2	-
Franklin	-	28	5	2	9	9	-	3	5	-	1	4	1	17	14	7	2	2	1
Geneva	-	28	6	1	8	6	-	1	2	-	3	2	1	25	10	8	7	2	-
Greene	-	11	2	1	2	3	-	1	2	-	2	-	14	12	5	5	1	5	-
Hale	3	31	6	1	3	-	-	2	4	-	1	1	14	7	2	8	-	3	-
Henry	1	16	-	2	4	3	2	2	3	-	2	2	16	15	8	13	2	2	-
Houston	3	61	2	6	10	13	-	6	3	1	5	6	122	48	30	10	6	11	1
Dothan	2	43	1	4	9	9	-	5	2	1	2	6	72	28	18	6	3	6	-
Balance of county	1	18	1	2	1	4	-	1	1	-	3	-	50	20	12	4	3	5	1
Jackson	-	51	5	3	6	14	2	4	1	-	6	5	7	24	10	13	3	1	-
Jefferson	63	614	53	43	150	230	30	78	70	1	47	70	210	591	154	186	76	137	7
Bessemer	8	25	4	3	9	15	-	6	6	-	2	5	11	30	10	9	2	6	-
Birmingham	34	327	23	25	76	102	17	35	38	1	20	45	131	343	59	89	37	95	2
Fairfield	2	14	4	1	4	7	-	2	2	-	1	2	9	16	3	6	2	2	1
Homewood	4	21	3	1	4	9	-	1	3	-	3	-	6	17	5	2	-	-	-
Mountain Brook	-	21	3	-	7	4	1	2	-	-	-	1	-	13	4	2	2	-	-
Balance of county	15	206	16	13	50	93	12	32	21	-	21	17	53	172	73	78	33	34	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Alabama—Con.																			
Lamar	161	-	-	2	27	6	5	4	1	2	1	8	1	98	63	-	2	53	8
Lauderdale	669	1	-	6	117	32	33	9	10	4	5	24	9	279	186	1	7	136	42
Florence	385	-	-	2	72	20	17	7	6	2	4	16	4	173	114	1	3	87	23
Balance of county	284	1	-	4	45	12	16	2	4	2	1	8	5	106	72	-	4	49	19
Lawrence	293	1	-	-	53	8	16	5	14	2	3	5	8	145	102	-	3	76	23
Lee	484	-	-	4	111	23	25	9	14	8	5	27	11	207	158	-	4	120	34
Auburn	103	-	-	-	23	7	4	-	2	1	1	8	4	51	36	-	-	26	10
Opelika	220	-	-	4	51	10	11	4	6	5	2	13	3	87	68	-	3	51	14
Balance of county	161	-	-	-	37	6	10	5	6	2	2	6	4	69	54	-	1	43	10
Limestone	427	1	-	2	90	21	32	6	8	2	2	19	11	206	139	1	2	111	25
Athens	175	1	-	-	42	10	14	3	3	1	2	9	2	90	55	-	-	45	10
Balance of county	252	-	-	2	48	11	18	3	5	1	-	10	9	116	84	1	2	66	15
Lowndes	123	-	-	-	9	2	1	1	2	1	-	2	-	41	27	-	2	21	4
Macon	261	1	-	1	45	14	9	6	4	-	1	11	4	135	94	-	13	57	24
Tuskegee	112	1	-	1	16	7	2	3	1	-	-	3	3	63	41	-	6	25	10
Balance of county	149	-	-	-	29	7	7	3	3	-	1	8	1	72	53	-	7	32	14
Madison	1,323	6	-	4	280	79	68	20	41	14	8	50	24	592	452	2	13	355	82
Huntsville	1,000	4	-	4	216	60	51	17	32	12	5	39	21	433	338	2	7	265	64
Balance of county	323	2	-	-	64	19	17	3	9	2	3	11	3	159	114	-	6	90	18
Marengo	272	-	-	2	43	8	5	1	11	3	5	10	1	144	91	-	11	62	18
Marion	287	-	-	1	58	20	13	4	3	2	2	14	8	127	107	-	1	75	31
Marshall	611	1	-	3	100	26	21	9	9	3	2	30	7	324	243	-	9	179	55
Mobile	3,090	8	-	27	687	158	232	40	79	23	27	128	72	1,382	1,013	9	57	673	274
Mobile	2,000	5	-	15	466	107	154	35	52	18	18	82	43	929	681	9	37	456	179
Prichard	341	2	-	5	56	11	20	3	7	2	3	10	10	138	91	-	5	58	28
Balance of county	749	1	-	7	165	40	58	2	20	3	6	36	19	315	241	-	15	159	67
Monroe	213	1	-	-	33	5	14	-	6	3	1	4	6	109	89	-	3	62	24
Montgomery	1,714	2	-	13	354	75	99	29	54	8	19	70	38	754	529	1	21	346	161
Montgomery	1,545	1	-	11	322	68	91	28	50	7	13	65	36	677	476	1	17	311	147
Balance of county	169	1	-	2	32	7	8	1	4	1	6	5	2	77	53	-	4	35	14
Morgan	719	-	-	7	148	40	37	14	15	2	10	30	10	314	234	-	4	194	36
Decatur	354	-	-	3	73	20	21	7	8	1	2	14	4	158	114	-	2	89	23
Balance of county	365	-	-	4	75	20	16	7	7	1	8	16	6	156	120	-	2	105	13
Perry	151	-	-	1	30	3	8	2	3	2	1	11	5	63	43	-	1	38	6
Pickens	223	-	-	2	42	9	7	3	5	3	2	13	2	96	58	-	1	34	23
Pike	289	1	-	1	57	10	15	3	6	2	2	19	-	169	121	-	5	90	26
Troy	133	-	-	1	25	4	3	1	4	-	2	11	-	79	52	-	2	38	12
Balance of county	156	1	-	-	32	6	12	2	2	2	-	8	-	90	69	-	3	52	14
Randolph	223	-	-	-	36	9	10	1	8	-	3	5	3	129	90	-	7	71	12
Russell	492	-	-	2	92	24	31	5	7	6	2	17	6	253	193	1	9	159	24
Phenix City	320	-	-	1	59	12	23	4	5	3	1	11	4	175	130	-	6	109	15
Balance of county	172	-	-	1	33	12	8	1	2	3	1	6	2	78	63	1	3	50	9
St Clair	370	1	-	3	75	26	14	8	4	1	2	20	4	181	140	2	2	96	40
Shelby	431	1	-	2	80	17	25	8	12	1	1	16	4	171	114	2	2	81	29
Sumter	191	1	-	2	37	12	8	1	3	3	2	8	2	82	59	-	3	34	22
Talladega	708	3	-	5	139	32	38	10	16	3	6	34	19	298	211	2	5	161	43
Sylacauga	211	2	-	2	36	8	11	1	4	2	-	10	8	107	75	1	2	60	12
Talladega	198	-	-	-	40	8	10	4	2	1	5	10	5	83	55	1	2	37	15
Balance of county	299	1	-	3	63	16	17	5	10	-	1	14	6	108	81	-	1	64	16
Tallapoosa	390	-	-	3	67	18	12	11	8	5	2	11	4	204	163	1	4	101	57
Alexander City	143	-	-	2	23	4	3	5	3	3	1	4	2	79	57	1	1	34	21
Balance of county	247	-	-	1	44	14	9	6	5	2	1	7	2	125	106	-	3	67	36
Tuscaloosa	1,086	3	-	10	212	41	62	22	26	12	5	44	20	494	358	1	26	239	92
Tuscaloosa	628	1	-	8	124	24	31	16	19	9	3	22	9	280	195	-	13	129	53
Balance of county	458	2	-	2	88	17	31	6	7	3	2	22	11	214	163	1	13	110	39
Walker	684	4	-	5	136	29	40	13	11	8	4	31	8	255	182	2	4	142	34
Jasper	111	-	-	1	22	9	7	3	-	-	1	2	-	41	30	-	-	23	7
Balance of county	573	4	-	4	114	20	33	10	11	8	3	29	8	214	152	2	4	119	27
Washington	146	-	-	4	19	-	8	2	2	-	2	5	2	72	50	-	-	46	13
Wilcox	181	-	-	-	36	12	7	4	6	1	1	5	3	74	39	-	-	20	19
Winston	215	-	-	2	38	10	6	2	5	3	1	11	3	123	109	1	1	65	42
Alaska [1]	1,723	4	-	12	292	67	93	27	32	10	8	55	20	479	371	6	5	251	109
Urban places	727	1	-	3	141	35	42	19	13	5	3	24	11	217	166	2	4	117	43
Balance of area	996	3	-	9	151	32	51	8	19	5	5	31	9	262	205	4	1	134	66
Nonmetropolitan counties	1,124	3	-	9	181	45	57	10	22	7	5	35	10	325	247	4	1	164	78
Urban places	190	-	-	1	38	13	9	4	3	2	-	7	2	67	45	-	-	32	13
Balance of area	934	3	-	8	143	32	48	6	19	5	5	28	8	258	202	4	1	132	65
Dist 1, Prince of Wales	6	-	-	-	2	1	-	-	1	-	-	-	-	3	3	-	-	1	2
Dist 2, Ketchikan	76	-	-	1	16	1	5	2	4	-	1	3	1	29	24	-	-	19	5
Dist 3, Wrangell-Petersburg	33	-	-	-	4	1	2	-	1	-	-	-	1	16	9	-	-	7	2
Dist 4, Sitka	42	-	-	-	7	2	3	-	-	-	-	2	-	21	15	1	-	10	4
Dist 5, Juneau	99	-	-	2	16	1	6	-	3	-	-	6	1	33	26	-	-	19	7
Dist 6, Lynn Canal-Icy Straits	28	-	-	-	5	1	-	-	3	1	-	-	1	11	9	-	1	2	6
Dist 7, Cordova-McCarthy	19	-	-	-	5	1	2	-	-	-	-	2	2	4	3	-	-	3	-
Dist 8, Valdez-Chitina-Whittier	33	-	-	-	4	1	1	-	-	-	1	1	-	4	3	1	-	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Alabama—Con																			
Lamar	-	28	3	4	3	3	-	1	1	-	1	1	1	10	8	2	1	1	-
Lauderdale	2	82	4	5	20	21	1	7	4	-	4	3	99	49	23	11	7	6	2
Florence	1	54	3	1	10	13	-	2	4	-	4	2	46	27	11	8	3	3	1
Balance of county	1	28	1	4	10	8	1	5	-	-	-	1	53	22	12	3	4	3	1
Lawrence	-	41	1	1	5	5	-	4	3	-	2	3	17	19	11	8	2	3	4
Lee	2	42	1	4	12	3	2	10	6	-	8	11	21	38	16	16	4	4	-
Auburn	1	11	-	3	4	-	-	-	1	-	1	2	5	6	4	1	1	-	-
Opelika	1	17	-	1	4	2	2	5	3	-	3	8	8	21	6	10	1	2	-
Balance of county	-	14	1	-	4	1	-	5	2	-	4	1	8	11	6	5	2	2	-
Limestone	2	46	17	2	6	7	-	3	5	-	5	3	14	44	12	7	4	5	2
Athens	1	22	12	-	1	2	-	2	-	-	1	1	4	16	6	4	1	1	1
Balance of county	1	24	5	2	5	5	-	1	5	-	4	2	10	28	6	3	3	4	1
Lowndes	-	11	1	2	3	1	-	1	2	-	2	2	39	8	2	5	-	8	-
Macon	4	34	-	3	12	5	-	2	3	-	1	7	6	25	7	-	3	4	-
Tuskegee	1	19	-	2	7	-	-	-	-	-	-	5	1	9	4	-	1	1	-
Balance of county	3	15	-	1	5	5	-	2	3	-	1	2	5	16	3	-	2	3	-
Madison	3	114	12	11	22	33	3	10	9	-	16	17	78	94	47	43	21	16	8
Huntsville	2	77	8	8	17	27	3	9	8	-	16	15	53	71	32	33	16	14	8
Balance of county	1	37	4	3	5	6	-	1	1	-	-	2	25	23	15	10	5	2	-
Marengo	1	41	9	2	4	3	1	-	2	-	1	3	10	23	16	12	1	3	3
Marion	-	18	2	-	13	12	1	4	1	-	1	2	10	20	14	8	4	3	-
Marshall	3	62	6	10	18	19	2	9	5	-	3	4	5	54	21	20	7	7	2
Mobile	28	263	44	34	38	102	7	54	24	1	22	38	84	211	100	89	42	92	10
Mobile	18	179	28	23	19	59	5	34	17	1	12	23	51	144	46	47	26	52	6
Prichard	2	36	5	4	9	10	1	4	3	-	4	5	16	18	11	18	2	26	3
Balance of county	8	48	11	7	10	33	1	16	4	-	6	10	17	49	43	24	14	14	1
Monroe	1	11	4	4	2	8	2	-	-	-	2	2	6	18	12	7	2	2	1
Montgomery	6	174	24	21	42	50	2	29	19	-	13	31	122	114	40	36	24	29	2
Montgomery	6	155	20	20	39	47	2	28	17	-	12	29	108	106	27	32	22	27	2
Balance of county	-	19	4	1	3	3	-	1	2	-	1	2	14	8	13	4	2	2	-
Morgan	1	60	8	11	25	14	-	7	10	-	3	7	64	49	18	29	6	7	1
Decatur	-	31	4	9	11	6	-	4	4	-	3	3	34	22	6	16	4	3	-
Balance of county	1	29	4	2	14	8	-	3	6	-	-	4	30	27	12	13	2	4	1
Perry	-	16	2	2	2	1	-	3	1	-	1	2	16	10	6	7	2	-	1
Pickens	1	33	4	-	3	3	-	-	2	-	1	2	30	21	6	8	2	3	-
Pike	4	31	8	5	7	7	2	2	1	-	1	5	1	17	8	5	1	2	2
Troy	4	16	4	3	4	3	1	2	-	-	1	1	1	10	2	1	-	1	1
Balance of county	-	15	4	2	3	4	1	-	1	-	-	4	-	7	6	4	1	1	1
Randolph	1	36	2	-	3	3	-	-	3	-	-	-	3	17	9	10	1	5	1
Russell	2	51	2	5	17	8	-	11	3	-	4	6	9	32	16	17	5	7	4
Phenix City	1	40	-	4	10	4	-	7	-	-	3	4	4	16	11	12	4	5	1
Balance of county	1	11	2	1	7	4	-	4	3	-	1	2	5	16	5	5	1	2	3
St. Clair	1	30	6	4	9	11	-	1	1	-	4	4	7	29	16	14	8	3	1
Shelby	2	43	3	9	11	25	2	8	3	-	3	6	53	34	10	10	8	2	-
Sumter	-	20	1	2	4	-	1	-	3	-	-	2	16	24	6	6	2	3	-
Talladega	5	73	2	7	16	17	1	9	2	1	10	9	81	39	20	20	11	8	-
Sylacauga	2	26	1	3	7	4	-	2	-	-	2	3	17	8	6	4	2	1	-
Talladega	2	24	-	2	5	4	-	4	1	1	2	4	15	16	4	7	5	2	-
Balance of county	1	23	1	2	4	9	1	3	1	-	6	2	49	15	10	9	4	5	-
Tallapoosa	1	39	-	1	8	8	3	3	3	-	1	4	3	39	15	10	9	6	-
Alexander City	1	20	-	1	2	-	2	3	2	-	-	2	-	16	4	2	2	2	-
Balance of county	-	19	-	-	6	8	1	-	1	-	1	2	3	23	11	8	7	4	-
Tuscaloosa	5	106	15	10	19	26	2	9	10	-	11	10	88	76	32	41	7	10	6
Tuscaloosa	4	64	10	7	11	14	1	7	7	-	6	9	53	43	16	22	3	9	5
Balance of county	1	42	5	3	8	12	1	2	3	-	5	1	35	33	16	19	4	1	1
Walker	2	62	3	6	16	16	2	3	3	-	5	-	114	54	26	25	6	5	1
Jasper	-	11	-	-	5	4	1	1	-	-	2	-	14	9	3	6	-	1	1
Balance of county	2	51	3	6	11	12	1	2	3	-	3	-	100	45	23	19	6	4	-
Washington	2	9	1	1	3	5	1	3	3	-	2	5	1	9	6	5	3	3	-
Wilcox	-	28	3	4	5	3	-	-	1	-	1	4	20	11	5	9	2	5	2
Winston	-	11	1	2	-	4	1	-	1	1	-	3	3	7	11	9	5	4	-
Alaska ¹	1	74	14	19	35	34	7	40	10	1	29	64	39	143	96	279	61	53	25
Urban places	1	34	5	11	17	18	1	23	2	-	13	29	19	49	49	62	29	33	10
Balance of area	-	40	9	8	18	16	6	17	8	1	16	35	20	94	47	217	32	20	15
Nonmetropolitan counties	-	55	11	12	22	20	7	22	8	1	15	41	24	98	49	215	28	25	21
Urban places	-	16	2	4	4	5	1	5	1	-	2	8	5	9	11	18	1	5	7
Balance of area	-	39	9	8	18	15	6	17	7	1	13	33	19	89	38	197	27	20	14
Dist. 1, Prince of Wales	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Dist. 2, Ketchikan	-	4	1	-	3	5	1	-	-	-	-	1	-	11	-	3	5	-	-
Dist. 3, Wrangell-Petersburg	-	4	2	1	-	-	-	1	-	-	-	-	-	-	-	7	3	-	1
Dist. 4, Sitka	-	2	4	-	-	-	-	-	-	-	2	2	-	3	1	6	-	-	-
Dist. 5, Juneau	-	6	-	1	1	2	2	1	1	-	1	4	6	7	4	11	4	3	-
Dist. 6, Lynn Canal-Icy Straits	-	1	-	1	1	-	-	-	-	-	-	1	-	2	-	5	2	-	-
Dist. 7, Cordova-McCarthy	-	1	-	-	-	-	-	-	1	-	-	1	-	1	2	3	-	-	-
Dist. 8, Valdez-Chitina-Whittier	-	1	-	-	-	1	-	-	-	-	-	2	-	2	5	10	2	2	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Alaska¹—Con.																			
Dist. 9, Palmer-Wasilla-Talkeetna	103	-	-	2	18	6	7	1	-	-	1	3	-	37	28	-	-	22	6
Dist. 10, Anchorage	599	1	-	3	111	22	36	17	10	3	3	20	10	154	124	2	4	87	31
Anchorage	537	1	-	2	103	22	33	15	10	3	3	17	9	150	121	2	4	85	30
Balance of district	62	-	-	1	8	-	3	2	-	-	-	3	1	4	3	-	-	2	1
Dist. 11, Seward	24	-	-	-	4	-	3	-	-	1	-	-	-	5	2	-	-	1	1
Dist. 12, Kenai-Cook Inlet	67	-	-	-	15	2	5	2	4	-	-	2	-	24	19	-	-	15	4
Dist. 13, Kodiak	52	-	-	-	6	-	1	-	1	-	1	3	1	12	12	-	-	8	4
Dist. 14, Aleutian Islands	29	-	-	-	4	1	-	-	1	1	-	1	1	6	5	-	-	2	3
Dist. 15, Bristol Bay	27	-	-	-	1	-	1	-	-	-	-	-	-	5	5	-	-	3	2
Dist. 16, Bethel	43	-	-	-	3	1	2	-	-	-	-	-	-	8	5	1	-	1	3
Dist. 17, Kuskokwim	19	-	-	-	3	-	1	-	-	-	-	2	-	3	2	-	-	-	2
Dist. 18, Yukon-Koyukuk	30	-	-	-	2	-	1	-	-	-	1	-	-	5	5	1	-	2	2
Dist. 19, Fairbanks	223	-	-	3	41	14	11	4	3	2	-	7	2	71	48	-	-	34	14
Fairbanks	190	-	-	1	38	13	9	4	3	2	-	7	2	67	45	-	-	32	13
Balance of district	33	-	-	2	3	1	2	-	-	-	-	-	-	4	3	-	-	2	1
Dist. 20, Upper Yukon	20	1	-	-	2	-	1	-	-	1	-	-	-	1	-	-	-	-	-
Dist. 21, Barrow	20	1	-	-	2	1	-	-	-	-	-	1	-	5	5	-	-	2	3
Dist. 22, Kobuk	29	-	-	-	6	3	1	-	1	1	-	-	-	8	6	-	-	3	3
Dist. 23, Nome	63	1	-	1	10	6	3	-	-	-	-	1	-	13	12	-	-	9	3
Dist. 24, Wade Hampton	19	-	-	-	5	2	1	1	-	-	-	1	-	1	1	-	-	-	1
Arizona	21,358	38	6	223	4,574	1,164	1,243	401	491	215	204	856	338	9,182	7,253	110	134	5,477	1,532
Urban places	13,708	25	5	142	2,890	687	809	279	309	138	127	541	214	6,004	4,765	79	96	3,608	982
Balance of area	7,650	13	1	81	1,684	477	434	122	182	77	77	315	124	3,178	2,488	31	38	1,869	550
Metropolitan counties	16,186	31	5	166	3,513	874	946	325	380	164	169	655	252	7,124	5,640	86	99	4,312	1,143
Urban places	12,654	24	5	131	2,654	623	739	259	286	123	122	502	197	5,543	4,397	75	82	3,334	906
Balance of area	3,532	7	-	35	859	251	207	66	94	41	47	153	55	1,581	1,243	11	17	978	237
Nonmetropolitan counties	5,172	7	1	57	1,061	290	297	76	111	51	35	201	86	2,058	1,613	24	35	1,165	389
Urban places	1,054	1	-	11	236	64	70	20	23	15	5	39	17	461	368	4	14	274	76
Balance of area	4,118	6	1	46	825	226	227	56	88	36	30	162	69	1,597	1,245	20	21	891	313
Apache	310	1	-	3	39	16	1	-	4	2	2	14	3	56	36	1	-	20	15
Cochise	631	2	1	6	143	46	37	10	13	3	8	26	16	257	208	1	2	152	53
Douglas	103	-	-	-	22	6	8	-	4	-	2	2	5	44	39	-	1	33	5
Balance of county	528	2	1	6	121	40	29	10	9	3	6	24	11	213	169	1	1	119	48
Coconino	316	-	-	4	54	27	7	6	5	1	1	7	6	108	86	3	-	58	25
Flagstaff	130	-	-	1	24	13	2	2	2		1	4	1	42	32	-	-	19	13
Balance of county	186	-	-	3	30	14	5	4	3	1	-	3	5	66	54	3	-	39	12
Gila	342	1	-	4	66	20	18	3	4	2	2	17	9	152	119	2	3	79	35
Graham	184	-	-	-	24	5	8	2	2	-	1	6	5	70	56	-	2	40	14
Greenlee	52	-	-	1	14	4	3	2	3	-	1	1	-	17	15	-	1	12	2
Maricopa	11,930	20	4	109	2,609	652	701	234	288	117	124	493	187	5,283	4,205	65	58	3,264	818
Chandler	174	1	-	-	38	7	12	3	5	4	2	5	4	63	55	-	-	44	11
Glendale	630	1	-	7	156	35	48	6	22	3	9	33	8	267	220	5	4	162	49
Mesa	1,286	1	-	16	275	72	64	18	29	13	11	68	22	598	475	8	3	384	80
Phoenix	6,023	13	3	53	1,235	293	345	139	131	55	55	217	95	2,598	2,055	39	39	1,543	434
Scottsdale	859	1	1	9	200	48	57	15	20	10	6	44	12	400	332	5	2	268	57
Tempe	441	-	-	1	86	18	19	11	5	4	5	24	5	180	140	3	1	108	28
Balance of county	2,517	3	-	23	619	179	156	42	76	28	36	102	41	1,177	928	5	9	755	159
Mohave	553	-	-	8	134	22	52	11	14	4	6	25	4	258	199	3	6	150	40
Navajo	421	1	-	5	73	24	14	5	7	4	2	17	5	116	88	2	1	60	25
Pima	4,256	11	1	57	904	222	245	91	92	47	45	162	65	1,841	1,435	21	41	1,048	325
Tucson	3,241	7	1	45	664	150	194	67	74	34	34	111	51	1,437	1,120	15	33	825	247
Balance of county	1,015	4	-	12	240	72	51	24	18	13	11	51	14	404	315	6	8	223	78
Pinal	740	1	-	9	151	37	40	9	26	8	3	28	17	317	255	3	2	186	64
Casa Grande	135	-	-	2	32	9	7	2	2	5	-	7	4	65	50	1	-	38	11
Balance of county	605	1	-	7	119	28	33	7	24	3	3	21	13	252	205	2	2	148	53
Santa Cruz	128	-	-	1	19	6	6	2	1	3	-	1	3	58	44	-	1	26	17
Yavapai	813	-	-	8	188	51	58	13	18	13	4	31	9	394	311	4	6	243	58
Prescott	323	-	-	2	61	20	18	5	7	5	1	5	1	174	141	1	4	110	26
Balance of county	490	-	-	6	127	31	40	8	11	8	3	26	8	220	170	3	2	133	32
Yuma	682	1	-	8	156	32	53	13	14	11	5	28	9	255	196	5	11	139	41
Yuma	363	1	-	6	97	16	35	11	8	5	1	21	6	136	106	2	9	74	21
Balance of county	319	-	-	2	59	16	18	2	6	6	4	7	3	119	90	3	2	65	20
Arkansas	22,372	26	1	195	4,594	1,128	1,289	297	493	179	184	1,024	370	11,195	8,307	47	203	5,697	2,360
Urban places	7,918	8	1	69	1,656	403	440	130	177	71	65	370	116	3,950	2,853	21	84	1,920	828
Balance of area	14,454	18	-	126	2,938	725	849	167	316	108	119	654	254	7,245	5,454	26	119	3,777	1,532
Metropolitan counties	7,672	9	1	73	1,613	405	442	106	153	68	61	378	115	3,681	2,665	23	73	1,759	810
Urban places	5,094	7	1	48	1,100	282	297	80	104	45	45	247	79	2,452	1,753	16	52	1,176	509
Balance of area	2,578	2	-	25	513	123	145	26	49	23	16	131	36	1,229	912	7	21	583	301
Nonmetropolitan counties	14,700	17	-	122	2,981	723	847	191	340	111	123	646	255	7,514	5,642	24	130	3,938	1,550
Urban places	2,824	1	-	21	556	121	143	50	73	26	20	123	37	1,498	1,100	5	32	744	319
Balance of area	11,876	16	-	101	2,425	602	704	141	267	85	103	523	218	6,016	4,542	19	98	3,194	1,231

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Alaska [1]—Con.																			
Dist. 9, Palmer-Wasilla-Talkeetna	-	7	-	2	3	1	1	4	2	1	1	2	-	3	6	15	2	5	-
Dist. 10, Anchorage	1	19	3	7	13	14	-	18	2	-	14	23	15	45	47	64	33	28	4
Anchorage	1	18	3	7	13	13	-	18	1	-	11	21	14	40	38	44	28	28	3
Balance of district	-	1	-	-	-	1	-	-	1	-	3	2	1	5	9	20	5	-	1
Dist. 11, Seward	-	2	-	1	1	-	-	2	-	-	-	1	-	2	1	6	2	-	-
Dist. 12, Kenai-Cook Inlet	-	3	1	1	2	2	-	2	1	-	1	5	1	9	6	17	1	-	1
Dist. 13, Kodiak	-	-	-	-	-	1	1	1	-	-	1	4	1	6	1	16	-	1	-
Dist. 14, Aleutian Islands	-	1	-	-	-	-	-	1	-	-	2	1	2	3	-	6	2	-	1
Dist. 15, Bristol Bay	-	-	-	-	1	-	-	1	-	-	1	1	1	4	-	9	2	-	1
Dist. 16, Bethel	-	2	-	1	-	1	-	-	1	-	1	2	3	6	1	16	-	-	1
Dist. 17, Kuskokwim	-	1	-	-	-	-	-	-	-	-	-	-	-	3	2	6	-	1	1
Dist. 18, Yukon-Koyukuk	-	-	-	-	1	-	-	1	-	-	1	-	2	6	1	8	-	1	2
Dist. 19, Fairbanks	-	17	2	4	4	6	1	5	2	-	3	9	5	10	14	30	1	7	9
Fairbanks	-	16	2	4	4	5	1	5	1	-	2	8	5	9	11	18	1	5	7
Balance of district	-	1	-	-	-	1	-	-	1	-	1	1	-	1	3	12	-	2	2
Dist. 20, Upper Yukon	-	-	1	-	2	-	-	1	-	-	-	-	1	3	3	2	-	2	2
Dist. 21, Barrow	-	-	-	-	-	-	1	1	-	-	-	1	-	3	-	6	-	-	-
Dist. 22, Kobuk	-	2	-	-	1	-	-	-	-	-	1	1	1	3	2	5	1	-	-
Dist. 23, Nome	-	1	-	-	2	1	-	1	-	-	-	2	1	7	-	19	1	3	1
Dist. 24, Wade Hampton	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	8	-	-	-
Arizona	64	1,380	261	244	616	1,014	70	359	176	2	212	250	308	1,667	895	658	459	276	35
Urban places	40	880	174	165	392	684	47	202	112	1	145	178	119	1,094	538	394	322	181	19
Balance of area	24	500	87	79	224	330	23	157	64	1	67	72	189	573	357	264	137	95	16
Metropolitan counties	47	1,048	197	192	450	820	49	235	131	1	144	187	140	1,278	619	452	361	205	23
Urban places	39	793	160	154	353	639	45	183	108	-	128	162	110	1,024	487	371	301	170	19
Balance of area	8	255	37	38	97	181	4	52	23	1	16	25	30	254	132	81	60	35	4
Nonmetropolitan counties	17	312	64	52	166	194	21	124	45	1	68	63	168	389	276	206	98	71	12
Urban places	1	67	14	11	39	45	2	19	4	1	17	16	9	70	51	23	21	11	-
Balance of area	16	245	50	41	127	149	19	105	41	-	51	47	159	319	225	183	77	60	12
Apache	3	13	3	1	14	5	-	3	1	-	8	6	58	29	48	24	7	4	1
Cochise	1	35	5	8	25	21	3	15	6	-	7	11	13	50	27	15	9	3	1
Douglas	-	4	1	-	7	2	-	4	1	-	-	2	1	9	5	1	-	-	-
Balance of county	1	31	4	8	18	19	3	11	5	-	7	9	12	41	22	14	9	3	1
Coconino	-	17	2	3	10	9	1	10	2	1	9	6	5	29	32	19	7	4	-
Flagstaff	-	8	-	2	5	2	-	6	-	1	8	4	-	11	15	5	3	2	-
Balance of county	-	9	2	1	5	7	1	4	2	-	1	2	5	18	17	14	4	2	-
Gila	3	22	5	3	10	11	1	11	7	-	1	2	7	20	13	12	7	8	-
Graham	3	8	3	-	11	11	3	3	3	-	6	5	8	14	8	5	3	4	1
Greenlee	-	1	1	-	-	-	-	3	-	-	-	-	2	6	5	1	1	1	1
Maricopa	36	784	124	134	314	574	36	166	96	1	117	150	97	947	447	345	254	158	16
Chandler	1	3	1	3	3	11	-	3	2	-	2	5	2	9	13	8	6	3	1
Glendale	3	35	6	3	8	35	1	12	9	-	8	11	6	47	26	12	12	4	-
Mesa	4	91	13	15	29	63	5	10	12	-	21	11	10	122	34	34	19	4	-
Phoenix	22	383	69	69	184	288	23	87	51	-	59	93	58	490	239	193	144	105	12
Scottsdale	2	44	10	12	18	35	4	12	4	-	8	5	2	62	24	29	23	10	-
Tempe	1	30	5	4	12	21	1	6	4	-	8	11	4	36	30	15	13	8	-
Balance of county	3	198	20	28	60	121	2	36	14	1	11	14	15	181	81	54	37	24	3
Mohave	-	45	8	6	11	17	1	9	6	-	1	2	7	34	20	24	14	3	-
Navajo	-	22	5	1	16	11	2	17	3	-	15	7	20	49	30	26	7	8	1
Pima	11	264	73	58	136	246	13	69	35	-	27	37	43	331	172	107	107	47	7
Tucson	6	207	56	48	99	186	11	53	26	-	22	26	28	258	121	80	84	36	6
Balance of county	5	57	17	10	37	60	2	16	9	-	5	11	15	73	51	27	23	11	1
Pinal	3	43	8	8	19	31	1	22	6	-	1	8	9	53	40	27	11	13	4
Casa Grande	-	13	-	2	2	4	-	-	-	-	1	2	3	7	7	3	1	2	-
Balance of county	3	30	8	6	17	27	1	22	6	-	-	6	6	46	33	24	10	11	4
Santa Cruz	-	11	1	2	2	2	1	6	-	-	4	1	2	20	3	2	-	2	-
Yavapai	-	56	13	14	27	43	4	12	8	-	4	6	1	46	20	16	14	12	1
Prescott	-	22	7	4	11	18	1	6	2	-	1	1	-	19	9	6	7	4	-
Balance of county	-	34	6	10	16	25	3	6	6	-	3	5	1	27	11	10	7	8	1
Yuma	4	39	10	6	21	33	4	11	3	-	12	9	27	39	30	35	18	9	2
Yuma	1	20	6	3	14	19	1	3	1	-	7	7	5	24	15	8	10	3	-
Balance of county	3	19	4	3	7	14	3	8	2	-	5	2	22	15	15	27	8	6	2
Arkansas	70	2,266	348	204	561	625	46	224	281	3	133	158	824	1,508	548	535	261	249	35
Urban places	32	858	119	88	163	242	22	94	103	1	54	76	225	582	134	201	94	113	14
Balance of area	38	1,408	229	116	398	383	24	130	178	2	79	82	599	926	414	334	167	136	21
Metropolitan counties	20	801	116	79	168	225	19	77	86	1	52	67	289	559	197	201	100	130	9
Urban places	13	543	87	56	102	150	15	55	63	1	36	50	154	394	94	135	63	87	8
Balance of area	7	258	29	23	66	75	4	22	23	-	16	17	135	165	103	66	37	43	1
Nonmetropolitan counties	50	1,465	232	125	393	400	27	147	195	2	81	91	535	949	351	334	161	119	26
Urban places	19	315	32	32	61	92	7	39	40	-	18	26	71	188	40	66	31	26	6
Balance of area	31	1,150	200	93	332	308	20	108	155	2	63	65	464	761	311	268	130	93	20

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Arkansas—Con.																			
Arkansas	297	-	-	1	66	12	18	3	11	2	1	19	1	158	87	-	-	68	19
Stuttgart	130	-	-	-	37	9	13	2	5	-	1	7	-	58	43	-	-	33	10
Balance of county	167	-	-	1	29	3	5	1	6	2	-	12	1	100	44	-	-	35	9
Ashley	270	-	-	2	64	18	16	6	4	1	4	15	6	103	74	-	3	49	22
Baxter	409	2	-	5	95	23	26	7	12	5	4	18	9	203	140	-	4	113	23
Benton	818	-	-	6	152	43	43	4	12	3	4	43	7	437	311	4	6	205	96
Rogers	208	-	-	1	40	12	12	-	2	1	1	12	1	116	80	2	2	48	28
Springdale, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	610	-	-	5	112	31	31	4	10	2	3	31	6	321	231	2	4	157	68
Boone	294	1	-	1	64	17	19	5	7	2	2	12	5	130	102	-	2	78	22
Bradley	195	-	-	1	43	13	10	3	11	-	2	4	3	110	75	1	1	66	7
Calhoun	67	-	-	-	13	2	2	2	1	-	2	4	2	35	27	-	-	20	7
Carroll	183	1	-	1	36	9	8	4	5	2	2	6	7	85	69	2	1	48	18
Chicot	186	-	-	-	36	7	14	3	5	1	1	5	8	70	49	-	6	34	9
Clark	215	-	-	1	40	12	13	1	4	1	1	8	5	100	69	1	-	54	14
Clay	287	-	-	1	60	15	21	2	5	2	2	13	3	167	142	-	2	111	29
Cleburne	174	-	-	-	39	9	8	2	3	2	1	14	11	88	66	-	2	40	24
Cleveland	91	-	-	1	23	4	7	3	2	-	1	6	-	44	32	-	-	24	8
Columbia	316	-	-	3	54	14	17	2	7	-	2	12	4	164	104	-	3	77	24
Magnolia	112	-	-	2	21	5	5	1	3	-	1	6	-	60	35	-	-	26	9
Balance of county	204	-	-	1	33	9	12	1	4	-	1	6	4	104	69	-	3	51	15
Conway	192	-	-	2	30	5	11	1	4	-	2	7	6	102	88	1	1	58	28
Craighead	518	-	-	5	117	18	32	22	11	5	7	22	11	251	175	2	-	139	34
Jonesboro	284	-	-	2	69	5	21	13	9	4	4	13	7	141	89	1	-	71	17
Balance of county	234	-	-	3	48	13	11	9	2	1	3	9	4	110	86	1	-	68	17
Crawford	346	-	-	4	72	12	23	3	8	4	2	20	9	172	132	2	3	61	66
Crittenden	451	-	-	4	87	23	28	4	5	3	3	21	7	165	108	1	4	78	25
West Memphis	249	-	-	3	46	13	17	1	4	2	2	7	3	97	60	1	2	46	11
Balance of county	202	-	-	1	41	10	11	3	1	1	1	14	4	68	48	-	2	32	14
Cross	204	-	-	3	45	16	12	1	2	1	-	13	3	112	97	-	2	74	21
Dallas	115	-	-	1	15	3	2	2	3	1	1	3	-	53	39	-	1	30	8
Desha	205	1	-	2	42	9	16	-	2	3	2	10	8	106	69	-	2	56	11
Drew	151	-	-	2	40	11	8	1	8	1	2	9	1	70	56	-	1	46	9
Faulkner	330	-	-	2	80	16	27	5	8	2	3	19	5	141	96	2	2	77	15
Conway	148	-	-	1	36	9	8	4	5	1	1	8	4	65	43	-	1	32	10
Balance of county	182	-	-	1	44	7	19	1	3	1	2	11	1	76	53	2	1	45	5
Franklin	156	-	-	2	26	7	8	1	2	2	-	6	2	83	69	-	1	44	24
Fulton	130	-	-	-	26	8	9	3	3	-	1	2	2	71	55	-	-	41	14
Garland	882	2	-	5	169	36	40	12	18	7	5	51	8	492	380	2	11	198	169
Hot Springs	674	1	-	5	125	29	25	11	14	5	4	37	5	380	294	1	11	151	131
Balance of county	208	1	-	-	44	7	15	1	4	2	1	14	3	112	86	1	-	47	38
Grant	122	-	-	-	20	9	6	1	1	1	-	2	-	75	63	-	-	46	17
Greene	301	-	-	5	57	14	15	3	8	4	1	12	8	168	137	2	7	98	30
Paragould	183	-	-	3	31	8	9	3	3	2	-	6	5	106	88	2	4	64	18
Balance of county	118	-	-	2	26	6	6	-	5	2	1	6	3	62	49	-	3	34	12
Hempstead	261	1	-	2	59	14	16	5	6	6	2	10	3	138	105	1	8	84	12
Hot Spring	263	1	-	-	52	8	10	3	9	1	1	20	3	140	102	-	-	79	23
Howard	147	-	-	1	34	9	9	2	2	2	2	8	4	62	49	-	1	31	17
Independence	297	-	-	3	60	12	12	3	11	2	4	16	3	164	144	1	1	98	44
Izard	125	-	-	-	29	10	12	-	-	1	1	5	2	74	53	-	2	34	17
Jackson	237	-	-	4	59	18	20	3	7	1	-	10	8	118	88	1	-	56	31
Jefferson	849	3	-	6	164	41	47	8	20	5	7	36	14	435	311	2	8	215	86
Pine Bluff	669	3	-	4	122	33	34	6	15	3	6	25	12	345	245	2	7	169	67
Balance of county	180	-	-	2	42	8	13	2	5	2	1	11	2	90	66	-	1	46	19
Johnson	206	-	-	-	36	8	16	-	2	3	1	6	3	112	95	-	2	60	33
Lafayette	131	-	-	1	25	7	8	-	4	1	1	4	1	71	30	-	1	20	18
Lawrence	172	-	-	1	35	9	13	-	5	-	-	8	2	98	79	-	2	37	40
Lee	182	1	-	1	40	12	9	3	6	1	2	7	3	83	59	1	-	40	18
Lincoln	104	-	-	1	21	6	8	-	-	1	2	4	3	50	39	-	-	21	18
Little River	122	1	-	-	24	7	8	1	3	1	1	3	1	59	44	-	1	25	18
Logan	218	-	-	-	40	11	15	2	3	1	3	5	4	118	93	-	1	53	39
Lonoke	297	-	-	5	58	12	18	3	6	5	-	14	4	139	100	1	-	61	38
Madison	140	-	-	1	23	7	6	2	1	2	-	5	5	82	56	-	3	34	19
Marion	133	-	-	1	24	8	3	-	4	2	1	6	3	68	60	-	-	42	18
Miller	373	-	-	4	66	14	19	6	6	5	1	15	10	198	154	-	12	113	29
Texarkana [3]	244	-	-	4	40	11	13	5	4	1	-	6	7	130	100	-	7	74	19
Balance of county	129	-	-	-	26	3	6	1	2	4	1	9	3	68	54	-	5	39	10
Mississippi	537	1	-	1	101	22	33	2	11	3	4	26	9	270	207	-	6	156	45
Blytheville	209	-	-	-	37	5	12	1	7	1	1	10	1	102	65	-	3	48	14
Balance of county	328	1	-	1	64	17	21	1	4	2	3	16	8	168	142	-	3	108	31
Monroe	168	-	-	4	28	6	5	2	4	3	1	7	4	91	65	1	3	40	21
Montgomery	82	-	-	1	18	1	7	3	1	-	2	4	1	43	26	-	-	23	3
Nevada	151	-	-	7	30	8	7	4	4	1	1	5	3	71	55	-	4	32	19
Newton	63	-	-	-	18	5	5	-	-	-	3	5	-	23	21	-	2	8	11
Ouachita	390	1	-	4	79	20	22	3	14	2	5	13	5	205	165	-	2	121	42
Camden	214	-	-	2	41	10	11	1	7	2	3	7	3	124	106	-	1	82	23
Balance of county	176	1	-	2	38	10	11	2	7	-	2	6	2	81	59	-	1	39	19

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Arkansas—Con																			
Arkansas	-	46	21	4	2	6	-	3	4	-	3	-	22	16	4	5	2	4	-
Stuttgart	-	13	1	1	2	4	-	1	2	-	3	-	8	6	2	2	2	3	-
Balance of county	-	33	20	3	-	2	-	2	2	-	-	-	14	10	2	3	-	1	-
Ashley	-	28	1	-	6	3	-	3	2	-	3	2	26	22	7	12	2	4	1
Baxter	1	49	6	7	8	16	-	5	4	-	1	1	2	32	8	7	11	-	-
Benton	2	94	20	10	21	31	2	6	9	-	4	1	18	54	29	25	9	5	2
Rogers	-	28	7	1	4	9	1	1	3	-	1	1	1	18	2	6	2	-	1
Springdale, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	66	13	9	17	22	1	5	6	-	3	-	17	36	27	19	7	5	1
Boone	-	22	2	4	24	12	-	5	3	-	1	1	-	31	4	7	3	1	1
Bradley	2	26	5	2	4	3	1	3	2	-	-	1	-	12	6	3	1	2	-
Calhoun	-	7	1	-	-	3	-	-	2	-	-	-	4	2	4	-	-	-	2
Carroll	-	8	8	-	9	8	-	1	-	-	2	2	4	17	5	3	2	-	-
Chicot	-	16	4	1	2	4	-	2	3	-	1	-	24	13	9	8	2	3	1
Clark	-	20	10	1	4	7	-	-	3	-	1	1	24	18	7	4	-	-	-
Clay	-	23	2	-	4	7	-	4	2	-	-	-	6	18	8	7	-	-	-
Cleburne	-	18	1	3	4	3	-	1	1	-	-	-	12	7	4	1	2	1	-
Cleveland	-	11	-	1	1	7	-	-	2	-	-	1	2	3	3	3	1	-	-
Columbia	3	48	5	4	10	7	1	3	14	-	2	7	6	16	12	5	3	4	1
Magnolia	2	19	2	2	4	2	-	1	5	-	-	3	2	3	3	1	3	2	-
Balance of county	1	29	3	2	6	5	1	2	9	-	2	4	4	13	9	4	-	2	1
Conway	-	12	1	1	5	7	-	2	2	-	1	-	13	10	5	2	4	1	-
Craighead	6	64	3	3	14	12	2	3	6	-	2	5	7	38	17	15	6	5	2
Jonesboro	4	44	2	2	8	6	1	2	4	-	-	3	3	19	5	5	4	3	2
Balance of county	2	20	1	1	6	6	1	1	2	-	2	2	4	19	12	10	2	2	-
Crawford	1	34	3	2	8	11	-	1	5	-	2	2	9	21	16	5	5	4	-
Crittenden	1	52	3	1	8	8	-	4	4	-	4	10	78	28	16	12	5	11	-
West Memphis	-	33	3	1	5	4	-	4	3	-	3	4	37	23	6	5	2	4	-
Balance of county	1	19	-	-	3	4	-	-	1	-	1	6	41	5	10	7	3	7	-
Cross	-	12	2	1	6	3	-	1	3	1	-	3	5	3	9	5	1	1	-
Dallas	1	11	-	2	2	2	-	2	4	-	-	-	21	6	4	1	2	1	1
Desha	1	29	6	1	3	3	1	2	4	-	-	-	9	8	3	2	5	6	-
Drew	1	8	3	2	4	4	-	3	3	-	1	-	5	8	4	4	-	2	-
Faulkner	3	32	7	3	8	9	1	5	4	-	4	4	31	23	3	2	4	3	1
Conway	2	12	5	3	4	5	1	-	1	-	1	1	10	12	3	1	1	2	-
Balance of county	1	20	2	-	4	4	-	5	3	-	3	3	21	11	-	1	3	1	1
Franklin	1	13	-	-	11	2	-	1	2	-	-	-	12	7	4	2	2	-	-
Fulton	-	12	4	-	2	2	-	2	2	-	-	1	3	11	2	3	2	1	-
Garland	-	87	15	10	13	33	4	16	10	-	7	3	8	57	12	24	12	7	-
Hot Springs	-	70	9	7	13	24	4	13	9	-	4	2	5	43	6	18	11	6	-
Balance of county	-	17	6	3	-	9	-	3	1	-	3	1	3	14	6	6	1	1	-
Grant	-	10	-	2	10	2	-	-	-	-	-	1	2	6	2	3	1	-	-
Greene	2	27	-	2	5	8	1	2	4	-	-	2	7	20	4	6	2	2	-
Paragould	1	17	-	-	3	6	1	2	2	-	-	2	5	12	1	1	2	1	-
Balance of county	1	10	-	2	2	2	-	-	2	-	-	-	2	8	3	5	-	1	-
Hempstead	-	29	3	1	7	5	-	2	3	-	2	2	3	18	3	4	5	4	-
Hot Spring	-	29	8	1	6	3	1	6	4	-	2	2	7	23	3	2	5	3	-
Howard	-	12	-	1	6	5	-	1	3	-	-	-	7	13	6	3	1	1	-
Independence	-	15	3	2	9	8	-	2	1	-	2	-	5	14	16	3	5	1	1
Izard	1	11	5	4	2	1	-	2	2	-	1	-	2	6	1	1	2	-	-
Jackson	-	28	2	-	3	6	1	2	1	-	-	1	1	13	5	6	4	5	-
Jefferson	6	93	12	13	16	18	1	12	11	-	4	7	23	60	12	24	13	25	1
Pine Bluff	6	73	12	9	13	17	1	10	9	-	3	7	17	46	9	19	11	20	1
Balance of county	-	20	-	4	3	1	-	2	2	-	1	-	6	14	3	5	2	5	-
Johnson	-	13	3	1	11	5	-	3	3	-	2	1	7	14	2	4	1	2	-
Lafayette	-	23	8	1	5	2	-	-	2	-	1	-	5	10	1	3	1	2	1
Lawrence	1	13	3	2	8	5	-	-	1	-	1	1	1	14	3	1	1	-	-
Lee	1	18	2	3	6	4	-	1	4	-	-	1	12	18	1	5	1	1	-
Lincoln	-	8	3	-	4	1	-	1	-	-	2	-	4	7	4	2	1	3	-
Little River	1	12	1	1	10	3	-	1	2	-	-	2	1	7	4	4	1	2	-
Logan	2	18	2	3	5	10	-	4	1	-	-	-	6	20	2	5	2	1	-
Lonoke	3	28	6	2	7	12	2	3	3	-	3	5	7	23	9	10	5	2	-
Madison	-	8	16	2	3	7	1	2	2	-	-	-	1	6	2	5	-	-	-
Marion	-	6	1	1	2	4	-	3	1	-	2	-	6	6	6	5	-	2	-
Miller	-	36	7	1	4	14	2	4	4	-	2	1	5	29	11	10	5	4	-
Texarkana [2]	-	24	5	1	4	9	1	2	4	-	2	-	5	16	6	7	4	3	-
Balance of county	-	12	2	-	-	5	1	2	-	-	-	1	-	13	5	3	1	1	-
Mississippi	1	46	8	8	16	15	2	5	13	-	4	8	18	32	8	16	9	6	3
Blytheville	1	27	4	5	5	11	-	2	2	-	3	4	6	18	2	9	3	3	1
Balance of county	-	19	4	3	11	4	2	3	11	-	1	4	12	14	6	7	6	3	2
Monroe	-	18	6	2	6	6	1	1	3	-	2	1	1	8	3	7	1	1	-
Montgomery	-	11	5	1	1	3	-	-	2	-	-	-	1	5	4	1	1	-	1
Nevada	-	12	2	2	6	5	-	-	2	-	2	2	7	8	3	1	2	1	1
Newton	-	1	-	1	5	1	1	1	1	-	-	-	-	6	2	3	1	1	-
Ouachita	4	29	3	4	13	9	-	5	3	-	2	1	6	24	10	8	6	8	1
Camden	2	14	-	2	7	4	-	4	1	-	1	-	3	12	4	4	2	1	1
Balance of county	2	15	3	2	6	5	-	1	2	-	1	1	3	12	6	4	4	7	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Arkansas—Con.																			
Perry	64	-	-	1	16	5	5	-	3	-	1	2	1	35	26	-	-	20	6
Phillips	387	1	-	1	71	15	23	1	8	5	1	18	2	198	136	1	3	104	28
Helena	141	-	-	1	17	2	5	-	3	1	1	5	-	84	55	-	-	41	14
West Helena	105	-	-	-	25	6	7	1	3	2	-	6	-	52	41	1	1	36	3
Balance of county	141	1	-	-	29	7	11	-	2	2	-	7	2	62	40	-	2	27	11
Pike	112	-	-	-	24	7	6	1	2	-	2	6	-	59	44	-	1	28	15
Poinsett	269	1	-	3	53	6	13	5	7	1	3	18	6	127	103	-	-	81	22
Polk	194	-	-	2	42	11	11	3	3	2	3	9	5	103	89	-	2	62	25
Pope	289	-	-	3	49	18	9	3	8	-	3	8	11	155	117	-	1	81	35
Russellville	128	-	-	-	21	8	3	3	3	-	1	3	6	75	54	-	1	39	14
Balance of county	161	-	-	3	28	10	6	-	5	-	2	5	5	80	63	-	-	42	21
Prairie	95	-	-	1	18	5	6	-	-	1	-	6	1	46	32	-	1	20	11
Pulaski	2,748	4	-	32	615	142	164	46	56	28	25	154	40	1,330	923	6	30	586	301
Jacksonville	136	1	-	-	26	6	6	2	2	-	2	8	4	55	41	-	-	26	15
Little Rock	1,565	2	-	16	358	83	88	29	35	18	14	91	22	754	515	6	14	345	150
North Little Rock	724	-	-	10	169	37	52	13	11	7	7	42	11	368	257	-	12	148	97
Balance of county	323	1	-	6	62	16	18	2	8	3	2	13	3	153	110	-	4	67	39
Randolph	180	-	-	1	54	14	14	9	1	3	5	8	3	91	74	1	-	57	16
St. Francis	331	-	-	7	70	14	14	8	11	3	4	16	1	178	151	-	2	97	52
Forrest City	167	-	-	2	34	9	6	5	6	3	2	3	1	86	71	-	1	42	28
Balance of county	164	-	-	5	36	5	8	3	5	-	2	13	-	92	80	-	1	55	24
Saline	332	-	1	1	82	22	18	4	9	5	8	16	2	150	106	1	-	76	29
Benton	177	-	1	1	45	12	10	1	5	2	5	10	-	81	60	-	-	44	16
Balance of county	155	-	-	-	37	10	8	3	4	3	3	6	2	69	46	1	-	32	13
Scott	106	-	-	1	12	4	5	1	-	1	-	1	2	66	51	1	-	45	5
Searcy	99	-	-	-	19	4	7	1	3	1	1	2	2	35	22	1	-	15	6
Sebastian	858	-	-	12	192	48	56	16	18	7	8	39	11	358	272	5	5	204	58
Fort Smith	672	-	-	8	157	39	42	13	16	6	7	34	8	295	221	4	5	167	45
Balance of county	186	-	-	4	35	9	14	3	2	1	1	5	3	63	51	1	-	37	13
Sevier	167	-	-	1	36	6	12	2	3	1	1	11	4	86	60	-	-	45	15
Sharp	171	-	-	1	40	13	7	4	6	2	-	8	1	102	87	-	1	66	20
Stone	102	-	-	1	20	5	4	-	7	-	1	3	1	54	49	-	2	26	21
Union	591	-	-	4	119	26	34	8	17	5	6	23	11	295	204	-	20	138	46
El Dorado	329	-	-	3	62	16	18	5	5	5	1	12	5	165	116	-	9	79	28
Balance of county	262	-	-	1	57	10	16	3	12	-	5	11	6	130	88	-	11	59	18
Van Buren	147	-	-	1	21	4	9	2	1	1	-	4	2	84	61	1	-	47	13
Washington	775	1	-	4	159	53	36	14	16	7	2	31	14	377	304	2	4	196	102
Fayetteville	241	1	-	1	56	22	11	8	7	2	1	5	5	106	83	-	2	53	28
Springdale, part	209	-	-	-	41	14	12	2	3	3	-	7	6	105	91	1	1	56	33
Springdale, total	209	-	-	-	41	14	12	2	3	3	-	7	6	105	91	1	1	56	33
Balance of county	325	-	-	3	62	17	13	4	6	2	1	19	3	166	130	1	1	87	41
White	471	-	-	6	91	27	31	4	9	1	7	12	6	209	131	-	4	88	39
Woodruff	138	2	-	2	26	6	9	2	3	-	-	6	3	68	56	-	1	28	27
Yell	193	1	-	2	31	13	9	2	1	1	-	5	-	122	89	-	2	71	16
California	184,987	157	13	1,196	40,924	10,614	10,810	3,607	4,562	1,616	1,618	8,097	2,620	86,795	65,434	845	2,777	46,622	15,190
Urban places	147,902	130	11	979	32,366	8,531	8,428	2,831	3,651	1,284	1,266	6,375	2,172	70,169	52,917	689	2,366	37,210	12,652
Balance of area	37,085	27	2	217	8,558	2,083	2,382	776	911	332	352	1,722	448	16,626	12,517	156	411	9,412	2,538
Metropolitan counties	174,733	151	12	1,135	38,588	10,043	10,147	3,415	4,296	1,517	1,525	7,645	2,486	82,169	61,960	804	2,666	44,032	14,458
Urban places	145,476	125	11	966	31,848	8,421	8,286	2,794	3,579	1,264	1,244	6,260	2,138	69,079	52,103	681	2,336	36,597	12,489
Balance of area	29,257	26	1	169	6,740	1,622	1,861	621	717	253	281	1,385	348	13,090	9,857	123	330	7,435	1,969
Nonmetropolitan counties	10,254	6	1	61	2,336	571	663	192	266	99	93	452	134	4,626	3,474	41	111	2,590	732
Urban places	2,426	5	-	13	518	110	142	37	72	20	22	115	34	1,090	814	8	30	613	163
Balance of area	7,828	1	1	48	1,818	461	521	155	194	79	71	337	100	3,536	2,660	33	81	1,977	569
Alameda	9,307	8	-	76	2,111	571	550	166	237	84	65	438	130	4,376	3,256	36	251	2,467	502
Alameda	596	-	-	2	141	31	53	9	20	2	3	23	6	289	218	3	14	170	31
Albany	138	-	-	1	31	7	6	2	2	1	2	11	2	77	53	-	3	40	10
Berkeley	769	1	-	6	180	45	33	16	25	10	9	42	6	356	254	3	26	175	50
Fremont	615	-	-	6	136	33	40	10	13	4	5	31	15	282	220	3	11	183	23
Hayward	1,009	1	-	4	210	60	47	22	29	11	8	33	13	503	390	4	16	300	70
Livermore	282	-	-	-	58	17	13	3	6	3	2	14	5	120	92	2	5	74	11
Newark	118	-	-	-	33	6	11	2	4	-	-	10	2	44	37	-	2	34	1
Oakland	3,774	5	-	46	798	249	196	54	77	28	23	171	61	1,789	1,302	10	122	955	215
Piedmont	105	-	-	-	31	6	9	2	6	1	2	5	1	52	37	1	2	29	5
Pleasanton	160	-	-	1	52	10	20	5	5	2	2	8	-	66	48	1	2	38	7
San Leandro	872	-	-	2	216	58	48	24	27	15	2	42	10	438	323	3	26	257	37
Union City	167	-	-	3	34	9	10	2	3	-	-	10	2	69	55	-	4	42	9
Balance of county	702	1	-	5	191	40	64	15	20	7	7	38	7	291	227	6	18	170	33
Alpine	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Amador	224	-	-	-	55	11	25	2	9	1	1	6	1	111	74	-	1	60	13
Butte	1,482	1	-	13	329	76	91	34	45	13	11	59	20	684	496	5	8	377	106
Chico	415	-	-	2	103	24	28	9	16	3	4	19	8	189	132	1	1	106	24
Balance of county	1,067	1	-	11	226	52	63	25	29	10	7	40	12	495	364	4	7	271	82
Calaveras	232	-	-	-	60	14	14	8	6	4	2	12	2	120	95	-	1	75	19
Colusa	123	-	-	-	33	5	13	3	4	-	1	7	-	56	43	-	-	36	7
Contra Costa	4,688	3	-	26	1,132	295	289	114	117	38	43	236	79	2,108	1,569	20	61	1,120	368
Antioch	255	1	-	2	67	19	15	4	5	3	6	15	3	118	95	-	-	62	33
Concord	616	-	-	2	139	32	32	19	8	6	4	38	5	281	210	1	8	150	51
El Cerrito	220	-	-	-	66	24	17	6	5	1	2	11	3	103	85	4	2	63	16
Lafayette	157	-	-	1	34	12	6	3	5	-	1	7	2	72	46	-	4	28	14
Martinez	227	-	-	1	67	18	19	3	9	-	2	16	5	92	71	1	4	44	22
Pinole	56	-	-	-	20	3	6	3	4	1	1	2	-	22	19	1	1	13	4
Pittsburg	311	1	-	2	74	19	23	6	8	2	1	15	6	130	103	1	3	84	15
Pleasant Hill	143	-	-	3	40	7	9	3	8	2	2	9	2	62	43	1	1	31	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Arkansas—Con.																			
Perry	1	7	-	1	-	2	-	-	1	-	-	-	2	2	4	-	-	-	-
Phillips	9	50	2	1	4	13	1	7	15	-	3	8	16	16	9	18	1	2	1
Helena	3	26	-	-	1	5	-	4	5	-	-	4	5	7	-	7	-	-	1
West Helena	3	7	-	1	1	4	-	2	5	-	-	1	4	3	2	4	1	1	-
Balance of county	3	17	2	-	2	4	1	1	5	-	3	3	7	6	7	7	-	1	-
Pike	-	11	2	2	6	3	-	-	1	-	-	1	2	7	3	4	-	1	1
Poinsett	-	24	-	-	11	14	1	1	5	-	1	2	4	21	6	7	4	-	-
Polk	-	13	-	1	3	6	-	3	2	-	1	-	-	15	3	5	3	-	1
Pope	1	28	6	3	7	6	-	2	4	-	2	-	14	19	9	4	3	-	1
Russellville	-	16	2	3	2	1	-	-	1	-	1	-	9	10	-	2	-	-	-
Balance of county	1	12	4	-	5	5	-	2	3	-	1	-	5	9	9	2	3	-	1
Prairie	-	13	1	-	1	1	-	3	-	-	1	-	9	6	2	5	1	-	-
Pulaski	4	316	56	31	44	86	6	26	32	1	18	32	35	218	62	72	30	61	4
Jacksonville	-	12	-	2	4	6	-	1	1	-	3	4	4	15	4	7	-	1	-
Little Rock	2	181	38	18	27	53	4	15	19	-	9	22	14	132	26	36	16	37	3
North Little Rock	2	86	12	11	6	19	2	6	11	1	4	3	8	51	11	24	8	11	1
Balance of county	-	37	6	-	7	8	-	4	1	-	2	3	9	20	21	5	6	12	-
Randolph	-	11	4	2	5	4	1	-	1	-	1	1	3	10	2	2	1	-	-
St. Francis	1	21	3	2	5	8	1	1	1	-	1	8	8	22	5	10	1	2	2
Forrest City	-	11	2	2	2	7	-	-	-	-	-	6	6	13	3	5	1	-	1
Balance of county	1	10	1	-	3	1	1	1	1	-	1	2	2	9	2	5	-	2	1
Saline	2	36	1	5	5	10	2	5	4	-	4	1	4	34	13	6	6	2	-
Benton	1	17	-	3	4	6	2	3	1	-	3	1	3	14	8	-	3	1	-
Balance of county	1	19	1	2	1	4	-	2	3	-	1	-	1	20	5	6	3	1	-
Scott	-	13	1	1	4	2	1	-	-	-	-	2	3	4	2	3	2	2	-
Searcy	1	9	1	2	4	2	-	-	1	-	1	-	24	2	6	1	-	2	-
Sebastian	1	76	3	6	21	20	2	10	8	-	8	7	107	52	11	21	8	9	1
Fort Smith	1	65	3	5	16	14	2	9	7	-	5	4	62	43	10	19	6	6	1
Balance of county	-	11	-	1	5	6	-	1	1	-	3	3	45	9	1	2	2	3	-
Sevier	2	22	1	1	7	5	-	-	6	-	1	-	2	9	6	2	1	1	-
Sharp	-	14	-	1	1	3	-	2	-	-	1	-	1	7	8	1	1	2	-
Stone	-	3	1	1	4	3	-	-	1	-	-	-	3	3	3	3	4	2	-
Union	1	76	9	5	17	20	-	12	7	-	6	-	6	50	15	19	2	8	-
El Dorado	1	39	5	4	9	13	-	8	3	-	5	-	5	30	9	7	1	4	-
Balance of county	-	37	4	1	8	7	-	4	4	-	1	-	1	20	6	12	1	4	-
Van Buren	-	21	1	1	3	5	-	2	2	-	-	1	4	8	5	6	2	-	1
Washington	2	52	10	9	31	24	4	8	7	-	6	4	9	56	23	22	18	7	1
Fayetteville	1	15	3	4	12	6	1	2	1	-	1	3	2	24	4	8	5	2	1
Springdale, part	-	9	4	1	7	7	1	2	4	-	2	1	1	12	8	4	6	2	-
Springdale, total	-	9	4	1	7	7	1	2	4	-	2	1	1	12	8	4	6	2	-
Balance of county	1	28	3	4	12	11	2	4	2	-	3	-	6	20	11	10	7	3	-
White	-	72	3	3	12	9	1	-	6	1	3	3	64	28	12	9	7	3	1
Woodruff	-	11	1	-	5	2	-	1	1	-	1	3	5	12	3	2	-	2	-
Yell	-	31	-	2	2	2	1	-	-	-	1	2	3	16	2	4	4	-	-
California	675	15,829	2,720	2,129	5,646	6,297	728	4,194	1,103	38	1,610	1,882	1,237	13,108	5,530	4,873	3,553	3,209	274
Urban places	574	12,844	2,171	1,663	4,514	4,828	593	3,434	898	31	1,302	1,556	970	10,460	3,872	3,757	2,865	2,773	222
Balance of area	101	2,985	557	466	1,132	1,469	135	760	205	7	308	326	267	2,648	1,658	1,116	688	436	52
Metropolitan counties	640	15,018	2,566	1,985	5,350	5,841	692	3,976	1,038	37	1,544	1,819	1,164	12,346	5,096	4,526	3,378	3,121	264
Urban places	561	12,651	2,132	1,632	4,449	4,717	582	3,383	881	30	1,283	1,533	954	10,260	3,768	3,673	2,830	2,748	218
Balance of area	79	2,367	434	353	901	1,124	110	593	157	7	261	286	210	2,086	1,326	853	548	373	46
Nonmetropolitan counties	35	811	162	144	296	456	36	218	65	1	66	63	73	762	434	347	175	88	10
Urban places	13	193	39	31	65	111	11	51	17	1	19	23	16	200	104	84	35	25	4
Balance of area	22	618	123	113	231	345	25	167	48	-	47	40	57	562	330	263	140	63	6
Alameda	21	818	174	107	270	267	56	228	37	-	68	74	79	654	195	299	191	146	42
Alameda	-	60	9	2	19	22	7	17	1	-	6	5	5	33	7	21	6	5	2
Albany	-	17	4	3	5	3	-	3	-	-	-	1	-	8	-	3	2	2	-
Berkeley	2	77	17	6	25	28	3	13	2	-	5	3	5	64	6	27	20	14	5
Fremont	1	42	9	10	26	17	4	10	4	-	6	3	4	36	28	18	14	3	3
Hayward	2	81	20	10	27	38	3	18	4	-	7	11	7	60	28	26	33	14	2
Livermore	-	21	5	2	10	11	2	4	2	-	5	4	2	19	14	14	7	3	2
Newark	-	4	1	2	4	3	-	2	1	-	-	4	3	6	8	6	2	-	-
Oakland	11	358	73	45	103	93	23	109	19	-	22	25	39	278	59	129	63	87	26
Piedmont	-	9	2	4	2	1	2	3	1	-	-	-	-	8	-	2	2	-	-
Pleasanton	-	12	5	1	2	2	3	4	-	-	2	1	2	13	5	3	2	2	-
San Leandro	4	82	16	13	22	25	4	25	1	-	4	7	6	57	17	17	17	4	-
Union City	-	9	1	4	2	4	-	5	1	-	3	4	1	12	9	10	5	1	2
Balance of county	1	46	12	5	23	20	5	15	1	-	6	6	5	60	14	23	18	11	-
Alpine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Amador	3	23	6	5	12	7	2	4	1	-	1	-	1	15	6	7	1	-	-
Butte	6	140	10	32	57	79	7	21	8	-	5	9	5	121	43	50	22	6	2
Chico	2	45	2	8	7	15	2	6	4	-	1	2	2	36	18	15	4	1	-
Balance of county	4	95	8	24	50	64	5	15	4	-	4	7	3	85	25	35	18	5	2
Calaveras	1	15	2	7	3	12	1	3	2	-	1	-	1	14	6	3	2	1	1
Colusa	-	13	-	-	2	8	-	1	-	-	1	-	-	3	12	6	-	1	-
Contra Costa	15	412	65	47	122	162	23	121	36	-	43	51	17	394	104	120	77	62	8
Antioch	1	15	6	1	1	6	3	9	3	-	1	2	1	19	5	7	3	3	1
Concord	2	51	9	9	17	30	2	14	6	-	11	9	2	58	13	10	12	4	1
El Cerrito	-	13	4	1	3	7	-	2	-	-	1	3	-	21	1	4	4	1	1
Lafayette	1	18	5	2	3	3	-	5	-	-	1	3	2	18	4	3	6	-	-
Martinez	1	20	-	-	4	10	1	6	3	-	2	-	1	20	3	8	3	1	-
Pinole	-	2	1	-	-	-	-	6	-	-	-	-	-	3	2	2	-	1	-
Pittsburg	-	16	10	1	9	13	2	6	5	-	-	4	-	28	9	6	6	8	2
Pleasant Hill	1	13	3	2	7	2	3	2	3	-	-	-	-	12	1	3	2	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Richmond	781	-	-	4	159	48	43	17	16	4	8	23	19	342	247	5	17	166	59
San Pablo	289	-	-	2	59	10	26	5	4	2	2	10	7	117	97	-	5	72	20
Walnut Creek	722	-	-	4	179	53	38	15	24	5	2	42	11	358	245	3	7	185	50
Balance of county	911	1	-	5	228	50	55	30	21	12	12	48	16	411	308	3	9	222	74
Del Norte	190	-	-	-	46	11	12	4	1	2	3	13	1	87	64	-	-	39	25
El Dorado	574	-	-	6	144	38	40	10	14	7	3	32	7	245	193	1	-	145	47
South Lake Tahoe	109	-	-	-	28	3	5	3	3	2	1	11	1	43	39	1	-	31	7
Balance of county	465	-	-	6	116	35	35	7	11	5	2	21	6	202	154	-	-	114	40
Fresno	3,973	1	-	34	792	199	230	58	86	30	31	158	76	1,750	1,261	19	57	994	191
Clovis	229	-	-	2	52	13	17	3	5	3	2	9	3	92	65	-	1	52	12
Fresno	2,644	-	-	25	543	128	156	41	62	25	23	108	49	1,206	856	12	42	678	124
Sanger	137	-	-	1	28	7	6	2	6	-	2	5	4	54	33	1	2	27	3
Balance of county	963	1	-	6	169	51	51	12	13	2	4	36	20	398	307	6	12	237	52
Glenn	233	-	-	1	51	13	10	7	2	8	1	10	3	114	87	3	-	69	15
Humboldt	909	-	-	3	214	51	59	19	27	8	4	46	13	419	313	5	16	194	98
Eureka	403	-	-	-	99	15	32	9	12	4	2	25	4	174	131	3	7	85	36
Balance of county	506	-	-	3	115	36	27	10	15	4	2	21	9	245	182	2	9	109	62
Imperial	671	3	-	4	123	34	36	11	13	6	4	18	8	288	221	1	6	188	26
Brawley	130	1	-	2	20	3	6	3	1	1	1	5	2	56	43	1	2	30	10
Calexico	61	1	-	1	16	7	2	3	1	1	-	2	1	24	15	-	1	12	2
El Centro	199	1	-	1	39	11	11	3	5	1	3	5	2	94	74	-	2	64	8
Balance of county	281	-	-	-	48	13	17	2	6	3	-	7	3	114	89	-	1	82	6
Inyo	171	-	-	2	30	8	6	2	6	1	-	7	2	71	55	1	3	36	15
Kern	3,337	3	-	33	678	164	193	52	69	25	34	141	47	1,438	1,130	15	48	847	220
Bakersfield	1,974	2	-	19	419	99	125	36	42	10	21	86	33	851	665	9	34	488	134
Delano	149	-	-	2	13	2	1	1	3	2	-	4	3	85	72	-	1	59	12
Balance of county	1,214	1	-	12	246	63	67	15	24	13	13	51	11	502	393	6	13	300	74
Kings	552	1	-	6	103	23	28	7	16	2	7	20	13	260	168	3	4	130	31
Hanford	296	-	-	1	58	12	14	4	11	1	5	11	8	150	98	-	1	75	22
Balance of county	256	1	-	5	45	11	14	3	5	1	2	9	5	110	70	3	3	55	9
Lake	553	-	-	3	140	25	55	7	19	9	3	22	7	230	177	3	5	130	39
Lassen	154	-	-	1	38	7	7	6	7	2	1	8	4	62	52	-	4	38	10
Los Angeles	59,506	53	5	324	12,695	3,393	3,222	1,150	1,464	546	488	2,432	868	29,322	22,677	270	1,270	14,183	6,954
Alhambra	679	-	-	1	131	32	36	13	10	11	4	25	9	391	309	2	18	202	87
Arcadia	487	-	-	7	121	32	28	14	7	10	8	22	4	269	201	1	6	142	52
Artesia	114	-	-	-	19	5	6	2	1	-	2	3	2	57	46	-	3	31	12
Azusa	233	1	-	-	61	19	19	4	7	4	3	5	4	99	85	-	6	59	20
Baldwin Park	340	-	-	3	63	14	21	4	4	2	2	16	9	137	111	1	10	65	35
Bell	233	-	-	1	57	11	10	6	10	6	4	10	2	118	99	1	5	70	23
Bellflower	552	-	-	4	119	33	30	6	11	8	6	25	7	288	240	1	11	161	67
Bell Gardens	199	-	-	2	39	12	13	4	2	-	1	7	1	88	76	-	5	49	22
Beverly Hills	380	-	-	2	120	29	21	13	14	6	7	30	2	183	128	4	3	99	22
Burbank	851	1	-	4	186	55	40	15	22	10	10	34	8	447	335	8	15	207	105
Carson	426	-	-	1	94	21	27	8	10	2	2	24	6	191	144	1	10	83	50
Cerritos	151	-	-	1	35	13	5	5	3	2	1	6	4	63	51	-	-	38	13
Claremont	241	1	-	3	61	17	13	5	11	2	3	10	2	138	108	1	6	79	22
Commerce	49	-	-	-	8	3	1	-	2	-	-	2	-	21	19	-	-	10	9
Compton	727	1	-	6	140	43	38	7	15	8	10	19	12	262	205	1	25	104	75
Covina	409	-	-	2	109	24	29	16	12	1	3	24	6	202	149	5	13	86	45
Cudahy	91	-	-	-	13	2	5	2	-	1	1	2	4	41	33	-	2	19	12
Culver City	347	-	-	1	87	24	24	5	5	4	2	23	6	177	137	1	4	89	43
Downey	694	1	-	2	172	37	54	16	17	4	5	39	11	339	280	5	5	179	91
Duarte	204	-	1	1	33	9	3	4	5	1	3	8	2	116	92	-	3	54	35
El Monte	606	-	-	7	103	22	37	5	9	5	2	23	15	295	237	2	14	142	79
El Segundo	103	-	-	-	17	4	3	1	1	-	3	5	-	50	40	1	2	28	9
Gardena	542	-	-	4	119	43	31	8	16	2	2	17	6	278	190	1	10	123	56
Glendale	1,512	-	-	5	340	84	88	38	44	14	11	61	17	824	591	6	19	354	212
Glendora	322	1	-	1	74	20	21	5	7	2	2	17	7	171	131	3	1	92	35
Hawthorne	447	1	-	1	99	27	26	9	7	5	-	25	6	209	161	1	12	92	56
Hermosa Beach	118	-	-	2	27	6	6	3	5	1	-	6	1	56	41	-	2	29	10
Huntington Park	433	2	-	2	79	23	22	7	6	2	4	15	5	221	170	2	11	96	61
Inglewood	794	-	-	8	163	37	41	15	16	10	7	37	16	389	298	4	15	183	96
Lakewood	510	1	-	2	143	37	39	11	11	5	2	38	5	240	197	3	12	133	49
La Mirada	191	1	-	1	42	8	11	6	4	2	1	10	1	85	68	-	5	40	23
La Puente	382	-	-	1	86	27	24	7	2	5	2	19	4	162	133	2	8	82	41
La Verne	197	-	-	-	37	9	7	3	4	3	3	8	3	115	92	1	8	60	23
Lawndale	150	-	-	-	24	7	9	2	1	3	-	2	5	72	61	3	6	32	20
Lomita	153	-	-	1	36	10	9	1	5	-	2	9	-	81	58	1	2	35	20
Long Beach	3,820	1	-	20	735	176	209	57	95	27	27	144	35	1,982	1,547	16	65	946	520
Los Angeles	26,738	23	3	155	5,636	1,581	1,376	516	690	235	222	1,016	437	12,990	9,989	133	615	6,101	3,140
Lynwood	301	2	-	2	51	15	10	8	10	2	1	5	3	140	106	3	5	64	34
Manhattan Beach	188	-	-	2	37	10	10	6	1	1	-	9	-	93	76	2	3	47	24
Maywood	145	-	-	-	33	9	11	3	4	1	-	5	3	62	49	2	1	30	16
Monrovia	299	-	-	-	45	11	17	-	7	1	1	8	3	166	137	-	8	91	38
Montebello	374	-	-	3	83	31	19	8	8	4	3	10	14	186	143	-	2	92	49
Monterey Park	355	1	-	1	84	25	16	10	7	9	4	13	6	170	137	1	11	92	33
Norwalk	500	-	-	4	102	26	32	9	9	1	3	22	14	230	195	3	10	130	52
Palos Verdes Estates	84	-	-	-	21	8	4	1	5	1	-	2	1	46	29	1	-	20	8
Paramount	282	-	-	4	44	10	15	3	3	2	3	8	1	144	124	1	9	80	34
Pasadena	1,359	4	-	4	249	65	52	28	39	13	9	43	20	770	569	7	32	352	178
Pico Rivera	342	-	-	1	82	23	21	6	12	3	1	16	10	164	131	-	5	97	29
Pomona	762	1	-	4	134	30	30	12	23	4	6	29	12	365	280	5	16	162	97
Redondo Beach	452	-	-	1	106	22	33	5	9	6	2	29	6	220	166	3	8	117	38
Rosemead	364	1	-	2	77	16	23	5	12	3	1	17	2	176	141	-	7	90	44
San Dimas	168	-	-	1	44	10	12	3	5	-	2	12	-	80	71	1	4	53	13
San Fernando	200	-	-	1	32	8	8	1	2	3	3	7	6	104	82	1	4	49	28
San Gabriel	491	3	-	-	120	30	32	10	18	5	5	20	8	248	189	-	14	127	48
San Marino	112	-	-	-	31	9	6	1	8	-	1	6	1	63	46	-	2	34	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Richmond	7	72	9	7	23	18	8	23	6	-	10	13	4	66	15	27	10	31	3
San Pablo	-	17	2	1	10	11	2	16	-	-	2	6	2	25	8	7	7	8	-
Walnut Creek	1	98	6	8	22	33	2	9	5	-	5	2	1	64	11	9	7	-	-
Balance of county	1	77	10	15	23	29	-	23	5	-	10	9	4	60	32	34	17	4	-
Del Norte	-	18	2	3	4	5	-	2	3	-	-	1	2	18	2	10	6	2	1
El Dorado	-	32	12	8	16	27	2	10	2	-	1	3	7	35	33	16	13	5	-
South Lake Tahoe	-	2	2	-	5	4	-	2	-	-	-	2	4	5	5	5	4	1	-
Balance of county	-	30	10	8	13	23	2	8	2	-	1	1	3	30	28	11	9	4	-
Fresno	14	310	116	49	108	143	12	75	26	3	43	52	39	350	190	127	65	81	6
Clovis	1	20	4	2	5	13	-	7	2	-	4	2	1	14	12	10	9	1	-
Fresno	11	219	85	35	73	87	8	53	16	2	24	36	33	245	81	73	41	44	5
Sanger	1	15	2	3	5	7	-	1	1	-	-	-	-	15	8	5	1	7	-
Balance of county	1	56	25	9	25	36	4	14	7	1	15	14	5	76	89	39	14	29	1
Glenn	1	21	2	3	7	9	-	5	1	-	1	1	-	19	8	10	3	-	-
Humboldt	3	83	11	9	22	49	3	20	5	-	8	3	4	58	29	27	22	8	2
Eureka	3	34	2	4	10	27	2	10	3	-	1	1	2	27	14	12	11	4	2
Balance of county	-	49	9	5	12	22	1	10	2	-	7	2	2	31	15	15	11	4	-
Imperial	3	55	5	4	18	31	2	19	5	1	4	4	13	48	36	45	7	10	2
Brawley	2	7	2	2	5	9	1	8	-	-	1	2	2	5	3	7	4	1	1
Calexico	-	9	-	-	1	2	-	2	1	-	-	-	1	7	1	3	-	-	-
El Centro	-	20	-	-	7	5	-	1	2	1	2	-	4	16	14	8	1	1	-
Balance of county	1	19	3	2	5	15	1	8	2	-	1	2	6	20	18	27	2	8	1
Inyo	-	12	1	3	10	5	-	9	3	-	2	3	1	15	5	6	4	3	-
Kern	9	224	41	34	105	128	17	91	18	1	33	53	30	224	179	111	59	84	5
Bakersfield	7	140	22	17	70	84	8	47	13	1	19	25	17	139	80	60	33	50	4
Delano	-	6	5	2	6	6	1	1	-	-	-	4	-	5	9	6	-	8	-
Balance of county	2	78	14	15	29	38	8	43	5	-	14	24	13	80	90	45	26	26	1
Kings	1	56	29	6	14	15	1	7	5	-	7	7	2	41	34	26	3	7	-
Hanford	1	29	20	2	10	9	1	5	4	-	4	1	1	22	8	11	1	2	-
Balance of county	-	27	9	4	4	6	-	2	1	-	3	6	1	19	26	15	2	5	-
Lake	2	42	3	6	25	45	2	17	4	-	2	1	3	35	12	17	7	3	-
Lassen	-	9	1	-	3	11	-	3	1	-	1	2	2	16	6	1	3	-	-
Los Angeles	264	5,018	857	506	1,776	1,664	214	1,412	322	14	573	746	387	3,552	1,526	1,341	1,099	1,585	28
Alhambra	2	71	3	6	22	16	4	16	4	-	2	8	6	30	10	14	12	3	-
Arcadia	2	46	9	11	4	12	3	8	3	-	-	-	-	30	7	5	10	4	-
Artesia	-	8	2	1	6	7	-	4	-	-	2	-	2	4	3	3	3	2	-
Azusa	2	9	2	1	5	6	2	4	3	-	4	5	1	14	13	5	5	1	-
Baldwin Park	-	20	3	3	10	16	1	13	8	-	3	11	4	17	12	13	6	14	-
Bell	1	12	3	3	6	6	-	5	-	-	2	4	6	12	5	3	-	4	-
Bellflower	1	36	6	5	21	25	2	11	3	-	4	5	4	27	11	10	7	4	-
Bell Gardens	-	9	2	1	3	3	-	5	1	-	8	5	5	9	10	6	9	5	-
Beverly Hills	-	50	2	3	15	5	1	5	2	-	1	-	1	23	5	5	5	5	-
Burbank	5	76	22	9	33	42	4	17	2	-	8	2	3	49	7	14	14	10	-
Carson	2	33	9	3	8	14	1	14	1	-	5	9	-	30	15	16	8	13	-
Cerritos	1	7	3	1	4	3	-	-	1	-	2	3	3	7	9	5	6	5	-
Claremont	1	22	5	2	4	6	1	2	-	-	1	-	-	12	5	-	5	-	-
Commerce	-	2	-	-	1	2	2	2	1	1	3	-	1	2	1	1	1	2	-
Compton	3	46	2	6	12	10	3	21	4	-	10	23	12	68	22	32	7	82	-
Covina	1	39	5	8	8	16	2	8	1	-	1	1	3	22	12	5	7	4	-
Cudahy	-	6	1	1	1	2	1	1	1	-	2	3	1	9	3	2	3	4	-
Culver City	1	29	5	5	5	4	1	10	-	1	-	-	-	21	5	8	10	9	2
Downey	2	47	4	6	23	26	4	17	2	-	9	7	1	33	18	14	12	3	-
Duarte	3	17	3	1	6	8	-	5	1	-	3	3	1	16	2	5	-	1	-
El Monte	4	49	2	3	20	20	4	20	6	-	7	14	4	38	14	14	9	16	-
El Segundo	3	3	2	2	3	3	-	3	1	-	-	2	2	11	5	1	3	2	-
Gardena	3	58	21	6	15	10	1	14	1	-	9	7	2	30	8	6	17	15	-
Glendale	6	173	42	12	61	50	3	20	9	-	17	7	8	77	22	17	25	10	-
Glendora	1	27	8	4	6	10	2	4	1	-	4	4	-	14	7	6	8	2	-
Hawthorne	2	32	5	9	11	8	3	8	2	-	8	4	5	34	15	9	13	11	-
Hermosa Beach	-	14	1	-	4	2	-	2	-	-	3	-	-	5	7	4	5	-	-
Huntington Park	3	35	6	7	8	15	-	11	-	-	4	8	8	30	10	11	9	10	-
Inglewood	2	73	13	3	19	20	1	16	1	-	7	19	4	44	23	15	15	34	-
Lakewood	2	32	5	4	19	24	1	6	2	-	6	4	2	19	10	7	10	9	-
La Mirada	1	12	3	1	4	5	-	7	-	-	-	4	-	12	12	11	4	2	-
La Puente	1	26	-	2	7	11	2	15	1	-	4	13	2	19	17	11	13	14	-
La Verne	2	17	4	-	3	3	2	2	1	-	1	1	1	16	6	3	2	1	-
Lawndale	-	10	-	1	5	4	-	5	-	-	3	4	-	14	3	2	4	5	-
Lomita	-	12	9	2	4	4	2	1	-	-	-	1	2	8	5	4	2	2	-
Long Beach	17	320	65	33	118	146	14	79	28	-	35	55	21	232	75	80	93	68	3
Los Angeles	139	2,283	364	215	809	687	89	671	155	8	265	328	181	1,633	639	626	455	954	14
Lynwood	-	25	5	4	10	7	3	12	1	1	-	11	2	22	10	9	4	11	-
Manhattan Beach	-	14	2	1	9	6	2	7	-	-	1	3	-	10	9	6	2	1	-
Maywood	-	8	1	4	5	7	1	6	-	-	3	2	1	7	6	3	4	2	-
Monrovia	-	23	3	3	5	17	4	8	1	-	3	4	2	15	5	6	5	9	1
Montebello	1	34	4	4	5	11	-	14	-	-	2	3	6	21	10	8	6	2	-
Monterey Park	1	29	1	2	10	4	1	12	2	-	1	3	-	33	11	5	5	6	-
Norwalk	2	26	2	5	16	14	2	15	9	-	4	9	2	30	23	10	8	8	-
Palos Verdes Estates	-	13	2	2	2	3	-	-	-	-	2	-	-	5	1	1	2	-	-
Paramount	2	14	2	2	7	9	-	11	-	-	4	5	-	17	10	11	4	11	-
Pasadena	6	155	30	10	37	43	6	29	5	-	11	8	7	79	24	22	16	22	1
Pico Rivera	1	25	4	3	11	3	1	8	4	-	5	5	1	19	11	6	6	5	-
Pomona	8	63	10	4	23	17	4	14	2	1	9	18	5	61	27	19	15	30	1
Redondo Beach	-	39	9	6	11	18	1	11	-	-	1	3	3	26	12	14	12	5	-
Rosemead	2	28	1	4	13	15	1	6	2	-	2	12	2	20	7	14	8	4	-
San Dimas	-	8	1	-	6	5	-	3	1	-	-	1	-	11	6	3	4	3	-
San Fernando	1	20	-	1	10	6	-	6	1	-	3	3	1	9	7	3	4	4	-
San Gabriel	2	44	4	9	21	16	1	9	2	-	2	4	3	29	3	9	6	7	-
San Marino	-	15	-	2	4	-	-	1	-	-	2	-	-	5	3	-	1	-	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Santa Fe Springs	78	-	-	1	13	6	1	-	3	1	-	2	4	38	29	-	-	24	5
Santa Monica	961	-	-	7	202	55	41	21	24	9	5	47	16	549	397	6	22	238	131
Sierra Madre	89	-	-	-	20	6	2	2	-	-	-	10	2	48	34	-	2	26	6
South El Monte	92	-	-	1	17	4	5	2	1	1	1	3	1	41	35	-	1	24	10
South Gate	529	2	-	3	118	33	40	6	15	4	3	17	6	256	191	3	9	116	63
South Pasadena	177	1	-	-	29	9	2	2	2	1	3	10	1	110	79	-	4	57	18
Temple City	271	-	-	3	55	6	15	11	9	5	3	6	7	157	132	-	9	86	37
Torrance	1,079	1	-	2	250	68	78	23	19	11	11	40	11	533	385	4	20	267	94
West Covina	441	-	-	1	115	28	34	16	12	3	6	16	5	201	163	1	7	117	38
Whittier	1,097	1	-	6	268	67	57	21	32	15	19	57	14	542	444	3	17	302	122
Balance of county	3,489	1	1	19	805	197	214	84	74	34	25	177	27	1,573	1,265	12	81	805	367
Madera	531	2	-	2	104	32	24	11	13	4	7	13	7	259	195	1	5	160	29
Madera	279	2	-	1	54	17	15	4	8	2	2	6	4	122	87	-	-	70	17
Balance of county	252	-	-	1	50	15	9	7	5	2	5	7	3	137	108	1	5	90	12
Marin	1,565	-	-	14	410	122	75	40	42	20	15	96	20	703	468	7	9	364	88
Larkspur	36	-	-	-	13	8	1	2	1	1	-	-	-	16	10	-	-	9	1
Mill Valley	193	-	-	1	54	16	11	9	5	3	2	8	1	90	64	1	-	49	14
Novato	287	-	-	2	79	25	15	3	11	8	2	15	7	119	91	1	-	72	18
San Anselmo	114	-	-	1	24	7	4	-	3	1	2	7	-	57	36	-	1	27	8
San Rafael	472	-	-	7	111	35	17	15	6	3	3	32	4	222	144	3	5	111	25
Balance of county	463	-	-	3	129	31	27	11	16	4	6	34	8	199	123	2	3	96	22
Mariposa	105	-	-	1	24	5	7	1	3	3	2	3	-	49	38	-	1	28	9
Mendocino	648	-	-	6	155	39	41	13	19	4	9	30	8	255	200	2	15	154	29
Ukiah	245	-	-	1	59	14	16	2	9	2	4	12	2	98	75	1	7	53	14
Balance of county	403	-	-	5	96	25	25	11	10	2	5	18	6	157	125	1	8	101	15
Merced	918	-	-	7	204	53	51	9	30	9	7	45	20	401	305	5	4	237	59
Atwater	93	-	-	1	21	3	11	2	1	-	-	4	3	38	29	-	2	23	4
Merced	376	-	-	3	77	16	20	2	15	2	1	21	5	168	132	1	1	105	25
Balance of county	449	-	-	3	106	34	20	5	14	7	6	20	12	195	144	4	1	109	30
Modoc	88	-	-	2	12	2	6	1	1	-	-	2	1	41	33	-	-	25	8
Mono	38	-	-	-	9	4	4	-	-	-	-	1	-	8	4	-	-	4	-
Monterey	1,920	2	-	10	392	92	106	45	42	9	17	81	23	867	610	1	13	471	125
Monterey	223	-	-	1	50	14	11	6	3	3	3	10	1	111	81	-	2	63	16
Pacific Grove	165	-	-	-	28	5	7	3	2	1	1	9	2	82	57	-	1	38	18
Salinas	690	1	-	5	131	33	37	15	11	1	7	27	8	322	223	1	4	181	37
Seaside	151	-	-	2	30	9	10	2	3	-	1	5	5	63	47	-	1	34	12
Balance of county	691	1	-	2	153	31	41	19	23	4	5	30	7	289	202	-	5	155	42
Napa	932	-	-	4	192	42	56	21	23	8	6	36	17	472	347	2	17	242	86
Napa	629	-	-	3	130	29	41	13	17	3	4	23	11	316	229	2	7	173	47
Balance of county	303	-	-	1	62	13	15	8	6	5	2	13	6	156	118	-	10	69	39
Nevada	486	-	-	3	115	37	31	7	16	4	4	16	7	210	156	-	10	114	32
Orange	11,970	8	-	82	2,817	724	743	292	295	88	135	540	155	5,695	4,391	73	113	3,432	773
Anaheim	1,549	-	-	3	377	96	107	33	28	13	18	82	26	735	562	8	16	413	125
Brea	155	-	-	1	33	9	8	4	3	1	3	5	6	70	57	1	1	45	10
Buena Park	351	-	-	3	99	27	29	11	13	1	2	16	8	154	127	1	1	102	23
Costa Mesa	567	1	-	7	120	33	32	16	8	4	5	22	6	276	198	4	3	161	30
Cypress	190	-	-	1	58	12	20	6	3	1	5	11	2	82	70	-	7	53	10
Fountain Valley	207	-	-	4	51	15	12	3	8	4	4	5	2	96	70	-	1	57	12
Fullerton	597	-	-	1	130	29	35	16	17	4	5	24	6	286	223	5	1	178	39
Garden Grove	818	-	-	5	173	49	40	10	20	8	8	38	15	368	302	8	3	235	56
Huntington Beach	836	1	-	6	195	37	55	26	18	8	12	39	10	382	289	2	4	230	53
Laguna Beach	160	-	-	-	30	10	6	1	4	2	-	7	3	83	55	2	2	40	11
La Habra	321	-	-	2	73	20	20	10	5	2	3	13	6	168	139	4	5	104	26
Los Alamitos	138	-	-	-	34	11	7	6	4	-	-	6	2	70	54	1	1	45	7
Newport Beach	484	-	-	3	120	26	29	15	16	3	10	21	8	223	172	3	7	124	38
Orange	598	1	-	4	148	40	39	14	12	4	3	36	7	280	225	7	7	182	29
Placentia	144	1	-	2	32	8	9	3	4	-	1	7	1	70	58	1	-	47	10
San Clemente	224	1	-	-	63	19	15	3	12	2	1	11	1	108	80	1	4	66	9
Santa Ana	1,306	2	-	8	260	73	69	19	31	7	12	49	18	619	474	4	15	370	85
Seal Beach	515	-	-	1	118	39	23	11	11	8	5	21	3	295	234	5	7	193	29
Stanton	162	-	-	2	33	4	11	3	2	-	3	10	-	88	67	-	1	54	12
Tustin	251	-	-	1	68	15	26	5	7	3	3	9	2	110	83	2	3	63	15
Westminster	407	-	-	3	103	32	29	9	9	3	3	18	7	187	150	4	6	108	32
Yorba Linda	109	-	-	-	26	5	4	6	1	1	3	6	2	45	34	-	-	27	7
Balance of county	1,881	1	-	5	473	115	118	62	59	9	26	84	14	900	668	10	18	535	105
Placer	985	-	-	3	231	66	66	16	21	9	10	43	15	449	322	2	5	256	59
Roseville	271	-	-	2	65	19	17	4	9	4	5	7	6	118	84	-	1	63	20
Balance of county	714	-	-	1	166	47	49	12	12	5	5	36	9	331	238	2	4	193	39
Plumas	139	-	-	-	37	8	11	4	1	2	2	9	-	52	39	2	-	29	8
Riverside	6,642	4	-	31	1,421	328	421	106	156	61	53	296	71	3,182	2,391	28	71	1,965	327
Banning	240	-	-	3	43	11	15	4	3	2	-	8	1	114	86	2	3	71	10
Corona	272	-	-	1	55	14	21	4	1	4	-	11	5	116	87	1	9	68	9
Hemet	1,000	1	-	5	224	50	62	11	30	11	7	53	6	539	406	5	12	342	47
Indio	200	-	-	1	45	8	15	4	4	5	1	8	3	79	58	-	3	45	10
Norco	88	-	-	1	13	2	3	-	3	1	1	3	1	33	26	-	2	18	6
Palm Springs	497	-	-	1	131	37	35	7	20	8	3	21	4	232	164	3	9	123	29
Riverside	1,622	-	-	11	321	63	104	30	36	10	14	64	20	766	570	5	13	486	68
Balance of county	2,723	3	-	8	589	143	166	46	59	20	27	128	31	1,303	994	12	20	812	150
Sacramento	6,101	10	-	48	1,412	361	394	118	140	60	55	284	95	2,701	2,044	25	56	1,605	358
Sacramento	4,215	7	-	35	952	254	268	70	96	40	40	184	68	1,900	1,444	16	48	1,130	250
Balance of county	1,886	3	-	13	460	107	126	48	44	20	15	100	27	801	600	9	8	475	108
San Benito	154	-	-	3	27	9	9	3	1	-	-	5	5	74	54	-	2	43	9
San Bernardino	7,154	8	-	45	1,485	364	402	103	180	63	62	311	97	3,246	2,472	36	77	2,012	347
Barstow	191	-	-	2	32	12	5	3	2	3	4	3	5	76	63	3	-	51	9
Chino	222	-	-	3	48	12	13	4	2	1	-	16	3	87	71	1	1	58	11
Colton	233	1	-	2	49	11	10	4	10	3	3	8	5	96	70	1	4	56	9
Fontana	484	-	-	5	97	27	31	7	9	2	4	17	8	227	180	3	4	135	38

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Santa Fe Springs	-	9	-	-	1	3	-	2	1	-	2	2	-	1	3	1	2	4	-
Santa Monica	7	109	30	6	43	29	3	12	4	-	2	3	4	35	6	16	20	9	1
Sierra Madre	-	10	4	-	5	1	-	5	-	-	-	-	1	3	2	2	-	-	-
South El Monte	-	6	-	-	3	1	2	5	-	-	2	1	3	4	2	4	3	2	-
South Gate	6	50	6	3	20	8	2	17	7	1	5	3	3	28	17	7	9	17	-
South Pasadena	1	25	3	2	5	6	1	3	-	-	2	1	-	13	2	1	1	1	-
Temple City	-	18	2	5	5	8	1	3	2	-	-	2	-	12	6	5	5	-	-
Torrance	4	104	28	12	39	45	2	21	3	-	8	13	7	62	29	21	21	11	-
West Covina	-	34	4	-	4	12	1	9	4	-	4	7	3	27	14	11	16	7	-
Whittier	2	73	14	9	24	19	7	29	6	-	12	10	6	67	28	23	21	14	-
Balance of county	5	236	44	23	107	100	10	82	19	1	38	46	29	208	179	108	72	60	4
Madera	2	41	10	11	12	21	3	5	2	-	3	6	2	40	26	23	8	6	-
Madera	2	21	6	6	7	5	2	4	1	-	2	6	2	24	20	15	3	5	-
Balance of county	-	20	4	5	5	16	1	1	1	-	1	-	-	16	6	8	5	1	-
Marin	4	166	36	29	51	48	4	26	4	-	7	5	4	144	22	37	50	8	8
Larkspur	-	6	-	-	-	-	-	-	-	-	-	1	-	4	-	2	-	-	-
Mill Valley	-	17	4	5	9	5	-	3	1	-	1	-	2	13	1	6	6	-	-
Novato	-	18	5	5	5	12	-	5	1	-	2	-	-	30	6	4	11	1	3
San Anselmo	1	14	2	4	3	8	-	-	-	-	-	1	-	10	1	4	4	1	-
San Rafael	2	51	15	10	23	11	2	6	1	-	1	1	-	52	5	6	15	3	2
Balance of county	1	60	10	5	11	12	2	12	1	-	3	2	2	35	9	15	14	3	3
Mariposa	-	6	-	5	-	5	-	1	-	-	-	3	1	7	9	1	3	1	-
Mendocino	1	35	8	11	24	46	6	14	2	-	6	4	1	57	31	15	10	7	1
Ukiah	1	15	1	6	7	24	4	4	2	-	1	2	-	21	10	5	3	2	-
Balance of county	-	20	7	5	17	22	2	10	-	-	5	2	1	36	21	10	7	5	1
Merced	3	71	10	12	14	35	2	19	8	-	6	11	4	76	52	31	10	15	1
Atwater	1	8	-	-	-	1	1	4	2	-	2	-	-	8	4	5	-	3	-
Merced	1	26	3	6	5	14	-	5	2	-	5	9	-	39	20	12	6	5	1
Balance of county	1	37	7	6	9	20	1	10	4	-	1	2	4	29	28	14	4	7	-
Modoc	-	7	1	-	2	4	-	3	2	-	-	1	4	11	1	4	-	-	-
Mono	-	3	-	1	2	-	1	2	-	-	-	-	2	4	6	2	2	-	-
Monterey	6	202	28	21	56	60	8	41	9	1	15	19	17	173	74	65	43	44	1
Monterey	2	22	4	2	8	5	1	8	3	-	1	-	3	14	4	2	6	5	-
Pacific Grove	1	19	2	3	10	7	-	4	-	-	-	-	-	15	3	7	7	-	-
Salinas	2	82	6	9	13	25	1	12	2	-	5	12	9	60	33	24	13	14	-
Seaside	-	14	2	-	4	3	2	3	-	1	-	4	2	12	3	9	2	6	-
Balance of county	1	65	14	7	21	20	4	14	4	-	9	3	3	72	31	23	15	19	1
Napa	3	88	16	18	28	46	1	8	6	-	-	2	5	74	26	28	13	9	1
Napa	3	63	12	9	11	35	1	5	3	-	-	2	3	52	20	21	9	6	1
Balance of county	-	25	4	9	17	11	-	3	3	-	-	-	2	22	6	7	4	3	-
Nevada	1	42	7	4	24	18	2	8	7	-	5	5	5	32	14	16	11	3	1
Orange	29	971	157	147	334	432	62	264	66	5	133	124	51	770	328	310	244	107	3
Anaheim	6	130	15	22	41	53	12	33	10	-	20	12	-	95	37	40	32	22	1
Brea	-	9	3	1	7	6	1	7	-	-	1	1	-	6	4	8	3	1	-
Buena Park	-	22	4	1	7	9	1	12	3	-	3	5	2	12	16	10	3	3	1
Costa Mesa	2	60	8	8	17	24	3	14	2	-	6	6	1	39	12	15	12	6	-
Cypress	-	11	-	1	-	8	1	2	2	-	2	2	-	11	5	6	6	2	-
Fountain Valley	-	17	3	6	4	8	-	5	-	-	1	1	1	17	6	7	4	-	-
Fullerton	1	47	7	8	17	27	2	14	1	-	9	5	-	48	16	18	13	4	-
Garden Grove	3	48	5	10	36	38	6	26	2	-	8	8	4	56	25	16	23	9	-
Huntington Beach	2	67	13	11	23	29	3	19	10	1	10	11	5	39	37	26	21	8	-
Laguna Beach	-	22	5	1	4	3	2	5	1	-	-	-	1	12	8	5	3	-	-
La Habra	2	23	3	1	9	4	-	4	3	1	2	5	1	19	8	6	6	4	-
Los Alamitos	-	9	2	5	4	4	2	2	2	-	-	-	-	9	2	2	5	-	-
Newport Beach	3	35	6	7	18	16	1	8	6	-	5	-	2	34	12	17	9	2	-
Orange	1	44	7	3	17	15	4	17	4	-	9	9	4	42	8	18	7	4	-
Placentia	-	10	1	1	2	2	2	3	1	-	2	3	1	5	6	4	3	4	-
San Clemente	-	24	4	-	3	8	-	6	-	-	2	1	2	16	5	1	6	1	-
Santa Ana	2	104	25	14	33	40	9	26	7	1	28	22	9	96	36	44	23	24	1
Seal Beach	-	45	5	11	16	19	4	8	3	-	-	-	1	35	3	3	6	-	-
Stanton	-	16	5	-	6	5	-	5	-	-	2	1	-	7	5	4	3	1	-
Tustin	-	17	1	9	6	8	1	8	-	-	4	5	2	15	6	8	4	3	-
Westminster	2	30	2	3	11	24	-	8	2	-	1	2	1	24	11	8	10	5	-
Yorba Linda	-	9	1	1	4	4	-	1	-	-	-	2	-	9	11	2	3	-	-
Balance of county	5	172	32	23	49	78	8	31	7	2	18	23	14	124	49	42	39	4	-
Placer	4	83	23	17	28	40	1	16	8	-	9	2	7	71	47	34	16	7	1
Roseville	2	24	4	4	8	11	1	8	3	-	5	-	1	19	10	10	3	1	-
Balance of county	2	59	19	13	20	29	-	8	5	-	4	2	6	52	37	24	13	6	1
Plumas	1	7	3	2	5	9	2	3	-	-	2	-	1	7	9	7	2	3	-
Riverside	25	563	118	85	270	255	25	104	44	1	57	49	45	470	264	144	110	91	4
Banning	1	13	2	12	12	12	2	1	1	-	2	1	1	20	14	4	6	3	-
Corona	1	17	9	2	10	13	-	5	3	-	5	2	2	16	18	8	6	6	1
Hemet	5	99	17	12	39	39	3	9	4	-	2	3	2	72	25	9	13	5	-
Indio	1	17	-	3	10	8	-	2	3	-	3	6	3	8	10	8	3	8	-
Norco	-	6	1	-	4	7	-	1	1	-	1	-	-	11	2	5	5	3	-
Palm Springs	2	53	8	5	21	20	2	12	3	-	3	3	1	33	10	10	7	4	-
Riverside	5	137	39	15	73	47	10	27	12	1	21	16	17	118	65	40	35	20	2
Balance of county	10	221	42	36	101	109	8	47	17	-	20	18	19	192	120	60	35	42	1
Sacramento	26	487	73	71	149	280	20	154	48	-	48	54	58	477	172	153	121	90	13
Sacramento	17	339	49	51	112	192	10	110	34	-	26	32	41	345	93	92	85	71	10
Balance of county	9	148	24	20	37	88	10	44	12	-	22	22	17	132	79	61	36	19	3
San Benito	1	10	4	5	5	3	2	3	2	-	2	1	1	10	9	3	3	1	-
San Bernardino	22	595	83	74	262	250	31	162	58	2	74	97	42	513	311	176	116	143	36
Barstow	1	10	1	1	8	6	1	7	3	-	4	4	3	11	7	13	7	1	1
Chino	-	9	4	3	5	4	-	8	3	1	6	11	3	13	12	3	4	8	-
Colton	-	20	4	2	7	8	1	10	2	-	1	7	2	23	7	6	3	3	-
Fontana	1	36	3	7	20	18	3	12	2	-	3	8	1	41	13	10	4	8	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Montclair	147	-	-	-	35	11	11	2	3	-	3	5	2	71	50	-	2	39	9
Ontario	573	1	-	7	104	19	33	6	9	7	9	21	6	284	216	3	10	174	29
Redlands	396	-	-	-	80	21	22	4	10	4	3	16	5	199	141	1	4	118	18
Rialto	320	-	-	1	68	17	11	5	6	5	3	21	6	139	111	2	4	91	14
San Bernardino	1,399	-	-	7	262	67	70	15	33	16	11	50	18	638	481	5	18	394	64
Upland	314	2	-	1	78	24	19	6	10	2	2	15	5	140	103	4	2	86	11
Victorville	185	-	-	1	32	8	11	1	6	-	2	4	1	82	53	-	6	43	4
Balance of county	2,690	4	-	16	600	135	166	46	80	20	18	135	33	1,207	933	13	22	767	131
San Diego	13,669	8	4	94	3,202	843	894	287	343	118	127	590	154	6,229	4,539	67	127	3,685	660
Carlsbad	250	1	1	-	66	12	15	7	10	3	2	17	1	106	74	4	-	59	11
Chula Vista	858	-	-	6	198	56	64	14	22	9	9	24	7	407	305	10	6	252	37
Coronado	149	-	-	1	38	15	7	1	3	3	-	7	2	65	46	-	3	40	3
El Cajon	916	1	2	4	204	59	54	21	22	7	5	36	14	436	297	2	8	249	38
Escondido	749	2	-	7	185	55	50	10	28	8	6	28	7	319	237	2	-	203	32
Imperial Beach	116	-	-	1	27	7	9	-	3	-	1	7	2	48	37	-	1	33	3
La Mesa	556	-	-	5	129	33	33	11	16	5	2	29	3	287	203	3	9	166	25
National City	289	-	-	1	55	18	17	2	7	3	2	6	7	143	95	1	1	74	19
Oceanside	695	-	-	5	161	41	44	17	18	5	7	29	4	297	227	4	6	175	42
San Diego	6,152	2	1	41	1,370	348	390	121	142	47	58	264	74	2,864	2,092	29	73	1,666	324
Vista	465	-	-	3	114	32	27	15	7	6	8	19	4	226	169	1	2	134	32
Balance of county	2,474	2	-	20	657	167	184	68	65	22	27	124	29	1,029	757	11	18	634	94
San Francisco coext. with San Francisco city	7,678	13	1	73	1,747	530	430	149	184	61	46	347	109	3,470	2,596	32	100	1,935	529
San Joaquin	3,073	7	2	22	637	165	174	49	79	29	19	122	66	1,364	1,030	15	33	832	150
Lodi	451	1	-	1	82	17	23	4	7	6	3	22	13	210	150	1	4	118	27
Manteca	234	-	-	1	60	18	20	7	8	2	-	5	5	104	83	-	5	64	14
Stockton	1,845	5	2	18	372	100	101	29	50	15	12	65	38	828	621	8	19	513	81
Tracy	212	-	-	2	47	11	11	5	4	1	1	14	4	89	70	1	2	57	10
Balance of county	331	1	-	-	76	19	19	4	10	5	3	16	6	133	106	5	3	80	18
San Luis Obispo	1,401	-	1	7	330	82	92	29	28	13	16	70	14	673	499	11	23	370	95
San Luis Obispo	235	-	-	2	47	9	10	2	6	4	3	13	2	123	91	1	7	65	18
Balance of county	1,166	-	1	5	283	73	82	27	22	9	13	57	12	550	408	10	16	305	77
San Mateo	4,376	2	-	31	1,078	285	287	114	97	38	45	212	47	2,021	1,478	28	47	1,179	224
Belmont	163	-	-	1	51	12	16	12	4	2	1	4	-	69	54	1	4	44	5
Burlingame	323	-	-	2	69	16	14	8	7	2	6	16	4	167	105	1	3	88	13
Daly City	507	-	-	4	123	32	40	12	11	3	3	22	10	227	169	3	5	137	24
Menlo Park	340	-	-	4	72	22	17	4	10	2	5	12	7	152	108	1	2	78	27
Millbrae	187	1	-	2	39	9	14	5	3	2	1	5	1	96	65	1	4	52	8
Pacifica	214	-	-	4	43	9	18	4	2	-	2	8	5	93	64	4	1	53	6
Redwood City	600	-	-	2	156	40	53	11	9	5	4	34	3	271	208	2	7	164	35
San Bruno	242	-	-	-	66	18	19	5	4	4	1	15	4	100	76	1	3	65	7
San Carlos	223	-	-	-	69	17	14	8	6	2	5	17	1	99	80	2	3	67	8
San Mateo	717	1	-	6	175	48	33	23	15	9	4	43	6	358	265	4	5	223	33
South San Francisco	336	-	-	-	92	32	22	8	10	2	4	14	5	148	113	6	1	90	16
Balance of county	524	-	-	6	123	30	27	14	16	5	9	22	1	241	171	2	9	118	42
Santa Barbara	2,428	1	-	24	531	139	138	44	67	20	19	104	35	1,126	820	14	21	524	261
Lompoc	224	-	-	2	52	15	15	3	4	5	2	8	1	99	71	1	3	47	20
Santa Barbara	1,241	-	-	9	263	72	50	27	38	7	8	61	16	608	436	10	8	270	148
Santa Maria	449	-	-	3	89	20	27	4	13	5	4	16	9	203	145	2	3	94	46
Balance of county	514	1	-	10	127	32	46	10	12	3	5	19	7	216	168	1	7	113	47
Santa Clara	7,759	6	-	69	1,719	452	388	164	208	50	76	381	115	3,529	2,656	42	96	1,703	815
Campbell	249	1	-	1	55	6	17	4	6	3	2	17	2	125	97	1	7	62	27
Cupertino	222	-	-	3	56	12	14	6	6	2	3	13	5	88	66	1	2	44	19
Gilroy	132	-	-	-	33	11	7	4	3	1	1	6	2	65	49	-	-	43	6
Los Altos	279	-	-	3	63	12	8	8	10	3	4	18	2	145	103	6	7	68	22
Los Gatos	312	-	-	3	67	18	14	6	9	3	3	14	1	176	134	-	6	79	49
Milpitas	125	-	-	3	24	7	4	2	6	-	1	4	-	43	30	1	-	24	5
Mountain View	442	-	-	5	85	28	19	9	10	-	2	17	5	221	162	3	6	98	55
Palo Alto	518	-	-	1	131	34	28	15	22	2	4	26	4	261	190	3	10	118	59
San Jose	3,789	4	-	32	800	218	190	70	88	24	38	172	64	1,645	1,245	20	40	787	398
Santa Clara	547	-	-	7	144	39	31	19	18	5	3	29	12	235	179	-	7	128	44
Saratoga	235	-	-	2	47	11	12	4	5	1	2	12	2	130	103	1	3	64	35
Sunnyvale	651	1	-	7	154	45	31	13	15	5	9	36	14	301	231	2	8	145	76
Balance of county	258	-	-	2	60	11	13	4	10	1	4	17	2	94	67	4	-	43	20
Santa Cruz	1,635	1	-	8	366	92	91	31	35	15	24	78	27	811	562	5	44	357	156
Santa Cruz	728	1	-	5	143	31	41	18	15	5	6	27	13	381	269	2	22	177	68
Watsonville	338	-	-	2	83	24	20	4	8	5	9	13	6	160	103	-	8	56	39
Balance of county	569	-	-	1	140	37	30	9	12	5	9	38	8	270	190	3	14	124	49
Shasta	972	2	-	5	227	56	63	25	21	8	16	38	10	438	325	5	8	214	98
Redding	531	1	-	3	125	33	35	13	11	5	6	22	6	240	173	2	7	118	46
Balance of county	441	1	-	2	102	23	28	12	10	3	10	16	4	198	152	3	1	96	52
Sierra	26	-	-	-	2	1	-	-	1	-	-	-	-	16	14	-	-	13	1
Siskiyou	367	-	-	1	82	20	17	8	10	5	5	17	5	187	141	1	5	101	34
Solano	1,553	1	-	17	353	91	95	38	39	18	13	59	19	679	511	8	11	395	97
Fairfield	282	-	-	4	64	18	14	6	6	3	2	15	3	116	89	1	2	64	22
Vacaville	249	1	-	3	61	16	11	9	9	3	3	10	2	99	68	1	3	53	11
Vallejo	754	-	-	6	168	42	49	19	19	8	4	27	10	352	273	6	4	210	53
Balance of county	268	-	-	4	60	15	21	4	5	4	4	7	4	112	81	-	2	68	11
Sonoma	2,831	3	-	15	690	156	193	54	91	31	26	139	38	1,303	924	9	29	688	198
Petaluma	385	-	-	3	95	17	27	9	11	4	6	21	8	182	119	1	6	85	27
Santa Rosa	1,223	1	-	7	302	74	77	26	37	14	12	62	14	554	405	7	9	288	101
Balance of county	1,223	2	-	5	293	65	89	19	43	13	8	56	16	567	400	1	14	315	70
Stanislaus	2,316	-	-	11	484	117	141	33	55	15	21	102	40	1,047	742	10	17	514	201
Modesto	1,321	-	-	6	287	71	83	23	30	9	13	58	25	582	409	7	7	288	107
Turlock	319	-	-	1	68	18	19	1	9	1	2	18	6	167	114	1	1	79	33
Balance of county	676	-	-	4	129	28	39	9	16	5	6	26	9	298	219	2	9	147	61

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con																			
Montclair	-	17	-	4	4	3	-	5	1	-	3	3	1	6	3	3	3	4	-
Ontario	4	47	8	9	14	13	5	9	10	-	11	6	3	38	16	16	14	15	1
Redlands	1	50	6	1	27	14	-	8	4	-	6	-	2	23	11	8	5	1	3
Rialto	1	22	2	3	7	9	1	11	1	-	5	7	1	20	15	12	7	8	2
San Bernardino	8	111	21	17	54	38	11	35	11	-	8	16	13	121	57	31	18	51	10
Upland	-	28	6	3	9	9	1	4	3	-	9	2	-	20	8	4	9	7	3
Victorville	-	26	1	2	4	8	-	4	1	-	3	4	1	16	12	8	5	1	2
Balance of county	6	219	27	22	103	120	8	49	17	1	15	29	12	181	150	62	37	36	10
San Diego	52	1,225	223	190	401	544	56	306	73	2	115	129	95	1,016	377	379	295	163	27
Carlsbad	-	22	5	5	9	8	-	7	2	-	1	1	2	22	5	9	6	3	-
Chula Vista	4	74	14	10	26	32	5	19	5	1	3	5	4	57	23	35	19	6	-
Coronado	1	12	4	2	6	5	1	8	1	-	-	-	2	9	2	8	2	-	1
El Cajon	2	88	31	18	29	45	1	24	2	-	6	8	7	70	18	18	16	8	3
Escondido	2	62	7	11	20	39	3	9	7	-	5	12	6	62	22	16	20	7	1
Imperial Beach	-	7	-	4	-	3	-	3	1	-	-	4	1	12	5	2	4	3	-
La Mesa	3	62	9	10	11	22	3	5	2	-	3	5	-	53	12	11	4	1	-
National City	-	37	5	6	6	15	-	7	1	-	4	5	1	21	5	5	8	3	2
Oceanside	4	48	11	7	16	30	2	13	5	-	8	14	8	61	26	9	21	12	3
San Diego	25	578	96	73	194	230	26	147	34	-	63	48	47	444	152	186	126	92	11
Vista	2	42	9	6	3	14	6	14	1	-	5	3	1	34	10	7	16	2	-
Balance of county	9	193	32	38	81	101	9	50	12	1	17	24	16	171	97	73	53	26	6
San Francisco coext with San Francisco city	34	627	92	121	276	251	36	232	53	1	32	36	43	683	83	239	169	111	20
San Joaquin	11	241	40	42	80	98	14	78	24	-	23	23	33	269	116	94	61	49	13
Lodi	1	50	6	3	18	16	2	7	8	-	5	4	4	44	12	11	8	5	-
Manteca	2	16	2	1	6	9	1	6	-	-	-	1	1	19	10	3	4	3	1
Stockton	5	147	27	28	45	80	9	49	11	-	13	11	24	156	60	60	41	33	10
Tracy	2	12	1	4	5	4	-	10	3	-	1	2	3	21	7	7	3	4	-
Balance of county	1	16	4	6	6	9	2	6	2	-	4	5	1	29	27	13	5	4	2
San Luis Obispo	9	121	26	18	35	52	3	39	2	-	7	2	3	119	39	44	26	5	-
San Luis Obispo	2	22	3	5	8	11	-	6	-	-	1	-	-	26	5	1	2	1	-
Balance of county	7	99	23	13	27	41	3	33	2	-	6	2	3	93	34	43	24	4	-
San Mateo	6	441	37	59	116	155	24	117	30	-	33	28	20	347	90	95	85	46	11
Belmont	-	12	1	2	5	2	1	1	1	-	-	-	-	14	4	3	8	3	-
Burlingame	2	53	3	4	11	7	2	11	2	-	2	1	-	26	6	6	4	2	1
Daly City	-	49	3	6	12	21	1	20	8	-	2	2	6	31	12	5	10	12	1
Menlo Park	-	34	5	5	14	16	2	8	1	-	1	1	-	32	2	13	12	3	-
Millbrae	-	26	2	3	5	6	-	3	-	-	2	2	2	19	-	2	6	1	-
Pacifica	-	24	-	5	5	6	2	4	2	-	2	3	-	16	13	6	4	6	-
Redwood City	-	50	4	9	18	21	1	17	5	-	6	8	4	47	14	11	7	5	4
San Bruno	-	19	1	4	6	9	2	10	3	-	2	1	1	23	1	6	6	2	-
San Carlos	1	15	2	1	8	10	2	7	-	-	1	-	-	16	1	3	3	-	3
San Mateo	2	79	3	9	13	25	6	16	4	-	7	6	2	58	9	15	6	4	-
South San Francisco	1	22	5	7	8	14	2	9	2	-	4	1	-	26	9	11	3	2	-
Balance of county	-	58	8	4	11	18	3	11	2	-	4	3	5	39	19	14	16	6	2
Santa Barbara	7	244	29	26	74	85	6	53	14	-	27	22	7	214	73	65	51	19	1
Lompoc	-	24	2	2	5	6	-	5	2	-	1	5	2	15	15	6	6	2	-
Santa Barbara	5	137	17	13	39	44	2	23	7	-	11	9	3	124	17	28	30	6	-
Santa Maria	2	41	9	6	20	16	2	6	3	-	7	4	-	36	20	18	7	6	-
Balance of county	-	42	1	5	10	19	2	19	2	-	8	4	2	39	21	13	8	5	1
Santa Clara	27	665	94	87	255	241	21	167	47	2	77	93	77	586	272	207	169	98	9
Campbell	2	22	3	1	9	9	-	4	1	-	-	3	-	16	9	6	6	2	-
Cupertino	1	16	-	5	14	3	1	5	3	-	3	3	3	20	6	3	6	-	-
Gilroy	-	12	2	2	2	3	-	4	2	-	2	3	1	6	4	3	2	-	-
Los Altos	2	33	4	3	9	8	2	4	-	-	-	1	-	20	7	7	3	4	1
Los Gatos	2	34	4	2	9	12	2	4	-	-	1	-	1	13	11	7	4	1	-
Milpitas	-	12	-	1	9	3	-	4	2	-	1	7	2	7	6	4	5	5	-
Mountain View	1	49	7	2	20	14	1	8	2	-	2	5	5	30	13	13	12	1	-
Palo Alto	3	49	13	6	10	26	2	5	1	-	5	2	3	35	8	11	12	1	-
San Jose	13	302	41	44	118	110	9	103	31	2	45	47	49	307	148	119	79	71	6
Santa Clara	1	40	8	7	14	20	1	11	-	-	6	9	4	45	18	7	9	5	-
Saratoga	-	22	2	3	12	4	-	1	2	-	4	1	1	13	4	6	6	-	-
Sunnyvale	1	54	6	9	20	20	1	13	3	-	5	5	3	49	18	13	16	6	2
Balance of county	1	20	4	2	9	9	2	1	-	-	3	7	5	25	20	8	9	2	-
Santa Cruz	8	182	41	18	53	49	3	39	8	-	9	12	7	126	48	24	28	12	4
Santa Cruz	4	88	12	8	25	24	-	18	1	-	2	6	4	66	12	7	16	2	2
Watsonville	1	35	18	3	10	9	2	8	5	-	4	2	2	17	14	4	3	6	1
Balance of county	3	59	11	7	18	16	1	13	2	-	3	4	1	43	22	13	9	4	1
Shasta	2	77	15	19	27	52	4	19	3	-	5	6	5	68	34	32	23	9	3
Redding	1	45	8	13	15	26	2	9	2	-	1	3	2	39	13	21	17	4	2
Balance of county	1	32	7	6	12	26	2	10	1	-	4	3	3	29	21	11	6	5	1
Sierra	-	-	-	2	-	-	-	1	1	-	-	-	1	2	2	-	-	1	-
Siskiyou	2	33	2	9	9	9	2	8	5	-	2	3	1	24	11	6	6	1	1
Solano	3	124	16	25	43	54	5	25	13	1	18	18	11	116	72	40	46	17	5
Fairfield	-	23	2	2	11	9	1	3	1	-	4	5	3	18	23	6	7	4	-
Vacaville	-	26	5	-	4	9	1	2	1	-	3	4	1	27	11	8	10	1	1
Vallejo	3	53	5	18	21	26	3	17	9	-	5	6	4	55	23	18	19	10	2
Balance of county	-	22	4	5	7	10	-	3	2	1	6	3	3	16	15	8	10	2	2
Sonoma	10	278	48	43	94	100	14	55	19	-	17	17	16	226	87	62	52	21	2
Petaluma	-	45	9	9	12	13	3	7	3	-	2	2	1	24	13	10	4	3	-
Santa Rosa	5	119	8	17	53	45	6	24	10	-	7	8	8	104	32	22	20	6	-
Balance of county	5	114	31	17	29	42	5	24	6	-	8	7	7	98	42	30	28	12	2
Stanislaus	6	227	42	30	87	101	6	35	20	2	21	22	8	197	84	88	41	20	2
Modesto	3	137	22	11	46	54	2	23	11	2	12	12	2	113	41	54	32	16	1
Turlock	1	36	7	9	13	6	-	2	3	-	1	4	1	23	12	9	3	-	-
Balance of county	2	54	13	10	28	41	4	10	6	-	8	6	5	61	31	25	6	4	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
California—Con.																			
Sutter	450	-	-	9	86	17	25	4	6	7	3	24	12	213	153	3	3	112	35
Yuba City	328	-	-	9	65	12	20	2	5	5	3	18	10	154	117	3	3	81	30
Balance of county	122	-	-	-	21	5	5	2	1	2	-	6	2	59	36	-	-	31	5
Tehama	392	-	-	2	96	17	35	7	8	3	7	19	3	188	137	1	3	91	42
Trinity	97	-	-	-	25	8	7	3	3	1	1	2	-	38	33	-	1	22	10
Tulare	1,981	3	-	14	385	75	118	28	50	11	19	84	29	907	645	9	18	512	106
Porterville	401	2	-	-	78	11	24	5	17	3	4	14	5	165	120	-	3	105	12
Tulare	299	-	-	4	63	8	19	5	9	2	4	16	5	142	101	1	3	72	25
Visalia	512	-	-	5	92	14	31	6	12	1	1	27	7	248	161	5	1	129	26
Balance of county	769	1	-	5	152	42	44	12	12	5	10	27	12	352	263	3	11	206	43
Tuolumne	275	-	-	1	76	14	23	10	8	1	3	17	3	112	84	1	2	59	22
Ventura	3,179	3	-	14	726	161	195	64	78	31	30	167	56	1,446	1,101	12	49	686	354
Camarillo	320	1	-	-	85	22	18	5	10	9	2	19	2	150	115	-	3	77	35
Oxnard	668	2	-	5	144	33	35	18	13	4	11	30	16	263	190	5	13	122	50
Port Hueneme	107	-	-	2	29	9	9	-	2	1	1	7	1	43	33	-	4	20	9
Santa Paula	199	-	-	-	44	9	11	4	7	2	-	11	5	88	66	-	2	34	30
Simi Valley	318	-	-	3	73	16	21	3	5	3	2	23	7	124	100	3	4	66	27
Thousand Oaks	268	-	-	-	62	14	16	8	7	2	3	12	6	128	106	-	2	71	33
Ventura	719	-	-	4	160	32	42	15	25	4	7	35	10	366	263	3	13	168	79
Balance of county	580	-	-	-	129	26	43	11	9	6	4	30	9	284	228	1	8	128	91
Yolo	879	-	-	6	181	45	55	10	19	7	11	34	12	406	317	4	5	262	46
Davis	165	-	-	2	30	6	11	3	4	-	2	4	2	66	48	1	3	35	9
Woodland	295	-	-	1	56	14	15	3	6	2	4	12	3	146	117	3	-	101	13
Balance of county	419	-	-	3	95	25	29	4	9	5	5	18	7	194	152	-	2	126	24
Yuba	392	-	-	-	79	22	22	6	7	4	5	13	4	187	127	2	2	99	24
Colorado	19,388	8	1	194	3,720	934	893	311	483	174	171	754	280	8,599	6,597	115	135	4,644	1,703
Urban places	12,759	7	1	138	2,431	614	584	213	305	114	110	491	183	5,726	4,367	82	100	3,054	1,131
Balance of area	6,629	1	-	56	1,289	320	309	98	178	60	61	263	97	2,873	2,230	33	35	1,590	572
Metropolitan counties	14,912	7	1	153	2,924	720	713	248	371	135	133	604	216	6,562	5,016	87	105	3,551	1,273
Urban places	12,167	7	1	133	2,337	584	567	200	290	110	107	479	176	5,454	4,144	77	96	2,899	1,072
Balance of area	2,745	-	-	20	587	136	146	48	81	25	26	125	40	1,108	872	10	9	652	201
Nonmetropolitan counties	4,476	1	-	41	796	214	180	63	112	39	38	150	64	2,037	1,581	28	30	1,093	430
Urban places	592	-	-	5	94	30	17	13	15	4	3	12	7	272	223	5	4	155	59
Balance of area	3,884	1	-	36	702	184	163	50	97	35	35	138	57	1,765	1,358	23	26	938	371
Adams	1,262	1	-	12	238	52	80	17	20	12	9	48	21	522	416	6	4	282	124
Arvada, part	5	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	2	-
Aurora, part	152	1	-	2	28	7	9	-	1	1	1	9	2	64	49	1	1	28	19
Commerce City	152	-	-	3	26	5	10	2	2	1	1	5	4	68	57	4	1	33	19
North Glenn	120	-	-	1	32	5	12	3	2	-	2	8	2	39	31	-	-	19	12
Thornton	169	-	-	1	22	3	8	1	-	2	2	6	5	72	59	-	1	37	21
Westminster	158	-	-	1	27	9	6	2	2	1	1	6	-	79	64	-	-	45	19
Balance of county	506	-	-	4	103	23	35	9	13	7	2	14	8	197	154	1	1	118	34
Alamosa	77	-	-	2	16	4	3	-	3	1	-	5	1	32	28	1	-	17	10
Arapahoe	1,397	2	-	17	307	73	71	21	38	18	15	71	20	606	455	8	7	339	101
Aurora, part	559	1	-	6	126	31	31	4	16	6	10	28	7	219	174	2	5	129	38
Aurora, total	711	2	-	8	154	38	40	4	17	7	11	37	9	283	223	3	6	157	57
Englewood	336	1	-	5	77	20	20	10	10	5	2	10	5	150	121	3	-	96	22
Littleton	256	-	-	3	47	12	12	3	3	3	-	14	5	132	85	2	-	59	24
Balance of county	246	-	-	3	57	10	8	4	9	4	3	19	3	105	75	1	2	55	17
Archuleta	34	-	-	-	6	2	1	-	-	-	1	2	-	18	16	-	-	13	3
Baca	54	-	-	-	12	3	2	1	-	2	3	1	2	26	25	-	-	24	1
Bent	64	-	-	-	7	1	-	1	1	-	-	4	1	34	24	-	-	17	7
Boulder	1,004	-	-	7	223	54	52	16	23	11	12	55	14	418	323	6	3	205	109
Boulder	408	-	-	2	83	27	14	8	11	3	6	14	4	176	129	3	1	84	41
Longmont	311	-	-	3	60	13	12	5	4	6	-	20	7	131	108	2	1	67	38
Balance of county	285	-	-	2	80	14	26	3	8	2	6	21	3	111	86	1	1	54	30
Chaffee	105	-	-	-	17	5	5	2	-	2	-	3	2	44	35	1	1	21	12
Cheyenne	20	-	-	-	6	1	3	-	-	1	-	1	2	6	3	-	-	1	2
Clear Creek	35	-	-	1	2	-	1	-	-	1	-	-	-	13	10	-	-	8	2
Conejos	63	-	-	-	5	2	-	-	2	1	-	-	1	36	30	1	1	15	13
Costilla	31	-	-	1	4	1	1	-	-	-	-	2	1	15	13	-	-	10	3
Crowley	42	-	-	3	6	-	2	-	2	-	-	2	-	22	15	-	-	10	5
Custer	11	-	-	1	3	-	1	2	-	-	-	-	-	4	3	-	-	3	-
Delta	248	-	-	1	57	13	17	5	9	3	-	10	2	105	78	1	1	50	26
Denver, coext. with Denver city	4,623	3	-	61	830	212	200	73	106	38	43	158	78	2,058	1,535	36	37	1,053	409
Dolores	13	-	-	-	2	-	-	1	-	1	-	-	-	9	6	-	-	4	2
Douglas	83	-	-	2	14	6	-	3	3	1	-	1	1	33	27	-	-	20	7
Eagle	45	-	-	-	12	4	3	-	-	1	1	3	-	13	13	-	3	6	4
Elbert	36	-	-	1	8	1	3	1	-	-	1	2	1	14	12	1	1	7	3
El Paso	1,757	-	1	15	390	100	81	36	67	16	15	75	15	754	570	7	12	444	107
Colorado Springs	1,480	-	1	14	330	83	69	32	55	15	13	63	14	639	481	7	11	372	91
Balance of county	277	-	-	1	60	17	12	4	12	1	2	12	1	115	89	-	1	72	16
Fremont	350	-	-	4	51	15	8	5	7	2	4	10	4	185	142	1	1	102	38
Garfield	152	-	-	4	27	4	11	1	2	1	1	7	1	41	31	3	-	20	8
Gilpin	11	-	-	-	3	2	-	-	1	-	-	-	-	5	4	-	-	3	1
Grand	37	-	-	1	9	2	1	-	-	-	-	6	1	12	10	-	-	9	1
Gunnison	44	-	-	-	7	2	-	-	1	1	1	2	2	19	15	-	-	7	8
Hinsdale	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Huerfano	69	-	-	-	16	3	1	3	6	-	-	3	2	38	33	1	1	26	5
Jackson	14	-	-	-	2	-	-	1	-	-	-	1	1	6	5	-	-	4	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con																			
Sutter	-	48	3	9	9	22	-	10	4	-	4	4	2	31	14	11	12	7	-
Yuba City	-	30	2	5	8	14	-	7	3	-	2	3	1	21	10	9	8	4	-
Balance of county	-	18	1	4	1	8	-	3	1	-	2	1	1	10	4	2	4	3	-
Tehama	-	30	14	7	10	19	-	5	1	-	1	-	5	28	15	6	9	4	-
Trinity	-	4	1	-	3	3	-	1	-	-	-	1	1	8	8	4	4	1	-
Tulare	14	188	33	27	83	73	7	34	16	-	7	14	13	151	114	68	28	35	-
Porterville	1	35	3	6	23	25	2	3	5	-	1	3	2	34	26	13	6	8	-
Tulare	2	33	4	2	8	6	1	9	2	-	1	2	1	27	9	12	4	3	-
Visalia	5	59	11	12	25	18	2	9	2	-	4	2	2	34	27	18	8	9	-
Balance of county	6	61	15	7	27	24	2	13	7	-	1	7	8	56	52	25	10	15	-
Tuolumne	1	22	2	3	13	8	-	6	1	-	1	1	5	20	13	8	7	-	-
Ventura	8	254	44	39	81	111	9	58	22	1	36	49	22	244	103	93	66	32	7
Camarillo	1	24	6	4	8	13	-	3	3	-	4	2	1	27	2	8	9	1	1
Oxnard	3	49	11	10	16	24	2	17	3	-	8	15	9	56	27	31	15	15	-
Port Hueneme	-	7	2	1	2	2	1	-	-	1	2	1	1	12	3	3	2	2	-
Santa Paula	-	18	2	2	5	8	-	4	3	-	3	2	1	21	9	2	2	2	-
Simi Valley	1	13	6	4	6	8	-	7	3	-	4	9	2	23	22	9	13	5	-
Thousand Oaks	-	15	5	2	7	7	1	5	2	-	3	8	3	18	6	4	4	2	2
Ventura	3	86	4	10	21	26	3	7	4	-	5	8	3	44	19	20	12	3	4
Balance of county	-	42	8	6	16	23	2	15	4	-	7	4	2	43	15	16	9	2	-
Yolo	2	72	6	9	48	35	2	19	2	1	7	6	10	63	28	21	19	11	2
Davis	-	18	-	-	12	6	-	5	-	-	-	1	-	22	7	4	6	2	-
Woodland	1	23	2	3	13	21	2	5	1	1	4	5	2	15	9	6	3	1	1
Balance of county	1	31	4	6	23	8	-	9	1	-	3	-	8	26	12	11	10	8	1
Yuba	2	48	6	4	7	16	4	6	2	-	5	3	9	22	20	13	7	8	-
Colorado	65	1,373	354	210	670	913	67	266	159	4	173	230	187	1,667	764	654	535	244	53
Urban places	45	946	227	141	458	620	52	196	108	1	113	136	116	1,133	397	377	347	184	35
Balance of area	20	427	127	69	212	293	15	70	51	3	60	94	71	534	367	277	188	60	18
Metropolitan counties	49	1,081	245	171	525	708	56	222	118	1	138	173	139	1,289	510	470	439	214	47
Urban places	44	918	213	135	442	585	52	191	102	1	111	130	107	1,074	373	352	326	180	33
Balance of area	5	163	32	36	83	123	4	31	16	-	27	43	32	215	137	118	113	34	14
Nonmetropolitan counties	16	292	109	39	145	205	11	44	41	3	35	57	48	378	254	184	96	30	6
Urban places	1	28	14	6	16	35	-	5	6	-	2	6	9	59	24	25	21	4	2
Balance of area	15	264	95	33	129	170	11	39	35	3	33	51	39	319	230	159	75	26	4
Adams	3	75	16	12	44	71	5	16	12	-	9	25	15	104	51	36	52	23	5
Arvada, part	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Aurora, part	1	8	2	4	4	12	1	3	1	-	2	2	5	9	4	5	5	2	-
Commerce City	-	9	1	1	8	11	-	3	1	-	-	1	-	10	7	2	3	4	1
North Glenn	-	8	-	-	3	7	1	1	-	-	-	2	1	11	5	7	6	2	-
Thornton	-	11	2	-	6	8	1	1	2	-	2	8	5	14	7	2	7	6	-
Westminster	-	11	4	-	3	5	1	2	2	-	4	1	-	13	8	3	7	1	1
Balance of county	2	27	7	7	20	28	1	6	6	-	1	11	4	46	20	16	24	8	3
Alamosa	-	3	1	-	3	3	-	1	-	-	1	-	-	7	4	3	3	1	-
Arapahoe	6	109	26	10	52	45	5	14	6	-	18	19	10	112	51	41	47	13	12
Aurora, part	1	30	11	3	18	16	1	7	2	-	11	9	5	46	26	22	23	7	7
Aurora, total	2	38	13	7	22	28	2	10	3	-	13	11	10	55	30	27	28	9	7
Englewood	3	21	4	1	11	13	2	1	3	-	2	4	3	27	11	9	7	4	1
Littleton	1	35	8	3	13	9	2	3	1	-	3	-	1	19	5	3	7	1	2
Balance of county	1	23	3	3	10	7	-	3	-	-	2	6	1	20	9	7	10	1	2
Archuleta	-	1	1	-	1	-	-	-	-	-	1	1	1	2	3	1	-	-	-
Baca	-	1	-	-	2	1	-	-	-	-	-	1	1	8	1	-	-	-	-
Bent	1	7	-	2	6	3	-	1	-	-	-	1	1	6	2	2	-	-	-
Boulder	2	70	13	10	35	44	1	13	8	-	8	13	6	81	49	41	31	10	2
Boulder	1	38	3	5	24	17	-	4	3	-	5	3	1	31	19	22	11	3	-
Longmont	-	14	7	2	8	16	-	6	4	-	1	4	3	31	12	10	10	5	-
Balance of county	1	18	3	3	3	11	1	3	1	-	2	6	2	19	18	9	10	2	2
Chaffee	2	6	1	-	5	8	-	2	-	-	1	3	-	10	7	1	4	1	-
Cheyenne	-	3	-	-	3	1	-	-	-	-	-	1	-	1	-	-	-	-	-
Clear Creek	-	2	-	1	-	4	-	1	1	-	-	2	-	2	7	-	1	1	-
Conejos	2	4	-	-	3	3	-	2	-	-	-	2	1	4	5	1	-	-	-
Costilla	-	2	-	-	2	1	-	-	-	-	-	1	-	4	1	-	-	1	-
Crowley	-	5	1	1	2	3	-	-	-	-	-	-	-	4	-	1	1	-	-
Custer	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
Delta	1	21	4	1	5	18	-	2	2	-	2	1	2	21	16	9	4	1	-
Denver, coext. with Denver city	18	372	77	56	185	227	17	97	43	1	30	33	42	451	101	143	115	100	8
Dolores	-	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Douglas	-	2	4	-	5	2	-	1	-	-	2	2	2	2	6	5	5	1	-
Eagle	-	-	-	-	-	2	1	-	1	-	2	-	-	1	6	3	4	-	-
Elbert	-	1	-	1	1	4	-	1	-	-	-	-	1	1	1	-	3	-	-
El Paso	5	126	30	23	56	80	6	25	16	-	19	28	9	147	77	43	46	24	6
Colorado Springs	4	105	29	20	51	71	6	23	16	-	17	24	4	125	57	33	34	16	5
Balance of county	1	21	1	3	5	9	-	2	-	-	2	4	5	22	20	10	12	8	1
Fremont	3	24	12	4	14	22	2	3	-	-	3	-	2	28	9	10	9	3	1
Garfield	1	6	1	2	6	9	-	3	1	-	-	3	3	9	16	25	3	1	-
Gilpin	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Grand	-	2	-	-	-	-	1	-	1	-	1	2	2	2	1	2	1	1	-
Gunnison	-	3	1	-	-	4	-	-	-	-	1	-	-	3	4	2	2	-	-
Hinsdale	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Huerfano	1	3	1	-	-	-	-	-	-	-	-	-	1	7	1	3	-	1	-
Jackson	-	-	1	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Colorado—Con.																			
Jefferson	1,978	-	-	16	425	94	102	44	53	16	17	99	29	866	676	11	14	457	194
Arvada, part	380	-	-	3	86	24	23	5	8	4	4	18	4	158	124	-	4	85	35
Arvada, total	385	-	-	3	86	24	23	5	8	4	4	18	4	161	126	-	4	87	35
Lakewood	781	-	-	7	154	31	32	16	24	6	6	39	8	364	270	3	7	185	95
Wheat Ridge	271	-	-	2	57	17	18	7	6	-	-	9	5	134	109	3	1	76	29
Balance of county	546	-	-	4	128	22	29	16	15	6	7	33	12	210	173	5	2	131	35
Kiowa	27	-	-	-	10	2	1	-	4	-	-	3	2	9	5	-	-	1	4
Kit Carson	59	-	-	-	10	5	2	1	1	1	-	-	1	34	23	-	-	15	8
Lake	33	-	-	-	5	1	-	-	1	-	2	1	1	9	4	-	-	3	1
La Plata	197	-	-	3	30	8	8	3	4	-	-	7	4	78	62	2	-	40	20
Durango	102	-	-	2	15	6	2	1	4	-	-	2	2	43	34	1	-	21	12
Balance of county	95	-	-	1	15	2	6	2	-	-	-	5	2	35	28	1	-	19	8
Larimer	924	1	-	11	167	41	43	12	20	6	6	39	7	432	334	3	12	226	93
Fort Collins	381	-	-	7	71	17	15	2	8	5	4	20	3	178	130	1	7	80	42
Loveland	267	1	-	3	47	6	14	6	7	1	1	12	-	131	105	1	4	73	27
Balance of county	276	-	-	1	49	18	14	4	5	-	1	7	4	123	99	1	1	73	24
Las Animas	175	1	-	1	24	8	4	2	4	1	2	5	1	100	76	1	7	55	13
Lincoln	59	-	-	1	15	7	3	-	2	1	-	2	-	25	23	-	-	15	8
Logan	167	-	-	1	28	11	5	4	3	1	-	4	-	88	76	3	2	62	9
Sterling	117	-	-	-	21	8	2	4	3	1	-	3	-	61	53	3	1	43	6
Balance of county	50	-	-	1	7	3	3	-	-	-	-	1	-	27	23	-	1	19	3
Mesa	656	-	-	6	113	32	28	11	14	6	5	17	7	287	234	4	5	160	65
Grand Junction	373	-	-	3	58	16	13	8	8	3	3	7	5	168	136	1	3	91	41
Balance of county	283	-	-	3	55	16	15	3	6	3	2	10	2	119	98	3	2	69	24
Mineral	5	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	-	2	-
Moffat	77	-	-	2	23	3	9	-	5	2	2	2	3	16	11	-	-	9	2
Montezuma	120	-	-	-	27	7	3	3	4	2	3	5	1	42	31	-	-	23	8
Montrose	181	-	-	1	41	15	12	2	6	1	1	4	1	67	47	2	1	30	14
Morgan	212	-	-	1	46	12	13	4	10	2	3	2	3	94	70	2	-	50	18
Otero	249	-	-	2	34	11	9	3	5	1	-	5	3	153	123	2	1	80	40
Ouray	11	-	-	-	2	1	-	-	-	-	-	1	-	4	3	-	-	3	-
Park	27	-	-	1	3	1	-	-	-	1	-	1	-	12	9	-	-	4	5
Phillips	44	-	-	1	4	-	1	-	1	-	2	-	2	26	24	-	-	17	7
Pitkin	33	-	-	-	7	2	2	-	1	-	-	2	-	9	8	-	-	7	1
Prowers	122	-	-	-	16	6	4	-	1	2	2	1	3	64	40	-	1	28	11
Pueblo	1,050	-	-	7	174	43	49	13	20	10	7	32	20	493	397	9	13	297	78
Pueblo	938	-	-	6	157	41	40	13	17	10	6	30	15	452	365	8	13	274	70
Balance of county	112	-	-	1	17	2	9	-	3	-	1	2	5	41	32	1	-	23	8
Rio Blanco	41	-	-	-	6	1	-	1	1	-	-	3	1	20	14	-	-	10	4
Rio Grande	93	-	-	-	13	4	2	1	2	-	-	4	1	49	30	2	1	26	10
Routt	50	-	-	-	12	5	1	-	2	-	1	3	1	19	17	-	1	10	6
Saguache	27	-	-	-	5	-	1	1	1	-	-	2	-	14	10	-	-	5	5
San Juan	5	-	-	-	1	-	-	-	1	-	-	-	-	2	2	-	-	1	1
San Miguel	12	-	-	-	5	1	1	-	1	-	1	1	-	2	2	-	-	1	1
Sedgwick	34	-	-	1	9	-	1	2	2	1	1	2	2	15	13	-	2	9	2
Summit	28	-	-	-	4	-	1	-	-	-	-	3	-	5	5	-	-	5	-
Teller	43	-	-	1	9	3	2	-	-	1	-	3	-	16	12	-	-	9	3
Washington	66	-	-	-	10	2	3	-	2	-	-	3	-	33	20	-	-	16	4
Weld	780	-	-	4	144	40	33	13	20	6	9	23	11	359	267	1	3	216	47
Greeley	420	-	-	3	77	21	22	8	8	3	5	10	8	207	146	1	2	122	21
Balance of county	360	-	-	1	67	19	11	5	12	3	4	13	3	152	121	-	1	94	26
Yuma	121	-	-	1	18	8	3	2	1	-	1	3	2	65	40	-	-	31	9
Connecticut	26,768	9	1	271	6,243	1,731	1,487	585	663	294	233	1,250	436	13,280	10,354	104	291	7,980	1,979
Urban places	18,669	6	1	212	4,249	1,219	988	382	463	192	153	852	327	9,297	7,269	65	224	5,583	1,397
Balance of area	8,099	3	-	59	1,994	512	499	203	200	102	80	398	109	3,983	3,085	39	67	2,397	582
Metropolitan counties	24,515	8	1	254	5,766	1,601	1,379	534	603	272	217	1,160	396	12,092	9,435	96	267	7,255	1,817
Urban places	18,160	6	1	203	4,157	1,187	976	371	452	190	151	830	316	9,017	7,049	65	220	5,412	1,352
Balance of area	6,355	2	-	51	1,609	414	403	163	151	82	66	330	80	3,075	2,386	31	47	1,843	465
Nonmetropolitan counties	2,253	1	-	17	477	130	108	51	60	22	16	90	40	1,188	919	8	24	725	162
Urban places	509	-	-	9	92	32	12	11	11	2	2	22	11	280	220	-	4	171	45
Balance of area	1,744	1	-	8	385	98	96	40	49	20	14	68	29	908	699	8	20	554	117
Fairfield	6,904	2	-	59	1,672	472	398	147	197	87	57	314	125	3,467	2,654	34	70	2,099	451
Bridgeport	1,649	-	-	17	339	107	78	28	39	12	9	66	33	831	646	3	20	537	86
Danbury	508	-	-	4	115	37	26	11	11	7	2	21	9	262	214	4	6	161	43
Darien town #	133	-	-	-	28	6	7	4	2	-	-	9	2	69	50	-	1	42	7
Fairfield town #	526	1	-	6	140	40	44	11	10	8	8	19	5	263	193	2	6	155	30
Greenwich town #	495	-	-	4	132	32	31	12	20	11	3	23	12	262	194	2	3	139	50
Norwalk	679	-	-	6	163	46	36	13	24	9	8	27	11	318	250	5	7	178	60
Shelton	218	-	-	2	51	14	14	3	7	2	3	8	3	116	95	2	3	82	8
Stamford	859	-	-	9	184	62	33	17	25	9	4	34	21	431	335	5	7	266	57
Stratford town #	547	-	-	2	139	40	34	9	17	3	6	30	9	279	192	3	7	157	25
Trumbull town #	256	-	-	-	66	18	15	9	7	4	3	10	9	131	98	2	4	78	14
Westport town #	155	-	-	1	41	6	13	4	6	2	1	9	1	79	60	-	2	47	11
Balance of county	969	1	-	8	274	64	67	26	29	20	10	58	10	426	327	6	4	257	60
Hartford	6,823	2	-	87	1,640	457	377	157	176	68	57	348	111	3,225	2,547	23	63	1,995	466
Bristol	484	-	-	6	122	34	31	11	15	4	7	20	4	232	186	2	1	160	23
East Hartford town #	444	-	-	6	102	24	30	8	10	7	2	21	6	192	155	2	5	132	16
Enfield town #	266	-	-	5	60	16	14	5	8	2	1	14	9	117	91	-	1	66	24
Hartford	1,332	1	-	26	282	93	59	27	29	7	6	61	19	562	466	1	18	360	87
Manchester town #	451	-	-	4	110	29	33	11	12	6	2	17	18	197	134	-	2	115	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Colorado—Con.																			
Jefferson	3	123	44	20	60	97	12	21	13	-	23	26	20	152	60	59	66	20	4
Arvada, part	-	22	7	5	8	15	1	3	1	-	7	11	5	26	19	15	13	5	-
Arvada, total	-	23	7	5	8	15	1	3	1	-	7	11	5	27	19	16	13	5	-
Lakewood	2	62	23	7	35	42	8	6	7	-	6	6	6	65	18	17	22	9	1
Wheat Ridge	1	17	5	2	9	15	3	3	1	-	2	-	3	22	5	4	6	-	-
Balance of county	-	22	9	6	17	25	-	9	4	-	8	9	6	39	16	23	25	6	3
Kiowa	-	2	2	-	1	-	-	-	-	-	-	-	-	4	1	-	-	-	-
Kit Carson	-	2	6	3	-	2	-	-	-	-	-	2	1	7	-	1	1	-	-
Lake	-	2	3	-	-	1	-	-	-	-	1	3	-	5	2	5	1	-	-
La Plata	-	10	6	-	2	13	1	4	3	2	-	2	4	19	12	8	9	2	1
Durango	-	5	4	-	-	9	-	-	3	-	-	-	1	16	2	3	5	-	1
Balance of county	-	5	2	-	2	4	1	4	-	2	-	2	3	3	10	5	4	2	-
Larimer	5	67	12	14	23	49	3	9	6	-	11	8	10	81	38	30	28	8	2
Fort Collins	2	36	5	5	5	21	1	5	3	-	4	6	3	33	17	10	8	5	1
Loveland	3	15	4	4	11	17	1	3	1	-	4	1	2	23	10	6	5	-	1
Balance of county	-	16	3	5	7	11	1	1	2	-	3	1	5	25	11	14	15	3	-
Las Animas	1	17	5	1	5	1	1	1	4	-	2	2	1	18	4	7	2	2	-
Lincoln	-	2	-	-	2	2	-	-	-	-	-	-	1	7	2	2	2	-	-
Logan	-	9	1	2	6	8	1	-	-	-	-	3	1	9	8	8	6	-	-
Sterling	-	6	1	1	4	6	-	-	-	-	-	3	1	7	3	5	6	-	-
Balance of county	-	3	-	1	2	2	1	-	-	-	-	-	-	2	5	3	-	-	-
Mesa	1	32	13	7	18	37	2	10	7	1	4	9	11	55	38	28	17	5	1
Grand Junction	1	17	9	5	12	20	-	5	3	-	2	3	7	36	19	17	10	4	1
Balance of county	-	15	4	2	6	17	2	5	4	1	2	6	4	19	19	11	7	1	-
Mineral	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Moffat	-	2	3	-	3	4	-	-	-	-	-	1	-	3	10	9	2	1	-
Montezuma	-	10	-	1	1	3	-	2	-	-	-	1	5	15	11	4	4	4	-
Montrose	1	12	4	3	11	14	-	3	1	-	3	2	1	15	9	7	4	-	1
Morgan	-	14	8	2	9	6	1	-	5	-	3	3	-	16	13	7	3	2	-
Otero	-	24	4	2	9	7	-	-	2	-	3	1	-	20	9	5	1	-	-
Ouray	-	-	-	1	-	-	1	-	-	-	-	1	-	1	1	-	1	-	-
Park	-	3	-	-	-	1	-	1	-	-	-	1	-	2	2	2	2	-	-
Phillips	-	1	-	1	1	3	-	-	2	-	-	-	-	3	1	-	1	-	-
Pitkin	-	1	-	-	1	-	-	-	-	-	2	-	-	1	6	6	1	-	-
Prowers	-	6	17	1	4	2	-	3	2	-	-	-	-	12	13	2	-	-	1
Pueblo	3	66	14	13	29	49	3	22	10	-	8	13	18	98	31	31	31	8	5
Pueblo	3	59	14	11	27	42	3	19	8	-	7	12	17	85	25	25	27	7	4
Balance of county	-	7	-	2	2	7	-	3	2	-	1	1	1	13	6	6	4	1	1
Rio Blanco	-	5	1	-	1	-	-	1	-	-	-	3	1	3	3	2	-	-	-
Rio Grande	-	9	-	1	2	5	-	2	-	-	1	1	2	9	3	2	2	1	-
Routt	-	2	-	-	1	2	-	-	-	-	-	1	1	6	3	4	-	-	-
Saguache	-	4	-	-	1	-	-	-	3	-	-	1	-	1	2	-	-	-	-
San Juan	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
San Miguel	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	2	-	-	-
Sedgwick	-	2	-	-	-	2	-	-	1	-	1	-	-	1	1	1	-	-	-
Summit	-	-	-	-	2		-	-	-	-	2	-	2	2	4	4	1	2	-
Teller	-	3	1	-	2	-	-	1	-	-	2	1	3	2	2	1	3	-	-
Washington	-	11	1	1	6	2	-	1	1	-	-	1	-	8	4	-	-	-	-
Weld	4	67	8	13	24	44	4	3	4	-	6	5	4	59	44	40	15	5	3
Greeley	4	44	7	6	13	21	3	1	3	-	4	3	1	32	17	13	10	3	1
Balance of county	-	23	1	7	11	23	1	2	1	-	4	2	3	27	27	27	5	2	2
Yuma	2	12	11	-	4	4	-	-	4	-	-	1	-	13	4	3	1	-	1
Connecticut	106	2,089	423	308	763	751	77	420	208	1	177	280	361	1,934	529	546	299	150	32
Urban places	77	1,448	309	194	517	516	52	316	163	1	118	214	253	1,421	301	366	184	132	23
Balance of area	29	641	114	114	246	235	25	104	45	-	59	66	108	513	228	180	115	18	9
Metropolitan counties	99	1,921	306	271	694	690	67	384	199	1	161	265	341	1,787	472	500	266	143	28
Urban places	75	1,414	293	186	505	502	50	307	161	1	115	208	246	1,395	286	352	176	131	23
Balance of area	24	507	73	85	189	188	17	77	38	-	46	57	95	392	186	148	88	12	5
Nonmetropolitan counties	7	168	57	37	69	61	10	38	9	-	16	15	20	147	57	46	33	7	4
Urban places	2	34	16	8	12	14	2	9	2	-	3	6	7	26	15	14	6	1	-
Balance of area	5	134	41	29	57	47	8	27	7	-	13	9	13	121	42	32	27	6	4
Fairfield	31	593	113	76	181	189	19	121	59	-	45	68	74	522	124	115	83	57	12
Bridgeport	8	124	34	19	47	48	6	37	13	-	9	31	19	120	19	21	14	41	4
Danbury	2	35	3	8	10	17	1	8	3	-	6	7	6	31	12	4	8	2	3
Darien town #	-	15	1	3	3	3	-	2	1	-	1	1	2	9	5	3	3	1	-
Fairfield town #	3	53	9	5	17	12	1	4	5	-	2	2	6	36	9	5	11	1	-
Greenwich town #	1	46	9	10	9	11	2	4	5	-	2	1	4	34	2	9	2	-	-
Norwalk	4	56	5	3	15	26	1	22	5	-	4	10	5	60	6	16	8	2	1
Shelton	-	19	1	1	7	3	-	2	2	-	3	1	5	17	5	1	-	-	-
Stamford	8	64	18	6	16	20	1	15	9	-	7	4	13	85	13	16	8	4	3
Stratford town #	2	65	13	7	19	11	3	8	7	-	1	1	1	47	5	9	4	2	-
Trumbull town #	1	23	6	3	6	4	-	2	3	-	1	2	4	13	8	1	5	1	-
Westport town #	1	13	3	2	2	4	-	3	1	-	-	-	-	12	5	3	3	-	-
Balance of county	1	78	11	9	30	30	4	14	5	-	9	8	9	58	35	27	17	3	1
Hartford	18	492	92	76	192	175	19	105	65	1	44	80	110	542	128	172	72	45	8
Bristol	-	41	3	2	18	12	1	8	7	-	1	6	5	35	9	10	6	2	-
East Hartford town #	1	27	8	1	11	17	2	8	3	-	5	7	11	36	10	18	7	3	-
Enfield town #	1	18	5	2	5	8	1	6	3	-	3	1	5	29	8	5	1	-	-
Hartford	3	78	15	20	41	30	3	32	14	-	8	27	20	148	19	36	13	30	1
Manchester town #	3	41	14	5	17	16	-	4	2	-	6	2	4	33	11	19	7	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Connecticut—Con.																			
New Britain	706	1	-	7	151	36	30	12	20	2	7	44	14	357	302	2	15	201	84
Newington town #	215	-	-	3	50	16	8	5	4	2	4	11	4	107	91	-	1	78	12
Plainville town #	128	-	-	2	28	9	5	3	3	2	1	5	4	66	48	2	-	34	12
Southington town #	267	-	-	3	69	23	17	9	4	3	1	12	4	143	121	-	4	100	17
West Hartford town #	745	-	-	8	179	50	33	18	26	6	4	42	9	391	297	7	5	243	42
Wethersfield town #	249	-	-	6	69	18	17	4	8	3	4	15	2	125	101	-	1	76	24
Windsor Locks town #	92	-	-	-	26	9	4	2	1	3	-	7	-	46	38	1	-	34	3
Balance of county	1,444	-	-	11	392	100	96	42	36	21	18	79	18	670	517	6	10	396	105
Litchfield	1,406	1	-	10	288	78	62	39	31	12	12	54	22	743	568	4	18	445	101
Torrington	328	-	-	7	60	20	6	8	7	1	1	17	5	184	144	-	3	105	36
Balance of county	1,078	1	-	3	228	58	56	31	24	11	11	37	17	559	424	4	15	340	65
Middlesex	1,100	-	1	5	282	69	77	22	25	14	8	67	15	563	435	2	8	329	96
Middletown	363	-	1	2	96	29	24	3	9	8	4	19	6	181	135	-	4	109	22
Balance of county	737	-	-	3	186	40	53	19	16	6	4	48	9	382	300	2	4	220	74
New Haven	6,969	3	-	82	1,586	456	371	157	147	73	65	317	107	3,544	2,827	29	111	1,989	698
Ansonia	189	-	-	3	50	16	11	6	3	3	1	10	1	98	77	-	1	71	5
Derby	130	-	-	3	27	7	4	4	2	2	2	6	-	70	59	1	2	48	8
East Haven town #	183	-	-	2	47	10	12	4	5	1	-	15	-	104	88	2	-	58	28
Hamden town #	534	-	-	9	111	30	23	12	6	6	11	23	5	281	219	1	8	136	74
Meriden	502	-	-	2	123	30	32	8	12	6	8	27	9	225	173	2	4	142	25
Milford	408	1	-	5	104	36	32	6	3	2	3	22	5	198	155	1	1	120	33
Naugatuck	229	-	-	2	55	17	18	1	7	6	-	6	3	122	101	-	3	75	23
New Haven	1,327	-	-	21	287	83	58	26	28	9	12	71	24	633	521	3	29	332	157
Wallingford town #	320	-	-	1	71	15	23	9	9	4	1	10	11	173	139	-	5	110	24
Waterbury	1,141	2	-	8	231	70	47	23	23	16	7	45	16	619	478	7	27	328	116
West Haven town #	513	-	-	9	122	31	33	14	15	5	5	19	11	258	211	2	10	157	42
Balance of county	1,493	-	-	17	358	111	78	44	34	13	15	63	22	783	606	10	21	412	163
New London	1,983	1	-	15	434	111	115	38	44	24	20	82	24	991	728	6	9	637	76
New London	262	-	-	5	45	9	14	5	9	-	1	7	6	135	85	-	1	73	11
Norwich	446	-	-	1	95	31	19	10	7	6	7	15	5	224	173	-	4	148	21
Balance of county	1,275	1	-	9	294	71	82	23	28	18	12	60	13	632	470	6	4	416	44
Tolland	646	-	-	6	152	36	41	13	14	6	10	32	14	302	244	2	6	206	30
Vernon town #	209	-	-	3	47	8	14	4	6	2	3	10	6	100	78	1	2	64	11
Balance of county	437	-	-	3	105	28	27	9	8	4	7	22	8	202	166	1	4	142	19
Windham	847	-	-	7	189	52	46	12	29	10	4	36	18	445	351	4	6	280	61
Willimantic	181	-	-	2	32	12	6	3	4	1	1	5	6	96	76	-	1	66	9
Balance of county	666	-	-	5	157	40	40	9	25	9	3	31	12	349	275	4	5	214	52
Delaware	5,073	4	-	41	1,242	310	381	101	142	44	39	225	128	2,444	1,994	16	119	1,099	760
Urban places	1,774	-	-	19	391	94	123	39	41	10	13	71	42	881	736	8	60	367	301
Balance of area	3,299	4	-	22	851	216	258	62	101	34	26	154	86	1,563	1,258	8	59	732	459
Metropolitan counties	3,219	-	-	24	780	199	232	78	78	29	23	141	88	1,563	1,271	11	103	633	524
Urban places	1,560	-	-	15	349	85	114	34	36	9	11	60	39	775	648	7	58	300	283
Balance of area	1,659	-	-	9	431	114	118	44	42	20	12	81	49	788	623	4	45	333	241
Nonmetropolitan counties	1,854	4	-	17	462	111	149	23	64	15	16	84	40	881	723	5	16	466	236
Urban places	214	-	-	4	42	9	9	5	5	1	2	11	3	106	88	1	2	67	18
Balance of area	1,640	4	-	13	420	102	140	18	59	14	14	73	37	775	635	4	14	399	218
Kent	735	-	-	9	158	37	41	12	23	5	5	35	12	353	298	1	6	202	79
Dover ◢	214	-	-	4	42	9	9	5	5	1	2	11	3	106	88	1	2	67	18
Balance of county	521	-	-	5	116	28	32	7	18	4	3	24	9	247	200	-	4	135	61
New Castle	3,219	-	-	24	780	199	232	78	78	29	23	141	88	1,563	1,271	11	103	633	524
Newark	214	-	-	2	51	12	15	8	4	1	3	8	4	92	75	-	6	34	35
Wilmington	1,346	-	-	13	298	73	99	26	32	8	8	52	35	683	573	7	52	266	248
Balance of county	1,659	-	-	9	431	114	118	44	42	20	12	81	49	788	623	4	45	333	241
Sussex	1,119	4	-	8	304	74	108	11	41	10	11	49	28	528	435	4	10	264	157
District of Columbia	6,954	10	-	125	1,609	456	396	128	178	65	48	338	111	2,873	2,205	19	214	1,339	633
Florida	109,127	146	10	848	24,278	6,394	6,909	1,866	2,680	1,120	828	4,481	1,595	53,229	40,922	439	1,277	30,743	8,463
Urban places	54,149	76	6	447	11,526	3,111	3,126	854	1,331	530	384	2,190	798	26,936	20,727	236	686	15,274	4,531
Balance of area	54,978	70	4	401	12,752	3,283	3,783	1,012	1,349	590	444	2,291	797	26,293	20,195	203	591	15,469	3,932
Metropolitan counties	94,947	113	10	753	21,088	5,600	5,874	1,648	2,311	980	734	3,941	1,373	46,393	35,758	395	1,139	26,715	7,509
Urban places	52,444	68	6	429	11,133	3,009	3,008	829	1,286	512	375	2,114	784	26,146	20,135	230	678	14,792	4,435
Balance of area	42,503	45	4	324	9,955	2,591	2,866	819	1,025	468	359	1,827	589	20,247	15,623	165	461	11,923	3,074
Nonmetropolitan counties	14,180	33	-	95	3,190	794	1,035	218	369	140	94	540	222	6,836	5,164	44	138	4,028	954
Urban places	1,705	8	-	18	393	102	118	25	45	18	9	76	14	790	592	6	8	482	96
Balance of area	12,475	25	-	77	2,797	692	917	193	324	122	85	464	208	6,046	4,572	38	130	3,546	858
Alachua	323	2	-	1	192	56	52	18	22	8	3	33	16	365	240	5	7	158	70
Gainesville	515	1	-	-	108	30	24	8	14	7	2	23	7	199	132	4	3	89	36
Balance of county	408	1	-	1	84	26	28	10	8	1	1	10	9	166	108	1	4	69	34
Baker	112	-	-	-	22	4	7	3	4	1	1	2	2	43	35	-	-	27	8
Bay	813	1	-	4	207	45	74	13	22	5	10	38	12	350	287	2	11	194	80
Panama City	458	1	-	3	118	25	47	8	9	1	4	24	9	208	171	2	4	119	46
Balance of county	355	-	-	1	89	20	27	5	13	4	6	14	3	142	116	-	7	75	34
Bradford	170	-	-	2	38	5	17	4	6	-	1	5	5	72	39	-	2	27	10
Brevard	2,435	5	-	18	600	153	191	43	46	29	24	114	35	1,177	886	18	30	696	142
Cocoa	152	-	-	3	38	9	14	2	3	1	2	7	1	61	53	-	6	40	7
Melbourne	496	2	-	5	105	29	37	8	8	4	4	15	11	264	189	4	6	145	34
Rockledge	112	-	-	-	23	8	8	-	4	-	-	3	3	67	46	1	1	40	4
Titusville	305	-	-	5	76	21	24	4	6	6	3	12	6	134	100	2	5	71	22
Balance of county	1,370	3	-	5	358	86	108	29	25	18	15	77	14	651	498	11	12	400	75

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Connecticut—Con.																			
New Britain	2	34	15	4	23	17	3	10	6	-	8	16	9	57	5	13	5	4	-
Newington town #	-	11	-	5	2	8	-	4	1	-	1	3	4	20	4	2	1	-	1
Plainville town #	-	14	3	1	2	4	1	5	2	-	1	-	2	6	2	3	-	-	-
Southington town #	-	20	-	2	2	7	1	2	2	-	1	2	2	12	7	5	5	-	-
West Hartford town #	2	77	8	7	23	9	2	10	10	1	-	-	11	53	9	25	4	-	1
Wethersfield town #	-	18	4	2	5	8	2	1	2	-	1	1	4	15	1	3	2	-	2
Windsor Locks town #	-	5	2	1	-	1	-	1	1	-	-	1	2	9	4	-	-	-	1
Balance of county	6	108	15	24	43	38	3	14	12	-	9	14	31	89	39	33	21	5	2
Litchfield	3	113	32	27	44	38	6	22	5	-	12	9	17	94	37	33	20	3	3
Torrington	1	20	14	5	6	9	1	7	-	-	2	3	6	15	11	9	2	1	-
Balance of county	2	93	18	22	38	29	5	15	5	-	10	5	11	79	26	24	18	2	3
Middlesex	-	98	13	17	24	28	3	17	3	-	9	10	13	63	26	24	10	3	1
Middletown	-	35	6	5	7	8	-	7	1	-	5	5	4	20	6	7	4	2	1
Balance of county	-	63	7	12	17	20	3	10	2	-	4	5	9	43	20	17	6	1	-
New Haven	30	511	98	78	205	209	22	97	55	-	44	74	113	482	117	128	61	34	6
Ansonia	-	17	2	2	5	3	-	2	1	-	-	1	2	14	3	4	1	1	-
Derby	1	7	1	2	4	6	-	3	-	-	-	3	1	11	-	1	-	1	-
East Haven town #	1	10	3	2	1	2	-	2	1	-	-	1	3	12	3	4	-	1	-
Hamden town #	1	49	7	5	24	16	-	2	6	-	4	1	7	49	8	5	4	2	-
Meriden	1	41	8	2	22	23	2	11	3	-	2	4	8	35	9	17	5	-	2
Milford	-	32	4	7	5	10	-	6	1	-	3	4	7	31	8	13	6	1	-
Naugatuck	1	15	4	1	3	4	1	4	2	-	-	-	2	16	5	6	4	-	-
New Haven	3	80	17	12	39	37	5	22	15	-	11	21	42	101	18	22	10	17	2
Wallingford town #	2	26	5	1	10	10	-	5	2	-	1	1	4	17	6	5	3	-	-
Waterbury	9	92	23	17	33	42	4	21	6	-	10	21	4	82	11	16	9	6	-
West Haven town #	3	32	6	6	13	13	4	6	6	-	2	9	7	29	13	5	3	3	-
Balance of county	8	110	18	21	46	43	6	13	12	-	11	8	26	85	33	30	16	2	2
New London	18	163	40	22	71	67	3	33	12	-	15	23	24	135	54	43	33	4	1
New London	1	35	13	1	9	9	2	5	4	-	4	4	3	21	1	4	4	1	-
Norwich	8	28	12	3	20	15	1	12	4	-	1	2	5	27	11	14	6	2	1
Balance of county	9	120	15	18	42	43	-	16	4	-	10	17	16	87	42	25	23	1	-
Tolland	2	44	10	2	21	22	1	11	5	-	4	10	7	43	23	18	7	-	-
Vernon town #	2	16	3	1	10	8	-	1	2	-	1	5	3	13	6	2	2	-	-
Balance of county	-	28	7	1	11	14	1	10	3	-	3	5	4	30	17	16	5	-	-
Windham	4	55	25	10	25	23	4	14	4	-	4	7	3	53	20	13	13	4	1
Willimantic	1	14	2	3	6	5	1	2	2	-	1	3	1	11	4	5	4	-	-
Balance of county	3	41	23	7	19	18	3	12	2	-	3	4	2	42	16	8	9	4	1
Delaware	16	322	59	53	110	137	14	62	60	-	38	77	30	357	110	93	75	43	8
Urban places	7	99	21	18	39	47	5	21	19	-	14	42	16	119	31	27	32	24	5
Balance of area	9	223	38	35	71	90	9	41	41	-	24	35	14	238	79	66	43	19	3
Metropolitan counties	10	199	46	37	64	85	8	39	36	-	29	54	22	226	60	56	53	26	6
Urban places	7	88	16	16	33	41	5	18	17	-	13	36	15	102	27	24	29	17	5
Balance of area	3	111	30	21	31	44	3	21	19	-	16	18	7	124	33	32	24	9	1
Nonmetropolitan counties	6	123	13	16	46	52	6	23	24	-	9	23	8	131	50	37	22	17	2
Urban places	-	11	5	2	6	6	-	3	2	-	1	6	1	17	4	3	3	7	-
Balance of area	6	112	8	14	40	46	6	20	22	-	8	17	7	114	46	34	19	10	2
Kent	1	49	9	6	20	22	3	8	11	-	4	14	4	59	18	19	10	10	1
Dover	-	11	5	2	6	6	-	3	2	-	1	6	1	17	4	3	3	7	-
Balance of county	1	38	4	4	14	16	3	5	9	-	3	8	3	42	14	16	7	3	1
New Castle	10	199	46	37	64	85	8	39	36	-	29	54	22	226	60	56	53	26	6
Newark	-	14	2	1	5	8	2	2	2	-	4	5	2	14	6	7	5	1	2
Wilmington	7	74	14	15	28	33	3	16	15	-	9	31	13	88	21	17	24	16	3
Balance of county	3	111	30	21	31	44	3	21	19	-	16	18	7	124	33	32	24	9	1
Sussex	5	74	4	10	26	30	3	15	13	-	5	9	4	72	32	18	12	7	1
District of Columbia	31	415	162	60	161	137	24	247	91	2	45	150	94	699	68	174	45	223	66
Florida	468	9,275	1,385	1,179	2,303	3,670	367	1,789	957	15	521	946	1,775	8,051	3,015	2,306	1,586	1,577	143
Urban places	259	4,773	644	533	1,209	1,773	210	889	480	6	244	480	865	4,203	1,222	1,081	756	894	48
Balance of area	209	4,502	741	646	1,094	1,897	157	900	477	9	277	466	910	3,848	1,793	1,225	830	683	95
Metropolitan counties	415	8,033	1,191	996	2,020	3,208	314	1,554	843	15	468	802	1,557	7,063	2,545	1,924	1,376	1,418	110
Urban places	252	4,627	620	512	1,169	1,724	199	850	465	6	236	463	855	4,056	1,177	1,026	735	871	46
Balance of area	163	3,406	571	484	851	1,484	115	704	378	9	232	339	702	3,007	1,368	898	641	547	64
Nonmetropolitan counties	53	1,242	194	183	283	462	53	235	114	-	53	144	218	988	470	382	210	159	33
Urban places	7	146	24	21	40	49	11	39	15	-	8	17	10	147	45	55	21	23	2
Balance of area	46	1,096	170	162	243	413	42	196	99	-	45	127	208	841	425	327	189	136	31
Alachua	3	89	24	9	16	28	5	13	10	-	8	15	51	93	28	40	22	14	4
Gainesville	2	51	11	3	9	18	3	7	8	-	6	9	32	48	16	24	11	7	2
Balance of county	1	38	13	6	7	10	2	6	2	-	2	6	19	45	12	16	11	7	2
Baker	-	6	-	2	-	8	1	2	3	-	1	-	1	8	10	8	2	1	-
Bay	3	50	6	4	13	21	3	9	15	1	8	11	3	66	35	24	17	10	3
Panama City	2	29	4	2	6	9	3	5	6	-	7	4	-	40	17	10	7	3	2
Balance of county	1	21	2	2	7	12	-	4	9	1	1	7	3	26	18	14	10	7	1
Bradford	1	25	4	3	5	10	-	1	3	-	-	2	7	7	6	6	4	1	1
Brevard	11	209	40	31	51	96	5	51	20	2	7	14	2	172	76	52	31	14	7
Cocoa	-	5	1	2	4	9	-	3	4	-	-	1	1	7	9	5	2	4	-
Melbourne	3	49	13	10	11	23	-	5	4	-	2	4	-	29	16	7	6	2	-
Rockledge	1	17	2	1	1	2	1	2	-	-	-	-	-	5	3	4	1	-	-
Titusville	3	24	3	4	9	8	-	5	1	-	1	2	1	27	10	10	5	3	2
Balance of county	4	114	21	14	26	54	4	36	11	2	4	7	-	104	38	26	17	5	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Florida—Con.																			
Broward	12,427	12	2	96	3,006	817	749	226	322	160	102	632	161	6,101	4,836	60	118	3,780	878
Deerfield Beach	636	–	–	3	174	51	40	12	20	12	5	34	11	310	250	4	6	199	41
Fort Lauderdale	2,894	7	–	24	656	179	171	39	71	43	20	133	37	1,403	1,059	12	34	835	178
Hallandale	697	–	–	7	174	51	42	17	15	10	7	32	20	372	315	3	2	255	55
Hollywood	1,800	1	1	17	409	110	98	29	55	20	17	80	23	934	736	10	17	580	129
Lauderdale Lakes	347	–	–	1	95	28	24	6	8	10	1	18	6	173	142	1	3	116	22
Miramar	283	–	–	–	57	15	13	4	2	1	2	20	4	131	110	2	4	84	20
Oakland Park	176	–	–	–	33	11	12	–	2	2	1	5	1	86	67	1	3	47	16
Pembroke Pines	322	–	–	–	91	23	25	4	5	5	4	25	2	149	127	5	2	96	24
Plantation	388	–	–	1	99	30	25	5	12	5	3	19	3	204	171	1	5	136	29
Pompano Beach	990	2	–	11	240	64	62	17	30	7	6	54	9	466	355	6	7	265	77
Wilton Manor	158	–	–	1	35	12	11	2	5	–	1	4	–	87	57	1	1	42	13
Balance of county	3,736	2	1	31	945	243	226	91	97	45	35	208	45	1,786	1,447	14	34	1,125	274
Calhoun	89	–	–	–	21	9	7	1	1	–	2	1	1	49	31	–	1	25	5
Charlotte	996	1	–	8	246	61	71	22	27	13	7	45	17	532	437	8	8	332	89
Citrus	767	1	–	6	191	39	65	12	29	7	7	32	10	432	335	–	1	275	59
Clay	476	–	–	2	109	28	33	9	10	3	1	25	7	222	174	1	13	107	53
Collier	990	2	–	6	231	60	68	17	30	10	10	36	11	417	322	6	7	270	39
Naples	323	–	–	2	73	15	20	6	12	3	2	15	3	156	117	4	3	99	11
Balance of county	667	2	–	4	158	45	48	11	18	7	8	21	8	261	205	2	4	171	28
Columbia	342	–	–	1	65	7	31	2	5	5	1	14	4	143	98	–	3	72	23
Lake City	142	–	–	1	30	4	12	1	2	3	–	8	3	58	33	–	–	27	6
Balance of county	200	–	–	–	35	3	19	1	3	2	1	6	1	85	65	–	3	45	17
Dade	17,159	24	1	156	3,583	1,015	912	288	386	170	123	689	314	8,130	6,494	62	208	4,963	1,261
Coral Gables	406	–	–	2	102	29	28	9	10	6	7	13	10	174	139	–	6	98	35
Hialeah	1,129	2	–	8	250	69	70	22	22	9	10	48	28	516	392	4	7	310	71
Homestead	188	1	–	–	36	5	12	3	5	3	1	7	1	75	55	–	3	38	14
Miami	4,965	10	–	53	952	262	246	67	115	45	36	181	94	2,195	1,763	11	71	1,296	385
Miami Beach	2,736	1	–	26	548	183	110	41	57	27	14	116	49	1,593	1,323	15	21	1,097	190
Miami Springs	162	–	–	2	32	6	16	1	1	1	–	7	4	84	64	–	1	46	17
North Miami	710	1	–	3	164	38	40	13	21	9	3	40	11	378	303	7	13	192	91
North Miami Beach	1,162	–	–	4	273	87	50	32	30	14	10	50	21	667	551	9	12	453	77
Opa-Locka	169	–	–	4	26	5	8	2	3	1	–	7	5	72	56	–	3	41	12
South Miami	92	1	–	–	15	4	7	–	1	–	–	3	6	43	31	1	1	24	5
Balance of county	5,440	8	1	54	1,185	327	325	98	121	55	42	217	85	2,333	1,817	15	70	1,368	364
De Soto	236	–	–	2	40	7	17	1	5	2	1	7	5	114	81	–	1	71	9
Dixie	69	–	–	–	19	8	8	–	–	1	–	4	–	28	22	–	–	17	5
Duval, coext. with Jacksonville city	5,232	10	1	56	1,078	239	344	102	129	31	44	189	65	2,386	1,797	14	105	1,009	669
Escambia	1,821	1	–	26	397	87	136	27	39	15	12	81	26	830	626	4	28	425	169
Pensacola	698	1	–	12	149	46	43	9	15	6	4	26	8	331	246	–	12	164	70
Balance of county	1,123	–	–	14	248	41	93	18	24	9	8	55	20	499	380	4	16	261	99
Flagler	136	–	–	–	39	12	10	2	6	2	1	6	1	70	54	–	1	44	9
Franklin	93	1	–	–	24	5	8	1	3	2	–	5	–	35	26	–	2	19	5
Gadsden	367	2	–	1	80	21	23	8	12	1	–	15	6	155	108	–	8	74	26
Gilchrist	63	–	–	2	17	4	3	–	2	2	1	5	2	25	19	–	–	13	6
Glades	61	–	–	–	14	3	5	–	2	2	–	2	4	25	21	–	2	16	3
Gulf	87	–	–	–	19	6	5	-	2	1	2	3	–	47	36	–	–	31	5
Hamilton	111	–	–	–	23	4	13	1	2	1	–	2	6	42	38	–	6	24	8
Hardee	215	–	–	2	46	9	18	4	3	1	–	11	6	95	70	1	1	56	12
Hendry	173	1	–	2	29	3	8	3	8	1	3	3	1	78	53	1	5	39	8
Hernando	656	1	–	3	158	45	53	13	18	9	2	18	9	315	226	3	7	168	48
Highlands	734	2	–	5	157	37	42	6	28	6	3	35	9	383	293	–	9	234	50
Hillsborough	5,849	5	1	48	1,258	315	370	75	145	56	42	255	85	2,687	2,049	14	102	1,359	574
Plant City	200	–	–	3	35	5	9	5	7	1	–	8	–	118	93	1	3	59	30
Tampa	3,279	5	1	28	716	188	194	45	97	31	21	140	50	1,527	1,145	8	76	737	324
Balance of county	2,370	–	–	17	507	122	167	25	41	24	21	107	35	1,042	811	5	23	563	220
Holmes	157	–	–	1	30	7	10	2	3	1	1	6	–	79	69	–	3	57	9
Indian River	700	–	–	3	193	53	72	13	15	10	4	26	4	321	253	3	3	189	58
Vero Beach	257	–	–	2	69	19	22	7	5	3	2	11	–	111	83	–	1	69	13
Balance of county	443	–	–	1	124	34	50	6	10	7	2	15	4	210	170	3	2	120	45
Jackson	416	2	–	4	79	20	28	3	10	3	–	15	7	209	154	–	9	107	38
Jefferson	115	–	–	3	24	8	9	–	2	–	2	3	2	52	35	–	4	23	8
Lafayette	39	–	–	–	8	3	3	–	1	–	–	1	–	22	14	–	–	7	7
Lake	1,536	6	–	8	320	87	87	30	40	8	10	58	21	840	604	9	12	462	121
Leesburg	244	3	–	1	52	17	8	5	8	1	2	11	–	126	101	2	2	74	23
Balance of county	1,292	3	–	7	268	70	79	25	32	7	8	47	21	714	503	7	10	388	98
Lee	2,572	1	1	21	624	164	179	49	60	27	20	125	32	1,247	983	23	26	707	227
Fort Myers	467	–	1	4	89	31	18	8	7	6	2	17	10	243	174	7	5	108	54
Balance of county	2,105	1	–	17	535	133	161	41	53	21	18	108	22	1,004	809	16	21	599	173
Leon	828	2	–	13	172	39	46	14	21	7	6	39	11	356	257	5	10	172	70
Tallahassee	552	2	–	12	113	26	34	5	13	5	5	25	8	235	172	3	7	115	47
Balance of county	276	–	–	1	59	13	12	9	8	2	1	14	3	121	85	2	3	57	23
Levy	220	–	–	3	49	10	19	5	6	–	–	9	4	100	83	–	–	65	18
Liberty	33	–	–	–	3	–	1	1	–	–	–	1	–	19	16	1	1	13	1
Madison	176	–	–	2	44	11	10	5	4	4	2	8	3	81	70	1	10	31	28
Manatee	2,300	2	–	17	547	152	132	41	63	29	21	109	34	1,147	876	5	13	666	192
Bradenton	589	1	–	4	128	41	30	8	16	7	4	22	10	312	225	4	2	167	52
Balance of county	1,711	1	–	13	419	111	102	33	47	22	17	87	24	835	651	1	11	499	140
Marion	1,363	3	1	18	300	77	95	27	35	9	5	52	26	653	471	5	27	338	101
Ocala	448	–	1	6	80	19	30	8	8	–	1	14	7	232	159	3	5	117	34
Balance of county	915	3	–	12	220	58	65	19	27	9	4	38	19	421	312	2	22	221	67

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Florida—Con.																			
Broward	48	970	104	143	205	390	47	175	121	1	59	96	63	993	301	208	209	173	6
Deerfield Beach	4	48	4	4	11	14	1	9	8	-	-	1	2	59	10	5	13	5	-
Fort Lauderdale	14	267	28	35	42	93	16	47	18	1	11	42	15	240	83	37	62	59	1
Hallandale	-	43	5	9	9	14	3	11	7	-	2	4	3	51	6	8	2	4	-
Hollywood	11	149	20	18	25	62	7	18	15	-	9	14	8	138	46	27	26	20	-
Lauderdale Lakes	-	29	2	-	4	7	1	3	4	-	1	-	4	33	4	5	4	1	1
Miramar	1	16	1	3	6	11	1	4	3	-	1	1	1	31	7	12	6	7	-
Oakland Park	-	14	1	4	3	5	-	4	3	-	1	-	1	14	5	5	9	6	-
Pembroke Pines	-	15	3	4	7	11	-	5	5	-	1	1	1	28	9	6	4	2	-
Plantation	1	21	3	8	9	8	1	9	2	-	3	-	2	31	6	3	3	3	1
Pompano Beach	4	89	14	4	26	34	5	18	10	-	6	11	6	75	16	23	18	12	2
Wilton Manor	-	23	4	3	2	8	1	1	1	-	1	-	-	11	3	2	2	3	-
Balance of county	13	256	19	51	61	123	11	46	45	-	23	22	20	282	106	75	60	51	1
Calhoun	-	12	4	2	2	2	-	-	-	-	-	-	1	10	2	1	-	-	-
Charlotte	4	61	16	14	23	28	3	14	11	-	-	6	2	54	26	11	13	-	1
Citrus	3	74	9	11	6	24	2	12	4	-	2	3	2	44	19	14	13	2	-
Clay	3	36	6	3	16	13	3	10	5	-	3	7	6	28	28	12	3	2	-
Collier	6	65	11	13	20	39	8	19	9	-	4	9	5	81	40	30	33	22	4
Naples	4	23	6	6	5	12	3	6	4	-	-	2	-	32	9	7	5	3	1
Balance of county	2	42	5	7	15	27	5	13	5	-	4	7	5	49	31	23	28	19	3
Columbia	1	39	4	1	8	15	4	7	2	-	3	8	22	29	13	8	4	5	1
Lake City	1	22	2	-	3	4	2	5	-	-	2	1	5	18	4	5	-	1	-
Balance of county	-	17	2	1	5	11	2	2	2	-	1	7	17	11	9	3	4	4	1
Dade	75	1,276	127	158	362	452	64	293	165	6	108	168	205	1,428	444	378	275	601	2
Coral Gables	1	24	5	5	11	14	-	8	2	-	1	1	2	45	12	3	6	13	-
Hialeah	17	85	11	11	26	29	2	21	11	-	11	16	9	84	32	21	21	42	-
Homestead	-	19	1	-	7	4	-	3	3	-	-	7	-	15	15	13	3	5	-
Miami	23	325	40	44	124	140	24	106	55	4	31	54	65	506	120	107	86	238	1
Miami Beach	8	218	23	21	57	55	17	25	18	-	3	4	27	177	32	45	29	30	-
Miami Springs	-	20	-	-	-	5	-	4	3	-	-	1	1	16	2	3	3	2	-
North Miami	2	60	5	8	16	19	2	6	5	-	4	1	6	51	10	13	10	8	-
North Miami Beach	-	100	7	9	21	21	4	9	9	-	6	2	3	68	21	15	9	9	-
Opa-Locka	-	14	1	1	1	5	1	3	2	-	2	6	2	15	7	2	3	13	-
South Miami	-	10	1	1	3	3	-	1	-	-	-	1	4	5	4	1	3	2	-
Balance of county	24	401	33	58	96	157	14	105	57	2	50	75	86	446	189	155	102	239	1
De Soto	-	28	4	1	7	7	2	7	1	-	-	1	1	21	8	13	3	3	1
Dixie	1	3	1	1	3	4	-	2	2	-	-	-	4	5	1	-	1	-	-
Duval, coext. with Jacksonville city	21	449	72	47	130	217	15	122	58	1	39	81	89	413	151	118	95	101	6
Escambia	12	145	30	17	33	64	2	36	20	-	8	26	11	152	71	67	29	15	5
Pensacola	7	53	19	6	15	21	1	17	6	-	-	7	6	65	13	30	10	5	1
Balance of county	5	92	11	11	18	43	1	19	14	-	8	19	5	87	58	37	19	10	4
Flagler	-	11	-	5	3	1	-	2	-	-	-	-	1	4	5	5	3	2	-
Franklin	-	7	1	1	2	1	-	2	-	-	2	1	11	5	1	6	-	2	-
Gadsden	3	36	3	5	11	7	2	6	4	-	3	11	22	29	11	8	2	7	-
Gilchrist	-	5	-	1	1	2	-	2	-	-	-	-	-	6	5	1	-	-	-
Glades	-	4	-	-	-	5	-	1	-	-	-	3	-	1	3	2	2	1	-
Gulf	2	8	-	1	1	3	-	1	1	-	-	-	-	3	6	3	2	1	-
Hamilton	-	3	-	1	1	4	1	-	3	-	-	4	4	14	4	3	-	2	-
Hardee	-	19	5	1	8	7	1	1	4	-	-	4	2	16	10	3	1	8	1
Hendry	1	19	2	3	2	2	1	6	1	-	1	3	2	9	11	12	4	4	4
Hernando	1	63	21	4	13	22	-	17	5	-	1	3	19	40	21	18	9	3	1
Highlands	1	60	18	11	18	14	7	9	5	-	3	11	13	44	25	15	8	3	3
Hillsborough	39	489	62	48	168	206	25	118	60	-	42	67	91	421	206	158	101	101	1
Plant City	1	22	2	-	6	5	2	2	-	-	-	-	2	13	6	6	-	2	-
Tampa	22	295	34	31	99	128	13	72	36	-	18	33	54	237	65	75	51	71	-
Balance of county	16	172	26	17	63	73	10	44	24	-	24	34	35	171	135	77	50	28	1
Holmes	-	8	-	2	7	5	-	1	-	-	-	3	1	13	7	1	5	4	-
Indian River	3	48	7	10	12	18	2	9	9	-	3	4	7	48	32	21	6	8	-
Vero Beach	1	20	4	3	4	9	1	2	3	-	1	2	1	23	11	14	3	1	-
Balance of county	2	28	3	7	8	9	1	7	6	-	2	2	6	25	21	7	3	7	-
Jackson	5	42	3	5	8	12	2	2	3	-	4	2	4	34	16	15	6	5	2
Jefferson	-	15	-	2	4	5	-	-	-	-	1	1	4	8	5	5	-	1	-
Lafayette	-	7	1	-	-	-	-	-	-	-	-	1	3	1	2	-	2	-	-
Lake	7	186	24	19	18	59	6	29	13	-	8	7	4	103	37	35	14	8	-
Leesburg	-	20	2	3	2	8	-	5	2	-	3	1	-	17	7	11	4	2	-
Balance of county	7	166	22	16	16	51	6	24	11	-	5	6	4	86	30	24	10	6	-
Lee	8	183	43	30	58	100	3	52	11	-	9	13	27	180	77	44	38	26	8
Fort Myers	3	52	10	4	10	20	-	14	2	-	-	5	5	31	10	6	4	12	1
Balance of county	5	131	33	26	48	80	3	38	9	-	9	8	22	149	67	38	34	14	7
Leon	12	74	3	10	10	26	4	14	3	-	7	18	33	66	34	23	17	16	3
Tallahassee	8	47	2	6	8	21	3	7	3	-	5	14	22	47	23	11	7	10	1
Balance of county	4	27	1	4	2	5	1	7	-	-	2	4	11	19	11	12	10	6	2
Levy	1	11	1	4	4	10	-	2	3	-	-	2	12	10	9	6	4	2	-
Liberty	-	2	1	-	-	2	-	1	-	-	-	-	1	5	1	1	-	-	-
Madison	1	9	-	1	4	5	-	1	1	-	-	4	10	9	3	6	1	2	-
Manatee	4	213	17	37	42	82	5	16	13	1	10	8	105	162	47	32	21	7	2
Bradenton	1	68	4	14	20	9	1	3	4	-	2	3	21	41	13	8	6	3	-
Balance of county	3	145	13	23	22	73	4	13	9	1	8	5	84	121	34	24	15	4	2
Marion	3	147	16	16	30	50	5	26	7	-	7	7	9	88	54	41	22	12	4
Ocala	2	59	7	5	6	23	2	7	1	-	1	3	1	39	14	16	4	4	1
Balance of county	1	88	9	11	24	27	3	19	6	-	6	4	8	49	40	25	18	8	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Florida—Con.																			
Martin	863	1	-	1	210	53	70	13	20	12	7	35	18	432	309	4	10	245	50
Monroe	595	1	-	6	152	36	42	8	19	10	7	30	5	231	172	2	5	139	26
Key West	244	1	-	5	60	15	17	1	8	4	2	13	2	101	78	-	1	60	17
Balance of county	351	-	-	1	92	21	25	7	11	6	5	17	3	130	94	2	4	79	9
Nassau	244	-	-	2	68	17	24	5	5	3	1	13	4	81	61	-	1	49	11
Okaloosa	616	1	-	2	138	31	46	12	8	8	5	28	11	266	217	-	5	159	53
Fort Walton Beach	129	-	-	1	29	6	9	4	1	-	2	7	3	46	33	-	-	25	8
Balance of county	487	1	-	1	109	25	37	8	7	8	3	21	8	220	184	-	5	134	45
Okeechobee	241	-	-	1	59	18	18	3	6	1	3	10	6	104	80	-	2	71	7
Orange	4,024	8	-	37	891	218	253	76	89	35	37	183	50	1,806	1,387	16	37	960	374
Orlando	1,546	2	-	13	334	81	[illegible]	25	34	15	17	72	21	713	555	7	12	375	161
Winter Park	386	1	-	-	80	18	18	10	11	6	4	13	7	193	136	-	6	98	32
Balance of county	2,092	5	-	24	477	119	145	41	44	14	16	98	22	900	696	9	19	487	181
Osceola	680	1	-	4	136	43	39	10	15	3	6	20	12	362	306	2	1	272	31
Palm Beach	7,576	7	-	58	1,802	491	497	138	207	84	72	313	113	3,875	2,951	37	43	2,422	449
Belle Glade	169	2	-	1	22	5	8	3	1	2	-	3	4	71	48	-	1	43	4
Boca Raton	643	-	-	2	183	56	48	18	21	6	10	24	6	343	264	3	6	206	49
Boynton Beach	605	-	-	2	143	39	41	9	12	8	3	31	7	284	209	1	5	176	27
Delray Beach	654	-	-	3	149	39	37	11	18	6	5	33	5	356	288	3	7	245	33
Lake Worth	630	1	-	6	118	27	39	7	18	6	3	18	11	362	284	2	4	224	54
Riviera Beach	314	1	-	5	62	15	18	4	11	1	4	9	6	160	112	-	-	92	20
West Palm Beach	1,117	1	-	11	248	61	77	16	33	13	8	40	17	564	433	8	5	360	60
Balance of county	3,444	2	-	28	877	249	229	70	93	42	39	155	57	1,735	1,313	20	15	1,076	202
Pasco	3,000	2	-	19	720	196	220	56	71	33	27	117	24	1,527	1,119	12	39	910	158
Pinellas	11,840	7	1	75	2,445	681	653	190	303	121	73	424	136	6,430	4,878	58	154	3,621	1,045
Clearwater	1,478	-	-	12	315	89	77	21	41	15	12	60	21	775	550	7	14	431	98
Dunedin	533	-	-	4	108	32	23	9	12	7	3	22	4	305	226	6	6	191	23
Largo	837	-	1	11	170	52	44	12	22	10	5	25	6	441	333	2	9	268	54
Pinellas Park	417	-	-	2	91	21	32	4	10	3	2	19	10	215	169	3	6	127	33
St. Petersburg	4,686	6	-	26	871	234	232	65	115	36	23	166	53	2,637	2,037	23	67	1,420	527
Balance of county	3,889	1	-	20	890	253	245	79	103	50	28	132	42	2,057	1,563	17	52	1,184	310
Polk	3,389	8	2	20	696	176	221	57	74	31	23	114	57	1,613	1,275	18	59	998	200
Bartow	168	-	-	-	28	3	11	1	4	1	1	7	7	88	64	-	1	48	15
Lakeland	694	2	-	5	141	42	34	9	22	5	3	26	5	333	263	5	10	209	39
Winter Haven	294	-	-	1	59	12	15	4	10	6	1	11	1	151	116	3	7	90	16
Balance of county	2,233	6	2	14	468	119	161	43	38	19	18	70	44	1,043	832	10	41	651	130
Putnam	538	4	-	6	114	25	39	9	14	7	4	16	23	232	172	3	4	131	34
St. Johns	621	-	-	6	172	40	53	20	20	9	4	26	10	273	207	1	4	153	49
St. Augustine	223	-	-	2	52	13	21	7	4	-	1	6	3	97	75	1	1	56	17
Balance of county	398	-	-	4	120	27	32	13	16	9	3	20	7	176	132	-	3	97	32
St. Lucie	1,053	5	-	10	240	70	76	15	23	12	3	41	15	506	393	2	3	336	52
Fort Pierce	495	4	-	7	109	32	39	5	10	4	1	18	6	238	180	-	1	153	26
Balance of county	558	1	-	3	131	38	37	10	13	8	2	23	9	268	213	2	2	183	26
Santa Rosa	408	1	-	3	94	25	26	5	10	5	2	21	7	186	147	1	1	111	34
Sarasota	3,097	1	-	20	695	187	191	54	88	34	25	116	49	1,640	1,173	12	14	958	189
Sarasota	884	-	-	5	184	58	45	15	17	7	10	32	15	449	312	2	8	253	49
Balance of county	2,213	1	-	15	511	129	146	39	71	27	15	84	34	1,191	861	10	6	705	140
Seminole	1,294	5	-	11	293	78	88	19	23	20	10	57	14	608	474	3	10	355	106
Sanford	286	-	-	2	45	12	13	1	5	3	2	9	5	160	122	1	-	88	33
Balance of county	1,008	5	-	9	248	66	73	18	18	17	8	48	9	448	352	2	10	267	73
Sumter	271	-	-	5	53	16	20	2	3	-	3	9	-	126	97	-	-	86	11
Suwannee	245	2	-	-	55	10	20	4	7	2	1	11	4	108	80	-	2	63	15
Taylor	152	-	-	1	28	7	11	2	2	2	2	2	11	62	47	-	2	35	10
Union	86	-	-	-	18	2	10	-	2	-	-	4	-	48	39	-	-	31	8
Volusia	3,778	4	-	20	829	224	240	71	93	43	35	123	52	2,002	1,529	16	72	1,132	309
Daytona Beach	890	2	-	3	175	53	48	16	19	5	7	27	15	477	349	3	21	247	78
De Land	283	-	-	1	46	17	9	4	6	1	1	8	2	157	129	1	7	100	21
New Smyrna Beach	273	-	-	1	66	18	26	1	7	6	-	8	2	142	101	2	8	72	21
Ormond Beach	392	1	-	2	97	27	27	8	6	8	4	17	8	200	159	1	7	118	33
Balance of county	1,940	1	-	13	445	109	130	42	55	23	23	63	25	1,026	791	9	31	595	156
Wakulla	70	-	-	-	12	2	5	-	1	1	-	3	6	30	23	1	1	14	7
Walton	206	-	-	1	35	9	13	4	2	1	2	4	2	107	84	-	-	65	19
Washington	161	1	-	-	19	6	5	2	1	1	2	2	-	100	84	-	4	65	15
Georgia	44,892	55	3	487	8,602	1,988	2,489	687	957	370	308	1,803	721	21,605	16,118	79	672	10,641	4,726
Urban places	17,184	29	1	219	3,206	818	862	266	349	137	116	658	295	8,178	6,063	32	343	3,723	1,965
Balance of area	27,708	26	2	268	5,396	1,170	1,627	421	608	233	192	1,145	426	13,427	10,055	47	329	6,918	2,761
Metropolitan counties	24,101	28	1	291	4,773	1,140	1,376	423	483	208	174	969	393	11,035	8,330	45	372	5,312	2,601
Urban places	12,918	21	1	186	2,430	618	663	211	260	103	89	486	214	5,983	4,465	24	268	2,654	1,519
Balance of area	11,183	7	-	105	2,343	522	713	212	223	105	85	483	179	5,052	3,865	21	104	2,658	1,082
Nonmetropolitan counties	20,791	27	2	196	3,829	848	1,113	264	474	162	134	834	328	10,570	7,788	34	300	5,329	2,125
Urban places	4,266	8	-	33	776	200	199	55	89	34	27	172	81	2,195	1,598	8	75	1,069	446
Balance of area	16,525	19	2	163	3,053	648	914	209	385	128	107	662	247	8,375	6,190	26	225	4,260	1,679
Appling	124	-	-	1	25	8	7	3	3	2	1	1	-	56	41	-	1	29	11
Atkinson	57	-	-	1	10	2	3	-	1	-	-	4	-	34	26	-	1	17	8
Bacon	98	-	-	1	14	1	1	2	4	1	2	3	1	53	44	-	1	30	13
Baker	47	-	-	-	9	-	5	-	-	-	3	1	2	18	9	-	-	7	2
Baldwin	277	3	-	4	52	15	18	4	4	3	2	6	5	126	99	-	5	76	18
Milledgeville	132	3	-	1	26	8	7	3	1	3	1	3	4	55	42	-	1	31	10
Balance of county	145	-	-	3	26	7	11	1	3	-	1	3	1	71	57	-	4	45	8
Banks	52	-	-	-	14	4	3	-	1	1	2	3	2	21	16	-	-	13	3
Barrow	200	-	-	1	34	8	6	-	6	1	3	10	2	97	64	-	2	44	18

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Florida—Con.																			
Martin	5	92	10	16	8	35	1	14	4	-	3	7	9	54	20	28	11	6	1
Monroe	1	37	5	16	12	15	5	21	5	-	2	5	6	57	19	23	15	11	4
Key West	-	18	2	3	8	3	4	12	3	-	2	2	2	26	1	5	4	3	-
Balance of county	1	19	3	13	4	12	1	9	2	-	-	3	4	31	18	18	11	8	4
Nassau	-	17	2	1	10	15	2	6	3	-	1	4	-	18	15	10	3	1	1
Okaloosa	2	31	11	5	13	22	2	9	10	-	9	14	6	47	28	16	17	5	-
Fort Walton Beach	2	9	1	1	6	4	1	-	-	-	2	7	1	13	10	3	3	-	-
Balance of county	-	22	10	4	7	18	1	9	10	-	7	7	5	34	18	13	14	5	-
Okeechobee	-	19	2	3	8	6	1	5	2	-	2	6	1	13	11	10	3	1	2
Orange	12	311	52	44	114	168	14	78	36	-	33	39	49	305	145	96	72	73	10
Orlando	6	118	21	13	38	58	7	33	13	-	9	9	16	134	46	39	20	38	3
Winter Park	3	38	12	4	16	13	1	7	5	-	2	2	5	30	9	6	6	2	1
Balance of county	3	155	19	27	60	97	6	38	18	-	22	28	28	141	90	51	46	33	6
Osceola	2	40	7	7	18	21	1	10	7	-	2	8	7	45	21	10	8	7	-
Palm Beach	24	709	111	80	128	206	22	132	70	-	29	55	61	495	197	139	111	67	9
Belle Glade	2	17	4	-	5	5	1	3	3	-	1	3	1	18	8	12	1	6	2
Boca Raton	-	66	5	8	10	14	1	4	3	-	1	2	5	38	15	6	6	4	-
Boynton Beach	3	57	6	9	11	31	2	14	4	-	1	6	12	46	16	10	10	6	-
Delray Beach	2	55	8	3	16	19	3	10	1	-	1	2	8	38	13	17	8	4	1
Lake Worth	2	59	9	8	16	17	1	17	10	-	2	3	1	38	9	10	5	2	1
Riviera Beach	2	40	2	4	4	7	2	11	6	-	2	4	4	16	6	11	2	5	-
West Palm Beach	3	92	26	10	17	28	3	21	12	-	5	12	8	80	33	16	20	20	1
Balance of county	10	323	51	38	49	85	9	52	31	-	16	23	22	221	97	57	59	20	4
Pasco	11	257	106	34	62	98	8	48	24	1	5	10	117	193	48	44	36	13	1
Pinellas	56	1,192	173	131	272	419	32	140	95	-	27	44	452	766	175	162	110	51	1
Clearwater	5	174	29	17	26	64	2	18	16	-	5	7	46	93	18	33	22	5	-
Dunedin	2	59	12	6	13	17	-	5	5	-	2	2	17	31	7	8	4	1	-
Largo	3	85	11	9	28	26	-	6	8	-	5	2	27	72	19	9	5	1	-
Pinellas Park	2	30	7	7	2	17	3	6	4	-	1	2	21	24	8	6	4	1	-
St. Petersburg	25	494	38	43	113	147	20	46	27	-	9	23	210	303	52	68	46	28	1
Balance of county	19	350	76	49	90	148	7	59	35	-	5	8	131	243	71	38	29	15	-
Polk	16	238	56	28	69	124	11	50	27	1	21	48	112	233	138	80	34	36	9
Bartow	2	17	3	-	3	4	2	2	1	-	1	8	3	9	7	2	4	1	-
Lakeland	5	46	14	5	13	28	3	4	4	-	3	4	41	61	18	15	5	7	2
Winter Haven	3	27	4	1	10	13	-	7	1	-	2	6	8	19	7	5	2	2	-
Balance of county	6	148	35	22	43	79	6	37	21	1	15	30	60	144	106	58	23	26	7
Putnam	-	46	11	3	13	25	1	8	4	-	4	6	5	42	21	14	6	8	2
St. Johns	5	52	1	8	19	32	4	11	7	-	-	2	9	43	12	8	7	4	2
St. Augustine	1	19	-	2	8	14	1	6	4	-	-	1	5	19	3	2	3	1	2
Balance of county	4	33	1	6	11	18	3	5	3	-	-	1	4	24	9	6	4	3	-
St. Lucie	1	83	15	14	23	31	3	16	5	-	2	14	4	84	39	21	14	17	4
Fort Pierce	1	43	8	6	18	13	1	9	3	-	-	9	2	31	13	13	5	13	1
Balance of county	-	40	7	8	5	18	2	7	2	-	2	5	2	53	26	8	9	4	3
Santa Rosa	3	26	5	5	4	15	-	3	6	-	4	2	4	26	31	11	6	4	1
Sarasota	17	345	64	41	69	110	13	37	18	1	7	10	18	254	51	57	24	16	7
Sarasota	5	102	18	12	26	35	7	6	9	-	3	8	6	70	16	28	6	8	3
Balance of county	12	243	46	29	43	75	6	31	9	1	4	2	12	184	35	29	18	8	4
Seminole	7	96	19	12	28	62	2	25	8	-	4	16	6	99	42	32	21	16	2
Sanford	1	29	5	3	3	13	1	4	2	-	-	2	1	26	5	12	1	3	1
Balance of county	6	67	14	9	25	49	1	21	6	-	4	14	5	73	37	20	20	13	1
Sumter	1	25	1	2	9	12	1	4	1	-	3	2	6	24	7	4	5	8	1
Suwannee	-	23	4	1	4	6	-	4	5	-	1	2	9	23	5	12	4	1	-
Taylor	1	12	1	1	1	3	-	1	-	-	1	3	9	16	8	4	1	3	-
Union	-	6	2	1	1	2	-	-	-	-	-	1	-	4	-	6	2	4	-
Volusia	18	376	34	45	79	161	16	68	21	-	10	19	18	264	74	54	41	31	15
Daytona Beach	6	105	10	7	15	29	4	16	3	-	-	11	8	76	19	13	8	11	5
De Land	-	23	2	3	15	15	1	3	1	-	2	2	2	23	5	3	4	1	-
New Smyrna Beach	1	28	7	5	4	13	2	10	5	-	-	-	3	17	2	1	4	1	-
Ormond Beach	4	29	3	5	7	18	1	3	1	-	2	2	-	27	10	5	5	2	1
Balance of county	7	191	12	25	38	86	8	36	11	-	6	4	5	121	38	32	20	16	9
Wakulla	-	7	-	-	1	2	-	-	-	-	-	-	2	5	6	-	4	1	1
Walton	2	17	1	3	8	8	-	4	2	-	-	-	1	11	8	10	6	3	-
Washington	1	12	2	1	5	6	-	4	2	-	-	5	4	7	3	1	3	1	-
Georgia	213	4,439	439	396	1,214	1,225	159	584	439	9	313	619	478	3,823	1,490	1,428	704	822	112
Urban places	99	1,687	169	160	477	431	67	281	190	5	116	301	203	1,603	384	522	211	434	31
Balance of area	114	2,752	270	236	737	794	92	303	249	4	197	318	275	2,220	1,106	906	493	388	81
Metropolitan counties	118	2,161	220	206	668	652	99	376	238	7	193	402	245	2,180	795	727	419	532	47
Urban places	78	1,203	127	110	374	294	54	233	139	4	88	248	150	1,253	294	407	160	368	17
Balance of area	40	958	93	96	294	358	45	143	99	3	105	154	95	927	501	320	259	164	30
Nonmetropolitan counties	95	2,278	219	190	546	573	60	208	201	2	120	217	233	1,643	695	701	285	290	65
Urban places	21	484	42	50	103	137	13	48	51	1	28	53	53	350	90	115	51	66	14
Balance of area	74	1,794	177	140	443	436	47	160	150	1	92	164	180	1,293	605	586	234	224	51
Appling	-	11	2	2	4	7	-	1	-	-	-	1	2	13	3	10	1	-	-
Atkinson	-	7	-	1	-	2	-	1	-	-	-	1	-	3	1	3	-	1	-
Bacon	-	8	-	1	2	3	-	1	1	-	1	-	1	10	6	1	1	2	-
Baker	1	7	1	-	-	1	-	1	-	-	-	1	1	8	1	4	-	1	-
Baldwin	1	22	1	3	15	4	1	6	1	-	3	1	-	18	14	11	7	5	1
Milledgeville	-	11	-	2	10	1	-	5	1	-	2	-	-	10	3	6	3	2	-
Balance of county	1	11	1	1	5	3	1	1	-	-	1	1	-	8	11	5	4	3	1
Banks	-	4	1	-	-	3	-	-	-	-	-	-	2	3	3	3	1	-	-
Barrow	1	31	1	-	10	3	1	2	1	-	2	1	3	19	10	9	3	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Bartow	309	1	-	2	65	11	17	5	8	5	2	17	2	144	112	2	1	81	28
Ben Hill	211	1	-	2	26	6	8	2	3	2	1	4	3	140	111	-	3	70	38
Berrien	133	1	-	-	22	4	8	-	3	2	-	5	-	65	53	-	-	44	9
Bibb	1,509	1	-	14	274	65	76	22	26	11	7	67	19	746	547	1	17	310	219
Macon	1,303	1	-	12	234	56	64	20	24	10	6	54	17	653	475	1	14	270	190
Balance of county	206	-	-	2	40	9	12	2	2	1	1	13	2	93	72	-	3	40	29
Bleckley	107	-	-	-	16	8	5	-	2	1	-	-	1	63	50	1	4	37	8
Brantley	70	-	-	3	16	3	4	2	3	-	-	4	-	34	24	-	-	16	8
Brooks	187	-	-	1	24	5	8	1	4	1	-	5	-	98	76	1	3	53	19
Bryan	77	-	-	-	16	4	7	1	1	1	-	2	2	32	22	-	2	17	3
Bulloch	291	1	-	1	54	12	14	3	7	2	4	12	8	139	84	-	7	45	32
Statesboro	133	-	-	1	22	6	5	1	3	-	1	6	4	66	39	-	4	21	14
Balance of county	158	1	-	-	32	6	9	2	4	2	3	6	4	73	45	-	3	24	18
Burke	203	1	-	7	38	10	6	4	5	2	2	9	2	109	76	1	5	40	30
Butts	113	-	-	1	17	6	6	1	1	-	-	3	-	59	48	-	2	24	22
Calhoun	64	-	-	-	4	1	-	-	3	-	-	-	-	43	25	-	2	18	5
Camden	106	-	-	-	20	4	6	3	1	1	-	5	-	53	43	-	-	37	6
Candler	107	-	-	1	18	2	9	2	1	1	-	3	2	57	42	-	4	27	11
Carroll	468	-	-	1	105	20	32	8	16	2	2	25	3	215	161	1	5	114	41
Carrollton	119	-	-	1	23	5	6	1	4	-	1	6	-	61	48	-	2	36	10
Balance of county	349	-	-	-	82	15	26	7	12	2	1	19	3	154	113	1	3	78	31
Catoosa	261	-	-	3	54	7	17	5	5	6	2	12	3	122	94	2	4	67	21
Charlton	71	-	-	-	14	5	4	1	3	-	-	1	1	32	25	-	2	18	5
Chatham	1,924	3	-	27	392	110	115	36	36	16	7	72	34	883	658	4	27	486	141
Savannah	1,570	3	-	24	325	94	93	30	31	12	6	59	29	724	534	2	23	384	125
Balance of county	354	-	-	3	67	16	22	6	5	4	1	13	5	159	124	2	4	102	16
Chattahoochee	29	-	-	-	6	1	1	1	-	-	1	2	1	9	7	-	-	2	5
Chattooga	222	1	-	6	38	8	13	5	2	-	1	9	1	115	85	-	2	62	21
Cherokee	350	-	-	2	59	13	20	3	5	3	2	13	5	172	122	-	1	84	37
Clarke	442	1	-	3	85	22	28	7	5	4	2	17	5	212	153	1	6	111	35
Athens	319	-	-	2	59	13	20	5	3	1	2	15	2	155	107	1	6	74	26
Balance of county	123	1	-	1	26	9	8	2	2	3	-	2	3	57	46	-	-	37	9
Clay	50	-	-	-	7	1	1	-	-	-	1	4	-	33	20	-	-	19	1
Clayton	743	-	-	6	159	42	49	13	14	4	5	32	12	314	242	2	4	188	48
College Park, part	22	-	-	-	5	-	3	-	-	-	-	2	-	7	5	1	1	2	1
Forest Park	164	-	-	1	38	15	11	1	3	1	-	7	3	66	49	1	1	44	3
Balance of county	557	-	-	5	116	27	35	12	11	3	5	23	9	241	188	-	2	142	44
Clinch	72	-	-	1	9	-	5	-	2	-	-	2	-	40	30	-	2	24	4
Cobb	1,581	1	-	8	346	71	103	35	36	11	9	81	25	684	530	3	14	338	175
Marietta	336	1	-	3	71	17	21	5	9	2	3	14	3	152	118	2	3	64	49
Smyrna	173	-	-	1	38	9	13	4	3	-	1	8	4	68	52	-	1	35	16
Balance of county	1,072	-	-	4	237	45	69	26	24	9	5	59	16	464	360	1	10	239	110
Coffee	232	-	1	-	48	13	18	5	2	1	2	7	3	115	75	-	2	49	24
Douglas	95	-	-	-	22	7	6	4	-	1	-	4	-	49	37	-	1	24	12
Balance of county	137	-	1	-	26	6	12	1	2	-	2	3	3	66	38	-	1	25	12
Colquitt	329	1	-	4	58	13	20	-	7	-	4	14	10	163	109	-	6	66	37
Moultrie	174	1	-	2	28	5	8	-	5	-	2	8	4	85	59	-	2	34	23
Balance of county	155	-	-	2	30	8	12	-	2	-	2	6	6	78	50	-	4	32	14
Columbia	242	-	-	7	45	13	10	-	8	2	3	9	3	98	86	1	3	64	18
Cook	140	-	-	-	27	7	6	1	5	-	1	7	2	69	58	-	1	27	30
Coweta	379	-	-	5	54	15	12	5	2	4	3	13	4	196	126	-	3	85	38
Newnan	156	-	-	1	29	8	4	3	1	3	-	10	1	86	56	-	2	36	18
Balance of county	223	-	-	4	25	7	8	2	1	1	3	3	3	110	70	-	1	49	20
Crawford	62	-	-	1	10	-	2	1	2	-	-	5	1	27	22	-	1	11	10
Crisp	227	-	-	3	52	6	17	4	3	-	4	18	2	115	71	1	2	56	12
Cordele	153	-	-	2	35	5	9	4	1	-	3	13	2	79	45	1	2	34	8
Balance of county	74	-	-	1	17	1	8	-	2	-	1	5	-	36	26	-	-	22	4
Dade	98	1	-	-	13	5	2	1	1	-	-	4	1	54	49	-	1	38	10
Dawson	35	-	-	-	9	2	-	-	1	1	1	4	-	16	14	-	-	12	2
Decatur	255	-	-	4	48	9	16	3	7	1	-	12	4	127	85	-	5	58	22
Bainbridge	139	-	-	-	24	4	7	1	4	1	-	7	4	71	47	-	3	33	11
Balance of county	116	-	-	4	24	5	9	2	3	-	-	5	-	56	38	-	2	25	11
De Kalb	2,912	2	-	35	608	152	169	71	58	27	24	107	48	1,343	1,036	2	24	582	428
Atlanta, part	466	-	-	7	73	17	24	5	8	4	6	9	6	227	181	-	8	74	99
Decatur	437	-	-	8	87	23	23	10	10	5	1	15	8	191	142	-	3	66	73
Balance of county	2,009	2	-	20	448	112	122	56	40	18	17	83	32	925	713	2	13	442	256
Dodge	185	-	-	2	38	11	11	-	5	3	2	6	3	94	66	-	-	47	19
Dooly	136	-	-	1	24	7	8	-	2	-	1	6	2	59	34	-	-	30	4
Dougherty	742	3	-	8	133	27	37	13	13	6	14	23	17	328	224	2	13	156	53
Albany	656	3	-	8	112	20	30	10	11	6	13	22	14	297	204	2	12	141	49
Balance of county	86	-	-	-	21	7	7	3	2	-	1	1	3	31	20	-	1	15	4
Douglas	307	-	-	4	74	12	30	6	7	2	2	15	3	122	93	1	1	59	32
Early	139	-	-	1	29	5	11	2	4	2	2	3	7	61	41	-	1	35	5
Echols	27	-	-	-	5	2	1	-	1	-	1	-	-	18	15	-	-	5	10
Effingham	132	-	-	-	28	8	8	4	2	1	-	5	3	62	47	1	3	32	11
Elbert	221	-	-	2	37	5	12	1	9	2	2	6	4	102	78	-	2	48	28
Emanuel	222	-	-	2	45	10	17	2	3	2	4	7	2	124	96	-	3	51	42
Evans	87	-	-	-	18	3	5	1	2	4	1	2	-	50	35	-	1	25	9
Fannin	158	-	-	4	29	5	6	1	6	3	-	8	4	78	57	-	-	48	9
Fayette	164	-	-	-	46	14	15	3	2	1	1	10	-	70	58	2	3	46	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Bartow	1	28	1	2	4	10	1	7	2	-	2	5	2	24	18	9	8	3	-
Ben Hill	-	25	3	1	6	6	-	-	-	-	1	2	-	13	4	4	-	1	2
Berrien	-	11	-	1	6	6	-	1	2	-	1	1	2	11	6	6	3	-	-
Bibb	13	139	40	7	42	22	4	26	25	-	10	21	17	129	48	52	20	37	2
Macon	13	122	36	7	39	20	4	23	22	-	9	17	16	115	33	38	16	32	2
Balance of county	-	17	4	-	3	2	-	3	3	-	1	4	1	14	15	14	4	5	-
Bleckley	-	12	-	1	3	1	-	1	-	-	1	-	-	12	3	4	1	-	1
Brantley	-	9	1	-	2	3	-	2	-	-	1	-	-	3	4	2	-	-	-
Brooks	-	19	2	1	3	5	3	4	1	-	-	4	1	21	7	6	3	6	-
Bryan	-	9	-	1	1	1	1	1	-	-	-	1	1	5	5	7	2	2	-
Bulloch	2	44	3	6	4	6	2	6	5	-	-	1	10	26	6	15	6	1	-
Statesboro	-	21	3	3	2	1	2	2	5	-	-	1	5	12	-	5	4	1	-
Balance of county	2	23	-	3	2	5	-	4	-	-	-	-	5	14	6	10	2	-	-
Burke	1	22	10	-	7	2	-	2	3	-	-	2	-	14	3	2	2	9	-
Butts	-	11	-	-	3	4	-	2	2	-	1	4	1	13	2	1	1	2	-
Calhoun	1	15	1	1	3	-	-	1	-	-	-	-	-	8	2	1	-	2	-
Camden	1	5	2	2	1	3	-	1	1	-	-	2	-	5	7	11	-	2	-
Candler	1	12	-	2	3	1	-	-	-	-	-	-	-	14	1	7	2	1	-
Carroll	2	47	1	4	17	14	4	1	2	-	3	12	5	33	24	13	8	5	3
Carrollton	-	11	-	2	3	4	-	-	-	-	1	1	2	13	3	2	2	1	2
Balance of county	2	36	1	2	14	10	4	1	2	-	2	11	3	20	21	11	6	4	1
Catoosa	-	26	1	1	10	11	1	3	2	-	2	3	1	21	11	7	2	4	1
Charlton	1	5	1	-	1	2	-	1	1	-	1	1	-	5	5	5	1	1	-
Chatham	6	180	16	23	43	51	7	49	14	2	15	28	17	179	41	51	24	62	2
Savannah	5	152	13	20	33	36	6	38	12	1	11	25	9	149	29	44	16	55	1
Balance of county	1	28	3	3	10	15	1	11	2	1	4	3	8	30	12	7	8	7	1
Chattahoochee	-	1	1	-	-	-	-	1	-	-	-	2	1	-	5	3	-	1	-
Chattooga	3	24	2	1	5	9	-	2	2	-	2	-	2	17	11	6	2	3	-
Cherokee	2	43	2	3	11	13	1	2	3	-	2	5	2	23	22	11	8	8	1
Clarke	5	50	2	2	19	12	1	8	4	-	2	8	5	39	11	13	8	5	1
Athens	4	40	2	2	14	9	1	4	4	-	2	6	4	28	8	9	7	4	1
Balance of county	1	10	-	-	5	3	-	4	-	-	-	2	1	11	3	4	1	1	-
Clay	-	13	-	-	-	-	-	-	-	-	-	-	3	3	3	-	1	-	-
Clayton	3	59	3	7	24	31	5	10	3	1	6	14	5	52	35	28	22	11	5
College Park, part	-	1	1	-	-	2	-	-	-	-	-	1	1	3	-	2	-	1	-
Forest Park	1	15	-	1	6	6	2	3	-	1	-	2	-	11	11	9	3	2	-
Balance of county	2	43	2	6	18	23	3	7	3	-	6	11	4	38	24	17	19	8	5
Clinch	-	10	-	-	3	2	1	2	-	-	1	-	1	4	3	4	-	-	1
Cobb	2	125	15	12	31	53	4	28	13	-	8	37	14	141	69	45	54	17	3
Marietta	-	27	5	2	5	14	-	10	3	-	-	10	2	31	6	7	13	5	-
Smyrna	1	14	-	1	3	7	-	3	2	-	3	6	2	15	2	9	8	2	-
Balance of county	1	84	10	9	23	32	4	15	8	-	5	21	10	95	61	29	33	10	3
Coffee	-	37	1	2	1	8	-	1	3	-	4	4	2	16	4	8	6	4	4
Douglas	-	12	-	-	-	2	-	-	1	-	1	2	-	7	3	4	1	1	2
Balance of county	-	25	1	2	1	6	-	1	2	-	3	2	2	9	1	4	5	3	2
Colquitt	3	47	1	3	5	10	-	3	5	-	1	4	3	27	7	18	5	4	1
Moultrie	3	21	-	2	4	6	-	2	4	-	-	3	1	17	1	10	4	1	1
Balance of county	-	26	1	1	1	4	-	1	1	-	1	1	2	10	6	8	1	3	-
Columbia	-	11	-	1	4	7	2	-	6	-	1	4	2	26	14	12	5	5	1
Cook	-	8	3	-	1	3	-	1	3	-	-	-	2	12	9	5	5	1	-
Coweta	-	65	-	5	8	9	-	1	3	-	2	4	23	33	11	11	10	5	-
Newnan	-	26	-	4	1	2	-	1	1	-	1	3	13	11	2	2	2	-	-
Balance of county	-	39	-	1	7	7	-	-	2	-	1	1	10	22	9	9	8	5	-
Crawford	-	5	-	-	3	2	-	1	1	-	-	-	1	6	-	6	3	-	-
Crisp	-	38	4	2	4	8	-	1	4	-	3	2	-	13	6	8	2	2	2
Cordele	-	29	4	1	3	2	-	1	3	-	2	1	-	9	4	5	1	2	2
Balance of county	-	9	-	1	1	6	-	-	1	-	1	1	-	4	2	3	1	-	-
Dade	-	4	-	1	4	2	-	1	-	-	-	-	1	10	7	2	-	2	-
Dawson	-	2	-	-	2	1	1	-	-	-	1	-	-	2	2	-	-	-	1
Decatur	2	34	3	3	9	3	1	3	5	-	1	2	4	23	7	6	1	6	1
Bainbridge	2	18	3	1	5	2	1	2	2	-	1	1	4	11	3	3	1	3	1
Balance of county	-	16	-	2	4	1	-	1	3	-	-	1	-	12	4	3	-	3	-
De Kalb	13	242	22	30	79	91	9	36	29	-	31	50	21	227	96	82	58	61	6
Atlanta, part	1	40	1	4	15	9	1	6	5	-	2	11	5	39	11	17	2	26	2
Decatur	2	39	5	3	10	9	1	11	4	-	6	10	4	43	13	13	5	13	1
Balance of county	10	163	16	23	54	73	7	19	20	-	23	29	12	145	72	52	51	22	3
Dodge	-	26	-	2	9	7	-	2	-	-	1	-	2	14	3	6	2	2	-
Dooly	1	21	3	-	2	7	-	-	2	-	1	1	1	19	6	3	4	4	-
Dougherty	10	71	12	11	7	18	2	8	5	-	5	23	36	70	26	18	14	18	3
Albany	10	62	11	10	7	15	2	6	4	-	5	19	32	62	24	18	12	15	1
Balance of county	-	9	1	1	-	3	-	2	1	-	-	4	4	8	2	-	2	3	2
Douglas	-	19	7	3	5	10	2	7	2	-	7	1	1	26	16	12	11	4	-
Early	-	17	3	-	-	2	-	2	1	1	-	6	2	16	2	4	-	5	-
Echols	-	3	-	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-
Effingham	-	10	2	3	4	4	-	1	2	-	-	1	4	12	4	3	3	1	-
Elbert	-	20	2	2	5	8	1	3	2	-	-	5	4	23	8	9	2	4	2
Emanuel	-	23	2	3	4	7	1	-	1	-	2	2	4	11	6	6	3	1	1
Evans	2	13	-	-	2	2	1	1	1	-	-	-	-	4	2	3	2	-	1
Fannin	-	17	1	3	6	4	1	1	-	-	1	-	-	13	5	8	1	3	-
Fayette	-	11	1	-	5	5	-	2	1	-	-	-	-	11	11	4	4	4	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Floyd	771	-	-	6	158	47	40	13	15	6	3	34	4	411	293	3	6	227	57
Rome	435	-	-	3	87	30	16	6	10	4	3	18	2	241	172	-	6	131	35
Balance of county	336	-	-	3	71	17	24	7	5	2	-	16	2	170	121	3	-	96	22
Forsyth	190	-	-	2	36	6	9	2	5	2	3	9	-	104	73	1	-	55	17
Franklin	140	-	-	1	21	7	3	2	1	2	2	4	3	79	65	1	3	49	12
Fulton	5,747	9	1	97	1,068	263	285	95	134	41	41	209	97	2,576	1,936	12	161	1,086	677
Atlanta, part	4,348	9	1	78	768	201	194	74	95	27	32	145	76	1,962	1,497	9	146	779	563
Atlanta, total	4,814	9	1	85	841	218	218	79	103	31	38	154	84	2,189	1,678	9	154	853	662
College Park, part	206	-	-	1	33	7	8	2	3	2	2	9	2	88	72	-	5	48	19
College Park, total	228	-	-	1	38	7	11	2	3	2	2	11	2	95	77	1	6	50	20
East Point	336	-	-	6	68	13	17	5	15	5	-	13	5	147	102	1	4	71	26
Balance of county	857	-	-	12	199	42	66	14	21	7	7	42	14	379	265	2	6	188	69
Gilmer	79	-	-	1	17	2	6	1	2	1	-	5	-	41	32	-	-	24	8
Glascock	28	-	-	-	8	2	3	1	-	-	1	1	-	15	11	-	-	8	3
Glynn	548	-	-	5	112	25	37	7	12	7	5	19	14	271	209	1	7	141	60
Brunswick	254	-	-	4	52	13	10	4	4	4	3	14	10	117	94	-	3	69	22
Balance of county	294	-	-	1	60	12	27	3	8	3	2	5	4	154	115	1	4	72	38
Gordon	239	-	-	-	48	11	17	1	3	4	2	10	4	117	85	-	1	43	41
Grady	232	1	-	6	39	9	14	4	3	-	1	8	5	120	96	-	5	74	17
Greene	118	-	-	1	22	7	3	3	3	-	3	3	4	52	41	-	6	28	7
Gwinnett	748	-	-	9	170	31	57	16	15	8	7	36	8	320	243	1	6	174	62
Habersham	195	-	-	-	37	6	8	3	3	4	2	11	1	115	87	-	-	73	14
Hall	610	-	-	3	122	31	27	15	20	5	-	24	9	294	220	4	2	144	70
Gainesville	176	-	-	-	32	17	3	5	1	1	-	5	3	88	69	3	2	46	18
Balance of county	434	-	-	3	90	14	24	10	19	4	-	19	6	206	151	1	-	98	52
Hancock	108	-	-	3	17	5	7	1	3	1	-	-	-	59	53	-	2	29	22
Haralson	163	-	-	2	35	6	10	4	2	-	4	9	2	81	67	-	3	44	20
Harris	148	-	-	2	20	5	6	-	2	1	-	6	2	78	54	-	2	42	10
Hart	187	-	-	2	35	5	14	2	5	1	1	7	7	96	63	-	1	44	18
Heard	82	-	-	-	17	4	6	1	2	1	-	3	3	43	32	1	1	18	12
Henry	268	-	-	1	44	7	15	4	6	2	1	9	4	130	107	1	2	81	23
Houston	454	1	-	3	94	25	25	7	6	3	6	22	2	213	143	-	6	79	58
Warner Robins	232	-	-	3	45	15	11	3	1	1	3	11	-	112	76	-	-	46	30
Balance of county	222	1	-	-	49	10	14	4	5	2	3	11	2	101	67	-	6	33	28
Irwin	91	-	-	-	20	6	5	1	2	-	1	5	1	50	33	-	-	26	7
Jackson	234	-	-	2	34	8	7	1	6	-	1	11	3	129	105	-	3	79	23
Jasper	68	-	-	4	15	5	4	-	1	1	-	4	-	30	24	-	1	17	6
Jeff Davis	93	-	-	1	16	3	2	3	4	-	1	3	1	54	49	-	-	41	8
Jefferson	177	1	-	1	42	9	9	3	9	2	1	9	1	83	57	1	3	40	13
Jenkins	89	-	-	1	9	2	4	1	1	-	-	1	1	48	34	-	-	23	11
Johnson	85	-	-	1	13	1	6	-	2	1	-	3	-	39	29	-	-	18	11
Jones	102	-	-	-	18	2	5	1	1	1	1	7	-	53	33	-	3	21	9
Lamar	138	-	-	1	30	7	7	2	6	1	-	7	1	84	56	-	3	44	9
Lanier	60	-	-	3	9	-	1	-	3	-	1	4	3	34	22	-	-	15	7
Laurens	389	-	-	9	71	14	21	5	6	2	2	21	6	212	173	-	12	90	71
Dublin	164	-	-	4	27	3	11	3	2	-	1	7	4	92	78	-	6	44	28
Balance of county	225	-	-	5	44	11	10	2	4	2	1	14	2	120	95	-	6	46	43
Lee	63	-	-	-	19	4	9	1	-	-	1	4	1	28	21	-	-	16	5
Liberty	147	1	-	6	22	7	4	1	1	1	-	8	3	53	39	-	3	22	14
Lincoln	62	1	-	-	13	4	2	1	2	2	-	2	-	30	21	-	-	15	6
Long	44	-	-	-	5	-	4	-	1	-	-	-	1	23	15	-	1	10	4
Lowndes	543	-	-	2	100	16	33	8	19	2	-	20	13	256	193	1	13	119	60
Valdosta	357	-	-	2	61	11	18	5	14	2	-	11	8	167	124	1	8	71	44
Balance of county	186	-	-	-	39	7	15	3	5	-	-	9	5	89	69	-	5	48	16
Lumpkin	82	-	-	-	14	2	5	1	2	1	-	3	-	44	35	-	2	23	10
McDuffie	173	-	-	1	34	7	10	4	8	1	-	4	-	67	50	-	4	29	17
McIntosh	73	-	-	1	19	5	6	2	1	1	-	4	3	28	23	-	-	16	7
Macon	150	-	-	1	32	7	6	2	5	1	1	10	4	74	55	-	3	43	9
Madison	130	-	-	-	26	8	10	1	2	-	1	4	3	56	46	-	-	34	12
Marion	57	1	-	-	7	2	1	-	3	-	-	1	-	26	22	-	-	9	13
Meriwether	215	-	-	1	32	9	11	1	6	1	-	4	3	126	82	-	-	60	22
Miller	98	-	-	1	17	2	6	-	5	-	-	4	3	45	30	-	2	25	3
Mitchell	195	-	-	3	38	10	13	2	5	2	-	6	1	109	82	-	5	69	8
Monroe	127	-	-	1	20	2	8	2	4	1	-	5	2	74	55	-	1	29	25
Montgomery	63	-	-	-	16	1	3	2	3	-	-	7	-	27	21	-	-	13	8
Morgan	98	1	-	2	22	5	9	3	1	-	1	3	1	49	37	1	-	25	11
Murray	122	-	-	2	29	8	7	3	3	1	2	5	1	49	35	-	1	28	6
Muscogee	1,491	2	-	19	308	84	85	23	27	18	8	63	24	734	554	2	22	376	154
Columbus	1,426	2	-	18	301	83	84	22	27	17	8	60	24	697	525	2	22	352	149
Balance of county	65	-	-	1	7	1	1	1	-	1	-	3	-	37	29	-	-	24	5
Newton	259	-	-	3	52	10	16	2	8	6	1	9	2	126	93	-	2	55	36
Covington	111	-	-	1	15	3	4	-	3	3	-	2	1	62	41	-	-	22	19
Balance of county	148	-	-	2	37	7	12	2	5	3	1	7	1	64	52	-	2	33	17
Oconee	61	-	-	-	18	6	6	1	-	1	-	4	-	29	24	-	1	15	8
Oglethorpe	82	-	-	-	17	4	5	1	2	1	1	3	2	40	35	1	3	23	8
Paulding	160	-	-	6	32	6	12	2	2	4	-	6	2	80	63	-	1	44	18
Peach	170	2	-	3	22	4	5	2	2	2	1	6	6	96	82	-	20	38	24
Pickens	108	-	-	1	27	2	6	3	5	2	1	8	2	56	38	-	-	24	14
Pierce	129	-	-	-	20	3	7	1	4	1	-	4	5	63	49	-	5	31	13
Pike	82	-	-	-	12	6	1	1	4	-	-	-	1	45	28	-	-	22	6
Polk	347	-	-	3	71	10	25	5	6	3	3	19	4	174	129	1	4	88	36

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Floyd	2	89	14	13	18	21	3	4	5	-	2	5	8	66	20	14	10	15	1
Rome	-	54	5	10	10	10	1	4	4	-	2	5	6	31	4	8	5	11	1
Balance of county	2	35	9	3	8	11	2	-	1	-	-	-	2	35	16	6	5	4	-
Forsyth	-	24	4	3	5	3	2	2	-	-	2	2	2	4	11	11	3	1	-
Franklin	2	12	-	-	2	4	1	1	2	-	2	1	-	15	1	5	2	-	-
Fulton	32	527	36	45	191	139	28	97	63	-	34	108	72	572	151	196	76	170	2
Atlanta, part	28	383	20	34	141	97	20	78	50	-	21	84	59	453	84	160	48	157	2
Atlanta, total	29	423	21	38	156	106	21	84	55	-	23	95	64	492	95	177	50	183	4
College Park, part	-	15	1	-	8	5	1	3	5	-	3	7	1	20	18	10	-	1	-
College Park, total	-	16	2	-	8	7	1	3	5	-	3	8	2	23	18	12	-	2	-
East Point	1	39	3	2	15	9	3	5	3	-	3	11	5	29	12	5	6	4	-
Balance of county	3	90	12	9	27	28	4	11	5	-	7	6	7	70	37	21	22	8	-
Gilmer	-	7	1	1	1	5	-	1	1	-	-	1	-	7	3	1	-	-	-
Glascock	-	3	1	-	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Glynn	7	43	7	5	12	11	1	10	5	-	4	4	4	38	19	19	6	8	5
Brunswick	3	16	3	1	5	6	1	3	3	-	3	3	2	23	3	9	3	6	1
Balance of county	4	27	4	4	7	5	-	7	2	-	1	1	2	15	16	10	3	2	4
Gordon	-	26	4	2	8	10	1	5	3	-	1	4	3	18	8	5	2	2	-
Grady	1	20	1	2	7	9	-	1	1	-	-	5	1	21	3	8	4	1	-
Greene	1	10	-	-	5	4	-	-	-	-	-	1	1	10	2	8	1	3	2
Gwinnett	2	69	2	4	17	16	4	9	6	-	16	12	11	67	42	16	18	6	1
Habersham	-	25	1	2	4	2	-	1	1	-	2	1	4	12	7	5	1	2	-
Hall	4	64	3	3	12	16	5	6	8	-	4	6	4	45	28	20	13	14	1
Gainesville	1	17	1	-	4	3	1	3	2	-	-	3	1	19	7	5	1	4	-
Balance of county	3	47	2	3	8	13	4	3	6	-	4	3	3	26	21	15	12	10	1
Hancock	-	5	-	1	3	1	-	3	2	-	1	3	3	6	1	1	3	2	-
Haralson	1	10	3	-	4	2	-	1	6	-	3	2	2	10	4	6	1	1	1
Harris	4	15	5	-	2	2	-	1	1	-	2	3	2	22	4	4	1	2	-
Hart		30	1	2	5	7	-	1	1	-	1	-	1	20	5	3	2	-	1
Heard		10	-	1	1	-	-	1	-	-	-	-	2	6	2	3	2	-	2
Henry	1	21	1	-	7	13	2	3	2	-	3	2	2	27	10	8	8	1	1
Houston	1	52	9	8	5	16	-	5	3	2	4	6	2	44	18	11	15	7	3
Warner Robins	-	28	6	2	3	8	-	5	1	-	1	5	-	21	8	6	8	4	2
Balance of county	1	24	3	6	2	8	-	-	2	2	3	1	2	23	10	5	7	3	1
Irwin	-	15	-	2	-	4	-	1	1	-	-	-	-	5	3	4	1	-	1
Jackson	1	17	2	4	5	5	-	4	3	-	1	2	-	21	15	4	3	3	-
Jasper	-	5	-	1	-	2	-	1	2	-	-	1	-	6	3	3	-	-	1
Jeff Davis	-	4	-	1	2	2	-	3	-	-	-	-	-	5	6	1	-	1	1
Jefferson	-	19	5	2	2	4	-	2	3	-	-	2	-	16	5	9	-	6	-
Jenkins	1	13	-	-	3	5	1	-	-	-	-	-	2	6	6	5	1	1	-
Johnson	1	7	1	1	3	-	-	-	-	-	1	-	-	9	6	8	4	1	-
Jones	1	18	-	1	4	2	-	-	1	-	-	-	-	10	4	3	5	2	-
Lamar	-	20	3	5	4	2	-	-	1	-	-	-	-	6	3	2	4	-	-
Lanier	-	10	2	-	-	-	-	1	-	-	1	-	-	3	1	2	-	2	1
Laurens	-	32	3	4	18	7	1	3	4	-	2	1	3	19	16	9	1	5	4
Dublin	-	12	-	2	8	4	-	1	2	-	1	-	1	9	6	3	-	2	-
Balance of county	-	20	3	2	10	3	1	2	2	-	1	1	2	10	10	6	1	3	2
Lee	2	4	-	1	1	1	-	1	1	-	-	-	-	4	-	1	1	5	-
Liberty	-	13	1	-	7	4	1	1	-	-	2	7	6	8	11	10	1	3	1
Lincoln	-	7	-	2	4	-	-	1	-	-	-	-	-	6	2	3	1	1	-
Long	-	8	-	-	2	4	-	-	-	-	1	-	-	4	3	1	-	-	-
Lowndes	2	53	3	[illegible]	10	28	2	5	4	-	5	11	6	53	12	21	9	6	-
Valdosta	2	37	2	2	5	25	-	2	3	-	4	5	6	38	8	13	4	6	-
Balance of county	-	16	1	3	5	3	2	3	1	-	1	6	-	15	4	8	5	-	-
Lumpkin	-	7	2	-	6	3	-	1	3	-	-	2	-	3	2	1	2	1	-
McDuffie	2	14	-	1	1	4	-	2	-	-	1	2	18	8	12	8	3	10	2
McIntosh	-	5	-	-	1	1	-	1	-	-	1	2	-	7	4	3	-	2	-
Macon	1	11	6	1	6	3	1	1	-	-	2	1	1	13	3	6	2	-	-
Madison	-	9	-	1	4	7	1	3	5	-	2	-	1	5	4	6	4	2	1
Marion	-	4	-	-	4	1	1	1	1	-	-	-	3	5	1	2	2	2	-
Meriwether	2	32	9	1	3	3	-	2	1	-	2	-	3	17	5	7	2	7	1
Miller	-	13	2	-	2	1	-	1	1	-	1	1	6	11	1	4	1	-	2
Mitchell	-	25	2	-	3	3	-	1	2	-	4	3	2	11	9	4	1	1	-
Monroe	2	13	[illegible]	2	4	2	-	1	4	-	-	-	1	12	2	1	2	1	-
Montgomery	-	4		2	2	-	-	-	-	-	2	-	-	3	4	4	2	3	-
Morgan	-	11	-	1	4	2	-	1	1	-	1	1	-	8	2	-	2	1	-
Murray	1	12	-	1	3	4	-	1	1	-	3	-	1	9	6	5	1	6	1
Muscogee	8	137	17	18	48	26	7	21	13	1	20	25	5	123	29	42	10	30	4
Columbus	7	132	16	17	46	26	7	21	13	1	17	23	4	118	25	42	9	29	3
Balance of county	1	5	1	1	2	-	-	-	-	-	3	2	1	5	4	-	1	1	1
Newton	3	26	3	1	12	5	-	4	5	-	2	5	1	23	6	3	7	2	1
Covington	1	17	3	-	4	-	-	4	3	-	2	2	1	11	1	1	2	1	-
Balance of county	2	9	-	1	8	5	-	-	2	-	-	3	-	12	5	2	5	1	1
Oconee	-	3	1	1	2	1	-	1	-	-	-	1	-	3	3	1	1	1	-
Oglethorpe	-	5	-	-	1	-	-	1	1	-	-	2	1	5	4	5	1	2	-
Paulding	1	14	1	1	4	5	-	3	2	-	2	1	1	12	10	8	7	4	1
Peach	4	8	2	-	5	1	1	2	3	-	1	1	1	9	3	7	1	4	-
Pickens	-	14	1	3	2	-	-	2	1	-	-	-	2	3	7	2	1	2	-
Pierce	-	11	2	1	8	3	-	1	4	-	1	-	-	9	8	3	2	2	-
Pike	2	14	1	-	2	7	-	-	1	-	1	-	2	6	2	3	-	-	-
Polk	2	35	3	5	14	7	1	2	3	-	2	-	1	34	10	7	9	5	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Georgia—Con.																			
Pulaski	98	-	-	4	24	6	6	1	6	2	1	2	2	42	30	-	3	18	9
Putnam	120	-	-	-	25	5	7	2	2	1	-	8	2	60	55	-	3	38	14
Quitman	32	-	-	1	5	-	3	-	-	-	-	2	-	15	11	-	-	5	6
Rabun	118	-	1	1	24	4	5	1	4	1	-	9	4	53	48	-	1	41	6
Randolph	114	-	-	1	16	6	5	2	3	-	-	-	1	62	33	-	-	25	8
Richmond	1,448	3	-	19	281	64	76	25	22	16	13	65	38	609	456	3	31	288	134
Augusta	813	2	-	13	158	32	43	15	14	7	6	41	18	375	285	2	19	182	82
Balance of county	635	1	-	6	123	32	33	10	8	9	7	24	20	234	171	1	12	106	52
Rockdale	227	-	-	1	57	9	17	6	11	3	3	8	4	90	75	-	-	55	20
Schley	35	-	-	-	4	-	2	-	-	-	-	2	1	19	12	-	-	6	6
Screven	163	-	-	2	18	1	10	-	1	-	-	6	1	106	90	-	-	47	43
Seminole	103	-	-	1	12	2	6	-	1	-	-	3	-	54	30	-	1	15	14
Spalding	466	1	-	3	98	28	29	4	11	5	6	15	7	230	165	2	5	128	30
Griffin	319	-	-	2	61	16	18	2	8	4	3	10	5	165	118	1	4	90	23
Balance of county	147	1	-	1	37	12	11	2	3	1	3	5	2	65	47	1	1	38	7
Stephens	201	2	-	3	28	9	7	-	6	2	-	4	6	108	89	-	4	72	13
Stewart	69	-	-	-	14	6	4	-	1	-	-	3	1	31	19	-	-	17	2
Sumter	304	-	-	4	52	14	11	-	5	3	3	16	11	146	104	-	6	62	36
Americus	183	-	-	2	32	10	7	-	3	3	1	8	8	96	71	-	4	36	31
Balance of county	121	-	-	2	20	4	4	-	2	-	2	8	3	50	33	-	2	26	5
Talbot	69	-	-	-	11	3	2	2	-	-	1	3	3	36	24	-	1	16	7
Taliaferro	42	-	-	-	11	2	3	2	-	-	1	3	-	21	18	-	3	11	4
Tattnall	170	-	-	2	30	9	9	-	5	-	-	7	2	96	76	1	3	67	5
Taylor	91	-	-	1	19	6	6	1	1	2	-	3	4	46	35	-	1	23	11
Telfair	159	-	-	-	24	4	4	3	1	2	2	8	5	87	68	-	-	54	14
Terrell	119	-	-	-	14	3	4	1	2	-	1	3	3	66	59	-	7	36	16
Thomas	410	1	-	4	68	15	17	9	7	1	2	17	7	194	133	-	5	91	37
Thomasville	237	-	-	2	43	11	12	6	6	1	1	6	3	117	82	-	3	57	22
Balance of county	173	1	-	2	25	4	5	3	1	-	1	11	4	77	51	-	2	34	15
Tift	250	1	-	3	39	8	13	2	3	-	-	13	-	133	85	-	6	69	10
Tifton	121	1	-	2	19	4	6	1	1	-	-	7	-	68	43	-	4	35	4
Balance of county	129	-	-	1	20	4	7	1	2	-	-	6	-	65	42	-	2	34	6
Toombs	235	-	-	3	41	7	19	4	4	2	-	5	3	119	83	-	-	58	25
Towns	50	-	-	-	13	-	7	1	1	1	1	2	-	21	20	-	-	13	7
Treutlen	67	-	-	-	9	2	3	-	-	-	-	4	2	41	27	-	1	14	12
Troup	556	1	-	-	105	29	30	4	15	5	4	18	10	289	243	1	15	154	73
La Grange	312	1	-	-	54	15	15	-	10	4	2	8	7	161	136	-	8	89	39
Balance of county	244	-	-	-	51	14	15	4	5	1	2	10	3	128	107	1	7	65	34
Turner	74	-	-	-	13	4	4	2	1	1	1	-	2	43	32	-	1	26	3
Twiggs	77	-	-	-	16	5	4	1	1	2	1	2	1	43	34	-	2	26	6
Union	100	-	-	2	13	1	5	2	-	1	2	2	2	57	45	-	-	33	12
Upson	294	-	-	3	49	14	11	2	4	1	4	13	2	168	100	-	2	66	32
Thomaston	153	-	-	1	23	7	6	1	1	-	2	6	1	96	56	-	1	37	18
Balance of county	141	-	-	2	26	7	5	1	3	1	2	7	1	72	44	-	1	29	14
Walker	525	1	-	8	102	22	33	9	13	3	3	19	10	255	187	2	3	118	64
Walton	271	-	-	3	43	8	12	4	4	3	4	8	13	150	121	1	4	106	10
Ware	372	-	-	3	72	10	23	5	10	3	1	20	10	195	154	2	10	91	51
Waycross	239	-	-	2	43	7	13	2	7	2	1	11	7	128	100	1	7	60	32
Balance of county	133	-	-	1	29	3	10	3	3	1	-	9	3	67	54	1	3	31	19
Warren	65	-	-	1	15	3	2	2	4	3	-	1	-	34	21	1	1	12	7
Washington	189	-	-	2	37	13	7	1	5	3	2	6	4	84	70	-	1	58	11
Wayne	212	-	-	2	41	9	13	5	-	1	-	13	3	117	82	1	5	59	17
Webster	25	-	-	-	8	1	3	-	2	1	-	1	-	12	10	-	-	6	4
Wheeler	56	-	-	1	7	1	2	-	1	-	-	3	4	35	25	-	-	16	9
White	82	-	-	-	17	2	4	2	2	1	2	4	-	41	35	-	-	20	15
Whitfield	482	3	-	1	86	18	24	7	10	4	4	19	5	235	169	3	7	121	38
Dalton	215	2	-	1	33	8	12	3	3	1	2	4	4	107	82	1	2	55	24
Balance of county	267	1	-	-	53	10	12	4	7	3	2	15	1	128	87	2	5	66	14
Wilcox	85	-	-	1	18	5	6	1	1	-	-	5	-	51	36	1	2	20	13
Wilkes	109	-	-	-	16	1	3	5	3	1	-	3	5	56	40	-	2	31	7
Wilkinson	87	-	-	2	12	3	2	1	1	-	2	3	-	37	26	-	-	19	7
Worth	155	-	-	2	34	6	12	1	6	2	-	7	4	71	47	-	2	32	13
Hawaii	4,991	6	1	58	1,211	426	282	86	99	38	32	248	121	2,055	1,586	17	58	1,168	343
Urban places	3,364	6	-	33	869	312	196	68	64	32	22	175	78	1,409	1,080	15	39	811	215
Balance of area	1,627	-	1	25	342	114	86	18	35	6	10	73	43	646	506	2	19	357	128
Metropolitan counties	3,701	6	1	44	946	339	220	75	72	32	24	184	89	1,503	1,158	15	41	864	238
Urban places	3,115	6	-	32	816	295	181	66	60	30	20	164	69	1,306	1,007	15	37	752	203
Balance of area	586	-	1	12	130	44	39	9	12	2	4	20	20	197	151	-	4	112	35
Nonmetropolitan counties	1,290	-	-	14	265	87	62	11	27	6	8	64	32	552	428	2	17	304	105
Urban places	249	-	-	1	53	17	15	2	4	2	2	11	9	103	73	-	2	59	12
Balance of area	1,041	-	-	13	212	70	47	9	23	4	6	53	23	449	355	2	15	245	93
Hawaii	619	-	-	1	128	45	27	4	14	4	4	30	18	264	193	1	5	151	36
Hilo [3]	249	-	-	1	53	17	15	2	4	2	2	11	9	103	73	-	2	59	12
Balance of county	370	-	-	-	75	28	12	2	10	2	2	19	9	161	120	1	3	92	24
Honolulu	3,701	6	1	44	946	339	220	75	72	32	24	184	89	1,503	1,158	15	41	864	238
Aiea	124	-	-	3	25	9	6	2	2	-	1	5	4	52	36	2	1	25	8
Honolulu [3]	2,182	5	-	21	582	220	127	44	36	23	15	117	43	947	731	8	29	547	147
Kailua	190	-	-	2	56	12	16	9	8	3	-	8	4	65	50	1	-	36	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Pulaski	-	11	1	-	3	6	2	-	2	-	-	1	1	4	5	2	-	-	-
Putnam	-	5	-	-	4	3	1	1	1	-	-	2	1	10	5	1	2	2	-
Quitman	-	4	-	-	1	2	-	-	-	-	-	1	1	2	1	2	-	1	-
Rabun	-	3	1	1	5	10	-	-	-	-	-	-	-	5	7	6	1	1	-
Randolph	3	25	1	-	2	2	-	1	3	-	-	-	2	12	2	6	-	4	-
Richmond	8	126	9	10	44	45	11	25	13	1	10	22	11	188	39	36	13	33	7
Augusta	4	77	4	5	25	22	6	13	8	1	3	9	5	105	9	17	5	17	2
Balance of county	4	49	5	5	19	23	5	12	5	-	7	13	6	83	30	19	8	16	5
Rockdale	2	13	-	-	10	2	3	3	6	-	-	4	1	26	4	11	2	3	-
Schley	-	4	3	-	1	-	-	-	-	-	-	-	-	3	5	-	2	-	-
Screven	-	15	-	1	1	2	2	1	1	-	2	2	4	12	2	6	-	1	-
Seminole	-	21	2	1	1	1	1	3	3	-	1	3	2	6	7	5	1	2	-
Spalding	2	58	2	3	8	22	2	5	7	-	3	7	2	32	5	14	8	10	2
Griffin	2	43	1	1	6	16	2	4	4	-	2	4	1	22	1	7	5	10	2
Balance of county	-	15	1	2	2	6	-	1	3	-	1	3	1	10	4	7	3	-	-
Stephens	1	16	1	1	8	5	-	2	2	-	1	2	1	12	10	5	4	2	-
Stewart	-	8	3	1	3	3	-	3	-	-	-	-	1	4	1	4	1	3	-
Sumter	3	33	2	4	12	11	2	4	5	-	2	6	4	15	12	13	4	1	-
Americus	1	18	2	4	5	5	1	4	3	-	1	3	1	7	6	7	2	-	-
Balance of county	2	15	-	-	7	6	1	-	2	-	1	3	3	8	6	6	2	1	-
Talbot	1	9	2	-	1	1	-	-	2	-	1	-	-	10	-	3	-	1	-
Taliaferro	1	2	-	-	-	-	1	-	1	-	-	-	2	3	2	1	-	-	-
Tattnall	-	17	1	2	4	2	-	1	-	-	3	1	-	13	5	8	1	-	2
Taylor	-	9	2	-	5	-	-	-	1	-	-	-	-	4	5	3	-	3	-
Telfair	-	18	1	-	9	1	1	3	-	-	1	-	2	14	-	8	4	-	-
Terrell	-	6	-	1	4	2	-	1	4	-	-	2	3	10	7	3	-	-	-
Thomas	1	54	3	3	14	22	1	3	3	-	2	11	4	35	13	18	4	6	-
Thomasville	-	32	2	1	8	8	1	2	3	-	1	6	-	19	7	12	1	4	-
Balance of county	1	22	1	2	6	14	-	1	-	-	1	5	4	16	6	6	3	2	-
Tift	-	27	17	4	2	6	-	6	3	1	1	3	2	16	11	11	4	4	4
Tifton	-	12	11	2	-	4	-	1	2	1	-	1	1	8	5	4	1	1	2
Balance of county	-	15	6	2	2	2	-	5	1	-	1	2	1	8	6	7	3	3	2
Toombs	-	28	5	3	7	3	3	2	3	-	-	1	-	25	7	11	-	5	2
Towns	-	-	1	-	-	3	-	3	1	-	-	-	-	5	3	-	1	-	-
Treutlen	-	10	3	1	1	-	-	-	2	-	-	1	-	4	3	2	1	-	1
Troup	3	36	1	6	6	13	2	6	8	-	2	9	3	56	13	14	8	9	2
La Grange	1	19	-	5	4	9	2	2	6	-	2	4	2	37	8	6	3	4	-
Balance of county	2	17	1	1	2	4	-	4	2	-	-	5	1	19	5	8	5	5	2
Turner	-	11	-	-	4	1	-	-	-	-	-	1	-	6	1	2	-	1	-
Twiggs	-	8	1	-	-	2	-	1	-	-	1	2	-	4	4	2	-	1	-
Union	1	11	-	-	1	3	-	1	-	-	-	-	-	12	3	4	2	-	-
Upson	3	55	6	4	7	13	-	-	3	-	3	5	2	23	10	3	1	2	-
Thomaston	2	33	3	2	4	10	-	-	-	-	2	2	-	11	3	-	-	-	-
Balance of county	1	22	3	2	3	3	-	-	3	-	1	3	2	12	7	3	1	2	-
Walker	2	57	7	2	15	21	2	5	4	-	3	5	3	51	13	11	6	10	-
Walton	-	25	3	1	2	7	-	4	-	-	3	3	4	12	9	6	4	7	1
Ware	2	34	-	5	7	14	-	8	1	-	-	4	4	24	9	9	5	7	-
Waycross	2	24	-	2	6	9	-	6	1	-	-	4	3	16	4	3	3	4	-
Balance of county	-	10	-	3	1	5	-	2	-	-	-	-	1	8	5	6	2	3	-
Warren	1	10	1	1	1	1	-	-	-	-	-	1	-	4	2	4	1	1	-
Washington	-	11	2	1	5	11	-	3	4	-	-	-	2	20	2	6	8	1	-
Wayne	1	31	-	3	6	7	-	1	1	-	-	2	1	18	6	4	-	3	-
Webster	-	2	-	-	1	-	-	1	-	-	-	-	-	1	-	2	-	-	-
Wheeler	1	7	1	1	2	-	-	-	1	-	-	-	-	5	-	-	-	1	-
White	1	4	1	-	3	-	-	1	-	-	1	-	1	10	3	5	-	-	-
Whitfield	2	50	2	12	15	15	2	6	3	-	3	6	6	45	24	10	11	6	-
Dalton	2	18	2	3	10	8	1	3	1	-	2	1	4	20	9	1	5	3	-
Balance of county	-	32	-	9	5	7	1	3	2	-	1	5	2	25	15	9	6	3	-
Wilcox	-	11	-	4	-	2	1	3	-	-	-	-	1	3	4	-	1	-	-
Wilkes	1	15	-	-	2	4	-	-	1	-	-	2	2	14	-	3	3	1	-
Wilkinson	-	8	3	-	9	4	-	-	4	-	1	1	2	5	3	7	-	-	-
Worth	1	19	4	-	7	2	-	1	-	-	1	4	-	6	5	6	6	1	5
Hawaii	15	372	30	52	146	133	14	68	45	1	69	86	110	380	166	151	85	48	37
Urban places	11	257	22	39	104	99	13	46	28	1	41	47	68	250	72	82	66	33	19
Balance of area	4	115	8	13	42	34	1	22	17	-	28	39	42	130	94	69	19	15	18
Metropolitan counties	12	273	23	37	99	112	12	47	29	1	52	63	77	273	110	105	65	42	25
Urban places	10	233	22	34	92	93	12	40	26	1	37	45	60	232	62	77	59	32	18
Balance of area	2	40	1	3	7	19	-	7	3	-	15	18	17	41	48	28	6	10	7
Nonmetropolitan counties	3	99	7	15	47	21	2	21	16	-	17	23	33	107	56	46	20	6	12
Urban places	1	24	-	5	12	6	1	6	2	-	4	2	8	18	10	5	7	1	1
Balance of area	2	75	7	10	35	15	1	15	14	-	13	21	25	89	46	41	13	5	11
Hawaii	1	60	3	7	21	10	1	8	10	-	10	7	21	49	30	20	11	3	7
Hilo [3]	1	24	-	5	12	6	1	6	2	-	4	2	8	18	10	5	7	1	1
Balance of county	-	36	3	2	9	4	-	2	8	-	6	5	13	31	20	15	4	2	6
Honolulu	12	273	23	37	99	112	12	47	29	1	52	63	77	273	110	105	65	42	25
Aiea	-	14	1	1	4	1	-	-	-	-	1	4	4	8	4	6	7	1	-
Honolulu [3]	8	163	18	27	66	69	11	30	17	1	19	18	38	166	29	45	39	23	13
Kailua	1	12	1	1	2	8	1	1	4	-	3	6	4	20	4	6	3	-	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Hawaii—Con.																			
Kaneohe	209	1	-	2	52	13	14	6	4	1	2	12	3	84	70	-	3	53	14
Pearl City	113	-	-	2	35	14	7	2	4	-	1	7	2	40	28	-	1	22	3
Schofield Barracks	21	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Wahiawa	140	-	-	-	39	15	4	-	2	2	1	9	8	61	48	1	2	33	12
Waipahu	136	-	-	2	32	12	7	3	4	1	-	5	5	57	46	3	1	36	6
Balance of county	586	-	1	12	130	44	39	9	12	2	4	20	20	197	151	-	4	112	35
Kauai	237	-	-	1	54	16	12	1	5	2	2	16	4	103	89	1	6	61	21
Maui	434	-	-	12	83	26	23	6	8	-	2	18	10	165	146	-	6	92	48
Idaho	6,929	2	-	37	1,345	319	319	123	173	54	70	287	122	3,212	2,383	39	44	1,694	606
Urban places	2,903	2	-	19	620	150	149	55	75	29	33	129	51	1,383	996	16	24	706	250
Balance of area	4,026	-	-	18	725	169	170	68	98	25	37	158	71	1,829	1,387	23	20	988	356
Metropolitan counties	1,185	1	-	9	263	47	83	27	30	11	16	49	21	543	397	7	8	274	108
Urban places	940	1	-	8	212	41	65	22	24	9	14	37	17	440	316	4	7	223	82
Balance of area	245	-	-	1	51	6	18	5	6	2	2	12	4	103	81	3	1	51	26
Nonmetropolitan counties	5,744	1	-	28	1,082	272	236	96	143	43	54	238	101	2,669	1,986	32	36	1,420	498
Urban places	1,963	1	-	11	408	109	84	33	51	20	19	92	34	943	680	12	17	483	168
Balance of area	3,781	-	-	17	674	163	152	63	92	23	35	146	67	1,726	1,306	20	19	937	330
Ada	1,185	1	-	9	263	47	83	27	30	11	16	49	21	543	397	7	8	274	108
Boise City	940	1	-	8	212	41	65	22	24	9	14	37	17	440	316	4	7	223	82
Balance of county	245	-	-	1	51	6	18	5	6	2	2	12	4	103	81	3	1	51	26
Adams	25	-	-	-	5	-	3	-	-	1	-	1	-	13	8	1	-	6	1
Bannock	413	-	-	1	76	19	14	3	6	4	4	26	9	196	157	5	2	108	42
Pocatello	326	-	-	1	62	13	10	2	6	4	4	23	5	158	123	4	1	83	35
Balance of county	87	-	-	-	14	6	4	1	-	-	-	3	4	38	34	1	1	25	7
Bear Lake	48	-	-	-	4	2	1	-	-	-	-	1	3	27	20	-	-	15	5
Benewah	60	-	-	-	10	1	4	1	4	-	-	-	-	30	22	-	1	19	2
Bingham	229	-	-	-	30	6	7	4	3	-	2	8	7	102	74	3	-	49	22
Blaine	50	-	-	-	11	3	5	-	1	-	-	2	-	16	13	-	-	6	7
Boise	16	-	-	-	2	-	-	1	-	-	-	1	-	8	5	-	-	5	-
Bonner	205	-	-	1	40	13	9	5	4	-	2	7	4	98	88	-	3	49	16
Bonneville	414	-	-	3	77	20	13	8	15	1	2	18	6	180	134	1	1	83	49
Idaho Falls	309	-	-	3	59	14	11	8	11	1	1	13	3	137	101	1	1	59	40
Balance of county	105	-	-	-	18	6	2	-	4	-	1	5	3	43	33	-	-	24	9
Boundary	67	-	-	-	9	1	2	-	2	-	1	3	1	28	18	-	-	10	8
Butte	23	-	-	-	6	-	2	-	-	1	1	2	1	12	8	-	-	7	1
Camas	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Canyon	679	-	-	5	138	35	32	9	21	7	4	30	11	320	236	2	5	171	58
Caldwell	194	-	-	2	38	13	11	2	5	1	-	6	4	88	51	1	1	43	6
Nampa	250	-	-	3	56	12	10	4	10	5	4	11	5	124	99	1	2	64	32
Balance of county	235	-	-	-	44	10	11	3	6	1	-	13	2	108	86	-	2	64	20
Caribou	40	-	-	-	5	3	-	-	1	1	-	-	-	13	10	-	-	9	1
Cassia	107	-	-	-	22	5	2	3	1	2	1	8	1	43	29	1	1	13	14
Clark	10	-	-	-	3	-	1	1	-	-	-	1	-	3	3	-	-	2	1
Clearwater	77	-	-	-	17	9	4	-	3	-	-	1	1	33	25	-	-	17	8
Custer	34	-	-	-	5	2	1	-	1	-	-	1	1	15	8	-	-	4	4
Elmore	98	-	-	1	19	5	5	1	1	2	-	5	1	39	32	1	-	22	9
Franklin	87	-	-	2	10	5	-	-	4	-	-	1	4	44	29	-	-	21	8
Fremont	72	-	-	-	8	1	2	2	2	-	-	1	2	37	25	-	-	20	5
Gem	119	-	-	1	19	2	6	2	4	1	-	4	3	66	52	-	-	43	9
Gooding	131	-	-	-	26	5	3	4	4	2	2	6	3	60	40	1	1	30	8
Idaho	113	-	-	1	19	5	8	-	2	-	1	3	2	43	30	-	-	23	7
Jefferson	84	-	-	-	14	6	1	2	2	-	1	2	2	42	32	3	-	25	4
Jerome	105	-	-	-	20	3	2	2	4	-	2	7	2	41	35	1	-	26	8
Kootenai	482	-	-	4	104	25	30	15	9	5	5	15	8	226	152	1	1	121	29
Coeur d'Alene	283	-	-	1	56	17	13	7	4	4	2	9	4	137	87	-	1	65	21
Balance of county	199	-	-	3	48	8	17	8	5	1	3	6	4	89	65	1	-	56	8
Latah	206	-	-	2	34	9	4	4	5	2	2	8	3	104	78	1	2	68	7
Moscow	91	-	-	1	14	2	-	2	2	1	-	7	-	54	38	1	2	32	3
Balance of county	115	-	-	1	20	7	4	2	3	1	2	1	3	50	40	-	-	36	4
Lemhi	63	-	-	-	12	2	3	3	1	1	-	2	2	32	27	1	-	13	13
Lewis	44	-	-		2	-	-	-	1	-	1	-	-	20	16	-	-	5	11
Lincoln	35	-	-	-	11	2	-	-	4	1	3	1	1	15	10	-	-	7	3
Madison	62	-	-	-	13	2	-	2	4	-	-	5	1	30	27	-	-	20	7
Minidoka	141	-	-	2	23	5	5	1	2	-	2	8	-	57	48	-	1	33	12
Nez Perce	302	1	-	-	63	14	23	5	2	2	2	15	5	137	104	4	3	80	17
Lewiston	252	1	-	-	57	13	21	4	2	1	2	14	5	117	90	3	3	71	13
Balance of county	50	-	-	-	6	1	2	1	-	1	-	1	-	20	14	1	-	9	4
Oneida	31	-	-	-	7	2	1	3	-	-	1	-	-	16	14	-	1	9	4
Owyhee	78	-	-	-	14	2	2	-	3	2	-	5	1	41	33	1	1	18	13
Payette	154	-	-	2	32	8	8	3	2	1	5	8	-	77	54	-	-	35	19
Power	33	-	-	-	3	-	1	-	-	-	-	2	4	15	14	-	-	12	2
Shoshone	175	-	-	-	29	8	9	1	4	-	2	5	3	86	67	1	2	43	21
Teton	24	-	-	-	3	3	-	-	-	-	-	-	-	10	8	-	-	5	3
Twin Falls	472	-	-	3	109	34	16	9	18	4	6	22	9	211	151	3	8	110	30
Twin Falls	278	-	-	-	66	25	8	4	11	3	6	9	8	128	91	1	6	66	18
Balance of county	194	-	-	3	43	9	8	5	7	1	-	13	1	83	60	2	2	44	12
Valley	48	-	-	-	11	3	1	2	1	1	-	3	-	23	22	-	1	14	7
Washington	105	-	-	-	16	2	5	-	2	2	2	3	-	60	50	1	2	44	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Hawaii—Con.																			
Kaneohe	-	13	1	-	9	6	-	5	3	-	4	5	6	11	5	6	3	3	1
Pearl City	1	11	1	1	-	1	-	2	-	-	5	1	2	8	6	3	4	1	1
Schofield Barracks	-	-	-	-	-	-	-	-	-	-	2	5	1	-	8	2	-	1	1
Wahiawa	-	10	-	3	3	4	-	1	2	-	-	3	2	10	2	6	3	1	1
Waipahu	-	16	-	1	8	4	-	1	-	-	3	3	3	9	4	3	-	2	-
Balance of county	2	40	1	3	7	19	-	7	3	-	15	18	17	41	48	29	6	10	7
Kauai	-	11	1	2	10	5	-	5	2	-	2	6	4	21	10	6	2	-	2
Maui	2	28	3	6	16	6	1	8	4	-	5	10	8	37	16	20	7	3	3
Idaho	25	615	121	68	224	260	30	59	51	-	69	56	138	546	308	269	148	40	13
Urban places	11	292	65	19	91	92	12	28	21	-	27	27	43	229	91	80	60	22	5
Balance of area	14	323	56	49	133	168	18	31	30	-	42	29	95	317	217	189	88	18	8
Metropolitan counties	4	96	34	12	34	30	3	8	8	-	20	8	19	95	42	33	38	9	1
Urban places	3	82	32	7	25	24	2	6	7	-	11	6	16	75	23	28	29	9	1
Balance of area	1	14	2	5	9	6	1	2	1	-	9	2	3	20	19	5	9	-	-
Nonmetropolitan counties	21	519	87	56	190	230	27	51	43	-	49	48	119	451	266	236	110	31	12
Urban places	8	210	33	12	66	68	10	22	14	-	16	21	27	154	68	52	31	13	4
Balance of area	13	309	54	44	124	162	17	29	29	-	33	27	92	297	198	184	79	18	8
Ada	4	96	34	12	34	30	3	8	8	-	20	8	19	95	42	33	38	9	1
Boise City	3	82	32	7	25	24	2	6	7	-	11	6	16	75	23	28	29	9	1
Balance of county	1	14	2	5	9	6	1	2	1	-	9	2	3	20	19	5	9	-	-
Adams	-	3	2	-	1	-	-	-	-	-	-	-	2	2	1	1	-	-	-
Bannock	1	26	9	3	14	19	2	1	-	-	8	4	2	36	18	21	2	2	2
Pocatello	1	23	8	3	10	15	2	1	-	-	6	3	2	26	14	16	2	1	2
Balance of county	-	3	1	-	4	4	-	-	-	-	2	1	-	10	4	5	-	1	-
Bear Lake	-	4	3	-	2	1	1	-	-	-	1	-	-	5	2	-	2	-	-
Benewah	-	6	1	1	-	2	-	-	-	-	-	-	1	6	2	7	1	-	1
Bingham	2	19	6	1	8	7	1	4	1	-	1	-	9	22	17	11	5	2	2
Blaine	-	2	-	1	2	1	-	-	-	-	2	1	1	7	4	4	1	-	-
Boise	-	1	1	1	1	1	-	-	-	-	-	-	-	2	1	1	-	-	-
Bonner	2	18	9	1	6	10	-	-	1	-	2	1	2	18	6	6	3	1	-
Bonneville	3	35	2	6	6	7	3	5	4	-	3	7	21	32	27	17	12	4	-
Idaho Falls	3	29	2	2	4	5	2	5	4	-	3	6	13	25	18	10	10	2	-
Balance of county	-	6	-	4	2	2	1	-	-	-	-	1	8	7	9	7	2	2	-
Boundary	-	9	1	-	4	2	1	1	-	-	-	-	1	6	6	4	4	-	-
Butte	-	4	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-
Camas	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Canyon	-	70	11	3	26	25	4	8	4	-	5	11	11	60	12	19	12	7	1
Caldwell	-	27	8	2	7	6	3	5	2	-	1	5	2	13	4	5	4	5	-
Nampa	-	24	1	-	7	4	1	2	1	-	3	4	5	22	4	4	3	1	1
Balance of county	-	19	2	1	12	15	-	1	1	-	1	2	4	25	4	10	5	1	-
Caribou	-	-	-	3	1	-	-	1	-	-	1	-	3	6	2	6	2	-	-
Cassia	-	13	1	-	4	5	-	2	1	-	1	1	9	5	4	5	1	3	-
Clark	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-
Clearwater	1	5	-	2	3	6	-	-	1	-	-	1	-	8	3	3	1	-	-
Custer	-	7	-	-	1	1	1	-	-	-	-	-	1	3	2	1	2	1	-
Elmore	-	7	-	-	-	1	1	-	4	-	1	3	1	8	5	7	6	1	1
Franklin	2	6	5	2	1	4	-	-	1	-	3	-	1	9	3	3	2	-	-
Fremont	1	7	1	3	4	2	-	2	2	-	-	1	1	2	5	4	2	-	-
Gem	1	9	-	4	3	4	-	-	-	-	-	1	1	8	5	2	8	-	-
Gooding	-	19	-	1	6	11	2	-	4	-	-	2	1	5	5	4	2	-	-
Idaho	-	10	-	3	5	5	-	2	2	-	-	-	5	14	10	4	1	-	-
Jefferson	-	9	1	-	1	5	1	-	1	-	-	-	-	9	4	5	-	-	-
Jerome	-	5	-	1	6	7	1	2	1	-	-	1	1	10	5	4	4	-	-
Kootenai	3	55	10	6	9	18	1	7	4	-	3	3	3	28	21	14	9	-	-
Coeur d'Alene	3	41	4	2	6	15	-	5	4	-	-	1	-	18	7	5	4	-	-
Balance of county	-	14	6	4	3	3	1	2	-	-	3	2	3	10	14	9	5	-	-
Latah	-	25	-	1	8	9	1	1	3	-	1	1	5	15	7	8	3	1	-
Moscow	-	16	-	-	6	4	-	-	-	-	-	1	-	7	2		1	1	-
Balance of county	-	9	-	1	2	5	1	1	3	-	1	-	5	8	5	8	2	-	-
Lemhi	-	4	-	1	1	3	-	-	-	-	-	1	1	2	6	2	1	-	-
Lewis	-	3	1	-	1	2	-	-	1	-	1	1	5	6	2	2	-	1	-
Lincoln	-	4	-	1	-	2	-	-	-	-	-	-	-	3	2	1	-	-	-
Madison	-	2	1	-	-	-	-	-	-	-	2	2	1	6	5	1	1	-	-
Minidoka	2	8	1	-	4	5	1	1	-	-	-	1	1	10	14	11	6	3	2
Nez Perce	1	27	4	1	12	9	3	6	3	-	2	2	2	21	20	10	6	-	-
Lewiston	1	21	4	1	10	8	2	4	1	-	2	1	1	20	12	6	5	-	-
Balance of county	-	6	-	-	2	1	1	2	2	-	-	1	1	1	8	4	1	-	-
Oneida	-	1	-	1	-	3	-	-	-	-	-	1	1	3	-	-	-	-	-
Owyhee	-	6	1	1	1	2	1	1	-	-	-	1	2	2	4	7	1	-	-
Payette	1	17	2	3	12	3	-	-	1	-	1	1	3	10	6	3	1	1	1
Power	-	1	-	-	1	3	-	1	-	-	1	-	2	1	-	2	-	-	-
Shoshone	1	17	-	1	4	10	-	3	1	-	2	-	-	12	7	11	5	1	1
Teton	-	2	-	-	2	2	-	-	-	-	2	-	3	-	1	1	-	-	-
Twin Falls	-	43	13	4	23	21	2	1	3	-	4	-	6	38	16	16	6	3	1
Twin Falls	-	29	6	2	16	11	-	-	2	-	1	-	4	23	7	6	2	3	1
Balance of county	-	14	7	2	7	10	2	1	1	-	3	-	2	15	9	10	4	-	-
Valley	-	1	-	-	2	2	-	-	-	-	1	-	2	3	2	2	-	-	-
Washington	-	9	1	-	4	2	-	-	-	-	1	-	8	6	3	5	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois	101,819	104	5	685	21,635	6,066	5,487	1,994	2,362	894	818	4,014	1,770	52,258	41,746	364	1,386	30,458	9,538
Urban places	69,164	88	4	508	14,747	4,208	3,707	1,391	1,596	600	528	2,717	1,189	35,098	28,290	271	991	19,854	7,174
Balance of area	32,655	16	1	177	6,888	1,858	1,780	603	766	294	290	1,297	581	17,160	13,456	93	395	10,604	2,364
Metropolitan counties	78,876	91	3	570	17,009	4,812	4,307	1,603	1,836	677	625	3,149	1,352	39,650	32,051	296	1,111	22,805	7,839
Urban places	63,676	86	3	490	13,590	3,903	3,411	1,291	1,467	544	481	2,493	1,095	32,116	26,094	247	947	18,141	6,759
Balance of area	15,200	5	-	80	3,419	909	896	312	369	133	144	656	257	7,534	5,957	49	164	4,664	1,080
Nonmetropolitan counties	22,943	13	2	115	4,626	1,254	1,180	391	526	217	193	865	418	12,608	9,695	68	275	7,653	1,699
Urban places	5,488	2	1	18	1,157	305	296	100	129	56	47	224	94	2,982	2,196	24	44	1,713	415
Balance of area	17,455	11	1	97	3,469	949	884	291	397	161	146	641	324	9,626	7,499	44	231	5,940	1,284
Adams	844	-	-	1	165	43	46	9	22	7	9	29	13	476	350	2	8	285	55
Quincy	625	-	-	-	118	31	35	4	15	6	7	20	8	359	267	1	7	216	43
Balance of county	219	-	-	1	47	12	11	5	7	1	2	9	5	117	83	1	1	69	12
Alexander	174	-	-	1	37	17	11	2	1	1	-	5	6	94	79	1	3	57	18
Bond	169	-	-	-	32	7	11	4	2	2	-	6	4	108	93	1	8	64	20
Boone	208	-	-	1	42	11	8	9	4	-	1	9	1	108	93	-	1	79	13
Belvidere	133	-	-	-	23	6	5	5	4	-	-	3	-	78	67	-	1	55	11
Balance of county	75	-	-	1	19	5	3	4	-	-	1	6	1	30	26	-	-	24	2
Brown	71	-	-	-	16	4	3	2	1	2	1	3	2	43	35	-	1	18	16
Bureau	404	1	-	1	81	27	15	3	11	5	4	16	7	240	204	-	5	147	52
Calhoun	73	-	-	-	19	2	8	2	2	1	1	3	2	42	28	-	-	23	5
Carroll	186	-	-	1	41	15	10	5	4	2	2	3	3	108	86	-	-	79	7
Cass	199	-	-	-	41	9	7	7	7	2	1	8	7	103	77	1	2	55	19
Champaign	927	1	-	7	192	56	48	15	19	10	15	29	13	465	321	2	14	241	64
Champaign	336	1	-	1	78	25	22	7	4	7	4	9	3	163	108	-	8	81	19
Rantoul	66	-	-	1	13	3	4	2	1	-	-	3	1	31	26	-	-	19	7
Urbana	245	-	-	3	42	11	12	4	4	1	1	9	6	128	88	1	4	67	16
Balance of county	280	-	-	2	59	17	10	2	10	2	10	8	3	143	99	1	2	74	22
Christian	435	-	-	7	74	19	18	6	6	2	4	19	7	230	183	1	5	148	29
Taylorville	137	-	-	1	27	3	7	3	3	1	2	8	-	71	62	-	2	51	9
Balance of county	298	-	-	6	47	16	11	3	3	1	2	11	7	159	121	1	3	97	20
Clark	202	1	-	1	48	15	10	5	5	5	1	7	3	109	72	1	9	52	10
Clay	200	-	-	1	36	8	11	2	-	4	1	10	3	119	86	1	2	73	10
Clinton	283	-	-	1	51	17	16	4	3	-	3	8	2	157	125	-	5	101	19
Centralia, part	33	-	-	-	4	-	3	-	1	-	-	-	-	13	10	-	-	9	1
Balance of county	250	-	-	1	47	17	13	4	2	-	3	8	2	144	115	-	5	92	18
Coles	434	-	-	6	82	20	22	8	11	5	3	13	6	247	156	3	1	140	12
Charleston	120	-	-	3	21	5	4	2	5	1	1	3	4	61	41	1	1	36	3
Mattoon	223	-	-	2	42	10	14	5	1	3	2	7	2	136	82	2	-	75	5
Balance of county	91	-	-	1	19	5	4	1	5	1	-	3	-	50	33	-	-	29	4
Cook	48,723	72	2	302	10,405	3,077	2,509	970	1,112	402	360	1,885	870	24,443	20,372	185	763	13,495	5,929
Alsip	103	-	-	-	30	9	11	4	1	2	1	2	-	54	44	-	4	33	7
Arlington Heights, part	449	-	-	2	90	27	17	12	7	5	2	20	6	248	202	2	-	138	62
Arlington Heights, total	449	-	-	2	90	27	17	12	7	5	2	20	6	248	202	2	-	138	62
Bellwood	159	1	-	-	36	12	8	2	4	1	2	7	5	73	58	1	2	39	16
Bensenville, part	6	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Berwyn	677	-	-	3	163	48	39	18	14	8	6	30	10	362	302	1	9	225	67
Blue Island	249	-	-	-	51	19	14	5	3	-	1	9	5	132	107	1	4	76	26
Bridge View	137	-	-	2	24	5	4	1	3	2	-	9	-	73	64	2	-	44	18
Brookfield	186	-	-	2	35	11	10	2	3	3	-	6	3	113	89	2	1	58	28
Buffalo Grove, part	53	-	-	-	20	2	3	2	4	1	3	5	-	19	12	-	-	8	4
Buffalo Grove, total	64	-	-	1	22	2	3	2	4	1	4	6	-	23	16	-	-	12	4
Calumet City	353	-	-	2	80	31	22	9	12	1	1	13	11	165	134	1	1	109	23
Calumet Park	73	-	-	2	14	10	-	1	1	1	-	1	1	40	35	-	3	20	12
Chicago, part	30,471	64	1	262	6,175	1,844	1,601	526	684	228	192	1,100	575	15,074	12,680	115	554	7,931	4,080
Chicago, total	30,471	64	1	262	6,175	1,844	1,601	526	684	228	192	1,100	575	15,074	12,680	115	554	7,931	4,080
Chicago Heights	361	-	-	1	83	27	20	9	9	4	4	10	5	169	129	5	10	83	31
Cicero	762	-	-	3	193	58	48	13	24	7	11	34	16	370	314	1	5	215	93
Deerfield, part	9	-	-	-	1	1	-	-	-	-	-	-	-	4	4	-	-	2	2
Des Plaines	573	-	-	6	125	30	31	16	15	2	3	28	6	313	254	5	4	211	34
Dolton	225	1	-	3	56	15	13	6	5	2	2	13	3	113	97	1	5	70	21
Elgin, part	40	-	-	-	9	2	3	1	1	1	-	1	-	21	19	1	1	16	1
Elk Grove Village, part	129	-	-	1	35	9	9	5	2	1	1	8	-	61	42	2	-	28	12
Elk Grove Village, total	129	-	-	1	35	9	9	5	2	1	1	8	-	61	42	2	-	28	12
Elmwood Park	277	-	-	2	76	22	16	9	7	4	3	15	7	142	118	2	-	92	24
Evanston	759	-	-	6	169	54	35	23	19	7	5	26	9	413	356	2	7	267	80
Evergreen Park	270	-	-	2	69	23	18	6	3	1	5	13	8	137	109	2	1	87	19
Forest Park	164	-	-	-	37	13	6	1	8	-	1	8	4	78	66	-	1	48	17
Franklin Park	172	-	-	2	41	8	15	3	3	5	1	6	4	83	77	-	4	49	24
Glencoe	52	-	-	-	13	6	2	3	1	1	-	-	-	26	22	-	1	18	3
Glenview	323	-	-	3	74	18	19	6	13	2	1	15	5	173	137	2	2	100	33
Hanover Park, part	65	-	-	1	13	2	3	3	1	-	-	4	1	25	20	-	-	16	4
Hanover Park, total	80	-	-	1	16	3	3	3	2	-	-	5	2	31	26	-	-	22	4
Harvey	281	-	1	6	48	14	14	2	7	3	3	5	10	124	110	-	11	67	32
Hazel Crest	96	-	-	3	21	9	5	-	3	-	-	4	4	45	38	-	1	25	12
Hickory Hills	88	1	-	1	18	5	7	1	-	1	1	3	1	42	35	-	2	23	10
Hinsdale, part	23	-	-	2	2	1	-	-	-	-	-	1	-	13	8	1	-	6	1
Hoffman Estates	144	-	-	-	32	12	2	1	3	2	1	11	-	63	50	-	1	36	13
Homewood	198	-	-	4	35	7	11	7	4	-	-	6	1	121	101	1	3	64	33
La Grange	184	-	-	3	33	10	4	3	4	1	3	6	3	98	71	1	1	55	14
La Grange Park	153	-	-	1	33	11	5	5	3	4	1	4	1	85	69	1	2	53	13
Lansing	217	-	-	-	57	15	17	4	8	4	-	9	3	106	94	1	3	72	18
Lincolnwood	99	-	-	1	29	12	5	4	1	2	1	4	4	44	36	-	-	31	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less then 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois	499	7,774	1,346	693	2,860	2,687	362	1,549	673	24	714	1,362	728	6,955	2,031	2,218	1,081	1,417	461
Urban places	336	5,169	770	533	1,964	1,676	257	1,225	639	19	480	1,049	515	4,822	1,015	1,451	724	1,276	418
Balance of area	163	2,605	576	360	896	1,011	105	324	234	5	234	333	213	2,133	1,016	767	357	141	63
Metropolitan counties	368	5,765	841	625	2,173	1,983	286	1,352	710	21	566	1,217	579	5,474	1,430	1,736	874	1,348	452
Urban places	291	4,626	634	471	1,784	1,514	232	1,170	599	18	443	995	482	4,450	916	1,344	684	1,250	415
Balance of area	77	1,139	207	154	389	469	54	182	111	3	123	222	97	1,024	514	392	190	98	37
Nonmetropolitan counties	131	2,009	505	268	687	704	76	197	163	3	148	165	149	1,481	601	482	207	69	29
Urban places	45	543	136	62	180	162	25	55	40	1	37	54	33	372	99	107	40	26	3
Balance of area	86	1,466	369	206	507	542	51	142	123	2	111	111	116	1,109	502	375	167	43	26
Adams	5	88	25	8	39	21	3	7	2	1	4	11	5	61	12	11	6	5	1
Quincy	5	66	15	6	33	14	2	6	-	1	2	8	3	47	8	9	2	5	-
Balance of county	-	22	10	2	6	7	1	1	2	-	2	3	2	14	4	2	4	-	1
Alexander	1	12	-	2	5	7	-	2	-	-	-	4	1	9	2	4	-	2	-
Bond	-	9	5	1	-	6	1	1	1	-	-	-	-	7	5	4	-	-	-
Boone	-	11	3	1	2	6	1	4	-	-	2	5	-	15	9	6	5	-	1
Belvidere	-	7	3	1	1	4	-	3	-	-	1	3	-	11	4	1	3	-	1
Balance of county	-	4	-	-	1	2	1	1	-	-	1	2	-	4	5	5	2	-	-
Brown	-	5	-	3	-	1	-	1	-	-	-	-	1	3	2	1	-	1	-
Bureau	2	24	6	4	7	13	-	2	2	1	3	2	-	23	9	5	3	2	2
Calhoun	1	5	8	-	1	-	-	1	-	-	-	-	1	2	4	-	-	-	1
Carroll	1	17	2	2	3	8	-	-	-	-	1	1	-	7	9	3	1	-	-
Cass	1	21	2	2	3	5	1	3	1	-	2	1	-	10	10	11	1	-	-
Champaign	8	99	29	8	31	31	3	11	8	1	7	13	7	73	23	24	10	4	3
Champaign	2	39	12	2	10	7	1	3	5	1	4	6	4	27	5	10	3	2	2
Rantoul	1	4	-	-	2	1	-	1	1	-	1	2	-	5	4	-	2	1	-
Urbana	3	27	9	1	10	11	2	4	1	-	1	3	2	21	4	5	1	-	1
Balance of county	2	29	8	5	9	12	-	3	1	-	1	2	1	20	10	9	4	1	-
Christian	1	30	9	7	18	20	2	4	5	-	3	3	6	29	7	13	7	-	-
Taylorville	1	6	-	2	9	6	-	1	3	-	-	-	3	10	2	2	2	-	-
Balance of county	-	24	9	5	9	14	2	3	2	-	3	3	3	19	5	11	5	-	-
Clark	1	28	6	2	1	5	-	-	2	-	-	-	2	19	2	3	5	-	1
Clay	2	23	3	5	4	4	2	1	-	-	2	2	-	13	6	5	2	-	-
Clinton	2	23	6	1	8	7	2	1	2	-	-	1	1	30	9	7	4	-	-
Centralia, part	-	2	1	-	2	1	1	-	2	-	-	-	-	8	-	-	2	-	-
Balance of county	2	21	5	1	6	6	1	1	-	-	-	1	1	22	9	7	2	-	-
Coles	1	78	6	6	13	14	3	4	2	-	4	5	2	26	4	12	3	1	-
Charleston	1	15	3	1	2	8	1	2	1	-	3	1	-	8	1	4	-	-	-
Mattoon	-	48	3	3	7	5	1	1	1	-	-	3	2	14	2	4	1	-	-
Balance of county	-	15	-	2	4	1	1	1	-	-	1	1	-	4	1	4	2	1	-
Cook	200	3,146	413	310	1,351	1,049	164	998	485	12	346	785	372	3,338	646	991	492	1,109	401
Alsip	-	5	3	2	1	4	-	2	-	-	1	3	-	3	2	2	-	1	-
Arlington Heights, part	1	42	1	2	9	12	2	9	2	-	1	4	2	28	18	5	6	2	3
Arlington Heights, total	1	42	1	2	9	12	2	9	2	-	1	4	2	28	18	5	6	2	3
Bellwood	-	13	2	-	2	6	2	4	3	-	4	4	-	9	4	-	1	5	-
Bensenville, part	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	2	-	-	-
Berwyn	2	45	6	7	13	20	1	15	7	-	1	3	1	45	7	14	5	3	4
Blue Island	2	19	2	2	3	8	1	5	2	-	-	4	1	15	7	7	4	2	2
Bridge View	1	7	1	-	1	2	1	4	1	-	1	4	2	13	2	4	-	1	2
Brookfield	1	19	1	3	1	4	-	3	1	-	2	3	-	10	1	3	5	-	-
Buffalo Grove, part	-	5	1	1	-	-	-	1	1	-	1	1	-	3	1	3	1	1	1
Buffalo Grove, total	-	5	1	1	-	1	-	1	1	-	1	1	-	4	1	4	2	1	1
Calumet City	-	23	5	3	10	15	-	13	2	-	2	4	-	19	9	4	5	3	-
Calumet Park	-	5	-	-	-	6	-	3	-	-	-	2	-	1	1	2	1	-	-
Chicago, part	128	1,864	227	175	848	601	105	714	330	9	219	554	286	2,103	328	665	283	971	304
Chicago, total	128	1,864	227	175	848	601	105	714	330	9	219	554	286	2,103	328	665	283	971	304
Chicago Heights	2	22	11	5	11	12	-	7	5	-	2	14	3	22	9	8	2	6	2
Cicero	3	41	7	5	19	24	-	19	6	-	3	9	2	56	3	16	11	7	3
Deerfield, part	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-
Des Plaines	3	44	5	7	15	6	4	8	7	-	5	-	2	42	8	10	6	1	9
Dolton	-	11	4	1	5	9	1	7	-	-	1	1	1	12	3	6	1	-	2
Elgin, part	-	2	-	-	3	2	-	-	-	-	1	-	-	3	-	-	1	-	-
Elk Grove Village, part	-	15	3	1	2	2	-	-	1	-	3	2	2	10	5	2	1	1	1
Elk Grove Village, total	-	15	3	1	2	2	-	-	1	-	3	2	2	10	5	2	1	1	1
Elmwood Park	-	21	2	1	4	7	1	1	4	-	1	2	-	19	3	3	3	1	1
Evanston	3	50	3	1	25	16	1	2	6	-	1	10	1	72	2	10	6	7	3
Evergreen Park	2	22	2	2	11	2	1	3	1	-	1	5	-	21	1	3	4	1	-
Forest Park	2	10	-	-	2	7	-	-	3	-	1	2	1	18	2	2	3	1	3
Franklin Park	-	5	1	-	1	7	2	4	1	-	3	1	2	8	4	4	3	2	-
Glencoe	-	4	-	-	1	-	-	-	1	-	2	-	-	5	2	-	1	-	1
Glenview	1	24	7	4	12	8	2	7	-	-	4	1	-	20	3	6	2	-	3
Hanover Park, part	-	3	1	1	2	2	-	-	-	-	2	2	1	7	4	4	1	-	-
Hanover Park, total	-	3	1	1	2	2	-	-	-	-	4	2	1	7	6	5	1	-	-
Harvey	1	10	3	-	5	7	-	7	-	-	2	10	4	24	6	10	5	9	3
Hazel Crest	-	5	2	-	3	1	1	-	2	-	2	1	1	6	4	1	1	-	-
Hickory Hills	-	7	-	-	1	-	-	4	2	-	2	3	1	8	1	3	-	-	-
Hinsdale, part	-	4	1	-	2	1	-	-	-	-	1	-	-	-	-	-	-	2	-
Hoffman Estates	1	9	2	1	3	3	-	2	1	-	5	2	1	17	7	3	3	-	2
Homewood	1	14	2	3	7	4	-	3	3	-	1	1	2	11	1	1	1	1	1
La Grange	1	24	1	1	6	9	1	5	1	-	-	1	1	16	2	1	1	1	2
La Grange Park	2	10	2	2	1	4	-	-	-	-	-	3	-	14	3	-	5	1	2
Lansing	-	9	2	1	9	5	-	2	2	-	3	6	1	13	3	5	1	-	1
Lincolnwood	-	7	-	1	5	2	-	-	-	-	-	1	1	9	2	1	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Lyons	115	–	–	–	36	9	8	2	2	2	1	12	1	54	46	1	3	34	8
Markham	92	–	–	1	22	7	5	2	2	1	1	4	1	42	35	–	1	18	16
Maywood	199	–	–	–	37	8	11	3	4	–	2	9	5	91	77	1	2	57	17
Melrose Park	248	–	–	1	55	8	14	8	7	2	3	13	1	131	112	2	2	85	23
Midlothian	125	1	–	–	31	10	9	3	1	1	1	6	5	55	46	–	3	31	12
Morton Grove	[illegible]	1	–	2	53	14	12	2	4	4	3	14	–	100	84	–	3	62	19
Mour	[illegible]	–	–	4	80	19	19	11	8	5	3	15	3	150	122	–	2	90	30
Niles	404	–	–	5	78	27	18	6	9	–	3	15	7	239	203	1	4	164	34
Norridge	196	–	–	1	43	10	11	6	4	3	1	8	5	105	80	1	6	62	11
Northbrook	244	–	–	–	52	12	11	9	5	2	3	10	6	126	97	–	3	72	22
Northlake, part	135	1	–	1	23	7	8	3	1	1	–	3	2	76	65	1	–	52	12
Northlake, total	136	1	–	1	24	7	8	3	1	1	–	4	2	76	65	1	–	52	12
Oak Forest	115	–	–	1	32	10	10	3	3	1	1	4	1	59	52	–	3	35	14
Oak Lawn	603	–	–	1	149	43	39	16	12	6	8	25	10	329	272	6	4	193	69
Oak Park	561	1	–	6	118	40	23	19	10	3	4	19	9	322	248	–	4	176	68
Palatine	233	–	–	2	55	12	19	3	6	3	3	9	2	111	88	3	1	57	27
Park Forest, part	138	–	–	3	41	9	11	7	4	3	1	6	1	61	52	1	5	27	19
Park Forest, total	144	–	–	3	41	9	11	7	4	3	1	6	1	67	55	1	5	28	21
Park Ridge	369	–	–	1	70	12	9	14	13	3	3	16	5	209	163	–	1	118	44
Riverdale	170	–	–	–	40	15	8	3	5	3	–	6	3	94	76	1	3	45	27
River Forest	114	–	–	2	24	10	6	4	2	1	–	1	3	56	42	–	1	28	13
River Grove	98	–	–	–	21	6	6	2	1	2	1	3	–	60	50	–	4	36	10
Riverside	84	–	–	–	22	7	5	5	2	–	1	2	–	42	33	–	–	27	6
Rolling Meadows	94	–	–	1	17	3	5	3	3	1	1	1	–	43	31	–	1	24	6
Schaumburg, part	251	–	–	1	61	15	12	9	4	3	8	10	1	115	91	–	3	69	19
Schaumburg, total	253	–	–	1	61	15	12	9	4	3	8	10	1	116	91	–	3	69	19
Schiller Park	58	–	–	1	17	6	2	3	3	–	1	2	–	24	21	–	–	19	2
Skokie	557	–	–	4	111	36	23	12	17	3	4	16	11	328	273	–	3	224	46
South Holland	216	1	–	4	46	17	6	3	5	1	4	10	3	121	99	1	2	69	27
Streamwood	55	–	–	–	10	3	–	2	1	1	1	2	2	19	15	–	1	12	2
Summit	80	–	–	–	19	6	3	1	3	2	–	4	–	45	41	–	2	25	14
Tinley Park, part	167	–	–	4	40	10	10	4	2	1	3	10	4	73	66	–	–	42	24
Tinley Park, total	167	–	–	4	40	10	10	4	2	1	3	10	4	73	66	–	–	42	24
Westchester	168	–	–	1	49	12	12	7	7	2	1	8	3	87	68	–	3	50	15
Western Springs	88	–	–	–	27	7	8	2	1	1	1	7	–	47	37	2	–	29	6
Wheeling	122	–	–	1	31	9	7	2	2	1	4	6	2	60	49	–	1	37	11
Wilmette	232	–	–	2	51	15	6	4	4	2	3	17	2	118	89	–	3	65	21
Winnetka	97	–	–	–	28	5	9	1	5	–	–	8	1	52	38	–	1	30	7
Worth	107	–	–	–	31	9	8	4	1	2	1	6	1	55	47	–	3	28	16
Balance of county	3,113	–	–	16	755	227	191	69	69	29	30	140	59	1,522	1,261	11	42	888	320
Crawford	239	–	–	–	50	16	18	1	–	–	2	13	9	119	90	–	1	71	18
Cumberland	120	–	–	1	27	8	7	2	4	2	1	3	3	62	41	–	1	33	7
De Kalb	535	–	–	2	108	37	30	10	3	7	2	19	7	280	196	4	6	165	21
De Kalb	138	–	–	–	25	12	10	–	–	1	–	2	4	68	50	3	2	41	4
Balance of county	398	–	–	2	83	25	20	10	3	6	2	17	3	191	146	1	4	124	17
De Witt	195	–	–	2	45	5	13	1	9	4	6	7	3	102	64	–	2	50	12
Douglas	188	–	–	–	33	9	14	2	2	1	1	4	4	117	88	–	–	80	8
Du Page	3,812	2	–	30	905	234	219	94	96	37	42	183	54	1,894	1,491	16	27	1,228	220
Addison	123	–	–	–	36	8	9	1	3	2	4	9	1	49	39	–	2	36	1
Bensenville, part	159	1	–	2	30	11	8	3	2	1	–	5	3	82	60	1	2	45	12
Bensenville, total	165	1	–	2	31	11	8	3	2	2	–	5	3	82	60	1	2	45	12
Chicago, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Downers Grove	325	–	–	3	94	22	23	16	14	3	4	12	2	153	115	3	1	98	13
Elk Grove Village, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Elmhurst	378	–	–	5	103	28	18	15	13	4	2	23	5	197	159	1	5	132	21
Glendale Heights	67	–	–	–	9	3	–	1	–	2	–	3	–	36	29	1	–	25	3
Glen Ellyn	158	–	–	2	38	8	8	4	4	2	5	7	5	75	62	1	–	50	11
Hanover Park, part	15	–	–	–	3	1	–	–	1	–	–	1	1	6	6	–	–	6	–
Hinsdale, part	125	–	–	2	25	7	3	3	6	3	–	3	1	73	52	2	2	36	12
Hinsdale, total	148	–	–	4	27	8	3	3	6	3	–	4	1	86	60	3	2	42	13
Lombard	223	–	–	2	60	16	13	8	3	3	5	12	1	112	90	1	3	74	12
Naperville	253	–	–	3	54	13	10	7	2	2	2	18	–	124	103	1	2	83	17
Northlake, part	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Schaumburg, part	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Villa Park	158	–	–	–	37	9	13	1	2	2	1	9	1	76	60	1	2	51	6
West Chicago	107	–	–	1	28	7	6	2	3	1	2	7	–	46	38	–	–	32	6
Wheaton	285	–	–	3	58	19	8	4	7	2	4	14	6	165	112	–	3	101	8
Woodridge	51	–	–	1	12	1	4	1	3	2	–	1	1	20	17	–	–	13	4
Balance of county	1,382	1	–	6	317	81	98	28	33	8	13	56	27	679	549	4	5	446	94
Edgar	271	1	–	1	51	9	15	5	10	2	–	10	2	178	123	–	–	98	25
Edwards	100	–	–	1	23	5	4	3	4	–	–	7	2	57	50	–	3	37	10
Effingham	287	–	–	2	50	11	16	5	3	4	1	10	10	137	107	2	1	82	22
Fayette	235	–	–	3	44	8	8	9	8	2	1	8	6	124	106	–	2	86	18
Ford	176	–	–	1	42	14	10	2	1	1	4	10	3	91	73	1	1	60	11
Franklin	577	–	–	1	107	25	27	11	9	5	3	27	11	309	250	1	9	209	31
Fulton	502	1	–	2	104	30	20	13	16	1	6	18	13	271	201	1	1	138	61
Canton	193	1	–	1	45	12	6	8	6	–	4	9	4	103	75	–	–	55	20
Balance of county	309	–	–	1	59	18	14	5	10	1	2	9	9	168	126	1	1	83	41
Gallatin	97	–	1	–	24	6	8	2	2	1	1	4	3	90	41	–	2	34	5
Greene	191	–	–	2	38	9	14	3	5	1	1	5	4	104	74	–	2	49	23
Grundy	250	–	–	1	55	21	13	5	6	2	–	8	6	133	114	–	1	100	13
Hamilton	128	–	–	–	22	6	6	2	2	–	2	4	1	80	65	1	1	52	11
Hancock	271	–	–	–	68	22	10	8	12	4	2	10	4	149	114	–	7	91	16
Hardin	83	–	–	–	15	3	3	2	1	2	–	4	1	48	40	1	4	26	9
Henderson	74	–	–	1	13	2	7	1	–	–	–	3	–	41	36	–	–	34	2
Henry	520	–	–	4	98	29	16	11	13	3	3	23	7	294	233	1	2	198	32

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Lyons	-	7	-	1	1	5	1	1	-	-	-	2	-	7	2	-	3	2	-
Markham	1	5	1	-	2	1	1	-	1	-	-	5	1	7	2	4	1	1	-
Maywood	-	12	-	2	7	1	1	2	5	-	3	3	2	19	6	10	2	5	-
Melrose Park	-	15	4	-	5	3	4	6	4	-	1	8	1	19	2	2	3	1	1
Midlothian	-	5	4	-	8	3	-	3	1	-	-	1	-	8	1	3	2	3	-
Morton Grove	2	13	-	1	8	5	-	3	-	-	-	1	1	13	8	4	2	-	-
Mount Prospect	3	21	3	1	4	5	1	2	3	-	2	3	2	20	5	4	5	-	1
Niles	2	28	3	3	21	5	1	4	4	-	1	1	1	28	3	5	-	1	-
Norridge	-	23	-	2	8	3	1	4	6	-	-	1	-	13	2	4	-	-	-
Northbrook	1	24	4	-	13	5	2	5	-	-	2	2	2	18	2	4	4	-	1
Northlake, part	-	10	1	-	7	2	1	3	2	-	3	2	-	4	2	2	2	1	1
Northlake, total	-	10	1	-	7	2	1	3	2	-	3	2	-	4	2	2	2	1	1
Oak Forest	-	5	1	1	-	5	-	1	1	-	-	1	-	9	1	1	2	1	-
Oak Lawn	3	46	7	1	18	15	4	8	6	1	4	2	4	28	8	7	4	3	2
Oak Park	4	58	10	2	20	13	2	4	5	-	3	3	3	30	5	6	8	2	1
Palatine	1	19	1	2	3	9	-	5	-	-	1	7	4	13	4	8	5	4	-
Park Forest, part	-	6	1	2	4	5	-	1	1	-	2	4	-	5	2	4	3	1	-
Park Forest, total	-	8	2	2	4	5	-	1	1	-	2	4	-	5	2	4	3	1	-
Park Ridge	3	33	5	5	20	7	3	6	3	-	2	1	1	22	2	5	4	4	4
Riverdale	-	15	-	3	3	8	-	6	-	-	-	1	1	9	2	-	1	-	2
River Forest	-	11	2	1	1	3	-	3	3	-	-	1	-	10	1	4	1	1	1
River Grove	-	8	-	2	-	2	-	5	-	-	3	-	-	6	-	-	1	-	-
Riverside	-	7	2	-	-	3	-	2	3	-	-	2	-	5	2	2	-	1	-
Rolling Meadows	-	8	1	3	9	2	-	1	-	-	1	1	3	6	4	1	3	1	1
Schaumburg, part	1	16	2	5	4	7	1	5	1	-	2	3	3	27	8	6	4	1	1
Schaumburg, total	1	17	2	5	4	7	1	5	1	-	2	3	3	27	9	6	4	1	1
Schiller Park	-	1	2	-	2	-	-	-	-	-	-	1	-	5	5	2	1	-	-
Skokie	2	45	2	6	17	7	4	5	6	-	-	3	2	39	9	5	4	2	-
South Holland	1	18	2	1	7	6	-	2	2	-	1	-	-	12	2	3	2	3	1
Streamwood	1	2	-	1	-	2	-	2	1	-	1	1	2	5	7	-	1	-	2
Summit	-	4	-	-	-	-	-	1	2	-	-	1	-	3	1	2	1	3	2
Tinley Park, part	-	5	1	1	4	4	-	3	2	-	1	9	1	8	6	2	3	3	-
Tinley Park, total	-	5	1	1	4	4	-	3	2	-	1	9	1	8	6	2	3	3	-
Westchester	2	13	3	1	6	4	-	-	2	-	-	-	1	6	3	2	3	1	-
Western Springs	-	10	-	-	2	-	-	1	-	-	-	-	-	4	1	4	1	-	1
Wheeling	-	8	2	1	3	2	-	3	-	-	3	3	2	5	1	1	5	-	-
Wilmette	-	22	6	1	7	12	2	3	-	-	2	-	1	20	2	4	5	-	1
Winnetka	1	12	-	1	2	1	1	-	1	-	-	-	-	8	1	1	-	-	1
Worth	1	5	-	2	3	1	-	1	1	-	-	5	-	3	4	1	-	1	-
Balance of county	14	188	33	26	87	75	8	43	23	2	30	44	15	207	71	68	33	33	22
Crawford	1	23	4	1	6	10	1	-	-	-	1	4	1	21	10	4	3	-	-
Cumberland	-	17	1	3	8	3	-	-	-	-	-	2	-	6	2	1	3	2	-
De Kalb	5	42	7	10	20	18	6	5	2	-	7	1	3	47	28	10	10	3	-
De Kalb	2	13	1	3	5	3	1	2	1	-	2	-	1	14	2	4	3	-	-
Balance of county	3	29	6	7	15	15	5	3	1	-	5	1	2	33	24	6	7	3	-
De Witt	-	31	1	6	-	7	1	1	-	-	2	1	1	12	8	2	5	2	1
Douglas	1	18	8	2	8	4	-	2	3	-	-	3	-	9	3	2	-	-	-
Du Page	8	300	53	42	114	96	20	52	27	1	26	56	17	260	88	73	59	24	14
Addison	-	10	-	-	3	3	-	2	2	-	-	2	-	7	7	2	6	3	-
Bensenville, part	-	16	2	4	11	4	2	-	2	-	-	3	-	11	1	3	4	-	-
Bensenville, total	-	16	2	4	12	4	2	-	2	-	-	3	-	13	1	5	4	-	-
Chicago, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Downers Grove	-	26	6	6	8	10	2	6	1	-	2	2	-	23	4	4	6	3	2
Elk Grove Village, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Elmhurst	1	30	4	3	15	6	2	3	2	-	1	1	3	26	2	4	1	1	1
Glendale Heights	-	6	-	1	2	1	-	2	1	-	1	5	-	4	2	1	1	1	1
Glen Ellyn	-	11	1	1	2	2	-	2	1	-	1	2	1	15	3	6	1	2	-
Hanover Park, part	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-
Hinsdale, part	1	17	2	1	5	4	2	3	1	-	-	-	-	7	1	-	1	-	-
Hinsdale, total	1	21	3	1	7	5	2	3	1	-	1	-	-	7	1	-	1	2	-
Lombard	-	17	3	2	3	6	-	1	2	-	2	1	2	17	5	3	2	2	2
Naperville	1	14	3	3	14	8	1	9	2	-	2	6	2	16	3	5	2	1	1
Northlake, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Schaumburg, part	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Villa Park	1	14	1	-	1	5	-	2	2	-	-	3	-	11	7	7	3	1	2
West Chicago	1	6	1	-	6	3	1	1	1	-	-	1	-	11	3	1	3	-	1
Wheaton	2	38	6	7	3	6	1	3	1	-	4	3	-	18	4	5	3	2	-
Woodridge	-	3	-	-	1	1	-	-	1	1	-	2	3	5	1	1	1	-	-
Balance of county	1	81	24	14	40	37	9	18	8	-	11	25	6	80	42	30	25	8	4
Edgar	1	47	4	3	7	2	1	2	3	-	-	2	1	12	3	2	3	-	-
Edwards	-	5	-	2	3	1	1	-	-	-	-	1	-	6	1	2	2	-	-
Effingham	1	15	12	2	15	11	-	4	3	-	4	4	1	24	15	4	3	-	-
Fayette	-	14	1	3	13	9	-	2	2	-	1	4	2	9	5	7	2	2	-
Ford	-	9	8	1	7	3	2	1	1	-	1	1	5	9	3	4	1	-	1
Franklin	2	46	6	5	16	20	3	2	9	-	4	4	2	58	13	13	3	1	1
Fulton	2	43	19	6	18	19	1	5	6	-	1	2	-	31	10	9	5	2	2
Canton	1	16	9	2	3	7	-	4	2	-	1	1	-	12	2	2	4	1	-
Balance of county	1	27	10	4	15	12	1	1	4	-	-	1	-	19	8	7	1	1	2
Gallatin	-	6	3	-	2	1	-	-	-	-	-	1	-	7	4	4	-	-	-
Greene	3	14	10	3	3	8	-	2	1	-	2	2	-	14	4	1	5	1	-
Grundy	1	14	4	-	7	3	1	3	2	-	6	3	1	17	6	4	2	-	-
Hamilton	1	11	-	3	4	3	-	1	2	-	1	-	-	8	3	1	2	-	-
Hancock	1	23	6	5	5	5	-	2	3	-	2	1	1	13	7	9	1	1	-
Hardin	-	7	1	-	2	5	1	1	-	-	-	-	-	1	3	5	-	-	1
Henderson	-	3	-	2	-	2	-	-	1	-	-	1	2	7	1	4	-	-	1
Henry	2	46	8	5	16	17	2	4	4	-	3	9	4	29	9	15	3	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Kewanee	172	-	-	1	33	11	4	3	6	1	2	6	3	93	72	1	-	58	13
Balance of county	348	-	-	3	65	18	12	8	7	2	1	17	4	201	161	-	2	140	19
Iroquois	347	1	-	-	78	22	18	3	9	5	3	18	8	197	168	1	2	138	27
Jackson	471	-	1	-	117	28	32	6	22	9	1	19	5	245	192	1	3	165	23
Carbondale	136	-	1	-	40	11	10	4	8	2	-	5	-	63	46	-	2	37	7
Murphysboro	153	-	-	-	37	8	10	-	9	2	1	7	2	83	62	1	-	53	8
Balance of county	182	-	-	-	40	9	12	2	5	5	-	7	3	99	84	-	1	75	8
Jasper	123	-	-	2	17	7	2	2	1	1	1	3	2	67	53	-	-	46	7
Jefferson	400	-	-	1	85	22	31	1	11	5	3	12	10	212	154	1	4	131	18
Mount Vernon	228	-	-	-	48	12	15	-	7	4	2	8	8	119	79	1	1	69	8
Balance of county	172	-	-	1	37	10	16	1	4	1	1	4	2	93	75	-	3	62	10
Jersey	207	-	-	4	53	15	9	7	8	2	4	8	2	93	75	-	-	61	14
Jo Daviess	227	-	-	-	47	14	10	4	5	4	3	7	2	122	90	1	1	70	18
Johnson	87	-	-	-	14	3	6	1	1	-	1	2	3	49	43	-	-	34	9
Kane	2,110	-	1	4	459	122	107	47	58	21	15	89	36	1,022	764	9	27	621	107
Aurora	709	-	1	2	151	29	41	13	24	7	5	32	10	360	276	1	9	213	53
Carpentersville	97	-	-	-	14	4	4	2	2	1	-	1	4	39	32	1	-	22	9
Elgin, part	555	-	-	-	118	34	27	16	10	6	4	21	8	289	206	3	9	180	14
Elgin, total	595	-	-	-	127	36	30	17	11	7	4	22	8	310	225	4	10	196	15
St. Charles	131	-	-	-	23	5	3	1	3	-	3	8	2	68	49	1	4	35	9
Balance of county	618	-	-	2	153	50	32	15	19	7	3	27	12	266	201	3	5	171	22
Kankakee	860	-	-	4	173	40	54	18	19	3	7	32	19	460	377	-	14	306	57
Kankakee	336	-	-	1	66	20	17	8	4	2	-	15	8	187	151	-	8	125	18
Balance of county	524	-	-	3	107	20	37	10	15	1	7	17	11	273	226	-	6	181	39
Kendall	183	-	-	1	43	19	10	1	6	2	3	2	4	79	54	-	2	36	16
Knox	662	-	-	4	116	24	28	14	14	4	5	27	8	376	262	-	7	216	39
Galesburg	417	-	-	1	81	17	18	12	9	3	4	18	4	230	166	-	4	138	24
Balance of county	245	-	-	3	35	7	10	2	5	1	1	9	4	146	96	-	3	78	15
Lake	2,770	1	-	17	623	150	143	68	69	27	25	141	48	1,302	1,033	9	28	856	140
Arlington Heights, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Buffalo Grove, part	11	-	-	1	2	-	-	-	-	-	1	1	-	4	4	-	-	4	-
Deerfield, part	123	-	-	-	30	6	6	4	4	1	1	8	1	59	49	-	-	40	9
Deerfield, total	132	-	-	-	31	7	6	4	4	1	1	8	1	63	53	-	-	42	11
Highland Park	192	-	-	1	47	13	12	7	4	2	4	5	2	95	72	1	1	63	7
Lake Forest	97	-	-	-	25	8	7	-	2	1	-	7	1	43	39	-	1	33	5
Libertyville	155	-	-	1	33	6	6	3	5	4	2	7	4	87	69	-	1	60	8
Mundelein	96	-	-	-	24	8	4	7	-	1	1	3	-	48	44	-	1	32	11
North Chicago	125	-	-	1	27	8	5	1	6	-	3	4	2	45	36	-	1	27	8
Waukegan	579	-	-	4	129	31	24	13	17	6	1	37	7	259	199	3	14	163	19
Zion	156	-	-	2	27	7	2	7	3	-	1	7	5	71	45	-	-	37	8
Balance of county	1,236	1	-	7	279	63	77	26	28	12	11	62	26	591	476	5	9	397	65
La Salle	1,137	-	-	5	262	69	65	26	32	12	6	52	17	598	459	3	12	389	55
La Salle	151	-	-	2	36	12	10	2	5	1	1	5	2	83	62	-	2	55	5
Ottawa	214	-	-	1	62	14	22	3	5	1	1	16	3	101	80	2	3	64	11
Peru	121	-	-	-	23	6	5	5	2	1	1	3	2	72	51	-	-	47	4
Streator, part	160	-	-	1	37	11	4	6	6	2	-	8	4	90	63	1	3	48	11
Streator, total	160	-	-	1	37	11	4	6	6	2	-	8	4	90	63	1	3	48	11
Balance of county	491	-	-	1	104	26	24	10	14	7	3	20	6	252	203	-	4	175	24
Lawrence	262	-	-	4	40	11	11	1	5	1	5	6	3	160	127	1	6	102	18
Lee	369	-	-	2	64	25	10	3	7	3	3	13	5	184	137	-	3	115	19
Dixon	205	-	-	1	33	15	5	2	2	2	3	4	-	101	79	-	1	66	12
Balance of county	164	-	-	1	31	10	5	1	5	1	-	9	5	83	58	-	2	49	7
Livingston	388	-	-	6	79	21	21	9	11	3	-	14	2	215	154	2	2	134	16
Streator, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	388	-	-	6	79	21	21	9	11	3	-	14	2	215	154	2	2	134	16
Logan	370	-	-	2	70	21	16	5	7	6	4	11	2	216	161	-	6	70	76
Lincoln	209	-	-	1	43	12	6	1	6	5	2	11	1	121	93	-	3	44	46
Balance of county	161	-	-	1	27	9	10	4	1	1	2	-	1	95	68	-	3	35	30
McDonough	271	-	-	1	56	13	18	4	9	3	-	9	12	136	96	2	2	82	10
Macomb	132	-	-	-	21	7	7	1	2	1	-	3	4	80	51	2	-	43	6
Balance of county	139	-	-	1	35	6	11	3	7	2	-	6	8	56	45	-	2	39	4
McHenry	1,077	-	-	9	255	63	68	25	33	10	9	47	15	498	381	3	4	331	43
Crystal Lake	165	-	-	1	44	13	6	9	4	-	5	7	1	83	61	-	1	53	7
Woodstock	136	-	-	2	29	7	6	3	4	2	1	6	1	76	62	1	-	56	5
Balance of county	776	-	-	6	182	43	56	13	25	8	3	34	13	339	258	2	3	222	31
McLean	841	-	-	7	166	57	40	18	13	7	7	24	8	440	313	5	6	238	64
Bloomington	428	-	-	5	85	32	29	4	7	3	-	10	4	237	164	4	4	119	37
Normal	139	-	-	1	23	10	3	4	1	1	-	4	2	69	50	-	1	37	12
Balance of county	274	-	-	1	58	15	8	10	5	3	7	10	2	134	99	1	1	82	15
Macon	1,225	1	-	9	273	68	80	24	25	19	16	41	24	679	517	1	8	356	152
Decatur	1,035	1	-	8	243	62	69	23	22	18	14	35	21	559	424	-	5	291	128
Balance of county	190	-	-	1	30	6	11	1	3	1	2	6	3	120	93	1	3	65	24
Macoupin	558	-	-	5	102	30	25	5	7	4	5	26	11	312	243	-	3	209	31
Madison	2,356	4	-	18	542	120	155	44	68	28	14	113	42	1,198	942	14	16	785	127
Alton	420	-	-	3	103	28	29	6	10	8	2	20	9	209	155	4	4	125	22
Collinsville, part	226	-	-	2	51	14	14	6	6	1	-	10	4	124	104	3	1	91	9
Collinsville, total	240	-	-	2	53	15	14	7	6	1	-	10	5	132	110	3	1	97	9
Edwardsville	157	-	-	1	37	7	4	4	4	4	3	11	3	94	75	-	-	64	11
Granite City	440	3	-	3	103	20	34	7	16	2	5	19	4	225	181	2	3	157	19
Wood River	108	-	-	-	21	4	7	-	5	1	-	4	1	60	38	1	-	32	5
Balance of county	1,005	1	-	9	227	47	67	21	27	12	4	49	21	486	389	4	8	316	61
Marion	536	-	-	-	102	18	32	10	14	4	6	18	19	291	238	1	6	193	38
Centralia, part	208	-	-	-	39	7	9	6	9	1	1	6	5	115	91	-	1	80	10
Centralia, total	241	-	-	-	43	7	12	6	10	1	1	6	5	128	101	-	1	89	11
Balance of county	328	-	-	-	63	11	23	4	5	3	5	12	14	176	147	1	5	113	28

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Kewanee	-	12	5	4	10	7	1	1	1	-	1	5	2	9	2	1	1	-	1
Balance of county	2	34	3	1	6	10	1	3	3	-	2	4	2	20	7	14	2	1	-
Iroquois	2	20	7	-	2	9	1	2	1	-	3	2	5	18	10	8	1	-	1
Jackson	4	30	12	7	15	19	2	3	3	-	3	1	3	25	10	8	3	7	1
Carbondale	2	6	6	3	5	2	2	2	1	-	-	1	1	8	4	2	1	3	-
Murphysboro	1	16	3	1	7	7	-	-	1	-	2	-	-	6	1	4	1	2	-
Balance of county	1	8	3	3	3	10	-	1	1	-	1	-	2	11	5	2	1	2	1
Jasper	1	4	7	2	11	1	-	1	-	-	-	-	1	10	6	5	-	-	-
Jefferson	8	36	10	4	13	15	-	2	5	-	1	4	1	31	8	5	6	1	-
Mount Vernon	8	25	5	2	8	9	-	1	4	-	-	4	-	18	3	1	4	1	-
Balance of county	-	11	5	2	5	6	-	1	1	-	1	-	1	13	5	4	2	-	-
Jersey	1	10	6	1	8	7	-	1	3	-	1	2	10	10	6	4	2	-	1
Jo Daviess	-	27	3	2	16	5	-	2	-	-	1	-	1	12	5	11	3	-	-
Johnson	-	5	-	1	3	5	-	1	-	-	-	-	-	7	-	3	2	-	-
Kane	13	200	23	22	60	66	9	25	19	-	24	28	13	178	58	54	34	18	2
Aurora	4	69	5	6	20	25	1	10	4	-	5	13	4	54	11	21	11	6	-
Carpentersville	2	5	-	-	2	3	-	2	-	-	4	4	1	10	7	3	3	-	1
Elgin, part	4	66	4	9	21	17	3	3	6	-	4	4	4	46	9	10	7	5	1
Elgin, total	4	68	4	9	24	19	3	3	6	-	5	4	4	49	9	10	8	5	1
St. Charles	-	16	1	2	-	6	1	1	-	-	2	-	-	12	2	6	6	2	-
Balance of county	3	44	13	5	17	15	4	9	9	-	9	7	4	56	29	14	7	5	-
Kankakee	3	61	8	11	28	27	2	6	9	-	5	19	6	54	14	20	5	7	2
Kankakee	1	26	5	4	15	13	2	1	2	-	2	2	3	23	1	7	1	1	1
Balance of county	2	35	3	7	13	14	-	5	7	-	3	17	3	31	13	13	4	6	1
Kendall	-	19	1	5	6	9	-	2	2	-	3	1	1	16	9	2	3	2	-
Knox	10	68	30	6	22	30	3	4	4	-	3	7	4	46	15	14	3	2	1
Galesburg	5	37	17	5	15	22	3	3	2	-	3	5	4	30	3	9	-	1	1
Balance of county	5	31	13	1	7	8	-	1	2	-	-	2	-	16	12	5	3	1	-
Lake	12	203	28	26	78	88	13	37	27	1	25	44	26	203	96	74	42	18	7
Arlington Heights, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Buffalo Grove, part	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-
Deerfield, part	-	6	4	-	8	2	-	1	1	-	2	1	-	10	2	2	4	-	-
Deerfield, total	-	6	4	-	9	2	-	1	2	-	2	1	-	11	3	2	4	-	-
Highland Park	1	16	4	2	6	8	1	1	2	-	4	1	1	17	2	1	3	-	-
Lake Forest	1	2	-	1	1	4	-	1	1	-	-	1	-	16	1	3	-	-	-
Libertyville	1	15	2	-	5	4	-	-	-	-	1	2	-	12	3	3	-	-	-
Mundelein	-	4	-	-	-	3	1	1	1	-	-	-	3	2	4	5	3	-	1
North Chicago	2	3	3	1	5	7	-	3	3	-	1	5	2	11	2	6	-	5	-
Waukegan	2	44	6	8	19	15	5	11	3	-	8	12	5	52	16	15	7	10	2
Zion	1	22	1	2	7	7	1	2	2	-	1	1	2	15	4	5	3	-	1
Balance of county	4	91	8	12	27	37	5	17	14	1	8	21	13	67	62	33	21	3	3
La Salle	5	109	16	7	42	32	5	13	5	-	4	6	4	65	35	31	10	3	-
La Salle	-	16	2	3	5	5	1	3	-	-	1	1	-	7	3	2	-	-	-
Ottawa	-	16	5	-	6	6	1	2	-	-	-	4	1	13	8	5	1	-	-
Peru	1	18	2	-	4	3	-	2	1	-	-	-	-	6	3	4	1	-	-
Streator, part	4	17	5	1	2	5	2	-	-	-	-	1	1	6	7	1	1	2	-
Streator, total	4	17	5	1	2	5	2	-	-	-	-	1	1	6	7	1	1	2	-
Balance of county	-	42	4	3	25	13	1	6	4	-	3	-	2	33	14	19	7	1	-
Lawrence	1	27	2	3	16	[illegible]	-	3	1	-	2	1	-	16	5	3	2	-	-
Lee	4	34	3	6	6	12	2	7	2	-	3	4	3	33	24	13	2	2	1
Dixon	1	16	2	3	6	7	2	4	2	-	2	1	-	23	12	7	1	2	1
Balance of county	3	18	1	3	-	5	-	3	-	-	1	3	3	10	12	6	1	-	-
Livingston	2	43	12	4	4	12	2	4	9	-	4	4	-	25	10	6	6	-	-
Streator, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	43	12	4	4	12	2	4	9	-	4	4	-	25	10	6	6	-	-
Logan	4	18	30	3	6	7	2	2	-	-	6	3	2	24	20	5	2	-	1
Lincoln	-	9	17	2	6	5	-	2	-	-	4	2	2	11	6	3	2	-	-
Balance of county	4	9	13	1	-	2	2	-	-	-	2	1	-	13	14	2	-	-	1
McDonough	-	36	3	1	4	4	2	1	8	-	-	-	-	33	6	5	2	1	-
Macomb	-	25	3	1	1	2	1	1	4	-	-	-	-	13	2	3	-	-	-
Balance of county	-	11	-	-	3	2	1	-	4	-	-	-	-	20	4	2	2	1	-
McHenry	10	76	20	11	31	41	3	16	10	-	7	10	11	80	47	26	13	5	-
Crystal Lake	-	14	6	2	3	6	-	4	1	-	1	1	1	12	3	3	1	-	-
Woodstock	5	4	3	2	1	5	-	2	1	-	-	1	2	6	8	1	1	-	-
Balance of county	5	58	11	7	27	30	3	10	8	-	6	8	3	62	36	22	11	5	-
McLean	5	98	16	8	20	29	3	12	3	-	8	14	6	67	26	16	12	4	-
Bloomington	2	61	6	4	13	6	2	9	1	-	3	6	3	31	8	8	4	3	-
Normal	-	12	5	2	3	6	1	1	1	-	3	3	3	15	5	1	1	1	-
Balance of county	3	25	5	2	4	17	-	2	1	-	2	5	-	21	13	7	7	-	-
Macon	4	119	21	18	20	37	6	8	8	-	6	11	15	66	21	27	11	3	-
Decatur	4	95	19	17	17	32	5	8	7	-	5	8	12	60	13	23	11	2	-
Balance of county	-	24	2	1	3	5	1	-	1	-	1	3	3	6	8	4	-	1	-
Macoupin	2	58	7	2	13	12	3	6	2	1	7	5	3	39	15	16	5	1	-
Madison	15	186	34	21	49	77	8	22	11	-	16	18	19	174	54	63	24	14	3
Alton	-	37	13	4	7	13	1	3	4	-	6	5	2	34	6	9	2	2	2
Collinsville, part	3	15	1	1	5	4	2	2	1	-	-	1	1	15	3	6	2	3	-
Collinsville, total	3	17	1	1	5	5	2	2	2	-	-	1	1	15	3	6	3	3	-
Edwardsville	1	14	2	2	3	3	-	-	-	-	1	-	-	7	6	-	1	1	-
Granite City	2	33	5	4	10	16	3	6	2	-	2	2	5	29	8	12	5	2	-
Wood River	2	16	1	3	2	5	-	-	-	-	2	-	1	9	-	3	1	2	1
Balance of county	7	71	12	7	22	38	2	11	4	-	5	10	10	80	31	33	13	4	-
Marion	2	34	11	6	27	25	1	5	6	-	2	3	1	28	12	8	4	1	1
Centralia, part	1	18	2	3	12	1	1	1	5	-	1	1	1	17	5	3	1	-	-
Centralia, total	1	20	3	3	14	2	2	1	7	-	1	1	1	25	5	3	3	-	-
Balance of county	1	16	9	3	15	24	-	4	1	-	1	2	-	11	7	5	3	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Illinois—Con.																			
Marshall	132	-	-	1	30	8	7	2	5	1	1	6	-	73	57	-	2	48	7
Mason	178	-	-	3	35	5	12	3	5	1	3	6	3	81	67	-	5	48	14
Massac	185	-	-	2	35	9	7	3	4	2	2	8	1	104	80	-	-	68	12
Menard	115	-	-	-	25	7	7	4	3	1	-	3	-	56	47	-	3	34	10
Mercer	187	-	-	1	38	14	9	3	2	1	-	9	3	93	76	1	1	64	10
Monroe	198	-	-	-	36	17	3	5	6	-	-	5	5	120	97	3	2	86	6
Montgomery	351	-	-	2	61	17	15	7	7	3	3	9	3	209	158	1	7	137	13
Morgan	423	-	-	2	80	18	16	9	4	7	4	22	5	261	201	1	2	130	68
Jacksonville	314	-	-	1	54	11	12	8	-	5	4	14	5	194	150	1	2	93	54
Balance of county	109	-	-	1	26	7	4	1	4	2	-	8	-	67	51	-	-	37	14
Moultrie	164	-	-	-	23	5	4	6	3	2	-	3	1	103	81	-	1	72	8
Ogle	422	1	-	3	82	30	24	4	4	4	3	13	7	227	167	1	5	141	20
Peoria	1,691	2	-	10	387	99	109	38	52	16	18	55	19	818	581	6	15	459	101
Pekin, part	3	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-	1
Peoria	1,131	2	-	5	258	71	68	25	34	13	7	40	10	544	392	4	9	305	74
Balance of county	557	-	-	5	128	28	40	13	18	3	11	15	9	273	188	2	6	154	26
Perry	257	-	-	1	47	12	13	3	2	-	3	14	2	166	141	-	4	116	21
Piatt	157	-	-	1	33	11	9	4	3	1	-	5	5	82	71	1	2	58	10
Pike	241	-	-	2	59	16	11	6	11	2	4	9	2	119	93	1	1	66	25
Pope	44	-	-	-	2	1	1	-	-	-	-	-	-	27	21	-	-	18	3
Pulaski	112	1	-	-	23	6	6	2	4	1	-	4	3	55	45	-	2	32	11
Putnam	45	-	-	-	14	4	7	1	1	-	-	1	-	20	16	-	-	14	2
Randolph	363	-	-	3	48	11	11	3	5	4	4	10	5	235	184	-	12	138	34
Richland	220	-	-	3	44	12	8	1	6	-	3	14	6	119	88	2	1	71	14
Rock Island	1,551	1	-	9	336	105	81	26	37	9	12	66	34	799	599	7	17	501	74
East Moline	196	-	-	4	39	10	10	4	1	3	2	9	6	96	79	2	1	69	7
Moline	448	-	-	-	113	43	24	10	8	3	5	20	14	228	172	4	8	138	22
Rock Island	564	1	-	3	108	27	28	11	17	1	5	19	9	303	221	1	7	181	32
Balance of county	343	-	-	2	76	25	19	1	11	2	-	18	5	172	127	-	1	113	13
St. Clair	2,699	3	-	17	544	160	138	38	57	22	16	113	43	1,425	1,103	7	57	849	190
Belleville	662	1	-	4	125	35	32	8	14	6	7	23	4	394	303	2	11	247	43
Cahokia	154	-	-	2	29	7	10	2	2	1	-	7	2	71	64	-	2	49	13
Centreville	61	1	-	-	12	4	4	-	-	-	-	4	3	31	22	1	2	12	7
Collinsville, part	14	-	-	-	2	1	-	1	-	-	-	-	1	8	6	-	-	6	-
East St. Louis	639	1	-	9	130	43	34	8	14	4	2	25	18	278	206	-	15	136	55
Balance of county	1,169	-	-	2	246	70	58	19	27	11	7	54	15	643	502	4	27	399	72
Saline	403	1	-	1	75	17	17	6	8	4	5	18	8	247	198	1	15	147	35
Sangamon	1,724	2	-	9	395	108	108	40	41	20	13	65	38	843	641	5	20	489	127
Springfield	1,186	1	-	7	280	82	86	28	29	11	9	35	30	567	429	5	14	331	79
Balance of county	538	1	-	2	115	26	22	12	12	9	4	30	8	276	212	-	6	158	48
Schuyler	103	-	-	-	23	6	6	2	2	-	1	6	2	62	59	-	7	22	30
Scott	78	-	-	-	9	2	1	-	2	1	2	1	1	54	41	1	1	30	9
Shelby	254	-	-	1	52	14	13	7	8	2	3	5	6	157	114	-	1	105	8
Stark	68	-	-	-	15	3	4	2	2	1	2	1	1	50	39	-	2	35	2
Stephenson	482	-	-	3	115	35	30	10	13	4	3	20	6	255	196	4	6	138	48
Freeport	293	-	-	1	75	26	18	6	8	3	-	14	4	151	114	2	2	87	23
Balance of county	189	-	-	2	40	9	12	4	5	1	3	6	2	104	82	2	4	51	25
Tazewell	908	-	-	3	193	53	47	18	19	2	10	44	16	446	335	6	5	255	69
East Peoria	161	-	-	-	47	12	13	5	4	-	2	11	2	62	50	1	1	39	9
Morton	86	-	-	-	14	2	1	3	1	1	-	6	3	53	46	-	1	38	7
Pekin, part	327	-	-	3	57	13	19	4	3	1	3	14	9	169	120	2	2	95	21
Pekin, total	330	-	-	3	58	13	20	4	3	1	3	14	9	170	121	2	2	95	22
Balance of county	334	-	-	-	75	26	14	6	11	-	5	13	2	162	119	3	1	83	32
Union	221	-	-	2	40	10	10	4	3	3	4	6	2	128	103	4	2	79	18
Vermilion	1,011	1	-	2	217	57	50	24	31	9	8	38	24	523	390	7	15	277	91
Danville	502	1	-	2	123	35	29	12	13	6	3	25	10	239	169	2	2	127	38
Balance of county	509	-	-	-	94	22	21	12	18	3	5	13	14	284	221	5	13	150	53
Wabash	177	-	-	1	27	8	4	3	6	1	1	4	2	105	70	1	3	63	3
Warren	233	1	-	-	37	11	7	1	3	3	4	8	3	147	118	1	5	94	18
Monmouth	133	-	-	-	18	5	2	-	-	2	2	7	3	86	72	1	4	52	15
Balance of county	100	1	-	-	19	6	5	1	3	1	2	1	-	61	46	-	1	42	3
Washington	216	1	-	-	49	15	14	2	3	5	3	7	10	128	113	-	4	100	9
Wayne	208	-	-	-	39	12	13	3	5	-	2	4	1	119	96	-	6	71	19
White	237	-	-	1	47	13	11	6	7	1	1	8	6	126	102	-	1	85	16
Whiteside	591	-	-	-	132	35	33	11	16	3	6	28	14	304	226	5	1	161	59
Rock Falls	100	-	-	-	24	5	10	2	-	-	4	3	5	56	45	2	1	31	11
Sterling	190	-	-	-	39	10	12	2	5	1	-	9	5	104	73	1	-	51	21
Balance of county	301	-	-	-	69	20	11	7	11	2	2	16	4	144	108	2	-	79	27
Will	2,020	1	-	8	383	100	110	34	30	17	21	71	31	1,049	831	6	57	602	166
Joliet	865	-	-	2	146	39	37	17	9	6	7	31	10	487	377	2	34	283	58
Park Forest, part	6	-	-	-	-	-	-	-	-	-	-	-	-	6	3	-	-	1	2
Romeoville	51	-	-	-	9	1	4	-	1	-	1	2	2	23	18	1	-	13	4
Tinley Park, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1,098	1	-	6	228	60	69	17	20	11	13	38	19	533	433	3	23	305	102
Williamson	654	2	-	4	159	43	48	9	13	6	5	35	16	326	256	1	14	189	52
Marion	188	-	-	-	46	8	16	6	3	2	2	9	5	95	73	1	1	54	17
Balance of county	466	2	-	4	113	35	32	3	10	4	3	26	11	231	183	-	13	135	35
Winnebago	1,994	1	-	9	470	105	134	47	53	22	17	92	24	995	756	9	19	612	116
Loves Park	101	-	-	-	23	5	10	2	3	-	1	2	2	48	37	-	-	29	8
Rockford	1,380	1	-	6	311	73	90	27	38	12	8	63	15	715	539	9	16	432	82
Balance of county	513	-	-	3	136	27	34	18	12	10	8	27	7	232	180	-	3	151	26
Woodford	264	-	-	2	56	14	17	6	6	1	1	11	3	139	99	2	1	83	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Marshall	1	13	2	-	4	3	-	-	-	-	-	1	1	8	5	4	1	1	-
Mason	2	11	1	-	3	9	1	3	3	-	1	-	-	16	7	8	4	1	-
Massac	3	17	1	3	10	4	1	5	2	-	-	-	-	11	2	5	3	-	-
Menard	-	6	2	1	6	6	-	-	-	-	-	1	-	9	6	4	-	-	-
Mercer	2	13	2	-	4	9	1	2	1	-	-	2	7	14	8	2	2	-	-
Monroe	1	14	7	1	-	4	-	2	1	-	2	4	1	14	6	3	-	-	-
Montgomery	-	39	3	9	11	11	1	2	-	-	-	2	15	13	9	6	3	2	1
Morgan	6	27	21	6	6	12	-	5	2	-	8	8	2	17	5	3	5	2	-
Jacksonville	4	18	17	5	5	10	-	4	2	-	7	5	2	12	4	3	4	2	-
Balance of county	2	9	4	1	1	2	-	1	-	-	1	3	-	5	1	-	1	-	-
Moultrie	-	16	2	4	8	5	1	1	-	-	-	-	2	13	3	3	1	-	-
Ogle	2	42	7	9	2	14	1	3	8	-	3	2	4	37	8	12	7	1	-
Peoria	11	173	30	23	60	52	8	25	15	2	14	24	7	112	48	52	22	12	2
Pekin, part	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Peoria	8	116	17	11	46	34	4	19	9	2	6	20	3	80	26	38	13	10	2
Balance of county	3	57	13	12	14	18	4	6	5	-	8	4	4	32	22	14	9	2	-
Perry	1	13	3	8	4	4	1	1	4	-	1	-	1	16	2	4	2	1	-
Piatt	1	8	-	2	5	6	1	1	2	-	-	3	1	10	6	1	-	-	-
Pike	3	11	9	3	9	6	-	2	1	-	1	3	3	11	11	6	1	2	3
Pope	-	6	-	-	1	2	-	1	-	-	-	1	-	6	1	1	2	-	-
Pulaski	1	8	-	1	5	4	-	2	1	-	-	-	2	9	1	5	-	-	1
Putnam	-	4	-	-	-	2	-	-	-	-	-	-	1	4	2	1	1	-	-
Randolph	2	30	12	7	11	6	2	2	-	-	5	2	2	23	14	4	-	1	-
Richland	3	11	15	2	6	6	-	3	-	-	2	-	-	13	5	6	7	-	-
Rock Island	10	138	29	23	39	58	8	20	7	-	9	21	13	94	28	45	21	9	-
East Moline	-	15	1	1	5	8	1	3	1	-	-	3	2	15	3	6	2	2	-
Moline	3	38	9	6	15	16	2	2	3	-	3	4	4	23	7	6	6	2	-
Rock Island	6	54	14	8	12	15	4	9	2	-	5	7	5	41	11	20	5	4	-
Balance of county	1	31	5	8	7	19	1	6	1	-	1	7	2	15	7	13	8	1	-
St. Clair	20	253	21	28	60	77	7	34	21	3	14	31	15	177	52	82	25	64	5
Belleville	7	66	7	11	14	25	2	6	6	-	3	4	1	44	11	12	4	2	-
Cahokia	-	5	1	1	8	6	-	3	-	-	1	2	-	8	4	6	9	3	-
Centreville	-	9	-	-	1	1	-	3	-	-	-	2	-	3	1	1	-	1	1
Collinsville, part	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-
East St. Louis	3	65	1	3	11	6	1	8	7	3	2	17	8	45	10	32	2	49	2
Balance of county	10	106	12	13	26	38	4	14	7	-	8	6	6	77	26	31	9	9	2
Saline	-	32	12	5	5	21	-	5	1	-	2	2	2	21	3	6	1	2	-
Sangamon	15	152	15	20	50	61	10	17	13	1	14	28	17	125	31	33	20	11	6
Springfield	8	109	9	12	38	38	8	9	10	1	11	19	13	84	19	22	15	9	5
Balance of county	7	43	6	8	12	23	2	8	3	-	3	9	4	41	12	11	5	2	1
Schuyler	-	3	-	-	4	2	-	-	-	-	-	-	-	2	7	1	-	-	-
Scott	-	8	5	-	6	2	-	1	-	-	-	-	-	3	-	-	2	-	-
Shelby	4	26	9	4	5	6	-	-	-	-	1	4	-	11	3	4	1	1	-
Stark	1	9	-	1	2	6	-	-	1	-	-	-	-	5	5	-	-	-	1
Stephenson	3	44	6	6	10	14	2	9	1	-	1	2	2	32	13	12	4	1	-
Freeport	2	29	2	4	6	8	2	4	1	-	1	2	1	22	5	8	1	1	-
Balance of county	1	15	4	2	4	6	-	5	-	-	-	-	1	10	8	4	3	-	-
Tazewell	4	87	12	8	36	28	-	8	10	-	7	19	7	66	25	24	15	5	-
East Peoria	-	9	3	-	7	7	-	3	-	-	-	6	-	13	5	2	6	1	-
Morton	-	7	-	-	5	-	-	-	1	-	-	-	-	4	2	1	2	1	-
Pekin, part	3	41	1	4	11	9	-	3	5	-	2	6	5	30	3	12	2	1	-
Pekin, total	3	41	1	4	11	9	-	3	6	-	2	6	5	30	3	12	2	1	-
Balance of county	1	30	8	4	13	12	-	2	4	-	5	7	2	19	15	9	5	2	-
Union	-	20	5	-	9	4	-	1	2	-	2	1	2	16	2	9	1	-	-
Vermilion	8	88	22	15	20	36	2	11	16	-	8	14	10	73	29	17	5	1	2
Danville	5	49	9	7	10	14	2	5	9	-	3	11	6	47	8	9	1	1	1
Balance of county	3	39	13	8	10	22	-	6	7	-	5	3	4	26	21	8	4	-	1
Wabash	-	23	9	3	6	5	4	-	2	-	-	-	2	8	9	6	-	-	-
Warren	-	20	6	3	5	8	2	1	-	-	1	1	-	14	2	5	3	3	-
Monmouth	-	9	3	2	2	6	2	-	-	-	1	1	-	6	1	1	3	3	-
Balance of county	-	11	3	1	3	2	-	1	-	-	-	-	-	8	1	4	-	-	-
Washington	1	11	2	1	6	6	1	2	1	-	3	-	-	1	5	2	1	-	-
Wayne	-	17	3	3	8	8	-	2	2	-	2	1	-	12	5	6	3	-	-
White	1	16	4	3	9	10	-	2	-	-	5	1	-	19	7	3	-	1	-
Whiteside	1	66	6	5	21	13	-	7	2	-	3	4	8	37	15	21	9	1	-
Rock Falls	1	8	1	1	2	5	-	-	-	-	-	-	2	1	2	-	2	1	-
Sterling	-	28	1	2	6	-	-	4	-	-	3	2	3	7	3	12	2	-	-
Balance of county	-	30	4	2	13	8	-	3	2	-	-	2	3	29	10	9	5	-	-
Will	15	158	30	15	47	57	10	26	13	-	17	36	11	139	85	53	25	24	5
Joliet	10	79	14	7	24	25	5	13	8	-	4	11	4	61	24	22	6	12	1
Park Forest, part	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romeoville	-	5	-	-	-	1	-	-	-	-	-	3	-	3	3	3	3	1	-
Tinley Park, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	5	72	15	8	23	31	5	13	5	-	13	22	7	75	58	28	16	11	4
Williamson	4	51	9	6	30	8	2	5	7	-	5	2	5	50	12	12	4	3	2
Marion	-	19	3	-	13	2	1	1	-	-	1	-	-	14	2	5	2	1	-
Balance of county	4	32	6	6	17	6	1	4	7	-	4	2	5	36	10	7	2	2	2
Winnebago	9	181	31	18	56	62	7	24	14	-	13	40	9	152	41	33	29	15	-
Loves Park	-	9	1	1	4	4	-	3	1	-	1	2	1	4	2	4	2	-	-
Rockford	6	140	20	10	37	43	4	13	10	-	9	25	5	110	21	20	23	12	-
Balance of county	3	32	10	7	15	15	3	8	3	-	3	13	3	38	18	9	4	3	-
Woodford	1	33	2	4	9	7	-	-	3	-	1	-	2	19	8	11	3	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana	47,309	29	5	395	10,059	2,515	2,837	874	1,114	416	407	1,896	1,032	24,067	17,954	171	598	13,512	3,873
Urban places	25,880	16	5	241	5,559	1,379	1,662	517	585	203	191	1,022	568	12,992	9,719	94	369	7,214	2,042
Balance of area	21,429	13	-	154	4,500	1,136	1,175	357	529	213	216	874	464	11,075	8,235	77	229	6,298	1,631
Metropolitan counties	31,972	22	5	294	6,942	1,751	2,002	602	762	273	268	1,284	712	15,966	11,974	121	411	8,870	2,572
Urban places	21,515	13	5	210	4,704	1,172	1,403	430	498	171	165	865	472	10,655	8,035	79	322	5,869	1,765
Balance of area	10,457	9	-	84	2,238	579	599	172	264	102	103	419	240	5,311	3,939	42	89	3,001	807
Nonmetropolitan counties	15,337	7	-	101	3,117	764	835	272	352	143	139	612	320	8,101	5,980	50	187	4,642	1,101
Urban places	4,365	3	-	31	855	207	259	87	87	32	26	157	96	2,337	1,684	15	47	1,345	277
Balance of area	10,972	4	-	70	2,262	557	576	185	265	111	113	455	224	5,764	4,298	35	140	3,297	824
Adams	223	-	-	-	40	6	7	6	4	3	5	9	5	129	88	2	1	68	17
Allen	2,194	-	-	21	493	122	131	47	68	14	18	93	38	1,136	855	7	18	697	133
Fort Wayne	1,704	-	-	16	380	98	88	40	53	10	15	76	28	886	667	7	13	538	109
Balance of county	490	-	-	5	113	24	43	7	15	4	3	17	10	250	188	-	5	159	24
Bartholomew	456	-	-	6	108	28	26	15	11	6	2	20	10	211	146	2	3	100	41
Columbus	280	-	-	3	60	16	16	7	6	3	-	12	6	139	93	2	2	64	25
Balance of county	176	-	-	3	48	12	10	8	5	3	2	8	4	72	53	-	1	36	16
Benton	99	-	-	-	15	3	4	1	1	-	1	5	3	62	44	-	2	37	5
Blackford	164	-	-	-	33	8	10	2	8	2	1	2	6	80	61	-	1	38	22
Boone	339	-	-	4	73	22	23	4	10	3	5	6	7	176	130	1	3	90	36
Brown	82	-	-	3	16	1	4	1	3	3	1	3	1	44	34	-	2	22	10
Carroll	169	-	-	3	36	8	9	5	4	3	1	6	2	86	55	-	-	48	7
Cass	415	-	-	5	77	15	19	10	9	1	4	19	5	227	159	2	3	127	27
Logansport	250	-	-	4	38	5	9	7	2	-	2	13	3	135	94	1	1	77	15
Balance of county	165	-	-	1	39	10	10	3	7	1	2	6	2	92	65	1	2	50	12
Clark	703	1	-	7	168	37	57	14	12	9	5	34	20	328	248	4	3	193	48
Clarksville	145	-	-	2	42	7	15	3	3	3	1	10	5	66	51	1	1	36	13
Jeffersonville	278	-	-	1	58	10	20	4	5	3	1	15	5	132	96	1	2	72	21
Balance of county	280	1	-	4	68	20	22	7	4	3	3	9	10	130	101	2	-	85	14
Clay	294	1	-	3	55	7	13	6	9	2	5	13	5	143	84	1	2	65	16
Clinton	380	-	-	2	80	19	18	8	9	4	-	22	6	204	131	-	-	106	25
Frankfort	219	-	-	-	55	14	14	5	7	3	-	12	3	114	75	-	-	55	20
Balance of county	161	-	-	2	25	5	4	3	2	1	-	10	3	90	56	-	-	51	5
Crawford	108	1	-	-	28	11	1	1	2	2	2	9	1	54	42	-	-	34	8
Daviess	309	-	-	2	46	17	12	3	4	1	1	8	5	184	130	-	2	102	26
Washington	159	-	-	-	26	7	9	2	3	-	-	5	3	92	62	-	2	48	12
Balance of county	150	-	-	2	20	10	3	1	1	1	1	3	2	92	68	-	-	54	14
Dearborn	320	-	-	1	57	12	17	5	6	2	3	12	6	162	112	1	4	63	44
Decatur	220	-	-	3	45	13	14	2	4	2	2	8	4	121	90	2	1	69	18
De Kalb	295	-	-	3	58	17	9	8	8	2	4	10	8	162	109	1	2	81	25
Delaware	1,101	-	-	11	225	52	73	13	20	19	8	40	14	539	399	1	16	320	62
Muncie	806	-	-	4	167	37	56	10	17	13	6	28	6	395	287	1	14	226	48
Balance of county	295	-	-	7	58	15	17	3	3	6	2	12	8	144	112	-	2	94	16
Dubois	272	-	-	2	56	16	12	8	7	3	3	7	5	138	100	1	7	75	17
Elkhart	1,016	-	-	6	191	37	64	13	26	9	9	33	17	559	405	9	9	316	71
Elkhart	430	-	-	3	70	16	30	4	5	3	2	10	5	254	187	3	8	148	28
Goshen	208	-	-	-	40	3	10	5	6	2	2	12	7	115	77	2	-	46	29
Balance of county	378	-	-	3	81	18	24	4	15	4	5	11	5	190	141	4	1	122	14
Fayette	226	-	-	3	47	11	13	6	5	-	-	12	4	112	84	-	1	72	11
Connersville	174	-	-	2	33	7	10	3	3	-	-	10	3	86	65	-	1	56	8
Balance of county	52	-	-	1	14	4	3	3	2	-	-	2	1	26	19	-	-	16	3
Floyd	561	-	-	2	119	31	32	13	11	2	5	25	13	295	233	1	4	172	56
New Albany	455	-	-	1	96	25	27	10	8	1	3	22	10	242	194	1	3	142	48
Balance of county	106	-	-	1	23	6	5	3	3	1	2	3	3	53	39	-	1	30	8
Fountain	189	-	-	-	34	12	6	3	4	1	2	6	3	104	78	2	1	63	12
Franklin	154	1	-	1	32	6	11	2	4	-	3	6	4	78	57	-	4	43	10
Fulton	189	-	-	1	33	7	7	2	4	3	1	9	3	107	77	3	2	62	10
Gibson	335	-	-	2	69	23	17	2	7	-	3	17	5	184	146	-	3	112	31
Grant	691	1	-	3	136	40	54	5	10	9	3	15	23	351	251	2	21	188	40
Marion	419	1	-	1	79	23	34	4	5	3	1	9	12	219	164	2	18	119	25
Balance of county	272	-	-	2	57	17	20	1	5	6	2	6	11	132	87	-	3	69	15
Greene	378	-	-	-	95	31	21	7	8	4	5	19	12	196	158	1	8	99	50
Hamilton	507	-	-	3	121	30	30	18	10	8	4	21	4	249	188	2	1	125	60
Hancock	320	-	-	2	61	12	20	4	6	3	1	15	10	151	119	-	4	100	15
Harrison	204	-	-	1	42	12	9	4	5	2	4	6	4	109	83	-	5	62	18
Hendricks	453	1	-	6	84	18	22	5	11	2	8	18	12	225	171	3	5	129	34
Henry	481	-	-	3	125	24	37	10	21	5	6	22	5	236	180	1	2	140	37
New Castle	233	-	-	2	59	9	20	5	14	3	1	7	2	115	86	-	2	69	15
Balance of county	248	-	-	1	66	15	17	5	7	2	5	15	3	121	94	1	-	71	22
Howard	680	1	1	11	143	39	37	16	10	5	10	26	10	311	223	5	1	147	70
Kokomo	518	1	1	8	108	29	27	14	6	3	7	22	8	228	162	3	-	109	50
Balance of county	162	-	-	3	35	10	10	2	4	2	3	4	2	83	61	2	1	38	20
Huntington	343	-	-	3	61	13	11	11	9	2	2	13	5	205	153	2	2	117	32
Huntington	157	-	-	-	32	5	7	8	3	1	2	6	3	93	69	-	1	52	16
Balance of county	186	-	-	3	29	8	4	3	6	1	-	7	2	112	84	2	1	65	16
Jackson	376	-	-	3	74	20	16	8	13	6	-	11	7	211	159	1	5	128	25
Seymour	170	-	-	2	29	11	6	3	6	-	-	3	4	98	74	1	2	66	5
Balance of county	206	-	-	1	45	9	10	5	7	6	-	8	3	113	85	-	3	62	20
Jasper	202	-	-	2	43	7	14	7	3	2	2	6	6	101	84	1	1	67	15
Jay	233	-	-	2	46	9	9	4	8	-	3	13	4	114	87	1	1	70	15
Jefferson	277	-	-	2	48	12	10	8	2	1	5	10	6	158	122	1	2	97	22
Madison	160	-	-	2	27	6	7	5	1	-	2	6	3	90	73	1	1	59	12
Balance of county	117	-	-	-	21	6	3	3	1	1	3	4	3	68	49	-	1	38	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-148)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Indiana	194	4,403	1,055	461	1,146	1,524	166	535	419	6	322	462	512	3,213	1,238	1,098	604	370	87
Urban places	111	2,353	558	251	614	829	89	314	244	3	181	303	304	1,818	548	577	321	291	63
Balance of area	83	2,050	497	210	532	695	77	221	175	3	141	179	208	1,395	690	521	283	79	24
Metropolitan counties	127	2,894	674	297	715	1,052	113	405	284	3	226	362	371	2,168	795	742	416	311	68
Urban places	90	1,882	453	195	484	684	72	269	200	3	156	268	264	1,498	464	494	273	271	56
Balance of area	37	1,012	221	102	231	368	41	136	84	-	70	94	107	670	331	248	143	40	12
Nonmetropolitan counties	67	1,509	381	164	431	472	53	130	135	3	96	120	141	1,045	443	356	188	59	19
Urban places	21	471	105	56	130	145	17	45	44	-	25	35	40	320	84	83	48	20	7
Balance of area	46	1,038	276	108	301	327	36	85	91	3	71	85	101	725	359	273	140	39	12
Adams	2	31	5	3	1	8	1	2	1	-	2	1	2	17	6	6	2	-	-
Allen	11	216	37	17	54	77	5	23	12	-	14	27	11	142	55	39	24	23	-
Fort Wayne	11	167	26	15	41	64	5	17	10	-	12	23	8	110	39	25	17	23	-
Balance of county	-	49	11	2	13	13	-	6	2	-	2	4	3	32	16	14	7	-	-
Bartholomew	2	45	10	8	14	20	1	3	5	-	6	4	10	32	10	8	6	2	-
Columbus	1	33	7	5	10	17	1	3	4	-	2	3	5	17	3	3	3	1	-
Balance of county	1	12	3	3	4	3	-	-	1	-	4	1	5	15	7	5	3	1	-
Benton	-	9	7	2	1	2	-	3	-	-	2	1	-	7	1	1	-	1	-
Blackford	1	11	-	7	5	8	-	-	1	-	-	1	2	16	5	4	2	-	1
Boone	-	43	3	-	9	15	-	4	7	-	2	3	2	18	6	8	4	1	-
Brown	1	7	1	1	2	2	1	-	3	-	-	-	1	3	1	5	-	-	-
Carroll	-	22	6	3	4	6	-	2	2	-	1	-	-	14	5	7	1	-	-
Cass	1	45	17	5	13	4	-	4	7	-	2	1	5	36	15	7	4	3	-
Logansport	-	26	12	3	12	3	-	3	6	-	2	-	3	26	5	5	3	2	-
Balance of county	1	19	5	2	1	1	-	1	1	-	-	1	2	10	10	2	1	1	-
Clark	1	60	12	7	15	24	1	6	6	-	3	8	1	66	21	17	8	2	1
Clarksville	-	14	-	1	1	4	-	-	3	-	-	4	-	14	2	1	-	1	-
Jeffersonville	-	23	9	4	5	10	1	2	3	-	2	2	-	33	11	8	4	1	-
Balance of county	1	23	3	2	9	10	-	4	-	-	1	2	1	19	8	8	4	-	1
Clay	2	38	16	3	8	18	1	4	3	-	1	3	5	23	12	8	1	-	-
Clinton	4	48	21	-	6	8	1	5	2	-	1	2	6	35	6	7	7	1	1
Frankfort	1	26	12	-	5	7	1	4	1	-	-	2	2	17	3	1	3	-	1
Balance of county	3	22	9	-	1	1	-	1	1	-	1	-	4	18	3	6	4	1	-
Crawford	2	7	3	-	1	2	-	-	-	-	1	1	1	9	2	5	1	1	-
Daviess	1	37	16	-	14	7	-	1	3	1	4	-	1	18	9	10	3	1	-
Washington	1	20	9	-	10	4	-	1	1	-	3	-	1	12	4	1	1	-	-
Balance of county	-	17	7	-	4	3	-	-	2	1	1	-	-	6	5	9	2	1	-
Dearborn	1	35	12	2	12	14	4	8	2	-	2	4	2	19	14	4	6	2	1
Decatur	1	24	2	4	10	4	-	3	3	-	-	1	1	14	9	1	1	-	-
De Kalb	1	41	8	3	6	6	1	2	1	-	1	1	4	17	9	10	4	2	-
Delaware	4	107	15	14	31	47	7	11	5	-	9	12	13	98	28	27	15	4	5
Muncie	1	83	12	12	23	36	5	9	4	-	7	10	9	81	14	21	8	3	4
Balance of county	3	24	3	2	8	11	2	2	1	-	2	2	4	17	14	6	7	1	1
Dubois	3	19	15	1	7	12	2	3	1	-	3	4	1	15	11	6	4	2	-
Elkhart	5	108	26	15	23	30	3	13	9	-	11	9	7	65	30	23	15	4	1
Elkhart	1	48	12	6	9	17	3	1	3	-	7	5	3	27	8	9	4	1	1
Goshen	-	23	11	4	5	3	-	8	3	-	3	2	1	14	4	2	1	-	-
Balance of county	4	37	3	5	9	10	-	4	3	-	1	2	3	24	18	12	10	3	-
Fayette	1	19	5	3	9	8	2	3	5	-	-	-	3	14	6	5	4	1	-
Connersville	1	15	4	1	8	8	2	3	3	-	-	-	2	14	3	4	2	1	-
Balance of county	-	4	1	2	1	-	-	-	2	-	-	-	1	-	3	1	2	-	-
Floyd	5	45	7	5	12	21	-	8	9	-	2	3	11	36	9	11	4	5	1
New Albany	4	35	6	3	10	16	-	8	7	-	2	3	8	28	7	9	3	4	1
Balance of county	1	10	1	2	2	5	-	-	2	-	-	-	3	8	2	2	1	1	-
Fountain	-	15	8	3	9	5	1	1	1	-	-	1	2	13	5	6	1	2	1
Franklin	1	13	5	2	6	2	-	2	2	-	4	4	-	8	3	2	2	1	2
Fulton	1	18	11	-	4	10	-	3	4	-	2	3	1	12	2	2	2	-	-
Gibson	-	20	15	3	5	10	-	4	7	-	1	6	1	24	5	7	3	-	2
Grant	4	76	10	10	15	28	1	5	4	-	7	6	20	42	15	17	14	3	-
Marion	3	40	6	6	11	20	1	3	3	-	4	5	11	29	1	11	7	1	-
Balance of county	1	36	4	4	4	8	-	2	1	-	3	1	9	13	14	6	7	2	-
Greene	1	25	11	1	7	14	1	4	3	-	1	1	2	19	11	9	3	-	-
Hamilton	1	41	16	3	17	15	3	9	3	-	5	1	4	36	15	10	9	3	-
Hancock	2	16	10	4	7	11	3	3	3	-	4	7	9	22	8	9	9	1	-
Harrison	1	18	7	-	4	9	-	-	2	-	1	-	-	16	4	9	3	-	-
Hendricks	1	42	7	4	20	19	3	2	6	-	1	7	1	31	18	8	6	3	-
Henry	2	38	7	9	12	12	4	6	3	-	1	3	2	49	7	9	2	1	1
New Castle	1	20	2	6	8	5	2	3	2	-	-	1	1	22	3	6	1	1	-
Balance of county	1	18	5	3	4	7	2	3	1	-	1	2	1	27	4	3	1	-	1
Howard	2	56	22	8	17	29	3	4	7	1	6	14	17	43	17	20	18	6	1
Kokomo	2	44	15	5	14	23	3	4	7	1	5	12	12	37	16	13	12	4	1
Balance of county	-	12	7	3	3	6	-	-	-	-	1	2	5	6	1	7	6	2	-
Huntington	1	39	8	4	11	12	2	1	2	-	6	1	1	14	7	8	3	1	-
Huntington	1	15	5	3	2	6	2	1	1	-	3	1	1	3	4	4	1	-	-
Balance of county	-	24	3	1	9	6	-	-	1	-	3	-	-	11	3	4	2	1	-
Jackson	2	36	4	10	7	10	-	2	4	-	-	4	3	29	12	6	1	1	-
Seymour	1	17	-	6	4	4	-	-	2	-	-	3	-	14	6	2	-	1	
Balance of county	1	19	4	4	3	6	-	2	2	-	-	1	3	15	6	4	1	-	
Jasper	2	8	5	2	5	4	-	3	-	-	2	2	5	9	10	7	2	1	-
Jay	-	19	6	2	6	4	-	3	2	-	3	2	15	17	6	8	-	1	-
Jefferson	1	25	5	5	7	7	-	2	5	-	1	2	-	26	10	1	1	-	1
Madison	1	8	4	4	3	7	-	-	4	-	1	1	-	16	5	1	-	-	-
Balance of county	-	17	1	1	4	-	-	2	1	-	-	1	-	10	5	-	1	-	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana—Con.																			
Jennings	184	-	-	1	43	4	3	4	9	2	5	16	5	77	62	1	5	46	10
Johnson	596	-	-	8	121	35	30	10	6	6	-	34	10	309	217	3	7	181	26
Franklin	147	-	-	4	23	7	3	1	-	4	-	8	1	76	50	-	4	44	2
Greenwood	217	-	-	2	35	11	9	2	2	1	-	10	2	123	93	1	2	77	13
Balance of county	232	-	-	2	63	17	18	7	4	1	-	16	7	110	74	2	1	60	11
Knox	511	-	-	2	88	23	22	7	10	5	5	16	19	288	188	1	3	147	37
Vincennes	260	-	-	-	45	9	12	7	4	1	2	10	10	147	90	1	1	67	21
Balance of county	251	-	-	2	43	14	10	-	6	4	3	6	9	141	98	-	2	80	16
Kosciusko	484	-	-	1	102	23	24	11	11	6	10	17	18	260	188	2	4	150	32
Lagrange	172	-	-	-	44	9	11	3	10	2	3	6	1	81	64	-	-	41	23
Lake	4,301	5	-	23	935	256	249	80	97	34	41	178	131	2,062	1,606	17	69	1,220	300
Crown Point	209	-	-	-	50	18	9	11	2	1	1	8	4	122	88	2	3	63	20
East Chicago	400	1	-	5	90	20	25	7	9	1	6	22	20	176	135	1	4	111	19
Gary	1,446	2	-	5	297	85	84	26	35	8	12	47	54	635	491	4	45	334	108
Griffith	123	-	-	-	27	6	8	3	4	-	2	4	3	61	53	1	1	45	6
Hammond	798	-	-	5	181	50	48	9	19	11	5	39	20	399	306	1	11	240	54
Highland	137	-	-	1	26	8	3	1	4	2	-	8	3	80	65	-	1	52	12
Hobart	193	-	-	3	40	11	11	2	7	2	-	7	5	87	75	-	1	61	13
Munster	142	-	-	2	19	6	3	2	2	-	2	4	2	86	61	-	2	48	11
Balance of county	853	2	-	2	205	52	58	19	15	9	13	39	20	416	332	8	1	266	57
La Porte	1,033	1	-	8	207	53	60	18	19	12	10	35	17	555	419	3	5	358	53
La Porte	282	-	-	2	56	14	19	7	4	5	1	6	4	153	111	1	1	93	16
Michigan City	439	1	-	5	87	20	28	5	8	4	6	16	12	231	170	2	2	145	21
Balance of county	312	-	-	1	64	19	13	6	7	3	3	13	1	171	138	-	2	120	16
Lawrence	365	-	-	2	80	19	29	3	6	3	4	16	6	190	149	3	1	107	38
Bedford	169	-	-	1	33	12	10	2	3	-	3	3	2	91	69	1	1	47	20
Balance of county	196	-	-	1	47	7	19	1	3	3	1	13	4	99	80	2	-	60	18
Madison	1,233	2	-	10	265	65	81	18	29	14	9	49	30	648	475	3	11	392	69
Anderson	723	1	-	6	167	41	48	13	15	11	7	32	14	388	285	3	9	243	30
Elwood	122	-	-	2	23	6	11	-	2	-	-	4	2	61	46	-	-	36	10
Balance of county	388	1	-	2	75	18	22	5	12	3	2	13	14	199	144	-	2	113	29
Marion	6,897	7	1	94	1,624	409	534	146	171	53	50	261	160	3,150	2,448	22	108	1,606	712
Beech Grove	133	-	-	-	32	6	16	2	1	-	1	6	2	67	52	-	-	41	11
Indianapolis	6,617	7	1	92	1,565	394	511	142	166	51	48	253	154	3,015	2,343	22	105	1,528	688
Lawrence	23	-	-	1	6	1	1	1	2	-	-	1	-	9	8	-	-	6	2
Speedway	28	-	-	1	6	3	-	-	1	1	-	1	-	17	14	-	-	10	4
Balance of county	96	-	-	-	15	5	6	1	1	1	1	-	4	42	31	-	3	21	7
Marshall	380	1	-	3	72	23	18	7	9	6	-	9	11	211	137	1	6	102	28
Martin	86	-	-	-	18	2	5	1	4	-	2	4	1	52	47	-	4	26	17
Miami	294	-	-	2	58	14	17	5	7	4	-	11	7	147	104	1	1	80	22
Peru	172	-	-	1	27	8	8	1	2	2	-	6	6	91	65	1	-	50	14
Balance of county	122	-	-	1	31	6	9	4	5	2	-	5	1	56	39	-	1	30	8
Monroe	540	-	-	2	113	35	22	13	19	3	3	18	12	275	192	1	4	134	53
Bloomington	342	-	-	-	69	22	12	11	12	3	1	8	9	175	118	1	2	82	33
Balance of county	198	-	-	2	44	13	10	2	7	-	2	10	3	100	74	-	2	52	20
Montgomery	319	-	-	4	53	13	18	9	3	1	2	7	8	172	128	-	3	103	22
Crawfordsville	160	-	-	3	21	6	8	4	1	1	-	1	3	88	65	-	2	53	10
Balance of county	159	-	-	1	32	7	10	5	2	-	2	6	5	84	63	-	1	50	12
Morgan	403	-	-	2	74	16	21	8	10	2	2	15	10	206	147	2	-	102	43
Newton	142	-	-	1	38	16	7	3	2	1	2	7	2	70	57	1	-	45	11
Noble	287	-	-	-	60	9	19	8	6	3	4	11	5	153	111	1	2	86	22
Ohio	37	-	-	-	10	2	2	-	1	-	1	4	1	20	13	-	-	9	4
Orange	190	-	-	-	34	12	5	-	2	3	1	11	4	111	92	-	2	67	23
Owen	131	-	-	-	23	2	9	1	1	1	-	9	1	69	56	-	1	44	11
Parke	181	-	-	-	46	7	13	2	6	2	2	14	2	100	73	1	20	45	7
Perry	206	-	-	3	41	11	8	4	2	2	2	12	3	106	73	1	2	61	9
Pike	161	-	-	-	25	3	5	-	6	-	-	11	1	93	64	-	1	54	9
Porter	715	-	-	7	137	50	23	11	19	4	4	26	12	376	309	2	3	243	61
Portage	150	-	-	2	23	6	7	2	2	1	-	5	2	86	70	2	-	47	21
Valparaiso	203	-	-	4	35	12	5	4	4	1	2	7	2	112	69	-	3	71	15
Balance of county	362	-	-	1	79	32	11	5	13	2	2	14	8	178	150	-	-	125	25
Posey	202	-	-	2	40	10	15	1	4	1	-	9	6	105	92	-	5	74	13
Pulaski	125	-	-	-	23	8	6	-	3	2	2	2	1	74	51	2	1	35	13
Putnam	260	1	-	-	51	14	13	4	7	-	3	10	5	146	109	-	1	80	28
Randolph	295	-	-	2	47	12	17	2	3	1	3	9	8	154	122	1	18	82	21
Ripley	243	-	-	1	46	10	10	6	3	3	2	12	5	138	98	-	2	69	27
Rush	214	-	-	3	46	16	9	3	9	2	1	6	6	105	87	-	-	79	8
St. Joseph	2,228	1	2	12	498	138	138	42	55	13	19	95	41	1,166	839	7	28	633	171
Mishawaka	402	-	1	1	70	25	16	5	6	3	1	14	6	229	168	3	2	135	28
South Bend	1,289	1	1	7	305	74	97	29	30	6	14	55	25	664	465	3	24	341	97
Balance of county	537	-	-	4	123	37	25	8	19	4	4	26	10	273	206	1	2	157	46
Scott	194	-	-	2	38	11	15	3	5	-	2	2	6	87	61	1	-	54	6
Shelby	348	-	-	6	66	16	17	6	6	3	3	15	6	179	137	1	8	90	38
Shelbyville	167	-	-	4	26	4	9	3	2	1	1	6	3	89	67	1	3	45	18
Balance of county	181	-	-	2	40	12	8	3	4	2	2	9	3	90	70	-	5	45	20
Spencer	180	-	-	-	42	9	15	2	4	1	1	10	6	87	62	1	5	46	10
Starke	228	1	-	1	47	12	13	1	5	2	2	12	3	111	81	-	-	65	16
Steuben	183	-	-	5	41	14	5	4	8	1	3	6	4	92	67	1	1	58	7
Sullivan	272	-	-	5	52	14	14	2	6	5	1	10	4	167	106	2	4	90	10
Switzerland	82	-	-	2	14	2	10	1	-	-	-	1	-	48	39	-	4	32	3
Tippecanoe	751	-	-	6	170	45	49	10	24	8	7	27	22	368	281	2	6	231	42
Lafayette	433	-	-	1	93	18	32	6	12	4	4	17	15	220	165	1	3	135	26
West Lafayette	102	-	-	3	26	9	5	3	2	1	1	5	1	48	38	-	3	29	6
Balance of county	216	-	-	2	51	18	12	1	10	3	2	5	6	100	78	1	-	67	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Indiana—Con.																			
Jennings	1	12	1	1	4	4	-	1	2	-	4	3	2	17	11	5	4	-	1
Johnson	6	58	19	9	16	25	4	4	3	-	1	9	5	41	7	18	11	3	1
Franklin	2	13	9	2	4	5	1	1	2	-	1	-	1	17	1	5	4	1	-
Greenwood	2	23	2	3	5	13	1	1	-	-	-	3	2	14	1	8	5	1	1
Balance of county	2	22	8	4	7	7	2	2	1	-	-	6	2	10	5	5	2	1	-
Knox	2	78	14	6	9	19	4	6	2	-	-	3	3	38	16	8	4	-	-
Vincennes	2	45	8	2	8	9	2	4	-	-	-	1	1	21	6	4	2	-	-
Balance of county	-	33	6	4	1	10	2	4	2	-	-	2	2	17	10	4	2	-	-
Kosciusko	-	50	17	5	7	15	2	1	8	-	2	4	3	36	14	7	4	-	-
Lagrange	2	12	2	1	2	8	1	1	1	-	2	2	1	11	7	8	2	-	-
Lake	13	343	69	31	74	82	13	88	41	1	32	66	94	210	132	123	49	116	24
Crown Point	-	27	6	1	4	3	-	1	2	-	1	3	1	7	4	6	1	-	-
East Chicago	2	31	2	6	12	6	2	10	2	-	2	4	9	20	7	18	4	11	1
Gary	7	112	18	7	24	19	3	27	27	-	8	36	46	67	44	37	12	92	11
Griffith	-	2	6	-	2	4	-	4	-	-	4	1	3	5	3	3	1	1	1
Hammond	3	72	13	5	13	10	2	15	5	1	4	7	19	37	27	27	10	8	8
Highland	-	10	4	1	3	2	2	1	-	-	2	2	1	8	2	3	1	-	-
Hobart	-	10	-	2	6	10	1	8	1	-	3	2	-	9	7	6	4	1	-
Munster	1	18	4	2	1	4	-	1	-	-	1	4	1	12	1	2	4	-	2
Balance of county	-	61	16	7	9	24	3	21	4	-	7	7	14	45	37	21	12	3	1
La Porte	5	105	13	13	13	25	2	14	10	-	4	11	12	75	31	17	15	14	2
La Porte	3	28	7	4	4	6	1	5	3	-	1	1	4	27	5	5	2	3	-
Michigan City	1	51	2	7	6	11	-	6	6	-	3	6	4	27	10	10	3	9	2
Balance of county	1	26	4	2	3	8	1	3	1	-	-	4	4	21	16	2	10	2	-
Lawrence	2	29	7	3	8	17	2	3	4	-	3	3	2	15	10	10	6	2	2
Bedford	1	17	2	2	4	9	2	1	2	-	1	1	-	8	5	5	3	-	1
Balance of county	1	12	5	1	4	8	-	2	2	-	2	2	2	7	5	5	3	2	1
Madison	7	130	25	11	13	47	4	17	15	1	4	4	11	83	30	30	11	5	3
Anderson	2	77	17	7	8	26	4	7	7	1	2	1	5	44	13	17	6	4	2
Elwood	2	9	2	2	3	5	-	4	1	-	-	-	1	13	2	4	-	1	-
Balance of county	3	44	6	2	2	16	-	6	7	-	2	3	5	26	15	9	5	-	1
Marion	28	486	124	64	178	258	24	81	76	-	53	94	67	527	150	140	115	80	18
Beech Grove	-	11	2	2	2	4	1	3	-	-	-	3	3	13	1	-	2	-	-
Indianapolis	28	465	118	61	173	241	23	78	74	-	51	89	63	501	147	139	108	78	18
Lawrence	-	-	1	-	-	3	-	-	1	-	-	-	-	1	-	1	1	-	-
Speedway	-	2	-	1	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
Balance of county	-	8	3	-	3	10	-	-	1	-	2	2	1	8	2	-	4	2	-
Marshall	-	65	6	3	7	13	1	3	1	-	3	1	2	25	16	9	-	1	-
Martin	-	4	1	-	-	4	-	-	-	-	-	-	-	4	4	-	3	-	-
Miami	-	32	9	2	7	7	3	4	2	-	5	6	3	22	11	5	5	-	-
Peru	-	19	5	2	3	3	1	3	1	-	2	5	1	14	6	4	4	-	-
Balance of county	-	13	4	-	4	4	2	1	1	-	3	1	2	8	5	1	1	-	-
Monroe	1	66	13	3	10	25	2	4	4	-	6	9	8	34	10	13	7	5	1
Bloomington	1	44	10	2	8	17	1	-	3	-	4	8	4	23	3	10	6	2	-
Balance of county	-	22	3	1	2	8	1	4	1	-	2	1	4	11	7	3	1	3	1
Montgomery	-	32	11	1	18	12	2	1	2	-	1	4	-	22	5	11	4	-	-
Crawfordsville	-	19	4	-	12	11	1	1	1	-	-	1	-	9	1	4	4	-	-
Balance of county	-	13	7	1	6	1	1	-	1	-	1	3	-	13	4	7	-	-	-
Morgan	1	45	8	5	13	21	3	7	5	-	3	3	4	27	12	6	4	2	1
Newton	-	10	2	1	3	6	1	1	-	1	1	-	2	5	5	3	1	2	-
Noble	-	32	7	3	7	16	1	3	2	-	2	1	1	15	8	9	4	-	-
Ohio	-	6	1	-	-	1	-	-	-	-	-	-	-	2	2	1	-	-	-
Orange	-	18	-	1	8	3	1	1	3	-	1	-	-	8	5	5	4	1	1
Owen	1	10	1	1	8	6	1	-	2	-	1	1	2	5	4	7	1	-	-
Parke	-	19	2	6	2	7	1	-	1	-	-	1	-	7	8	3	3	-	-
Perry	1	16	16	-	15	3	1	1	2	-	2	-	1	15	4	3	5	1	-
Pike	1	18	6	4	5	10	-	-	2	-	-	-	-	16	-	4	3	2	-
Porter	2	45	12	8	11	25	-	6	8	-	8	12	6	49	25	21	8	3	1
Portage	1	12	1	2	4	2	-	-	2	-	1	-	1	9	6	6	4	2	-
Valparaiso	1	14	5	3	2	7	-	3	3	-	1	5	1	15	5	7	-	-	1
Balance of county	-	19	6	3	5	16	-	3	3	-	6	7	4	25	14	8	4	1	-
Posey	1	9	3	-	-	9	2	-	3	-	1	-	-	22	3	7	2	-	-
Pulaski	-	20	2	1	2	4	1	1	1	-	1	1	1	4	6	5	-	-	-
Putnam	2	26	4	5	9	7	3	4	1	-	1	-	2	15	6	4	2	3	-
Randolph	2	21	5	4	12	15	1	-	1	-	-	2	3	26	11	8	5	-	-
Ripley	2	31	6	1	8	6	-	4	2	-	1	2	1	14	7	6	1	1	-
Rush	-	12	5	1	6	10	1	2	2	-	1	4	-	12	7	7	2	-	-
St. Joseph	14	256	39	18	44	50	6	28	12	-	19	22	38	145	55	50	23	16	-
Mishawaka	1	48	8	4	8	10	-	3	1	-	2	2	7	32	8	12	6	4	-
South Bend	10	159	26	4	26	27	3	17	7	-	10	11	23	80	29	29	13	11	-
Balance of county	3	49	5	10	10	13	3	8	4	-	7	9	8	33	18	9	4	1	-
Scott	-	23	2	1	10	9	1	3	1	1	2	2	1	17	6	3	3	2	-
Shelby	2	28	9	3	10	16	2	3	3	-	3	2	3	23	11	7	7	1	-
Shelbyville	2	14	5	1	5	8	2	2	-	-	1	2	3	10	4	2	6	-	-
Balance of county	-	14	4	2	5	8	-	1	3	-	2	-	-	13	7	5	1	1	-
Spencer	1	16	7	1	6	6	-	3	1	-	-	3	1	10	7	5	2	1	-
Starke	1	25	2	2	13	4	1	1	2	-	1	3	1	15	6	11	3	4	-
Steuben	-	22	3	-	1	3	-	4	2	-	2	2	-	14	5	4	4	-	-
Sullivan	-	53	4	4	5	3	2	3	-	-	-	1	2	13	5	4	4	2	-
Switzerland	1	5	1	2	5	1	-	1	1	-	-	-	-	5	2	3	-	-	-
Tippecanoe	-	70	6	11	18	28	4	4	9	-	7	7	15	53	15	17	7	-	1
Lafayette	-	47	2	6	7	18	2	4	2	-	6	4	10	33	7	8	3	-	-
West Lafayette	-	8	2	-	4	3	1	-	3	-	-	-	2	5	4	2	-	-	-
Balance of county	-	15	2	5	7	7	1	-	4	-	1	3	3	15	4	7	4	-	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Indiana—Con.																			
Tipton	143	-	-	1	38	7	8	5	5	3	3	7	3	75	54	1	2	39	12
Union	61	-	-	-	16	3	6	1	1	-	-	5	2	26	20	-	1	14	5
Vanderburgh	1,753	-	-	19	395	78	121	43	39	17	15	82	34	953	712	13	45	528	126
Evansville	1,628	-	-	17	361	67	114	40	35	14	14	77	33	883	660	12	41	490	117
Balance of county	125	-	-	2	34	11	7	3	4	3	1	5	1	70	52	1	4	38	9
Vermillion	229	-	-	-	49	10	8	3	11	3	1	13	5	119	78	1	8	50	19
Vigo	1,168	-	1	9	242	60	67	20	26	11	13	45	24	624	435	2	15	332	86
Terre Haute	797	-	1	7	148	37	43	15	19	6	6	22	16	449	309	2	12	238	57
Balance of county	371	-	-	2	94	23	24	5	7	5	7	23	8	175	126	-	3	94	29
Wabash	354	-	-	1	56	10	14	6	9	6	-	11	8	180	123	1	3	97	22
Wabash	144	-	-	1	22	1	8	3	5	2	-	3	5	74	43	-	-	35	8
Balance of county	210	-	-	-	34	9	6	3	4	4	-	8	3	106	80	1	3	62	14
Warren	82	-	-	1	12	2	6	-	-	1	1	2	4	45	33	-	1	25	7
Warrick	281	2	-	1	57	13	18	3	6	2	3	12	8	144	118	1	5	79	33
Washington	195	-	-	2	36	9	11	1	4	3	3	5	3	106	80	-	2	67	11
Wayne	741	1	-	2	171	44	53	12	14	6	7	35	15	401	313	4	16	270	23
Richmond	518	1	-	2	126	34	34	9	10	4	6	29	12	281	216	2	10	190	14
Balance of county	223	-	-	-	45	10	19	3	4	2	1	6	3	120	97	2	6	80	9
Wells	191	-	-	2	37	8	17	-	2	2	1	7	9	100	81	2	1	66	12
White	256	-	-	3	58	9	14	8	8	5	1	13	4	134	92	-	1	75	16
Whitley	234	-	-	2	47	14	14	6	6	1	1	5	5	130	89	2	1	59	27
Iowa	26,949	4	-	220	5,692	1,631	1,347	496	698	277	227	1,016	470	14,237	10,585	99	277	8,210	1,999
Urban places	10,562	2	-	84	2,314	660	605	196	265	100	92	396	185	5,421	4,100	48	116	3,130	806
Balance of area	16,387	2	-	136	3,378	971	742	300	433	177	135	620	285	8,816	6,485	51	161	5,080	1,193
Metropolitan counties	9,070	2	-	67	2,034	569	529	165	243	86	77	365	166	4,560	3,478	37	93	2,670	678
Urban places	7,205	2	-	59	1,599	451	411	131	194	73	65	274	137	3,634	2,789	32	79	2,135	543
Balance of area	1,865	-	-	8	435	118	118	34	49	13	12	91	29	926	689	5	14	535	135
Nonmetropolitan counties	17,879	2	-	153	3,658	1,062	818	331	455	191	150	651	304	9,677	7,107	62	184	5,540	1,321
Urban places	3,357	-	-	25	715	209	194	65	71	27	27	122	48	1,787	1,311	16	37	995	263
Balance of area	14,522	2	-	128	2,943	853	624	266	384	164	123	529	256	7,890	5,796	46	147	4,545	1,058
Adair	110	-	-	3	24	6	6	2	4	2	-	4	3	62	49	-	2	31	16
Adams	67	-	-	-	14	5	2	1	1	1	3	1	-	45	31	1	-	27	3
Allamakee	169	-	-	2	23	7	3	2	-	2	2	7	4	98	78	1	1	70	6
Appanoose	198	-	-	1	44	14	11	3	6	1	2	7	7	112	80	-	6	62	10
Audubon	102	-	-	-	26	12	1	2	5	2	1	3	1	53	40	1	-	26	13
Benton	212	-	-	2	48	16	12	2	9	2	2	5	2	115	83	-	-	72	11
Black Hawk	1,041	-	-	3	206	54	53	15	27	4	5	48	17	562	366	5	6	296	59
Cedar Falls	213	-	-	-	37	10	13	2	4	2	-	6	6	128	84	1	2	68	13
Waterloo	670	-	-	3	132	36	30	10	18	1	4	33	11	356	230	3	4	191	32
Balance of county	158	-	-	-	37	8	10	3	5	1	1	9	-	78	52	1	-	37	14
Boone	281	-	-	1	50	13	11	6	8	6	2	4	5	159	114	-	4	99	11
Boone	178	-	-	1	34	8	9	2	6	6	1	2	4	100	73	-	2	63	8
Balance of county	103	-	-	-	16	5	2	4	2	-	1	2	1	59	41	-	2	36	3
Bremer	213	-	-	2	37	11	8	5	9	-	2	2	5	125	81	-	3	68	10
Buchanan	170	-	-	1	29	8	8	4	3	-	1	5	2	92	74	-	-	62	12
Buena Vista	240	-	-	2	57	15	9	4	9	6	-	14	3	128	93	-	3	63	27
Butler	161	1	-	-	33	8	10	2	4	-	2	7	2	86	66	2	3	48	13
Calhoun	164	-	-	3	31	8	6	1	4	2	2	8	2	91	58	-	2	50	6
Carroll	240	-	-	4	59	19	11	6	4	4	3	12	3	115	83	1	3	69	10
Cass	190	-	-	1	43	13	7	3	7	1	2	10	4	110	67	1	1	57	8
Cedar	176	-	-	2	45	10	10	5	7	4	1	8	-	89	63	1	5	45	12
Cerro Gordo	484	-	-	3	104	25	27	10	9	2	8	23	6	259	180	2	3	151	24
Mason City	324	-	-	1	65	19	19	2	6	1	5	13	4	178	126	2	2	109	13
Balance of county	160	-	-	2	39	6	8	8	3	1	3	10	2	81	54	-	1	42	11
Cherokee	172	-	-	2	34	16	6	-	-	2	2	8	4	100	81	-	1	48	32
Chickasaw	161	-	-	4	38	16	6	8	3	2	-	3	2	89	63	1	-	55	7
Clarke	101	-	-	4	24	4	5	2	2	4	1	6	1	55	47	-	3	44	-
Clay	171	-	-	2	29	9	11	-	2	1	2	4	3	109	83	1	-	63	19
Spencer	115	-	-	2	17	5	7	-	1	-	1	3	2	80	60	1	-	46	13
Balance of county	56	-	-	-	12	4	4	-	1	1	1	1	1	29	23	-	-	17	6
Clayton	218	-	-	2	38	14	12	2	3	1	-	6	3	124	92	1	2	76	13
Clinton	580	-	-	5	110	30	23	9	9	4	2	33	10	318	239	4	3	183	49
Clinton	382	-	-	3	74	19	13	7	8	3	2	22	4	222	162	3	2	118	39
Balance of county	198	-	-	2	36	11	10	2	1	1	-	11	6	96	77	1	1	65	10
Crawford	201	-	-	2	34	15	4	4	5	2	2	2	9	109	83	-	2	66	15
Dallas	250	-	-	-	61	17	19	5	6	2	3	9	7	128	94	1	3	74	16
Davis	118	-	-	-	21	4	6	-	3	3	1	4	2	70	58	1	8	38	11
Decatur	98	-	-	2	19	9	2	1	4	3	-	-	1	59	38	-	-	29	9
Delaware	169	-	-	1	28	13	5	1	4	2	-	3	3	99	61	-	1	52	8
Des Moines	407	-	-	2	91	23	28	11	10	4	1	14	7	209	154	1	7	124	22
Burlington	320	-	-	2	72	20	23	7	7	2	1	12	4	167	126	1	6	103	16
Balance of county	87	-	-	-	19	3	5	4	3	2	-	2	3	42	26	-	1	21	4
Dickinson	151	-	-	-	32	9	5	2	7	2	1	6	1	79	57	-	1	49	7
Dubuque	847	-	-	4	162	50	33	12	17	4	6	40	21	472	355	8	16	278	53
Dubuque	666	-	-	4	127	43	26	10	11	4	5	28	16	377	291	8	14	226	43
Balance of county	181	-	-	-	35	7	7	2	6	-	1	12	5	95	64	-	2	52	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Indiana—Con.																			
Tipton	2	17	1	1	5	1	-	2	2	-	2	1	-	6	1	4	2	-	-
Union	-	6	-	-	1	1	-	-	1	-	1	2	-	6	-	1	3	-	1
Vanderburgh	4	139	60	18	38	43	6	17	12	-	11	15	6	121	28	41	17	13	4
Evansville	3	125	59	16	37	40	6	16	12	-	11	15	6	116	26	37	16	13	3
Balance of county	1	14	1	2	1	3	-	1	-	-	-	-	-	5	2	4	1	-	1
Vermillion	-	34	4	3	6	10	1	3	1	-	-	1	3	18	5	6	2	-	-
Vigo	5	121	54	9	20	34	1	23	6	-	5	6	12	86	23	30	15	5	2
Terre Haute	3	92	40	5	15	24	-	14	5	-	3	5	11	59	11	17	7	4	1
Balance of county	2	29	14	4	5	10	1	9	1	-	2	1	1	27	12	13	8	1	1
Wabash	-	51	3	3	17	11	1	1	4	-	3	1	4	39	17	6	4	-	1
Wabash	-	27	3	1	6	7	-	-	2	-	1	-	1	15	6	3	1	-	-
Balance of county	-	24	-	2	11	4	1	1	2	-	2	1	3	24	11	3	3	-	1
Warren	-	7	4	1	2	6	-	1	2	-	-	1	-	8	5	1	4	-	-
Warrick	-	20	2	4	4	10	1	8	2	-	3	2	5	14	8	7	2	3	-
Washington	4	18	2	2	9	2	2	1	2	-	1	3	2	11	4	7	2	2	-
Wayne	3	63	17	5	22	12	3	4	2	-	3	7	5	40	20	18	12	1	2
Richmond	3	45	13	4	14	8	1	4	2	-	2	4	3	29	8	10	8	1	2
Balance of county	-	18	4	1	8	4	2	-	-	-	1	3	2	11	12	8	4	-	-
Wells	3	10	5	1	6	8	2	1	-	-	1	1	-	14	6	2	2	-	-
White	1	25	13	3	7	4	-	2	1	-	1	2	3	20	9	6	2	-	-
Whitley	2	32	5	2	6	8	1	-	2	-	2	2	3	9	8	5	4	-	-
Iowa	119	2,626	559	348	1,008	831	113	224	134	-	204	203	109	1,805	656	629	304	80	26
Urban places	48	959	182	132	344	387	39	109	48	-	80	102	58	733	192	254	149	50	11
Balance of area	71	1,667	377	216	664	444	74	115	86	-	124	101	51	1,072	464	375	155	30	15
Metropolitan counties	45	774	141	122	250	328	32	95	41	-	83	96	56	632	214	222	141	42	9
Urban places	36	607	108	94	212	266	22	81	32	-	61	78	40	510	139	176	114	37	6
Balance of area	9	167	33	28	38	62	10	14	9	-	22	18	16	122	75	46	27	5	3
Nonmetropolitan counties	74	1,852	418	226	758	503	81	129	93	-	121	107	53	1,173	442	407	163	38	17
Urban places	12	352	74	38	132	121	17	28	16	-	19	24	18	223	53	78	35	13	5
Balance of area	62	1,500	344	188	626	382	64	101	77	-	102	83	35	950	389	329	128	25	12
Adair	1	7	1	4	6	1	-	-	-	-	-	-	-	6	2	1	2	-	-
Adams	-	8	1	5	-	1	-	1	-	-	-	1	-	2	1	2	-	-	-
Allamakee	-	16	3	2	10	5	1	1	-	-	3	1	-	13	5	2	-	-	-
Appanoose	1	19	4	8	5	5	-	-	-	-	2	1	-	13	6	1	1	-	-
Audubon	2	8	2	1	5	1	2	1	-	-	-	2	-	6	2	1	2	-	-
Benton	-	24	6	2	11	5	1	2	1	-	2	3	-	11	3	4	1	1	-
Black Hawk	10	142	30	14	26	46	5	7	4	-	15	9	4	61	24	26	15	10	1
Cedar Falls	3	36	1	4	8	5	-	4	2	-	4	-	1	5	3	3	6	1	-
Waterloo	7	85	25	9	13	32	5	3	-	-	7	8	2	48	15	18	8	8	1
Balance of county	-	21	4	1	5	9	-	-	2	-	4	1	1	8	6	5	1	1	-
Boone	4	37	2	2	12	6	2	2	3	-	3	2	1	17	7	9	-	1	1
Boone	2	23	-	2	8	2	1	2	3	-	1	2	-	11	2	5	-	1	1
Balance of county	2	14	2	-	4	4	1	-	-	-	2	-	1	6	5	4	-	-	-
Bremer	-	34	4	6	4	3	-	1	1	-	4	-	2	13	5	8	1	1	1
Buchanan	-	12	3	3	7	1	1	2	3	-	1	1	1	13	5	7	3	1	-
Buena Vista	-	24	8	3	14	6	-	1	3	-	2	2	-	12	5	4	1	-	-
Butler	-	16	2	2	6	6	-	-	2	-	-	4	-	13	3	4	1	-	-
Calhoun	1	18	12	2	11	4	-	2	1	-	1	1	1	12	2	1	1	-	-
Carroll	1	26	2	3	9	7	-	9	3	-	-	1	1	21	3	3	2	-	-
Cass	1	23	16	3	3	3	-	1	1	-	1	2	1	12	4	3	1	-	-
Cedar	-	22	3	1	4	3	3	1	-	-	1	2	1	8	8	4	3	-	2
Cerro Gordo	1	62	9	7	34	13	3	4	1	-	2	-	3	24	10	13	4	1	-
Mason City	1	42	5	4	21	5	2	4	1	-	2	-	3	18	7	8	4	1	-
Balance of county	-	20	4	3	13	[illegible]	1	-	-	-	-	-	-	6	3	5	-	-	-
Cherokee	-	17	1	1	9	2	-	-	1	-	1	-	-	10	7	1	1	-	-
Chickasaw	-	24	2	-	2	10	1	-	-	-	-	1	-	9	2	3	-	-	-
Clarke	-	4	3	1	-	-	-	2	-	-	1	1	-	5	4	3	-	1	-
Clay	-	21	3	2	2	4	2	2	-	-	-	2	-	8	[illegible]	3	3	-	-
Spencer	-	17	2	1	2	3	1	1	-	-	-	1	-	4	-	1	1	-	-
Balance of county	-	4	1	1	-	1	1	1	-	-	-	1	-	4	2	2	2	-	-
Clayton	-	24	6	2	9	2	-	2	1	-	-	-	1	16	10	6	4	-	-
Clinton	2	62	6	9	19	17	2	5	4	-	2	4	1	42	16	6	9	9	1
Clinton	2	45	6	7	10	11	-	4	2	-	-	1	1	31	6	4	5	3	1
Balance of county	-	17	-	2	9	6	2	1	2	-	2	3	-	11	10	2	4	6	-
Crawford	-	16	9	1	12	5	2	4	2	-	1	5	-	6	6	5	-	-	-
Dallas	4	22	6	2	9	7	2	4	3	-	1	-	-	21	7	4	4	1	-
Davis	-	10	2	-	4	6	1	-	1	-	2	-	-	6	-	1	4	-	-
Decatur	-	16	4	1	4	1	-	-	1	-	-	1	-	5	4	1	-	-	-
Delaware	-	38	-	-	2	9	-	1	2	-	3	2	1	11	4	1	1	-	1
Des Moines	2	40	9	4	17	9	3	2	2	-	4	4	1	31	9	9	6	-	1
Burlington	2	29	4	4	11	8	3	1	2	-	2	4	1	25	5	8	4	-	1
Balance of county	-	11	5	-	6	1	-	1	-	-	2	-	-	6	4	1	2	-	-
Dickinson	1	18	1	2	10	7	-	1	1	-	1	-	-	12	1	4	1	1	-
Dubuque	3	90	8	16	24	29	4	10	1	-	3	6	1	66	21	15	6	-	2
Dubuque	2	69	5	10	21	27	3	6	1	-	3	4	1	49	9	11	6	-	1
Balance of county	1	21	3	6	3	2	1	4	-	-	-	2	-	17	12	4	-	-	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Iowa—Con.																			
Emmet	135	-	-	-	21	5	5	3	1	1	1	5	2	77	60	-	-	42	18
Fayette	291	-	-	-	62	16	10	6	5	3	3	10	6	142	107	1	1	88	17
Floyd	198	-	-	2	37	14	11	4	4	1	1	2	7	106	81	-	2	56	23
Franklin	135	-	-	2	33	9	6	6	6	-	-	6	1	67	44	1	1	32	10
Fremont	122	-	-	1	19	12	1	-	1	-	1	4	-	65	58	-	4	31	23
Greene	165	-	-	3	29	4	11	4	4	1	1	4	6	101	73	-	1	58	14
Grundy	123	-	-	-	28	8	5	3	5	2	2	3	2	86	49	1	4	33	11
Guthrie	149	-	-	3	33	8	6	3	6	4	-	6	3	83	55	-	2	50	3
Hamilton	165	-	-	-	27	11	7	1	4	1	-	3	4	90	68	2	1	52	13
Hancock	146	-	-	1	33	7	6	2	9	1	3	5	4	66	48	2	-	45	1
Hardin	262	-	-	5	42	12	3	5	7	2	4	9	1	144	114	-	-	100	14
Harrison	198	-	-	2	38	9	9	7	5	2	-	6	6	117	98	-	-	94	4
Henry	180	-	-	1	36	9	12	3	4	3	1	4	-	105	74	-	1	62	11
Howard	140	-	-	1	44	18	7	2	6	1	4	6	2	67	43	-	1	41	1
Humboldt	113	-	-	2	20	5	2	1	4	2	2	4	1	60	47	-	-	37	10
Ida	99	-	-	-	20	6	3	-	3	1	2	5	-	65	49	-	-	39	10
Iowa	152	-	-	2	34	10	6	5	6	1	2	4	1	83	64	-	-	46	18
Jackson	226	-	-	2	40	8	9	3	5	4	3	8	3	117	77	2	3	67	5
Jasper	344	-	-	4	71	19	19	6	8	2	2	15	4	189	133	2	2	114	15
Newton	183	-	-	1	40	14	13	3	4	-	-	6	1	99	64	-	-	59	5
Balance of county	161	-	-	3	31	5	6	3	4	2	2	9	3	90	69	2	2	55	10
Jefferson	169	-	-	1	38	7	15	3	4	4	-	5	5	92	70	-	2	47	21
Johnson	392	-	-	1	100	24	23	13	13	5	3	19	6	182	134	1	3	106	24
Iowa City	231	-	-	1	61	14	12	11	7	4	2	11	4	101	76	1	1	65	9
Balance of county	161	-	-	-	39	10	11	2	6	1	1	8	2	81	58	-	2	41	15
Jones	209	-	-	1	48	12	15	3	3	2	3	10	8	113	85	1	3	61	20
Keokuk	189	-	-	1	41	15	7	3	5	1	3	7	3	95	72	-	1	57	14
Kossuth	210	-	-	1	48	10	11	5	6	5	2	9	2	115	85	2	1	67	15
Lee	457	-	-	5	97	28	35	7	7	2	5	13	8	244	185	2	6	144	33
Fort Madison	155	-	-	1	32	8	13	3	2	1	3	2	3	86	66	1	-	50	8
Keokuk	181	-	-	1	46	13	17	2	4	1	1	8	3	88	69	1	6	43	19
Balance of county	121	-	-	3	19	7	5	2	1	-	1	3	2	68	48	-	-	42	6
Linn	1,227	-	-	10	294	85	65	27	33	17	14	53	24	588	432	4	6	332	90
Cedar Rapids	864	-	-	8	210	61	47	20	24	11	11	36	17	408	302	3	5	234	60
Marion	122	-	-	-	29	12	3	2	4	2	1	5	2	56	39	-	-	27	12
Balance of county	241	-	-	2	55	12	15	5	5	4	2	12	5	122	91	1	1	71	18
Louisa	119	-	-	3	24	5	4	4	3	3	1	4	4	66	46	1	1	34	10
Lucas	130	-	-	1	26	6	12	1	1	3	-	3	3	69	56	-	2	45	9
Lyon	105	-	-	1	23	7	4	2	4	-	-	6	1	51	35	1	1	20	13
Madison	140	-	-	-	28	8	3	3	4	-	-	8	2	74	52	1	-	44	7
Mahaska	244	-	-	3	49	20	10	6	4	1	-	8	4	140	94	-	1	72	21
Oskaloosa	148	-	-	1	31	15	5	5	4	-	-	2	2	84	50	-	-	36	14
Balance of county	96	-	-	2	18	5	5	1	-	1	-	6	2	56	44	-	1	36	7
Marion	297	-	-	3	55	13	18	3	6	7	1	7	4	157	108	-	4	89	15
Marshall	413	-	-	5	95	35	17	7	14	2	3	17	6	210	139	1	4	98	36
Marshalltown	279	-	-	4	64	27	10	6	8	1	2	10	5	139	94	1	3	67	23
Balance of county	134	-	-	1	31	8	7	1	6	1	1	7	1	71	45	-	1	31	13
Mills	123	-	-	2	23	4	6	2	2	1	-	8	2	61	49	-	3	36	10
Mitchell	140	-	-	1	28	9	5	4	3	3	1	3	1	74	52	-	-	47	5
Monona	139	-	-	-	25	6	2	4	4	1	1	7	5	81	61	-	-	41	20
Monroe	139	1	-	2	26	4	9	1	3	2	1	6	-	75	50	-	1	43	6
Montgomery	150	-	-	3	27	7	7	2	5	-	1	5	1	85	45	-	-	39	6
Muscatine	362	-	-	2	100	26	25	15	10	3	1	20	8	166	126	3	4	78	41
Muscatine	229	-	-	1	60	15	17	9	3	3	-	13	4	114	91	2	3	54	32
Balance of county	133	-	-	1	40	11	8	6	7	-	1	7	4	52	35	1	1	24	9
O'Brien	167	-	-	1	33	11	6	3	7	1	-	5	3	99	81	4	3	68	6
Osceola	94	-	-	-	25	11	5	2	4	-	-	3	1	49	44	1	5	27	11
Page	280	-	-	1	53	18	8	5	8	1	3	10	2	180	143	2	5	87	49
Palo Alto	147	-	-	-	31	12	5	3	1	2	1	7	3	71	52	-	-	45	7
Plymouth	207	-	-	-	40	7	6	6	3	2	1	15	5	110	72	1	2	50	19
Pocahontas	133	-	-	-	32	11	4	2	7	1	-	7	-	64	48	-	-	41	7
Polk	2,397	2	-	23	560	164	165	36	62	29	16	88	36	1,161	950	10	11	708	221
Des Moines	1,776	2	-	21	421	116	122	28	40	23	14	69	26	853	699	9	7	516	167
Urbandale	57	-	-	-	9	3	2	1	2	-	-	1	2	24	19	-	-	16	3
West Des Moines	156	-	-	-	32	11	9	2	3	2	-	5	1	81	62	-	1	42	19
Balance of county	408	-	-	2	98	34	32	5	8	4	2	13	7	203	170	1	3	134	32
Pottawattamie	770	-	-	9	180	49	51	15	20	5	8	32	9	385	327	2	11	268	46
Council Bluffs	574	-	-	8	139	36	41	9	18	5	7	23	8	284	250	2	8	205	35
Balance of county	196	-	-	1	41	13	10	6	2	-	1	9	1	101	77	-	3	63	11
Poweshiek	187	-	-	-	40	15	5	2	5	2	2	9	2	103	76	-	-	55	21
Ringgold	89	-	-	1	16	5	1	3	3	1	1	2	2	56	43	-	1	36	6
Sac	173	-	-	1	35	8	5	4	5	3	2	8	2	92	67	1	-	58	8
Scott	1,209	-	-	11	284	77	71	24	44	13	11	44	25	588	441	2	23	317	99
Bettendorf	147	-	-	-	33	11	11	-	4	1	1	5	3	79	54	2	2	37	13
Davenport	923	-	-	8	214	55	51	21	36	10	10	31	19	456	346	-	21	248	77
Balance of county	139	-	-	3	37	11	9	3	4	2	-	8	3	53	41	-	-	32	9
Shelby	158	-	-	2	33	14	6	3	2	1	2	5	3	93	75	-	3	53	19
Sioux	229	-	-	2	48	10	10	5	7	1	1	14	7	116	92	2	1	66	23
Story	362	-	-	3	76	24	12	9	12	4	4	11	5	172	125	1	-	106	18
Ames	156	-	-	1	37	10	6	4	7	3	1	6	1	70	56	1	-	48	7
Balance of county	206	-	-	2	39	14	6	5	5	1	3	5	4	102	69	-	-	58	11

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Iowa—Con.																			
Emmet	2	10	4	1	10	3	1	-	-	-	-	3	-	8	5	4	1	-	-
Fayette	3	22	6	4	8	10	1	3	1	-	2	5	1	29	5	10	6	-	-
Floyd	-	23	1	1	13	4	-	2	-	-	1	2	1	11	6	3	3	-	-
Franklin	-	14	8	1	10	2	1	1	-	-	3	-	-	5	3	5	2	-	-
Fremont	-	3	2	2	7	3	-	1	-	-	1	-	2	11	4	8	-	-	-
Greene	3	18	5	2	4	3	1	1	1	-	2	1	1	6	5	-	-	1	-
Grundy	-	11	3	3	3	4	1	3	1	-	-	2	-	7	2	4	-	-	-
Guthrie	1	20	6	1	8	3	1	1	-	-	-	-	-	9	1	3	1	-	-
Hamilton	1	14	4	3	13	-	-	3	1	-	1	1	1	14	8	1	1	-	-
Hancock	3	14	1	-	15	1	3	1	-	-	3	1	-	11	1	4	1	1	-
Hardin	-	22	5	3	16	15	-	2	-	-	2	1	-	24	6	4	-	-	-
Harrison	-	16	2	1	1	7	2	3	-	-	1	-	1	11	1	4	4	-	-
Henry	-	22	6	3	7	2	-	-	1	-	2	1	-	8	6	3	6	2	-
Howard	1	16	3	2	2	4	-	1	-	-	-	2	1	8	5	1	-	1	1
Humboldt	-	10	2	1	3	2	-	-	-	-	-	-	-	15	5	5	-	-	-
Ida	1	8	4	3	5	1	-	-	-	-	-	-	-	3	1	4	-	-	-
Iowa	1	15	-	3	6	6	2	-	1	-	-	-	-	9	5	3	-	-	-
Jackson	1	34	3	2	11	2	-	1	1	-	3	-	-	22	8	11	4	1	-
Jasper	1	32	17	6	9	17	2	1	4	-	2	-	1	20	6	12	1	-	1
Newton	-	19	13	3	7	8	1	1	2	-	1	-	-	14	2	5	1	-	-
Balance of county	1	13	4	3	2	9	1	-	2	-	1	-	1	6	4	7	-	-	1
Jefferson	-	19	1	2	2	2	2	-	2	-	1	1	2	13	4	4	-	-	-
Johnson	1	36	5	6	10	12	1	5	1	-	6	5	5	25	8	12	11	2	-
Iowa City	-	18	3	4	6	5	-	3	1	-	3	4	4	17	4	7	9	1	-
Balance of county	1	18	2	2	4	7	1	2	-	-	3	1	1	8	4	5	2	1	-
Jones	1	21	4	2	6	6	1	-	2	-	1	1	-	11	6	3	2	-	-
Keokuk	-	19	2	2	6	4	-	2	2	-	1	-	2	16	8	4	3	1	-
Kossuth	1	14	14	1	11	10	-	3	1	-	1	-	-	6	7	3	2	-	-
Lee	-	48	6	5	12	17	1	4	1	-	7	3	3	27	13	9	4	2	-
Fort Madison	-	17	2	1	6	2	1	1	1	-	1	2	1	5	4	3	2	2	-
Keokuk	-	15	1	3	3	13	-	2	-	-	3	-	1	14	3	4	-	-	-
Balance of county	-	16	3	1	3	2	-	1	-	-	3	1	1	8	6	2	2	-	-
Linn	7	115	21	13	35	44	4	12	5	-	12	10	8	96	32	28	22	4	-
Cedar Rapids	5	77	15	9	28	31	3	12	3	-	8	8	4	69	20	21	12	3	-
Marion	1	13	4	1	3	5	-	-	-	-	2	2	-	13	3	1	4	-	-
Balance of county	1	25	2	3	4	8	1	-	2	-	2	-	4	14	9	6	6	1	-
Louisa	-	17	3	-	-	7	-	-	-	-	-	1	-	7	2	2	3	-	-
Lucas	1	11	1	-	4	9	1	-	1	-	-	-	1	8	4	1	1	-	1
Lyon	-	14	-	2	8	1	-	-	1	-	1	-	1	7	5	5	-	-	-
Madison	1	11	8	2	13	3	1	1	1	-	-	-	-	11	3	4	1	-	-
Mahaska	1	32	9	4	9	5	3	3	2	-	3	2	1	13	-	4	2	-	1
Oskaloosa	1	25	6	2	5	4	3	3	-	-	2	2	1	7	-	2	1	-	-
Balance of county	-	7	3	2	4	1	-	-	2	-	1	-	-	6	-	2	1	-	1
Marion	2	36	4	7	15	8	2	2	1	-	5	2	-	21	8	11	3	-	-
Marshall	2	46	20	3	17	25	1	2	-	-	1	1	3	21	10	10	5	1	-
Marshalltown	2	29	13	1	12	17	1	2	-	-	-	-	1	17	6	6	4	1	-
Balance of county	-	17	7	2	5	8	-	-	-	-	1	1	2	4	4	4	1	-	-
Mills	-	9	2	1	5	5	-	1	1	-	1	2	-	10	3	3	3	1	-
Mitchell	1	19	1	1	9	2	-	1	1	-	1	2	1	9	2	6	2	-	-
Monona	1	17	1	1	6	8	-	-	-	-	-	-	-	8	6	-	-	-	-
Monroe	1	11	9	4	10	4	2	1	4	-	1	1	-	8	3	-	-	-	1
Montgomery	-	26	14	-	6	4	1	1	1	-	-	-	-	9	6	6	-	-	-
Muscatine	-	31	7	2	7	15	1	2	3	-	4	6	2	22	12	9	2	1	-
Muscatine	-	19	3	1	5	13	-	2	2	-	2	4	2	13	1	4	1	1	-
Balance of county	-	12	4	1	2	2	1	-	1	-	2	2	-	9	11	5	1	-	-
O'Brien	-	13	4	1	4	2	2	-	-	-	-	1	-	7	8	6	-	1	-
Osceola	-	4	1	-	6	1	-	-	1	-	-	-	-	6	2	1	2	-	-
Page	-	29	7	1	10	7	-	-	-	-	1	-	-	15	5	3	2	-	1
Palo Alto	-	12	6	1	6	6	-	5	1	-	1	1	-	13	2	4	3	-	-
Plymouth	1	26	7	4	18	9	-	1	1	-	1	1	-	8	8	5	-	-	-
Pocahontas	-	14	-	2	17	1	3	1	-	-	1	-	-	4	5	1	3	1	-
Polk	9	141	18	43	68	75	7	35	15	-	28	25	10	167	58	72	40	13	2
Des Moines	7	103	14	30	52	57	4	24	12	-	18	22	10	120	35	57	30	11	1
Urbandale	-	3	1	1	2	1	-	2	-	-	3	-	-	5	2	3	3	1	-
West Des Moines	1	11	2	5	5	8	-	3	1	-	2	-	-	16	2	4	1	-	-
Balance of county	1	24	1	7	9	9	3	6	2	-	5	3	-	26	19	8	6	1	1
Pottawattamie	4	45	7	2	26	31	4	1	7	-	6	11	4	50	21	16	9	1	-
Council Bluffs	2	28	3	1	21	26	3	1	6	-	5	9	1	33	12	12	6	-	-
Balance of county	2	17	4	1	5	5	1	-	1	-	1	2	3	17	9	4	3	1	-
Poweshiek	3	13	5	6	4	2	-	-	-	-	2	2	-	23	5	2	2	-	-
Ringgold	2	10	-	1	2	2	2	-	3	-	-	-	-	4	1	-	-	-	-
Sac	1	17	5	2	9	3	1	-	2	-	-	2	-	13	3	8	2	-	-
Scott	6	105	23	13	25	50	3	11	3	-	6	13	10	92	29	25	25	8	1
Bettendorf	-	21	2	2	2	6	-	2	1	-	1	1	1	9	2	3	4	-	-
Davenport	5	75	19	11	21	37	2	8	1	-	3	9	7	74	20	20	16	8	-
Balance of county	1	9	2	-	2	7	1	1	1	-	2	3	2	9	7	2	5	-	1
Shelby	-	15	-	3	3	4	3	-	-	-	2	-	-	7	2	3	2	1	-
Sioux	-	13	2	9	7	8	-	-	-	-	2	1	2	26	4	6	-	-	-
Story	1	35	7	4	18	11	4	3	1	-	5	4	2	31	9	14	4	-	-
Ames	-	11	1	2	4	4	1	1	1	-	1	4	2	14	4	8	3	-	-
Balance of county	1	24	6	2	14	7	3	2	-	-	4	-	-	17	5	6	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Iowa—Con.																			
Tama	234	-	-	3	48	9	9	4	8	5	3	10	4	125	91	1	6	71	13
Taylor	127	-	-	1	20	5	-	-	5	2	3	5	4	82	63	-	2	49	12
Union	174	-	-	2	28	7	8	1	4	3	2	3	3	108	77	1	4	56	16
Van Buren	99	-	-	3	24	7	4	1	5	3	1	3	1	48	32	-	3	24	5
Wapello	476	-	-	1	107	25	36	10	5	2	8	21	8	231	188	2	13	132	41
Ottumwa	373	-	-	-	80	18	27	9	3	2	6	15	7	185	149	2	11	102	34
Balance of county	103	-	-	1	27	7	9	1	2	-	2	6	1	46	39	-	2	30	7
Warren	215	-	-	-	51	12	16	5	7	-	3	8	5	112	75	1	2	57	15
Washington	203	-	-	2	36	10	12	5	2	-	3	4	6	119	98	-	1	74	23
Wayne	139	-	-	3	24	6	3	3	3	3	-	6	1	69	51	1	1	38	11
Webster	490	-	-	6	95	30	21	7	14	7	5	11	6	258	187	1	5	137	44
Fort Dodge	334	-	-	6	63	18	15	6	8	4	4	8	4	173	121	1	2	88	30
Balance of county	156	-	-	-	32	12	6	1	6	3	1	3	2	85	66	-	3	49	14
Winnebago	146	-	-	-	20	5	3	3	8	-	-	1	2	93	73	-	1	58	14
Winneshiek	190	-	-	1	38	12	8	1	1	5	4	7	8	92	61	1	-	51	9
Woodbury	972	-	-	6	197	54	52	18	20	9	11	33	23	510	398	4	15	308	71
Sioux City	806	-	-	6	155	43	44	15	14	8	10	21	22	429	337	3	14	260	60
Balance of county	166	-	-	-	42	11	8	3	6	1	1	12	1	81	61	1	1	48	11
Worth	105	-	-	-	21	4	3	2	3	2	-	7	1	63	46	-	1	39	6
Wright	209	-	-	1	43	15	12	5	5	1	1	4	4	120	80	-	1	69	10
Kansas	21,701	13	3	162	4,266	1,114	1,101	364	550	207	182	768	390	10,785	8,176	70	210	6,207	1,689
Urban places	10,831	7	3	80	2,225	558	608	195	281	115	89	379	188	5,115	3,850	37	120	2,892	801
Balance of area	10,870	6	-	82	2,061	556	493	169	269	92	93	389	202	5,670	4,326	33	90	3,315	888
Metropolitan counties	8,490	6	1	65	1,805	439	526	147	230	89	75	299	138	3,887	2,968	31	99	2,151	687
Urban places	6,770	5	1	51	1,426	343	419	127	183	72	45	237	111	3,084	2,351	24	79	1,699	549
Balance of area	1,720	1	-	14	379	96	107	20	47	17	30	62	27	803	617	7	20	452	138
Nonmetropolitan counties	13,211	7	2	97	2,481	675	575	217	320	118	107	469	252	6,898	5,208	39	111	4,056	1,002
Urban places	4,061	2	2	29	799	215	189	68	98	43	44	142	77	2,031	1,499	13	41	1,193	252
Balance of area	9,150	5	-	68	1,682	460	386	149	222	75	63	327	175	4,867	3,709	26	70	2,863	750
Allen	210	-	-	1	26	6	9	-	5	1	-	5	3	116	93	1	2	53	37
Anderson	131	-	-	-	11	2	3	-	3	-	-	3	8	93	77	-	7	52	18
Atchison	218	-	-	2	42	9	12	-	5	3	5	8	3	113	84	-	-	55	29
Atchison	162	-	-	2	34	7	10	-	5	2	4	6	2	79	57	-	-	41	16
Balance of county	56	-	-	-	8	2	2	-	-	1	1	2	1	34	27	-	-	14	13
Barber	106	-	-	2	23	6	8	2	-	1	1	5	2	48	40	-	2	32	6
Barton	331	-	-	1	67	22	16	7	4	2	3	13	6	171	134	-	2	116	16
Great Bend	179	-	-	-	37	10	10	2	2	2	1	10	3	91	70	-	2	60	8
Balance of county	152	-	-	1	30	12	6	5	2	-	2	3	3	80	64	-	-	56	8
Bourbon	231	-	-	2	42	6	12	4	7	2	3	8	-	138	103	1	-	85	17
Brown	172	-	-	-	28	11	5	2	5	2	-	3	2	98	71	-	2	60	9
Butler	400	-	-	1	80	22	19	7	9	5	5	13	5	224	156	2	3	115	36
El Dorado	159	-	-	-	31	7	9	2	4	5	-	4	2	96	59	2	1	45	11
Balance of county	241	-	-	1	49	15	10	5	5	-	5	9	3	128	97	-	2	70	25
Chase	41	-	-	-	5	2	2	-	-	-	-	1	1	26	10	-	-	9	1
Chautauqua	68	-	-	-	12	2	3	1	1	2	-	3	2	36	27	1	1	19	6
Cherokee	279	2	-	1	46	9	22	3	3	-	-	9	3	150	121	1	-	100	20
Cheyenne	40	-	-	-	5	2	2	-	1	-	-	-	-	25	21	1	-	16	4
Clark	30	-	-	-	8	4	-	-	2	-	-	2	-	18	16	-	-	11	5
Clay	134	-	-	-	31	5	7	3	6	1	1	8	2	68	54	-	-	42	12
Cloud	192	-	-	2	44	18	6	2	7	1	2	8	2	107	84	1	1	78	4
Coffey	119	-	-	2	18	7	2	-	3	2	1	3	1	73	61	-	-	21	40
Comanche	31	-	-	-	6	3	2	-	-	-	1	-	-	18	14	-	-	10	4
Cowley	438	1	-	2	74	22	25	6	4	4	2	11	6	208	138	2	7	100	29
Arkansas City	184	-	-	1	26	6	13	2	1	1	1	2	3	98	63	1	4	44	14
Winfield	147	1	-	-	29	11	7	3	1	2	1	4	2	62	39	-	3	26	10
Balance of county	107	-	-	1	19	5	5	1	2	1	-	5	1	48	36	1	-	30	5
Crawford	503	-	-	2	98	18	25	5	16	2	4	28	10	284	217	-	2	178	37
Pittsburg	249	-	-	1	52	8	9	1	12	1	2	19	7	132	98	-	1	82	15
Balance of county	254	-	-	1	46	10	16	4	4	1	2	9	3	152	119	-	1	96	22
Decatur	58	-	-	-	12	3	2	1	2	1	1	2	2	27	20	-	-	19	1
Dickinson	232	-	-	1	46	11	10	3	4	5	1	12	3	124	90	2	8	67	13
Doniphan	94	-	-	-	16	2	6	3	-	2	-	3	1	56	41	-	1	32	8
Douglas	358	-	-	5	68	18	16	5	9	-	3	17	9	174	126	-	4	85	37
Lawrence	256	-	-	3	43	14	9	5	6	-	-	9	7	127	90	-	3	58	29
Balance of county	102	-	-	2	25	4	7	-	3	-	3	8	2	47	36	-	1	27	8
Edwards	46	-	-	-	9	2	4	-	1	1	-	1	1	26	20	-	-	18	2
Elk	56	-	-	1	11	6	3	1	1	-	-	-	-	35	21	-	-	17	4
Ellis	170	-	-	1	46	15	3	6	7	1	3	11	1	71	57	1	-	47	9
Hays	102	-	-	1	30	10	2	3	4	1	2	8	-	45	37	1	-	29	7
Balance of county	68	-	-	-	16	5	1	3	3	-	1	3	1	26	20	-	-	18	2
Ellsworth	88	-	-	-	20	8	4	2	-	1	2	3	1	46	36	-	1	29	6
Finney	139	-	-	1	24	5	7	2	2	2	2	4	6	64	46	-	1	40	5
Garden City	120	-	-	1	23	5	6	2	2	2	2	4	4	54	38	-	1	32	5
Balance of county	19	-	-	-	1	-	1	-	-	-	-	-	2	10	8	-	-	8	-
Ford	205	-	-	2	40	11	8	5	6	-	1	9	6	98	66	1	1	60	4
Dodge City	139	-	-	-	28	5	6	5	5	-	-	7	5	68	46	1	-	42	3
Balance of county	66	-	-	2	12	6	2	-	1	-	1	2	1	30	20	-	1	18	1
Franklin	238	-	-	3	40	7	12	4	3	4	2	8	4	123	98	-	-	78	20
Ottawa	137	-	-	3	20	2	6	2	1	3	2	4	1	73	55	-	-	45	10
Balance of county	101	-	-	-	20	5	6	2	2	1	-	4	3	50	43	-	-	33	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Iowa—Con.																			
Tama	1	23	3	7	5	10	1	3	-	-	2	-	-	18	7	4	3	-	-
Taylor	2	11	3	3	4	3	-	-	1	-	-	-	-	8	2	1	-	-	1
Union	1	24	1	3	10	4	-	1	2	-	-	-	-	7	3	6	1	-	1
Van Buren	3	10	3	-	3	-	-	2	3	-	3	-	-	8	3	1	-	-	-
Wapello	1	29	6	7	30	13	1	3	2	-	3	3	3	37	12	14	4	2	2
Ottumwa	1	24	6	5	25	12	-	3	2	-	2	2	2	26	7	12	4	2	2
Balance of county	-	5	-	2	5	1	1	-	-	-	1	1	1	11	5	2	-	-	-
Warren	-	20	14	3	2	8	-	1	1	-	2	1	2	13	6	9	2	-	-
Washington	-	18	2	1	7	4	-	2	1	-	2	-	-	7	10	5	2	-	-
Wayne	-	14	4	-	5	9	1	1	1	-	1	1	-	12	3	8	-	-	-
Webster	2	48	16	5	21	20	4	2	-	-	3	2	4	33	11	13	8	4	-
Fort Dodge	1	37	12	2	13	19	3	1	-	-	2	2	3	24	6	8	5	2	-
Balance of county	1	11	4	3	8	1	1	1	-	-	1	-	1	9	5	5	3	2	-
Winnebago	-	15	2	3	9	1	-	1	2	-	-	-	-	9	3	4	2	-	-
Winneshiek	1	20	9	1	7	6	1	2	-	-	1	2	1	18	4	5	4	-	-
Woodbury	5	80	15	12	34	33	4	13	4	-	5	16	12	63	15	19	11	4	3
Sioux City	3	68	14	7	30	26	2	13	4	-	2	11	9	53	12	16	9	4	3
Balance of county	2	12	1	5	4	7	2	-	-	-	3	5	3	10	3	3	2	-	-
Worth	2	11	3	1	5	2	1	2	-	-	1	1	1	5	-	2	-	-	-
Wright	2	33	4	1	11	2	-	2	-	-	1	2	-	17	2	4	-	-	-
Kansas	68	1,884	413	244	658	801	83	211	217	6	173	236	324	1,639	607	648	274	165	20
Urban places	37	940	158	130	286	430	40	117	109	4	103	150	220	831	281	344	153	132	13
Balance of area	31	944	255	114	372	371	43	94	108	2	70	86	104	808	326	304	121	33	7
Metropolitan counties	33	684	116	86	216	307	31	98	80	4	88	123	180	627	255	294	156	118	11
Urban places	26	554	89	64	159	266	23	80	66	3	74	104	166	513	176	233	115	105	9
Balance of area	7	130	27	22	57	41	8	18	14	1	14	19	14	114	79	61	41	13	2
Nonmetropolitan counties	35	1,200	297	158	442	494	52	113	137	2	85	113	144	1,012	352	354	118	47	9
Urban places	11	386	69	66	127	164	17	37	43	1	29	46	54	318	105	111	38	27	4
Balance of area	24	814	228	92	315	330	35	76	94	1	56	67	90	694	247	243	80	20	5
Allen	-	21	-	2	5	11	1	1	9	-	3	-	-	18	9	6	1	-	-
Anderson	-	13	1	2	2	1	-	-	-	-	1	2	1	7	2	3	-	-	-
Atchison	-	23	2	4	10	5	-	1	4	-	2	4	3	16	6	5	1	1	-
Atchison	-	18	1	3	10	3	-	-	3	-	1	2	2	14	5	4	-	1	-
Balance of county	-	5	1	1	-	2	-	1	1	-	1	2	1	2	1	1	1	-	-
Barber	-	7	1	-	6	6	-	2	1	-	1	3	-	6	4	1	-	1	-
Barton	1	31	2	3	9	10	-	4	3	-	2	3	3	21	17	13	1	-	-
Great Bend	-	17	1	3	5	8	-	4	3	-	1	2	1	12	9	2	1	-	-
Balance of county	1	14	1	-	4	2	-	-	-	-	1	1	2	9	8	11	-	-	-
Bourbon	-	29	5	1	11	9	1	2	2	-	1	-	2	15	1	4	1	-	-
Brown	1	14	10	2	10	9	-	2	2	-	1	-	1	12	4	2	1	-	-
Butler	3	54	5	6	10	7	4	2	4	1	1	2	1	26	12	10	8	1	1
El Dorado	1	29	3	4	4	3	1	1	1	-	1	-	1	12	1	1	4	-	-
Balance of county	2	25	2	2	6	4	3	1	3	1	-	2	-	14	11	9	4	1	1
Chase	-	7	9	-	-	2	-	1	-	-	-	-	-	5	-	1	-	-	-
Chautauqua	-	6	3	-	3	3	-	-	-	-	1	-	-	6	3	2	-	-	-
Cherokee	-	23	5	1	9	13	-	2	3	-	-	-	2	31	8	6	3	-	-
Cheyenne	-	1	2	1	-	1	-	-	-	-	1	2	-	2	2	2	-	-	-
Clark	-	2	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-
Clay	1	10	1	2	7	4	1	-	1	-	-	3	-	10	1	1	3	1	1
Cloud	1	14	6	2	6	10	-	1	2	-	1	2	2	8	2	3	-	-	-
Coffey	1	10	1	-	6	3	-	2	-	-	-	-	-	12	1	1	-	-	-
Comanche	-	2	1	1	-	1	-	-	-	-	-	-	-	5	1	-	-	-	-
Cowley	2	57	4	7	11	21	3	1	4	-	2	-	21	40	15	19	6	4	-
Arkansas City	-	31	2	2	3	9	2	1	1	-	-	-	10	10	7	9	3	1	-
Winfield	2	17	-	4	5	5	1	-	3	-	2	-	6	18	5	4	1	3	-
Balance of county	-	9	2	1	3	7	-	-	-	-	-	-	5	12	3	6	2	-	-
Crawford	-	52	10	5	13	19	1	4	9	-	-	2	3	36	12	6	3	1	-
Pittsburg	-	26	7	1	4	13	-	3	6	-	-	1	2	20	6	2	-	-	-
Balance of county	-	26	3	4	9	6	1	1	3	-	-	1	1	16	6	4	3	1	-
Decatur	1	4	1	1	3	6	1	-	-	-	-	-	-	4	-	2	1	-	-
Dickinson	1	26	3	4	9	9	1	-	1	-	-	-	1	24	6	7	-	-	-
Doniphan	-	12	2	1	3	4	-	1	2	-	1	-	-	6	-	4	-	-	-
Douglas	5	31	5	7	12	7	-	2	3	-	5	2	11	34	7	11	8	-	-
Lawrence	5	21	5	6	7	5	-	2	1	-	2	2	8	28	5	9	7	-	-
Balance of county	-	10	-	1	5	2	-	-	2	-	3	-	3	6	2	2	1	-	-
Edwards	-	4	1	1	2	2	-	1	-	-	-	-	-	1	3	1	-	-	-
Elk	2	8	3	1	2	1	-	-	-	-	-	-	-	4	-	1	-	1	-
Ellis	-	13	-	1	2	5	2	3	1	-	2	2	1	15	8	8	2	-	-
Hays	-	7	-	1	1	3	1	2	-	-	1	2	-	7	1	7	1	-	-
Balance of county	-	6	-	-	1	2	1	1	1	-	1	-	1	8	7	1	1	-	-
Ellsworth	-	10	-	-	4	3	-	-	1	-	1	-	-	6	3	1	1	1	-
Finney	-	11	6	1	5	4	-	2	1	-	2	6	2	7	8	4	2	1	-
Garden City	-	9	6	1	4	3	-	2	-	-	2	5	2	7	7	4	1	1	-
Balance of county	-	2	-	-	1	1	-	-	1	-	-	1	-	-	1	-	1	-	-
Ford	4	19	5	4	3	7	-	-	1	-	2	5	2	16	5	12	4	2	-
Dodge City	3	12	3	4	2	3	-	-	1	-	2	4	1	9	4	8	2	2	-
Balance of county	1	7	2	-	1	4	-	-	-	-	-	1	1	7	1	4	2	-	-
Franklin	-	18	3	4	10	14	-	-	1	-	2	1	3	19	9	4	4	1	-
Ottawa	-	12	2	4	9	6	-	-	1	-	-	1	1	14	5	3	-	-	-
Balance of county	-	6	1	-	1	8	-	-	-	-	2	-	2	5	4	1	4	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kansas—Con.																			
Geary	174	-	-	1	27	3	8	5	2	1	-	8	4	67	54	-	2	38	14
Junction City	127	-	-	1	23	1	7	5	1	1	-	8	4	56	43	-	2	29	12
Balance of county	47	-	-	-	4	2	1	-	1	-	-	-	-	11	11	-	-	9	2
Gove	37	-	-	-	5	2	1	-	-	-	1	1	2	21	18	-	-	12	6
Graham	42	-	-	-	7	3	1	1	1	-	-	1	1	18	12	-	-	10	2
Grant	46	-	-	-	9	4	1	-	4	-	-	-	-	19	16	-	-	13	3
Gray	49	-	-	-	13	5	1	1	-	1	-	5	1	26	16	-	-	14	2
Greeley	24	-	-	-	6	4	-	-	1	-	1	-	-	10	8	-	-	7	1
Greenwood	118	-	-	-	27	6	5	3	4	1	-	8	-	67	57	-	1	51	5
Hamilton	36	-	-	-	6	1	-	-	-	3	1	1	2	18	15	-	2	13	-
Harper	96	-	-	4	20	7	4	1	2	1	1	4	3	41	34	-	-	28	6
Harvey	284	-	-	2	64	24	9	7	10	4	1	9	5	140	106	-	3	84	19
Newton	172	-	-	1	35	14	8	2	5	2	1	3	2	90	68	-	2	54	12
Balance of county	112	-	-	1	29	10	1	5	5	2	-	6	3	50	38	-	1	30	7
Haskell	25	-	-	1	4	-	-	1	-	1	-	2	-	14	12	-	-	9	3
Hodgeman	34	-	-	-	4	-	2	-	-	-	-	2	2	19	13	-	1	7	5
Jackson	117	-	-	1	24	6	6	-	3	-	2	7	3	67	40	1	-	29	10
Jefferson	139	-	-	2	23	6	4	2	4	1	2	4	3	67	47	-	2	38	7
Jewell	92	-	-	1	11	4	3	1	-	-	-	3	-	60	46	-	-	35	13
Johnson	1,572	1	-	10	359	90	97	34	42	16	16	64	13	664	524	10	12	391	111
Leawood	86	-	-	-	20	6	4	5	-	2	-	3	2	38	29	-	-	22	7
Merriam	79	-	-	1	22	8	9	1	1	-	1	2	-	31	24	-	2	17	5
Olathe	178	-	-	3	33	13	6	3	4	2	-	5	3	70	58	1	1	48	8
Overland Park	435	1	-	2	103	20	27	12	13	2	6	23	3	178	134	2	2	98	32
Prairie Village	161	-	-	-	48	14	6	6	6	5	2	9	1	64	53	-	2	40	11
Shawnee	134	-	-	1	28	5	9	4	2	2	-	6	1	64	48	2	2	31	13
Balance of county	499	-	-	3	105	24	36	3	16	3	7	16	3	219	178	5	3	135	35
Kearny	20	-	-	-	-	-	-	-	-	-	-	-	-	7	5	-	-	4	1
Kingman	92	-	-	1	13	3	3	1	2	-	-	4	-	58	42	1	-	29	12
Kiowa	52	-	-	-	8	3	2	-	-	1	-	2	1	29	25	-	-	20	5
Labette	307	-	-	1	57	13	17	6	10	-	2	9	2	160	131	1	3	102	25
Parsons	173	-	-	-	28	7	10	1	7	-	1	2	1	101	84	1	2	66	15
Balance of county	134	-	-	1	29	6	7	5	3	-	1	7	1	59	47	-	1	36	10
Lane	33	-	-	-	3	1	1	-	1	-	-	-	-	21	20	-	1	15	4
Leavenworth	445	-	1	8	86	24	22	6	13	5	7	9	9	194	157	3	8	124	22
Leavenworth	313	-	1	5	60	18	14	4	10	2	5	7	7	138	115	1	7	90	17
Balance of county	132	-	-	3	26	6	8	2	3	3	2	2	2	56	42	2	1	34	5
Lincoln	63	-	-	1	11	6	1	2	1	-	-	1	-	36	31	-	-	16	15
Linn	123	-	-	-	28	4	8	4	6	1	1	4	1	71	54	-	-	46	8
Logan	43	-	-	1	4	1	-	1	-	-	-	2	-	21	15	1	-	11	3
Lyon	285	-	-	2	48	11	7	6	14	3	1	6	6	156	108	-	6	77	25
Emporia	229	-	-	1	36	10	6	4	10	2	1	3	5	126	88	-	6	60	22
Balance of county	56	-	-	1	12	1	1	2	4	1	-	3	1	30	20	-	-	17	3
McPherson	274	-	-	3	63	24	6	5	9	2	5	12	7	136	99	1	3	82	13
McPherson	109	-	-	-	26	10	4	1	3	1	3	4	2	60	44	-	-	43	1
Balance of county	165	-	-	3	37	14	2	4	6	1	2	8	5	76	55	1	3	39	12
Marion	159	-	-	1	29	8	6	1	3	3	1	7	2	86	72	1	4	52	15
Marshall	180	-	-	2	38	12	15	1	3	1	1	5	1	97	78	-	1	53	24
Meade	59	-	-	-	14	1	5	2	1	1	2	2	-	31	27	-	-	21	6
Miami	228	-	-	1	39	14	11	3	2	3	1	5	3	130	106	-	-	97	9
Mitchell	111	-	-	1	14	4	3	1	1	-	1	4	4	69	43	-	-	34	9
Montgomery	520	1	-	4	108	30	26	10	17	1	3	21	7	276	205	1	1	171	32
Coffeyville	183	-	-	-	35	12	6	3	5	-	1	8	5	99	71	-	-	52	19
Independence	159	-	-	3	38	12	10	7	3	1	1	4	-	79	60	-	-	58	2
Balance of county	178	1	-	1	35	6	10	-	9	-	1	9	2	98	74	1	1	61	11
Morris	99	-	-	-	26	8	4	2	4	2	2	4	5	48	31	-	3	18	10
Morton	21	-	-	-	3	1	-	1	-	-	-	1	-	6	6	-	-	6	-
Nemaha	134	-	-	-	22	8	6	3	1	-	2	2	5	72	52	-	3	42	7
Neosho	224	1	1	2	41	10	13	4	4	2	3	5	4	117	90	2	4	58	26
Chanute	150	1	1	1	33	8	10	3	3	2	3	4	3	71	52	1	3	40	8
Balance of county	74	-	-	1	8	2	3	1	1	-	-	1	1	46	38	1	1	18	18
Ness	58	-	-	-	9	1	3	1	2	-	1	1	2	33	28	-	-	21	7
Norton	91	-	-	2	27	4	6	9	4	-	-	4	3	41	33	-	2	27	4
Osage	163	-	-	1	25	9	7	2	4	1	1	1	4	84	54	-	2	38	14
Osborne	87	-	-	-	9	2	2	1	-	1	-	3	3	49	38	1	-	24	11
Ottawa	77	-	-	2	19	3	6	5	1	-	2	2	4	41	30	-	1	22	7
Pawnee	97	-	-	-	14	3	4	3	-	1	2	1	-	47	37	-	2	27	8
Phillips	90	-	-	3	18	5	3	1	5	-	-	4	2	44	37	-	-	32	5
Pottawatomie	126	-	-	1	14	6	2	2	-	1	-	3	2	68	52	-	-	44	8
Manhattan, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	126	-	-	1	14	6	2	2	-	1	-	3	2	68	52	-	-	44	8
Pratt	129	-	-	-	23	6	5	3	3	1	1	4	6	59	46	1	2	35	8
Rawlins	51	-	-	-	12	3	2	-	2	1	1	3	-	22	19	-	1	14	4
Reno	557	-	-	2	104	33	20	11	8	10	6	16	13	284	224	2	6	181	35
Hutchinson	376	-	-	2	76	24	20	7	5	6	3	11	10	180	142	2	5	117	18
Balance of county	181	-	-	-	28	9	-	4	3	4	3	5	3	104	82	-	1	64	17
Republic	127	-	-	-	30	7	5	4	11	2	-	1	-	74	52	-	-	49	3
Rice	146	-	-	-	35	9	10	4	-	2	2	8	6	73	55	1	-	44	10
Riley	249	-	-	3	33	6	4	7	3	5	3	5	4	121	87	1	1	76	9
Manhattan, part	183	-	-	3	27	6	1	5	2	5	3	5	3	89	64	1	1	56	6
Manhattan, total	183	-	-	3	27	6	1	5	2	5	3	5	3	89	64	1	1	56	6
Balance of county	66	-	-	-	6	-	3	2	1	-	-	-	1	32	23	-	-	20	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kansas—Con.																			
Geary	1	10	2	-	2	4	4	1	1	1	3	8	4	17	11	11	3	5	-
Junction City	1	10	2	-	2	3	2	1	1	-	-	4	4	10	5	5	2	4	-
Balance of county	-	-	-	-	-	1	2	-	-	1	3	4	-	7	6	6	1	1	-
Gove	-	1	-	2	-	3	-	-	2	-	-	-	-	3	1	-	-	-	-
Graham	-	4	-	2	2	3	-	-	1	-	-	-	1	6	-	2	1	-	-
Grant	-	2	1	-	1	3	-	-	1	-	2	2	-	4	1	4	-	-	-
Gray	-	8	2	-	2	2	1	-	-	-	-	-	-	3	-	1	-	-	-
Greeley	-	1	-	1	1	1	-	-	1	-	1	-	-	3	-	1	-	-	-
Greenwood	-	9	-	1	2	3	1	1	1	-	-	3	1	3	3	3	2	1	-
Hamilton	-	3	-	-	-	1	1	-	-	-	-	1	-	4	-	2	1	-	-
Harper	-	7	-	-	1	1	-	-	-	-	-	-	5	11	5	3	1	-	1
Harvey	-	24	6	4	9	11	3	3	4	-	1	1	1	25	4	9	1	1	-
Newton	-	18	2	2	7	6	1	1	3	-	1	1	1	15	2	5	1	-	-
Balance of county	-	6	4	2	2	5	2	2	1	-	-	-	-	10	2	4	-	1	-
Haskell	-	1	-	1	-	-	1	-	-	-	1	-	-	2	1	-	-	1	-
Hodgeman	-	5	-	1	-	-	-	-	1	-	-	-	-	5	2	1	-	-	-
Jackson	-	17	8	2	4	4	-	3	2	-	1	-	-	5	1	1	1	-	-
Jefferson	1	15	2	2	6	4	-	1	1	-	1	2	1	11	9	4	2	2	-
Jewell	-	6	6	-	6	8	-	1	-	-	-	-	-	3	2	-	-	-	-
Johnson	5	106	19	10	42	56	6	21	18	1	19	17	20	122	65	84	40	13	1
Leawood	-	7	2	-	3	2	-	1	1	-	-	1	1	8	4	3	1	1	-
Merriam	-	6	1	-	3	3	-	3	-	-	1	-	1	4	2	7	1	-	-
Olathe	1	9	1	1	3	5	2	1	3	-	4	5	8	17	4	9	5	3	-
Overland Park	1	34	7	2	12	17	-	5	5	-	5	7	3	34	18	29	9	4	-
Prairie Village	2	8	1	-	3	8	1	-	3	-	4	-	-	14	7	6	2	-	-
Shawnee	-	14	-	2	1	8	-	2	1	1	1	1	2	6	5	8	3	-	1
Balance of county	1	28	7	5	17	13	3	9	5	-	4	3	5	39	25	22	19	5	-
Kearny	-	1	1	-	1	-	-	1	1	-	-	3	-	3	3	-	-	1	-
Kingman	-	10	5	1	3	3	-	-	-	-	-	1	1	6	2	3	1	-	-
Kiowa	-	4	-	-	-	-	-	1	-	-	1	-	-	8	1	1	1	1	-
Labette	1	14	9	5	12	15	2	1	4	1	-	4	-	31	10	5	1	1	-
Parsons	-	6	8	3	3	7	1	-	3	1	-	4	-	20	3	1	-	-	-
Balance of county	1	8	1	2	9	8	1	1	1	-	-	-	-	11	7	4	1	1	-
Lane	-	1	-	-	3	2	-	1	-	-	1	-	-	1	-	-	1	-	-
Leavenworth	1	33	-	3	15	26	3	7	4	-	6	6	11	42	4	11	8	4	-
Leavenworth	1	19	-	3	8	21	3	6	3	-	3	5	7	28	3	8	4	3	-
Balance of county	-	14	-	-	7	5	-	1	1	-	3	1	4	14	1	3	4	1	-
Lincoln	-	3	1	1	2	2	-	-	1	-	1	-	-	4	-	3	2	-	-
Linn	-	13	4	-	3	3	-	2	-	-	-	-	1	7	3	3	1	-	-
Logan	-	4	-	2	3	2	1	1	1	-	-	-	-	2	3	4	-	-	-
Lyon	-	36	6	6	10	14	2	1	4	-	2	1	3	19	5	11	-	-	1
Emporia	-	30	2	6	7	11	2	1	4	-	2	1	3	17	4	9	-	-	-
Balance of county	-	6	4	-	3	3	-	-	-	-	-	-	-	2	1	2	-	-	1
McPherson	2	29	5	1	5	6	1	1	1	-	4	2	-	30	6	7	-	1	1
McPherson	-	12	3	1	1	2	-	-	1	-	1	1	-	9	2	3	-	1	-
Balance of county	2	17	2	-	4	4	1	1	-	-	3	1	-	21	4	4	-	-	1
Marion	1	9	2	2	-	6	-	1	2	-	2	3	-	12	9	6	-	-	-
Marshall	-	13	5	1	7	8	-	1	1	-	-	-	1	9	7	7	-	1	-
Meade	-	4	-	-	2	-	-	2	2	-	-	1	-	5	2	-	-	-	-
Miami	1	15	7	1	11	4	-	3	4	-	-	2	1	18	5	7	-	-	-
Mitchell	1	11	13	1	7	5	-	-	-	-	-	1	-	8	-	2	-	-	-
Montgomery	4	49	12	6	16	16	2	5	4	-	3	3	4	42	11	7	5	6	-
Coffeyville	2	15	6	5	3	7	-	3	1	-	-	-	-	14	5	2	3	6	-
Independence	2	15	2	-	6	3	1	-	2	-	2	1	1	14	3	4	2	-	-
Balance of county	-	19	4	1	7	6	1	2	1	-	1	2	3	14	3	1	-	-	-
Morris	1	10	5	1	-	3	-	-	1	-	2	-	-	10	-	4	-	-	-
Morton	-	-	-	-	2	2	-	1	-	-	1	-	-	2	2	-	1	1	-
Nemaha	-	10	10	-	6	2	1	1	-	-	1	-	3	8	5	7	1	-	-
Neosho	-	18	6	3	16	7	-	2	4	-	2	1	-	17	6	3	-	-	-
Chanute	-	11	5	3	13	5	-	1	2	-	2	1	-	10	4	2	-	-	-
Balance of county	-	7	1	-	3	2	-	1	2	-	-	-	-	7	2	1	-	-	-
Ness	-	4	1	-	-	2	-	1	1	-	1	-	-	6	1	2	-	-	-
Norton	-	3	4	1	2	2	1	1	1	-	1	-	2	2	-	5	1	-	-
Osage	-	17	9	4	8	7	1	-	-	-	1	6	-	8	8	6	3	1	-
Osborne	-	6	4	3	5	3	1	2	2	-	-	1	2	4	2	3	1	-	-
Ottawa	-	8	-	3	-	3	-	-	-	-	-	1	1	6	-	-	-	-	-
Pawnee	-	9	-	1	6	4	-	1	-	-	-	-	1	12	6	4	2	-	-
Phillips	-	4	1	2	6	5	-	-	-	-	1	-	1	7	2	1	-	-	-
Pottawatomie	-	12	3	1	7	5	1	1	-	-	2	-	-	13	7	1	3	1	-
Manhattan, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	12	3	1	7	5	1	1	-	-	2	-	-	13	7	1	3	1	-
Pratt	-	6	3	4	5	5	1	3	1	-	-	1	10	10	2	2	1	-	-
Rawlins	-	2	1	-	2	1	-	-	1	-	-	2	-	4	3	3	1	-	-
Reno	1	42	11	6	20	26	4	11	4	-	5	1	4	42	20	11	5	1	-
Hutchinson	-	27	6	5	14	18	2	8	1	-	4	1	4	31	12	9	3	1	-
Balance of county	1	15	5	1	6	8	2	3	3	-	1	-	-	11	8	2	2	-	-
Republic	1	16	3	2	5	4	-	-	-	-	-	-	-	5	3	3	2	1	-
Rice	-	16	-	2	7	3	1	2	-	-	-	2	2	7	5	2	1	-	-
Riley	-	23	4	7	17	8	-	3	1	-	3	6	6	17	8	12	5	1	1
Manhattan, part	-	17	3	5	12	7	-	2	-	-	2	5	2	13	6	6	5	1	-
Manhattan, total	-	17	3	5	12	7	-	2	-	-	2	5	2	13	6	6	5	1	-
Balance of county	-	6	1	2	5	1	-	1	1	-	1	1	4	4	2	6	-	-	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kansas—Con.																			
Rooks	82	-	-	1	8	2	-	-	2	1	1	2	1	51	43	-	2	31	10
Rush	62	-	-	-	14	5	3	1	1	1	-	3	1	31	25	-	-	24	1
Russell	111	-	-	1	20	5	5	-	5	2	-	3	3	62	52	-	-	42	10
Saline	412	-	-	3	88	20	20	7	12	7	5	17	6	228	157	4	1	122	30
Salina	359	-	-	3	78	18	18	5	10	6	5	16	5	197	137	3	1	105	28
Balance of county	53	-	-	-	10	2	2	2	2	1	-	1	1	31	20	1	-	17	2
Scott	45	-	-	-	6	2	-	2	2	-	-	-	3	16	13	-	-	6	7
Sedgwick	2,826	2	-	18	619	127	184	54	83	31	28	112	58	1,295	988	8	28	742	210
Wichita	2,502	2	-	15	530	112	157	49	74	24	19	95	51	1,159	872	6	25	654	187
Balance of county	324	-	-	3	89	15	27	5	9	7	9	17	7	136	116	2	3	88	23
Seward	115	-	-	-	26	11	7	1	1	1	2	3	3	44	28	1	1	22	4
Liberal	109	-	-	-	25	11	6	1	1	1	2	3	3	43	28	1	1	22	4
Balance of county	6	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Shawnee	1,302	3	1	13	268	76	76	18	30	17	9	42	21	637	491	4	22	346	119
Topeka	1,158	2	1	12	228	63	67	16	27	12	8	35	18	571	446	4	21	312	109
Balance of county	144	1	-	1	40	13	9	2	3	5	1	7	3	66	45	-	1	34	10
Sheridan	45	-	-	1	7	2	1	-	2	-	-	2	-	26	22	-	-	19	3
Sherman	83	-	-	3	13	4	2	1	2	-	-	4	1	34	19	1	-	14	4
Smith	102	-	-	1	19	6	2	3	5	-	-	3	-	60	42	-	1	30	11
Stafford	83	-	-	2	18	6	3	-	3	1	-	5	2	45	34	-	1	28	5
Stanton	17	-	-	-	3	-	1	-	1	-	-	1	-	9	8	-	-	6	2
Stevens	35	-	-	-	6	2	1	-	2	-	-	1	3	16	10	-	-	9	1
Sumner	290	2	-	2	58	15	14	1	11	1	3	13	6	144	107	1	3	78	25
Thomas	60	-	-	-	16	6	3	1	4	-	1	1	5	23	15	1	-	13	1
Trego	39	-	-	-	5	1	1	-	1	1	-	1	2	17	11	-	-	8	3
Wabaunsee	98	-	-	-	21	2	6	1	3	1	-	8	3	59	31	-	-	24	7
Wallace	25	-	-	-	6	2	-	2	-	-	1	1	-	14	12	-	-	10	2
Washington	109	-	-	2	21	7	4	-	2	-	-	8	3	56	41	-	2	23	16
Wichita	34	-	-	1	4	3	-	-	-	-	-	1	-	16	13	-	-	8	5
Wilson	160	-	-	3	28	4	8	5	4	1	1	5	7	79	58	-	1	50	7
Woodson	73	-	-	-	15	3	5	-	1	-	1	5	2	44	25	1	-	21	3
Wyandotte	1,730	-	-	15	363	91	123	25	49	18	11	46	25	742	582	7	26	396	153
Kansas City	1,622	-	-	14	340	81	116	24	46	18	9	46	23	686	538	7	20	374	137
Balance of county	108	-	-	1	23	10	7	1	3	-	2	-	2	56	44	-	6	22	16
Kentucky	33,283	49	1	264	6,939	1,774	2,127	537	744	287	240	1,230	631	16,706	12,817	75	371	9,096	3,275
Urban places	11,096	17	-	84	2,394	608	742	203	261	105	70	405	232	5,599	4,292	27	156	2,935	1,174
Balance of area	22,187	32	1	180	4,545	1,166	1,385	334	483	182	170	825	399	11,107	8,525	48	215	6,161	2,101
Metropolitan counties	14,358	16	-	117	3,193	823	992	274	328	143	88	545	295	7,024	5,388	44	204	3,685	1,455
Urban places	8,736	11	-	68	1,907	493	583	172	200	83	51	325	193	4,343	3,342	23	137	2,221	961
Balance of area	5,622	5	-	49	1,286	330	409	102	128	60	37	220	102	2,681	2,046	21	67	1,464	494
Nonmetropolitan counties	18,925	33	1	147	3,746	951	1,135	263	416	144	152	685	336	9,682	7,429	31	167	5,411	1,820
Urban places	2,360	6	-	16	487	115	159	31	61	22	19	80	39	1,256	950	4	19	714	213
Balance of area	16,565	27	1	131	3,259	836	976	232	355	122	133	605	297	8,426	6,479	27	148	4,697	1,607
Adair	139	-	-	-	27	5	6	4	4	-	2	6	1	70	57	1	-	45	11
Allen	154	1	-	-	29	10	6	2	4	3	-	4	1	85	65	-	4	37	24
Anderson	115	-	-	1	28	8	10	1	2	-	2	5	1	46	37	-	-	28	9
Ballard	123	-	-	1	20	2	7	-	2	-	1	8	1	65	47	-	-	41	6
Barren	334	2	-	2	64	19	18	5	9	1	-	12	5	177	143	1	22	82	38
Glasgow	7	-	-	-	2	-	-	-	1	-	-	1	-	4	3	-	-	2	1
Balance of county	327	2	-	2	62	19	18	5	8	1	-	11	5	173	140	1	22	80	37
Bath	113	-	-	-	22	9	2	2	5	1	-	3	3	65	51	-	-	30	21
Bell	350	2	-	3	60	12	18	2	8	5	3	12	12	174	136	-	3	97	36
Middlesborough	152	-	-	-	29	7	8	-	4	2	2	6	4	79	67	-	-	52	15
Balance of county	198	2	-	3	31	5	10	2	4	3	1	6	8	95	69	-	3	45	21
Boone	292	-	-	2	72	16	27	7	6	2	2	12	6	138	103	-	4	90	9
Florence	133	-	-	-	40	10	12	5	4	2	1	6	3	63	48	-	1	41	6
Balance of county	159	-	-	2	32	6	15	2	2	-	1	6	3	75	55	-	3	49	3
Bourbon	216	1	-	2	54	11	18	3	5	5	-	12	5	100	75	1	3	59	12
Boyd	569	1	-	2	131	36	30	14	13	12	4	22	5	315	251	2	5	167	77
Ashland	359	1	-	2	84	25	18	10	10	8	2	11	4	201	157	2	4	99	52
Balance of county	210	-	-	-	47	11	12	4	3	4	2	11	1	114	94	-	1	68	25
Boyle	245	-	-	1	55	15	14	5	9	1	-	11	4	132	102	-	-	84	18
Danville	159	-	-	1	32	10	7	1	6	1	-	7	4	90	66	-	-	52	14
Balance of county	86	-	-	-	23	5	7	4	3	-	-	4	-	42	36	-	-	32	4
Bracken	82	1	-	-	19	7	6	1	1	1	-	3	1	32	27	-	-	21	6
Breathitt	147	-	-	4	28	7	13	-	3	1	2	2	3	72	60	-	3	45	12
Breckinridge	172	-	-	1	33	11	6	-	5	1	-	10	4	102	69	-	-	63	6
Bullitt	238	-	-	6	47	14	18	2	2	-	2	9	4	109	91	2	2	60	27
Butler	132	-	-	-	31	9	10	2	3	2	1	4	1	64	50	-	1	46	3
Caldwell	152	-	-	1	35	8	10	5	-	-	3	9	-	78	55	-	-	42	13
Calloway	284	1	-	3	49	17	9	2	4	7	3	7	2	160	115	2	2	55	56
Murray	127	-	-	-	25	7	4	-	3	5	2	4	1	69	51	1	-	32	18
Balance of county	157	1	-	3	24	10	5	2	1	2	1	3	1	91	64	1	2	23	38
Campbell	844	-	-	7	193	54	53	15	22	13	7	29	25	433	309	3	5	246	55
Fort Thomas	173	-	-	2	48	17	11	5	6	2	2	5	4	90	62	-	-	50	12
Newport	242	-	-	-	52	17	17	4	4	2	1	7	7	121	85	2	2	71	10
Balance of county	429	-	-	5	93	20	25	6	12	9	4	17	14	222	162	1	3	125	33
Carlisle	60	-	-	-	16	4	5	2	2	-	1	2	-	38	30	-	-	24	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kansas—Con.																			
Rooks	-	3	3	2	5	3	1	-	2	-	3	-	1	5	-	1	-	-	-
Rush	-	6	-	-	1	1	-	-	3	-	-	-	-	10	-	-	1	-	-
Russell	1	8	1	-	1	6	-	1	4	-	-	-	1	6	5	1	-	-	-
Saline	2	56	7	6	8	16	1	1	3	-	3	6	2	22	4	9	8	2	2
Salina	-	49	6	5	8	15	1	1	3	-	3	4	2	20	3	7	6	1	2
Balance of county	2	7	1	1	-	1	-	-	-	-	-	2	-	2	1	2	2	1	-
Scott	-	3	-	-	2	2	-	-	-	-	-	-	3	8	2	1	2	-	-
Sedgwick	8	227	43	29	53	100	9	38	28	-	31	58	28	219	87	92	42	44	5
Wichita	6	217	40	24	46	96	8	33	26	-	27	53	26	198	74	82	31	41	4
Balance of county	2	10	3	5	7	4	1	5	2	-	4	5	2	21	13	10	11	3	1
Seward	-	8	2	6	-	6	-	2	1	-	-	1	5	8	4	7	4	2	2
Liberal	-	8	2	5	-	6	-	1	1	-	-	1	5	6	4	7	3	2	2
Balance of county	-	-	-	1	-	-	-	1	-	-	-	-	-	2	-	-	1	-	-
Shawnee	3	120	12	11	42	64	6	10	8	1	9	14	14	76	29	44	25	14	3
Topeka	3	104	9	9	37	59	6	10	7	1	9	14	14	69	22	38	24	13	3
Balance of county	-	16	3	2	5	5	-	-	1	-	-	-	-	7	7	6	1	1	-
Sheridan	-	4	-	-	-	1	1	-	-	-	-	1	1	5	1	1	-	-	-
Sherman	-	11	3	1	3	6	-	2	-	-	-	3	1	9	2	2	4	-	-
Smith	-	16	-	2	4	3	-	-	1	-	-	-	-	7	3	4	-	-	-
Stafford	-	8	-	3	2	3	-	1	-	-	-	1	-	6	2	1	-	-	-
Stanton	-	1	-	-	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-
Stevens	-	4	2	-	1	1	-	-	-	-	-	1	-	4	1	1	1	-	-
Sumner	2	20	13	2	5	3	4	4	5	-	2	3	16	16	6	9	5	-	-
Thomas	-	8	-	-	2	1	-	-	-	-	1	-	-	2	4	5	1	-	-
Trego	-	6	-	-	2	2	-	-	1	-	1	-	-	6	2	-	1	-	-
Wabaunsee	-	13	13	2	3	3	-	-	-	-	-	-	1	4	2	1	1	-	-
Wallace	-	2	-	-	1	2	-	-	-	-	-	-	-	1	-	1	-	-	-
Washington	-	7	7	1	9	-	1	1	1	-	-	2	-	5	1	7	-	-	-
Wichita	-	2	-	1	1	-	-	1	1	-	-	1	-	5	1	2	-	1	-
Wilson	-	15	5	1	2	7	1	3	7	-	1	1	-	9	7	3	2	-	-
Woodson	-	16	3	-	2	1	-	-	1	-	-	-	-	7	-	1	-	-	-
Wyandotte	8	114	21	17	43	62	5	24	18	1	21	22	105	131	38	43	26	43	1
Kansas City	7	105	20	16	40	60	5	22	18	1	20	21	102	123	34	41	28	43	1
Balance of county	1	9	1	1	3	2	-	2	-	-	1	1	3	8	4	2	-	-	-
Kentucky	99	3,017	469	304	1,005	1,149	115	364	265	6	220	342	204	2,414	868	950	438	315	38
Urban places	47	1,012	143	105	332	355	47	153	96	2	63	96	64	877	157	273	139	103	13
Balance of area	52	2,005	326	199	673	794	68	211	169	4	157	246	140	1,537	711	677	299	212	25
Metropolitan counties	52	1,273	179	132	397	501	50	204	110	1	102	163	70	1,081	282	407	209	124	12
Urban places	43	776	97	85	251	292	37	131	76	1	50	85	40	697	122	229	103	90	10
Balance of area	9	497	82	47	146	209	13	73	34	-	52	78	30	384	160	178	106	34	2
Nonmetropolitan counties	47	1,744	290	172	608	648	65	160	155	5	118	179	134	1,333	586	543	229	191	26
Urban places	4	236	46	20	81	63	10	22	20	1	13	11	24	180	35	44	36	13	3
Balance of area	43	1,508	244	152	527	585	55	138	135	4	105	168	110	1,153	551	499	193	178	23
Adair	-	11	1	1	11	8	-	1	-	-	1	1	1	8	8	1	-	-	1
Allen	1	17	1	1	7	1	2	2	2	-	-	-	4	9	8	2	1	-	-
Anderson	-	7	2	-	6	4	2	3	1	-	1	-	1	12	3	3	3	-	-
Ballard	1	15	1	1	8	9	-	1	1	-	-	1	-	7	1	6	2	-	-
Barren	-	28	3	3	6	12	1	1	1	-	-	1	2	25	12	8	6	7	-
Glasgow	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Balance of county	-	27	3	3	8	12	1	1	1	-	-	1	2	25	12	8	6	6	-
Bath	-	8	2	4	3	-	-	1	-	-	1	2	-	9	3	4	-	-	-
Bell	2	20	15	1	7	14	1	3	4	-	4	5	1	21	11	12	7	9	-
Middlesborough	-	10	2	-	4	7	-	-	2	-	2	1	-	10	3	4	5	2	-
Balance of county	2	10	13	1	3	7	1	3	2	-	2	4	1	11	8	8	2	7	-
Boone	-	31	3	1	6	6	-	-	1	-	1	4	1	14	16	15	7	2	1
Florence	-	13	1	1	1	4	-	-	1	-	1	1	1	6	3	5	3	1	-
Balance of county	-	18	2	-	5	2	-	-	-	-	-	3	-	8	13	10	4	1	1
Bourbon	-	14	8	3	7	10	1	5	2	-	1	3	-	10	7	7	1	-	-
Boyd	4	48	3	9	12	12	5	5	5	-	5	6	7	29	5	11	7	4	2
Ashland	2	33	2	7	9	7	3	1	4	-	3	1	5	16	4	4	4	4	2
Balance of county	2	15	1	2	3	5	2	4	1	-	2	5	2	13	1	7	3	-	-
Boyle	1	25	3	1	8	9	-	2	2	-	-	5	1	14	5	3	4	-	-
Danville	1	19	3	1	6	6	-	2	2	-	-	2	1	8	2	1	2	-	-
Balance of county	-	6	-	-	2	3	-	-	-	-	-	3	-	6	3	2	2	-	-
Bracken	-	3	1	1	6	4	-	1	2	-	-	1	-	10	-	3	2	-	-
Breathitt	1	10	1	-	5	6	1	-	-	-	1	2	-	7	6	6	-	6	-
Breckinridge	-	29	2	2	7	3	1	-	2	-	3	3	-	4	4	3	-	2	-
Bullitt	-	15	3	-	7	11	1	1	2	-	3	3	1	15	13	9	5	1	-
Butler	-	11	1	2	4	6	-	1	2	-	-	1	1	11	-	5	3	1	1
Caldwell	1	21	1	-	6	2	-	2	1	-	1	-	2	8	7	6	2	1	-
Calloway	1	41	2	1	8	10	2	1	4	1	-	2	1	20	9	4	6	1	-
Murray	1	16	-	1	5	5	2	1	3	-	-	-	-	10	1	2	2	1	-
Balance of county	-	25	2	-	3	5	-	-	1	1	-	2	1	10	8	2	4	-	-
Campbell	2	100	15	7	12	24	6	10	4	-	8	7	4	57	15	21	14	2	2
Fort Thomas	-	22	3	3	2	4	3	-	1	-	-	-	-	12	3	1	3	-	-
Newport	1	29	4	2	2	8	-	3	2	-	4	3	1	16	6	9	4	2	2
Balance of county	1	49	8	2	8	12	3	7	1	-	4	4	3	29	6	11	7	-	-
Carlisle	-	5	2	1	2	1	-	-	-	-	-	-	-	1	1	1	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
Carroll	107	1	-	2	17	5	5	1	1	1	1	3	4	55	41	-	-	29	12
Carter	215	-	-	3	45	14	13	1	3	1	2	11	-	114	90	-	1	53	36
Casey	158	-	-	-	34	10	11	4	4	2	-	3	3	81	41	-	1	23	17
Christian	499	3	-	6	89	16	30	3	15	4	1	20	6	233	178	-	8	128	42
Hopkinsville	313	2	-	4	59	10	17	2	11	4	1	14	5	149	107	-	6	78	23
Balance of county	186	1	-	2	30	6	13	1	4	-	-	6	1	84	71	-	2	50	19
Clark	218	1	-	1	43	17	8	3	2	3	1	9	1	115	103	-	9	33	61
Winchester	155	-	-	-	28	10	4	2	1	2	-	9	1	82	76	-	8	28	40
Balance of county	63	1	-	1	15	7	4	1	1	1	1	-	-	33	27	-	1	5	21
Clay	172	-	-	1	31	5	13	-	2	1	-	10	3	85	73	-	2	52	19
Clinton	102	-	-	1	25	9	9	2	3	-	-	2	3	55	42	-	-	31	11
Crittenden	142	-	-	-	29	9	8	2	2	1	2	5	3	69	58	-	-	55	3
Cumberland	75	2	-	-	14	2	5	2	-	-	2	3	2	39	32	-	1	26	5
Daviess	796	1	-	7	161	38	54	16	13	10	5	25	20	417	316	3	8	203	102
Owensboro	603	1	-	5	123	29	43	11	11	7	5	17	14	321	248	1	7	160	80
Balance of county	193	-	-	2	38	9	11	5	2	3	-	8	6	96	68	2	1	43	22
Edmonson	81	-	-	1	16	4	11	-	-	-	-	1	2	42	34	-	-	24	10
Elliott	66	-	-	1	18	6	4	-	-	2	1	5	2	29	23	-	-	15	8
Estill	141	-	-	1	28	3	8	3	5	-	-	9	2	76	62	-	2	49	11
Fayette	1,565	1	-	21	366	88	109	40	42	14	5	68	25	751	605	3	19	346	237
Lexington	1,489	1	-	20	342	82	101	38	40	13	4	64	22	719	580	3	17	334	226
Balance of county	76	-	-	1	24	6	8	2	2	1	1	4	3	32	25	-	2	12	11
Fleming	131	-	-	-	19	4	5	2	2	3	-	3	1	75	57	-	-	47	10
Floyd	391	-	-	4	88	19	30	7	10	1	6	15	9	180	137	2	1	75	59
Franklin	387	-	-	3	78	20	30	4	4	3	4	13	9	199	164	1	1	118	44
Frankfort	280	-	-	2	55	15	22	3	2	2	1	10	8	150	124	1	1	85	37
Balance of county	107	-	-	1	23	5	8	1	2	1	3	3	1	49	40	-	-	33	7
Fulton	135	-	-	-	26	4	9	3	6	-	2	2	1	76	51	-	1	39	11
Gallatin	37	-	-	-	13	4	3	1	2	1	-	2	2	12	10	-	-	7	3
Garrard	103	1	-	2	20	7	3	1	4	-	-	5	1	54	43	-	-	30	13
Grant	131	-	-	-	29	5	6	2	3	-	4	9	1	74	61	-	3	48	10
Graves	423	1	-	5	85	21	27	7	9	8	3	10	3	219	157	2	4	111	40
Mayfield	160	-	-	4	35	8	16	3	3	2	-	3	1	88	64	1	2	45	16
Balance of county	263	1	-	1	50	13	11	4	6	6	3	7	2	131	93	1	2	66	24
Grayson	223	-	-	2	37	12	11	2	5	-	1	6	-	128	108	-	-	69	39
Green	114	-	-	-	18	6	5	2	-	-	3	2	-	63	45	-	1	40	4
Greenup	330	-	-	3	75	22	22	3	10	2	2	14	7	172	131	-	-	87	44
Hancock	54	1	-	1	6	1	2	-	-	1	1	1	-	33	28	-	-	19	9
Hardin	449	-	-	2	89	16	35	5	9	3	1	20	4	205	160	2	6	118	34
Elizabethtown	133	-	-	-	25	4	10	-	3	1	1	6	1	65	51	-	3	40	8
Balance of county	316	-	-	2	64	12	25	5	6	2	-	14	3	140	109	2	3	79	26
Harlan	430	-	-	4	73	23	16	5	9	5	3	12	17	196	165	3	7	128	27
Harrison	224	-	-	2	55	18	9	5	6	-	2	15	4	113	65	-	2	56	7
Hart	161	-	-	1	35	7	11	5	3	1	1	7	4	75	54	-	1	41	12
Henderson	410	-	-	1	87	18	32	5	8	5	5	14	8	210	166	1	6	143	16
Henderson	303	-	-	1	59	11	20	5	4	4	5	10	6	155	121	1	3	107	10
Balance of county	107	-	-	-	28	7	12	-	4	1	-	4	2	55	45	-	3	36	6
Henry	144	-	-	2	29	5	6	1	4	3	2	8	6	84	63	-	1	55	7
Hickman	78	-	-	1	13	4	5	2	-	-	-	2	1	40	33	-	-	24	8
Hopkins	518	2	-	9	107	20	49	8	12	2	5	11	8	261	216	-	4	169	43
Madisonville	230	1	-	3	50	9	27	5	4	1	3	1	4	114	93	-	1	82	10
Balance of county	288	1	-	6	57	11	22	3	8	1	2	10	4	147	123	-	3	87	33
Jackson	120	-	-	1	29	7	5	3	6	1	1	6	1	49	39	-	-	30	9
Jefferson	6,426	7	-	45	1,439	389	447	130	136	55	43	239	147	3,104	2,343	24	104	1,588	627
Louisville	3,844	5	-	30	822	227	254	71	77	30	23	140	98	1,899	1,417	12	72	924	409
St. Matthews	168	-	-	-	40	13	12	1	5	3	-	6	5	92	71	-	4	49	18
Shively	169	-	-	-	47	9	14	8	7	1	2	6	5	95	80	1	2	50	27
Balance of county	2,225	2	-	15	530	140	167	50	47	21	18	87	39	1,018	775	11	26	565	173
Jessamine	177	-	-	1	37	9	13	2	4	1	1	7	2	75	54	-	2	35	17
Johnson	215	-	-	1	32	8	14	2	-	-	-	8	3	128	95	-	1	73	21
Kenton	1,345	1	-	7	315	74	109	22	39	11	8	52	31	639	506	5	19	398	84
Covington	667	1	-	4	137	28	53	7	17	3	2	27	17	316	260	1	10	202	47
Erlanger	98	-	-	-	26	5	7	3	3	2	3	3	2	40	30	-	1	28	1
Balance of county	580	-	-	3	152	41	49	12	19	6	3	22	12	283	216	4	8	168	36
Knott	125	-	-	1	23	4	7	-	6	-	1	5	3	57	46	-	2	37	7
Knox	283	1	-	1	48	13	17	2	7	-	1	8	5	150	119	1	5	68	45
Larue	108	-	-	1	23	9	5	2	1	1	2	3	1	56	48	-	1	36	11
Laurel	318	1	-	-	66	11	23	8	10	-	3	11	6	157	107	-	4	68	35
Lawrence	137	1	-	-	18	7	6	-	-	1	-	4	1	66	54	1	-	36	17
Lee	77	-	-	-	16	2	8	-	3	-	-	3	3	36	27	-	-	21	6
Leslie	96	-	-	1	18	3	6	-	3	-	1	5	1	34	24	-	-	14	10
Letcher	248	-	-	2	49	12	17	2	4	-	4	10	7	111	95	-	3	68	24
Lewis	120	-	-	-	17	3	7	3	1	3	-	-	3	68	56	-	-	46	10
Lincoln	214	1	-	1	37	7	13	2	6	1	3	5	-	118	96	-	2	64	30
Livingston	87	-	-	-	18	3	6	1	1	2	1	4	2	44	30	-	-	24	6
Logan	250	1	-	1	59	13	19	6	11	3	-	7	4	132	94	-	9	59	26
Lyon	78	-	-	3	18	3	6	1	3	1	1	3	1	36	21	3	-	14	4
McCracken	711	3	-	6	132	26	44	11	16	4	6	25	13	380	288	2	7	211	68
Paducah	505	3	-	4	85	17	28	6	14	2	4	14	11	273	205	1	5	149	50
Balance of county	206	-	-	2	47	9	18	5	2	2	2	11	2	107	83	1	2	62	18

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Carroll	-	10	2	2	5	4	-	3	-	-	-	1	1	3	5	2	2	2	-
Carter	-	16	4	4	6	7	-	1	-	-	1	3	2	18	4	6	5	-	-
Casey	2	30	4	4	3	6	-	-	1	-	-	1	2	12	7	6	1	1	-
Christian	3	37	13	2	17	17	-	9	5	-	6	10	2	46	17	18	8	7	-
Hopkinsville	3	26	11	2	13	7	-	6	3	-	3	4	-	34	9	8	5	2	-
Balance of county	-	11	2	-	4	10	-	3	2	-	3	6	2	12	8	10	3	5	-
Clark	1	8	3	-	9	5	3	-	5	-	2	1	2	13	3	9	4	1	-
Winchester	1	4	1	-	8	5	3	-	4	-	2	-	2	11	-	6	2	1	-
Balance of county	-	4	2	-	1	-	-	-	1	-	-	1	-	2	3	3	2	-	-
Clay	-	9	3	-	5	2	-	2	1	-	1	1	3	18	8	3	1	5	2
Clinton	-	13	-	-	2	2	-	-	1	-	-	1	1	3	4	2	1	1	-
Crittenden	-	10	-	1	10	5	2	1	1	-	1	2	-	9	4	3	3	-	-
Cumberland	-	6	-	1	3	2	-	1	1	-	-	-	-	6	3	2	-	-	-
Daviess	2	88	6	5	27	25	1	12	2	-	-	7	7	63	13	24	6	3	-
Owensboro	2	63	4	4	25	14	1	9	2	-	-	6	4	48	5	17	5	3	-
Balance of county	-	25	2	1	2	11	-	3	-	-	-	1	3	15	8	7	1	-	-
Edmonson	-	7	-	1	3	3	2	-	-	-	1	1	-	4	3	2	1	-	-
Elliott	1	2	3	-	-	2	-	1	2	-	-	2	-	2	2	4	1	-	-
Estill	-	12	2	-	4	9	-	1	-	-	2	1	1	8	4	3	1	-	-
Fayette	5	113	10	18	42	46	8	25	23	-	13	16	9	117	24	34	24	20	-
Lexington	5	106	10	18	41	44	7	25	21	-	10	15	9	113	24	32	24	20	-
Balance of county	-	7	-	-	1	2	1	-	2	-	3	1	-	4	-	2	-	-	-
Fleming	-	16	1	1	5	4	-	1	2	-	1	2	3	9	3	3	2	1	-
Floyd	1	29	7	6	6	15	3	5	7	-	2	4	1	22	14	15	6	10	-
Franklin	1	30	1	3	16	12	1	7	2	-	3	3	4	31	6	7	5	-	1
Frankfort	-	23	-	3	14	7	-	3	2	-	1	1	4	23	3	4	3	-	-
Balance of county	1	7	1	-	2	5	1	4	-	-	2	2	-	8	3	3	2	-	1
Fulton	2	18	3	2	1	8	-	1	2	-	-	-	-	12	2	3	3	-	-
Gallatin	-	1	-	1	3	-	-	-	1	-	-	-	1	1	2	1	1	-	-
Garrard	-	9	1	1	2	4	-	-	1	-	1	1	1	6	4	4	-	1	-
Grant	-	12	1	-	3	2	1	2	-	-	2	-	-	10	4	2	1	-	-
Graves	-	47	10	5	10	14	-	4	7	-	4	-	9	33	12	10	4	2	1
Mayfield	-	17	5	2	3	2	-	1	2	-	2	-	5	11	2	2	1	-	1
Balance of county	-	30	5	3	7	12	-	3	5	-	2	-	4	22	10	8	3	2	-
Grayson	-	17	1	2	7	12	3	2	2	-	3	1	2	13	4	6	1	-	-
Green	-	12	6	-	6	4	-	2	-	-	1	1	4	7	2	3	2	1	-
Greenup	-	32	5	4	9	13	-	5	2	-	1	3	-	16	7	12	4	-	1
Hancock	-	5	-	-	4	1	-	-	-	-	-	-	1	2	1	2	2	-	-
Hardin	-	36	4	5	23	17	2	3	1	1	4	18	8	31	20	11	6	4	-
Elizabethtown	-	13	1	-	8	3	-	1	-	-	1	2	3	15	4	3	2	-	-
Balance of county	-	23	3	5	15	14	2	2	1	1	3	16	5	16	16	8	4	4	-
Harlan	2	20	6	3	3	20	1	8	1	-	6	1	1	39	15	24	7	12	2
Harrison	-	26	19	3	9	6	-	4	2	-	1	1	-	10	7	4	1	3	2
Hart	1	16	2	2	3	5	2	2	2	-	-	3	-	13	4	6	2	4	-
Henderson	1	34	6	3	14	13	-	5	3	-	-	4	3	37	7	11	4	3	-
Henderson	1	28	5	-	14	3	-	4	2	-	-	4	2	30	4	9	2	3	-
Balance of county	-	6	1	3	-	5	-	1	1	-	-	-	1	7	3	2	2	-	-
Henry	1	15	4	1	2	5	-	-	-	-	-	-	1	7	-	6	2	-	-
Hickman	1	5	1	-	-	7	-	1	-	-	-	-	-	11	2	2	-	-	-
Hopkins	1	34	4	6	26	14	2	4	3	-	4	1	5	42	11	12	4	3	-
Madisonville	-	15	3	3	13	7	1	-	1	-	3	1	3	18	3	4	3	1	-
Balance of county	1	19	1	3	13	7	1	4	2	-	1	-	2	24	8	8	1	2	-
Jackson	-	7	3	-	6	5	-	2	-	-	1	1	-	9	4	8	1	1	2
Jefferson	30	591	81	59	172	247	20	99	45	1	39	74	23	507	108	175	96	73	5
Louisville	25	371	46	40	104	148	15	68	29	1	20	34	11	314	47	103	39	52	5
St. Matthews	-	15	3	3	2	6	-	1	-	-	-	2	-	16	-	1	3	-	-
Shively	1	14	-	-	3	6	1	4	2	-	1	3	-	16	1	5	-	-	-
Balance of county	4	191	32	16	63	87	4	26	14	-	18	35	12	161	60	66	54	21	-
Jessamine	-	12	7	2	2	10	-	5	-	-	4	3	1	20	3	7	5	2	-
Johnson	1	26	5	1	6	6	1	4	2	1	1	5	1	9	5	1	4	5	-
Kenton	3	108	10	12	42	46	5	19	8	-	12	18	7	105	26	44	16	3	1
Covington	2	42	7	5	25	28	4	9	5	-	6	10	5	59	10	22	6	2	1
Erlanger	-	10	-	-	2	3	-	1	-	-	-	2	-	6	6	7	3	-	-
Balance of county	1	56	3	7	15	15	1	9	3	-	6	6	2	40	10	15	7	1	-
Knott	1	9	-	1	1	3	1	-	2	-	1	1	4	8	8	9	1	2	-
Knox	-	29	1	1	7	9	-	1	3	-	1	1	4	19	10	16	2	5	-
Larue	-	8	-	-	7	2	-	-	-	-	2	-	-	5	5	3	-	2	1
Laurel	1	45	2	2	6	13	3	2	5	-	2	5	3	29	6	11	1	2	-
Lawrence	1	9	-	2	4	13	2	-	1	-	1	1	1	14	8	3	3	-	-
Lee	-	7	1	1	4	1	-	-	-	-	3	-	-	5	2	5	-	2	-
Leslie	-	6	2	2	3	5	-	2	2	-	1	2	1	5	4	8	2	7	-
Letcher	1	13	1	1	10	18	1	3	2	-	2	4	2	17	10	5	3	2	-
Lewis	-	7	3	-	4	9	1	1	-	-	2	1	2	7	3	3	-	-	1
Lincoln	1	17	2	2	10	7	1	4	4	-	-	4	-	12	9	6	-	-	-
Livingston	-	10	2	2	4	4	1	-	-	-	-	-	-	6	5	2	1	-	-
Logan	-	31	6	1	7	7	-	1	3	-	-	3	-	15	9	3	2	2	1
Lyon	2	7	2	4	2	1	-	1	-	-	-	-	-	8	4	1	2	1	-
McCracken	2	64	20	6	23	24	2	9	5	-	6	1	3	54	13	18	12	5	2
Paducah	-	45	17	6	16	15	1	7	4	-	1	1	3	46	10	10	11	3	1
Balance of county	2	19	3	-	7	9	1	2	1	-	5	-	-	8	3	8	1	2	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Kentucky—Con.																			
McCreary	143	-	-	-	36	8	11	1	2	1	4	9	-	60	54	1	-	40	13
McLean	124	-	-	-	18	4	7	1	3	-	1	2	5	71	62	-	2	45	15
Madison	352	1	-	2	67	14	17	4	7	4	4	17	3	194	154	1	1	127	25
Richmond	139	1	-	1	27	5	6	2	5	1	2	6	2	80	62	-	1	51	10
Balance of county	213	-	-	1	40	9	11	2	2	3	2	11	1	114	92	1	-	76	15
Magoffin	104	-	-	3	14	1	4	-	2	1	-	6	3	55	44	-	-	32	12
Marion	158	-	-	-	23	6	9	2	1	-	1	4	3	88	66	-	4	52	10
Marshall	231	1	-	4	43	11	12	1	7	-	3	9	1	133	90	-	-	72	18
Martin	88	-	-	-	13	3	6	-	-	-	-	4	1	45	38	-	-	17	21
Mason	158	-	-	1	36	12	9	3	5	-	1	6	5	79	66	-	1	48	17
Meade	129	-	-	-	33	6	15	1	5	-	-	6	3	57	45	1	3	33	8
Menifee	51	-	-	-	7	4	2	-	-	-	-	1	1	35	27	-	-	14	13
Mercer	186	-	-	2	31	8	12	3	2	4	1	1	4	103	87	-	-	69	18
Metcalfe	88	-	-	-	16	3	4	1	2	1	-	5	1	49	38	-	2	25	11
Monroe	145	-	-	-	25	9	6	1	4	-	-	5	5	71	61	-	-	46	15
Montgomery	153	-	-	5	32	4	7	1	7	-	-	13	5	77	63	-	-	40	23
Morgan	137	-	-	1	19	5	9	2	-	1	1	1	1	73	51	1	2	34	14
Muhlenberg	348	-	-	3	64	11	14	1	9	6	2	21	7	175	119	-	3	88	28
Nelson	209	-	-	3	45	17	7	5	5	1	1	9	4	100	73	-	3	53	17
Nicholas	78	-	-	-	17	5	4	1	2	-	1	4	3	41	18	-	-	14	4
Ohio	255	1	-	3	55	14	12	6	6	4	1	12	5	126	91	-	-	78	13
Oldham	119	-	-	-	24	5	8	3	3	1	-	4	1	59	41	-	1	32	8
Owen	90	-	-	1	14	4	3	1	1	-	3	2	-	55	37	-	1	29	7
Owsley	48	-	-	-	5	3	-	1	-	-	-	1	1	26	23	-	-	18	5
Pendleton	103	-	1	-	20	7	5	2	3	1	1	1	5	53	43	-	-	30	13
Perry	309	-	-	2	65	19	25	4	4	6	2	5	3	141	117	-	-	87	30
Pike	630	1	-	3	119	27	44	9	13	3	5	18	16	287	230	2	2	182	44
Powell	89	-	-	-	14	4	3	1	1	1	1	3	3	44	32	-	3	19	10
Pulaski	449	2	-	8	89	26	25	5	9	7	3	14	9	234	171	-	7	120	44
Somerset	141	-	-	-	24	9	5	2	3	1	1	3	2	80	58	-	1	45	12
Balance of county	308	2	-	8	65	17	20	3	6	6	2	11	7	154	113	-	6	75	32
Robertson	26	-	-	-	3	1	1	-	1	-	-	-	-	19	15	-	-	11	4
Rockcastle	146	-	-	2	32	6	7	3	3	1	1	11	2	72	57	1	-	38	18
Rowan	136	-	-	1	28	6	7	3	3	-	5	4	3	66	47	-	-	37	10
Russell	131	-	-	3	29	4	12	2	2	1	2	6	2	64	48	-	-	29	19
Scott	181	-	-	2	35	10	9	2	4	4	1	5	1	85	64	-	7	35	22
Shelby	234	-	-	1	47	18	13	-	3	3	2	8	5	130	88	-	2	81	5
Simpson	146	-	-	-	34	14	10	5	1	1	1	2	1	82	61	1	-	36	24
Spencer	56	-	-	-	10	3	4	2	-	-	1	-	-	36	27	-	-	18	9
Taylor	170	1	-	1	30	11	8	1	1	2	-	7	3	97	69	1	1	53	14
Todd	133	-	-	1	24	6	7	2	4	1	1	3	4	74	56	-	6	43	7
Trigg	103	-	-	-	30	10	7	2	3	2	1	5	-	47	38	-	-	29	9
Trimble	50	-	-	-	16	4	2	3	1	1	1	4	-	20	16	-	-	15	1
Union	170	-	-	1	42	11	10	3	6	1	1	10	6	86	69	-	3	58	8
Warren	559	2	-	3	145	38	35	13	24	5	6	24	4	278	186	1	6	134	45
Bowling Green	327	1	-	1	98	24	26	9	13	4	3	19	1	164	106	-	5	79	22
Balance of county	232	1	-	2	47	14	9	4	11	1	3	5	3	114	80	1	1	55	23
Washington	107	-	-	2	23	8	4	1	4	1	2	3	3	55	39	-	2	31	6
Wayne	161	1	-	4	31	10	12	1	1	2	2	3	4	87	78	-	3	44	31
Webster	205	-	-	2	37	14	6	7	6	-	-	4	3	109	92	-	1	78	13
Whitley	289	-	-	1	57	12	22	4	2	3	2	12	7	143	121	-	-	83	38
Wolfe	67	-	-	-	12	3	4	1	4	-	-	-	4	33	26	-	1	21	4
Woodford	133	-	-	4	25	6	5	4	4	1	1	4	1	69	52	-	2	35	15
Louisiana	36,024	58	4	401	7,196	1,736	2,122	531	712	267	296	1,532	819	17,390	13,091	59	633	8,954	3,445
Urban places	17,252	34	4	207	3,476	846	1,018	279	332	132	138	731	416	8,346	6,380	31	334	4,338	1,677
Balance of area	18,772	24	-	194	3,720	890	1,104	252	380	135	158	801	403	9,044	6,711	28	299	4,616	1,768
Metropolitan counties	22,094	41	4	274	4,581	1,077	1,377	369	433	171	178	976	523	10,434	8,018	37	404	5,516	2,061
Urban places	14,718	30	4	192	3,001	732	883	243	288	110	113	632	367	7,056	5,453	25	292	3,714	1,422
Balance of area	7,376	11	-	82	1,580	345	494	126	145	61	65	344	156	3,378	2,565	12	112	1,802	639
Nonmetropolitan counties	13,930	17	-	127	2,615	659	745	162	279	96	118	556	296	6,956	5,073	22	229	3,438	1,384
Urban places	2,534	4	-	15	475	114	135	36	44	22	25	99	49	1,290	927	6	42	624	255
Balance of area	11,396	13	-	112	2,140	545	610	126	235	74	93	457	247	5,666	4,146	16	187	2,814	1,129
Acadia	532	1	-	7	97	27	24	8	6	4	10	18	11	269	186	3	7	139	37
Crowley	166	-	-	1	29	6	8	3	1	2	4	5	2	90	60	1	4	40	15
Eunice, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of parish	366	1	-	6	68	21	16	5	5	2	6	13	9	179	126	2	3	99	22
Allen	231	1	-	-	42	9	16	2	3	1	2	9	5	114	86	1	-	70	15
Ascension	313	-	-	6	62	10	23	4	2	5	2	16	4	136	112	-	7	81	24
Assumption	166	1	-	2	40	13	15	1	1	4	-	6	4	83	67	-	-	52	15
Avoyelles	458	-	-	5	73	17	19	4	9	3	3	18	13	258	188	1	3	137	47
Beauregard	229	-	-	2	44	10	19	1	5	1	-	8	1	125	86	-	1	73	12
Bienville	189	-	-	3	46	9	8	2	8	-	2	17	2	90	69	-	1	37	31
Bossier	538	3	-	7	116	17	43	9	19	2	8	18	11	234	176	1	2	131	42
Bossier City	313	1	-	5	74	10	30	7	9	1	3	14	7	132	101	1	1	76	23
Shreveport, part	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of parish	223	2	-	2	42	7	13	2	10	1	5	4	4	101	74	-	1	54	19

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
McCreary	-	6	-	-	4	7	-	-	1	-	1	2	-	10	8	6	4	4	-
McLean	-	6	3	-	2	3	-	1	1	-	-	2	-	12	3	5	-	-	1
Madison	1	31	5	3	9	6	2	2	4	-	3	2	1	22	9	14	4	6	1
Richmond	-	14	3	1	5	1	1	1	1	-	-	1	-	9	2	4	1	2	-
Balance of county	1	17	2	2	4	5	1	1	3	-	3	1	1	13	7	10	3	4	1
Magoffin	-	9	1	1	2	2	1	-	-	-	-	1	1	7	7	5	3	-	-
Marion	1	17	4	-	5	5	1	4	1	-	1	2	1	13	2	7	1	1	-
Marshall	-	29	6	8	13	7	-	-	4	-	1	-	-	15	2	6	1	-	-
Martin	-	6	1	-	3	3	-	-	1	-	-	3	6	8	3	1	1	-	-
Mason	-	8	2	3	6	7	-	3	1	-	-	1	-	7	4	7	1	-	-
Meade	-	8	3	1	8	8	-	-	-	-	-	2	-	6	8	1	2	1	-
Menifee	-	6	1	1	1	-	-	-	-	-	1	1	-	3	2	-	-	-	-
Mercer	-	13	2	1	14	8	-	3	-	-	1	1	-	9	4	2	3	1	-
Metcalfe	1	8	2	-	3	2	-	3	1	-	-	2	2	4	3	2	-	-	-
Monroe	-	8	2	-	5	8	1	2	2	-	1	1	1	11	4	4	2	1	1
Montgomery	-	9	4	1	6	4	-	1	2	-	2	1	3	7	2	2	3	1	-
Morgan	-	20	-	2	7	4	1	-	-	-	2	1	-	15	5	5	1	2	-
Muhlenberg	-	47	4	5	8	8	2	2	1	-	1	4	-	43	15	12	2	1	-
Nelson	1	24	1	1	6	11	-	2	1	-	3	3	-	11	14	3	1	2	-
Nicholas	-	16	5	2	-	1	1	-	-	-	-	-	1	5	4	2	3	-	-
Ohio	-	29	5	1	15	7	1	-	3	-	-	2	-	21	9	5	2	-	-
Oldham	-	14	2	2	2	6	-	-	-	-	3	3	2	3	7	3	4	2	-
Owen	1	15	-	2	-	2	2	-	-	-	-	-	2	7	4	1	1	1	-
Owsley	-	1	1	1	1	2	-	1	-	-	1	1	-	4	4	-	1	1	-
Pendleton	-	9	-	1	2	4	-	2	2	-	1	-	-	6	3	3	-	1	-
Perry	1	21	1	1	6	10	1	2	2	-	1	4	1	25	9	11	9	16	1
Pike	1	50	2	4	25	30	-	5	9	1	3	11	6	41	32	29	4	8	-
Powell	1	9	2	-	2	2	-	1	-	-	1	-	2	8	6	3	-	3	-
Pulaski	1	46	12	4	13	10	3	2	4	-	5	4	3	37	7	12	7	-	-
Somerset	1	15	4	2	5	4	3	2	1	-	1	-	2	10	1	4	2	-	-
Balance of county	-	31	8	2	6	6	-	-	3	-	4	4	1	27	6	8	5	-	-
Robertson	-	1	3	-	-	1	-	-	-	-	-	-	1	1	-	-	1	-	-
Rockcastle	-	15	-	-	2	4	-	-	3	-	-	-	-	23	4	1	-	1	-
Rowan	-	14	4	1	2	6	-	-	2	-	4	2	-	10	7	3	-	2	-
Russell	-	13	2	1	3	4	-	-	1	-	1	-	1	16	3	3	-	1	-
Scott	1	15	4	1	12	6	-	3	3	-	4	1	-	18	5	5	1	-	-
Shelby	2	28	11	1	6	8	-	2	1	-	-	6	-	11	5	7	4	-	1
Simpson	2	14	2	3	6	6	-	-	-	-	1	-	-	9	2	1	4	-	-
Spencer	-	7	2	-	2	1	-	-	-	-	-	-	1	4	2	-	-	-	-
Taylor	-	24	-	4	5	4	-	-	2	-	-	2	2	13	5	2	3	-	-
Todd	1	14	1	2	5	4	-	-	1	-	-	-	1	10	3	3	2	1	-
Trigg	-	6	1	2	7	1	1	1	2	-	-	-	-	6	1	7	-	-	-
Trimble	-	3	1	-	3	1	-	1	-	-	1	-	-	5	2	-	1	-	-
Union	-	13	2	2	5	3	1	2	2	-	1	-	-	11	3	4	2	1	-
Warren	1	76	9	6	9	12	3	7	3	1	3	7	6	31	11	12	14	7	1
Bowling Green	1	48	8	1	2	6	2	4	2	1	2	2	3	20	4	6	4	3	1
Balance of county	-	28	1	5	7	6	1	3	1	-	1	5	3	11	7	6	10	4	-
Washington	-	13	1	2	5	1	1	-	1	-	-	1	-	9	2	2	-	2	-
Wayne	1	5	1	2	2	2	-	1	2	-	2	1	1	11	4	2	2	4	-
Webster	-	15	1	1	5	10	-	2	1	-	1	1	-	15	5	10	2	-	2
Whitley	-	17	3	2	5	10	1	3	3	-	2	5	4	14	12	12	3	6	1
Wolfe	-	6	-	1	-	1	-	-	-	-	-	1	1	7	2	3	-	3	-
Woodford	-	13	-	4	5	4	-	1	-	-	-	-	1	11	6	2	3	1	-
Louisiana	144	3,135	712	308	726	859	74	445	468	13	314	583	347	2,636	1,228	1,253	487	704	19
Urban places	64	1,471	293	138	338	398	39	251	224	10	117	309	138	1,302	420	547	219	450	7
Balance of area	80	1,664	419	170	388	461	35	194	244	3	197	274	209	1,334	808	706	268	254	12
Metropolitan counties	88	1,829	313	186	416	533	45	312	290	7	178	376	189	1,674	630	746	313	518	10
Urban places	59	1,233	196	115	285	325	32	220	190	7	100	271	117	1,143	320	457	187	409	5
Balance of area	29	596	117	71	131	208	13	92	100	-	78	105	72	531	310	289	126	109	5
Nonmetropolitan counties	56	1,306	399	122	310	326	29	133	178	6	136	207	158	962	598	507	174	186	9
Urban places	5	238	97	23	53	73	7	31	34	3	17	38	21	159	100	90	32	41	2
Balance of area	51	1,068	302	99	257	253	22	102	144	3	119	169	137	803	498	417	142	145	7
Acadia	1	56	20	6	17	17	2	6	5	-	5	7	-	40	18	16	11	3	-
Crowley	-	16	13	1	5	4	-	2	2	-	-	3	-	10	8	4	5	1	-
Eunice, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of parish	1	40	7	5	12	13	2	4	3	-	5	4	-	30	10	12	6	2	-
Allen	-	26	2	-	7	5	-	3	3	-	1	-	3	19	15	6	1	6	-
Ascension	2	15	4	3	6	4	-	3	4	-	4	5	-	23	19	23	7	7	-
Assumption	-	11	5	-	5	1	-	1	1	-	3	1	1	12	-	6	1	4	-
Avoyelles	7	40	17	6	10	12	1	4	3	-	5	6	1	32	11	17	4	3	-
Beauregard	-	23	13	3	2	6	1	3	-	-	5	6	-	14	6	9	3	2	-
Bienville	-	17	3	1	4	2	-	2	3	-	-	-	5	21	4	5	-	2	-
Bossier	2	41	12	3	15	15	1	9	8	-	1	11	8	35	24	20	11	9	-
Bossier City	1	19	8	3	11	7	-	6	1	-	1	8	5	21	11	10	8	5	-
Shreveport, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Balance of parish	1	22	4	-	4	8	1	3	7	-	-	3	3	14	13	9	3	4	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Louisiana—Con.																			
Caddo	2,447	4	1	32	558	124	160	46	60	23	25	120	50	1,161	888	7	41	530	310
Shreveport, part	2,089	3	1	26	460	109	129	40	44	21	22	95	42	1,017	772	7	35	449	281
Shreveport, total	2,091	3	1	26	460	109	129	40	44	21	22	95	42	1,018	773	7	35	450	281
Balance of parish	358	1	-	6	98	15	31	6	16	2	3	25	8	144	116	-	6	81	29
Calcasieu	1,314	1	-	18	272	73	89	21	18	10	7	54	32	653	436	-	20	301	115
Lake Charles	691	-	-	8	143	41	45	6	10	6	3	32	16	351	225	-	12	155	58
Sulphur	169	-	-	2	37	8	14	6	1	2	-	6	4	84	58	-	-	43	15
Balance of parish	454	1	-	8	92	24	30	9	7	2	4	16	12	218	153	-	8	103	42
Caldwell	117	-	-	-	24	4	6	2	3	2	-	7	6	50	45	-	4	31	10
Cameron	90	-	-	-	24	9	11	1	-	1	-	2	-	30	25	-	-	15	10
Catahoula	125	-	-	-	25	5	7	1	2	1	1	8	2	59	43	-	1	31	11
Claiborne	220	-	-	1	36	13	6	3	4	2	-	8	8	121	90	-	6	75	9
Concordia	207	-	-	1	32	4	10	1	3	1	2	11	4	117	74	-	6	49	19
De Soto	295	2	-	2	57	14	15	3	10	1	3	11	9	152	90	1	1	58	30
East Baton Rouge	2,469	4	2	24	478	110	128	49	43	21	19	108	40	1,190	937	5	59	720	153
Baton Rouge	2,021	4	2	22	374	92	99	37	33	20	12	81	37	1,009	797	4	50	617	126
Balance of parish	448	-	-	2	104	18	29	12	10	1	7	27	3	181	140	1	9	103	27
East Carroll	133	-	-	-	20	3	7	-	4	-	-	6	7	83	30	-	4	16	10
East Feliciana	165	-	-	1	37	7	11	3	5	-	3	8	2	77	51	-	3	35	13
Evangeline	369	2	-	4	60	21	14	4	5	1	1	14	14	184	147	-	5	93	49
Franklin	276	1	-	-	54	15	18	2	3	1	3	12	10	140	100	-	3	78	18
Grant	157	-	-	3	31	4	10	3	4	2	2	6	5	63	43	-	2	33	8
Iberia	576	-	-	2	112	30	34	11	10	-	3	24	8	275	209	1	16	121	71
New Iberia	334	-	-	1	65	15	24	8	5	-	2	11	5	161	117	1	8	67	41
Balance of parish	242	-	-	1	47	15	10	3	5	-	1	13	3	114	92	-	8	54	30
Iberville	314	1	-	3	59	9	19	1	11	4	3	12	9	164	126	1	27	61	37
Jackson	175	-	-	4	41	13	5	-	6	1	4	10	2	90	64	-	-	51	13
Jefferson	3,023	4	-	28	661	155	203	57	52	22	30	142	74	1,346	1,040	5	48	741	246
Gretna	318	1	-	5	74	12	24	6	9	1	6	16	4	122	106	-	1	84	21
Harahan	80	1	-	2	17	4	4	5	-	-	1	3	1	47	41	-	3	29	9
Kenner	316	-	-	3	76	22	24	5	6	3	2	14	8	122	95	-	7	68	20
Westwego	148	1	-	-	29	4	14	-	4	-	1	6	2	60	51	-	4	35	12
Balance of parish	2,161	1	-	18	465	113	137	41	33	18	20	103	59	995	747	5	33	525	184
Jefferson Davis	304	1	-	-	50	17	13	2	2	3	1	12	11	136	97	-	2	62	33
Jennings	113	1	-	-	17	6	3	-	1	1	-	6	4	52	37	-	1	19	17
Balance of parish	191	-	-	-	33	11	10	2	1	2	1	6	7	84	60	-	1	43	16
Lafayette	911	-	-	16	197	60	55	20	16	6	4	36	16	415	309	1	12	200	96
Lafayette	600	-	-	10	133	44	36	13	10	4	3	23	9	272	200	1	4	127	68
Balance of parish	311	-	-	6	64	16	19	7	6	2	1	13	7	143	109	-	8	73	28
Lafourche	595	-	-	8	108	33	18	6	10	5	8	28	12	282	220	2	4	137	77
Thibodaux	151	-	-	3	22	7	5	1	-	2	1	6	3	81	69	-	-	44	25
Balance of parish	444	-	-	5	86	26	13	5	10	3	7	22	9	201	151	2	4	93	52
La Salle	192	-	-	3	42	12	9	3	3	2	2	11	1	100	80	-	3	66	11
Lincoln	260	-	-	-	60	12	20	7	6	-	4	11	2	150	106	-	9	71	26
Ruston	120	-	-	-	31	6	9	5	3	-	2	6	1	60	45	-	4	31	10
Balance of parish	140	-	-	-	29	6	11	2	3	-	2	5	1	90	61	-	5	40	16
Livingston	407	1	-	9	72	19	25	6	3	2	3	15	6	174	137	1	3	83	50
Madison	173	-	-	2	41	11	14	3	7	-	-	6	-	88	64	-	4	33	27
Morehouse	340	1	-	4	71	14	27	3	10	3	3	11	6	183	129	1	12	89	27
Bastrop	176	1	-	1	44	11	13	-	7	2	3	8	2	99	72	-	7	50	15
Balance of parish	164	-	-	3	27	3	14	3	3	1	-	3	4	84	57	1	5	39	12
Natchitoches	378	-	-	2	72	15	14	10	6	6	4	17	8	208	148	-	7	119	22
Natchitoches	148	-	-	1	30	8	5	4	1	2	3	7	3	81	49	-	2	39	8
Balance of parish	230	-	-	1	42	7	9	6	5	4	1	10	5	127	99	-	5	80	14
Orleans, coext. with New Orleans city	6,157	17	1	92	1,236	303	349	97	129	45	46	266	195	2,897	2,258	11	142	1,606	499
Ouachita	1,108	2	-	6	200	48	58	9	20	5	7	53	26	600	504	1	16	206	281
Monroe	595	1	-	6	92	20	29	6	9	-	2	26	16	333	278	-	13	103	162
West Monroe	249	-	-	-	62	15	20	2	5	1	3	16	5	136	111	-	1	50	60
Balance of parish	264	1	-	-	46	13	9	1	6	4	2	11	5	131	115	1	2	53	59
Plaquemines	180	-	-	4	50	9	19	4	2	3	3	10	4	66	56	-	4	36	15
Pointe Coupee	220	-	-	3	49	13	15	1	7	1	4	8	6	106	71	-	-	54	17
Rapides	1,260	3	-	15	244	54	73	15	26	12	8	56	19	632	491	1	33	375	82
Alexandria	613	1	-	7	112	33	31	7	13	4	1	23	13	308	243	1	17	188	37
Balance of parish	647	2	-	8	132	21	42	8	13	8	7	33	6	324	248	-	16	187	45
Red River	152	-	-	3	19	3	4	2	2	2	2	4	5	88	71	-	1	20	50
Richland	247	-	-	1	40	12	10	-	5	2	2	9	3	161	130	-	4	108	18
Sabine	285	-	-	5	45	8	8	4	5	3	5	12	6	139	105	-	4	54	47
St. Bernard	530	1	-	7	114	27	33	12	11	4	4	23	10	261	206	4	3	164	35
St. Charles	233	-	-	2	48	12	15	2	5	2	-	12	2	100	84	1	8	59	16
St. Helena	91	-	-	-	12	3	5	1	2	-	1	-	6	47	30	1	4	15	10
St. James	183	-	-	5	33	7	12	4	2	2	-	6	3	83	60	1	3	42	14
St. John the Baptist	225	-	-	3	43	11	16	2	4	1	1	8	9	93	72	-	3	52	17
St. Landry	772	2	-	5	143	31	39	7	15	6	6	39	18	380	293	1	18	209	65
Eunice, part	118	-	-	1	18	1	4	-	4	1	1	7	4	62	53	-	3	41	9
Eunice, total	118	-	-	1	18	1	4	-	4	1	1	7	4	62	53	-	3	41	9
Opelousas	223	-	-	-	39	8	11	2	4	2	2	10	5	109	82	1	6	56	19
Balance of parish	431	2	-	4	86	22	24	5	7	3	3	22	9	209	158	-	9	112	37
St. Martin	297	1	-	-	47	12	17	3	3	3	1	8	3	149	117	2	2	90	23
St. Mary	501	-	-	4	106	27	36	5	10	7	3	18	12	219	178	2	12	118	46
Morgan City	155	-	-	1	33	8	10	1	2	5	-	7	5	76	56	1	-	46	9
Balance of parish	346	-	-	3	73	19	26	4	8	2	3	11	7	143	122	1	12	72	37

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Louisiana—Con.																			
Caddo	9	228	13	23	50	54	5	30	25	2	18	20	25	167	40	91	29	60	1
Shreveport, part	8	208	11	20	52	48	3	25	17	2	15	27	20	146	32	69	27	56	1
Shreveport, total	8	208	11	20	52	48	3	25	17	2	15	27	20	146	32	70	27	58	1
Balance of parish	1	22	2	3	7	6	2	5	8	-	1	1	5	21	17	22	2	4	-
Calcasieu	12	145	47	13	18	35	4	15	20	-	9	15	8	83	46	49	20	16	-
Lake Charles	7	85	31	3	8	19	2	9	13	-	3	8	4	45	17	23	10	11	-
Sulphur	1	18	3	4	2	7	1	-	3	-	-	1	2	11	8	3	3	1	-
Balance of parish	4	42	13	6	8	9	1	6	4	-	6	6	2	26	21	23	7	4	-
Caldwell	-	11	3	-	4	3	-	2	2	-	-	2	-	7	2	4	2	-	-
Cameron	-	6	2	-	1	3	-	1	1	-	1	1	2	2	4	4	2	1	-
Catahoula	-	13	1	2	5	2	-	-	3	-	2	-	1	12	8	4	1	1	-
Claiborne	2	27	2	-	8	2	-	1	2	-	1	4	2	13	9	6	3	3	-
Concordia	1	35	4	3	5	3	-	1	-	-	3	7	3	11	5	9	1	5	-
De Soto	1	54	7	-	8	11	-	2	5	-	1	5	2	16	8	9	3	3	-
East Baton Rouge	11	185	43	14	42	54	5	26	32	1	26	74	9	179	98	84	44	62	3
Baton Rouge	9	154	35	14	34	44	5	24	26	1	17	61	8	140	60	69	30	52	2
Balance of parish	2	31	8	-	8	10	-	2	6	-	9	13	1	39	38	15	14	10	1
East Carroll	2	21	9	1	6	4	-	2	1	-	1	2	4	10	4	6	-	3	-
East Feliciana	1	24	1	-	5	5	1	4	1	-	1	1	1	14	4	7	2	2	-
Evangeline	1	29	2	5	9	11	-	3	5	1	5	1	1	23	15	13	12	6	-
Franklin	1	38	1	2	5	8	1	1	6	-	2	4	8	11	11	9	2	3	-
Grant	-	17	1	2	4	12	-	-	5	-	1	-	4	12	8	5	-	4	-
Iberia	1	46	14	5	7	17	2	5	8	-	5	14	6	51	27	19	8	10	-
New Iberia	-	30	10	4	5	9	1	4	5	-	1	8	3	27	15	10	7	7	-
Balance of parish	1	16	4	1	2	8	1	1	3	-	4	6	3	24	12	9	1	3	-
Iberville	3	25	7	3	5	10	-	2	6	-	3	1	3	24	8	10	3	1	-
Jackson	2	23	1	-	7	3	-	3	3	-	2	-	2	10	1	3	2	2	-
Jefferson	8	236	33	29	49	79	7	46	43	1	37	51	19	245	97	105	69	57	5
Gretna	-	13	1	2	5	12	-	5	7	-	2	5	2	20	14	19	9	12	-
Harahan	1	5	-	-	-	1	-	-	2	-	-	2	-	3	1	-	2	1	-
Kenner	-	24	1	2	11	6	-	5	3	-	3	10	2	28	13	5	9	11	1
Westwego	2	6	-	1	3	8	2	-	1	1	2	7	1	16	4	6	2	3	-
Balance of parish	5	188	31	24	30	52	5	36	30	-	30	27	14	178	65	75	47	30	4
Jefferson Davis	-	27	10	2	11	11	2	3	4	-	3	5	8	25	18	9	5	2	-
Jennings	-	12	2	1	4	4	1	1	2	-	-	1	5	8	8	4	-	1	-
Balance of parish	-	15	8	1	7	7	1	2	2	-	3	4	3	17	10	5	5	1	-
Lafayette	5	86	27	8	11	19	1	9	13	1	15	22	13	58	43	22	22	17	1
Lafayette	3	48	16	5	6	14	1	8	10	1	9	13	6	39	27	14	13	14	1
Balance of pa	2	18	11	3	5	5	-	1	3	-	6	9	7	19	16	8	9	3	-
Lafourche	2	41	12	7	4	12	4	4	6	-	10	10	3	40	43	26	9	10	4
Thibodaux	-	6	6	-	2	4	-	1	1	-	3	4	1	11	7	3	1	4	-
Balance of parish	2	35	6	7	2	8	4	3	5	-	7	6	2	29	36	23	8	6	4
La Salle	1	16	2	1	5	6	-	-	1	-	-	1	1	9	12	9	1	1	-
Lincoln	-	35	5	4	4	4	-	2	2	2	2	4	-	20	6	10	-	1	-
Ruston	-	14	1	-	1	3	-	1	1	2	2	2	-	10	3	3	-	-	-
Balance of parish	-	21	4	4	3	1	-	1	1	-	-	2	-	10	3	7	-	1	-
Livingston	3	23	8	3	7	11	1	4	5	-	2	13	20	34	20	15	6	7	-
Madison	2	21	-	1	3	5	-	1	2	-	1	3	1	12	4	5	2	3	-
Morehouse	2	35	8	9	9	4	-	4	7	-	3	3	3	22	3	13	-	4	-
Bastrop	1	17	4	5	3	3	-	1	3	-	3	2	2	7	1	3	-	1	-
Balance of pa	1	18	4	4	6	1	-	3	4	-	-	1	1	15	2	10	-	3	-
Natchitoches	1	50	4	5	10	9	-	3	5	-	1	4	2	27	7	9	3	7	1
Natchitoches	1	26	1	4	2	4	-	3	2	-	1	2	-	9	2	4	-	3	1
Balance of parish	-	24	3	1	8	5	-	-	3	-	-	2	2	18	5	5	3	4	-
Orleans, coext. with New Orleans city	20	500	70	40	105	116	16	118	86	1	30	99	49	543	91	197	53	215	-
Ouachita	3	74	15	4	21	24	-	10	14	-	7	19	20	71	27	32	13	16	-
Monroe	2	43	8	2	12	12	-	6	9	-	5	11	13	40	15	12	4	8	-
West Monroe	-	20	4	1	5	3	-	3	2	-	-	2	2	16	3	5	3	2	-
Balance of parish	1	11	3	1	4	9	-	1	3	-	2	6	5	15	9	15	6	6	-
Plaquemines	-	12	-	1	4	3	-	1	2	-	5	4	1	6	14	11	2	1	-
Pointe Coupee	2	28	4	1	2	4	-	5	5	-	5	2	1	11	8	6	5	2	-
Rapides	5	107	14	15	38	47	1	13	17	1	12	18	5	85	33	23	17	27	-
Alexandria	2	51	6	6	24	22	1	7	6	1	6	13	-	46	13	7	9	17	-
Balance of parish	3	56	8	9	14	25	-	6	11	-	6	5	5	40	20	16	8	10	-
Red River	2	7	5	3	1	5	-	1	3	-	1	4	3	12	-	3	1	3	-
Richland	3	25	2	1	7	3	1	1	1	-	1	2	1	13	8	1	1	2	-
Sabine	1	22	9	2	12	4	-	1	2	-	2	1	1	14	19	6	4	3	1
St. Bernard	3	43	3	6	8	16	-	10	4	-	4	5	-	38	20	22	7	3	-
St. Charles	-	14	-	2	2	5	-	2	6	-	7	8	1	15	16	8	4	5	-
St. Helena	-	13	3	1	3	-	-	1	-	-	1	-	-	9	7	3	-	2	-
St. James	-	18	3	2	4	6	-	2	4	-	3	2	3	13	12	8	-	2	-
St. John the Baptist	1	18	1	3	1	4	1	3	6	-	5	7	1	21	14	8	5	1	-
St. Landry	4	66	12	6	21	15	2	11	14	-	6	11	3	51	41	29	13	6	1
Eunice, part	-	8	1	-	3	4	-	1	1	-	-	1	-	8	6	4	2	3	-
Eunice, total	-	8	1	-	3	4	-	1	1	-	-	1	-	8	6	4	2	3	-
Opelousas	2	20	4	1	12	4	1	3	5	-	1	1	1	9	11	14	6	2	-
Balance of parish	2	37	7	5	6	7	1	7	8	-	5	9	2	34	24	11	5	1	1
St. Martin	-	23	5	4	6	10	1	1	2	-	5	10	-	22	13	16	6	5	-
St. Mary	2	35	3	1	14	15	1	8	2	1	6	10	2	34	27	20	5	13	2
Morgan City	-	18	2	-	3	7	-	3	-	-	2	2	-	4	7	4	3	4	1
Balance of parish	2	17	1	1	11	8	1	5	2	1	4	8	2	30	20	16	2	9	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Louisiana—Con.																			
St. Tammany	805	1	-	5	206	43	88	14	14	8	6	33	16	343	249	-	4	161	84
Slidell	179	-	-	1	45	10	23	4	1	1	3	3	3	77	58	-	1	37	20
Balance of parish	626	1	-	4	161	33	65	10	13	7	3	30	13	266	191	-	3	124	64
Tangipahoa	721	-	-	8	104	24	23	9	12	2	5	29	5	401	186	-	5	120	61
Hammond	130	-	-	2	12	3	3	1	2	-	-	3	1	81	37	-	1	27	9
Balance of parish	591	-	-	6	92	21	20	8	10	2	5	26	4	320	149	-	4	93	52
Tensas	88	-	-	1	19	4	7	1	4	-	1	2	2	48	42	-	2	34	6
Terrebonne	660	-	-	2	123	37	31	14	9	5	4	23	16	293	217	1	7	162	47
Houma	295	-	-	1	57	13	16	8	6	2	2	10	8	126	89	-	5	62	22
Balance of parish	365	-	-	1	66	24	15	6	3	3	2	13	8	167	128	1	2	100	25
Union	226	1	-	2	44	13	13	3	6	-	-	9	1	111	91	-	5	43	43
Vermilion	431	1	-	7	88	31	27	6	9	2	2	11	7	207	169	-	2	98	69
Abbeville	151	1	-	-	31	11	11	2	1	2	-	4	-	81	67	-	-	31	36
Balance of parish	280	-	-	7	57	20	16	4	8	-	2	7	7	126	102	-	2	67	33
Vernon	342	-	-	3	58	12	16	3	7	4	5	11	5	130	98	-	4	59	35
Washington	540	1	-	9	89	25	23	2	15	2	6	16	15	276	200	2	3	143	52
Bogalusa	254	1	-	3	47	11	13	1	7	1	5	9	6	131	94	2	1	71	20
Balance of parish	286	-	-	6	42	14	10	1	8	1	1	7	9	145	106	-	2	72	32
Webster	503	-	-	5	103	25	31	4	11	3	5	24	12	280	178	-	4	146	28
Minden	178	-	-	3	37	5	12	2	5	1	3	9	5	98	58	-	1	46	11
Balance of parish	325	-	-	2	66	20	19	2	6	2	2	15	7	172	120	-	3	100	17
West Baton Rouge	152	-	-	1	31	6	9	3	5	1	-	7	7	69	54	-	8	38	8
West Carroll	138	-	-	2	24	6	6	1	3	1	2	5	3	79	64	-	2	47	15
West Feliciana	84	-	-	-	16	4	10	1	1	-	-	-	2	42	31	-	2	26	3
Winn	226	-	-	2	48	9	14	3	7	1	3	11	6	116	89	-	5	49	35
Maine	10,387	7	-	71	2,314	644	612	195	239	108	74	442	134	5,282	4,067	34	106	3,106	821
Urban places	3,224	2	-	24	702	210	175	62	80	24	22	129	46	1,667	1,268	13	34	956	265
Balance of area	7,163	5	-	47	1,612	434	437	133	159	84	52	313	88	3,615	2,799	21	72	2,150	556
Metropolitan counties	5,441	5	-	44	1,248	352	338	108	116	62	42	230	66	2,731	2,112	18	50	1,592	452
Urban places	2,589	2	-	23	570	178	142	53	58	23	20	96	35	1,337	1,025	9	29	753	234
Balance of area	2,852	3	-	21	678	174	196	55	58	39	22	134	31	1,304	1,087	9	21	839	218
Nonmetropolitan counties	4,946	2	-	27	1,066	292	274	87	123	46	32	212	68	2,551	1,955	16	56	1,514	369
Urban places	635	-	-	1	132	32	33	9	22	1	2	33	11	330	243	4	5	203	31
Balance of area	4,311	2	-	26	934	260	241	78	101	45	30	179	57	2,221	1,712	12	51	1,311	338
Androscoggin	900	-	-	5	217	62	59	24	16	12	4	40	17	450	344	1	9	273	61
Auburn	241	-	-	2	61	18	15	4	5	3	2	14	2	130	106	-	7	77	22
Lewiston	413	-	-	1	93	28	28	14	5	4	2	12	10	220	160	-	2	135	23
Balance of county	246	-	-	2	63	16	16	6	6	5	-	14	5	100	78	1	-	61	16
Aroostook	746	-	-	3	156	46	42	14	19	6	1	28	7	394	300	4	5	259	32
Caribou	76	-	-	-	17	6	1	2	2	-	-	6	1	37	30	1	-	24	5
Presque Isle	94	-	-	1	19	5	5	1	4	-	-	4	2	38	22	2	-	16	4
Balance of county	576	-	-	2	120	35	36	11	13	6	1	18	4	319	248	1	5	219	23
Cumberland	1,968	4	-	23	446	132	107	39	51	17	18	82	19	905	762	9	18	551	184
Portland	738	1	-	11	149	46	33	12	17	5	8	28	9	375	289	6	6	200	77
South Portland	218	1	-	-	64	21	12	7	11	1	3	9	2	98	74	1	2	48	23
Westbrook	127	-	-	2	31	12	10	1	3	2	-	3	1	68	48	-	1	37	10
Balance of county	885	2	-	10	202	53	52	19	20	9	7	42	7	454	351	2	9	266	74
Franklin	246	-	-	3	57	9	20	5	5	2	2	14	3	118	89	1	1	76	11
Hancock	464	-	-	5	104	33	19	10	11	5	4	22	5	231	191	-	6	133	52
Kennebec	1,047	1	-	2	222	57	59	16	31	4	6	49	17	565	435	3	11	354	67
Augusta	251	-	-	-	53	10	14	1	8	1	1	18	5	138	109	1	2	92	14
Waterville	214	-	-	-	43	11	13	5	8	-	1	5	3	117	82	-	3	71	8
Balance of county	582	1	-	2	126	36	32	10	15	3	4	26	9	310	244	2	6	191	45
Knox	363	-	-	2	81	24	25	8	4	3	1	16	9	194	137	4	3	106	24
Lincoln	273	-	-	2	62	10	17	6	8	3	2	16	4	137	95	1	2	71	21
Oxford	515	-	-	3	108	25	26	6	18	8	4	21	7	266	210	-	6	168	36
Penobscot	1,109	-	-	11	238	60	80	17	17	11	7	46	12	551	435	3	11	329	92
Bangor	339	-	-	5	67	20	19	7	5	1	2	13	6	171	131	-	3	103	25
Balance of county	770	-	-	6	171	40	61	10	12	10	5	33	6	380	304	3	8	226	67
Piscataquis	191	1	-	-	39	15	14	1	2	-	-	7	1	94	68	1	6	40	21
Sagadahoc	227	1	-	-	54	11	11	7	4	3	3	15	3	122	93	1	3	75	14
Somerset	479	-	-	1	99	31	19	8	12	6	8	15	8	248	188	1	2	135	50
Waldo	259	-	-	3	60	18	13	6	5	3	3	12	4	122	86	-	1	67	18
Washington	363	-	-	3	78	24	20	7	8	6	1	12	3	183	156	1	13	105	37
York	1,237	-	-	5	293	87	81	21	28	19	10	47	15	613	478	4	9	364	101
Biddeford	216	-	-	-	47	14	14	3	5	-	2	9	4	113	87	1	3	51	32
Saco	133	-	-	1	25	7	3	1	5	4	-	5	1	76	61	-	1	46	14
Sanford town #	164	-	-	1	33	12	8	4	2	3	1	3	-	86	69	1	4	56	8
Balance of county	724	-	-	3	188	54	56	13	16	12	7	30	10	338	261	2	1	211	47
Maryland	33,949	33	3	398	8,053	2,084	2,173	715	835	337	264	1,645	638	15,890	12,803	124	734	6,790	5,155
Urban places	12,647	17	-	192	2,849	763	752	247	307	109	80	591	253	5,937	4,795	43	327	2,260	2,165
Balance of area	21,302	16	3	206	5,204	1,321	1,421	468	528	228	184	1,054	385	9,953	8,008	81	407	4,530	2,990
Metropolitan counties	29,611	28	1	375	7,053	1,836	1,890	636	717	288	233	1,453	549	13,752	11,174	110	652	5,807	4,605
Urban places	12,046	17	-	191	2,714	720	723	239	294	97	75	566	240	5,635	4,574	41	312	2,122	2,099
Balance of area	17,565	11	1	184	4,339	1,116	1,167	397	423	191	158	887	309	8,117	6,600	69	340	3,685	2,506

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Louisiana—Con.																			
St. Tammany	1	71	15	7	18	31	2	11	6	-	9	11	6	47	38	34	9	12	-
Slidell	-	14	2	3	4	2	1	2	1	-	5	1	1	16	8	9	2	1	-
Balance of parish	1	57	13	4	14	29	1	9	5	-	4	10	5	31	30	25	7	11	-
Tangipahoa	1	71	136	7	16	13	-	2	11	1	2	18	10	47	29	33	10	11	-
Hammond	-	12	31	1	2	2	-	-	2	-	2	4	3	7	4	7	1	-	-
Balance of parish	1	59	105	6	14	11	-	2	9	1	-	14	7	40	25	26	9	11	-
Tensas	1	4	-	1	-	1	1	1	1	-	-	2	-	7	4	-	1	-	-
Terrebonne	2	41	27	6	12	21	2	7	7	-	8	12	6	38	45	39	14	15	-
Houma	-	23	11	3	5	15	2	4	4	-	2	7	3	18	14	16	4	9	-
Balance of parish	2	18	16	3	7	6	-	3	3	-	6	5	3	20	31	23	10	6	-
Union	-	17	1	2	4	5	1	1	3	-	-	1	3	26	7	10	2	4	-
Vermilion	-	30	5	3	10	6	-	3	8	1	5	5	3	31	21	18	7	3	-
Abbeville	-	11	2	1	2	2	-	1	4	1	-	-	2	15	3	5	2	1	-
Balance of parish	-	19	3	2	8	4	-	2	4	-	5	5	1	16	18	13	5	2	-
Vernon	-	28	3	1	8	2	-	1	3	-	4	9	50	22	21	13	7	6	-
Washington	6	42	23	5	9	17	2	12	6	-	2	3	2	39	28	17	5	8	-
Bogalusa	1	25	9	2	4	8	2	6	2	-	-	1	1	16	11	9	1	5	-
Balance of parish	5	17	14	3	5	9	-	6	4	-	2	2	1	23	17	8	4	3	-
Webster	4	71	4	3	9	15	1	7	4	-	2	3	3	35	19	18	4	3	-
Minden	3	27	-	-	3	4	-	2	3	-	2	3	2	12	3	8	3	-	-
Balance of parish	1	44	4	3	6	11	1	5	1	-	-	-	1	23	16	10	1	3	-
West Baton Rouge	-	7	4	4	6	1	1	1	4	-	3	2	-	9	8	6	2	3	-
West Carroll	-	13	1	1	3	2	1	2	2	-	-	1	1	9	5	1	1	2	-
West Feliciana	-	7	1	3	-	2	1	2	-	-	-	-	2	8	4	5	-	-	-
Winn	-	27	-	-	5	7	1	2	1	-	2	3	1	17	2	9	-	4	-
Maine	48	812	200	156	289	382	29	158	93	-	69	66	56	779	217	244	157	36	4
Urban places	10	274	67	48	86	113	9	58	25	-	19	14	13	258	45	73	54	14	2
Balance of area	38	538	133	107	203	269	20	100	68	-	50	52	43	521	172	171	103	22	2
Metropolitan counties	21	410	102	86	160	180	10	80	45	-	44	31	29	424	102	135	83	22	2
Urban places	7	209	55	41	75	88	5	48	16	-	14	12	10	209	38	58	36	12	1
Balance of area	14	201	47	45	85	92	5	32	29	-	30	19	19	215	64	77	47	10	1
Nonmetropolitan counties	27	402	98	69	129	202	10	78	48	-	25	35	27	355	115	109	74	14	2
Urban places	3	65	12	7	11	25	4	10	9	-	5	2	3	49	7	15	18	2	1
Balance of area	24	337	86	62	118	177	15	68	39	-	20	33	24	306	108	94	56	12	1
Androscoggin	7	59	25	15	22	23	-	14	8	-	5	2	8	69	20	20	15	5	-
Auburn	1	16	5	2	7	2	-	4	1	-	1	1	2	15	4	7	2	-	-
Lewiston	3	34	15	8	8	12	-	6	3	-	-	-	2	32	6	7	11	2	-
Balance of county	3	9	5	5	7	9	-	4	4	-	4	1	4	22	10	6	2	3	-
Aroostook	7	72	6	9	17	39	6	11	8	-	4	3	3	50	11	20	10	3	1
Caribou	1	6	-	-	1	5	1	-	1	-	1	-	-	7	1	3	1	-	-
Presque Isle	-	14	1	1	1	4	1	3	2	-	1	-	-	9	2	5	4	1	1
Balance of county	6	52	5	8	15	30	4	8	5	-	2	3	3	34	8	12	5	2	-
Cumberland	9	172	18	34	55	68	7	29	13	-	16	15	8	164	20	43	35	7	1
Portland	-	66	7	13	22	32	3	15	4	-	5	7	2	63	8	22	7	2	1
South Portland	1	19	1	3	8	6	1	2	1	-	2	1	1	20	-	3	7	1	-
Westbrook	1	15	1	3	2	2	-	5	1	-	1	-	-	11	1	1	1	-	-
Balance of county	7	72	9	15	23	28	3	7	7	-	8	7	5	70	11	17	20	4	-
Franklin	2	16	7	4	8	7	-	4	3	-	-	3	3	16	13	6	2	-	-
Hancock	2	30	4	4	13	21	1	9	6	-	3	6	2	26	11	14	7	-	-
Kennebec	5	87	23	15	17	40	3	17	10	-	6	7	6	70	21	17	23	3	-
Augusta	1	22	5	1	4	8	2	4	1	-	3	2	1	15	2	6	7	-	-
Waterville	1	23	6	5	5	8	-	3	5	-	-	-	2	18	2	1	6	1	-
Balance of county	3	42	12	9	8	24	1	10	4	-	3	5	3	37	17	10	10	2	-
Knox	1	35	15	6	9	7	1	7	4	-	-	2	1	35	2	5	4	-	-
Lincoln	1	30	6	5	10	12	-	4	1	-	1	-	1	17	2	12	7	1	-
Oxford	5	36	10	4	9	25	4	10	2	-	5	3	5	42	11	12	4	-	-
Penobscot	3	76	18	19	46	39	3	15	16	-	13	4	4	88	26	24	11	7	1
Bangor	1	26	8	5	17	9	1	6	4	-	3	1	1	30	4	6	3	5	-
Balance of county	2	50	10	14	29	30	2	9	12	-	10	3	3	58	22	18	8	2	1
Piscataquis	-	16	9	1	9	9	1	3	4	-	1	-	2	17	3	4	1	2	-
Sagadahoc	-	20	7	2	8	7	-	3	2	-	2	2	1	10	3	5	4	-	-
Somerset	2	36	11	11	16	21	1	3	3	-	2	7	3	30	18	6	10	3	-
Waldo	2	24	5	5	9	13	-	3	3	-	1	4	1	23	6	3	2	1	1
Washington	-	20	2	5	12	8	2	7	4	-	2	-	-	29	17	10	4	1	-
York	2	83	34	16	29	43	-	19	6	-	8	8	8	93	33	43	18	3	-
Biddeford	-	12	11	3	4	10	-	7	-	-	2	-	1	14	5	7	2	-	-
Saco	-	11	4	-	4	6	-	1	2	-	-	2	1	10	4	-	-	-	-
Sanford town #	-	10	3	4	3	9	-	2	-	-	-	-	-	14	6	5	3	2	-
Balance of county	2	50	16	9	18	18	-	9	4	-	6	6	6	55	18	31	13	1	-
Maryland	135	2,232	369	351	706	912	99	438	381	5	241	444	521	2,732	791	733	437	435	59
Urban places	64	837	114	127	272	308	39	164	167	2	76	162	251	1,141	153	288	108	244	23
Balance of area	71	1,395	255	224	434	604	60	274	214	3	165	282	270	1,591	638	445	329	191	36
Metropolitan counties	114	1,872	285	307	605	765	92	392	342	3	210	381	474	2,459	658	636	379	409	48
Urban places	58	774	107	122	251	283	37	157	161	2	72	156	245	1,106	144	272	104	237	22
Balance of area	56	1,098	178	185	354	482	55	235	181	1	138	225	229	1,353	514	364	275	172	26

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Maryland—Con.																			
Nonmetropolitan counties	4,338	5	2	23	1,000	248	283	79	118	49	31	192	89	2,138	1,629	14	82	983	550
Urban places	601	-	-	1	135	43	29	8	13	12	5	25	13	302	221	2	15	138	66
Balance of area	3,737	5	2	22	865	205	254	71	105	37	26	167	76	1,836	1,408	12	67	845	484
Allegany	991	-	-	5	207	61	49	14	26	12	10	35	20	532	426	5	6	311	104
Cumberland	415	-	-	1	91	27	16	7	10	6	5	20	6	240	193	2	3	142	46
Balance of county	576	-	-	4	116	34	33	7	16	6	5	15	14	292	233	3	3	169	58
Anne Arundel	2,413	1	-	22	622	161	164	63	59	29	19	127	49	1,069	866	8	36	487	335
Annapolis	324	-	-	2	79	26	15	7	8	5	3	15	9	156	108	2	7	60	39
Balance of county	2,089	1	-	20	543	135	149	56	51	24	16	112	40	913	758	6	29	427	296
Baltimore	5,401	3	-	64	1,415	386	378	108	139	68	43	313	82	2,662	2,195	18	85	1,208	883
Baltimore city	9,337	14	-	171	2,082	550	578	162	231	70	44	447	197	4,326	3,556	29	256	1,513	1,755
Calvert	257	1	-	1	66	14	17	6	8	4	4	13	9	108	74	2	3	41	38
Caroline	258	-	1	5	58	12	17	5	10	2	2	8	8	128	104	1	6	65	32
Carroll	725	1	-	10	173	44	51	13	17	6	9	33	17	338	286	5	18	162	101
Cecil	460	-	-	5	101	29	35	8	12	4	7	6	9	232	195	-	10	126	58
Charles	372	1	-	5	82	23	26	3	4	4	7	15	8	172	138	2	13	74	40
Dorchester	367	-	-	1	92	19	31	9	5	6	5	17	7	161	139	-	8	95	36
Cambridge	181	-	-	-	41	10	9	3	3	4	3	9	6	94	73	-	6	50	17
Balance of county	186	-	-	1	51	9	22	6	2	2	2	8	1	67	66	-	2	45	19
Frederick	863	1	1	3	202	58	45	16	19	12	6	46	21	413	314	4	13	184	113
Frederick	266	-	-	1	66	23	12	4	8	6	2	11	5	130	95	2	5	58	30
Balance of county	597	1	1	2	136	35	33	12	11	6	4	35	16	283	219	2	8	126	83
Garrett	244	-	-	-	32	11	6	3	4	2	1	5	6	141	115	-	4	82	29
Harford	872	1	-	10	210	58	53	16	13	9	8	53	13	416	347	2	18	209	118
Aberdeen	86	-	-	-	14	3	4	2	1	-	-	4	1	42	37	-	2	21	14
Balance of county	786	1	-	10	196	55	49	14	12	9	8	49	12	374	310	2	16	188	104
Howard	598	-	-	3	150	24	50	15	15	10	8	28	14	246	208	2	10	93	103
Kent	179	-	-	-	48	13	14	1	6	3	3	8	1	90	75	-	2	32	41
Montgomery	3,719	3	1	32	956	251	204	125	89	41	40	206	45	1,713	1,327	14	64	758	491
Rockville	479	1	-	5	128	32	29	20	13	6	5	23	3	217	174	2	4	107	61
Takoma Park, part	109	-	-	-	26	7	7	3	3	-	2	4	3	50	40	-	3	15	22
Takoma Park, total	138	-	-	-	35	8	10	4	3	1	4	5	4	60	47	-	3	17	27
Balance of county	3,131	2	1	27	802	212	168	102	73	35	33	179	39	1,446	1,113	12	57	636	408
Prince Georges	3,627	3	-	43	832	211	236	90	81	29	28	157	75	1,505	1,199	18	120	560	501
Bowie	123	-	-	-	36	10	6	7	3	1	2	7	1	54	45	1	8	20	16
College Park	85	-	-	4	18	8	4	2	1	-	1	2	2	39	33	-	3	19	11
Greenbelt	66	-	-	2	12	3	1	1	-	2	-	5	1	27	20	2	4	8	6
Hyattsville	410	-	-	2	85	22	14	14	10	2	4	19	3	191	145	1	11	70	63
Laurel	114	1	-	2	22	3	8	1	2	-	1	7	2	46	34	-	1	13	20
New Carrollton	30	-	-	-	10	3	3	1	1	1	-	1	-	8	7	-	-	3	4
Takoma Park, part	29	-	-	-	9	1	3	1	-	1	2	1	1	10	7	-	-	2	5
Balance of county	2,770	2	-	33	640	161	197	63	64	22	18	115	65	1,130	908	14	93	425	376
Queen Annes	246	-	-	1	56	11	16	5	12	-	1	10	7	122	101	2	3	64	32
St Marys	410	-	-	2	104	27	32	7	8	6	1	23	6	177	124	1	3	81	39
Somerset	256	-	-	5	54	11	18	5	9	1	1	9	4	124	87	1	8	47	31
Talbot	299	2	-	1	70	21	17	3	9	4	2	14	4	170	126	1	5	78	42
Washington	1,016	1	-	5	223	58	66	19	31	6	10	33	20	542	432	7	13	306	106
Hagerstown	439	1	-	2	102	25	35	11	11	3	6	11	11	230	176	2	8	129	37
Balance of county	577	-	-	3	121	33	31	8	20	3	4	22	9	312	256	5	5	177	69
Wicomico	626	1	-	3	144	35	43	10	19	9	4	24	10	312	227	1	20	136	70
Salisbury	154	-	-	-	28	10	8	1	2	2	-	5	2	78	53	-	4	30	19
Balance of county	472	1	-	3	116	25	35	9	17	7	4	19	8	234	174	1	16	106	51
Worcester	333	-	-	1	77	16	27	9	9	-	1	15	6	172	143	1	7	78	57
Massachusetts	52,982	28	-	518	12,291	3,473	2,830	1,199	1,247	576	436	2,530	936	26,636	21,125	229	423	17,231	3,242
Urban places	37,072	21	-	390	8,471	2,439	1,967	796	830	392	281	1,766	682	18,603	14,801	161	311	12,096	2,233
Balance of area	15,910	7	-	128	3,820	1,034	863	403	417	184	155	764	254	8,033	6,324	68	112	5,135	1,009
Metropolitan counties	50,390	28	-	505	11,688	3,327	2,692	1,137	1,181	540	407	2,404	892	25,302	20,177	221	399	16,469	3,088
Urban places	37,072	21	-	390	8,471	2,439	1,967	796	830	392	281	1,766	682	18,603	14,801	161	311	12,096	2,233
Balance of area	13,318	7	-	115	3,217	888	725	341	351	148	126	638	210	6,699	5,376	60	88	4,373	855
Nonmetropolitan counties	2,592	-	-	13	603	146	138	62	66	36	29	126	44	1,334	948	8	24	762	154
Urban places	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of area	2,592	-	-	13	603	146	138	62	66	36	29	126	44	1,334	948	8	24	762	154
Barnstable	1,852	-	-	12	459	111	106	49	48	27	23	95	27	925	637	7	16	530	84
Berkshire	1,548	-	-	13	360	101	75	42	43	13	13	73	36	778	592	6	11	462	113
North Adams	233	-	-	2	47	14	11	6	5	4	1	6	4	129	95	-	3	77	15
Pittsfield	574	-	-	5	136	43	32	15	20	3	1	22	18	282	214	2	3	164	45
Balance of county	741	-	-	6	177	44	32	21	18	6	11	45	14	367	283	4	5	221	53
Bristol	4,516	1	-	28	1,052	320	240	98	124	43	39	188	88	2,455	1,865	22	42	1,617	184
Attleboro	304	-	-	1	61	22	14	4	8	2	1	10	5	171	123	-	4	111	8
Fall River	1,084	-	-	7	266	81	59	24	32	9	10	51	24	583	418	7	11	367	33
New Bedford	1,156	-	-	10	239	67	50	23	33	10	13	43	29	668	511	5	9	449	48
Somerset town #	156	-	-	1	43	12	12	1	6	2	2	8	1	85	67	1	1	53	12
Taunton	396	-	-	4	84	28	22	7	9	6	3	9	12	200	155	-	3	131	21
Balance of county	1,420	1	-	5	359	110	83	39	36	14	10	67	17	748	591	9	14	506	62
Dukes	106	-	-	-	20	4	4	2	3	1	-	6	4	56	44	-	1	38	7
Essex	6,190	-	-	53	1,430	413	307	142	133	77	42	316	110	3,216	2,535	26	56	1,991	462
Beverly	330	-	-	3	76	28	15	7	5	4	2	15	12	156	107	2	2	78	25
Danvers town #	229	-	-	6	49	10	15	6	5	6	1	6	5	117	89	-	2	57	30
Gloucester	304	-	-	5	80	25	18	9	6	2	4	16	5	140	96	-	3	67	26
Haverhill	516	-	-	2	124	31	35	8	12	5	5	26	6	250	211	5	3	170	33
Lawrence	694	-	-	1	137	42	28	11	15	10	2	29	22	383	304	3	7	261	33
Lynn	982	-	-	4	214	57	52	23	19	15	4	44	16	533	427	3	8	350	57
Marblehead town #	169	-	-	1	41	10	9	6	4	1	2	9	-	86	60	-	2	57	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 cr more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Maryland—Con.																			
Nonmetropolitan counties	21	360	84	44	101	147	7	46	39	2	31	63	47	273	133	97	58	26	11
Urban places	6	63	7	5	21	25	2	7	6	-	4	6	6	35	9	16	5	7	1
Balance of area	15	297	77	39	80	122	5	39	33	2	27	57	41	238	124	81	53	19	10
Allegany	1	84	11	10	23	32	9	7	7	-	3	6	6	60	20	32	7	6	-
Cumberland	1	39	2	5	10	13	3	2	3	-	-	1	2	21	4	13	2	3	-
Balance of county	-	45	9	5	13	19	6	5	4	-	3	5	4	39	16	19	5	3	-
Anne Arundel	4	144	26	28	53	58	8	29	27	-	18	34	31	188	86	57	41	19	2
Annapolis	1	34	5	7	4	6	-	4	5	-	1	5	5	32	3	5	6	3	-
Balance of county	3	110	21	21	49	52	8	25	22	-	17	29	26	156	83	52	35	16	2
Baltimore	13	356	38	60	104	128	20	73	63	-	37	48	66	404	106	83	73	44	6
Baltimore city	49	586	62	94	188	201	28	132	137	2	55	119	213	870	78	210	68	215	21
Calvert	1	14	18	1	3	9	-	2	2	-	2	4	2	21	9	8	6	4	-
Caroline	-	20	3	1	5	8	1	3	4	-	1	4	3	12	6	5	5	2	1
Carroll	2	42	5	3	15	29	-	10	7	-	4	8	6	39	34	17	9	5	3
Cecil	1	24	9	3	9	16	-	6	2	-	3	3	7	30	21	8	5	2	1
Charles	3	22	4	5	5	10	2	4	1	-	5	7	16	26	16	2	5	1	2
Dorchester	-	35	6	1	6	14	-	2	3	-	3	1	5	19	13	10	5	2	3
Cambridge	-	17	3	1	3	6	-	2	2	-	1	-	3	10	3	6	3	1	-
Balance of county	-	18	3	-	3	8	-	-	1	-	2	1	2	9	10	4	2	1	3
Frederick	7	73	8	11	25	28	3	9	8	1	6	20	7	47	34	13	14	5	2
Frederick	4	25	2	4	12	13	2	2	4	-	2	5	1	14	3	3	2	1	-
Balance of county	3	48	6	7	13	15	1	7	4	1	4	15	6	33	31	10	12	4	2
Garrett	2	7	14	3	11	8	1	5	2	-	1	7	-	15	5	8	2	-	-
Harford	4	47	10	8	21	21	1	16	11	-	9	15	11	54	25	19	11	8	-
Aberdeen	-	4	1	-	2	3	-	4	-	-	1	3	-	9	2	3	-	2	-
Balance of county	4	43	9	8	19	18	1	12	11	-	8	12	11	45	23	16	11	6	-
Howard	1	24	2	11	9	15	3	8	13	-	11	4	6	61	24	14	11	6	-
Kent	1	12	-	2	5	5	-	1	3	-	1	1	-	14	6	1	1	1	1
Montgomery	17	271	57	41	90	121	8	39	29	-	31	41	38	313	104	69	57	22	7
Rockville	3	31	6	3	11	15	2	3	5	-	7	4	2	* 43	16	13	3	1	-
Takoma Park, part	-	8	2	-	5	4	-	1	1	-	-	1	1	10	3	-	2	2	-
Takoma Park, total	-	10	2	1	6	5	-	2	2	-	-	2	1	13	3	-	2	3	-
Balance of county	14	232	49	38	74	102	6	35	23	-	24	36	35	260	85	56	52	19	7
Prince Georges	16	215	42	33	57	104	11	60	39	1	23	91	61	329	116	112	81	78	6
Bowie	-	4	3	2	-	2	-	1	4	-	-	1	1	9	6	1	5	2	-
College Park	-	5	-	1	1	3	-	1	-	-	-	-	2	10	3	1	1	-	-
Greenbelt	-	5	2	-	-	3	1	-	-	-	-	3	1	9	2	3	2	-	-
Hyattsville	2	31	7	6	7	15	2	5	2	-	4	8	9	48	9	8	8	3	1
Laurel	1	6	3	2	3	4	-	2	1	-	1	6	3	8	4	4	3	2	-
New Carrollton	-	1	-	-	-	1	-	-	-	-	-	1	2	3	3	2	-	-	-
Takoma Park, part	-	2	-	1	1	1	-	1	1	-	-	1	-	3	-	-	-	1	-
Balance of county	13	161	27	21	45	75	8	50	31	1	18	71	43	239	89	93	62	70	5
Queen Annes	2	13	1	5	7	8	1	6	1	1	1	2	5	18	5	3	3	-	-
St. Marys	2	33	11	7	9	13	-	1	9	-	2	8	8	29	18	15	10	-	-
Somerset	-	24	12	1	5	7	1	4	2	-	2	2	3	21	9	11	1	1	-
Talbot	1	35	3	5	4	9	-	3	2	-	1	2	2	17	5	2	3	1	1
Washington	3	77	19	11	21	30	2	8	6	-	11	5	13	76	26	13	11	3	-
Hagerstown	1	38	14	1	9	12	1	1	2	-	3	3	4	31	11	9	4	3	-
Balance of county	2	39	5	10	12	18	1	7	4	-	8	2	9	45	15	4	7	-	-
Wicomico	3	74	6	2	12	25	-	7	2	-	3	11	7	40	17	17	4	9	2
Salisbury	2	21	2	-	6	6	-	3	-	-	1	1	2	11	3	7	-	5	1
Balance of county	1	53	4	2	6	19	-	4	2	-	2	10	5	29	14	10	4	4	1
Worcester	2	20	2	5	9	13	-	3	1	-	8	1	5	21	6	4	4	1	1
Massachusetts	176	4,046	704	585	1,936	1,501	158	752	469	1	256	372	335	3,962	879	1,153	512	229	58
Urban places	125	2,842	453	382	1,391	1,044	107	548	347	1	170	258	260	2,864	512	843	325	192	43
Balance of area	51	1,204	251	203	545	457	51	204	122	-	86	114	75	1,098	367	310	187	37	15
Metropolitan counties	166	3,794	624	541	1,840	1,432	148	716	441	1	249	363	325	3,781	828	1,096	478	224	53
Urban places	125	2,842	453	382	1,391	1,044	107	548	347	1	170	258	260	2,864	512	843	325	192	43
Balance of area	41	952	171	159	449	388	41	168	94	-	79	105	65	917	316	253	153	32	10
Nonmetropolitan counties	10	252	80	44	96	69	10	36	28	-	7	9	10	181	51	57	34	5	5
Urban places	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of area	10	252	80	44	96	69	10	36	28	-	7	9	10	181	51	57	34	5	5
Barnstable	3	184	61	30	75	60	5	25	19	-	6	4	7	124	41	37	19	4	3
Berkshire	3	128	28	27	61	53	4	18	9	-	7	17	12	112	23	24	18	2	1
North Adams	2	22	4	6	7	10	1	-	5	-	1	2	2	14	3	4	1	1	-
Pittsfield	1	50	8	9	23	26	-	5	2	-	3	3	2	46	4	9	9	1	-
Balance of county	-	56	16	12	31	17	3	13	2	-	3	12	8	52	16	11	8	-	1
Bristol	19	476	54	41	136	120	15	50	37	-	27	29	22	237	92	76	31	10	1
Attleboro	-	41	3	4	15	9	-	5	3	-	2	3	3	12	5	4	4	1	-
Fall River	5	133	17	10	20	25	3	19	8	-	8	8	9	65	12	17	6	4	-
New Bedford	9	120	17	11	41	31	6	15	5	-	4	9	4	52	15	18	7	2	1
Somerset town #	1	14	3	-	2	2	1	-	2	-	-	-	1	12	5	-	1	-	-
Taunton	1	38	5	1	13	11	1	9	6	-	6	2	1	17	16	11	2	1	-
Balance of county	3	130	9	15	45	42	4	11	13	-	7	7	4	79	39	26	11	2	-
Dukes	1	5	5	1	4	3	-	1	2	-	-	-	1	8	2	4	1	-	-
Essex	26	496	89	70	186	187	13	89	62	-	32	33	24	470	84	118	61	18	4
Beverly	4	36	7	2	13	16	-	3	5	-	6	1	-	30	4	3	2	-	-
Danvers town #	2	21	2	3	11	6	1	2	2	-	-	3	1	19	5	2	-	-	-
Gloucester	2	30	4	8	7	10	1	1	6	-	2	1	1	28	4	9	3	1	-
Haverhill	2	36	4	6	19	11	-	9	8	-	3	-	3	46	14	10	2	-	-
Lawrence	2	52	18	7	24	22	1	15	7	-	2	5	2	41	9	10	6	5	2
Lynn	3	85	7	11	20	34	2	15	7	-	1	6	5	75	9	30	7	4	-
Marblehead town #	-	11	3	3	4	8	-	1	1	-	-	-	1	17	1	5	3	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Massachusetts—Con.																			
Methuen town #	335	-	-	3	81	21	20	7	8	3	2	20	8	179	150	2	3	125	20
Newburyport	174	-	-	-	45	11	10	1	4	3	1	15	5	90	71	-	2	54	15
Peabody	394	-	-	5	95	27	16	9	10	5	5	23	-	212	173	1	2	109	61
Salem	439	-	-	4	98	35	19	13	5	3	2	21	8	232	192	1	7	155	29
Saugus town #	231	-	-	1	51	15	6	6	2	5	4	13	7	118	100	2	-	86	12
Swampscott town #	153	-	-	-	35	8	8	3	4	2	-	10	3	82	59	2	1	46	10
Balance of county	1,240	-	-	18	304	93	56	33	34	13	8	67	13	629	487	5	14	367	101
Franklin	579	-	-	-	102	26	21	7	13	7	6	22	12	331	249	1	7	183	58
Hampden	4,441	1	-	46	1,007	281	244	84	116	65	34	183	73	2,247	1,736	16	42	1,448	230
Chicopee	611	-	-	9	157	45	41	7	13	17	6	28	6	295	233	1	2	204	26
Holyoke	614	-	-	5	128	40	29	10	15	7	1	26	10	319	231	3	6	195	27
Longmeadow town #	151	-	-	2	30	7	8	2	3	5	1	4	2	89	68	3	2	53	10
Springfield	1,632	1	-	21	354	102	81	35	42	19	12	63	38	815	631	3	17	536	75
Westfield	304	-	-	-	73	16	24	3	10	2	3	15	2	144	119	-	4	90	25
West Springfield town #	263	-	-	3	62	15	16	6	8	4	-	13	5	151	123	1	3	104	15
Balance of county	866	-	-	6	203	56	45	21	25	11	11	34	10	434	331	5	8	266	52
Hampshire	987	2	-	9	227	53	56	27	26	15	13	37	21	484	396	2	4	314	76
Amherst town #	99	-	-	1	27	3	6	3	2	4	1	8	2	36	29	-	-	19	10
Northampton	251	-	-	2	59	18	11	10	5	3	5	7	2	122	104	1	2	77	24
Balance of county	637	2	-	6	141	32	39	14	19	8	7	22	17	326	263	1	2	218	42
Middlesex	11,474	7	-	112	2,743	774	618	265	268	104	102	612	206	5,649	4,508	59	99	3,793	557
Arlington town #	524	-	-	5	120	42	27	14	10	2	5	20	8	277	208	3	9	168	28
Belmont town #	257	-	-	1	71	24	15	2	6	5	3	16	3	123	92	2	1	77	12
Billerica town #	201	1	-	1	52	11	15	7	2	1	4	12	5	94	76	-	-	69	7
Burlington town #	106	-	-	-	33	9	3	4	4	2	2	9	4	40	38	-	-	31	7
Cambridge	783	-	-	13	177	42	44	16	27	5	5	38	16	367	303	6	14	245	38
Chelmsford town #	182	-	-	2	38	12	7	6	3	1	-	9	4	94	72	1	3	60	8
Everett	399	-	-	10	105	19	24	7	7	3	4	41	4	179	148	-	-	130	18
Framingham town #	530	2	-	5	126	31	31	12	8	3	8	33	8	255	201	4	10	160	27
Lexington town #	206	-	-	-	52	18	4	8	5	2	3	12	4	92	66	-	-	57	9
Lowell	1,007	-	-	4	247	75	62	23	23	10	6	48	31	511	404	2	5	362	35
Malden	603	-	-	5	139	47	35	9	11	5	3	29	14	314	254	2	5	208	39
Marlborough	252	-	-	4	52	12	11	2	8	4	2	13	2	139	114	2	-	96	16
Medford	629	-	-	6	164	45	46	14	14	8	8	29	12	327	278	6	9	233	30
Melrose	313	-	-	1	63	21	16	8	4	1	-	13	-	180	143	2	4	116	21
Natick town #	235	-	-	5	65	16	19	3	3	2	3	19	5	104	89	1	3	79	6
Newton	719	1	-	6	181	53	33	18	21	9	6	41	11	333	266	3	6	214	43
Reading town #	185	-	-	1	39	13	9	3	6	-	2	6	6	93	75	1	2	67	5
Somerville	778	2	-	8	156	40	39	15	15	7	5	35	16	400	331	4	7	279	41
Stoneham town #	176	-	-	1	49	14	11	3	3	2	2	14	6	88	71	2	1	61	7
Wakefield town #	252	-	-	7	62	15	12	7	10	2	4	12	4	128	107	1	-	95	11
Waltham	514	-	-	5	115	37	21	13	13	6	1	24	10	244	180	2	4	146	28
Watertown town #	313	1	-	1	68	23	11	7	5	5	1	16	3	152	117	-	2	101	14
Winchester town #	160	-	-	-	31	9	6	-	2	2	2	10	2	80	63	1	2	51	9
Woburn	262	-	-	2	56	15	10	4	6	2	7	12	5	136	111	2	-	101	8
Balance of county	1,888	-	-	19	482	131	107	60	52	15	16	101	23	893	701	12	12	587	90
Nantucket	55	-	-	1	22	5	7	4	2	1	-	3	1	22	18	-	-	13	5
Norfolk	5,251	2	-	50	1,283	348	303	149	98	62	49	274	86	2,599	2,088	18	33	1,673	364
Braintree town #	343	-	-	5	77	23	21	8	6	5	1	13	6	185	145	1	4	126	14
Brookline town #	550	-	-	6	121	39	23	10	10	7	5	27	5	281	232	-	6	170	56
Dedham town #	235	-	-	-	66	15	15	9	2	2	3	20	3	109	91	4	1	72	14
Holbrook town #	72	1	-	1	14	1	7	1	2	-	-	3	2	32	23	-	1	21	1
Milton town #	284	-	-	2	72	23	15	11	3	2	2	16	3	155	127	-	1	100	26
Needham town #	222	-	-	3	54	15	13	3	4	4	-	15	1	124	102	1	1	78	22
Norwood town #	300	-	-	2	71	21	10	16	7	-	4	13	5	147	100	2	3	75	20
Quincy	1,009	-	-	13	235	67	56	22	17	15	7	51	19	502	406	3	1	338	64
Randolph town #	259	-	-	3	72	20	20	11	4	-	1	16	2	117	101	1	3	87	10
Wellesley town #	190	-	-	1	46	12	4	8	2	4	3	13	2	95	65	1	1	53	10
Weymouth town #	432	-	-	6	107	28	32	11	10	3	3	20	7	203	162	1	3	135	23
Balance of county	1,355	1	-	8	348	84	87	39	31	20	20	67	31	649	534	4	8	418	104
Plymouth	3,222	1	-	24	734	202	190	67	81	30	24	140	44	1,620	1,332	14	27	1,107	184
Brockton	884	-	-	3	190	53	56	20	20	5	7	29	10	457	376	5	6	324	41
Rockland town #	138	-	-	1	32	9	9	3	5	1	3	2	1	67	48	-	1	39	8
Whitman town #	91	-	-	1	19	4	4	3	1	1	2	4	1	47	35	-	-	29	6
Balance of county	2,109	1	-	19	493	136	121	41	55	23	12	105	32	1,049	873	9	20	715	129
Suffolk	6,767	9	-	117	1,510	448	362	134	141	59	42	324	126	3,129	2,607	32	69	2,007	499
Boston	5,839	9	-	104	1,266	386	295	113	116	45	37	274	114	2,677	2,219	25	57	1,706	431
Chelsea	306	-	-	5	72	16	20	7	5	5	1	18	2	148	128	4	4	98	22
Revere	414	-	-	3	118	35	28	11	16	4	3	21	6	191	161	1	5	126	29
Winthrop town #	208	-	-	5	54	11	19	3	4	5	1	11	4	113	99	2	3	77	17
Worcester	5,994	5	-	53	1,342	387	297	129	151	72	49	257	102	3,125	2,518	26	16	2,057	419
Clinton town #	132	-	-	-	27	9	6	1	7	-	1	3	2	65	46	1	-	38	7
Fitchburg	389	1	-	4	89	30	19	7	11	-	1	21	6	196	157	-	1	119	37
Gardner	198	-	-	5	41	12	11	5	3	1	-	9	2	100	83	1	1	63	18
Leominster	292	-	-	-	68	17	19	4	6	5	3	14	8	147	111	1	1	94	15
Worcester	1,921	2	-	16	407	117	87	39	43	28	13	80	31	1,013	808	12	8	668	120
Balance of county	3,062	2	-	28	710	202	155	73	81	38	31	130	53	1,604	1,313	11	5	1,075	222
Michigan	75,842	53	4	624	16,152	4,160	4,237	1,458	1,764	692	594	3,247	1,485	38,686	30,175	274	804	22,314	6,783
Urban places	41,948	32	3	402	8,805	2,282	2,379	766	963	361	334	1,720	846	21,207	16,640	151	531	11,795	4,163
Balance of area	33,894	21	1	222	7,347	1,878	1,858	692	801	331	260	1,527	639	17,479	13,535	123	273	10,519	2,620

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Massachusetts—Con.																			
Methuen town #	2	21	5	1	4	8	1	4	2	-	4	1	3	27	3	2	4	1	-
Newburyport	-	14	4	1	5	3	-	2	5	-	-	-	1	11	-	5	2	-	-
Peabody	1	28	6	4	10	5	2	4	6	-	2	4	1	30	4	8	5	1	-
Salem	1	37	1	1	16	11	1	11	3	-	3	2	2	29	4	8	4	2	1
Saugus town #	1	12	2	3	12	11	1	2	1	-	1	2	-	16	4	1	1	2	-
Swampscott town #	-	19	-	4	6	3	-	1	3	-	1	-	-	11	2	3	2	1	-
Balance of county	6	94	26	16	35	39	3	19	6	-	7	8	4	90	21	22	20	1	1
Franklin	8	51	13	12	17	5	5	8	7	-	1	5	2	45	8	15	13	1	2
Hampden	16	375	78	42	153	130	17	74	30	-	21	57	41	312	73	103	37	18	1
Chicopee	-	50	9	3	22	19	3	10	4	-	3	7	2	45	10	11	5	3	-
Holyoke	2	66	13	7	18	23	1	11	4	-	2	12	8	40	6	23	3	1	-
Longmeadow town #	-	19	-	2	5	3	2	-	-	-	2	-	-	9	2	4	1	-	-
Springfield	8	139	24	13	54	57	4	32	13	-	4	25	11	120	27	36	10	9	1
Westfield	2	17	5	1	17	4	2	3	2	-	4	5	10	14	9	8	6	1	-
West Springfield town #	2	17	3	8	6	2	-	7	1	-	-	-	1	14	5	5	-	1	-
Balance of county	2	67	24	10	31	22	5	11	6	-	6	8	9	70	14	18	12	3	-
Hampshire	2	66	11	9	37	33	1	12	9	-	8	13	3	62	32	15	12	5	2
Amherst town #	1	5	1	-	5	4	1	-	1	-	1	3	-	9	5	3	1	-	-
Northampton	-	16	1	1	17	7	-	4	3	-	1	2	1	17	8	2	1	2	1
Balance of county	1	45	9	8	15	22	-	6	5	-	6	8	2	36	19	10	10	3	1
Middlesex	31	820	169	121	406	335	33	175	93	1	50	64	71	923	182	275	101	31	17
Arlington town #	2	52	10	5	20	15	2	4	5	-	1	2	3	32	9	17	3	1	-
Belmont town #	3	22	5	1	6	5	5	4	2	-	1	1	2	19	3	8	2	-	1
Billerica town #	-	12	3	3	3	6	-	1	4	-	2	-	1	17	4	7	2	1	-
Burlington town #	-	1	1	-	2	8	1	1	-	-	-	1	2	6	3	1	1	2	1
Cambridge	1	45	9	9	29	21	4	14	10	1	6	5	10	64	5	30	6	4	1
Chelmsford town #	1	14	5	2	4	-	1	2	1	-	2	1	1	21	2	4	4	-	1
Everett	-	21	4	6	9	17	-	11	7	-	1	2	3	37	5	5	2	1	1
Framingham town #	1	47	4	2	30	13	1	12	1	-	2	6	2	37	6	12	9	1	2
Lexington town #	1	18	-	7	8	6	3	2	-	-	-	1	1	24	4	8	1	1	1
Lowell	5	49	40	13	24	30	1	17	8	-	3	6	7	74	15	20	7	2	-
Malden	1	40	15	4	7	19	2	14	4	-	1	4	6	45	4	18	6	-	1
Marlborough	-	20	2	3	4	6	2	5	1	-	3	1	-	18	8	5	2	-	-
Medford	-	38	7	4	15	19	1	7	4	-	4	-	6	42	7	13	2	-	-
Melrose	-	34	1	2	20	2	1	4	1	-	2	-	1	25	3	7	2	1	-
Natick town #	1	9	1	4	11	3	-	4	-	-	1	-	1	25	2	6	3	-	-
Newton	2	57	7	7	28	20	2	6	6	-	1	4	5	72	9	21	8	1	-
Reading town #	-	15	3	-	10	4	1	4	3	-	1	1	-	11	3	7	-	1	-
Somerville	4	45	14	6	34	24	-	12	6	-	2	3	7	76	7	14	5	6	-
Stoneham town #	-	14	1	2	5	1	1	2	2	-	-	-	1	12	3	4	1	-	-
Wakefield town #	1	19	1	-	5	6	-	3	3	-	1	1	1	22	5	3	1	-	-
Waltham	1	52	4	7	21	18	1	9	5	-	2	4	4	51	11	8	4	-	2
Watertown town #	-	31	1	3	15	8	1	7	3	-	1	5	1	31	5	6	4	-	1
Winchester town #	1	15	-	1	14	9	-	1	1	-	-	1	-	10	5	3	2	-	1
Woburn	-	21	3	1	15	10	1	3	2	-	1	2	2	13	1	9	3	-	1
Balance of county	6	129	28	20	60	65	2	26	14	-	12	13	4	139	53	41	21	9	3
Nantucket	-	2	1	1	-	1	-	2	-	-	-	-	-	4	-	1	1	-	-
Norfolk	16	388	49	58	214	122	11	67	39	-	27	20	30	395	99	114	60	19	5
Braintree town #	-	30	4	6	11	6	1	7	4	-	1	-	1	17	6	10	4	2	-
Brookline town #	1	35	5	8	32	7	4	1	5	-	1	3	13	45	7	13	5	1	-
Dedham town #	-	13	4	1	9	5	2	4	2	-	1	-	-	17	10	4	2	1	-
Holbrook town #	1	7	1	-	5	2	-	2	-	-	1	-	-	4	5	3	-	-	-
Milton town #	-	20	5	3	14	5	-	5	1	-	-	2	1	15	3	1	2	2	1
Needham town #	2	14	3	3	3	8	-	1	1	-	1	-	-	21	3	2	2	-	-
Norwood town #	-	35	8	4	8	16	-	4	1	-	3	3	2	21	7	5	5	-	-
Quincy	5	70	7	14	47	24	1	8	7	-	1	4	10	84	10	29	7	4	4
Randolph town #	-	14	2	-	10	4	2	5	3	-	-	2	2	23	3	4	4	3	-
Wellesley town #	1	20	2	7	11	7	-	-	1	-	3	-	2	17	3	2	-	-	-
Weymouth town #	-	36	-	5	14	9	-	8	5	-	1	-	4	32	10	12	11	3	-
Balance of county	6	94	8	7	50	31	1	22	9	-	14	6	4	99	32	29	18	3	-
Plymouth	10	232	19	27	125	86	10	48	27	-	20	28	32	214	77	71	42	17	2
Brockton	1	71	5	4	40	15	3	15	5	-	6	4	10	65	15	27	12	7	-
Rockland town #	3	12	1	3	7	4	1	4	2	-	1	1	2	8	2	2	2	1	-
Whitman town #	-	10	-	2	3	2	-	2	4	-	-	1	-	9	2	-	-	-	-
Balance of county	6	139	13	18	75	65	6	27	16	-	13	22	20	132	58	42	38	9	2
Suffolk	21	384	48	69	312	199	22	93	86	-	34	58	59	592	96	186	70	92	17
Boston	16	344	42	56	294	166	21	79	76	-	30	54	54	520	86	171	57	87	14
Chelsea	3	13	2	2	8	14	-	4	5	-	1	2	2	25	4	7	3	2	2
Revere	1	20	4	5	8	13	1	7	4	-	2	2	3	33	5	7	7	3	1
Winthrop town #	1	7	-	6	2	6	-	3	1	-	1	-	-	14	1	1	3	-	-
Worcester	22	429	79	77	210	167	22	81	49	-	23	44	22	464	110	114	46	12	3
Clinton town #	1	15	-	3	7	6	-	-	1	-	-	-	6	10	5	1	2	-	-
Fitchburg	2	24	8	5	8	12	-	8	3	-	3	5	2	29	10	8	4	1	-
Gardner	2	12	3	-	13	6	-	4	5	-	-	-	-	14	4	3	-	1	-
Leominster	-	31	2	3	5	9	-	9	2	-	2	6	-	20	9	2	5	-	-
Worcester	6	149	28	22	79	49	5	29	15	-	7	12	4	171	18	44	10	8	1
Balance of county	11	198	38	44	98	85	17	31	23	-	11	21	10	220	64	56	25	2	2
Michigan	280	6,129	1,272	830	1,718	2,209	240	1,253	666	7	500	1,023	453	5,277	1,727	1,662	1,074	940	89
Urban places	160	3,397	599	411	958	1,187	130	835	388	4	271	668	264	3,042	655	842	550	784	75
Balance of area	120	2,732	673	419	760	1,022	110	418	278	3	229	355	189	2,235	1,072	820	524	156	14

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Metropolitan counties	61,080	46	4	542	13,126	3,335	3,521	1,196	1,422	563	491	2,598	1,163	30,776	24,146	223	694	17,603	5,626
Urban places	40,386	31	3	394	8,489	2,195	2,308	727	936	348	318	1,657	805	20,382	16,031	145	518	11,324	4,044
Balance of area	20,714	15	1	148	4,637	1,140	1,213	469	486	215	173	941	378	10,394	8,115	78	176	6,279	1,582
Nonmetropolitan counties	14,762	7	-	82	3,026	825	716	262	342	129	103	649	302	7,910	6,029	51	110	4,711	1,157
Urban places	1,582	1	-	8	316	87	71	39	27	13	16	63	41	825	608	6	13	471	119
Balance		6	-	74	2,710	738	645	223	315	116	87	586	261	7,085	5,420	45	97	4,240	1,038
Alcona		1	-	1	21	6	5	2	2	1	-	5	1	70	54	1	-	44	9
Alger	110	-	-	-	22	8	5	2	2	1	1	3	1	72	53	1	-	46	6
Allegan	599	1	-	10	134	41	29	8	15	8	5	28	10	313	248	1	3	177	67
Holland, part	21	-	-	-	5	2	-	-	1	-	-	2	-	13	11	-	-	10	1
Balance of county	578	1	-	10	129	39	29	8	14	8	5	26	10	300	237	1	3	167	66
Alpena	276	-	-	5	57	14	14	5	4	1	-	19	6	145	107	-	1	89	17
Alpena	128	-	-	1	23	5	6	3	1	-	-	8	3	68	49	-	-	43	6
Balance of county	148	-	-	4	34	9	8	2	3	1	-	11	3	77	58	-	1	46	11
Antrim	181	-	-	-	40	11	8	1	8	1	1	10	1	108	81	-	1	65	15
Arenac	179	-	-	1	43	11	13	5	3	2	-	9	3	95	79	-	4	67	8
Baraga	107	-	-	-	21	5	8	1	-	-	1	6	5	57	45	1	-	35	9
Barry	335	1	-	6	73	14	11	6	12	7	5	18	7	158	121	1	1	93	26
Bay	929	1	-	7	193	40	45	25	15	8	4	56	8	510	394	2	4	354	34
Bay City	450	-	-	4	86	17	20	6	8	5	2	28	5	248	184	-	1	168	15
Midland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	479	1	-	3	107	23	25	19	7	3	2	28	3	262	210	2	3	186	19
Benzie	113	1	-	1	19	5	3	1	2	-	2	6	1	63	47	-	1	36	10
Berrien	1,484	1	-	11	324	73	89	29	38	20	12	63	30	753	574	5	14	453	102
Benton Harbor	150	-	-	1	36	9	10	5	6	4	1	1	2	53	41	-	2	33	6
Niles	176	-	-	2	39	5	12	3	3	2	3	11	-	106	80	1	3	63	13
St. Joseph	137	-	-	-	31	10	7	1	4	2	1	6	4	86	59	-	-	49	10
Balance of county	1,021	1	-	8	218	49	60	20	25	12	7	45	24	508	394	4	9	308	73
Branch	363	-	-	2	84	24	17	7	9	5	2	20	5	201	144	2	2	124	16
Calhoun	1,248	-	-	10	277	51	83	30	32	18	10	53	37	608	461	5	19	348	89
Albion	95	-	-	3	28	6	7	1	2	1	1	10	2	37	27	1	5	14	7
Battle Creek	472	-	-	3	90	19	26	12	12	6	3	12	20	241	178	2	5	136	35
Balance of county	681	-	-	4	159	26	50	17	18	11	6	31	15	330	256	2	9	198	47
Cass	407	-	-	2	86	29	21	6	8	6	-	16	10	210	166	1	1	137	27
Charlevoix	190	-	-	-	46	7	9	6	9	4	2	9	1	97	85	2	3	44	36
Cheboygan	215	-	-	3	45	9	12	6	6	2	2	8	3	129	105	1	1	83	20
Chippewa	275	1	-	-	58	14	12	5	10	3	3	11	10	150	116	2	-	97	17
Sault Ste. Marie	157	1	-	-	32	9	7	4	3	1	2	6	5	88	66	2	-	59	5
Balance of county	118	-	-	-	26	5	5	1	7	2	1	5	5	62	50	-	-	38	12
Clare	274	-	-	1	47	10	11	6	3	3	4	10	2	157	135	1	1	124	9
Clinton	307	-	-	3	91	30	23	9	11	8	3	11	6	142	115	2	3	88	22
Lansing, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	307	-	-	3	91	30	23	9	11	4	3	11	6	142	115	2	3	88	22
Crawford	94	-	-	1	11	4	1	-	3	-	-	3	6	50	38	-	1	32	5
Delta	363	-	-	2	78	16	21	9	11	3	5	13	15	183	134	1	6	102	25
Escanaba	194	-	-	2	40	12	9	5	4	1	3	6	10	94	63	1	2	49	11
Balance of county	169	-	-	-	38	4	12	4	7	2	2	7	5	89	71	-	4	53	14
Dickinson	306	-	-	5	65	19	11	6	10	-	2	17	3	167	109	3	1	83	22
Eaton	500	-	-	2	108	18	23	9	14	8	3	33	7	272	193	2	5	146	40
Lansing, part	8	-	-	-	3	-	1	-	1	-	-	1	-	2	2	-	-	1	1
Balance of county	492	-	-	2	105	18	22	9	13	8	3	32	7	270	191	2	5	145	39
Emmet	221	-	-	-	46	15	11	3	4	7	-	6	2	120	91	2	-	80	9
Genesee	3,246	1	-	30	715	196	187	56	80	27	31	138	71	1,606	1,218	12	41	935	230
Flint	1,534	1	-	13	340	96	90	26	39	13	9	67	37	712	540	1	28	415	96
Balance of county	1,712	-	-	17	375	100	97	30	41	14	22	71	34	894	678	11	13	520	134
Gladwin	198	-	-	-	54	15	10	7	5	1	-	16	5	99	78	1	-	59	18
Gogebic	287	-	-	1	56	22	16	2	5	-	3	8	5	169	138	1	12	87	38
Grand Traverse	465	1	-	5	84	19	19	8	10	5	3	20	11	238	188	1	1	135	51
Traverse City	185	-	-	1	31	7	7	4	3	3	-	7	7	95	75	1	1	51	22
Balance of county	280	1	-	4	53	12	12	4	7	2	3	13	4	143	113	-	-	84	29
Gratiot	368	-	-	3	68	9	15	13	7	5	3	16	4	212	157	-	9	131	17
Hillsdale	419	-	-	1	102	25	25	10	12	5	3	22	14	204	151	1	3	123	24
Houghton	394	1	-	3	72	21	14	4	10	5	1	17	13	229	186	2	4	128	52
Huron	408	-	-	4	94	38	21	6	6	2	4	17	6	228	176	2	1	151	22
Ingham	1,650	2	-	10	380	103	100	31	32	12	16	86	49	769	571	4	22	377	168
East Lansing	128	-	-	-	26	11	4	1	2	-	-	8	2	66	52	-	1	29	22
Lansing, part	964	1	-	5	223	62	59	22	17	5	12	46	32	432	320	3	12	202	103
Lansing, total	972	1	-	5	226	62	60	22	18	5	12	47	32	434	322	3	12	203	104
Balance of county	558	1	-	5	131	30	37	8	13	7	4	32	15	271	199	1	9	146	43
Ionia	416	1	-	1	88	25	22	7	13	7	2	12	12	203	153	1	5	113	34
Iosco	289	-	-	1	61	12	23	8	4	3	2	9	3	151	119	1	-	98	20
Iron	205	-	-	1	51	18	13	4	3	2	1	10	4	98	79	1	1	51	26
Isabella	298	-	-	3	54	21	10	3	7	4	2	7	1	159	126	-	1	109	16
Mount Pleasant	99	-	-	-	23	6	6	3	1	3	1	3	1	60	46	-	1	39	6
Balance of county	199	-	-	3	31	15	4	-	6	1	1	4	-	99	80	-	-	70	10
Jackson	1,228	1	1	3	257	68	76	25	21	9	6	52	25	656	502	7	7	373	115
Jackson	480	-	-	1	91	25	30	9	6	4	2	15	8	270	209	3	3	153	50
Balance of county	748	1	1	2	166	43	46	16	15	5	4	37	17	386	293	4	4	220	65
Kalamazoo	1,473	1	-	13	348	80	94	31	42	11	11	79	31	714	549	5	13	433	98
Kalamazoo	655	-	-	7	164	32	46	16	25	6	5	34	17	318	248	2	10	189	47
Portage	181	-	-	1	54	16	16	5	4	1	2	10	2	87	68	1	1	55	11
Balance of county	637	1	-	5	130	32	32	10	13	4	4	35	12	309	233	2	2	189	40

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Metropolitan counties	225	4,830	942	633	1,354	1,793	195	1,101	536	6	413	877	372	4,295	1,310	1,286	875	894	85
Urban places	154	3,249	554	394	914	1,139	126	815	376	3	262	654	250	2,914	617	809	529	780	74
Balance of area	71	1,581	388	239	440	654	69	286	160	3	151	223	122	1,381	702	479	346	114	11
Nonmetropolitan counties	55	1,299	330	197	364	416	45	152	130	1	87	146	81	982	408	374	199	46	4
Urban places	6	148	45	17	44	48	4	20	12	1	9	14	14	128	38	33	21	4	1
Balance of area	49	1,151	285	180	320	368	41	132	118	-	78	132	67	854	370	341	178	42	3
Alcona	-	10	5	1	3	3	1	5	3	-	-	-	-	2	3	1	1	1	-
Alger	-	11	5	3	3	1	-	1	-	-	2	-	-	5	1	1	1	-	-
Allegan	5	39	8	13	7	13	-	4	5	-	6	6	11	37	20	15	5	2	-
Holland, part	-	2	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Balance of county	5	37	8	13	6	13	-	4	5	-	5	6	11	36	20	15	5	2	-
Alpena	1	23	6	8	6	7	-	6	2	-	2	6	1	13	3	15	2	-	-
Alpena	1	15	2	1	3	3	-	4	1	-	1	4	-	7	2	7	1	-	-
Balance of county	-	8	4	7	3	4	-	2	1	-	1	2	1	6	1	8	1	-	-
Antrim	-	19	7	1	3	5	-	2	-	-	1	-	-	14	4	3	-	-	-
Arenac	-	12	3	1	1	2	1	1	1	-	2	6	1	8	5	4	4	1	-
Baraga	3	6	1	2	5	1	1	2	-	-	-	-	-	9	1	1	4	-	-
Barry	1	22	12	2	11	11	3	1	7	-	6	3	7	20	10	4	7	-	-
Bay	-	64	42	10	10	31	3	18	8	-	7	5	2	52	24	30	14	5	1
Bay City	-	37	23	4	5	18	1	6	5	-	4	3	2	31	5	19	5	2	1
Midland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	27	19	6	5	13	2	12	3	-	3	2	-	21	19	11	9	3	-
Benzie	1	9	4	2	1	6	2	1	-	-	1	1	-	10	4	1	1	-	-
Berrien	7	123	34	15	41	52	6	19	12	1	8	19	7	90	52	26	15	15	2
Benton Harbor	-	10	2	-	6	2	1	7	-	-	3	8	2	15	3	3	1	6	1
Niles	2	15	6	3	7	7	1	1	3	-	-	3	1	4	1	-	1	-	-
St. Joseph	1	19	7	-	1	2	-	1	1	-	-	2	-	4	3	1	1	-	-
Balance of county	4	79	19	12	27	41	4	10	8	1	5	6	4	67	45	22	12	9	1
Branch	2	37	13	5	7	12	1	3	2	-	1	2	3	26	8	4	2	-	-
Calhoun	2	116	15	14	38	52	5	23	11	-	5	15	11	76	25	27	17	10	1
Albion	-	7	2	1	5	1	-	3	1	-	-	2	2	6	1	3	1	-	-
Battle Creek	2	52	5	4	12	16	3	13	4	-	2	9	7	25	6	8	6	6	1
Balance of county	-	57	8	9	21	35	2	7	6	-	3	4	2	45	18	16	10	4	-
Cass	2	37	4	1	9	12	2	11	2	-	1	2	1	28	9	10	11	2	-
Charlevoix	-	9	2	1	3	6	-	4	2	-	-	4	2	15	4	3	3	-	-
Cheboygan	-	17	3	4	5	4	1	2	-	-	1	7	-	9	1	3	-	2	-
Chippewa	1	25	3	5	2	7	-	2	1	-	1	2	1	20	14	1	2	3	-
Sault Ste. Marie	1	18	2	1	1	3	-	1	1	-	1	2	1	13	3	1	2	2	-
Balance of county	-	7	1	4	1	4	-	1	-	-	-	-	-	7	11	-	-	1	-
Clare	-	10	1	2	7	12	-	5	4	-	2	3	1	12	12	3	6	-	-
Clinton	-	21	4	2	7	7	-	4	-	-	1	4	6	13	9	7	6	1	-
Lansing, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	21	4	2	7	7	-	4	-	-	1	4	6	13	9	7	6	1	-
Crawford	-	8	2	2	4	2	-	1	2	-	1	4	-	4	1	5	1	1	-
Delta	2	32	8	7	14	9	2	3	1	-	3	-	2	29	8	8	5	1	-
Escanaba	-	18	7	6	8	7	2	1	1	-	-	-	2	16	4	4	2	1	-
Balance of county	2	14	1	1	6	2	-	2	-	-	3	-	-	13	4	4	3	-	-
Dickinson	3	37	13	5	6	10	1	3	3	-	-	2	-	22	6	8	4	1	-
Eaton	3	47	22	7	10	14	1	7	5	-	3	3	2	28	18	13	6	1	-
Lansing, part	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Balance of county	3	47	22	7	10	14	1	7	5	-	3	3	1	28	17	12	6	1	-
Emmet	-	26	-	3	6	9	-	2	2	-	2	5	-	12	5	8	1	1	-
Genesee	16	291	58	23	70	92	11	38	27	1	30	68	30	231	76	64	41	42	4
Flint	7	131	24	10	34	52	4	16	16	-	15	45	16	121	24	31	19	37	1
Balance of county	9	160	34	13	36	40	7	22	11	1	15	21	14	110	52	33	22	5	3
Gladwin	1	12	3	5	6	5	1	-	3	-	2	1	1	12	5	2	2	-	-
Gogebic	-	25	1	5	10	5	2	2	2	-	-	2	2	17	3	8	3	-	-
Grand Traverse	1	33	13	3	16	7	-	4	5	-	2	7	3	41	20	8	13	-	-
Traverse City	1	14	5	-	8	2	-	-	1	-	-	1	2	19	8	4	6	-	-
Balance of county	-	19	8	3	8	5	-	4	4	-	2	6	1	22	12	4	7	-	-
Gratiot	-	44	6	5	13	17	-	4	5	-	3	2	2	18	10	5	1	-	1
Hillsdale	4	35	12	2	14	13	-	2	3	-	3	2	1	29	12	9	6	3	1
Houghton	2	28	8	7	13	9	2	4	2	-	-	2	1	31	5	4	2	1	-
Huron	-	39	7	6	6	4	3	4	9	-	1	3	2	15	16	9	4	-	-
Ingham	8	133	35	22	39	54	3	20	14	1	22	21	22	114	30	52	32	15	1
East Lansing	1	7	4	2	2	3	1	-	2	-	2	1	-	12	3	3	2	3	-
Lansing, part	4	75	20	13	22	37	-	14	8	1	14	14	15	70	20	28	16	11	1
Lansing, total	4	75	20	13	22	37	-	14	8	1	14	14	16	70	21	29	16	11	1
Balance of county	3	51	11	7	15	14	2	6	4	-	6	6	7	32	7	21	14	1	-
Ionia	-	32	12	6	4	17	1	5	6	-	4	7	2	35	16	4	9	1	-
Iosco	1	20	8	3	7	13	3	2	5	-	3	4	3	18	3	7	5	-	-
Iron	-	14	2	3	4	9	2	1	1	-	-	-	1	22	1	5	3	2	-
Isabella	-	27	2	4	7	8	-	2	3	-	4	3	4	22	15	6	6	1	-
Mount Pleasant	-	12	2	-	2	3	-	1	1	-	1	-	-	5	1	1	-	-	-
Balance of county	-	15	-	4	5	5	-	1	2	-	3	3	4	17	14	5	6	1	-
Jackson	6	89	45	14	21	47	1	14	6	-	9	12	7	77	34	25	21	11	-
Jackson	4	37	14	6	8	20	-	10	5	-	1	4	4	26	8	11	9	4	-
Balance of county	2	52	31	8	13	27	1	4	1	-	8	8	3	51	26	14	12	7	-
Kalamazoo	9	117	16	23	55	36	5	18	6	-	12	23	6	114	31	30	25	5	-
Kalamazoo	4	48	6	12	24	14	1	5	1	-	6	12	2	57	7	11	7	2	-
Portage	-	13	5	1	5	3	-	3	1	-	2	2	1	11	2	3	3	1	-
Balance of county	5	56	5	10	26	19	4	10	4	-	4	9	3	46	22	16	15	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con.																			
Kalkaska	109	-	-	-	24	8	8	4	3	-	1	-	3	51	32	-	-	23	9
Kent	3,443	3	1	27	742	210	156	71	86	26	32	161	52	1,829	1,354	8	30	1,037	279
East Grand Rapids	74	-	-	1	13	1	3	1	3	1	-	4	4	42	33	-	-	27	6
Grand Rapids	1,830	2	1	15	370	107	74	41	34	13	16	85	34	1,018	729	3	15	554	157
Grandville	62	1	-	-	12	3	1	2	2	2	1	1	1	33	27	1	-	23	3
Kentwood	130	-	-	-	35	6	11	2	4	-	1	11	2	62	48	1	-	39	8
Walker	94	-	-	1	21	4	5	1	6	1	-	4	2	48	41	1	-	33	7
Wyoming	336	-	-	1	82	24	21	8	5	3	6	15	4	166	123	1	5	94	23
Balance of county	917	-	-	9	209	65	41	16	32	6	8	41	5	460	353	1	10	267	75
Keweenaw	31	-	-	-	9	4	-	1	3	-	-	1	-	13	10	-	-	8	2
Lake	112	-	-	-	15	5	5	-	4	-	-	1	4	69	51	-	7	38	6
Lapeer	478	-	-	-	103	28	23	14	15	3	1	19	11	258	190	3	3	152	32
Leelanau	120	-	-	2	31	10	6	6	-	1	-	8	5	63	48	-	1	39	8
Lenawee	733	-	-	3	152	33	48	19	16	3	6	27	23	356	250	1	5	194	50
Adrian	236	-	-	1	47	9	13	9	7	-	3	6	6	115	72	1	2	53	16
Balance of county	497	-	-	2	105	24	35	10	9	3	3	21	17	241	178	-	3	141	34
Livingston	564	-	-	1	119	36	34	7	12	6	5	19	11	271	218	2	1	168	47
Luce	67	-	-	-	16	5	2	-	2	2	1	4	1	38	28	1	-	19	8
Mackinac	115	-	-	1	21	7	4	3	1	3	1	2	-	62	51	-	3	41	7
Macomb	4,907	1	-	45	1,114	269	330	96	106	49	44	220	82	2,555	1,968	27	37	1,589	315
Center Line	119	-	-	2	23	6	6	2	2	-	3	4	1	86	49	-	1	38	10
East Detroit	418	-	-	1	93	21	35	9	8	2	3	15	10	242	171	1	6	131	33
Fraser	116	-	-	3	22	5	4	1	4	2	1	5	1	69	51	1	-	37	13
Mount Clemens	381	-	-	5	82	19	27	9	8	4	3	12	5	200	154	4	-	127	23
Roseville	425	-	-	5	98	14	33	7	7	6	4	27	11	208	153	2	3	124	24
St. Clair Shores	682	-	-	3	159	41	48	15	16	8	5	26	16	364	283	5	7	217	54
Sterling Heights	471	-	-	4	91	20	29	6	9	3	4	20	6	257	202	3	4	171	24
Warren	1,205	-	-	12	297	85	78	27	37	6	13	51	17	601	459	9	5	383	62
Balance of county	1,090	1	-	10	249	58	70	20	15	18	8	60	15	546	446	2	11	361	72
Manistee	248	-	-	1	60	15	13	3	11	2	1	15	1	137	97	1	2	80	14
Marquette	464	-	-	1	93	23	25	12	4	5	2	22	16	242	188	-	2	153	33
Marquette	128	-	-	-	27	9	6	3	2	1	-	6	1	65	54	-	-	41	13
Balance of county	336	-	-	1	66	14	19	9	2	4	2	16	15	177	134	-	2	112	20
Mason	296	-	-	1	52	16	11	3	6	2	1	13	8	168	134	1	-	121	12
Mecosta	208	-	-	1	45	9	8	5	5	2	3	13	2	105	86	-	3	66	17
Big Rapids	60	-	-	-	13	1	2	1	1	1	2	5	-	27	22	-	3	11	8
Balance of county	148	-	-	1	32	8	6	4	4	1	1	8	2	78	64	-	-	55	9
Menominee	293	-	-	-	40	17	5	4	2	2	1	9	13	157	113	1	4	95	13
Menominee	138	-	-	-	24	12	3	1	1	2	-	5	6	76	55	1	1	46	7
Balance of county	155	-	-	-	16	5	2	3	1	-	1	4	7	81	58	-	3	49	6
Midland	482	-	-	4	87	26	20	10	7	1	6	17	5	262	205	-	6	155	44
Midland, part	236	-	-	3	51	15	12	6	3	1	5	9	2	124	96	-	3	69	24
Midland, total	236	-	-	3	51	15	12	6	3	1	5	9	2	124	96	-	3	69	24
Balance of county	246	-	-	1	36	11	8	4	4	-	1	8	3	138	109	-	3	86	20
Missaukee	93	-	-	-	23	4	8	-	5	1	-	5	2	50	40	2	1	32	5
Monroe	926	1	-	5	187	64	33	17	23	12	7	31	29	464	373	1	16	291	65
Monroe	289	-	-	1	66	25	13	5	7	5	1	10	8	152	121	-	4	95	22
Balance of county	637	1	-	4	121	39	20	12	16	7	6	21	21	312	252	1	12	196	43
Montcalm	464	-	-	3	88	15	18	6	16	5	6	22	11	251	185	3	4	131	47
Montmorency	100	-	-	-	34	5	12	-	4	2	1	10	6	42	27	-	-	23	4
Muskegon	1,435	3	-	8	298	72	73	34	34	12	12	61	30	725	539	5	11	443	80
Muskegon	488	1	-	2	85	20	23	4	14	4	2	18	8	259	192	2	5	153	32
Muskegon Heights	136	1	-	-	28	4	6	7	4	2	1	4	1	73	51	1	1	41	8
Norton Shores	158	-	-	2	42	13	8	7	2	1	1	10	2	81	63	1	1	55	6
Balance of county	653	1	-	4	143	35	36	16	14	5	8	29	19	312	233	1	4	194	34
Newaygo	311	-	-	-	83	25	17	6	10	4	3	18	4	152	114	2	1	87	24
Oakland	7,236	2	1	73	1,637	416	442	177	161	73	53	315	124	3,676	2,957	33	60	2,399	465
Berkley	160	-	-	2	31	8	9	2	2	2	1	7	4	93	76	-	2	62	12
Beverly Hills	70	-	-	-	15	3	3	1	2	1	-	5	-	40	32	-	4	20	8
Birmingham	239	-	-	1	50	11	16	7	4	1	2	9	6	121	93	1	2	73	17
Clawson	106	-	-	2	25	5	8	2	4	-	3	3	2	49	41	1	-	35	5
Farmington	157	-	-	2	33	11	6	2	2	4	-	8	2	86	75	-	1	65	9
Ferndale	268	-	-	3	61	11	25	6	3	2	3	11	6	130	106	2	2	91	11
Hazel Park	183	-	-	3	38	6	17	3	4	3	-	5	4	97	83	-	1	65	17
Madison Heights	261	-	-	4	62	15	21	4	3	1	-	18	7	115	99	1	-	83	15
Oak Park	307	-	-	7	60	20	15	6	7	1	2	9	7	175	136	-	1	118	17
Pontiac	701	-	-	5	137	42	42	11	13	3	4	22	11	336	253	4	10	203	36
Royal Oak	679	-	1	9	160	42	40	12	17	9	7	33	12	333	255	8	8	201	38
Southfield	714	-	-	7	171	47	36	23	19	8	5	33	10	380	320	4	7	258	51
Troy	344	-	-	6	76	18	16	10	8	4	3	17	9	150	135	3	2	107	23
Balance of county	3,047	2	-	22	718	177	188	88	73	34	23	135	44	1,544	1,253	9	20	1,018	206
Oceana	181	-	-	-	39	11	14	3	3	1	2	5	6	83	73	1	2	57	13
Ogemaw	188	-	-	-	35	9	11	1	4	1	1	8	2	110	89	3	-	74	12
Ontonagon	105	-	-	-	16	3	6	-	1	-	-	6	2	71	52	1	1	31	19
Osceola	165	-	-	-	26	5	6	-	6	-	-	9	2	99	72	-	-	62	10
Oscoda	85	-	-	-	20	5	4	1	4	-	1	5	3	46	28	-	-	24	4
Otsego	131	-	-	1	21	3	6	2	3	-	2	5	4	66	52	-	-	36	16
Ottawa	929	2	-	7	213	52	50	19	22	10	13	47	24	441	325	5	6	246	68
Grand Haven	122	1	-	-	26	8	7	-	1	3	1	6	3	61	42	-	2	24	16
Holland, part	188	-	-	-	39	4	8	5	6	3	2	11	5	98	69	-	-	60	9
Holland, total	209	-	-	-	44	6	8	5	7	3	2	13	5	111	80	-	-	70	10
Balance of county	619	1	-	7	148	40	35	14	15	4	10	30	16	282	214	5	4	162	43
Presque Isle	170	-	-	1	32	14	5	3	3	1	1	5	1	96	76	-	1	57	18
Roscommon	226	-	-	-	52	13	14	5	4	3	1	12	5	118	86	-	-	57	29

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Kalkaska	-	9	7	3	1	3	1	-	-	-	-	4	-	10	4	6	2	-	-
Kent	14	305	108	48	74	90	17	45	23	-	29	56	20	214	80	71	42	25	3
East Grand Rapids	-	6	2	1	3	2	-	3	1	-	1	2	-	-	2	-	-	-	-
Grand Rapids	9	177	75	28	43	52	9	21	12	-	18	22	9	110	24	29	19	20	2
Grandville	-	4	1	1	1	1	-	-	-	-	1	3	-	4	3	2	-	-	-
Kentwood	1	9	4	-	3	4	-	2	2	-	-	-	-	11	5	4	-	-	-
Walker	-	5	2	-	1	3	1	1	-	-	-	-	1	5	7	3	-	-	-
Wyoming	2	32	5	4	4	14	1	3	1	-	2	10	6	23	6	7	6	-	-
Balance of county	2	72	19	14	19	14	6	15	7	-	7	19	4	61	33	26	17	5	1
Keweenaw	-	2	-	1	2	2	-	-	1	-	-	1	-	3	-	-	-	-	-
Lake	1	13	1	3	1	5	-	1	-	-	-	-	-	8	4	3	1	1	-
Lapeer	2	51	9	6	2	20	1	8	6	-	3	9	2	32	9	9	5	-	-
Leelanau	-	9	3	3	1	4	-	-	1	-	-	1	-	5	2	4	1	-	-
Lenawee	2	76	24	4	25	24	2	10	9	-	6	8	4	46	22	28	11	3	1
Adrian	2	28	12	1	8	11	1	3	3	-	2	2	3	19	6	5	2	1	1
Balance of county	-	48	12	3	17	13	1	7	6	-	4	6	1	27	16	23	9	2	-
Livingston	3	35	9	6	14	23	2	12	6	-	4	2	6	47	32	6	7	1	-
Luce	-	5	5	-	3	2	-	-	-	-	-	-	-	6	1	-	-	-	-
Mackinac	2	5	2	2	1	5	-	1	1	-	-	2	-	3	7	8	2	1	-
Macomb	21	391	115	60	87	137	10	96	56	-	34	56	21	308	118	82	72	32	1
Center Line	1	8	7	1	2	4	-	2	1	-	1	1	1	10	1	-	2	1	1
East Detroit	1	51	12	7	4	14	1	7	4	-	2	3	2	20	6	2	5	2	-
Fraser	-	16	2	-	3	6	-	1	-	-	1	-	1	5	3	-	1	-	-
Mount Clemens	1	31	9	5	7	4	-	4	7	-	6	6	3	26	7	6	6	7	-
Roseville	4	44	4	3	14	13	-	14	7	-	1	7	2	26	11	5	3	-	-
St. Clair Shores	1	61	11	8	11	20	3	13	8	-	3	4	2	42	9	15	9	1	-
Sterling Heights	2	33	9	11	6	12	1	6	5	-	6	9	3	31	13	14	6	1	-
Warren	5	81	39	17	26	36	5	27	11	-	8	16	2	79	24	19	22	3	-
Balance of county	6	66	22	8	14	28	-	22	13	-	6	10	5	69	44	21	18	17	-
Manistee	1	29	10	-	7	5	-	2	3	-	2	2	1	14	7	5	1	-	-
Marquette	1	39	10	4	8	15	2	3	1	-	1	5	4	30	21	14	6	2	-
Marquette	1	6	4	-	5	7	-	2	-	-	-	-	2	9	4	5	1	-	-
Balance of county	-	33	6	4	3	8	2	1	1	-	1	5	2	21	17	9	5	2	-
Mason	2	17	12	3	9	5	-	7	-	-	1	3	-	27	6	8	1	-	-
Mecosta	-	13	5	1	6	6	-	4	-	-	2	3	-	20	7	5	2	-	-
Big Rapids	-	3	1	1	2	-	-	4	-	-	-	1	-	9	3	-	1	-	-
Balance of county	-	10	4	-	4	6	-	-	-	-	2	2	-	11	4	5	1	-	-
Menominee	2	23	14	5	7	10	-	3	2	-	3	2	5	18	11	13	9	-	-
Menominee	-	13	5	3	2	5	-	2	-	-	1	1	2	10	4	3	2	-	-
Balance of county	2	10	9	2	5	5	-	1	2	-	2	1	3	8	7	10	7	-	-
Midland	3	38	8	8	12	14	2	3	6	1	6	6	3	44	12	9	5	1	-
Midland, part	-	19	5	4	4	7	1	2	4	1	2	3	2	20	3	3	4	-	-
Midland, total	-	19	5	4	4	7	1	2	4	1	2	3	2	20	3	3	4	-	-
Balance of county	3	19	3	4	8	7	1	1	2	-	4	3	1	24	9	6	1	1	-
Missaukee	-	9	-	1	3	1	-	1	-	-	-	1	-	8	1	2	1	-	-
Monroe	-	68	12	11	20	42	5	15	4	1	5	15	4	73	18	20	13	5	-
Monroe	-	27	1	3	6	12	-	2	-	-	1	7	1	25	1	4	3	-	-
Balance of county	-	41	11	8	14	30	5	13	4	1	4	8	3	48	17	16	10	5	-
Montcalm	3	54	4	5	11	10	4	4	3	-	3	6	6	32	18	11	2	1	-
Montmorency	-	13	-	2	2	4	-	1	-	-	1	-	-	7	-	2	1	-	-
Muskegon	13	144	18	11	33	54	4	18	12	-	9	26	7	107	41	29	17	18	-
Muskegon	4	56	5	2	15	20	2	7	4	-	2	11	1	46	13	4	3	5	-
Muskegon Heights	2	17	1	2	-	5	2	1	1	-	1	5	1	8	1	5	-	3	-
Norton Shores	1	14	1	2	6	3	-	-	-	-	1	2	2	7	3	4	3	-	-
Balance of county	6	57	11	5	12	26	-	8	7	-	5	8	3	46	24	16	11	8	-
Newaygo	-	28	8	2	9	14	2	1	3	-	2	1	3	16	7	9	4	1	-
Oakland	18	549	66	87	148	222	28	97	45	-	50	94	32	475	187	174	123	46	2
Berkley	1	14	2	-	4	2	-	-	-	-	-	1	-	13	4	4	2	-	-
Beverly Hills	-	3	4	1	1	3	-	1	-	-	2	-	1	2	-	2	3	-	-
Birmingham	-	23	3	2	14	6	1	-	-	-	1	2	-	20	7	4	4	2	-
Clawson	-	6	1	1	2	3	1	1	2	-	2	3	-	8	2	-	4	-	-
Farmington	-	9	-	2	6	8	-	2	-	-	1	1	1	12	2	1	-	-	-
Ferndale	1	24	5	3	4	9	-	3	1	-	1	2	-	23	7	6	3	-	-
Hazel Park	1	10	2	1	1	5	2	1	3	-	1	4	1	12	5	2	4	-	-
Madison Heights	-	11	2	3	5	11	1	5	1	-	4	5	2	18	2	9	8	1	1
Oak Park	1	31	1	6	2	4	-	1	2	-	1	5	-	25	3	5	6	4	-
Pontiac	4	70	2	7	18	22	7	17	14	-	4	23	8	39	10	35	4	11	-
Royal Oak	2	63	8	5	15	27	-	14	4	-	3	7	1	49	12	13	18	1	-
Southfield	1	57	6	5	15	14	2	7	4	-	4	9	-	50	11	6	11	4	-
Troy	1	18	2	3	3	11	-	4	3	-	5	5	2	31	12	5	8	5	-
Balance of county	6	210	27	46	58	97	14	41	11	-	21	27	16	173	110	82	48	18	1
Oceana	-	6	3	1	7	6	1	3	4	-	2	2	2	6	7	7	5	1	-
Ogemaw	2	14	4	1	3	6	-	3	3	-	2	3	2	7	3	4	4	1	-
Ontonagon	-	9	9	1	2	1	-	-	1	-	-	1	1	6	2	-	2	-	-
Osceola	-	19	7	1	3	5	-	1	1	-	-	2	1	8	5	7	5	-	-
Oscoda	1	12	3	2	1	1	-	1	-	-	-	-	-	4	4	2	1	2	-
Otsego	-	13	-	1	5	-	-	3	3	-	1	3	1	11	2	7	3	-	-
Ottawa	2	68	34	12	22	18	3	6	8	-	8	17	18	78	31	19	12	2	-
Grand Haven	-	10	6	3	4	3	-	1	-	-	1	1	3	12	1	3	1	1	-
Holland, part	2	20	6	1	5	3	2	-	1	-	1	6	8	12	4	1	3	-	-
Holland, total	2	22	6	1	6	3	2	-	1	-	2	6	8	13	4	1	3	-	-
Balance of county	-	38	22	8	13	12	1	5	7	-	6	10	7	54	26	15	8	1	-
Presque Isle	-	15	-	5	4	5	-	1	3	-	1	2	-	12	2	9	-	1	-
Roscommon	2	23	3	4	8	3	1	2	5	-	3	-	1	12	7	4	5	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Michigan—Con																			
Saginaw	1,671	-	-	17	345	62	69	43	26	9	17	79	30	840	624	8	9	454	153
Saginaw	722	-	-	7	129	35	34	6	11	3	7	33	16	352	263	3	5	191	64
Balance of county	949	-	-	10	216	47	55	37	15	6	10	46	14	488	361	5	4	263	89
St. Clair	1,216	1	-	7	264	70	71	27	25	14	6	51	33	642	492	2	20	380	90
Port Huron	352	1	-	1	71	17	18	5	9	-	1	21	17	186	137	-	10	106	21
Balance of county	864	-	-	6	193	53	53	22	16	14	5	30	16	456	355	2	10	274	69
St. Joseph	513	-	-	2	109	38	20	5	16	2	4	24	9	259	188	1	5	156	26
Sanilac	393	-	-	1	73	17	25	8	8	3	3	9	9	223	166	-	3	134	29
Schoolcraft	103	-	-	1	24	5	6	2	1	2	2	6	1	60	45	-	1	38	6
Shiawassee	492	-	-	1	113	32	26	14	16	1	5	19	7	268	193	3	4	158	28
Owosso	168	-	-	1	27	8	7	5	3	-	1	3	2	112	75	-	2	67	6
Balance of county	324	-	-	-	86	24	19	9	13	1	4	16	5	156	118	3	2	91	22
Tuscola	449	1	-	3	71	15	15	7	11	2	2	19	8	227	184	3	2	124	55
Van Buren	595	-	-	4	127	31	41	8	8	9	3	27	11	292	236	2	8	178	48
Washtenaw	1,392	-	-	9	300	61	91	20	36	7	17	68	21	652	486	6	7	355	118
Ann Arbor	490	-	-	4	108	24	35	6	12	4	5	20	8	255	188	1	1	141	45
Ypsilanti	188	-	-	-	33	8	8	4	4	-	2	7	3	96	63	-	2	42	19
Balance of county	714	-	-	5	161	29	48	10	20	3	10	41	10	311	235	5	4	172	54
Wayne	22,799	24	1	242	4,671	1,203	1,295	388	539	200	171	875	429	11,389	9,267	71	346	5,983	2,867
Allen Park	281	1	-	-	68	23	16	5	7	2	2	13	7	145	119	-	2	96	21
Dearborn	1,048	-	-	6	243	65	63	23	27	7	17	41	19	560	477	4	5	362	106
Dearborn Heights	560	1	-	3	134	33	44	8	12	5	6	26	14	286	238	3	2	169	64
Detroit	13,812	17	-	178	2,883	712	732	201	348	113	92	495	250	6,705	5,426	33	260	3,216	1,917
Ecorse	153	-	-	-	37	7	12	1	5	2	-	10	6	70	58	-	3	36	19
Garden City	192	-	-	-	53	14	14	4	5	1	-	15	4	86	77	-	2	54	21
Grosse Pointe Farms	109	-	-	1	27	5	5	3	3	4	2	5	4	53	36	-	1	31	4
Grosse Pointe Park	113	-	-	2	21	7	6	2	3	-	-	3	1	69	50	1	-	39	10
Grosse Pointe Woods	178	-	-	2	31	8	7	4	4	3	-	5	5	111	86	-	3	66	17
Hamtramck	356	-	-	4	83	29	22	8	9	3	1	12	7	178	146	-	3	89	54
Harper Woods	212	-	-	3	55	10	16	7	2	4	3	13	3	118	90	2	2	63	23
Highland Park	319	1	-	3	57	14	19	4	8	1	2	9	4	144	113	1	7	66	39
Inkster	294	-	-	3	57	12	19	2	4	4	2	14	4	145	110	1	9	67	33
Lincoln Park	396	-	-	3	83	20	25	7	9	5	5	12	17	208	172	5	2	132	33
Livonia	729	-	-	2	167	44	33	24	18	8	9	31	16	411	338	3	4	253	78
Melvindale	88	-	-	3	19	5	4	1	2	-	2	5	1	44	35	-	1	27	7
Plymouth	124	-	-	3	27	7	5	2	3	1	1	8	1	66	57	1	-	42	14
River Rouge	151	-	-	-	26	8	5	4	3	-	-	6	8	74	64	1	3	38	22
Riverview	105	-	-	-	22	6	5	3	4	-	1	3	4	58	51	1	1	40	9
Southgate	213	-	1	-	96	11	19	7	1	3	2	13	2	117	101	1	3	77	20
Taylor	430	1	-	5	92	15	36	8	8	2	5	18	10	181	150	2	3	106	39
Trenton	172	1	-	-	42	9	10	3	4	2	3	11	2	91	80	-	2	57	21
Wayne	195	-	-	2	35	10	12	3	-	4	2	4	3	90	68	-	4	42	22
Westland	526	-	-	6	119	40	31	7	8	7	2	24	8	267	225	3	5	161	56
Wyandotte	347	-	-	3	62	13	24	5	4	3	4	9	7	204	165	5	1	134	25
Balance of county	1,896	2	-	10	362	77	111	42	38	16	8	70	22	888	735	4	18	520	193
Wexford	267	-	-	-	56	23	11	2	4	1	1	13	1	143	97	2	-	76	19
Minnesota	32,837	9	1	238	6,949	1,990	1,522	636	852	308	283	1,358	480	16,363	12,114	143	192	9,288	2,491
Urban places	16,451	7	-	128	3,617	1,028	866	344	412	146	133	688	236	7,915	5,844	81	95	4,473	1,195
Balance of area	16,386	2	1	110	3,332	962	656	292	440	162	150	670	244	8,448	6,270	62	97	4,815	1,296
Metropolitan counties	18,810	6	-	151	4,158	1,174	951	401	468	173	165	826	269	8,935	6,622	92	107	5,119	1,304
Urban places	14,005	5	-	113	3,126	882	752	299	347	129	112	605	202	6,634	4,922	69	76	3,797	980
Balance of area	4,805	1	-	38	1,032	292	199	102	121	44	53	221	67	2,301	1,700	23	31	1,322	324
Nonmetropolitan counties	14,027	3	1	87	2,791	816	571	235	384	135	118	532	211	7,428	5,492	51	85	4,169	1,187
Urban places	2,446	2	-	15	491	146	114	45	65	17	21	83	34	1,281	922	12	19	676	215
Balance of area	11,581	1	1	72	2,300	670	457	190	319	118	97	449	177	6,147	4,570	39	66	3,493	972
Aitkin	159	-	-	-	34	10	5	2	3	4	-	10	2	82	65	1	-	57	7
Anoka	751	1	-	8	178	45	44	8	18	10	7	48	12	322	252	3	3	204	42
Anoka	129	-	-	1	38	6	11	6	-	2	3	8	1	64	48	1	-	35	12
Blaine, part	73	-		1	16	4	2	-	3	1	-	6	1	25	22	-	-	21	1
Blaine, total	73	-	-	1	16	4	2	-	3	1	-	6	1	25	22	-	-	21	1
Columbia Heights	155	-	-	3	38	9	10	-	5	2	1	9	-	77	63	1	1	51	10
Coon Rapids	133	-	-	3	31	4	9	1	4	1	2	10	3	49	34	-	-	28	6
Fridley	115	1	-	-	29	9	8	1	3	3	-	5	3	48	39	1	1	28	9
Balance of county	146	-	-	-	30	13	4	-	3	1	1	8	4	50	46	-	1	41	4
Becker	299	-	-	2	53	13	12	4	7	1	2	14	2	164	128	1	4	103	20
Beltrami	229	-	-	2	49	13	17	1	7	2	1	8	1	114	81	1	-	62	18
Bemidji	103	-	-	1	17	5	4		2	-	1	5	1	58	35	1	-	27	7
Balance of county	126	-	-	1	32	8	13	-	5	2	-	3	-	56	46	-	-	35	11
Benton	214	1	-	-	41	14	7	3	5	1	2	9	1	113	82	-	1	73	8
St. Cloud, part	32	-	-	-	7	3	1	-	-	1	-	2	-	19	13	-	-	13	-
Balance of county	182	1	-	-	34	11	6	3	5	-	2	7	1	94	69	-	1	60	8
Big Stone	86	-	-	-	13	4	2	1	-	2	-	4	2	42	29	1	1	17	10
Blue Earth	419	-	-	2	91	31	23	9	13	5	4	6	5	232	173	3	3	146	21
Mankato	220	-	-	1	37	14	12	1	4	3	-	3	4	130	96	2	2	85	7
Balance of county	199	-	-	1	54	17	11	8	9	2	4	3	1	102	77	1	1	61	14
Brown	289	-	-	2	60	19	15	4	8	-	6	8	5	164	120	-	2	98	20
New Ulm	140	-	-	1	30	9	7	3	5	-	4	2	4	80	59	-	1	51	7
Balance of county	149	-	-	1	30	10	8	1	3	-	2	6	1	84	61	-	1	47	13
Carlton	280	-	-	2	51	14	7	6	7	1	1	15	6	137	89	-	3	67	19
Carver	232	-	-	2	52	13	8	6	3	5	4	13	5	113	84	3	1	70	10
Cass	230	-	-	8	53	13	17	1	7	3	-	12	3	109	84	-	-	61	23
Chippewa	131	-	-	1	28	8	5	3	3	2	1	6	-	66	45	1	-	38	6
Chisago	229	-	-	3	46	11	14	5	9	1	1	5	5	118	73	1	1	53	18

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Michigan—Con.																			
Saginaw	12	144	42	18	40	45	4	37	14	-	19	35	7	98	36	62	14	28	-
Saginaw	7	62	12	8	17	20	3	19	6	-	12	24	5	42	9	33	5	23	-
Balance of county	5	82	30	10	23	25	1	18	8	-	7	11	2	56	27	29	9	5	-
St. Clair	4	104	24	18	27	34	2	13	13	-	5	12	4	90	25	22	20	2	-
Port Huron	-	34	10	5	6	11	1	4	6	-	1	3	1	31	1	3	8	-	-
Balance of county	4	70	14	13	21	23	1	9	7	-	4	9	3	59	24	19	12	2	-
St. Joseph	2	48	17	4	16	12	2	3	1	-	1	7	-	50	20	13	6	3	-
Sanilac	-	39	12	6	2	14	1	8	8	-	3	2	2	15	9	13	9	1	-
Schoolcraft	-	11	-	4	4	3	1	1	3	-	-	-	1	2	1	1	-	-	-
Shiawassee	2	61	9	3	5	13	3	4	2	-	1	1	2	33	22	13	3	1	-
Owosso	1	29	5	2	2	3	2	3	-	-	-	-	1	6	2	6	-	1	-
Balance of county	1	32	4	1	3	10	1	1	2	-	1	1	1	27	20	7	3	-	-
Tuscola	1	32	3	7	7	17	-	3	4	-	4	5	2	35	20	26	10	5	1
Van Buren	2	42	4	6	16	21	2	5	7	-	2	2	7	53	15	15	14	2	-
Washtenaw	2	137	15	12	32	45	4	15	8	-	5	30	11	136	33	39	39	11	2
Ann Arbor	2	55	7	3	5	18	1	2	1	-	2	15	2	41	7	10	11	1	1
Ypsilanti	-	19	2	2	5	6	-	2	3	-	-	4	3	18	4	8	7	5	1
Balance of county	-	63	6	7	22	21	3	11	4	-	3	11	6	77	22	21	21	5	-
Wayne	78	1,670	180	194	521	610	70	562	226	2	130	342	127	1,695	340	438	296	616	68
Allen Park	-	21	2	3	2	7	2	8	3	-	-	1	-	19	5	6	6	-	1
Dearborn	2	74	4	3	29	20	2	8	9	-	2	7	-	74	14	23	21	9	2
Dearborn Heights	-	35	9	4	9	18	3	10	5	-	4	3	-	45	5	11	7	1	1
Detroit	57	996	115	111	347	344	43	397	144	2	68	257	95	1,109	168	271	152	532	40
Ecorse	1	9	1	1	5	4	-	3	2	-	1	3	1	10	3	1	4	3	-
Garden City	1	9	1	8	4	3	1	4	2	-	-	3	-	12	3	1	5	-	1
Grosse Pointe Farms	-	14	1	2	-	3	-	2	2	-	-	1	1	5	1	7	1	1	-
Grosse Pointe Park	1	17	-	1	4	5	-	1	-	-	-	1	-	6	-	2	-	1	-
Grosse Pointe Woods	-	19	3	3	1	7	-	-	-	-	-	-	-	14	2	1	2	2	-
Hamtramck	-	25	2	5	5	10	2	13	7	-	4	1	1	20	4	10	1	5	1
Harper Woods	1	25	2	-	5	5	2	1	2	-	-	1	-	12	1	3	-	-	1
Highland Park	3	25	1	2	11	6	1	15	1	-	-	6	5	21	9	8	4	21	2
Inkster	2	28	3	2	9	9	1	10	4	-	1	4	-	25	5	4	3	8	2
Lincoln Park	2	30	-	4	6	10	-	9	5	-	5	4	2	25	7	6	5	-	1
Livonia	-	57	3	13	19	14	1	13	6	-	5	3	-	45	8	11	6	1	1
Melvindale	-	9	-	-	2	-	1	4	1	-	-	1	-	6	-	2	3	1	-
Plymouth	-	9	-	-	2	1	1	3	-	-	1	3	-	8	2	3	1	2	-
River Rouge	-	9	-	1	1	6	1	3	3	-	-	4	-	10	1	4	4	5	1
Riverview	-	5	1	1	4	1	-	3	-	-	-	3	1	1	3	2	2	-	1
Southgate	-	9	2	5	-	4	1	2	3	-	1	3	2	7	3	3	6	1	1
Taylor	1	32	3	5	5	26	-	6	3	-	6	2	6	36	19	9	7	4	2
Trenton	-	11	-	-	3	4	1	1	4	-	1	1	2	6	6	3	3	1	-
Wayne	-	18	3	1	5	12	1	5	2	-	4	1	3	16	4	5	5	2	-
Westland	-	40	2	-	9	17	2	9	4	-	6	6	1	38	14	6	6	4	4
Wyandotte	-	32	2	5	7	14	-	5	2	-	3	2	1	20	2	6	6	2	1
Balance of county	7	112	20	14	27	60	4	27	12	-	18	21	6	105	51	30	36	10	5
Wexford	1	29	11	5	13	9	2	2	-	-	1	-	1	23	5	4	7	1	-
Minnesota	139	3,119	592	399	1,092	849	129	377	211	3	227	312	714	2,558	867	887	442	96	33
Urban places	85	1,465	303	218	540	454	65	230	95	1	118	145	455	1,361	327	433	234	68	22
Balance of area	54	1,654	289	181	552	395	64	147	116	2	109	167	259	1,197	540	454	208	28	11
Metropolitan counties	97	1,605	360	251	573	512	67	254	104	1	149	188	519	1,501	496	525	305	74	23
Urban places	77	1,184	257	194	453	389	54	206	78	1	101	122	428	1,148	271	371	220	63	20
Balance of area	20	421	103	57	120	123	13	48	26	-	48	66	91	353	225	154	85	11	3
Nonmetropolitan counties	42	1,514	232	148	519	337	62	123	107	2	78	124	195	1,057	371	362	137	22	10
Urban places	8	281	46	24	87	65	11	24	17	-	17	23	27	213	56	62	14	5	2
Balance of area	34	1,233	186	124	432	272	51	99	90	2	61	101	168	844	315	300	123	17	8
Aitkin	-	14	2	1	3	3	-	1	1	-	-	3	14	9	3	1	1	2	-
Anoka	2	46	16	6	20	14	2	11	4	-	13	13	16	48	40	27	21	1	-
Anoka	-	10	4	2	5	2	1	2	1	-	2	1	3	6	2	1	-	1	-
Blaine, part	-	3	-	-	-	1	1	1	1	-	2	-	-	6	6	6	6	-	-
Blaine, total	-	3	-	-	-	1	1	1	1	-	2	-	-	6	6	6	6	-	-
Columbia Heights	2	7	5	-	2	6	-	3	-	-	-	-	2	13	5	5	3	-	-
Coon Rapids	-	10	3	2	4	2	-	-	1	-	5	5	3	10	9	4	4	-	-
Fridley	-	7	2	-	5	-	-	3	-	-	1	6	2	8	2	3	4	-	-
Balance of county	-	9	2	2	4	3	-	2	1	-	3	1	6	5	16	8	4	-	-
Becker	-	32	2	2	13	8	-	3	1	-	2	4	3	24	8	11	-	1	-
Beltrami	-	27	4	2	5	8	1	1	3	-	1	2	3	16	7	12	2	2	-
Bemidji	-	19	4	-	2	6	-	1	1	-	-	1	2	7	1	4	-	1	-
Balance of county	-	8	-	2	3	2	1	-	2	-	1	1	1	9	6	8	2	1	-
Benton	-	22	7	2	5	9	-	2	-	-	3	-	3	20	8	5	3	-	-
St. Cloud, part	-	4	2	-	-	2	-	-	-	-	-	-	-	1	1	2	-	-	-
Balance of county	-	18	5	2	5	7	-	2	-	-	3	-	3	19	7	3	3	-	-
Big Stone	1	11	-	1	7	3	-	-	1	-	-	-	3	9	4	2	-	-	-
Blue Earth	1	46	9	3	7	7	-	4	-	-	7	6	2	28	11	13	3	1	-
Mankato	1	27	5	1	3	5	-	2	-	-	5	2	-	17	5	7	1	1	-
Balance of county	-	19	4	2	4	2	-	2	-	-	2	4	2	11	6	6	2	-	-
Brown	3	29	9	3	12	3	1	3	4	-	-	3	2	17	5	4	2	1	1
New Ulm	2	14	3	2	5	1	-	3	1	-	-	1	1	8	3	1	-	1	-
Balance of county	1	15	6	1	7	2	1	-	3	-	-	2	1	9	2	3	2	-	1
Carlton	2	34	9	3	8	6	3	4	1	-	1	3	5	18	6	5	3	1	-
Carver	2	20	4	3	8	3	1	2	4	-	2	6	2	16	9	4	3	-	-
Cass	2	19	1	3	9	8	-	2	1	-	2	-	3	18	7	4	3	-	-
Chippewa	1	18	2	-	3	5	-	1	-	-	-	2	1	16	7	-	1	-	-
Chisago	1	34	6	4	6	5	1	3	1	-	1	2	1	11	13	8	4	1	-

NEWARK PUBLIC LIBRARY

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con																			
Clay	325	-	-	2	79	22	16	7	8	4	6	16	2	154	112	-	1	85	26
Moorhead	190	-	-	-	49	15	9	4	5	2	3	11	1	92	65	-	-	48	17
Balance of county	135	-	-	2	30	7	7	3	3	2	3	5	1	62	47	-	1	37	9
Clearwater	102	-	-	2	21	3	4	1	3	1	2	7	3	57	40	-	-	33	7
Cook	54	-	-	-	10	3	2	-	2	-	-	3	1	21	17	-	1	10	6
Cottonwood	166	-	-	-	35	8	7	5	5	1	2	7	4	91	79	1	2	62	14
Crow Wing	429	1	-	2	94	22	25	10	13	3	5	16	4	200	150	3	4	108	35
Brainerd	166	-	-	1	34	9	6	6	6	-	1	6	2	79	55	2	2	33	18
Balance of county	263	1	-	1	60	13	19	4	7	3	4	10	2	121	95	1	2	75	17
Dakota	885	-	-	7	238	61	61	29	25	5	12	45	7	393	305	8	2	234	61
Burnsville	94	-	-	-	24	5	7	4	4	-	1	3	-	44	33	-	-	24	9
Hastings, part	86	-	-	1	16	4	6	1	3	-	-	2	1	41	32	-	-	25	7
Hastings, total	86	-	-	1	16	4	6	1	3	-	-	2	1	41	32	-	-	25	7
Inver Grove Heights	70	-	-	-	13	2	4	1	2	1	-	3	-	35	31	-	-	29	2
South St. Paul	171	-	-	3	53	18	10	6	3	-	3	13	1	78	59	1	-	47	11
West St. Paul	198	-	-	1	60	18	16	6	5	2	1	12	1	95	73	4	1	51	17
Balance of county	266	-	-	2	72	14	18	11	8	2	7	12	4	100	77	3	1	58	15
Dodge	118	-	-	-	29	5	11	1	4	2	1	5	2	54	41	-	1	28	14
Douglas	276	-	-	1	46	19	5	5	10	-	2	5	5	148	111	1	1	91	18
Faribault	245	-	-	-	50	15	10	3	8	1	3	10	3	151	107	-	3	90	14
Fillmore	234	-	-	2	41	14	6	3	8	-	2	8	3	126	95	1	-	80	14
Freeborn	362	-	-	1	91	18	23	9	11	5	5	20	6	184	144	-	3	102	39
Albert Lea	220	-	-	1	60	14	17	7	6	1	4	11	4	103	85	-	1	58	25
Balance of county	142	-	-	-	31	4	6	2	5	4	1	9	2	81	59	-	2	43	14
Goodhue	425	-	-	3	61	23	15	1	6	4	3	9	11	235	146	2	3	113	28
Red Wing	156	-	-	1	22	9	6	1	2	1	-	3	4	78	47	1	1	30	6
Balance of county	269	-	-	2	39	14	9	-	4	3	3	6	7	157	99	1	2	74	22
Grant	92	-	-	-	25	6	6	4	2	-	2	5	-	45	32	-	-	27	5
Hennepin	7,339	2	-	60	1,601	464	394	140	177	70	61	295	115	3,410	2,535	34	34	2,040	427
Bloomington	350	-	-	3	101	25	27	10	13	6	4	16	4	197	134	-	2	114	18
Brooklyn Center	174	-	-	-	41	13	6	-	13	1	1	7	6	73	49	-	1	42	6
Brooklyn Park	118	-	-	3	31	15	7	2	2	-	2	3	-	47	37	-	-	34	3
Crystal	154	-	-	3	48	13	13	6	4	2	2	8	2	59	43	-	1	31	11
Edina	381	-	-	4	96	29	23	5	16	3	5	15	12	180	136	1	1	111	23
Golden Valley	173	-	-	-	40	11	10	3	2	1	2	11	2	89	72	1	-	57	14
Hopkins	154	-	-	-	33	13	6	4	1	1	4	4	4	82	64	2	3	51	8
Minneapolis	4,058	1	-	35	822	242	208	72	84	42	25	149	51	1,894	1,414	16	16	1,127	255
Minnetonka	182	-	-	2	37	7	3	5	8	3	1	10	5	83	63	1	-	54	8
New Hope	136	-	-	-	23	5	8	1	3	-	1	5	1	64	49	-	-	34	15
Plymouth	94	-	-	-	21	8	6	1	1	1	1	3	1	35	32	1	-	25	6
Richfield	256	1	-	2	74	18	21	10	5	1	2	17	2	118	87	2	-	73	12
Robbinsdale	134	-	-	1	27	8	7	-	6	-	-	6	3	68	49	1	1	37	10
St. Louis Park	352	-	-	5	78	21	21	9	8	5	3	11	12	182	137	6	7	107	17
Balance of county	583	-	-	2	129	36	28	12	11	4	8	30	10	239	169	3	2	143	21
Houston	179	-	-	-	37	10	8	4	4	2	1	8	5	92	66	1	1	53	11
Hubbard	174	-	-	1	38	13	5	3	6	2	-	9	1	89	68	-	1	46	21
Isanti	177	-	-	2	39	8	12	2	4	3	-	10	1	80	61	-	-	48	13
Itasca	395	-	1	2	90	32	16	13	14	3	2	10	12	198	148	4	2	108	34
Jackson	122	-	-	-	21	10	2	1	1	-	1	6	2	67	46	1	1	35	9
Kanabec	112	-	-	1	23	5	3	3	3	2	1	6	-	67	50	-	-	41	9
Kandiyohi	324	1	-	1	41	11	14	2	5	3	1	5	3	174	141	1	2	104	34
Willmar	172	1	-	1	23	8	9	1	1	1	-	3	1	84	64	-	-	57	7
Balance of county	152	-	-	-	18	3	5	1	4	2	1	2	2	90	77	1	2	47	27
Kittson	88	-	-	-	13	6	2	-	1	1	-	3	3	44	35	-	-	28	9
Koochiching	147	-	-	1	26	6	7	2	5	2	1	3	2	81	66	-	3	53	10
Lac qui Parle	140	-	-	1	28	9	6	6	2	1	1	3	1	85	61	1	3	43	14
Lake	113	-	-	3	26	7	6	3	3	1	1	5	1	55	35	1	-	27	7
Lake of the Woods	41	-	-	-	7	3	1	1	1	1	-	-	1	20	17	-	1	13	3
Le Sueur	212	-	-	2	48	14	7	7	7	2	4	7	6	99	80	1	2	58	18
Lincoln	78	-	-	1	14	4	2	1	4	-	-	3	-	41	26	-	-	23	3
Lyon	221	-	-	1	47	13	4	5	7	2	3	13	6	118	85	1	1	68	15
McLeod	262	-	-	4	38	9	6	6	9	3	-	5	6	143	100	-	1	86	13
Mahnomen	59	-	-	-	14	5	3	2	1	-	2	1	1	33	21	-	-	13	8
Marshall	137	-	-	-	30	12	6	-	6	1	2	3	2	75	54	-	2	31	21
Martin	244	-	-	-	47	16	11	4	7	2	4	3	3	136	96	-	-	86	10
Fairmont	113	-	-	-	23	6	6	2	4	1	2	2	-	64	46	-	-	41	5
Balance of county	131	-	-	-	24	10	5	2	3	1	2	1	3	72	50	-	-	45	5
Meeker	230	-	-	-	39	12	6	3	5	3	1	9	3	128	87	1	1	72	13
Mille Lacs	232	-	-	1	44	16	10	2	4	2	2	8	3	116	75	-	-	63	12
Morrison	259	-	-	1	42	12	4	4	8	2	1	11	4	139	106	-	1	67	38
Mower	403	-	-	-	79	17	21	9	11	3	2	16	5	227	181	4	1	107	69
Austin	255	-	-	-	50	6	15	7	9	1	2	10	2	147	116	2	-	68	46
Balance of county	148	-	-	-	29	11	6	2	2	2	-	6	3	80	65	2	1	39	23
Murray	93	-	-	-	24	5	2	5	4	1	2	5	2	50	37	-	-	32	5
Nicollet	178	-	-	-	35	7	7	1	7	2	1	10	4	88	66	1	-	53	12
Nobles	210	-	-	2	43	10	6	4	9	3	3	8	2	111	84	1	-	61	22
Norman	108	-	-	1	26	11	6	1	1	1	-	6	3	67	51	2	1	47	1
Olmsted	562	-	-	4	123	32	28	20	11	1	9	22	8	254	190	5	4	141	40
Rochester	433	-	-	3	95	23	24	15	8	1	8	16	7	188	140	4	3	98	35
Balance of county	129	-	-	1	28	9	4	5	3	-	1	6	1	66	50	1	1	43	5
Otter Tail	567	1	-	3	124	39	24	10	15	10	2	24	7	308	228	2	2	177	47
Fergus Falls	162	1	-	2	35	14	3	4	3	4	1	6	5	83	52	1	-	41	10
Balance of county	405	-	-	1	89	25	21	6	12	6	1	18	2	225	176	1	2	136	37

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con																			
Clay	-	32	7	3	16	11	1	4	1	-	2	7	3	26	4	8	3	2	-
Moorhead	-	21	5	1	11	5	-	3	-	-	1	2	2	16	1	4	3	-	-
Balance of county	-	11	2	2	5	6	1	1	1	-	1	5	1	10	3	4	-	2	-
Clearwater	1	15	1	-	2	2	-	-	2	-	1	-	-	5	4	-	2	-	1
Cook	-	1	-	3	1	-	-	2	-	-	2	2	5	6	-	3	1	-	-
Cottonwood	-	9	2	1	14	2	1	1	-	-	1	-	1	8	2	5	1	-	-
Crow Wing	2	38	3	7	17	9	3	6	3	-	1	7	10	37	15	10	9	-	1
Brainerd	1	20	1	2	7	5	2	3	1	-	-	4	5	13	5	4	1	-	-
Balance of county	1	18	2	5	10	4	1	3	2	-	1	3	5	24	10	6	8	-	1
Dakota	5	63	7	13	18	24	3	13	6	-	10	9	9	58	45	25	16	4	-
Burnsville	1	8	1	1	3	2	-	-	-	-	1	-	1	6	6	2	4	1	-
Hastings, part	-	9	-	-	2	4	1	1	1	-	-	-	1	13	1	1	2	-	-
Hastings, total	-	9	-	-	2	4	1	1	1	-	-	-	1	13	1	1	2	-	-
Inver Grove Heights	-	3	1	-	4	1	-	1	-	-	-	1	1	3	6	3	1	1	-
South St. Paul	1	11	2	5	1	6	1	2	-	-	1	2	1	11	3	7	1	-	-
West St. Paul	-	17	2	3	5	4	1	5	1	-	1	-	1	14	4	4	1	-	-
Balance of county	3	15	1	4	3	7	-	4	4	-	7	6	4	11	25	8	7	2	-
Dodge	-	12	-	1	3	4	-	3	2	-	3	-	2	5	1	8	2	-	-
Douglas	2	25	7	3	14	5	2	5	1	-	3	3	1	22	11	6	3	-	-
Faribault	-	40	2	2	3	7	2	1	2	1	-	1	1	11	4	6	2	-	-
Fillmore	1	26	2	2	12	7	1	2	1	-	1	2	1	18	9	6	1	1	-
Freeborn	-	37	3	-	8	8	2	2	3	-	1	1	8	31	8	4	4	-	-
Albert Lea	-	16	2	-	4	2	2	1	1	-	-	1	5	24	6	3	3	-	-
Balance of county	-	21	1	-	4	6	-	1	2	-	1	-	3	7	2	1	1	-	-
Goodhue	1	69	11	8	18	11	3	5	7	-	1	4	4	29	13	10	10	-	-
Red Wing	1	23	4	3	9	5	2	-	4	-	1	1	2	13	7	5	2	-	-
Balance of county	-	46	7	5	9	6	1	5	3	-	-	3	2	16	6	5	8	-	-
Grant	-	10	1	2	3	-	-	-	3	-	-	-	-	12	1	2	-	1	-
Hennepin	34	620	132	89	213	215	29	119	40	1	51	57	245	,604	153	235	131	45	13
Bloomington	1	41	17	4	4	9	2	4	1	-	4	2	11	21	8	8	10	-	1
Brooklyn Center	-	21	2	1	2	4	-	5	2	-	4	2	5	12	8	2	4	4	-
Brooklyn Park	-	8	1	1	-	6	-	2	-	-	2	1	3	7	6	5	5	-	-
Crystal	-	13	1	2	3	5	-	5	3	-	-	1	2	16	-	4	2	1	-
Edina	-	36	4	4	3	13	3	5	4	-	-	2	10	27	6	13	2	-	1
Golden Valley	-	11	4	2	7	1	-	3	1	-	-	-	5	12	4	6	2	1	-
Hopkins	-	15	3	-	4	2	-	4	3	-	-	-	4	11	3	3	-	1	-
Minneapolis	29	328	72	51	148	133	17	63	24	1	23	38	103	346	60	131	67	32	9
Minnetonka	1	15	1	3	7	5	-	3	-	-	1	2	2	16	7	5	7	-	-
New Hope	-	11	4	-	4	4	1	2	1	-	1	-	6	14	5	7	3	-	-
Plymouth	1	1	-	1	3	2	-	2	-	-	2	1	2	9	5	6	4	1	-
Richfield	-	24	3	4	2	6	3	6	-	-	1	2	4	21	3	8	2	1	-
Robbinsdale	-	11	2	6	3	4	-	1	-	-	-	-	6	9	4	7	1	-	-
St. Louis Park	1	31	8	5	9	6	1	4	-	-	4	1	6	27	4	7	3	2	1
Balance of county	1	54	10	5	14	15	2	10	1	-	9	5	16	56	30	23	19	2	1
Houston	1	22	3	-	9	4	-	-	-	-	-	4	1	15	5	6	1	-	-
Hubbard	-	18	-	3	9	5	1	2	1	-	-	4	-	11	4	4	4	-	-
Isanti	1	15	2	1	12	2	1	-	3	-	1	2	3	17	5	4	4	1	-
Itasca	2	36	9	3	15	11	-	4	2	-	2	-	7	22	10	10	8	1	-
Jackson	1	12	6	2	6	5	-	1	-	-	-	-	2	11	3	1	3	-	-
Kanabec	-	13	2	2	2	-	-	3	-	-	-	1	-	10	3	-	2	-	-
Kandiyohi	1	23	6	3	19	8	1	5	3	-	1	4	7	28	10	15	2	1	-
Willmar	-	16	3	1	10	4	-	3	2	-	1	1	4	19	7	11	-	-	-
Balance of county	1	7	3	2	9	4	1	2	1	-	-	3	3	9	3	4	2	1	-
Kittson	-	9	-	-	10	1	-	1	3	-	-	-	-	7	1	3	2	-	-
Koochiching	-	12	1	2	3	4	1	2	-	-	1	-	1	9	5	4	-	-	-
Lac qui Parle	1	17	6	-	4	1	-	2	1	-	-	-	1	5	4	7	-	-	-
Lake	-	13	4	3	5	2	-	2	-	-	1	1	1	9	-	5	1	1	-
Lake of the Woods	-	-	-	3	-	3	-	1	1	-	-	-	1	4	-	2	-	1	-
Le Sueur	-	17	-	2	9	5	2	2	1	-	1	5	2	10	6	11	2	1	-
Lincoln	-	13	-	2	8	3	1	-	1	-	-	1	1	6	-	2	-	-	-
Lyon	-	26	5	2	4	7	1	1	-	-	1	4	1	15	7	4	3	-	1
McLeod	-	38	5	-	10	3	1	2	2	-	1	2	5	19	12	6	8	-	-
Mahnomen	-	10	1	1	2	2	-	-	-	-	-	-	1	-	2	3	1	-	-
Marshall	-	17	3	1	3	3	-	1	1	-	-	-	2	11	4	3	1	-	1
Martin	-	34	3	3	7	7	2	1	2	-	6	-	-	18	9	5	1	-	-
Fairmont	-	16	2	-	3	3	-	-	1	-	2	-	-	8	5	3	1	-	-
Balance of county	-	18	1	3	4	4	2	1	1	-	4	-	-	10	4	2	-	-	-
Meeker	1	32	7	1	4	8	1	2	2	-	2	-	5	17	6	11	2	-	-
Mille Lacs	3	27	7	4	6	4	5	1	3	-	3	-	4	28	6	4	4	-	-
Morrison	-	27	4	2	6	2	-	5	1	-	5	3	1	28	7	15	-	-	-
Mower	1	34	4	7	9	11	1	-	2	-	2	2	7	37	9	6	5	-	1
Austin	1	22	4	4	6	5	-	-	1	-	1	2	1	29	3	6	2	-	-
Balance of county	-	12	-	3	3	6	1	-	1	-	1	-	6	8	6	-	3	-	1
Murray	-	11	2	-	1	2	-	-	1	-	1	-	1	5	6	-	-	-	-
Nicollet	-	21	1	-	7	3	2	1	1	-	1	9	2	15	3	5	1	1	-
Nobles	-	21	-	6	5	6	1	1	5	-	1	3	-	22	1	4	3	-	-
Norman	-	16	-	-	3	2	-	1	1	-	-	-	1	2	1	-	-	-	-
Olmsted	2	42	8	12	17	28	1	8	2	-	5	5	14	59	10	17	7	-	-
Rochester	1	33	6	8	15	20	1	8	2	-	5	5	11	50	8	11	4	-	-
Balance of county	1	9	2	4	2	8	-	-	-	-	-	-	3	9	2	6	3	-	-
Otter Tail	2	53	15	10	29	10	5	3	5	-	4	3	2	42	11	8	1	-	1
Fergus Falls	-	25	2	4	11	3	3	1	1	-	1	-	-	14	-	2	-	-	-
Balance of county	2	28	13	6	18	7	2	2	4	-	3	3	2	28	11	6	1	-	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Minnesota—Con.																			
Pennington	133	-	-	1	26	10	3	1	3	2	1	6	1	72	45	-	-	35	10
Pine	201	-	-	-	29	4	5	4	4	5	1	6	2	117	86	2	1	63	20
Pipestone	134	-	-	2	28	7	6	-	4	1	2	8	2	75	52	-	1	37	14
Polk	336	-	-	3	66	22	9	4	13	3	3	12	3	194	136	1	3	100	32
Pope	147	-	-	1	27	10	4	3	2	1	3	4	5	71	44	2	-	36	6
Ramsey	3,667	2	-	26	854	236	199	87	99	35	23	175	47	1,741	1,263	21	18	958	266
Blaine, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maplewood	177	-	-	-	36	8	9	1	6	2	1	9	2	100	76	2	-	60	14
New Brighton	121	-	-	-	35	11	12	2	4	-	1	5	1	62	44	-	1	28	15
North St. Paul	54	-	-	-	12	1	2	3	3	-	-	3	4	28	19	-	-	16	3
Roseville	215	-	-	1	55	21	9	7	4	2	1	11	2	106	78	-	2	57	19
St. Paul	2,748	2	-	19	630	167	156	65	71	28	16	127	31	1,287	931	16	15	713	187
Shoreview	41	-	-	-	7	2	2	1	-	-	1	1	2	17	11	1	-	8	2
White Bear Lake, part	132	-	-	3	32	8	5	4	5	2	-	8	3	50	38	1	-	23	14
White Bear Lake, total	135	-	-	3	32	8	5	4	5	2	-	8	3	50	38	1	-	23	14
Balance of county	199	-	-	3	47	18	4	4	6	1	3	11	2	91	66	1	-	53	12
Red Lake	51	-	-	1	10	1	2	1	2	-	2	2	2	24	20	1	-	16	3
Redwood	210	-	-	1	37	14	7	2	2	4	1	7	2	109	83	1	-	62	20
Renville	242	-	-	1	42	11	6	4	7	1	2	11	2	147	113	2	1	83	27
Rice	363	-	-	2	75	24	13	4	13	3	3	15	7	180	131	1	3	92	35
Faribault	192	-	-	-	42	13	9	2	7	2	2	7	3	90	67	1	-	46	20
Northfield	108	-	-	2	21	7	2	1	4	1	1	5	3	55	36	-	2	26	8
Balance of county	63	-	-	-	12	4	2	1	2	-	-	3	1	35	28	-	1	20	7
Rock	108	-	-	1	30	11	10	2	3	-	2	2	1	50	38	-	-	32	6
Roseau	141	-	-	-	34	10	8	1	5	2	2	6	2	60	46	-	2	35	9
St. Louis	2,163	-	-	14	442	132	89	52	46	16	15	92	35	1,111	831	6	23	582	220
Duluth	1,058	-	-	7	211	61	44	29	26	6	6	39	15	554	411	2	10	288	111
Hibbing	224	-	-	1	56	15	13	4	4	2	3	15	9	109	77	-	-	51	26
Virginia	144	-	-	-	27	12	3	2	1	1	1	7	3	75	54	-	2	33	19
Balance of county	737	-	-	6	148	44	29	17	15	7	5	31	8	373	289	4	11	210	64
Scott	237	-	-	2	51	16	8	5	5	5	3	9	6	110	80	-	2	66	12
Sherburne	224	-	-	1	47	15	11	10	2	3	1	5	4	125	84	1	3	61	19
St. Cloud, part	67	-	-	1	13	4	3	1	2	1	-	2	-	41	21	1	2	14	4
Balance of county	157	-	-	-	34	11	8	9	-	2	1	3	4	84	63	-	1	47	15
Sibley	142	-	-	1	32	12	2	3	5	3	-	7	6	71	49	-	-	44	5
Stearns	656	-	-	5	136	39	21	13	19	4	6	34	10	353	282	5	11	218	48
St. Cloud, part	222	-	-	2	45	14	7	7	4	2	3	8	3	110	96	3	6	72	15
St. Cloud, total	321	-	-	3	65	21	11	8	6	4	3	12	3	170	130	4	8	99	19
Balance of county	434	-	-	3	91	25	14	6	15	2	3	26	7	243	186	2	5	146	33
Steele	256	-	-	2	46	13	8	4	11	2	1	7	4	146	98	2	4	80	12
Owatonna	175	-	-	2	34	8	7	3	8	2	-	6	1	102	66	2	2	52	10
Balance of county	81	-	-	-	12	5	1	1	3	-	1	1	3	44	32	-	2	28	2
Stevens	115	-	-	-	21	6	7	1	2	1	1	3	1	62	41	1	1	26	13
Swift	130	-	-	1	29	9	7	1	3	-	3	6	2	59	46	-	1	34	11
Todd	217	-	-	3	38	10	5	5	7	3	-	8	4	122	99	-	-	72	27
Traverse	62	-	-	1	12	7	1	1	1	1	-	1	-	37	31	-	-	21	10
Wabasha	202	-	-	3	39	9	9	1	7	3	-	10	4	110	80	-	1	61	18
Wadena	149	-	-	2	25	5	5	2	4	1	2	6	2	92	77	-	2	50	25
Waseca	154	-	-	-	30	6	6	5	1	2	3	7	-	86	67	-	-	50	17
Washington	559	-	-	11	116	32	21	6	18	4	8	27	7	225	162	2	-	127	33
Cottage Grove	36	-	-	1	9	1	1	-	-	-	4	3	-	12	10	-	-	8	2
Hastings, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stillwater	128	-	-	4	21	9	3	-	6	1	-	2	3	57	38	-	-	31	7
White Bear Lake, part	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	392	-	-	6	86	22	17	6	12	3	4	22	4	156	114	2	-	88	24
Watonwan	122	-	-	2	20	5	4	3	2	-	-	6	2	70	47	-	1	38	8
Wilkin	80	-	-	2	14	5	2	-	2	1	1	3	1	41	34	-	-	30	4
Winona	390	-	-	2	92	36	18	8	8	2	3	17	-	181	142	1	9	79	53
Winona	264	-	-	2	63	24	11	7	4	-	3	14	-	128	98	-	8	51	39
Balance of county	126	-	-	-	29	12	7	1	4	2	-	3	-	53	44	1	1	28	14
Wright	411	-	-	3	88	20	21	6	10	6	4	21	2	199	151	2	-	107	42
Yellow Medicine	174	-	-	-	37	8	9	2	5	2	5	6	2	93	76	-	1	60	15
Mississippi	23,460	25	1	204	4,311	972	1,309	296	561	169	170	834	391	11,205	8,453	38	414	5,536	2,465
Urban places	7,748	12	1	71	1,438	323	430	105	183	70	47	280	135	3,800	2,809	18	161	1,778	852
Balance of area	15,712	13	-	133	2,873	649	879	191	378	99	123	554	256	7,405	5,644	20	253	3,758	1,613
Metropolitan counties	5,266	5	1	51	1,011	185	339	74	115	45	46	207	80	2,399	1,876	9	89	1,220	558
Urban places	2,911	5	1	27	578	101	188	48	65	31	24	121	42	1,386	1,080	8	67	682	323
Balance of area	2,355	-	-	24	433	84	151	26	50	14	22	86	38	1,013	796	1	22	538	235
Nonmetropolitan counties	18,194	20	-	153	3,300	787	970	222	446	124	124	627	311	8,806	6,577	29	325	4,316	1,907
Urban places	4,837	7	-	44	860	222	242	57	118	39	23	159	93	2,414	1,729	10	94	1,096	529
Balance of area	13,357	13	-	109	2,440	565	728	165	328	85	101	468	218	6,392	4,848	19	231	3,220	1,378
Adams	399	1	-	1	89	29	20	7	8	5	7	13	13	185	124	-	9	64	51
Natchez	262	1	-	1	47	15	10	4	6	3	1	8	11	130	88	-	8	45	35
Balance of county	137	-	-	-	42	14	10	3	2	2	6	5	2	55	36	-	1	19	16
Alcorn	291	-	-	5	52	12	20	2	5	-	2	11	3	157	132	1	2	81	48
Corinth	133	-	-	1	28	7	13	-	3	-	-	5	2	71	60	-	-	40	20
Balance of county	158	-	-	4	24	5	7	2	2	-	2	6	1	86	72	1	2	41	28
Amite	151	-	-	1	23	7	4	3	4	-	2	3	5	57	40	-	2	26	12
Attala	250	-	-	1	50	11	18	2	6	2	-	8	3	126	96	-	3	74	19
Benton	78	-	-	1	15	5	2	-	3	-	1	4	2	25	23	-	-	11	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Minnesota—Con.																			
Pennington	1	20	4	2	8	3	-	-	-	-	-	-	3	12	3	4	-	-	-
Pine	1	22	4	4	11	6	2	3	-	-	-	1	4	15	3	6	2	-	-
Pipestone	-	20	3	-	3	5	-	-	2	-	-	-	6	3	3	3	2	-	-
Polk	4	31	17	6	5	9	-	3	3	-	-	4	5	22	7	9	3	-	-
Pope	2	23	1	1	6	1	1	2	-	-	-	1	10	11	2	8	-	1	-
Ramsey	29	323	68	58	116	102	10	47	26	-	30	34	140	319	96	68	54	11	4
Blaine, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maplewood	1	16	5	2	4	1	-	-	1	-	-	-	5	15	5	5	2	-	1
New Brighton	2	8	8	-	3	2	-	4	2	-	2	2	1	2	2	1	2	-	-
North St. Paul	1	7	1	-	1	1	-	-	1	-	-	1	2	2	1	-	1	-	-
Roseville	-	18	7	3	6	7	-	2	2	-	-	1	7	16	1	5	4	-	-
St. Paul	23	243	41	49	93	78	9	39	14	-	23	22	116	254	34	51	32	11	3
Shoreview	-	4	-	2	1	1	-	1	-	-	1	1	2	6	-	1	1	-	-
White Bear Lake, part	1	10	-	1	4	4	1	-	3	-	1	2	3	11	8	3	4	-	-
White Bear Lake, total	1	10	-	1	4	4	1	-	3	-	1	2	3	11	11	3	4	-	-
Balance of county	1	17	6	1	4	8	-	1	3	-	3	5	4	13	5	2	6	-	-
Red Lake	-	3	-	1	1	-	-	1	1	-	-	-	2	3	2	2	2	-	-
Redwood	1	20	3	2	16	6	1	-	2	-	-	3	3	16	6	5	1	-	-
Renville	1	28	4	1	10	8	1	3	2	-	-	2	4	9	5	6	1	-	-
Rice	-	41	5	3	14	16	2	5	1	-	3	1	6	29	10	7	3	2	-
Faribault	-	19	4	-	8	9	2	2	1	-	1	1	4	21	2	3	1	2	-
Northfield	-	16	-	3	5	6	-	3	-	-	2	-	-	5	3	2	1	-	-
Balance of county	-	6	1	-	1	1	-	-	-	-	-	-	2	3	5	2	1	-	-
Rock	-	10	-	2	4	2	1	1	-	-	1	-	1	12	1	1	2	-	-
Roseau	-	9	4	1	2	9	-	1	1	-	-	1	2	13	10	4	2	-	-
St. Louis	12	187	45	38	86	48	15	30	8	-	11	19	39	161	45	56	33	6	5
Duluth	9	93	23	18	52	23	7	16	6	-	5	11	25	75	6	21	16	4	4
Hibbing	-	19	6	7	3	3	1	1	2	-	-	-	3	15	11	4	6	-	-
Virginia	-	18	1	2	12	3	2	1	-	-	1	1	-	10	2	5	1	1	-
Balance of county	3	57	15	9	19	19	5	12	-	-	5	7	11	61	26	25	10	1	1
Scott	-	23	5	2	6	6	-	1	1	-	1	4	7	19	10	11	1	1	-
Sherburne	-	27	11	3	7	5	-	1	2	-	3	-	1	9	9	8	2	-	-
St. Cloud, part	-	13	6	1	7	-	-	-	-	-	-	-	-	2	2	1	-	-	-
Balance of county	-	14	5	2	-	5	-	1	2	-	3	-	1	7	7	7	2	-	-
Sibley	1	16	4	1	3	2	2	1	-	-	-	1	12	8	1	1	1	-	-
Stearns	2	53	14	2	11	13	2	5	1	-	7	12	7	40	32	16	5	1	-
St. Cloud, part	1	10	2	1	3	8	1	4	-	-	4	4	2	17	11	4	4	-	-
St. Cloud, total	1	27	10	2	10	10	1	4	-	-	4	4	2	20	14	7	4	-	-
Balance of county	1	43	12	1	8	5	1	1	1	-	3	8	5	23	21	12	1	1	-
Steele	-	37	7	4	5	5	1	2	2	-	3	5	1	19	6	8	-	-	1
Owatonna	-	29	5	2	3	5	-	1	2	-	2	4	1	9	4	4	-	-	1
Balance of county	-	8	2	2	2	-	1	1	-	-	1	1	-	10	2	4	-	-	-
Stevens	-	17	2	2	4	3	1	-	1	-	3	1	2	9	3	4	-	-	-
Swift	1	8	3	1	12	3	-	-	2	-	1	1	-	12	3	4	1	-	-
Todd	1	17	3	2	7	7	1	2	3	-	1	2	1	13	9	2	2	-	-
Traverse	-	6	-	-	2	1	-	-	-	-	-	1	1	4	2	-	-	-	1
Wabasha	-	26	3	1	6	5	3	2	3	-	-	1	-	16	6	3	1	-	-
Wadena	-	13	1	1	2	2	-	1	-	-	-	1	-	12	6	2	1	1	-
Waseca	-	15	3	1	4	4	-	-	1	1	1	2	1	13	5	5	1	-	-
Washington	3	47	5	8	22	12	1	2	3	-	6	11	21	56	36	17	12	2	1
Cottage Grove	-	2	-	-	1	-	-	-	-	-	1	-	3	2	5	1	1	-	-
Hastings, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stillwater	1	14	2	2	7	3	-	-	1	-	2	3	2	16	3	4	1	1	-
White Bear Lake, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
Balance of county	2	31	3	6	14	9	1	2	2	-	3	8	16	37	24	12	10	1	1
Watonwan	-	20	2	1	4	2	1	2	2	-	1	-	1	5	2	8	-	-	-
Wilkin	-	6	-	1	5	-	-	1	1	-	2	1	1	7	-	3	-	1	-
Winona	2	22	10	5	15	11	-	5	3	-	1	7	4	41	13	10	4	-	1
Winona	2	19	7	2	11	6	-	4	1	-	1	5	2	26	5	7	2	-	1
Balance of county	-	3	3	3	4	5	-	1	2	-	-	2	2	15	8	3	2	-	-
Wright	1	35	8	4	17	8	1	3	2	-	4	5	6	34	20	12	7	-	-
Yellow Medicine	-	16	-	1	6	6	-	1	2	-	-	1	2	13	2	7	2	-	-
Mississippi	101	2,201	259	191	536	548	54	216	274	7	162	361	1,368	1,605	793	777	244	351	27
Urban places	43	786	100	62	189	196	13	94	82	3	49	133	328	545	182	236	89	143	9
Balance of area	58	1,415	159	129	347	352	41	122	192	4	113	228	1,040	1,060	611	541	155	208	18
Metropolitan counties	17	414	43	49	130	161	11	69	56	4	51	73	191	411	189	197	71	100	5
Urban places	16	237	27	26	71	81	5	45	24	2	30	46	51	230	80	96	40	68	3
Balance of area	1	177	16	23	59	80	6	24	32	2	21	27	140	181	109	101	31	32	2
Nonmetropolitan counties	84	1,787	216	142	406	387	43	147	218	3	111	288	1,177	1,194	604	580	173	251	22
Urban places	27	549	73	36	118	115	8	49	58	1	19	87	277	315	102	140	49	75	6
Balance of area	57	1,238	143	106	288	272	35	98	160	2	92	201	900	879	502	440	124	176	16
Adams	4	49	4	4	8	6	1	3	5	-	2	9	13	30	12	9	7	5	-
Natchez	4	34	3	1	7	5	-	1	4	-	2	8	8	21	4	6	4	2	-
Balance of county	-	15	1	3	1	1	1	2	1	-	-	1	5	9	8	3	3	3	-
Alcorn	1	18	3	3	6	7	-	3	6	-	2	2	3	17	7	10	7	4	-
Corinth	-	10	1	-	2	4	-	-	3	-	1	1	-	7	3	6	3	1	-
Balance of county	1	8	2	3	4	3	-	3	3	-	1	1	3	10	4	4	4	3	-
Amite	1	14	2	-	1	4	1	-	-	-	-	-	28	10	8	7	3	1	2
Attala	2	23	3	2	13	4	1	2	2	-	3	2	4	11	4	15	3	6	-
Benton	-	2	-	-	-	2	-	1	-	-	-	1	16	5	4	2	1	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hemato-poietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Mississippi—Con.																			
Bolivar	472	1	-	3	80	19	12	4	20	4	4	17	1	240	162	-	8	117	37
Cleveland	134	-	-	-	23	4	4	2	6	1	1	5	-	69	46	-	2	35	9
Balance of county	338	1	-	3	57	15	8	2	14	3	3	12	1	171	116	-	6	82	28
Calhoun	159	-	-	4	26	4	8	-	4	-	-	10	1	70	59	-	-	43	16
Carroll	88	-	-	2	24	3	6	2	5	1	4	3	-	38	31	-	-	20	11
Chickasaw	178	-	-	2	29	7	7	5	3	1	-	5	4	87	70	-	4	53	13
Choctaw	90	-	-	1	14	4	2	3	2	-	-	3	3	49	42	-	12	27	3
Claiborne	110	-	-	-	14	1	5	1	3	-	1	3	-	66	53	-	3	33	17
Clarke	189	1	-	2	31	7	8	1	6	2	1	6	8	92	67	1	5	40	21
Clay	205	-	-	2	39	13	7	3	8	1	2	5	3	113	94	-	4	57	33
Coahoma	394	1	-	4	63	15	14	4	9	3	2	16	6	163	108	-	10	67	31
Clarksdale	247	1	-	4	38	10	9	2	5	3	-	9	4	109	74	-	7	44	23
Balance of county	147	-	-	-	25	5	5	2	4	-	2	7	2	54	34	-	3	23	8
Copiah	271	-	-	2	46	15	8	6	9	1	1	6	3	137	94	-	4	68	22
Covington	184	-	-	1	30	7	7	5	3	3	1	4	4	83	66	2	-	40	24
De Soto	321	-	-	4	47	6	23	-	6	1	3	8	3	114	84	-	3	71	10
Forrest	668	1	-	8	120	27	41	7	10	7	4	24	16	270	189	2	4	131	52
Hattiesburg, part	467	1	-	6	77	22	24	5	8	5	3	10	11	209	147	2	3	97	45
Hattiesburg, total	470	1	-	6	78	23	24	5	8	5	3	10	11	210	148	2	3	98	45
Balance of county	201	-	-	2	43	5	17	2	2	2	1	14	5	61	42	-	1	34	7
Franklin	102	1	-	-	19	5	7	1	3	-	2	1	7	49	37	-	-	31	6
George	138	-	-	-	24	4	10	2	2	-	1	5	3	69	55	-	-	48	7
Greene	101	-	-	1	16	5	4	2	3	-	1	1	1	57	50	-	-	44	6
Grenada	233	-	-	-	54	11	17	6	5	3	-	12	2	140	89	1	-	64	24
Hancock	225	-	-	1	46	11	18	1	5	1	1	9	5	108	90	-	2	44	44
Harrison	1,341	-	1	11	271	43	96	16	28	13	8	67	14	655	544	3	18	295	228
Biloxi	400	-	-	-	76	13	26	4	9	5	2	17	4	194	165	2	6	95	62
Gulfport	485	-	1	10	114	14	46	7	6	6	5	30	3	234	194	1	7	101	85
Balance of county	456	-	-	1	81	16	24	5	13	2	1	20	7	227	185	-	5	99	81
Hinds	2,075	5	-	17	407	76	115	42	56	22	19	77	32	985	747	4	54	513	176
Jackson, part	1,699	5	-	13	323	62	96	32	42	17	13	61	28	810	617	4	48	421	144
Jackson, total	1,699	5	-	13	323	62	96	32	42	17	13	61	28	810	617	4	48	421	144
Balance of county	376	-	-	4	84	14	19	10	14	5	6	16	4	175	130	-	6	92	32
Holmes	245	-	-	1	51	18	15	2	8	-	2	6	5	126	91	-	2	65	24
Humphreys	169	-	-	-	29	10	6	2	4	2	-	5	1	83	55	-	5	42	8
Issaquena	12	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	2	1
Itawamba	194	-	-	2	37	6	10	6	4	-	1	10	3	99	68	-	1	46	21
Jackson	675	-	-	10	139	21	54	9	14	5	10	26	10	275	210	1	9	138	62
Moss Point	114	-	-	-	24	5	9	2	3	-	1	4	4	49	36	-	5	22	9
Pascagoula	213	-	-	4	41	7	11	3	5	3	3	9	3	99	68	1	1	43	23
Balance of county	348	-	-	6	74	9	34	4	6	2	6	13	3	127	106	-	3	73	30
Jasper	151	1	-	-	30	6	12	2	3	2	1	4	1	74	58	1	1	53	3
Jefferson	99	-	-	-	17	6	5	-	3	-	-	3	2	47	37	-	3	23	11
Jefferson Davis	149	-	-	1	28	8	5	1	8	1	1	4	2	62	48	-	1	31	16
Jones	624	1	-	5	112	23	32	5	18	5	6	23	14	300	216	2	6	148	60
Laurel	299	-	-	3	57	18	12	4	9	4	1	9	9	137	95	-	1	65	29
Balance of county	325	1	-	2	55	5	20	1	9	1	5	14	5	163	121	2	5	83	31
Kemper	106	-	-	-	11	-	3	1	3	-	2	2	-	64	53	-	8	36	9
Lafayette	214	-	-	2	38	10	10	5	3	1	-	9	-	102	79	1	5	49	24
Oxford	105	-	-	1	16	5	5	1	2	-	-	3	-	54	41	-	2	24	15
Balance of county	109	-	-	1	22	5	5	4	1	1	-	6	-	48	38	1	3	25	9
Lamar	153	-	-	3	26	8	8	1	2	1	-	6	3	58	47	-	-	41	6
Hattiesburg, part	3	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	150	-	-	3	25	7	8	1	2	1	-	6	3	57	46	-	-	40	6
Lauderdale	619	-	-	6	163	37	45	15	24	13	2	27	9	425	298	2	17	194	85
Meridian	385	-	-	4	119	24	33	11	18	9	2	22	5	305	199	2	12	128	57
Balance of county	234	-	-	2	44	13	12	4	6	4	-	5	4	120	99	-	5	66	28
Lawrence	119	-	-	2	17	8	5	-	1	1	1	1	1	67	48	-	3	23	22
Leake	211	-	-	1	36	9	11	5	4	-	-	7	5	115	96	-	2	56	38
Lee	509	-	-	6	90	20	40	5	10	3	2	19	4	272	199	-	9	131	59
Tupelo	265	-	-	5	50	10	18	4	4	3	-	11	3	148	105	-	5	63	37
Balance of county	244	-	-	1	40	10	22	1	6	-	2	8	1	124	94	-	4	68	22
Leflore	493	1	-	4	91	17	27	6	18	3	4	16	6	292	236	-	11	149	76
Greenwood	334	1	-	4	58	10	17	4	13	1	3	10	5	197	153	-	7	99	47
Balance of county	159	-	-	-	33	7	10	2	5	2	1	6	1	95	83	-	4	50	29
Lincoln	344	1	-	-	54	7	21	-	6	4	2	14	7	189	152	-	2	127	23
Brookhaven	172	-	-	-	22	4	7	-	3	2	1	5	6	97	79	-	1	65	13
Balance of county	172	1	-	-	32	3	14	-	3	2	1	9	1	92	73	-	1	62	10
Lowndes	415	-	-	7	75	18	23	7	12	3	2	10	6	193	157	4	7	115	31
Columbus	257	-	-	7	49	15	15	4	7	1	1	6	3	126	105	3	4	78	20
Balance of county	158	-	-	-	26	3	8	3	5	2	1	4	3	67	52	1	3	37	11
Madison	352	-	-	5	63	9	18	2	10	3	1	20	5	126	78	1	1	45	31
Canton	161	-	-	3	22	4	5	1	4	2	-	6	3	63	38	-	-	23	15
Balance of county	191	-	-	2	41	5	13	1	6	1	1	14	2	63	40	1	1	22	16
Marion	223	-	-	1	36	11	13	3	2	-	2	5	1	92	65	-	1	51	13
Marshall	249	1	-	2	37	5	16	1	3	2	2	8	6	106	74	-	3	47	24
Monroe	374	1	-	4	75	15	25	4	8	3	3	17	5	174	108	-	4	83	21
Montgomery	153	-	-	-	19	3	4	2	1	2	1	6	-	96	72	-	7	53	12
Neshoba	237	-	-	4	39	11	9	5	5	1	-	8	-	104	81	-	10	40	31
Newton	239	1	-	1	46	16	12	4	2	2	2	8	9	126	108	-	4	49	55
Noxubee	125	-	-	2	17	3	5	1	4	-	1	3	1	48	39	-	3	24	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Mississippi—Con																			
Bolivar	5	48	17	8	10	9	-	2	4	-	2	17	37	30	13	12	5	5	1
Cleveland	2	13	7	1	3	3	-	-	1	-	-	3	11	12	2	3	2	2	-
Balance of county	3	35	10	7	7	6	-	2	3	-	2	14	26	18	11	9	3	3	1
Calhoun	-	11	-	-	10	4	-	1	-	-	2	2	8	11	10	9	1	-	-
Carroll	1	5	-	1	2	2	-	-	2	-	-	-	1	5	6	2	2	2	-
Chickasaw	-	15	1	1	1	5	-	2	2	-	3	8	5	13	8	7	3	-	-
Choctaw	1	6	-	-	-	1	-	-	1	-	-	-	-	11	6	3	1	-	-
Claiborne	-	10	3	-	-	2	-	1	-	-	-	3	2	5	11	5	1	-	-
Clarke	-	22	2	1	5	3	1	1	2	-	-	3	19	15	3	8	2	5	-
Clay	-	16	1	2	4	1	-	1	4	-	2	4	3	11	3	12	-	3	-
Coahoma	1	45	7	2	4	6	2	4	7	-	-	13	54	28	14	13	3	9	-
Clarksdale	-	29	6	-	2	3	2	4	4	-	-	8	34	14	9	5	2	4	-
Balance of county	1	16	1	2	2	3	-	-	3	-	-	5	20	14	5	8	1	5	-
Copiah	1	38	2	2	7	2	1	2	5	-	-	1	18	23	10	9	3	1	1
Covington	-	14	2	1	3	6	-	1	1	-	-	6	20	15	8	3	-	3	-
De Soto	-	26	3	1	4	9	2	3	4	-	2	3	67	19	13	14	6	6	1
Forrest	4	60	13	4	20	27	2	10	6	-	9	6	69	44	20	27	7	6	-
Hattiesburg, part	2	46	11	3	13	19	2	7	3	-	4	3	41	33	12	15	6	5	-
Hattiesburg, total	2	46	11	3	13	20	2	7	3	-	4	3	41	33	12	15	6	5	-
Balance of county	2	14	2	1	7	8	-	3	3	-	5	3	28	11	8	12	1	1	-
Franklin	-	9	3	-	4	1	-	2	2	-	1	-	1	5	4	4	1	1	-
George	-	12	1	1	2	6	1	1	2	-	-	3	-	10	11	4	-	2	-
Greene	1	6	-	-	1	4	-	-	-	-	-	1	2	4	5	6	1	2	-
Grenada	1	45	1	4	6	3	2	1	1	-	3	2	2	9	4	1	1	2	-
Hancock	-	13	2	3	6	7	-	1	2	-	4	3	1	13	13	5	5	5	-
Harrison	2	88	6	15	29	46	1	22	12	2	9	12	10	104	42	49	27	24	-
Biloxi	1	22	2	4	9	19	1	10	5	1	4	6	4	25	12	15	7	8	-
Gulfport	1	31	2	6	10	10	-	6	3	1	3	3	3	43	9	14	10	8	-
Balance of county	-	35	2	5	10	17	-	6	4	-	2	3	3	36	21	20	10	8	-
Hinds	12	183	23	20	58	55	3	32	22	1	22	35	36	165	56	66	23	54	1
Jackson, part	12	149	18	14	47	47	3	25	14	-	18	30	30	140	45	50	21	49	1
Jackson, total	12	149	18	14	47	47	3	25	14	-	18	30	30	140	45	50	21	49	1
Balance of county	-	34	5	6	11	8	-	7	8	1	4	5	6	25	11	16	2	5	-
Holmes	4	24	3	4	4	2	-	2	2	-	3	1	11	16	7	4	3	7	-
Humphreys	1	21	6	-	3	2	1	-	2	-	2	6	15	8	5	9	-	3	-
Issaquena	-	-	-	-	-	2	-	-	-	-	-	1	1	1	3	-	-	1	-
Itawamba	-	26	4	-	1	3	-	-	4	-	1	1	3	16	15	10	-	-	-
Jackson	2	54	5	4	11	20	2	6	8	1	9	16	30	58	34	29	6	7	2
Moss Point	1	10	1	1	1	1	-	3	1	-	1	1	5	10	3	8	-	2	1
Pascagoula	1	25	4	1	4	4	1	1	1	-	4	6	9	12	11	9	2	1	1
Balance of county	-	19	-	2	6	15	1	4	6	1	4	9	16	36	20	12	4	4	-
Jasper	-	15	1	-	4	1	-	1	1	-	2	2	13	6	5	6	1	3	-
Jefferson	1	5	2	2	2	1	-	-	2	-	-	3	1	11	5	6	-	2	-
Jefferson Davis	-	12	-	2	4	5	-	1	2	-	1	1	22	6	2	6	-	4	-
Jones	-	72	4	8	25	12	-	9	15	-	3	16	20	41	19	15	7	10	-
Laurel	-	34	3	5	12	5	-	8	8	-	-	9	10	18	7	9	1	6	-
Balance of county	-	38	1	3	13	7	-	1	7	-	3	7	10	23	12	6	6	4	-
Kemper	-	9	2	-	2	1	-	-	-	-	1	1	10	3	7	3	1	2	-
Lafayette	1	19	1	2	7	9	1	1	3	-	-	2	8	15	12	6	4	4	-
Oxford	1	9	1	2	5	5	-	-	2	-	-	-	2	11	2	3	2	2	-
Balance of county	-	10	-	-	2	4	1	1	1	-	-	2	6	4	10	3	2	2	-
Lamar	-	10	1	-	6	5	1	4	3	-	1	3	11	13	4	8	2	2	-
Hattiesburg, part	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	10	1	-	6	4	1	4	3	-	1	3	11	13	4	8	2	2	-
Lauderdale	6	108	6	7	20	19	2	17	14	-	5	5	19	42	28	24	5	15	1
Meridian	5	90	5	6	18	17	1	13	9	-	2	5	15	28	17	14	3	9	1
Balance of county	1	18	1	1	2	2	1	4	5	-	3	-	4	14	11	10	2	6	-
Lawrence	1	16	1	1	1	4	-	-	2	-	-	1	1	8	7	3	1	4	-
Leake	-	18	-	1	5	6	1	2	2	-	2	3	3	7	12	6	1	4	-
Lee	3	51	16	3	9	10	1	1	2	-	6	7	7	37	17	18	4	7	2
Tupelo	1	28	12	2	8	5	-	-	-	-	3	3	1	18	5	10	2	2	2
Balance of county	2	23	4	1	1	5	1	1	2	-	3	4	6	19	12	8	2	5	-
Leflore	5	43	3	5	12	3	2	2	3	1	4	14	2	20	7	15	5	8	1
Greenwood	4	33	2	5	9	1	-	2	2	-	2	8	2	14	7	9	4	8	1
Balance of county	1	10	1	-	3	2	2	-	1	1	2	6	-	6	-	6	1	-	-
Lincoln	-	32	2	3	8	6	1	4	6	-	2	3	29	11	8	9	3	2	1
Brookhaven	-	17	-	1	7	3	-	2	4	-	-	2	15	6	2	3	1	2	-
Balance of county	-	15	2	2	1	3	1	2	2	-	2	1	14	5	6	6	2	-	1
Lowndes	1	31	2	2	5	12	-	5	4	-	-	8	26	29	22	12	5	6	-
Columbus	1	19	1	-	3	10	-	2	2	-	-	3	11	21	8	6	2	4	-
Balance of county	-	12	1	2	2	2	-	3	2	-	-	5	15	8	14	6	3	2	-
Madison	4	39	1	4	6	4	1	1	6	-	5	9	60	29	10	9	4	8	1
Canton	1	21	1	2	3	2	-	1	2	-	2	6	28	16	1	3	1	4	1
Balance of county	3	18	-	2	3	2	1	-	4	-	3	3	32	13	9	6	3	4	-
Marion	1	19	6	1	10	4	-	4	6	-	5	3	32	15	8	2	2	1	1
Marshall	-	29	1	2	4	4	-	4	4	-	3	4	27	20	14	6	3	4	-
Monroe	1	43	7	5	12	8	1	1	3	1	2	2	26	29	12	15	1	2	-
Montgomery	1	22	-	1	5	4	-	-	3	-	2	1	6	9	3	1	1	3	-
Neshoba	2	19	1	1	6	4	-	2	1	-	-	4	43	17	2	8	1	2	-
Newton	1	14	1	2	2	2	1	-	1	-	-	1	18	9	12	7	2	1	-
Noxubee	-	8	-	1	2	3	1	3	2	-	-	2	25	10	3	2	2	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Mississippi—Con.																			
Oktibbeha	224	-	-	1	41	14	9	4	7	-	-	7	4	112	87	-	4	52	31
Starkville	119	-	-	-	20	9	4	1	1	-	-	5	2	60	43	-	1	27	15
Balance of county	105	-	-	1	21	5	5	3	6	-	-	2	2	52	44	-	3	25	16
Panola	304	1	-	5	65	16	16	4	11	5	3	8	7	132	61	-	6	49	26
Pearl River	327	2	-	2	60	15	24	2	3	1	1	14	8	157	128	1	3	91	33
Picayune	145	1	-	-	31	11	9	1	2	-	1	7	3	71	56	1	2	37	16
Balance of county	182	1	-	2	29	4	15	1	1	1	-	7	5	86	72	-	1	54	17
Perry	83	-	-	1	15	3	6	1	-	1	-	4	1	44	32	-	-	25	7
Pike	441	-	-	3	72	19	20	5	5	4	2	17	16	236	175	1	29	92	53
McComb	197	-	-	1	30	9	8	4	3	1	-	5	12	104	67	-	12	32	23
Balance of county	244	-	-	2	42	10	12	1	2	3	2	12	4	132	108	1	17	60	30
Pontotoc	215	-	-	2	39	10	11	2	6	-	4	6	4	113	97	1	-	60	27
Prentiss	229	-	-	3	42	9	9	2	5	2	3	12	2	96	66	1	2	45	18
Quitman	146	-	-	1	30	5	9	1	5	4	1	5	2	70	51	-	5	23	23
Rankin	542	-	-	7	91	26	29	6	4	3	5	18	14	219	167	1	3	126	37
Jackson, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	542	-	-	7	91	26	29	6	4	3	5	18	14	219	167	1	3	126	37
Scott	220	-	-	1	38	7	12	4	2	-	3	10	6	115	89	-	4	56	19
Sharkey	98	-	-	-	21	6	4	1	4	1	1	2	1	38	27	-	3	11	13
Simpson	224	-	-	2	42	4	18	1	6	2	3	8	1	117	87	1	1	60	25
Smith	137	-	-	-	30	5	13	2	4	-	-	6	-	56	51	-	1	33	17
Stone	87	-	-	1	10	2	4	-	2	-	-	2	2	43	34	-	-	33	1
Sunflower	311	1	-	2	55	12	16	5	8	-	3	11	13	176	130	-	15	78	37
Tallahatchie	185	-	-	3	25	11	4	3	2	1	1	3	3	82	61	-	5	41	15
Tate	186	-	-	2	34	8	11	1	4	-	1	9	5	80	60	-	-	39	21
Tippah	196	-	-	-	38	11	9	1	7	4	2	4	4	98	70	1	-	51	18
Tishomingo	191	1	-	4	35	5	11	1	6	2	1	9	4	100	82	-	4	62	16
Tunica	114	-	-	-	16	5	5	1	4	-	-	1	3	58	47	-	2	30	15
Union	238	-	-	2	40	12	14	2	5	-	2	5	4	112	95	1	-	65	29
Walthall	160	-	-	2	24	5	10	1	6	-	-	2	4	72	59	-	1	31	27
Warren	468	1	-	3	106	33	30	6	13	-	3	21	6	216	152	1	4	74	73
Vicksburg	323	1	-	2	70	23	20	4	7	-	2	14	4	157	115	1	3	59	52
Balance of county	145	-	-	1	36	10	10	2	6	-	1	7	2	59	37	-	1	15	21
Washington	697	-	-	5	129	31	36	4	26	4	9	19	10	313	221	1	22	140	58
Greenville	456	-	-	2	79	17	22	-	14	3	7	16	7	222	163	1	17	111	34
Balance of county	241	-	-	3	50	14	14	4	12	1	2	3	3	91	58	-	5	29	24
Wayne	167	-	-	1	24	4	9	1	2	3	-	5	3	74	63	1	1	46	15
Webster	121	-	-	2	28	6	8	-	5	-	1	8	-	60	42	-	1	32	9
Wilkinson	127	-	-	1	26	6	10	3	4	-	1	2	5	62	45	-	6	22	17
Winston	215	-	-	2	38	7	12	4	2	-	-	13	6	116	96	1	9	51	35
Yalobusha	134	-	-	2	36	8	13	3	3	2	1	6	3	59	44	-	2	29	13
Yazoo	297	1	-	1	48	13	12	6	4	3	1	9	4	124	81	-	9	38	36
Yazoo City	173	1	-	-	23	4	7	5	3	1	-	3	3	84	54	-	7	23	24
Balance of county	124	-	-	1	25	9	5	1	1	2	1	6	1	40	27	-	2	13	12
Missouri	48,848	43	9	432	10,166	2,514	2,813	824	1,110	425	432	2,048	754	23,903	18,292	157	683	13,976	3,476
Urban places	22,695	25	7	241	4,769	1,192	1,359	405	527	195	195	896	369	10,973	8,445	71	381	6,496	1,497
Balance of area	26,153	18	2	191	5,397	1,322	1,454	419	583	230	237	1,152	385	12,930	9,847	86	302	7,480	1,979
Metropolitan counties	29,365	33	6	305	6,407	1,566	1,808	540	706	269	275	1,243	478	14,069	10,874	107	469	8,409	1,889
Urban places	20,118	23	6	224	4,264	1,067	1,212	362	472	177	173	801	345	9,659	7,473	65	357	5,761	1,290
Balance of area	9,247	10	-	81	2,143	499	596	178	234	92	102	442	133	4,410	3,401	42	112	2,648	599
Nonmetropolitan counties	19,483	10	3	127	3,759	948	1,005	284	404	156	157	805	276	9,834	7,418	50	214	5,567	1,587
Urban places	2,577	2	1	17	505	125	147	43	55	18	22	95	44	1,314	972	6	24	735	207
Balance of area	16,906	8	2	110	3,254	823	858	241	349	138	135	710	232	8,520	6,446	44	190	4,832	1,380
Adair	209	-	-	2	38	9	12	2	4	2	1	8	2	104	82	-	-	62	20
Kirksville	159	-	-	1	28	7	9	1	3	2	-	6	2	77	59	-	-	46	13
Balance of county	50	-	-	1	10	2	3	1	1	-	1	2	-	27	23	-	-	16	7
Andrew	142	-	-	1	26	7	3	3	6	1	-	6	1	75	62	-	1	56	5
Atchison	125	-	-	-	29	8	6	4	3	-	1	7	1	69	44	1	-	31	12
Audrain	287	-	-	2	59	18	12	6	2	6	2	13	6	146	111	-	1	88	22
Mexico	151	-	-	1	27	6	9	4	1	1	1	5	2	80	60	-	-	48	12
Balance of county	136	-	-	1	32	12	3	2	1	5	1	8	4	66	51	-	1	40	10
Barry	300	-	-	1	76	15	27	2	13	3	3	13	5	118	77	-	1	61	15
Barton	165	-	-	2	27	8	7	1	2	-	2	7	5	90	68	-	3	60	5
Bates	241	-	-	3	35	9	10	2	4	-	-	10	1	122	88	-	4	67	17
Benton	193	1	-	-	38	6	8	6	3	2	2	9	4	97	69	-	-	48	21
Bollinger	109	-	-	-	25	4	7	-	4	2	4	4	-	57	36	2	-	30	4
Boone	582	1	1	5	126	23	35	7	13	6	9	33	9	257	195	2	5	133	55
Columbia	378	1	1	2	81	14	22	4	11	3	6	21	6	162	115	2	3	78	32
Balance of county	204	-	-	3	45	9	13	3	2	3	3	12	3	95	80	-	2	55	23
Buchanan	998	-	-	3	193	54	47	11	22	12	8	39	12	518	382	1	14	303	64
St. Joseph	909	-	-	3	171	47	45	9	19	11	4	36	11	473	345	1	14	278	52
Balance of county	89	-	-	-	22	7	2	2	3	1	4	3	1	45	37	-	-	25	12
Butler	422	1	-	3	85	20	24	7	7	5	6	16	4	180	135	-	1	105	29
Poplar Bluff	251	1	-	2	51	15	12	4	5	3	4	8	2	106	78	-	1	63	14
Balance of county	171	-	-	1	34	5	12	3	2	2	2	8	2	74	57	-	-	42	15
Caldwell	119	-	-	2	17	3	4	2	2	1	1	4	4	69	51	-	3	35	13
Callaway	245	-	-	3	52	8	14	4	7	4	4	11	4	113	92	-	6	59	27
Fulton	114	-	-	2	18	3	4	3	3	1	1	3	2	57	46	-	5	23	18
Jefferson City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	131	-	-	1	34	5	10	1	4	3	3	8	2	56	46	-	1	36	9
Camden	235	-	-	4	54	13	13	4	6	2	2	14	-	114	92	1	-	72	19

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Mississippi—Con.																			
Oktibbeha	2	17	5	1	3	2	1	1	1	-	3	4	3	17	6	11	6	6	-
Starkville	2	11	3	1	2	-	-	1	-	-	-	1	1	11	4	9	5	3	-
Balance of county	-	6	2	-	1	2	1	-	1	-	3	3	2	6	2	2	3	3	-
Panola	6	35	5	5	6	6	2	4	4	-	3	6	13	22	14	5	4	3	-
Pearl River	1	22	2	4	4	5	1	1	5	-	-	2	21	27	20	6	5	1	-
Picayune	-	13	-	2	3	1	1	-	2	-	-	1	7	15	5	2	2	-	-
Balance of county	1	9	2	2	1	4	-	1	3	-	-	1	14	12	15	4	3	1	-
Perry	1	8	-	3	1	2	1	1	2	-	-	3	2	2	3	3	-	1	1
Pike	-	55	5	1	6	8	1	6	3	-	2	6	26	32	8	8	2	6	-
McComb	-	35	2	-	4	1	-	1	2	-	1	4	9	16	3	4	1	4	-
Balance of county	-	20	3	1	2	7	1	5	1	-	1	2	17	16	5	4	1	2	-
Pontotoc	-	12	4	-	9	5	-	2	4	-	-	3	9	13	4	4	2	1	-
Prentiss	-	23	4	3	4	7	-	3	-	-	-	-	35	21	6	7	1	2	1
Quitman	-	15	2	2	1	1	-	2	2	-	-	3	2	17	7	2	3	2	1
Rankin	1	42	4	5	19	18	3	3	6	-	5	3	39	49	25	32	4	4	1
Jackson, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	42	4	5	19	18	3	3	6	-	5	3	39	49	25	32	4	4	1
Scott	2	21	1	2	2	5	1	1	-	-	1	2	13	13	9	7	3	2	1
Sharkey	-	8	1	2	2	-	1	2	3	-	1	4	8	9	3	3	2	-	-
Simpson	-	25	2	3	4	5	-	2	3	-	1	4	9	17	7	6	2	1	1
Smith	-	5	1	1	4	8	-	-	1	-	1	1	11	11	5	4	1	2	-
Stone	-	8	-	1	3	6	-	-	2	-	-	1	8	3	6	2	-	-	-
Sunflower	3	38	5	2	4	6	2	2	2	-	1	5	5	19	8	5	-	4	1
Tallahatchie	-	18	1	2	7	2	-	-	-	-	1	9	18	12	4	12	2	4	1
Tate	-	19	1	-	8	2	-	1	3	-	2	5	14	15	6	5	2	2	-
Tippah	2	19	5	3	3	8	1	1	-	-	1	1	4	18	5	11	2	-	-
Tishomingo	-	12	6	-	2	5	-	-	2	-	2	4	12	8	9	3	-	-	-
Tunica	-	9	1	1	4	1	-	-	-	-	2	-	8	12	6	2	-	2	-
Union	-	10	6	-	10	4	-	1	2	-	-	1	18	24	7	7	2	4	-
Walthall	-	12	1	-	4	6	-	1	6	-	-	1	17	9	3	5	1	5	-
Warren	4	52	4	4	14	11	1	4	6	-	3	13	5	34	9	18	5	11	2
Vicksburg	2	34	3	3	8	9	-	4	4	-	-	9	5	25	3	11	2	8	1
Balance of county	2	18	1	1	6	2	1	-	2	-	3	4	-	9	6	7	3	3	1
Washington	-	85	3	4	11	22	3	4	11	1	2	11	90	29	12	25	5	14	-
Greenville	-	55	3	1	6	19	2	3	6	1	1	9	48	18	6	16	4	7	-
Balance of county	-	30	-	3	5	3	1	1	5	-	1	2	42	11	6	9	1	7	-
Wayne	2	7	1	1	5	6	1	1	1	-	3	3	10	13	8	11	-	3	-
Webster	1	16	1	-	4	4	-	-	2	-	1	1	1	5	3	8	1	1	-
Wilkinson	1	12	3	1	1	3	-	3	-	-	1	-	5	12	2	4	-	2	-
Winston	-	18	1	1	8	3	-	-	1	-	-	1	9	12	2	9	7	3	-
Yalobusha	-	13	-	2	1	3	-	-	7	-	-	2	9	8	2	-	1	-	1
Yazoo	3	30	9	1	4	4	1	2	2	-	1	6	54	21	6	11	2	5	-
Yazoo City	2	18	9	1	3	2	-	-	-	-	1	4	29	11	2	6	2	2	-
Balance of county	1	12	-	-	1	2	1	2	2	-	-	2	25	10	4	5	-	3	-
Missouri	193	4,193	753	472	1,539	1,467	155	467	458	5	315	438	1,798	3,341	1,057	1,286	589	567	59
Urban places	98	1,896	324	210	694	670	88	263	189	1	135	215	670	1,682	366	568	296	426	28
Balance of area	95	2,297	429	262	845	797	67	204	269	4	180	223	1,128	1,659	691	718	293	141	31
Metropolitan counties	125	2,380	434	256	859	862	98	321	265	3	212	282	836	2,118	560	751	378	484	38
Urban places	91	1,648	279	168	607	580	80	239	177	1	120	191	577	1,499	322	502	262	416	24
Balance of area	34	732	155	88	252	282	18	82	88	2	92	91	259	619	238	249	116	68	14
Nonmetropolitan counties	68	1,813	319	216	680	605	57	146	193	2	103	156	962	1,223	497	535	211	83	21
Urban places	7	248	45	42	87	90	8	24	12	-	15	24	93	183	44	66	34	10	4
Balance of area	61	1,565	274	174	593	515	49	122	181	2	88	132	869	1,040	453	469	177	73	17
Adair	1	13	-	8	3	9	-	3	1	-	-	3	7	19	6	5	5	-	-
Kirksville	1	11	-	6	3	7	-	3	1	-	-	2	6	17	7	4	1	-	-
Balance of county	-	2	-	2	-	2	-	-	-	-	-	1	1	2	1	1	4	-	-
Andrew	-	10	1	2	18	5	-	-	1	-	2	-	1	8	2	2	2	-	-
Atchison	-	21	2	2	3	9	-	1	-	-	2	1	-	3	2	5	-	-	-
Audrain	2	24	7	2	14	14	1	2	-	-	2	3	5	19	7	2	3	1	1
Mexico	1	14	5	-	8	7	-	1	-	-	1	2	3	11	6	-	2	-	-
Balance of county	1	10	2	2	6	7	1	1	-	-	1	1	2	8	1	2	1	1	1
Barry	-	32	1	8	19	10	-	3	3	-	-	2	28	16	4	11	3	1	-
Barton	-	13	7	2	4	5	-	-	3	-	1	-	5	14	3	4	2	-	-
Bates	1	29	2	2	17	6	2	1	3	-	1	1	19	11	7	8	4	-	-
Benton	2	20	4	2	9	5	-	1	1	-	1	1	12	11	3	5	3	2	1
Bollinger	-	17	3	1	6	1	-	1	-	-	-	-	4	12	1	-	2	-	-
Boone	2	51	4	5	22	18	3	2	6	-	1	7	8	56	18	27	9	4	2
Columbia	2	40	3	2	19	7	1	2	6	-	1	5	2	42	11	18	7	3	1
Balance of county	-	11	1	3	3	11	2	-	-	-	-	2	6	14	7	9	2	1	1
Buchanan	3	96	30	7	29	40	1	10	11	-	2	7	49	65	17	28	10	3	-
St. Joseph	3	89	29	7	26	39	1	10	11	-	2	7	45	58	13	26	10	3	-
Balance of county	-	7	1	-	3	1	-	-	-	-	-	-	4	7	4	2	-	-	-
Butler	-	36	6	3	15	18	4	4	1	-	2	3	45	27	12	11	4	2	1
Poplar Bluff	-	20	5	3	9	16	3	3	-	-	-	2	28	15	5	5	3	-	-
Balance of county	-	16	1	-	6	2	1	1	1	-	2	1	17	12	7	6	1	2	1
Caldwell	1	14	1	2	5	1	-	-	1	-	-	-	9	9	-	2	1	-	-
Callaway	1	19	1	-	10	11	1	1	1	-	2	4	10	18	1	4	9	1	-
Fulton	-	11	-	-	7	4	1	-	-	-	1	-	2	12	-	3	4	1	-
Jefferson City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	8	1	-	3	7	-	1	1	-	1	4	8	6	1	1	5	-	-
Camden	-	18	1	3	6	7	-	4	1	-	1	2	1	16	9	10	4	-	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-008, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri—Con																			
Cape Girardeau	472	-	-	5	96	28	34	5	12	1	3	13	7	255	188	1	3	154	30
Cape Girardeau	287	-	-	3	55	20	19	3	3	-	2	8	5	157	113	-	2	96	15
Balance of county	185	-	-	2	41	8	15	2	9	1	1	5	2	98	75	1	1	58	15
Carroll	184	-	-	-	39	9	11	1	4	-	2	12	2	82	60	1	1	38	20
Carter	77	-	-	-	18	6	4	2	2	1	-	3	2	24	16	-	1	13	2
Cass	380	-	-	3	86	18	25	9	6	4	4	20	6	169	127	2	3	96	26
Cedar	172	-	-	-	30	8	6	1	5	3	2	5	1	78	49	-	1	39	9
Chariton	148	-	-	2	26	6	8	1	4	1	-	6	2	80	61	-	-	41	20
Christian	175	-	-	-	45	9	12	3	10	-	1	10	1	83	56	1	-	40	14
Clark	110	-	-	1	23	7	6	-	1	-	1	8	2	41	30	-	2	21	7
Clay	924	-	-	10	200	42	63	19	18	9	13	36	12	472	355	4	3	283	65
Gladstone	116	-	-	2	35	6	11	2	4	2	2	8	3	49	41	-	-	34	7
Independence, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas City, part	380	-	-	1	86	15	28	10	10	3	8	12	3	189	154	1	2	125	26
Liberty	146	-	-	2	24	8	8	1	1	-	1	5	3	76	46	-	1	39	6
Balance of county	282	-	-	5	55	13	16	6	3	4	2	11	3	158	114	3	-	85	26
Clinton	160	-	-	1	31	10	5	6	4	1	-	5	2	83	62	-	-	54	8
Cole	421	-	-	3	90	25	24	9	8	2	2	20	9	236	186	1	4	138	43
Jefferson city, part	318	-	-	2	64	18	18	7	3	2	1	15	6	182	144	1	4	105	34
Jefferson city, total	318	-	-	2	64	18	18	7	3	2	1	15	6	182	144	1	4	105	34
Balance of county	103	-	-	1	26	7	6	2	5	-	1	5	3	54	42	-	-	33	9
Cooper	195	-	-	2	37	8	11	2	6	1	1	8	2	103	83	-	1	71	11
Crawford	183	-	-	1	43	8	16	3	4	1	3	8	3	77	68	1	-	59	8
Dade	109	-	-	2	17	6	3	1	-	-	2	5	1	54	35	-	1	24	10
Dallas	132	-	-	1	32	11	8	1	2	1	-	9	3	63	51	-	4	36	11
Daviess	113	-	1	2	24	6	8	4	1	3	-	2	3	50	47	-	4	28	15
De Kalb	124	-	-	3	22	7	4	1	2	1	4	3	-	61	53	-	1	38	14
Dent	176	1	-	-	30	8	6	3	-	1	1	11	2	78	64	-	1	54	9
Douglas	128	-	-	1	17	2	8	-	1	-	1	5	1	62	41	2	2	33	4
Dunklin	407	-	-	-	75	21	19	6	11	-	4	14	14	200	169	1	3	122	43
Franklin	615	1	-	4	121	34	29	8	15	6	7	22	12	298	210	2	7	165	36
Gasconade	189	-	-	1	35	11	10	2	4	2	2	4	3	103	78	-	-	68	10
Gentry	111	-	-	-	23	6	4	4	1	1	1	6	1	68	49	1	-	40	8
Greene	1,639	1	1	17	337	74	84	28	36	17	16	82	18	721	482	4	13	352	113
Springfield	1,333	1	1	13	266	64	60	20	28	16	11	67	12	596	388	4	10	274	100
Balance of county	306	-	-	4	71	10	24	8	8	1	5	15	6	125	94	-	3	78	13
Grundy	173	-	-	-	33	13	6	4	4	1	-	5	1	113	97	1	11	64	21
Harrison	153	-	-	1	22	4	6	-	4	2	-	6	3	93	70	-	2	47	21
Henry	300	1	-	-	55	13	14	3	9	1	1	14	2	169	117	1	1	92	23
Hickory	85	-	-	1	24	4	7	3	2	2	-	6	1	32	22	-	-	15	7
Holt	101	-	-	2	18	3	6	1	-	1	1	6	1	57	42	-	1	34	7
Howard	104	-	-	1	19	2	4	-	2	3	-	8	-	60	36	-	-	25	11
Howell	344	1	-	2	70	18	23	6	7	1	3	12	6	150	118	-	1	94	23
Iron	140	-	-	1	25	4	7	3	4	1	-	6	2	60	49	-	2	38	9
Jackson	6,157	9	-	80	1,242	306	346	104	143	50	51	242	90	2,942	2,258	15	75	1,649	519
Grandview	122	-	-	3	31	7	11	3	3	-	2	5	-	40	27	1	1	17	8
Independence, part	956	2	-	11	207	50	54	16	22	12	8	45	8	486	385	1	18	268	98
Independence, total	956	2	-	11	207	50	54	16	22	12	8	45	8	486	385	1	18	268	98
Kansas City, part	4,208	7	-	57	828	216	231	67	101	27	32	154	76	1,963	1,494	11	48	1,113	322
Kansas City, total	4,670	7	-	60	932	234	265	80	112	32	40	169	81	2,164	1,676	13	50	1,261	352
Lee's Summit	322	-	-	6	40	10	12	3	5	3	4	12	1	190	146	1	3	93	49
Raytown	258	-	-	1	70	15	17	9	8	5	2	14	3	126	98	-	1	79	18
Balance of county	291	-	-	2	57	8	21	6	4	3	3	12	2	137	108	1	4	79	24
Jasper	983	-	-	9	204	46	63	12	25	16	10	33	12	424	323	3	17	248	55
Carthage	146	-	-	3	36	10	8	2	7	2	3	4	-	70	48	-	4	35	9
Joplin, part	478	-	-	5	98	19	36	7	5	8	7	16	8	186	143	1	8	116	18
Joplin, total	509	-	-	5	110	21	41	8	7	9	7	17	8	197	153	1	8	124	20
Balance of county	339	-	-	1	70	16	19	3	13	6	-	13	4	168	132	2	5	97	28
Jefferson	885	-	-	9	196	44	62	13	16	7	11	43	9	380	311	4	9	226	72
Johnson	281	-	-	1	56	15	16	2	8	2	1	12	3	146	99	1	2	76	20
Warrensburg	99	-	-	-	20	5	7	-	5	-	-	3	2	57	38	-	-	32	6
Balance of county	182	-	-	1	36	10	9	2	3	2	1	9	1	89	61	1	2	44	14
Knox	86	-	-	-	7	4	1	2	-	-	-	-	1	44	38	1	1	31	5
Laclede	244	-	-	1	46	14	5	5	3	7	1	11	-	132	105	1	1	69	34
Lafayette	393	-	-	1	73	22	22	6	4	1	4	14	7	197	141	3	1	104	33
Lawrence	317	-	-	7	62	17	14	11	2	2	-	16	5	172	134	-	3	106	25
Lewis	134	-	-	-	24	2	10	3	1	-	1	7	4	70	52	1	1	45	5
Lincoln	249	-	-	3	55	17	11	1	7	3	3	13	3	119	82	-	-	61	21
Linn	256	-	-	-	43	11	11	5	8	1	4	3	3	156	117	1	2	96	18
Livingston	218	-	-	-	48	16	15	2	3	2	2	9	3	112	83	1	6	61	15
McDonald	171	-	-	1	32	5	12	3	5	4	-	3	1	67	50	1	-	37	12
Macon	245	-	-	2	39	11	7	1	3	2	2	13	3	151	124	-	15	82	27
Madison	136	-	-	3	25	6	7	2	1	-	3	6	-	69	58	-	2	42	14
Maries	92	-	-	1	19	2	7	2	1	1	1	5	1	45	35	-	1	26	8
Marion	364	-	-	2	77	11	19	6	16	4	4	17	8	186	133	5	-	103	25
Hannibal, part	251	-	-	1	56	9	16	5	11	3	3	9	2	125	85	3	-	65	17
Hannibal, total	256	-	-	1	56	9	16	5	11	3	3	9	2	129	89	3	-	69	17
Balance of county	113	-	-	1	21	2	3	1	5	1	1	8	4	61	48	2	-	38	8
Mercer	70	-	-	-	7	2	2	-	2	-	-	1	2	42	33	-	1	17	15
Miller	180	-	-	3	43	11	14	3	4	2	-	9	2	86	64	-	1	47	16

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri—Con.																			
Cape Girardeau	2	47	12	6	7	11	1	6	2	-	1	4	21	27	7	11	8	2	1
Cape Girardeau	1	30	8	5	4	6	1	5	1	-	1	-	13	20	1	8	5	1	1
Balance of county	1	17	4	1	3	5	-	1	1	-	-	4	8	7	6	3	3	1	-
Carroll	1	18	1	2	6	9	1	3	2	-	-	4	14	6	8	5	2	1	-
Carter	-	6	1	1	5	-	-	1	2	-	-	-	16	2	5	1	-	1	-
Cass	2	35	1	4	12	13	1	2	4	-	4	7	21	24	13	15	7	2	-
Cedar	-	21	8	-	6	8	-	-	5	-	1	1	16	12	6	5	3	-	-
Chariton	1	16	2	-	5	3	1	-	-	-	-	1	1	7	6	7	7	-	-
Christian	1	24	1	2	4	5	-	-	1	-	2	-	12	9	3	5	2	2	1
Clark	-	9	-	2	7	3	-	-	-	-	-	-	19	11	2	1	-	-	-
Clay	5	95	5	12	18	35	5	5	9	-	10	5	12	59	21	26	22	3	-
Gladstone	-	7	-	1	2	8	-	1	-	-	2	-	-	5	-	7	1	1	-
Independence, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas City, part	2	27	2	4	8	12	2	1	3	-	4	1	6	32	8	10	13	1	-
Liberty	-	28	-	2	3	7	2	2	2	-	3	2	1	8	5	2	4	-	-
Balance of county	3	33	3	5	5	8	1	1	4	-	1	2	5	14	8	7	4	1	-
Clinton	-	17	2	2	9	6	1	-	7	-	-	-	6	11	6	3	2	1	-
Cole	3	34	6	7	10	7	2	4	2	-	3	5	2	24	4	10	5	3	2
Jefferson city, part	2	25	4	7	7	7	1	3	1	-	3	2	2	18	3	8	4	3	2
Jefferson city, total	2	25	4	7	7	7	1	3	1	-	3	2	2	18	3	8	4	3	2
Balance of county	1	9	2	-	3	-	1	1	1	-	-	3	-	6	1	2	1	-	-
Cooper	2	10	5	3	5	7	2	-	-	-	2	1	1	19	3	10	1	-	-
Crawford	-	6	2	1	8	10	-	2	4	-	-	2	6	12	6	6	1	2	-
Dade	-	15	2	2	5	1	-	1	-	-	-	1	8	11	3	4	1	-	-
Dallas	1	9	2	-	1	5	-	1	2	-	1	-	4	11	4	2	2	-	-
Daviess	1	9	-	2	3	2	2	-	1	-	-	3	4	3	2	2	1	1	-
De Kalb	-	7	1	-	2	4	2	-	3	-	-	-	14	8	4	-	1	-	-
Dent	-	11	3	-	8	5	-	1	5	-	1	2	14	5	9	10	3	2	-
Douglas	1	13	4	3	3	7	1	-	3	1	2	1	8	9	7	4	1	-	-
Dunklin	1	26	2	2	15	11	2	4	2	-	-	-	25	28	10	13	4	4	-
Franklin	5	63	13	7	21	15	2	4	6	-	9	6	39	40	16	13	5	2	1
Gasconade	-	20	5	-	5	3	-	-	2	-	-	1	7	18	4	6	1	-	-
Gentry	-	18	-	1	1	1	1	1	2	-	-	1	1	6	1	4	-	-	-
Greene	3	201	19	16	57	64	7	14	13	-	11	16	149	100	45	33	19	13	3
Springfield	3	173	17	15	50	51	7	12	10	-	7	15	121	80	34	29	16	10	2
Balance of county	-	28	2	1	7	13	-	2	3	-	4	1	28	20	11	4	3	3	1
Grundy	-	12	1	3	6	1	-	-	2	-	-	1	-	8	1	4	2	1	-
Harrison	-	15	5	3	8	6	-	1	4	-	-	-	2	8	1	3	1	-	-
Henry	2	45	3	2	5	6	1	3	3	-	1	2	14	28	-	3	6	1	-
Hickory	-	9	1	-	2	5	-	2	1	-	-	-	7	6	1	3	-	-	-
Holt	-	14	1	-	9	2	-	-	-	-	-	-	1	7	-	2	1	1	-
Howard	-	14	10	-	6	4	-	1	-	-	-	-	-	8	1	4	-	-	-
Howell	2	34	4	1	11	10	1	2	7	-	1	4	25	20	16	4	3	2	-
Iron	-	6	3	2	8	3	-	-	1	-	-	2	14	9	8	5	1	1	-
Jackson	31	510	98	45	162	220	19	76	62	-	42	58	199	453	109	177	97	117	3
Grandview	1	10	2	-	-	7	1	1	-	-	4	3	1	13	6	4	3	5	-
Independence, part	6	78	9	8	23	38	1	10	8	-	9	7	15	52	25	18	29	6	1
Independence, total	6	78	9	8	23	38	1	10	8	-	9	7	15	52	25	18	29	6	1
Kansas City, part	20	353	64	32	116	144	13	57	47	-	23	42	173	322	52	136	49	101	2
Kansas City, total	22	384	66	36	127	158	15	59	50	-	29	43	183	361	61	149	65	104	2
Lee's Summit	1	36	5	2	12	11	3	2	2	-	1	2	3	28	7	2	3	-	-
Raytown	2	19	5	2	5	7	1	2	2	-	2	-	4	16	6	5	5	3	-
Balance of county	1	14	13	1	6	13	-	4	3	-	3	4	3	22	13	12	8	2	-
Jasper	5	73	13	10	35	41	5	8	17	-	9	3	54	83	13	35	9	2	-
Carthage	2	15	4	1	5	5	-	-	5	-	1	-	6	4	1	9	1	-	-
Joplin, part	-	34	4	5	19	23	3	5	9	-	5	2	35	55	4	13	6	2	-
Joplin, total	-	34	5	5	19	24	3	6	9	-	5	2	36	59	5	13	6	2	-
Balance of county	3	24	5	4	11	13	2	3	3	-	3	1	13	24	8	13	2	-	-
Jefferson	2	64	16	6	29	29	1	6	11	-	14	15	10	56	49	31	11	8	2
Johnson	2	25	15	5	8	12	-	1	1	-	5	2	1	19	12	12	2	-	-
Warrensburg	1	11	6	1	3	2	-	-	1	-	2	1	-	6	3	2	-	-	-
Balance of county	1	14	9	4	5	10	-	1	-	-	3	1	1	13	9	10	2	-	-
Knox	2	3	1	-	3	1	-	-	2	-	-	-	1	4	1	1	1	-	-
Laclede	-	24	2	1	6	9	-	2	-	-	2	-	12	13	12	3	5	1	-
Lafayette	2	46	7	1	7	11	4	7	6	-	4	3	22	31	7	7	5	1	-
Lawrence	1	30	5	2	10	14	2	3	1	-	4	2	4	17	4	7	3	-	-
Lewis	2	12	1	3	7	1	1	2	2	-	-	1	2	8	5	2	1	4	-
Lincoln	-	29	5	3	6	7	-	4	4	-	1	2	23	11	6	5	-	-	-
Linn	2	29	2	5	7	10	-	2	3	-	2	5	1	13	4	5	2	1	-
Livingston	1	23	3	2	8	4	2	1	1	-	1	-	7	13	3	10	3	1	-
McDonald	-	16	1	-	8	4	-	1	5	-	1	1	20	11	12	4	1	2	-
Macon	-	20	4	3	1	6	-	-	6	-	2	3	2	18	4	5	2	1	-
Madison	-	6	2	3	2	4	-	-	1	-	2	-	16	7	3	2	2	-	-
Maries	1	8	1	-	3	1	-	-	-	-	-	-	4	7	6	5	-	-	-
Marion	-	39	7	7	20	10	1	1	5	-	3	3	7	21	8	10	3	1	-
Hannibal, part	-	31	4	5	13	9	1	1	3	-	3	3	4	16	4	8	1	1	-
Hannibal, total	-	31	4	5	13	9	1	1	3	-	4	3	4	16	4	8	1	1	-
Balance of county	-	8	3	2	7	1	-	-	2	-	-	-	3	5	4	2	2	-	-
Mercer	-	3	5	1	-	3	-	1	1	-	2	-	-	8	3	-	1	-	-
Miller	2	18	-	1	4	5	-	3	2	-	1	1	4	13	6	4	2	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri—Con.																			
Mississippi	197	1	-	1	38	16	8	2	5	1	1	5	2	89	71	-	-	52	19
Moniteau	152	1	-	-	29	4	9	1	4	2	1	8	3	84	68	1	1	52	14
Monroe	134	-	-	-	28	6	5	4	3	-	1	9	1	66	52	-	-	40	12
Montgomery	195	1	-	2	31	8	5	2	5	3	2	6	2	108	80	-	1	67	12
Morgan	202	-	-	1	45	10	14	3	7	5	1	5	3	107	77	-	1	59	17
New Madrid	261	-	-	1	40	11	7	4	7	4	1	6	2	124	96	1	2	59	34
Sikeston, part	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	259	-	-	1	40	11	7	4	7	4	1	6	2	123	95	1	2	58	34
Newton	362	1	-	4	102	20	25	5	20	7	6	19	3	138	102	2	-	77	23
Joplin, part	31	-	-	-	12	2	5	1	2	1	-	1	-	11	10	-	-	8	2
Balance of county	331	1	-	4	90	18	20	4	18	6	6	18	3	127	92	2	-	69	21
Nodaway	225	-	-	-	44	11	11	7	4	3	-	8	2	108	81	3	-	63	15
Oregon	152	-	-	3	21	5	3	2	3	-	1	7	3	69	50	-	-	44	6
Osage	113	-	-	-	17	5	2	1	4	1	-	4	4	61	45	-	1	37	7
Ozark	103	-	-	1	25	10	6	-	3	-	-	6	1	42	29	-	2	18	9
Pemiscot	339	-	-	1	44	10	14	3	4	1	4	8	12	166	106	-	4	76	26
Perry	171	-	-	1	39	15	8	2	2	1	1	10	2	100	87	-	3	66	18
Pettis	409	1	-	3	82	14	21	3	12	6	4	22	7	212	149	1	2	121	25
Sedalia	297	1	-	2	66	13	18	3	9	4	4	15	6	152	108	-	1	88	19
Balance of county	112	-	-	1	16	1	3	-	3	2	-	7	1	60	41	1	1	33	6
Phelps	346	-	-	3	53	15	19	4	1	1	2	11	6	174	139	3	1	108	27
Rolla	115	-	-	-	19	3	8	1	-	-	-	7	4	50	38	2	1	30	5
Balance of county	231	-	-	3	34	12	11	3	1	1	2	4	2	124	101	1	-	78	22
Pike	181	-	-	1	45	6	17	1	6	3	2	10	3	77	59	-	2	39	18
Platte	259	1	-	4	64	13	17	7	6	4	-	17	7	105	81	1	-	64	16
Kansas City, part	82	-	-	2	18	3	6	3	1	2	-	3	2	32	28	1	-	23	4
Balance of county	177	1	-	2	46	10	11	4	5	2	-	14	5	73	53	-	-	41	12
Polk	226	-	-	2	49	12	15	4	6	1	1	10	3	112	80	1	2	63	14
Pulaski	207	-	-	-	45	13	13	2	1	1	4	11	3	82	62	1	8	44	9
Putnam	115	-	-	-	21	4	6	3	3	2	-	3	2	66	47	-	-	34	13
Ralls	89	-	-	1	12	3	2	2	-	1	2	2	1	51	37	-	1	33	3
Hannibal, part	5	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	-	4	-
Balance of county	84	-	-	1	12	3	2	2	-	1	2	2	1	47	33	-	1	29	3
Randolph	298	-	-	1	56	19	16	1	8	-	2	10	8	140	98	1	2	64	31
Moberly	196	-	-	1	33	10	10	1	3	-	1	8	5	95	65	-	-	45	20
Balance of county	102	-	-	-	23	9	6	-	5	-	1	2	3	45	32	1	2	18	11
Ray	211	-	-	2	48	10	12	7	5	2	1	11	1	90	74	-	-	58	16
Reynolds	81	-	-	-	16	3	5	-	3	2	-	3	-	35	28	-	3	18	7
Ripley	149	-	-	2	21	3	8	3	-	1	1	5	5	64	56	-	3	43	10
St Charles	718	-	-	4	162	33	50	20	14	8	8	29	5	328	260	7	8	209	36
St. Charles	281	-	-	1	67	12	22	8	3	4	3	15	2	137	111	4	2	91	14
Balance of county	437	-	-	3	95	21	28	12	11	4	5	14	3	191	149	3	4	118	24
St Clair	123	-	-	-	19	7	5	2	2	-	-	3	1	72	56	1	1	36	18
St Francois	468	-	1	-	92	27	29	1	10	3	5	17	9	256	202	1	4	168	29
St Louis	7,757	9	-	75	1,869	474	524	157	176	69	83	386	145	3,842	3,037	37	134	2,450	416
Ballwin	79	-	-	2	22	7	5	4	1	-	-	5	2	37	28	-	-	23	5
Bellefontaine Neighbors	140	-	-	1	31	9	5	-	7	2	1	7	4	72	60	1	3	40	16
Berkeley	115	-	-	3	20	8	7	-	1	1	-	3	4	39	33	-	-	26	7
Brentwood	96	-	-	-	29	8	7	4	3	-	1	6	2	48	36	1	2	30	3
Bridgeton	119	-	-	1	32	10	8	2	2	2	1	7	2	55	47	-	2	36	9
Clayton	138	-	-	-	42	16	9	3	2	1	2	9	2	67	52	3	2	44	3
Crestwood	115	-	-	-	30	6	9	7	3	1	-	4	3	49	39	-	1	32	6
Ferguson	234	1	-	1	50	11	20	4	5	-	-	10	6	118	95	-	5	76	14
Florissant	427	-	-	7	98	18	42	8	5	1	3	21	10	209	167	1	4	147	15
Hazelwood	111	-	-	1	23	9	5	2	-	-	1	6	2	46	42	-	3	28	11
Jennings	201	-	-	1	63	14	21	8	4	3	-	13	2	94	79	1	5	67	6
Kirkwood	312	1	-	2	82	16	15	10	9	4	9	19	10	150	109	-	5	89	15
Ladue	83	-	-	1	18	4	5	1	2	2	1	3	-	43	35	-	1	28	6
Maplewood	130	-	-	3	26	9	6	-	3	1	3	4	1	72	60	-	4	49	7
Overland	178	-	-	-	43	9	12	4	1	3	2	12	4	94	79	2	1	63	13
Richmond Heights	140	-	-	2	28	8	8	3	4	1	2	2	2	77	61	1	2	49	9
St Ann	127	-	-	1	24	5	8	-	1	-	-	10	2	65	53	1	3	44	5
University City	409	-	-	7	75	26	15	3	10	2	3	16	7	226	170	4	13	138	15
Webster Groves	231	-	-	4	63	16	18	7	4	3	4	11	7	113	89	-	4	81	4
Balance of county	4,374	7	-	38	1,070	265	299	87	109	42	50	218	73	2,168	1,703	22	74	1,360	247
St. Louis city	6,589	10	4	75	1,386	360	411	127	175	51	47	215	135	3,189	2,580	22	182	2,000	376
Ste. Genevieve	133	-	-	-	25	7	5	1	5	2	-	5	-	66	50	1	-	45	4
Saline	311	-	1	5	62	15	19	5	9	2	4	8	2	174	126	1	5	95	25
Marshall	163	-	1	2	37	7	12	4	6	2	2	4	-	84	61	-	5	47	9
Balance of county	148	-	-	3	25	8	7	1	3	-	2	4	2	90	65	1	-	48	16
Schuyler	62	-	-	-	9	3	2	1	-	1	1	1	2	36	28	-	-	19	9
Scotland	75	-	-	-	9	1	1	1	3	-	1	2	1	47	39	-	-	28	11
Scott	349	-	-	1	67	16	16	13	7	-	6	9	9	183	142	-	5	98	39
Sikeston, part	169	-	-	-	31	9	5	7	3	-	3	4	6	87	71	-	5	41	25
Sikeston, total	171	-	-	-	31	9	5	7	3	-	3	4	6	88	72	-	5	42	25
Balance of county	180	-	-	1	36	7	11	6	4	-	3	5	3	96	71	-	-	57	14
Shannon	85	-	-	-	14	3	3	-	2	2	-	4	1	41	34	-	-	31	3
Shelby	126	-	-	-	25	2	7	4	3	1	2	6	1	72	61	1	30	25	5
Stoddard	331	-	-	2	65	20	13	3	2	5	4	18	2	170	137	1	2	99	35
Stone	170	-	-	2	34	8	11	3	3	-	1	8	1	68	50	1	-	36	13
Sullivan	94	-	-	2	12	3	2	1	1	-	-	5	-	57	44	-	3	24	17
Taney	282	-	-	2	65	21	19	4	5	1	3	12	1	143	99	1	-	77	21
Texas	229	-	-	2	43	13	15	1	4	1	1	8	4	117	90	-	8	64	18

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri—Con																			
Mississippi	–	12	4	2	10	7	–	2	2	–	1	5	12	11	4	10	1	1	–
Moniteau	–	14	1	1	3	4	1	1	2	–	2	1	2	10	3	6	–	–	–
Monroe	–	12	1	1	13	2	2	1	2	–	1	1	2	7	3	3	2	–	–
Montgomery	1	19	7	1	14	6	–	4	–	–	1	1	7	8	5	3	2	–	–
Morgan	–	24	2	4	5	4	–	–	1	–	1	3	5	17	3	5	1	1	–
New Madrid	7	20	1	–	8	9	1	–	2	–	2	4	27	15	11	7	5	2	1
Sikeston, part	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Balance of county	7	20	1	–	8	9	1	–	2	–	2	3	27	15	11	7	5	2	1
Newton	–	27	5	4	10	8	3	7	1	–	1	2	30	28	11	7	5	1	–
Joplin, part	–	–	1	–	–	1	–	1	–	–	–	–	1	4	1	–	–	–	–
Balance of county	–	27	4	4	10	7	3	6	1	–	1	2	29	24	10	7	5	1	–
Nodaway	3	19	3	2	11	11	1	3	4	–	–	3	–	15	9	9	3	1	1
Oregon	–	17	1	1	3	8	–	2	–	–	–	–	15	14	5	4	3	2	–
Osage	1	9	4	2	2	2	1	3	2	–	4	1	1	4	2	9	–	–	–
Ozark	1	9	2	1	5	6	–	–	1	–	1	2	7	8	1	3	–	–	–
Pemiscot	4	53	–	3	4	9	1	5	3	–	2	9	41	20	8	10	2	3	1
Perry	–	8	4	1	1	1	–	1	1	–	1	2	1	11	4	5	1	–	–
Pettis	1	57	2	3	18	11	2	4	1	–	2	4	4	32	7	10	4	4	1
Sedalia	–	40	1	3	11	7	1	4	1	–	–	3	2	27	2	7	3	1	1
Balance of county	1	17	1	–	7	4	1	–	–	–	2	1	2	5	5	3	1	3	–
Phelps	–	30	1	4	9	8	–	2	3	–	2	3	32	29	11	9	1	1	–
Rolla	–	11	–	1	2	4	–	1	1	–	1	2	11	8	4	6	1	1	–
Balance of county	–	19	1	3	7	4	–	1	2	–	1	1	21	21	7	3	–	–	–
Pike	–	11	5	2	13	3	1	–	3	–	1	1	14	9	2	6	1	1	–
Platte	–	18	5	1	5	13	–	1	–	1	3	–	18	14	2	13	6	2	–
Kansas City, part	–	8	–	–	3	2	–	1	–	–	2	–	4	7	1	3	3	2	–
Balance of county	–	10	5	1	2	11	–	–	–	1	1	–	14	7	1	10	3	–	–
Polk	–	15	13	4	6	5	–	1	3	–	–	–	19	8	8	7	2	1	–
Pulaski	–	19	–	1	1	6	1	1	2	–	6	3	22	9	12	11	1	1	1
Putnam	–	15	2	2	1	3	1	1	3	–	–	1	2	6	5	2	1	–	–
Ralls	2	8	3	1	4	4	–	–	–	–	2	1	1	8	2	–	2	–	–
Hannibal, part	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Balance of county	2	8	3	1	4	4	–	–	–	–	1	1	1	8	2	–	2	–	–
Randolph	1	26	8	7	15	13	1	2	1	–	–	2	19	18	4	11	6	1	–
Moberly	1	15	7	6	12	10	–	2	1	–	–	2	10	12	3	5	5	–	–
Balance of county	–	11	1	1	3	3	1	–	–	–	–	–	9	6	1	6	1	1	–
Ray	–	22	1	2	9	11	–	–	6	–	2	1	6	12	4	6	1	2	1
Reynolds	–	8	3	–	4	2	–	–	–	–	–	–	12	4	2	4	2	–	–
Ripley	1	5	1	1	6	6	1	1	1	–	1	1	16	10	5	5	1	1	2
St. Charles	4	49	9	6	27	19	1	11	2	–	10	21	26	41	21	18	18	4	–
St. Charles	1	19	3	3	14	5	–	6	1	–	2	6	9	17	3	4	6	1	–
Balance of county	3	30	6	3	13	14	1	5	1	–	8	15	17	24	18	14	12	3	–
St. Clair	–	12	2	2	5	5	–	1	2	–	2	–	1	8	5	2	–	–	–
St. Francois	2	34	14	4	12	14	1	3	6	1	4	2	16	22	11	11	6	1	–
St. Louis	25	578	136	66	193	197	20	86	62	1	53	62	94	567	141	159	92	79	11
Ballwin	–	9	–	–	–	1	–	–	1	–	–	1	1	7	3	1	1	–	–
Bellefontaine Neighbors	–	10	1	1	6	2	–	–	1	–	1	–	4	12	1	4	1	–	–
Berkeley	–	5	1	–	2	–	1	2	1	–	3	4	2	12	5	3	2	12	–
Brentwood	–	10	2	–	1	1	–	2	–	–	2	2	1	2	1	2	2	1	–
Bridgeton	–	6	2	–	6	3	–	1	–	–	–	1	–	8	3	4	2	–	1
Clayton	1	8	6	–	4	1	1	1	1	–	1	–	1	10	3	1	1	–	–
Crestwood	1	7	2	–	4	1	–	4	–	–	–	2	1	10	4	2	5	–	–
Ferguson	2	13	4	4	8	11	2	1	2	–	–	–	2	18	3	7	1	3	–
Florissant	2	30	6	4	12	11	2	6	–	–	3	–	6	37	6	13	4	2	1
Hazelwood	–	3	–	1	4	6	1	3	–	–	–	1	2	13	5	2	2	–	–
Jennings	–	12	2	1	5	4	3	1	1	–	–	1	1	15	4	–	1	5	–
Kirkwood	–	34	5	2	8	9	2	3	4	–	4	3	5	15	7	4	1	2	–
Ladue	–	7	1	–	3	2	1	1	2	–	–	–	1	4	1	2	3	1	–
Maplewood	–	8	3	1	2	2	–	2	1	–	1	–	2	7	2	1	7	–	1
Overland	3	9	1	2	2	1	–	2	1	–	–	–	3	16	3	3	4	2	–
Richmond Heights	–	11	5	–	1	6	2	1	–	–	–	3	2	11	3	1	1	–	–
St. Ann	–	7	2	3	2	4	–	3	–	–	–	3	4	11	4	3	–	1	–
University City	1	44	9	2	13	9	–	3	3	–	–	8	3	32	8	5	5	9	–
Webster Groves	1	19	2	2	9	10	–	1	–	–	–	2	2	13	4	2	–	–	1
Balance of county	14	326	82	43	101	113	5	49	44	1	38	35	51	314	71	99	48	41	7
St. Louis city	37	464	77	61	210	129	30	89	53	1	37	72	108	503	75	156	63	240	14
Ste. Genevieve	–	14	–	2	3	4	1	3	1	–	–	–	9	7	5	8	–	1	–
Saline	–	33	11	4	6	8	–	1	2	–	1	1	5	16	4	15	5	3	–
Marshall	–	19	3	1	3	5	–	–	2	–	1	1	3	10	1	8	3	2	–
Balance of county	–	14	8	3	3	3	–	1	–	–	–	–	2	6	3	7	2	1	–
Schuyler	–	4	4	–	–	2	–	–	1	–	–	2	1	6	1	2	–	–	–
Scotland	–	5	3	–	3	–	2	–	2	–	–	1	–	3	1	4	1	1	–
Scott	1	33	3	4	10	11	–	5	1	–	1	3	17	26	6	4	3	2	–
Sikeston, part	–	10	2	4	5	6	–	1	–	–	1	3	9	11	5	2	2	–	–
Sikeston, total	–	10	2	4	5	6	–	1	–	–	1	4	9	11	5	2	2	–	–
Balance of county	1	23	1	–	5	5	–	4	1	–	–	–	8	15	1	2	1	2	–
Shannon	–	5	–	2	–	5	–	1	1	–	–	1	4	5	6	3	2	1	–
Shelby	–	8	1	2	5	2	–	–	2	–	–	2	3	6	4	2	2	–	–
Stoddard	–	23	6	4	13	16	–	4	5	–	–	1	13	15	10	12	2	–	1
Stone	2	13	2	1	4	9	–	3	–	–	–	–	30	13	1	4	1	–	–
Sullivan	–	10	–	3	9	1	–	1	1	–	1	–	–	7	1	–	–	1	1
Taney	–	24	10	10	12	13	–	1	3	–	1	2	3	18	9	5	2	1	1
Texas	–	23	2	2	5	9	2	–	1	–	–	3	8	13	5	9	7	1	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Missouri—Con.																			
Vernon	220	-	-	1	49	12	7	5	7	3	1	14	3	94	64	-	1	37	26
Warren	168	-	-	1	34	11	4	6	3	1	-	9	1	86	68	1	1	49	17
Washington	194	1	-	-	35	7	12	2	6	1	1	6	1	95	72	-	4	62	6
Wayne	163	-	-	-	35	6	15	3	2	1	2	6	3	70	50	-	1	36	13
Webster	206	-	-	4	42	7	10	6	5	-	3	11	1	108	81	-	6	61	14
Worth	53	-	-	-	16	3	3	-	-	1	3	6	1	24	17	-	-	15	2
Wright	202	-	-	1	42	12	8	2	5	2	-	13	1	97	77	-	1	61	15
Montana	6,729	4	1	47	1,344	346	310	123	178	59	58	270	96	3,077	2,292	36	61	1,569	626
Urban places	2,437	1	1	14	510	111	122	44	65	30	31	107	31	1,137	885	25	29	585	246
Balance of area	4,292	3	-	33	834	235	188	79	113	29	27	163	65	1,940	1,407	11	32	984	380
Metropolitan counties	1,420	-	1	6	285	62	72	30	37	18	14	52	15	690	541	15	21	373	132
Urban places	1,113	-	1	5	233	48	59	23	29	16	12	46	13	541	430	13	17	297	103
Balance of area	307	-	-	1	52	14	13	7	8	2	2	6	2	149	111	2	4	76	29
Nonmetropolitan counties	5,309	4	-	41	1,059	284	238	93	141	41	44	218	81	2,387	1,751	21	40	1,196	494
Urban places	1,324	1	-	9	277	63	63	21	36	14	19	61	18	596	455	12	12	288	143
Balance of area	3,985	3	-	32	782	221	175	72	105	27	25	157	63	1,791	1,296	9	28	908	351
Beaverhead	88	-	-	2	14	2	6	1	1	-	1	3	-	41	30	-	-	22	8
Big Horn	119	-	-	-	22	4	6	2	4	-	1	5	3	46	35	-	-	25	10
Blaine	72	-	-	2	10	3	2	1	-	1	-	3	-	33	24	-	1	16	7
Broadwater	25	-	-	1	4	1	3	-	-	-	-	-	-	13	9	-	-	4	5
Carbon	102	-	-	-	21	1	5	3	3	1	1	7	3	45	27	-	2	15	10
Carter	17	-	-	-	1	-	-	-	1	-	-	-	-	10	6	-	-	4	2
Cascade	629	-	-	1	121	25	30	13	14	8	9	22	5	329	268	5	6	179	78
Great Falls	532	-	-	1	101	22	25	11	9	7	7	20	4	282	225	5	6	152	62
Balance of county	97	-	-	-	20	3	5	2	5	1	2	2	1	47	43	-	-	27	16
Chouteau	66	-	-	-	11	3	3	1	3	-	-	1	1	32	23	-	-	20	3
Custer	147	-	-	-	30	10	5	1	6	-	2	6	2	71	55	-	-	48	7
Daniels	33	-	-	-	5	2	-	2	1	-	-	-	1	17	10	-	-	6	4
Dawson	79	-	-	-	19	5	6	2	1	-	1	4	1	36	28	-	1	19	8
Deer Lodge	159	-	-	1	29	7	6	5	3	-	-	8	-	90	65	1	-	50	14
Fallon	41	-	-	-	9	6	-	-	1	-	-	2	-	18	14	1	-	10	3
Fergus	152	-	-	2	37	7	7	3	7	2	-	11	3	60	39	1	2	32	4
Flathead	398	-	-	5	89	26	20	5	16	3	4	15	7	184	128	2	3	78	45
Kalispell	139	-	-	2	37	8	10	-	8	-	4	7	2	57	40	1	3	23	13
Balance of county	259	-	-	3	52	18	10	5	8	3	-	8	5	127	88	1	-	55	32
Gallatin	245	-	-	2	60	19	11	6	7	3	3	11	2	110	78	-	2	51	25
Bozeman	135	-	-	1	32	10	5	4	1	2	1	9	1	60	40	-	2	25	13
Balance of county	110	-	-	1	28	9	6	2	6	1	2	2	1	50	38	-	-	26	12
Garfield	10	-	-	-	2	-	1	-	1	-	-	-	-	5	2	-	-	1	1
Glacier	99	1	-	1	22	5	5	2	2	1	1	6	2	34	26	-	-	17	9
Golden Valley	7	-	-	-	1	-	-	-	1	-	-	-	-	3	2	-	-	1	1
Granite	41	1	-	-	10	3	3	-	2	-	-	2	1	18	14	-	1	4	9
Hill	144	-	-	1	29	5	8	3	3	-	2	8	2	52	46	2	-	34	10
Havre	86	-	-	-	18	2	5	2	2	-	1	6	2	33	29	2	-	21	6
Balance of county	58	-	-	1	11	3	3	1	1	-	1	2	-	19	17	-	-	13	4
Jefferson	59	-	-	1	9	5	1	-	1	-	1	1	2	20	11	-	-	8	3
Judith Basin	24	-	-	-	4	1	1	1	-	1	-	-	-	12	7	-	-	6	1
Lake	179	-	-	2	33	9	7	3	3	1	1	9	5	81	68	-	-	44	24
Lewis and Clark	336	1	-	3	77	17	24	5	11	3	5	12	7	142	110	-	4	70	36
Helena	217	-	-	2	53	10	16	3	9	1	5	9	1	95	73	-	2	45	26
Balance of county	119	1	-	1	24	7	8	2	2	2	-	3	6	47	37	-	2	25	10
Liberty	20	-	-	-	4	-	1	1	1	-	-	1	1	10	9	-	-	6	3
Lincoln	113	-	-	1	21	8	7	-	3	-	-	3	2	49	35	1	1	26	7
McCone	22	-	-	-	6	2	1	1	1	-	-	1	-	10	5	-	-	3	2
Madison	78	-	-	-	8	5	-	-	1	1	-	1	1	38	22	1	-	14	7
Meagher	23	-	-	-	4	2	-	-	-	1	1	-	-	10	8	1	-	5	2
Mineral	24	-	-	-	7	2	4	-	-	-	-	1	-	11	7	-	-	5	2
Missoula	488	-	-	4	88	19	18	7	8	8	7	21	9	215	157	2	5	103	47
Missoula	319	-	-	3	55	9	10	6	7	5	4	14	7	139	106	2	5	68	31
Balance of county	169	-	-	1	33	10	8	1	1	3	3	7	2	76	51	-	-	35	16
Musselshell	53	-	-	-	9	2	1	3	-	-	-	3	-	27	16	-	-	14	2
Park	125	-	-	-	23	5	11	3	1	2	-	1	1	73	50	1	3	41	5
Petroleum	5	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-
Phillips	58	-	-	-	11	4	2	-	2	-	-	3	1	28	24	-	4	18	2
Pondera	73	-	-	-	19	6	5	2	1	-	1	4	3	30	22	-	-	12	10
Powder River	18	-	-	-	8	2	-	-	1	-	1	4	-	6	4	-	-	1	3
Powell	80	-	-	-	17	1	6	4	4	-	1	1	2	40	33	-	2	23	8
Prairie	18	-	-	-	3	2	-	-	1	-	-	-	1	8	7	-	-	6	1
Ravalli	200	-	-	1	40	7	6	4	6	3	2	12	1	102	81	-	3	50	28
Richland	101	-	-	1	25	7	6	4	4	-	2	2	1	36	30	1	-	21	8
Roosevelt	128	-	-	1	22	7	2	2	2	2	1	6	2	41	29	-	1	23	5
Rosebud	78	-	-	1	11	3	1	1	-	-	-	6	1	31	20	-	-	15	5
Sanders	83	-	-	1	13	4	2	1	2	1	-	3	-	37	27	-	1	18	8
Sheridan	50	-	-	-	8	4	-	2	2	-	-	-	-	26	19	-	1	17	1
Silver Bow	466	1	-	2	89	27	19	6	9	6	5	17	5	231	179	7	-	115	57
Butte	428	1	-	1	82	24	17	6	9	6	4	16	5	212	167	7	-	106	54
Balance of county	38	-	-	1	7	3	2	-	-	-	1	1	-	19	12	-	-	9	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri—Con.																			
Vernon	-	22	3	5	19	9	-	2	4	-	1	1	12	18	5	8	-	2	-
Warren	-	16	1	1	2	3	-	-	-	-	-	2	15	10	4	4	3	2	1
Washington	-	19	2	2	8	9	-	1	2	-	3	1	5	9	11	9	2	1	1
Wayne	-	16	1	3	13	1	-	3	1	-	1	1	15	7	4	7	1	1	-
Webster	-	22	1	4	7	7	1	-	2	-	2	4	5	13	5	2	2	1	-
Worth	-	7	-	-	4	1	-	-	1	-	-	1	-	3	-	2	-	-	-
Wright	1	16	3	-	7	8	-	1	1	-	1	1	19	12	7	2	1	-	1
Montana	26	552	147	60	182	294	30	111	72	-	37	75	109	497	308	250	136	47	12
Urban places	11	178	46	17	73	118	11	40	33	-	14	25	31	167	74	75	58	16	8
Balance of area	15	374	101	43	109	176	19	71	39	-	23	50	78	330	234	175	78	31	4
Metropolitan counties	5	108	31	5	28	60	4	27	13	-	10	20	18	89	46	47	46	12	3
Urban places	4	79	24	4	21	46	3	21	11	-	7	11	16	69	32	32	37	12	2
Balance of area	1	29	7	1	7	14	1	6	2	-	3	9	2	20	14	15	9	-	1
Nonmetropolitan counties	21	444	116	55	154	234	26	84	59	-	27	55	91	408	262	203	90	35	9
Urban places	7	99	22	13	52	72	8	19	22	-	7	14	15	98	42	43	21	4	6
Balance of area	14	345	94	42	102	162	18	65	37	-	20	41	76	310	220	160	69	31	3
Beaverhead	-	9	-	2	-	1	1	3	-	-	-	1	8	6	4	2	2	1	-
Big Horn	1	6	3	1	1	1	-	8	2	-	-	2	3	13	10	5	3	-	-
Blaine	-	8	1	-	5	4	-	2	-	-	-	-	-	4	7	4	1	-	-
Broadwater	-	3	-	1	1	-	-	1	2	-	-	-	1	1	1	-	-	-	-
Carbon	-	14	2	2	6	6	2	1	2	-	1	-	2	6	2	4	1	-	-
Carter	-	4	-	-	2	1	-	-	-	-	-	-	1	2	-	-	-	-	-
Cascade	2	39	19	1	12	19	1	13	3	-	3	7	13	44	20	22	12	2	2
Great Falls	2	35	19	1	12	16	1	11	3	-	3	3	13	38	17	13	11	2	1
Balance of county	-	4	-	-	-	3	-	2	-	-	-	4	-	6	3	9	1	-	1
Chouteau	2	5	2	-	1	3	-	1	-	-	1	1	-	6	3	3	2	1	-
Custer	-	15	1	-	5	7	-	1	-	-	-	-	3	12	8	6	2	-	-
Daniels	-	3	4	-	-	1	-	-	1	-	-	-	1	3	3	1	-	-	-
Dawson	-	7	-	1	-	3	1	-	-	-	-	2	-	6	6	4	-	-	1
Deer Lodge	1	15	8	1	5	10	1	3	5	-	-	-	-	8	4	-	1	1	1
Fallon	-	4	-	-	3	2	-	-	-	-	-	3	-	2	2	2	-	-	-
Fergus	-	15	4	2	6	7	3	2	-	-	1	3	2	17	3	2	3	1	-
Flathead	3	36	11	6	12	22	1	4	3	-	2	6	3	15	19	13	8	3	2
Kalispell	2	9	4	2	9	8	1	1	1	-	-	2	2	5	4	4	1	2	1
Balance of county	1	27	7	4	3	14	-	3	2	-	2	4	1	10	15	9	7	1	1
Gallatin	-	26	6	-	7	14	7	4	2	-	3	3	1	14	9	4	2	1	-
Bozeman	-	17	3	-	6	9	5	2	2	-	1	2	1	8	2	2	1	-	-
Balance of county	-	9	3	-	1	5	2	2	-	-	2	1	-	6	7	2	1	1	-
Garfield	-	3	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Glacier	-	5	2	1	2	2	1	7	2	-	1	1	6	7	7	1	1	1	-
Golden Valley	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
Granite	-	2	1	1	-	1	-	-	-	-	-	1	3	3	-	1	1	1	-
Hill	-	4	-	2	7	9	-	1	-	-	1	-	2	14	7	14	3	1	1
Havre	-	3	-	1	6	6	-	-	-	-	-	-	-	10	4	5	1	-	1
Balance of county	-	1	-	1	1	3	-	1	-	-	1	-	2	4	3	9	2	1	-
Jefferson	-	6	2	1	5	4	-	-	1	-	2	1	3	9	2	-	-	-	-
Judith Basin	2	3	-	-	1	-	-	-	-	-	-	-	-	4	-	3	-	-	-
Lake	-	12	1	-	3	4	1	3	-	-	-	1	1	17	14	13	-	1	-
Lewis and Clark	2	21	6	3	5	9	-	3	6	-	3	1	10	25	15	14	14	1	-
Helena	2	14	4	2	4	7	-	2	5	-	2	-	6	19	9	4	8	-	-
Balance of county	-	7	2	1	1	2	-	1	1	-	1	1	4	6	6	10	6	1	-
Liberty	-	1	-	-	-	-	-	1	-	-	-	1	-	1	1	-	1	-	-
Lincoln	-	9	3	2	2	9	-	-	-	-	1	2	-	10	10	4	2	-	-
McCone	-	4	1	-	-	-	-	-	-	-	-	1	-	3	2	-	-	-	-
Madison	-	9	6	1	1	1	-	1	1	-	-	1	2	8	7	4	3	-	-
Meagher	-	1	1	-	-	1	-	-	1	-	-	-	-	4	2	-	1	-	-
Mineral	-	4	-	-	-	1	-	-	-	-	-	-	-	3	1	-	1	-	-
Missoula	3	42	7	6	15	22	1	5	9	-	5	4	1	42	24	23	14	6	1
Missoula	2	24	2	5	12	17	1	5	7	-	3	3	1	29	12	14	8	2	1
Balance of county	1	18	5	1	3	5	-	-	2	-	2	1	-	13	12	9	6	4	-
Musselshell	-	5	4	2	1	6	-	-	1	-	-	1	-	1	2	5	-	-	-
Park	3	12	8	-	5	10	-	1	-	-	1	1	-	6	1	1	2	-	-
Petroleum	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Phillips	-	4	-	-	1	2	1	-	-	-	-	2	-	3	3	4	-	2	-
Pondera	-	6	2	-	1	2	-	2	1	-	-	1	-	7	4	2	-	1	-
Powder River	-	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Powell	-	4	2	1	2	4	-	-	-	-	1	-	-	10	-	1	3	-	-
Prairie	-	1	-	-	-	1	-	1	-	-	-	-	1	1	-	1	1	-	-
Ravalli	-	16	2	3	7	8	-	2	3	-	-	-	5	18	9	6	1	-	-
Richland	-	5	1	-	2	6	-	-	1	-	1	3	2	7	11	3	2	-	-
Roosevelt	-	8	1	3	3	2	-	11	-	-	-	1	-	14	13	8	2	8	-
Rosebud	1	7	1	2	-	2	-	2	2	-	-	1	2	7	3	8	3	2	-
Sanders	-	8	2	-	-	2	1	1	-	-	-	2	7	3	9	3	3	1	-
Sheridan	-	5	1	1	5	1	-	-	1	-	1	-	2	4	1	1	-	-	-
Silver Bow	2	36	11	3	16	27	1	9	7	-	1	7	6	30	12	15	4	-	3
Butte	1	32	9	3	15	25	1	9	7	-	1	7	5	27	11	14	2	-	3
Balance of county	1	4	2	-	1	2	-	-	-	-	-	-	1	3	1	1	2	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Montana—Con.																			
Stillwater	73	-	-	-	17	9	1	1	3	-	-	3	2	31	23	-	1	17	5
Sweet Grass	33	-	-	-	3	1	-	-	1	-	-	1	-	18	9	-	-	8	1
Teton	63	-	-	-	14	2	4	3	3	1	-	1	3	29	20	-	-	12	8
Toole	51	-	-	-	8	3	3	1	-	-	-	1	1	23	21	-	2	9	10
Treasure	9	-	-	-	-	-	-	-	-	-	-	-	1	4	2	-	-	2	-
Valley	87	-	-	3	20	5	6	-	4	-	-	5	-	26	18	-	-	15	3
Wheatland	34	-	-	1	10	4	2	1	2	-	-	1	1	[illegible]	10	-	-	7	3
Wibaux	16	-	-	1	3	-	-	-	1	-	-	2	-	6	6	-	-	4	2
Yellowstone	791	-	1	5	164	37	42	17	23	10	5	30	10	361	273	10	15	194	54
Billings	581	-	1	4	132	26	34	12	20	9	5	26	9	259	205	8	11	145	41
Balance of county	210	-	-	1	32	11	8	5	3	1	-	4	1	102	68	2	4	49	13
Yellowstone National Park	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	14,616	6	-	108	2,968	848	711	277	384	129	139	480	233	7,567	5,645	59	90	4,324	1,172
Urban places	6,534	2	-	55	1,369	379	382	139	145	50	64	210	102	3,318	2,487	31	33	1,941	482
Balance of area	8,082	4	-	53	1,599	469	329	138	239	79	75	270	131	4,249	3,158	28	57	2,383	690
Metropolitan counties	5,170	1	-	48	1,096	314	295	120	106	41	55	165	87	2,587	1,957	29	26	1,566	336
Urban places	4,534	1	-	44	971	281	265	104	92	36	50	143	75	2,293	1,731	25	22	1,396	288
Balance of area	636	-	-	4	125	33	30	16	14	5	5	22	12	294	226	4	4	170	48
Nonmetropolitan counties	9,446	5	-	60	1,872	534	416	157	278	88	84	315	146	4,980	3,688	30	64	2,758	836
Urban places	2,000	1	-	11	398	98	117	35	53	14	14	67	27	1,025	756	6	11	545	194
Balance of area	7,446	4	-	49	1,474	436	299	122	225	74	70	248	119	3,955	2,932	24	53	2,213	642
Adams	316	-	-	-	68	15	21	8	8	4	4	8	2	168	122	-	-	87	35
Hastings	255	-	-	-	56	14	14	6	8	4	3	7	2	139	104	-	-	75	29
Balance of county	61	-	-	-	12	1	7	2	-	-	1	1	-	29	18	-	-	12	6
Antelope	83	-	-	1	8	4	2	1	-	-	-	1	3	52	34	-	-	28	6
Arthur	5	-	-	-	2	-	-	-	-	-	-	2	-	3	3	-	-	2	1
Banner	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-
Blaine	12	-	-	-	4	2	-	-	-	2	-	-	-	8	6	-	-	6	-
Boone	79	1	-	2	19	2	6	2	3	-	1	5	-	31	18	-	-	18	-
Box Butte	115	-	-	2	27	-	6	3	11	3	1	3	-	55	42	3	2	26	11
Boyd	51	-	-	-	10	3	3	2	-	-	1	1	2	25	16	-	-	15	1
Brown	61	-	-	-	15	7	3	1	2	-	1	1	-	33	30	1	-	21	8
Buffalo	299	1	-	1	69	13	19	5	9	1	3	19	5	132	98	1	1	69	27
Kearney	168	-	-	-	37	6	8	4	7	-	2	10	1	75	54	1	-	39	14
Balance of county	131	1	-	1	32	7	11	1	2	1	1	9	4	57	44	-	1	30	13
Burt	131	-	-	2	16	10	4	1	-	-	-	1	1	84	53	-	-	42	11
Butler	134	-	-	-	28	11	3	1	7	2	-	4	1	68	47	2	-	35	10
Cass	215	-	-	4	36	18	7	2	3	1	-	5	2	127	90	1	1	74	14
Cedar	138	-	-	1	28	8	3	-	4	2	5	6	4	77	52	-	-	46	6
Chase	70	-	-	-	15	5	2	-	4	-	1	3	1	33	19	-	1	15	3
Cherry	65	-	-	-	18	4	4	1	3	1	2	3	1	30	25	-	2	19	4
Cheyenne	114	-	-	-	24	7	4	1	5	4	2	1	4	53	42	-	10	30	2
Clay	104	-	-	-	26	8	7	3	1	2	2	3	1	54	42	-	-	21	21
Colfax	116	-	-	-	23	11	1	-	6	1	2	2	1	60	43	1	1	34	7
Cuming	103	-	-	-	26	11	6	1	1	-	2	5	2	56	47	2	-	36	9
Custer	175	-	-	2	35	13	6	2	7	-	3	4	1	86	70	-	3	49	18
Dakota	125	-	-	1	22	7	7	2	3	1	2	-	3	63	43	2	2	29	10
Dawes	122	-	-	2	21	9	2	2	5	1	-	2	2	67	50	-	-	29	21
Dawson	207	-	-	1	37	12	6	1	7	3	2	6	2	113	89	1	4	72	12
Deuel	29	-	-	-	5	-	4	-	-	-	-	1	1	17	15	-	-	12	3
Dixon	89	-	-	1	18	6	4	2	2	2	1	1	2	42	33	-	-	17	16
Dodge	376	-	-	1	83	21	22	10	9	4	4	13	1	204	142	1	1	104	36
Fremont	253	-	-	-	58	13	18	8	4	2	3	10	1	136	92	1	1	66	24
Balance of county	123	-	-	1	25	8	4	2	5	2	1	3	-	68	50	-	-	38	12
Douglas	3,408	1	-	34	738	206	211	84	66	25	33	113	46	1,714	1,314	22	15	1,107	170
Omaha	3,232	1	-	32	697	196	202	79	60	23	33	104	43	1,634	1,247	20	15	1,053	159
Balance of county	176	-	-	2	41	10	9	5	6	2	-	9	3	80	67	2	-	54	11
Dundy	41	-	-	-	3	2	-	-	-	1	-	-	1	22	15	-	-	12	3
Fillmore	114	-	-	-	15	5	2	4	1	-	-	3	1	68	58	-	-	45	13
Franklin	68	-	-	1	14	1	5	1	3	-	1	3	-	32	22	-	-	16	6
Frontier	44	-	-	-	6	3	-	-	2	-	[illegible]	-	-	31	21	-	3	14	4
Furnas	99	-	-	1	20	5	3	2	5	2	-	3	2	54	41	-	-	35	6
Gage	340	-	-	1	60	17	11	4	7	4	3	14	6	185	140	2	7	95	36
Beatrice	202	-	-	-	31	9	7	1	4	-	1	9	3	109	78	1	5	49	23
Balance of county	138	-	-	1	29	8	4	3	3	4	2	5	3	76	62	1	2	46	13
Garden	35	-	-	-	7	2	2	-	1	-	-	2	-	21	17	-	4	10	3
Garfield	31	-	-	-	4	1	1	-	-	-	1	1	-	20	11	-	-	11	-
Gosper	26	-	-	-	5	2	-	-	-	1	-	2	-	14	12	-	-	9	3
Grant	12	-	-	-	4	2	-	-	1	-	-	1	-	4	3	-	-	3	-
Greeley	52	-	-	-	15	5	7	2	1	-	-	-	-	22	15	-	-	12	3
Hall	462	-	-	2	74	17	22	6	9	2	4	14	6	230	171	1	1	124	45
Grand Island	395	-	-	2	60	15	18	5	7	2	4	9	5	197	145	1	1	104	39
Balance of county	67	-	-	-	14	2	4	1	2	-	-	5	1	33	26	-	-	20	6
Hamilton	84	-	-	2	17	6	5	1	3	1	-	1	-	49	35	-	-	18	17
Harlan	50	-	-	-	14	5	2	1	4	-	-	2	1	25	16	-	-	14	2
Hayes	7	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	3	-
Hitchcock	48	-	-	-	6	1	1	2	1	-	-	1	1	29	21	-	-	15	6
Holt	131	-	-	-	33	8	8	4	5	-	2	6	3	63	52	2	-	40	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Montana—Con.																			
Stillwater	-	8	-	-	1	2	-	-	-	-	1	1	4	7	4	3	-	-	-
Sweet Grass	1	7	-	1	-	2	-	-	-	-	-	-	1	6	1	1	1	-	-
Teton	-	4	3	2	-	2	-	1	1	-	-	-	1	4	3	4	1	-	-
Toole	-	1	-	1	6	-	-	1	1	-	-	-	2	5	1	3	-	-	-
Treasure	-	1	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Valley	-	3	4	1	2	4	-	2	4	-	-	-	3	8	7	5	1	2	-
Wheatland	-	4	-	2	-	1	1	-	-	-	-	-	-	2	1	1	-	-	-
Wibaux	-	-	-	-	2	1	1	-	-	-	-	-	-	-	2	-	-	-	-
Yellowstone	3	69	12	4	16	41	3	14	10	-	7	13	5	45	26	25	34	10	1
Billings	2	44	5	3	9	30	2	10	8	-	4	8	3	31	15	19	26	10	1
Balance of county	1	25	7	1	7	11	1	4	2	-	3	5	2	14	11	6	8	-	-
Yellowstone National Park	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	58	1,346	347	171	500	432	56	127	116	2	112	121	194	1,058	380	397	159	57	23
Urban places	26	571	164	70	228	204	22	68	52	1	43	55	85	488	137	168	82	43	12
Balance of area	32	775	183	101	272	228	34	59	64	1	69	66	109	570	243	229	77	14	11
Metropolitan counties	18	449	111	52	181	159	16	47	44	-	44	55	61	375	120	132	63	42	12
Urban places	15	400	101	46	161	142	14	41	40	-	29	41	52	334	84	109	53	40	10
Balance of area	3	49	10	6	20	17	2	6	4	-	15	14	9	41	36	23	10	2	2
Nonmetropolitan counties	40	897	236	119	319	273	40	80	72	2	68	66	133	683	260	265	96	15	11
Urban places	11	171	63	24	67	62	8	27	12	1	14	14	33	154	53	59	29	3	2
Balance of area	29	726	173	95	252	211	32	53	60	1	54	52	100	529	207	206	67	12	9
Adams	1	35	8	2	8	12	2	6	-	-	4	1	1	26	9	5	3	-	1
Hastings	1	25	8	1	5	11	2	4	-	-	3	-	1	20	5	5	2	-	-
Balance of county	-	10	-	1	3	1	-	2	-	-	1	1	-	6	4	-	1	-	1
Antelope	-	7	11	-	1	3	-	1	2	-	1	-	-	8	2	1	-	-	-
Arthur	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Banner	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Blaine	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Boone	1	10	2	-	3	3	-	1	-	-	-	-	-	7	3	8	-	1	-
Box Butte	-	8	2	3	4	6	-	1	-	-	-	-	-	10	4	4	2	-	-
Boyd	-	8	-	1	1	2	-	-	-	-	2	-	-	8	1	-	-	-	-
Brown	-	3	-	-	8	2	-	-	-	-	1	1	-	-	1	-	-	-	-
Buffalo	-	17	11	6	6	6	1	1	6	-	4	4	1	32	11	14	5	-	-
Kearney	-	10	7	4	4	2	-	-	2	-	3	2	-	21	6	10	5	-	-
Balance of county	-	7	4	2	2	4	1	1	4	-	1	2	1	11	5	4	-	-	-
Burt	-	14	15	2	5	2	-	1	1	-	1	2	-	10	1	5	-	-	-
Butler	1	17	-	3	4	5	-	1	-	-	-	-	5	13	1	6	2	-	-
Cass	-	29	3	5	7	5	-	1	1	-	2	3	3	4	8	8	1	1	2
Cedar	-	14	7	4	4	4	-	1	-	-	-	-	4	4	7	2	2	-	-
Chase	-	10	1	3	-	-	-	-	-	-	-	2	1	7	3	6	2	-	-
Cherry	-	4	1	-	1	3	-	1	-	-	-	1	1	5	2	2	-	-	-
Cheyenne	-	10	-	1	3	4	1	-	1	-	3	1	1	10	5	3	1	-	-
Clay	-	10	1	1	3	6	1	-	1	-	-	-	1	9	1	-	1	-	-
Colfax	1	15	-	1	4	1	1	-	2	-	-	-	10	6	3	3	1	-	1
Cuming	1	8	-	2	3	2	-	-	1	-	-	2	-	3	5	2	1	-	-
Custer	1	6	6	3	11	6	2	1	-	-	2	2	1	15	3	6	2	-	-
Dakota	1	13	5	1	6	4	-	1	2	-	-	1	1	9	5	5	1	-	1
Dawes	1	15	1	-	2	3	1	2	-	-	1	1	1	8	5	5	1	-	-
Dawson	-	9	11	4	6	6	1	1	1	-	1	-	2	19	8	7	1	1	-
Deuel	-	2	-	-	1	1	1	-	-	-	-	-	-	2	1	-	-	-	-
Dixon	1	5	3	-	-	3	-	1	2	-	-	1	-	7	5	6	1	-	-
Dodge	1	42	16	3	4	11	1	4	1	-	1	3	8	29	8	9	8	-	-
Fremont	1	28	13	2	4	8	-	3	1	-	-	-	5	19	5	7	6	-	-
Balance of county	-	14	3	1	-	3	1	1	-	-	1	3	3	10	3	2	2	-	-
Douglas	9	288	70	33	116	112	6	35	28	-	22	35	36	257	66	88	32	35	7
Omaha	9	278	68	32	113	109	6	34	26	-	20	28	36	246	56	80	30	34	7
Balance of county	-	10	2	1	3	3	-	1	2	-	2	7	-	11	10	8	2	1	-
Dundy	-	5	-	2	6	1	-	-	-	-	-	1	1	5	1	-	-	-	-
Fillmore	1	5	2	2	4	4	-	-	2	-	-	-	-	8	5	7	-	-	-
Franklin	1	7	2	-	4	2	-	-	-	-	-	-	1	10	-	3	1	-	-
Frontier	-	8	2	-	-	2	-	-	-	-	-	-	-	1	4	-	-	-	-
Furnas	1	8	3	1	2	3	-	-	1	-	-	-	-	9	1	3	3	-	-
Gage	3	29	7	6	15	12	-	4	3	1	4	2	3	20	11	8	2	3	-
Beatrice	2	19	6	4	12	10	-	3	2	1	2	1	3	9	7	7	-	2	-
Balance of county	1	10	1	2	3	2	-	1	1	-	2	1	-	11	4	1	2	1	-
Garden	-	3	-	1	-	-	-	-	1	-	-	-	-	1	4	1	-	-	-
Garfield	-	8	1	-	-	1	1	-	-	-	-	-	-	1	2	1	1	-	-
Gosper	-	1	1	-	1	1	1	1	1	-	-	-	-	2	-	-	-	-	-
Grant	-	1	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-
Greeley	-	6	1	-	6	-	-	-	-	-	1	-	-	6	1	1	-	-	-
Hall	4	40	9	6	26	9	1	8	2	-	4	7	21	39	13	13	7	-	-
Grand Island	3	35	9	5	25	8	-	6	2	-	1	5	19	33	12	11	6	-	-
Balance of county	1	5	-	1	1	1	-	-	-	-	3	2	2	6	1	2	1	-	-
Hamilton	1	10	2	1	4	1	-	1	1	-	-	1	1	3	-	4	-	-	-
Harlan	-	7	1	1	3	1	-	-	-	-	-	-	1	4	-	1	-	-	-
Hayes	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Hitchcock	1	3	4	-	4	1	-	-	-	-	-	-	-	2	2	2	1	-	-
Holt	1	5	4	1	3	5	-	2	1	-	-	4	3	5	2	6	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Nebraska—Con.																			
Hooker	12	-	-	-	3	1	-	1	-	-	-	1	-	4	4	-	-	4	-
Howard	78	-	-	-	19	9	1	1	2	-	2	4	-	44	22	-	-	19	3
Jefferson	106	-	-	-	20	4	6	-	2	1	4	3	1	70	57	1	-	43	13
Johnson	71	-	-	-	21	5	5	3	3	2	-	3	-	36	19	-	-	17	2
Kearney	77	-	-	-	17	4	1	2	3	1	2	4	1	40	31	1	-	26	4
Keith	95	-	-	-	17	4	6	1	1	-	-	5	5	52	42	-	1	37	4
Keya Paha	16	-	-	-	5	2	2	-	-	-	1	-	-	7	7	-	-	4	3
Kimball	55	-	-	-	10	2	5	-	1	1	-	1	-	29	21	-	-	18	3
Knox	154	-	-	1	31	9	6	2	6	1	1	6	3	79	67	-	-	60	7
Lancaster	1,302	-	-	12	267	83	56	26	32	13	16	41	33	675	492	5	9	352	126
Lincoln	1,190	-	-	12	245	79	52	21	28	12	15	38	32	613	448	5	7	317	119
Balance of county	112	-	-	-	22	4	4	5	4	1	1	3	1	62	44	-	2	35	7
Lincoln	317	1	-	4	69	17	22	5	12	3	1	9	5	151	110	2	1	78	29
North Platte	231	1	-	3	51	14	20	5	6	3	-	3	4	116	81	2	1	56	22
Balance of county	86	-	-	1	18	3	2	-	6	-	1	6	1	35	29	-	-	22	7
Logan	10	-	-	1	2	-	-	-	-	-	-	2	-	4	3	-	-	1	2
Loup	8	-	-	-	2	1	-	-	-	-	-	1	-	5	4	-	-	4	-
McPherson	4	-	-	-	1	-	-	-	-	-	-	1	-	2	1	-	-	1	-
Madison	320	-	-	3	63	15	19	8	12	3	-	6	2	175	131	-	-	106	25
Norfolk	182	-	-	2	37	9	11	5	6	2	-	4	-	103	82	-	-	69	13
Balance of county	138	-	-	1	26	6	8	3	6	1	-	2	2	72	49	-	-	37	12
Merrick	74	-	-	-	14	2	1	1	3	2	-	5	4	41	26	-	1	21	4
Morrill	69	-	-	-	12	-	1	2	2	1	-	6	-	39	30	-	3	15	12
Nance	74	-	-	1	12	3	3	-	2	-	2	2	1	40	30	-	-	21	9
Nemaha	100	-	-	2	23	8	6	-	4	2	2	1	3	49	33	-	-	24	9
Nuckolls	72	-	-	-	13	2	5	1	2	1	-	2	3	37	29	-	-	26	3
Otoe	189	-	-	2	36	10	7	6	4	4	1	4	2	85	60	3	-	43	14
Pawnee	66	-	-	-	18	3	5	2	-	1	2	5	2	34	15	-	-	13	2
Perkins	40	-	-	1	9	1	3	1	2	-	-	2	1	21	11	-	-	11	-
Phelps	106	-	-	-	18	7	1	-	5	1	1	3	2	65	48	-	-	29	19
Pierce	90	-	-	-	17	-	9	1	2	-	-	5	2	60	48	-	-	46	2
Platte	228	-	-	-	56	18	14	1	6	-	1	16	6	124	94	-	3	67	24
Columbus	168	-	-	-	42	15	12	-	5	-	1	9	6	85	68	-	2	50	16
Balance of county	60	-	-	-	14	3	2	1	1	-	-	7	-	39	26	-	1	17	8
Polk	76	-	-	-	13	2	3	1	1	-	1	3	2	38	26	-	-	20	6
Red Willow	140	-	-	2	26	10	2	2	4	2	-	6	2	73	54	1	1	47	5
Richardson	173	-	-	1	24	7	4	3	2	3	1	4	5	95	73	-	2	58	13
Rock	25	-	-	-	9	1	1	1	1	1	3	1	-	7	4	-	-	4	-
Saline	175	-	-	1	35	11	9	3	4	2	1	5	-	90	66	-	1	36	29
Sarpy	335	-	-	1	69	18	21	8	5	2	4	11	5	135	108	-	-	78	30
Bellevue	112	-	-	-	29	6	11	4	4	1	2	1	-	46	36	-	-	26	10
Balance of county	223	-	-	1	40	12	10	4	1	1	2	10	5	89	72	-	-	52	20
Saunders	188	-	-	1	35	11	3	8	5	1	1	6	1	112	82	-	2	66	14
Scotts Bluff	340	-	-	9	68	19	17	3	12	4	-	13	14	146	110	-	3	82	25
Scottsbluff	146	-	-	4	26	3	9	1	6	1	-	6	5	65	52	-	1	37	14
Balance of county	194	-	-	5	42	16	8	2	6	3	-	7	9	81	58	-	2	45	11
Seward	148	-	-	-	25	12	6	-	5	1	1	-	2	90	64	-	2	48	14
Sheridan	102	-	-	-	29	11	5	2	9	1	-	1	-	48	39	-	-	29	10
Sherman	70	-	-	1	21	4	6	2	3	-	2	4	1	27	18	-	1	15	2
Sioux	15	-	-	-	1	-	-	-	-	-	-	1	-	11	10	-	-	4	6
Stanton	66	-	-	1	11	2	2	-	3	1	-	3	2	34	29	-	-	27	2
Thayer	94	-	-	-	17	7	3	3	2	2	-	-	1	51	42	1	-	28	13
Thomas	7	-	-	-	4	-	-	-	-	-	-	4	-	1	1	-	-	-	1
Thurston	75	1	-	-	10	2	1	1	2	2	1	1	4	33	27	2	-	19	6
Valley	63	-	-	1	12	4	3	1	-	-	1	3	-	35	23	-	-	18	5
Washington	114	-	-	-	19	6	1	5	3	-	-	4	1	71	55	-	-	46	9
Wayne	71	-	-	-	15	6	2	1	2	-	2	2	3	43	32	-	-	27	5
Webster	75	-	-	1	8	5	2	-	1	-	-	-	-	44	37	-	-	31	6
Wheeler	6	-	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-
York	137	1	-	-	23	5	4	4	5	-	1	4	4	85	70	1	2	34	33
Nevada	5,884	5	-	52	1,325	330	384	103	139	56	47	266	72	2,399	1,871	27	83	1,250	511
Urban places	3,560	2	-	36	817	210	244	58	84	31	26	164	46	1,452	1,138	20	61	760	297
Balance of area	2,324	3	-	16	508	120	140	45	55	25	21	102	26	947	733	7	22	490	214
Metropolitan counties	4,674	3	-	44	1,084	264	321	76	116	48	38	221	59	1,887	1,484	23	75	990	396
Urban places	3,324	2	-	35	752	188	227	53	78	30	24	152	41	1,349	1,059	16	59	707	277
Balance of area	1,350	1	-	9	332	76	94	23	38	18	14	69	18	538	425	7	16	283	119
Nonmetropolitan counties	1,210	2	-	8	241	66	63	27	23	8	9	45	13	512	387	4	8	260	115
Urban places	236	-	-	1	65	22	17	5	6	1	2	12	5	103	79	4	2	53	20
Balance of area	974	2	-	7	176	44	46	22	17	7	7	33	8	409	308	-	6	207	95
Churchill	157	-	-	-	32	7	11	5	4	2	-	3	2	83	61	-	-	40	21
Clark	3,226	2	-	29	744	182	228	53	82	31	26	142	49	1,300	1,016	16	55	629	316
Henderson	160	-	-	-	35	12	7	3	5	1	1	6	1	73	63	1	3	41	18
Las Vegas	1,707	1	-	20	388	92	133	29	40	11	11	72	25	675	519	7	29	323	160
North Las Vegas	219	-	-	2	47	13	14	3	6	2	2	7	6	82	62	2	8	26	26
Balance of county	1,140	1	-	7	274	65	74	18	31	17	12	57	17	470	372	6	15	239	112
Douglas	91	-	-	-	20	6	8	1	1	-	-	4	2	39	33	-	-	28	5
Elko	155	-	-	1	24	8	3	2	3	1	2	5	-	60	45	-	-	36	9
Esmeralda	9	1	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Nebraska—Con.																			
Hooker	-	-	-	-	2	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Howard	-	19	2	1	4	3	1	-	1	-	1	1	-	3	-	1	-	-	-
Jefferson	1	10	2	-	2	2	1	1	1	1	2	-	-	-	2	3	-	-	-
Johnson	-	15	2	-	5	2	1	1	-	-	1	-	-	1	2	-	1	-	-
Kearney	-	9	-	-	3	3	-	-	-	-	-	-	1	6	2	4	-	-	-
Keith	-	8	2	-	1	4	-	2	1	-	4	-	1	1	2	5	-	-	-
Keya Paha	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Kimball	-	5	-	3	1	7	-	-	1	-	-	-	1	2	1	2	1	-	-
Knox	-	8	-	4	6	4	2	1	1	-	2	3	-	9	4	5	-	3	-
Lancaster	6	127	34	16	47	33	8	5	11	-	9	11	14	88	32	28	19	6	4
Lincoln	6	115	32	12	44	30	8	5	11	-	7	11	13	83	24	25	18	6	3
Balance of county	-	12	2	4	3	3	-	-	-	-	2	-	1	5	8	3	1	-	1
Lincoln	1	23	16	1	10	10	2	3	3	-	1	1	5	29	12	8	1	1	1
North Platte	1	21	12	1	8	9	2	2	2	-	1	-	1	17	6	6	-	1	1
Balance of county	-	2	4	-	2	1	-	1	1	-	-	1	4	12	6	2	1	-	-
Logan	-	1	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-
Loup	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
McPherson	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Madison	1	30	9	4	10	9	1	1	2	-	3	3	3	23	8	8	5	1	-
Norfolk	1	13	4	3	2	4	1	1	1	-	2	3	2	12	4	4	4	-	-
Balance of county	-	17	5	1	8	5	-	-	1	-	1	-	1	11	4	4	1	1	-
Merrick	-	13	1	1	1	1	1	-	1	-	-	-	1	5	2	2	1	-	-
Morrill	3	5	1	-	2	2	-	-	-	-	1	-	-	6	4	1	1	-	1
Nance	-	8	1	1	4	3	1	-	-	-	-	-	-	5	3	2	2	-	-
Nemaha	1	13	1	1	2	2	-	1	3	-	-	1	1	7	3	-	3	-	-
Nuckolls	1	6	1	-	3	2	2	-	-	-	-	-	2	5	2	3	-	-	-
Otoe	-	20	3	2	5	5	-	6	5	-	1	1	12	19	3	4	3	-	-
Pawnee	-	14	3	2	2	1	-	1	-	-	-	1	1	4	-	2	-	-	-
Perkins	-	4	3	3	1	1	-	-	-	-	-	1	1	3	-	1	-	-	-
Phelps	-	14	1	2	1	3	-	-	-	-	1	-	1	13	-	2	-	-	-
Pierce	-	10	-	2	-	1	-	1	-	-	1	1	1	5	-	1	-	-	-
Platte	2	17	4	7	3	6	2	1	1	-	-	2	1	7	7	7	4	-	1
Columbus	1	11	3	2	3	4	2	1	-	-	-	1	1	7	5	6	4	-	1
Balance of county	1	6	1	5	-	2	-	-	1	-	-	1	-	-	2	1	-	-	-
Polk	1	11	-	-	3	2	2	1	1	-	2	2	1	8	1	-	-	-	-
Red Willow	-	9	8	2	4	3	-	-	2	-	4	1	1	12	3	5	2	-	-
Richardson	1	17	2	2	12	6	1	1	2	-	1	1	5	14	2	1	1	-	1
Rock	-	2	1	-	2	1	-	-	1	-	-	-	-	3	1	1	-	-	-
Saline	-	15	8	1	4	5	1	2	1	-	3	-	7	11	8	2	4	1	-
Sarpy	2	21	2	2	12	10	2	6	3	-	13	8	10	21	17	11	11	1	-
Bellevue	-	7	1	2	4	3	-	2	3	-	2	2	3	5	4	4	5	-	-
Balance of county	2	14	1	-	8	7	2	4	-	-	11	6	7	16	13	7	6	1	-
Saunders	2	23	3	2	6	3	1	2	3	-	-	-	1	10	7	3	1	-	2
Scotts Bluff	1	28	4	3	7	17	1	7	2	-	4	3	4	34	14	5	4	1	-
Scottsbluff	1	9	1	2	4	6	-	5	2	-	2	2	1	16	3	3	2	-	-
Balance of county	-	19	3	1	3	11	1	2	-	-	2	1	3	18	11	2	2	1	-
Seward	1	24	1	-	2	3	-	1	2	-	-	-	2	13	2	3	3	-	-
Sheridan	1	6	-	2	7	2	-	-	1	-	-	-	2	7	2	4	-	-	-
Sherman	-	8	-	1	8	-	1	-	1	-	-	-	1	5	2	1	1	-	-
Sioux	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-
Stanton	-	5	-	-	5	-	-	-	-	-	1	-	3	3	4	2	-	-	-
Thayer	-	6	2	1	3	3	2	1	1	-	-	-	-	8	1	5	1	-	-
Thomas	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Thurston	-	3	3	-	5	-	-	5	2	-	1	2	-	5	3	2	-	1	1
Valley	-	8	4	-	2	2	-	-	1	-	-	-	-	5	1	2	2	-	-
Washington	1	10	4	1	2	3	2	-	-	-	-	1	-	9	2	3	1	-	-
Wayne	-	9	1	1	-	2	-	-	-	-	-	-	1	5	1	-	-	1	-
Webster	-	3	3	1	2	5	-	-	1	-	-	-	-	10	-	4	-	-	-
Wheeler	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
York	-	12	2	1	6	4	-	1	-	-	1	1	1	4	1	3	2	-	-
Nevada	17	390	57	64	112	265	15	157	45	2	48	64	79	392	280	213	208	137	14
Urban places	12	232	29	41	61	155	11	98	26	2	30	43	47	233	157	124	114	97	9
Balance of area	5	158	28	23	51	110	4	59	19	-	18	21	32	159	123	89	94	40	5
Metropolitan counties	13	304	39	47	72	217	12	134	38	2	39	58	48	295	214	162	168	124	14
Urban places	12	217	25	36	57	146	9	95	24	2	30	42	41	217	152	118	109	94	9
Balance of area	1	87	14	11	15	71	3	39	14	-	9	16	7	78	62	44	59	30	5
Nonmetropolitan counties	4	88	18	17	40	48	3	23	7	-	9	6	31	97	66	51	40	13	-
Urban places	-	15	4	5	4	9	2	3	2	-	-	1	6	16	5	6	5	3	-
Balance of area	4	71	14	12	36	39	1	20	5	-	9	5	25	81	61	45	35	10	-
Churchill	1	19	2	-	6	4	-	1	1	-	-	-	5	12	4	4	3	-	-
Clark	11	213	32	28	43	151	9	82	29	1	32	46	30	189	153	112	109	107	9
Henderson	1	5	2	2	3	8	-	1	-	-	2	4	-	12	12	4	1	4	-
Las Vegas	6	120	15	15	21	75	6	46	15	-	19	19	19	103	91	61	54	65	4
North Las Vegas	3	14	2	1	5	7	-	4	3	1	3	10	4	17	5	8	4	10	1
Balance of county	1	74	13	10	14	61	3	31	11	-	8	13	7	57	45	39	50	28	4
Douglas	-	3	-	3	2	2	-	2	-	-	2	-	2	6	7	3	4	-	-
Elko	1	10	2	2	9	7	-	3	-	-	1	-	3	14	14	12	4	3	-
Esmeralda	-	1	-	-	-	-	-	1	-	-	-	-	-	-	3	1	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Nevada--Con.																			
Eureka	6	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	1	3	-
Humboldt	74	1	-	2	7	2	3	-	1	-	-	1	2	30	24	-	1	14	9
Lander	25	-	-	-	9	6	-	1	1	-	1	-	-	8	4	-	-	2	2
Lincoln	28	-	-	1	4	-	1	1	1	-	-	1	-	10	9	-	1	7	1
Lyon	112	-	-	1	30	4	10	4	1	2	1	8	1	43	33	-	-	21	12
Mineral	77	-	-	2	15	2	3	3	1	-	2	4	-	25	16	-	-	7	11
Nye	102	-	-	-	10	3	1	-	1	1	1	3	-	44	32	-	2	19	11
Ormsby, coext. with Carson City	236	-	-	1	65	22	17	5	6	1	2	12	5	103	79	4	2	53	20
Pershing	29	-	-	-	7	2	1	1	-	1	-	2	-	10	8	-	-	4	4
Storey	7	-	-	-	1	-	1	-	-	-	-	-	-	3	1	-	-	-	1
Washoe	1,448	1	-	15	340	82	93	23	34	17	12	79	10	587	468	7	20	361	80
Reno	946	1	-	9	214	54	54	14	21	13	7	51	5	402	325	4	15	252	54
Sparks	292	-	-	4	68	17	19	4	6	3	3	16	4	117	90	2	4	65	19
Balance of county	210	-	-	2	58	11	20	5	7	1	2	12	1	68	53	1	1	44	7
White Pine	102	-	-	-	17	4	4	4	3	-	-	2	1	47	34	-	1	25	8
New Hampshire	7,701	2	-	56	1,821	510	465	152	200	90	65	339	170	3,731	2,841	22	49	2,238	532
Urban places	3,179	-	-	24	732	208	186	68	76	38	20	136	73	1,577	1,172	9	16	928	219
Balance of area	4,522	2	-	32	1,089	302	279	84	124	52	45	203	97	2,154	1,669	13	33	1,310	313
Metropolitan counties	4,205	2	-	34	985	280	267	77	103	47	33	178	89	2,030	1,545	12	26	1,214	293
Urban places	2,134	-	-	17	494	146	129	41	52	25	10	91	47	1,052	798	4	11	635	148
Balance of area	2,071	2	-	17	491	134	138	36	51	22	23	87	42	978	747	8	15	579	145
Nonmetropolitan counties	3,496	-	-	22	836	230	198	75	97	43	32	161	81	1,701	1,296	10	23	1,024	239
Urban places	1,045	-	-	7	238	62	57	27	24	13	10	45	26	525	374	5	5	293	71
Balance of area	2,451	-	-	15	598	168	141	48	73	30	22	116	55	1,176	922	5	18	731	168
Belknap	433	-	-	2	93	24	26	9	8	4	6	16	7	222	159	4	1	134	20
Laconia	175	-	-	1	32	5	12	3	2	2	1	7	-	91	56	1	-	48	7
Balance of county	258	-	-	1	61	19	14	6	6	2	5	9	7	131	103	3	1	86	13
Carroll	308	-	-	3	75	18	20	7	13	2	2	13	6	157	122	-	2	102	18
Cheshire	556	-	-	1	132	29	33	11	13	9	2	35	9	269	211	3	12	167	29
Keene	209	-	-	-	45	7	14	6	5	3	1	9	5	111	92	2	2	69	19
Balance of county	347	-	-	1	87	22	19	5	8	6	1	26	4	158	119	1	10	98	10
Coos	351	-	-	4	83	26	21	5	8	4	5	14	9	166	128	2	1	104	21
Berlin	136	-	-	1	34	11	5	2	5	1	4	6	5	60	46	1	1	40	4
Balance of county	215	-	-	3	49	15	16	3	3	3	1	8	4	106	82	1	-	64	17
Grafton	611	-	-	4	145	35	34	16	18	6	8	28	21	277	213	-	1	161	51
Hillsborough	2,149	1	-	21	511	145	124	41	60	24	17	100	39	1,063	788	2	9	620	157
Manchester	990	-	-	8	216	64	50	20	28	9	5	40	21	514	361	2	4	293	62
Nashua	485	-	-	5	125	30	35	7	13	9	4	27	6	236	199	-	3	145	51
Balance of county	674	1	-	8	170	51	39	14	19	6	8	33	12	313	228	-	2	182	44
Merrimack	868	-	-	5	219	72	39	21	26	15	6	40	15	427	313	-	5	246	62
Concord	354	-	-	3	89	27	16	13	8	6	3	16	8	179	121	-	2	89	30
Balance of county	514	-	-	2	130	45	23	8	18	9	3	24	7	248	192	-	3	157	32
Rockingham	1,390	1	-	9	319	87	105	20	26	16	11	54	32	657	511	6	11	390	104
Portsmouth	225	-	-	2	51	17	16	5	3	2	-	8	7	108	86	-	-	67	19
Balance of county	1,165	1	-	7	268	70	89	15	23	14	11	46	25	549	425	6	11	323	85
Strafford	666	-	-	4	155	48	38	16	17	7	5	24	18	310	246	4	6	204	32
Dover	204	-	-	2	47	18	11	3	5	3	1	6	5	89	68	-	2	60	6
Rochester	230	-	-	-	55	17	17	8	3	2	-	10	8	105	84	2	2	70	10
Balance of county	232	-	-	2	53	13	10	7	9	2	4	8	5	116	94	2	2	74	16
Sullivan	369	-	-	3	89	26	25	6	11	3	3	15	14	183	150	1	1	110	38
Claremont	171	-	-	2	38	12	10	3	4	1	1	7	8	84	59	1	-	47	11
Balance of county	198	-	-	1	51	14	15	3	7	2	2	8	6	99	91	-	1	63	27
New Jersey	67,280	53	3	676	15,749	4,570	4,039	1,491	1,645	683	590	2,731	1,407	34,486	28,067	358	959	21,965	4,785
Urban places	46,969	47	2	488	10,862	3,200	2,725	1,054	1,138	467	389	1,889	1,068	24,071	19,707	242	675	15,573	3,217
Balance of area	20,311	6	1	188	4,887	1,370	1,314	437	507	216	201	842	339	10,415	8,360	116	284	6,392	1,568
Metropolitan counties	60,196	51	2	613	14,022	4,066	3,571	1,358	1,462	604	517	2,444	1,285	30,676	24,979	321	839	19,536	4,283
Urban places	44,559	46	2	469	10,281	3,033	2,558	1,009	1,075	449	365	1,792	1,016	22,746	18,641	231	638	14,749	3,023
Balance of area	15,637	5	-	144	3,741	1,033	1,013	349	387	155	152	652	269	7,930	6,338	90	201	4,787	1,260
Nonmetropolitan counties	7,084	2	1	63	1,727	504	468	133	183	79	73	287	122	3,810	3,088	37	120	2,429	502
Urban places	2,410	1	-	19	581	167	167	45	63	18	24	97	52	1,325	1,066	11	37	824	194
Balance of area	4,674	1	1	44	1,146	337	301	88	120	61	49	190	70	2,485	2,022	26	83	1,605	308
Atlantic	2,403	-	-	21	501	146	130	44	52	31	19	79	36	1,351	1,111	9	28	797	277
Atlantic City	810	-	-	5	136	34	35	17	11	13	2	24	14	467	388	4	9	308	67
Hammonton	135	-	-	3	33	8	11	1	7	2	3	1	3	58	46	-	1	30	15
Margate City	117	-	-	-	31	11	6	4	2	3	1	4	-	73	57	-	-	41	16
Pleasantville	184	-	-	1	46	15	10	1	4	1	3	12	4	102	84	-	2	53	29
Ventnor City	173	-	-	1	34	12	7	2	7	2	2	2	3	110	90	1	1	73	15
Balance of county	984	-	-	11	221	66	61	19	21	10	8	36	12	541	446	4	15	292	135
Bergen	7,642	3	-	56	1,892	567	459	215	198	92	71	290	158	3,985	3,255	47	91	2,739	378
Bergenfield	228	1	-	-	59	12	18	10	9	7	1	2	6	106	86	1	2	72	11
Cliffside Park	228	-	-	2	54	21	11	3	5	1	3	10	1	128	112	1	3	92	16
Dumont	157	-	-	2	28	9	8	1	3	2	2	3	3	94	76	2	-	65	9
East Paterson	183	-	-	4	45	10	11	5	5	3	4	7	4	93	81	3	1	68	9
Englewood	265	-	-	2	64	16	17	7	10	7	1	6	8	129	110	1	5	89	15
Fair Lawn	299	-	-	-	71	22	13	9	8	3	3	13	9	154	122	1	-	103	18
Fairview	108	-	-	2	34	11	8	2	4	1	-	8	4	51	41	1	1	35	4
Fort Lee	312	-	-	3	91	26	25	9	10	-	3	18	4	167	138	1	1	115	21
Garfield	292	-	-	-	68	23	9	6	11	3	3	13	10	165	149	-	1	138	10
Glen Rock	107	-	-	-	29	8	8	2	2	1	1	7	1	54	45	-	6	35	4
Hackensack	389	-	-	5	89	29	22	8	10	1	1	18	11	208	176	3	5	153	15
Hasbrouck Heights	140	-	-	4	40	11	9	5	4	5	1	5	9	64	49	-	-	42	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Nevada—Con																			
Eureka	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Humboldt	-	6	-	-	2	3	-	3	-	-	3	1	1	5	6	1	6	1	-
Lander	-	3	1	-	-	-	-	-	-	-	1	-	2	2	2	-	1	-	-
Lincoln	-	-	1	-	3	2	-	1	2	-	-	1	-	-	1	-	2	1	-
Lyon	1	5	2	2	3	3	1	1	1	-	-	1	1	10	4	7	4	1	-
Mineral	1	4	2	-	2	6	-	3	-	-	-	-	2	9	4	6	2	1	-
Nye	-	8	-	4	1	9	-	4	-	-	-	1	6	9	7	5	5	1	-
Ormsby, coext. with Carson City	-	15	4	5	4	9	2	3	2	-	-	1	6	16	5	6	5	3	-
Pershing	-	2	-	-	-	1	-	1	-	-	-	-	2	3	2	-	3	-	-
Storey	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Washoe	2	91	7	19	29	66	3	52	9	1	7	12	18	106	61	50	59	17	5
Reno	2	58	5	12	22	42	3	32	5	1	4	5	14	70	32	35	36	10	4
Sparks	-	20	1	6	6	14	-	12	1	-	2	4	4	15	12	10	14	5	-
Balance of county	-	13	1	1	1	10	-	8	3	-	1	3	-	21	17	5	9	2	1
White Pine	-	8	4	1	8	2	-	-	1	-	2	1	-	11	7	4	-	1	-
New Hampshire	22	605	152	111	221	252	23	105	56	-	55	53	79	571	152	195	127	26	6
Urban places	15	263	78	49	99	104	9	49	23	-	20	24	36	234	41	69	53	9	3
Balance of area	7	342	74	62	122	148	14	56	33	-	35	29	43	337	111	126	74	17	3
Metropolitan counties	11	338	78	58	132	131	14	59	36	-	33	32	45	313	83	96	74	14	3
Urban places	7	174	44	29	64	66	7	40	18	-	15	19	27	149	29	47	34	6	3
Balance of area	4	164	34	29	68	65	7	19	18	-	18	13	18	164	54	49	40	8	-
Nonmetropolitan counties	11	267	74	53	89	121	9	46	20	-	22	21	34	258	69	99	53	12	3
Urban places	8	89	34	20	35	38	2	9	5	-	5	5	9	85	12	22	19	3	-
Balance of area	3	178	40	33	54	83	7	37	15	-	17	16	25	173	57	77	34	9	3
Belknap	2	34	21	6	13	18	1	8	3	-	3	2	3	34	7	10	7	-	-
Laconia	2	15	14	4	6	5	1	3	1	-	1	-	1	19	3	7	4	-	-
Balance of county	-	19	7	2	7	13	-	5	2	-	2	2	2	15	4	3	3	-	-
Carroll	1	23	5	6	6	6	1	7	3	-	4	2	4	15	6	6	4	3	-
Cheshire	3	36	13	6	19	26	1	3	2	-	2	3	8	40	14	13	11	2	1
Keene	2	13	4	-	9	9	-	1	1	-	1	-	4	14	3	3	3	-	-
Balance of county	1	23	9	6	10	17	1	2	1	-	1	3	4	26	11	10	8	2	1
Coos	-	28	6	4	6	10	-	5	5	-	2	3	5	32	4	10	4	2	1
Bérlin	-	7	4	3	3	6	-	1	2	-	-	1	1	16	1	3	1	1	-
Balance of county	-	21	2	1	3	4	-	4	3	-	2	2	4	16	3	7	3	1	1
Grafton	1	41	12	10	15	23	3	9	3	-	4	3	3	58	14	22	5	1	1
Hillsborough	6	180	55	34	57	66	6	35	14	-	20	16	28	139	34	44	46	6	3
Manchester	3	102	30	18	23	35	5	20	7	-	8	7	9	71	10	22	11	1	2
Nashua	2	25	6	4	18	13	1	11	2	-	5	3	13	20	5	7	12	2	1
Balance of county	1	53	19	12	16	18	-	4	5	-	7	6	6	48	19	15	23	3	-
Merrimack	3	88	12	11	26	28	3	8	2	-	6	5	9	56	15	26	15	3	-
Concord	3	43	7	5	15	13	1	2	1	-	2	1	3	18	4	5	8	2	-
Balance of county	-	45	5	6	11	15	2	6	1	-	4	4	6	38	11	21	7	1	-
Rockingham	3	109	16	18	58	48	6	15	12	-	11	4	10	117	32	33	19	7	-
Portsmouth	-	17	3	2	12	6	-	3	2	-	1	-	1	18	3	6	3	2	-
Balance of county	3	92	13	16	46	42	6	12	10	-	10	4	9	99	29	27	16	5	-
Strafford	2	49	7	6	17	17	2	9	10	-	2	12	7	57	17	19	9	1	-
Dover	2	14	2	3	6	6	1	3	3	-	1	3	3	16	7	6	6	-	-
Rochester	-	16	3	2	5	6	-	3	4	-	-	6	1	24	4	6	2	1	-
Balance of county	-	19	2	1	6	5	1	3	3	-	1	3	3	17	6	7	1	-	-
Sullivan	1	17	5	10	4	10	-	6	2	-	1	3	2	23	9	12	7	1	-
Claremont	1	11	5	8	2	5	-	2	-	-	1	3	-	18	1	4	3	-	-
Balance of county	-	6	-	2	2	5	-	4	2	-	-	-	2	5	8	8	4	1	-
New Jersey	184	5,009	609	617	1,603	1,713	220	1,141	598	7	322	556	551	4,454	1,214	1,398	530	546	53
Urban places	125	3,421	417	401	1,092	1,109	153	854	422	6	228	424	452	3,155	679	1,016	319	479	43
Balance of area	59	1,588	192	216	511	604	67	287	176	1	94	132	99	1,299	535	382	211	67	10
Metropolitan counties	165	4,448	547	537	1,476	1,504	201	1,041	552	7	301	510	525	4,024	1,051	1,305	468	533	49
Urban places	121	3,209	395	380	1,056	1,047	147	821	412	6	224	408	443	3,008	633	982	298	473	41
Balance of area	44	1,239	152	157	420	457	54	220	140	1	77	102	82	1,016	418	323	170	60	8
Nonmetropolitan counties	19	561	62	80	127	209	19	100	46	-	21	46	26	430	163	93	62	13	4
Urban places	4	212	22	21	36	62	6	33	10	-	4	16	9	147	46	34	21	6	2
Balance of area	15	349	40	59	91	147	13	67	36	-	17	30	17	283	117	59	41	7	2
Atlantic	3	187	26	24	50	58	8	37	20	1	9	18	19	124	61	51	15	20	3
Atlantic City	-	67	6	6	28	22	3	12	10	-	3	8	9	42	11	22	4	11	3
Hammonton	-	8	1	3	2	5	-	1	2	-	1	3	1	14	5	1	2	1	-
Margate City	-	14	1	1	1	2	-	-	-	-	-	-	-	9	-	1	-	-	-
Pleasantville	-	13	4	1	-	3	1	2	1	-	1	1	1	11	3	3	1	3	-
Ventnor City	-	20	-	-	1	-	-	6	2	-	-	-	2	6	3	4	-	1	-
Balance of county	3	65	14	13	18	26	4	16	5	1	4	6	6	42	39	20	8	4	-
Bergen	17	580	58	75	181	179	32	132	53	1	24	49	90	465	128	131	57	19	7
Bergenfield	1	18	-	1	6	6	1	2	1	-	-	2	3	20	4	9	2	-	-
Cliffside Park	2	8	1	5	4	6	1	3	2	-	-	2	5	11	3	6	-	-	-
Dumont	2	15	1	-	3	5	-	2	-	-	-	2	1	9	1	4	2	1	-
East Paterson	-	6	1	5	6	3	-	4	4	-	2	1	1	10	3	2	-	1	-
Englewood	-	16	1	2	9	3	-	7	2	-	1	3	5	16	7	6	1	2	-
Fair Lawn	-	24	4	4	7	9	2	5	2	-	2	-	5	23	2	2	5	1	-
Fairview	-	8	1	1	4	2	1	2	-	-	-	-	1	3	2	1	-	1	-
Fort Lee	1	23	1	4	5	6	1	6	1	-	1	1	4	14	3	1	4	-	-
Garfield	1	15	-	-	5	3	1	5	3	-	2	1	5	11	2	4	4	2	1
Glen Rock	-	7	1	1	3	3	-	2	-	-	-	1	-	8	2	3	1	-	-
Hackensack	1	25	3	3	7	8	3	5	2	1	2	4	3	25	3	9	-	3	1
Hasbrouck Heights	-	11	4	-	2	4	1	3	1	-	-	2	1	5	1	3	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Jersey—Con.																			
Hillsdale	76	-	-	-	19	6	-	5	2	3	-	3	-	42	32	1	-	29	2
Lodi	226	2	-	1	59	13	11	11	11	1	3	9	6	120	101	2	3	87	9
Lyndhurst twp. #	196	-	-	1	49	22	11	1	3	4	1	7	5	112	85	1	5	68	11
Maywood	108	-	-	1	29	8	9	5	2	2	1	2	5	55	42	-	4	34	4
New Milford	185	-	-	1	55	12	17	11	4	1	4	6	-	97	83	-	2	75	6
North Arlington	174	-	-	-	51	17	15	4	3	1	1	10	6	84	76	1	4	57	14
Oakland	81	-	-	1	22	7	7	2	-	1	2	3	-	39	34	3	-	27	4
Palisades Park	156	-	-	1	38	11	10	5	3	2	-	7	3	72	59	-	5	43	11
Paramus	195	-	-	2	42	17	8	6	2	1	3	5	4	101	81	2	1	70	8
Ramsey	83	-	-	-	26	8	8	1	1	1	2	5	-	44	34	-	-	28	6
Ridgefield	99	-	-	2	26	10	2	4	5	-	-	5	1	49	37	1	1	27	8
Ridgefield Park	135	-	-	-	36	9	10	3	8	4	2	-	1	76	61	-	4	52	5
Ridgewood	222	-	-	1	48	21	6	6	4	-	1	10	1	116	96	2	1	87	6
River Edge	106	-	-	1	23	10	6	3	1	-	-	3	3	58	51	2	-	43	6
Rutherford	213	-	-	2	49	13	10	8	3	6	-	7	1	111	91	-	5	72	14
Saddle Brook twp. #	96	-	-	2	27	8	11	5	2	-	-	1	4	48	36	-	1	31	4
Teaneck twp. #	323	-	-	3	78	19	18	13	11	2	2	13	4	169	141	3	4	112	22
Tenafly	130	-	-	-	41	9	9	7	3	3	1	9	2	62	48	-	1	37	8
Waldwick	81	-	-	-	24	8	5	1	4	4	1	1	1	37	27	1	-	23	3
Wallington	108	-	-	-	23	6	7	3	4	1	-	2	5	59	48	-	2	41	3
Washington twp. #	50	-	-	1	12	4	3	1	1	1	2	-	1	21	21	-	1	18	2
Westwood	97	-	-	-	29	12	7	2	3	2	1	2	-	49	38	-	-	31	7
Wyckoff twp. #	115	-	-	-	31	10	3	4	4	2	-	8	3	62	48	-	1	43	4
Balance of county	1,679	-	-	12	383	109	107	37	33	14	21	62	32	889	704	14	21	597	72
Burlington	2,376	-	-	25	585	146	172	48	60	26	18	115	32	1,163	936	6	45	668	217
Burlington	143	-	-	-	27	3	9	1	3	2	3	6	2	79	62	-	1	53	8
Cinnaminson twp. #	94	-	-	2	25	2	11	-	5	3	1	3	1	44	37	1	2	27	7
Maple Shade twp. #	204	-	-	4	54	19	14	8	3	3	1	6	4	98	79	-	8	53	18
Mount Holly twp. #	136	-	-	-	37	10	9	4	1	2	-	11	3	67	52	-	2	39	11
New Hanover twp. #	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Willingboro twp. #	172	-	-	2	41	7	5	4	7	2	1	15	2	76	58	1	2	44	11
Balance of county	1,623	-	-	17	401	105	124	31	41	14	12	74	20	798	647	4	30	451	162
Camden	4,180	3	-	46	920	260	246	94	82	34	27	177	95	2,137	1,777	16	72	1,189	500
Audubon	131	-	-	1	21	4	8	1	2	1	1	4	-	88	72	2	3	47	20
Bellmawr	131	-	-	2	32	13	3	3	1	-	1	11	1	65	57	-	2	42	13
Camden	856	1	-	15	168	40	42	25	22	7	6	28	30	386	327	2	19	193	113
Cherry Hill twp. #	468	-	-	4	115	35	29	9	6	6	3	27	9	235	193	1	6	141	45
Collingswood	215	-	-	2	44	14	12	6	-	1	-	11	6	123	101	-	2	76	23
Gloucester City	168	-	-	4	33	13	13	2	1	1	-	3	4	93	73	-	2	43	28
Gloucester twp. #	217	-	-	2	48	16	10	7	3	3	-	9	3	104	85	2	2	63	18
Haddonfield	140	-	-	1	37	11	10	3	3	-	-	10	4	70	57	-	-	46	11
Haddon twp. #	135	1	-	1	37	14	6	3	9	1	-	4	3	68	58	-	3	34	21
Lindenwold	104	-	-	-	23	5	7	1	-	-	-	10	1	55	46	2	4	33	7
Pennsauken twp. #	331	-	-	1	60	17	20	5	4	3	3	8	8	188	156	2	5	90	50
Runnemede	83	-	-	1	12	4	5	-	1	-	1	1	1	51	42	-	3	26	13
Balance of county	1,201	1	-	12	290	74	81	29	30	11	12	53	25	609	510	5	21	346	138
Cape May	1,176	-	-	5	265	70	62	25	28	15	12	53	11	680	569	4	17	441	107
Ocean City	239	-	-	-	49	8	11	5	5	2	6	12	1	153	127	1	4	84	38
Balance of county	937	-	-	5	216	62	51	20	23	13	6	41	10	527	442	3	13	357	69
Cumberland	1,317	2	-	17	283	76	77	29	34	7	8	52	41	668	566	7	15	383	161
Bridgeton	270	1	-	4	52	11	10	9	7	1	2	12	10	135	118	1	2	81	34
Millville	312	-	-	3	75	22	24	5	11	1	1	11	7	164	137	1	4	86	46
Vineland	462	1	-	6	98	31	20	11	7	4	3	22	18	240	204	4	2	144	54
Balance of county	273	-	-	4	58	12	23	4	9	1	2	7	6	129	107	1	7	72	27
Essex	8,297	10	-	107	1,907	558	446	161	226	82	70	344	200	4,112	3,356	34	151	2,548	623
Belleville	350	-	-	5	84	29	23	5	11	2	1	13	15	180	150	7	6	113	24
Bloomfield	546	-	-	7	144	42	37	9	19	6	5	26	13	281	235	1	7	181	46
Cedar Grove twp. #	91	-	-	-	25	7	6	3	-	1	2	6	1	48	36	-	-	31	5
East Orange	750	1	-	6	152	51	37	8	23	6	6	21	17	355	295	5	19	220	51
Irvington	720	2	-	7	166	56	31	22	17	8	5	27	19	381	318	2	14	242	60
Livingston twp. #	188	-	-	-	47	11	11	5	8	-	3	9	4	97	85	-	4	70	11
Maplewood twp. #	253	-	-	2	62	20	10	8	6	3	1	14	4	144	115	2	3	98	12
Millburn twp. #	183	-	-	2	47	14	8	6	8	3	1	7	2	91	67	1	5	47	14
Montclair	420	-	-	2	111	32	23	15	14	4	3	20	7	217	162	1	6	122	33
Newark	3,058	5	-	63	616	159	153	47	79	30	22	128	78	1,403	1,171	10	56	848	257
Nutley	284	-	-	1	92	25	22	14	9	5	5	12	4	146	115	-	3	95	17
Orange	345	1	-	4	75	21	25	3	6	2	4	14	7	171	127	-	15	89	23
South Orange	154	-	-	1	41	17	6	4	2	4	-	8	4	79	65	1	1	53	10
Verona	131	-	-	1	35	12	6	5	3	-	1	8	3	73	60	-	3	47	10
West Caldwell	71	-	-	-	13	3	1	3	2	-	1	3	4	38	33	1	1	27	4
West Orange	449	-	-	4	114	34	29	17	9	6	4	15	15	244	192	1	3	168	20
Balance of county	304	1	-	2	83	25	18	7	10	2	6	15	3	166	130	2	5	97	26
Gloucester	1,566	1	-	24	358	100	110	31	33	15	11	58	34	784	622	10	18	419	175
Glassboro	98	1	-	2	22	6	5	3	2	1	1	4	1	47	37	2	1	29	5
Pitman	106	-	-	2	23	7	3	1	3	3	3	3	1	55	39	1	-	23	15
Woodbury	173	-	-	2	45	12	12	9	2	3	1	6	4	83	60	-	-	40	20
Balance of county	1,189	-	-	18	268	75	90	18	26	8	6	45	28	599	486	7	17	327	135
Hudson	5,724	13	-	72	1,200	372	324	109	118	49	35	193	134	2,996	2,495	28	64	2,148	255
Bayonne	830	1	-	10	176	59	46	15	16	11	6	23	20	458	392	2	10	339	41
Harrison	124	1	-	2	29	10	12	1	1	2	-	3	1	71	60	3	2	50	5
Hoboken	381	-	-	4	71	20	20	8	10	2	2	9	12	192	152	-	5	129	18
Jersey City	2,371	11	-	35	480	155	135	40	45	14	9	82	52	1,191	985	8	30	848	99
Kearny	344	-	-	3	65	21	22	11	9	3	4	15	7	177	150	1	5	126	18
North Bergen twp. #	518	-	-	4	120	35	31	10	17	5	5	17	13	281	229	2	5	197	25
Secaucus	110	-	-	-	32	9	6	2	4	2	-	9	3	61	54	1	1	44	8
Union City	463	-	-	6	87	26	27	10	7	3	2	12	14	243	201	6	2	174	19
Weehawken twp. #	116	-	-	2	21	8	5	2	1	2	2	1	1	72	60	1	2	53	4
West New York	362	-	-	6	75	24	16	9	7	4	3	12	10	195	169	3	2	148	16
Balance of county	105	-	-	-	24	5	4	1	1	1	2	10	1	55	43	1	-	40	2
Hunterdon	652	-	-	6	155	51	33	15	20	7	5	24	8	315	249	3	12	163	71

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Jersey—Con																			
Hillsdale	-	6	-	4	2	1	1	1	1	-	1	3	-	2	1	-	1	1	-
Lodi	-	13	2	4	5	3	-	6	1	-	3	3	1	9	2	3	2	-	-
Lyndhurst twp #	1	24	1	1	5	6	-	5	2	-	-	2	-	8	-	3	-	-	-
Maywood	-	10	2	1	-	3	1	-	-	-	1	1	1	8	1	2	-	-	-
New Milford	1	12	-	1	6	5	-	5	1	-	-	-	4	10	-	-	-	1	-
North Arlington	-	8	-	-	3	2	2	4	2	-	-	-	3	11	2	4	-	-	-
Oakland	-	2	2	1	1	3	-	3	1	-	-	-	3	4	4	-	-	-	-
Palisades Park	1	9	1	2	7	4	1	4	1	-	-	-	3	17	1	2	2	-	-
Paramus	-	19	1	-	7	3	1	2	2	-	-	3	1	15	9	2	1	-	-
Ramsey	-	8	1	1	-	1	1	-	-	-	-	-	1	7	2	-	1	-	-
Ridgefield	-	8	1	3	1	3	-	3	-	-	-	1	2	9	-	2	-	-	-
Ridgefield Park	-	10	2	3	2	4	-	2	2	-	-	1	-	8	2	-	-	1	-
Ridgewood	1	15	1	3	6	8	-	6	3	-	1	2	2	17	5	4	2	-	-
River Edge	-	6	1	-	3	3	-	2	-	-	-	-	2	6	2	2	1	-	-
Rutherford	1	16	2	1	6	6	1	1	-	-	1	-	4	17	5	8	-	-	1
Saddle Brook twp #	-	8	1	3	3	-	1	1	-	-	-	-	-	6	-	1	2	-	1
Teaneck twp #	1	26	1	-	11	4	1	4	4	-	-	6	4	25	6	1	1	1	1
Tenafly	-	15	-	1	4	5	1	3	-	-	1	-	2	6	-	2	1	-	-
Waldwick	-	7	-	3	2	4	1	2	-	-	-	1	-	5	2	-	2	-	-
Wallington	-	12	-	1	4	1	1	1	-	-	-	1	3	4	2	2	2	-	-
Washington twp #	-	-	-	-	3	-	-	-	1	-	1	-	2	3	3	2	-	-	-
Westwood	-	8	1	2	1	1	1	1	1	-	-	-	3	10	1	-	-	-	-
Wyckoff twp #	1	9	3	1	2	5	-	4	-	-	-	-	1	5	-	1	1	-	-
Balance of county	2	153	17	13	38	46	7	26	13	-	5	6	14	98	45	40	19	4	2
Burlington	4	180	20	23	64	74	6	36	24	-	17	26	20	143	78	45	29	8	1
Burlington	-	17	-	-	5	5	1	2	2	-	2	1	-	8	3	3	2	1	-
Cinnaminson twp #	1	4	1	1	2	3	-	2	1	-	-	1	-	6	2	3	2	-	-
Maple Shade twp #	-	13	4	2	6	7	1	4	5	-	1	3	-	12	2	2	1	-	-
Mount Holly twp #	-	13	1	1	2	4	-	-	-	-	1	1	2	7	5	3	3	-	1
New Hanover twp #	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
Willingboro twp #	-	16	1	1	4	5	-	2	-	-	1	2	1	13	10	8	3	2	-
Balance of county	3	117	13	18	45	50	4	26	16	-	11	18	17	96	56	25	18	5	-
Camden	9	263	49	39	86	101	10	62	53	1	27	37	43	297	70	106	38	45	3
Audubon	-	15	-	1	1	3	-	-	2	-	-	-	1	10	1	1	-	2	-
Bellmawr	-	4	2	2	1	2	-	4	1	-	1	1	-	11	3	4	2	-	1
Camden	5	46	6	4	24	20	2	20	16	1	6	16	12	57	11	37	4	27	1
Cherry Hill twp #	-	30	7	5	11	8	1	6	6	-	4	3	3	30	12	15	4	2	-
Collingswood	-	17	3	2	4	8	-	2	4	-	-	-	2	12	-	7	1	-	-
Gloucester City	-	14	2	4	5	5	1	3	3	-	-	1	2	7	2	3	2	-	-
Gloucester twp #	-	11	6	2	1	7	-	3	3	-	4	4	4	21	3	3	6	-	1
Haddonfield	-	8	1	4	6	2	-	2	2	-	-	3	2	9	-	2	-	-	-
Haddon twp #	-	6	2	2	1	4	-	-	3	-	-	-	-	13	1	1	1	1	-
Lindenwold	-	5	3	1	2	1	-	2	-	-	3	2	2	7	4	-	2	-	-
Pennsauken twp #	1	23	5	3	10	4	2	6	3	-	2	-	4	31	2	6	2	2	-
Runnemede	-	7	2	-	2	3	1	2	-	-	-	-	3	4	2	1	-	-	-
Balance of county	3	77	10	9	18	34	3	12	10	-	7	7	8	85	29	26	14	11	-
Cape May	6	75	17	13	18	31	2	17	10	-	3	8	3	75	23	15	6	3	1
Ocean City	-	21	4	1	5	5	-	2	-	-	-	1	-	14	3	3	1	2	-
Balance of county	6	54	13	12	13	26	2	15	10	-	3	7	3	61	20	12	5	1	1
Cumberland	7	75	9	11	25	33	7	12	17	-	6	9	13	98	33	38	10	5	-
Bridgeton	1	14	-	2	8	11	2	1	5	-	2	2	5	16	4	10	1	1	-
Millville	3	13	7	4	4	6	2	2	6	-	3	2	2	19	10	3	3	1	-
Vineland	-	31	2	3	7	11	-	6	1	-	1	5	5	39	12	9	3	-	-
Balance of county	3	17	-	2	6	5	3	3	5	-	-	-	1	24	7	16	3	3	-
Essex	31	622	44	59	186	178	26	154	109	1	46	79	93	547	92	178	49	212	11
Belleville	1	16	6	7	5	9	-	8	4	-	3	2	2	19	5	5	3	1	-
Bloomfield	4	39	1	2	13	11	1	7	5	-	1	2	1	40	6	7	3	2	2
Cedar Grove twp #	-	11	-	1	3	3	-	-	-	-	-	-	2	7	-	2	-	-	-
East Orange	1	51	5	3	20	17	2	16	13	-	9	15	15	50	9	13	8	29	3
Irvington	-	57	4	2	10	16	2	15	6	-	5	8	2	43	3	16	3	15	1
Livingston twp #	-	11	1	-	7	5	-	3	2	-	1	4	2	13	-	3	-	-	-
Maplewood twp #	1	23	3	2	6	6	-	3	-	-	-	2	2	14	2	3	3	-	-
Millburn twp #	-	17	3	4	7	5	1	2	1	-	-	1	1	15	2	2	4	-	-
Montclair	1	45	4	5	7	10	3	4	3	-	-	1	4	29	3	11	4	4	-
Newark	16	190	10	16	66	50	11	71	57	1	20	39	54	234	38	88	14	146	4
Nutley	1	27	1	2	8	7	-	1	2	-	1	1	-	9	6	2	2	1	1
Orange	3	34	1	6	10	10	2	10	7	-	2	2	3	21	3	6	-	11	-
South Orange	-	12	1	1	1	3	-	3	2	-	1	-	1	7	3	6	1	1	-
Verona	1	9	-	3	-	2	1	1	2	-	1	2	-	4	1	3	2	-	-
West Caldwell	-	2	1	-	4	3	1	-	2	-	-	-	-	7	1	-	-	-	-
West Orange	1	44	3	4	13	13	2	7	-	-	1	-	3	19	6	6	2	-	-
Balance of county	1	34	-	1	6	8	-	3	3	-	1	-	1	16	4	5	-	2	-
Gloucester	5	116	27	14	30	50	4	20	23	-	10	8	7	115	45	27	19	7	-
Glassboro	-	7	2	1	2	1	1	3	-	-	2	1	-	9	2	4	-	-	-
Pitman	-	11	3	2	1	4	1	3	3	-	2	-	-	9	-	1	1	-	-
Woodbury	2	16	5	-	4	7	-	1	4	-	1	2	-	9	4	4	1	2	-
Balance of county	3	82	17	11	23	38	2	13	16	-	5	5	7	88	39	18	17	5	-
Hudson	8	400	44	49	117	134	19	97	61	3	21	49	67	403	71	154	35	70	8
Bayonne	1	53	5	7	12	17	2	10	9	-	2	5	4	68	9	16	4	4	3
Harrison	-	10	1	-	3	2	2	4	1	-	-	-	2	2	2	2	-	-	-
Hoboken	-	30	5	5	5	12	2	9	2	1	1	4	8	24	4	23	1	6	-
Jersey City	5	167	16	18	50	56	6	45	28	2	10	23	40	189	30	66	11	43	3
Kearny	1	20	2	4	6	7	2	7	2	-	1	3	1	28	5	9	1	-	-
North Bergen twp #	-	38	7	7	11	11	1	5	7	-	4	2	2	34	6	9	5	3	-
Secaucus	-	6	-	1	2	2	-	1	-	-	-	-	-	5	-	2	2	-	-
Union City	1	32	4	5	15	12	1	8	6	-	1	5	7	24	8	11	5	9	1
Weehawken twp #	-	10	2	-	2	1	1	1	1	-	-	2	-	7	-	2	3	-	-
West New York	-	23	1	2	8	11	2	4	5	-	1	4	2	18	3	12	2	3	1
Balance of county	-	11	1	-	3	3	-	3	-	-	1	1	1	4	4	2	1	2	-
Hunterdon	2	51	3	10	18	16	3	9	5	-	4	6	2	51	28	16	9	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Jersey—Con.																			
Mercer	2,844	3	-	31	650	208	158	55	57	22	29	123	50	1,408	1,179	13	76	728	362
Ewing twp. #	314	1	-	2	72	26	17	4	10	-	2	13	7	162	140	1	8	93	38
Hamilton twp. #	728	-	-	5	187	58	51	17	12	9	6	34	14	354	294	1	17	181	95
Princeton	118	-	-	1	20	7	4	-	3	1	2	3	1	65	55	1	1	39	14
Trenton	1,145	2	-	18	232	76	60	19	14	7	12	44	22	563	467	4	38	270	155
Balance of county	539	-	-	5	139	39	26	15	18	5	7	29	6	264	223	6	12	145	60
Middlesex	4,427	1	-	29	1,149	317	294	114	122	61	36	205	87	2,205	1,817	23	62	1,526	206
Carteret	198	-	-	1	60	12	23	6	6	3	1	9	4	98	80	4	2	66	8
East Brunswick twp. #	218	-	-	-	62	21	14	4	7	1	2	13	9	98	70	1	5	55	9
Edison twp. #	482	-	-	4	144	40	34	14	20	8	3	25	12	225	185	4	4	157	20
Highland Park	113	-	-	-	24	7	-	5	1	-	-	11	3	61	46	-	1	42	3
Madison twp. #	227	-	-	3	68	19	18	5	6	2	-	18	4	107	82	1	3	66	12
Metuchen	137	-	-	1	25	6	5	6	3	-	-	5	1	74	64	1	-	61	2
Middlesex	106	-	-	-	31	5	8	2	4	3	2	7	2	47	39	-	2	32	5
New Brunswick	304	-	-	2	79	28	16	5	6	5	3	16	9	138	113	1	5	94	13
Perth Amboy	425	-	-	3	96	26	23	10	13	4	4	16	13	234	195	2	10	169	14
Piscataway twp. #	207	-	-	3	56	14	22	8	3	3	1	5	5	89	71	-	1	67	3
Sayreville	231	-	-	-	70	19	21	8	13	1	-	8	4	121	102	-	4	79	19
South Plainfield	125	-	-	-	38	4	8	7	7	4	1	7	-	60	52	2	-	40	10
South River	134	1	-	-	28	9	9	3	1	-	1	5	3	77	67	-	4	58	5
Woodbridge twp. #	659	-	-	6	174	49	44	15	11	14	8	33	10	325	276	-	12	238	26
Balance of county	861	-	-	6	194	58	49	16	21	13	10	27	8	451	375	7	9	302	57
Monmouth	4,739	8	1	44	1,103	290	278	120	123	43	42	207	112	2,418	1,835	24	45	1,535	231
Asbury Park	324	-	1	3	61	16	14	3	12	1	1	14	8	160	116	2	12	89	13
Eatontown	89	-	-	-	19	7	5	1	1	-	1	4	1	46	35	-	-	31	4
Freehold	119	2	-	-	26	10	8	1	-	-	-	7	3	59	48	-	2	35	11
Hazlet twp. #	166	-	-	1	40	8	19	3	3	-	2	5	2	80	68	1	2	60	5
Long Branch	344	1	-	5	75	20	23	6	6	2	1	17	9	181	143	2	3	127	11
Matawan twp. #	89	1	-	2	17	1	4	1	2	1	2	6	4	45	37	-	-	31	6
Middletown twp. #	461	1	-	2	123	30	29	14	20	6	6	18	12	245	173	6	2	145	20
Neptune twp. #	384	1	-	5	71	20	13	10	8	3	5	12	15	213	156	1	3	139	13
Ocean twp. #	163	-	-	3	48	11	8	4	7	3	2	13	2	71	60	-	-	50	10
Red Bank	180	-	-	1	36	10	7	2	7	2	-	8	3	106	67	-	-	60	7
Balance of county	2,420	2	-	22	587	157	148	75	57	25	22	103	53	1,212	932	12	21	768	131
Morris	2,781	-	-	32	690	204	188	61	73	23	26	115	39	1,368	1,059	22	18	858	161
Dover	165	-	-	3	33	8	10	4	3	-	3	5	2	85	68	3	2	51	12
Madison	119	-	-	1	27	12	3	3	4	1	1	3	1	63	49	3	-	40	6
Morristown	241	-	-	8	49	9	17	7	4	1	4	7	4	123	90	1	1	71	17
Parsippany-Troy Hills twp. #	226	-	-	-	67	12	21	5	6	3	2	18	7	102	86	2	1	68	15
Pequannock twp. #	102	-	-	2	29	11	9	4	-	-	-	5	-	53	43	1	-	37	5
Balance of county	1,928	-	-	18	485	152	128	38	56	18	16	77	25	942	723	12	14	591	106
Ocean	4,472	2	-	46	1,122	334	329	75	114	51	43	176	87	2,422	1,954	27	73	1,573	281
Brick twp. #	556	-	-	5	132	38	43	11	15	4	2	19	15	294	231	5	9	185	32
Dover twp. #	791	-	-	8	189	59	59	11	18	6	4	32	18	429	353	2	10	283	58
Lakewood twp. #	570	-	-	4	151	45	39	11	19	4	10	23	9	311	253	1	13	191	48
Point Pleasant	254	1	-	2	60	17	15	7	6	2	2	11	9	138	102	2	1	81	18
Balance of county	2,301	1	-	27	590	175	173	35	56	35	25	91	36	1,250	1,015	17	40	833	125
Passaic	4,223	5	1	41	893	283	211	79	80	36	42	162	105	2,209	1,845	26	50	1,567	202
Clifton	900	-	1	9	211	67	51	22	17	8	8	38	25	495	410	8	9	349	44
Hawthorne	220	1	-	-	49	12	9	5	7	3	2	11	6	121	95	1	4	76	14
Little Falls twp. #	119	-	-	2	28	10	7	2	4	-	2	3	1	55	50	-	1	44	5
Passaic	537	-	-	6	111	42	20	11	9	3	6	20	20	291	240	3	9	195	33
Paterson	1,304	4	-	11	232	82	64	11	18	11	11	35	36	641	539	6	17	454	62
Pompton Lakes	79	-	-	-	17	5	5	1	1	-	1	4	3	42	35	-	-	33	2
Ringwood	51	-	-	-	12	2	3	1	1	-	-	5	2	25	23	1	-	22	-
Totowa	121	-	-	-	20	5	3	2	3	2	-	5	3	67	60	1	2	53	4
Wayne twp. #	311	-	-	4	81	23	17	10	8	3	6	14	3	161	137	3	2	120	12
West Paterson	86	-	-	1	20	5	6	-	1	1	2	5	-	46	41	1	1	37	2
Balance of county	495	-	-	8	112	30	26	14	11	5	4	22	6	265	215	2	5	184	24
Salem	585	-	-	1	121	29	36	13	14	11	2	16	13	286	221	5	11	148	57
Somerset	1,464	-	-	9	379	103	94	44	32	15	11	80	39	717	581	11	12	458	100
Bound Brook	103	-	-	1	25	5	6	2	4	1	1	6	3	50	40	1	-	35	4
Bridgewater twp. #	169	-	-	3	42	19	13	1	3	2	-	4	8	90	69	-	1	62	6
Franklin twp. #	226	-	-	1	63	20	16	5	8	1	4	9	7	105	89	3	2	59	25
Manville	98	-	-	-	29	7	7	5	-	1	1	8	2	47	42	2	1	33	6
North Plainfield	166	-	-	1	43	11	9	8	3	1	-	11	3	82	74	1	2	62	9
Somerville	126	-	-	2	20	4	7	1	1	1	-	6	3	75	60	-	-	53	7
Balance of county	576	-	-	1	157	37	36	22	13	8	5	36	13	268	207	4	6	154	43
Sussex	784	-	1	6	185	49	44	18	21	6	13	34	16	393	316	3	18	252	43
Union	4,809	2	-	51	1,201	364	296	110	133	47	55	196	97	2,422	1,955	35	75	1,581	264
Berkeley Heights twp. #	71	-	-	-	17	9	2	1	3	-	-	2	1	35	26	-	2	17	7
Clark twp. #	133	-	-	1	43	19	4	4	8	-	4	4	-	68	58	1	-	43	14
Cranford twp. #	215	-	-	1	49	20	12	4	4	2	1	6	5	121	96	3	7	72	14
Elizabeth	1,108	1	-	9	240	56	71	27	35	15	6	30	23	571	479	7	26	396	50
Hillside twp. #	182	-	-	4	43	16	6	4	3	3	3	8	6	86	71	-	5	57	9
Linden	394	-	-	4	105	38	27	7	7	1	8	17	9	186	153	5	10	117	21
New Providence	77	-	-	-	21	5	5	1	2	1	1	6	3	45	38	-	1	33	4
Plainfield	412	-	-	5	89	30	25	6	6	3	2	17	6	204	157	1	5	131	20
Rahway	251	-	-	3	75	19	19	11	8	2	4	12	10	116	90	2	1	75	12
Roselle	213	-	-	5	49	14	14	2	5	4	-	10	7	105	85	2	4	66	13
Roselle Park	108	-	-	2	24	9	7	2	2	-	1	3	2	55	42	1	1	36	4
Scotch Plains twp. #	160	-	-	3	43	15	6	7	6	2	1	6	-	78	62	2	-	50	10
Springfield twp. #	161	-	-	2	38	16	4	6	3	1	3	5	3	90	77	2	-	66	9
Summit	203	-	-	2	61	16	14	8	6	3	4	10	2	96	78	2	5	61	10
Union twp. #	606	-	-	4	170	41	49	12	25	7	5	31	12	311	246	3	3	204	36
Westfield	236	-	-	3	55	16	12	5	5	1	5	11	2	120	92	3	4	74	11
Balance of county	279	1	-	3	79	25	19	3	5	2	7	18	6	135	105	1	1	83	20
Warren	819	-	-	7	190	45	52	11	25	10	15	32	13	447	369	5	6	244	114
Phillipsburg	223	-	-	3	51	10	15	4	4	3	5	10	1	126	105	2	-	54	49
Balance of county	596	-	-	4	139	35	37	7	21	7	10	22	12	321	264	3	6	190	65

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Jersey—Con.																			
Mercer	6	192	13	18	87	82	8	51	23	-	9	39	17	229	56	56	23	19	3
Ewing twp. #	-	21	-	1	16	11	1	3	-	-	1	2	2	23	2	6	3	-	-
Hamilton twp. #	-	50	6	4	13	31	3	13	6	-	4	11	3	55	16	8	3	2	-
Princeton	-	7	2	1	6	5	-	2	1	-	-	3	-	9	2	2	1	-	-
Trenton	6	80	4	6	34	29	4	30	13	-	3	21	10	99	13	29	8	12	3
Balance of county	-	34	1	6	18	6	-	3	3	-	1	2	2	43	23	11	8	5	-
Middlesex	5	283	64	36	102	90	12	99	23	-	34	39	42	281	86	87	41	19	1
Carteret	-	11	5	2	3	1	2	9	2	-	-	3	1	9	-	2	2	1	-
East Brunswick twp. #	-	23	2	3	4	4	-	3	1	-	4	-	1	19	7	2	3	1	-
Edison twp. #	1	30	6	3	11	11	1	11	3	-	6	4	4	29	8	7	-	2	-
Highland Park	-	13	1	1	4	1	-	4	-	-	-	2	2	9	-	2	1	-	-
Madison twp. #	1	19	4	1	6	4	1	6	1	-	1	5	2	9	5	4	-	1	-
Metuchen	-	5	3	2	3	2	-	3	1	-	-	3	2	11	3	5	1	2	-
Middlesex	-	7	-	1	-	5	-	3	-	-	1	1	-	10	5	-	1	-	-
New Brunswick	-	19	4	2	6	5	3	4	-	-	1	4	2	21	4	20	4	2	-
Perth Amboy	-	29	8	2	7	4	2	10	2	-	4	7	5	23	3	8	2	2	-
Piscataway twp. #	-	12	4	2	6	7	-	5	1	-	3	2	4	13	7	3	2	1	-
Sayreville	1	18	-	-	3	4	-	7	-	-	1	1	2	6	5	5	1	1	-
South Plainfield	-	6	2	-	2	5	1	1	-	-	-	-	3	5	7	2	1	-	-
South River	-	7	3	-	4	-	-	7	2	-	-	1	1	7	-	2	1	-	-
Woodbridge twp. #	1	34	8	6	20	12	1	13	3	-	8	3	5	43	11	11	10	3	1
Balance of county	1	50	14	11	23	25	1	13	7	-	5	3	8	67	21	14	12	3	-
Monmouth	22	410	90	61	107	141	18	98	49	-	23	32	12	323	84	105	35	22	4
Asbury Park	3	34	3	4	9	14	-	8	3	-	2	5	1	29	5	6	3	5	1
Eatontown	-	8	1	2	1	1	-	3	-	-	2	3	-	5	3	2	2	1	-
Freehold	-	9	-	2	3	5	-	-	2	-	2	1	-	9	3	1	2	1	-
Hazlet twp. #	-	6	4	2	5	8	-	5	1	-	-	1	-	15	3	3	-	1	1
Long Branch	3	28	3	4	8	8	2	10	4	-	-	2	-	23	4	6	2	4	-
Matawan twp. #	-	8	-	-	2	3	-	4	-	-	3	2	-	4	2	-	-	-	-
Middletown twp. #	2	43	19	8	4	9	1	8	4	-	1	1	-	32	7	7	3	1	-
Neptune twp. #	2	38	12	5	9	9	1	8	4	-	1	3	4	23	8	5	1	3	-
Ocean twp. #	-	5	3	3	2	5	2	3	-	-	1	-	2	14	4	6	-	-	-
Red Bank	1	19	13	6	2	7	-	3	2	-	1	2	-	10	2	3	2	-	-
Balance of county	11	212	32	25	62	72	12	46	29	-	10	12	5	159	43	66	20	6	2
Morris	10	250	19	30	105	84	13	42	17	-	12	29	8	189	48	54	43	7	1
Dover	2	13	-	2	7	5	1	2	2	-	1	2	-	12	1	5	2	2	-
Madison	1	12	-	1	4	3	-	2	-	-	-	-	2	12	-	1	2	1	-
Morristown	-	28	2	3	13	4	1	5	1	-	2	3	1	15	-	8	1	3	-
Parsippany-Troy Hills twp. #	-	15	-	1	4	4	-	1	1	-	2	4	-	20	4	5	5	-	-
Pequannock twp. #	1	6	2	1	1	2	2	4	-	-	-	-	-	5	-	1	3	-	-
Balance of county	6	176	15	22	76	66	9	28	13	-	7	20	5	125	43	34	30	1	1
Ocean	10	380	37	41	73	127	10	65	25	-	10	25	21	250	85	55	37	8	2
Brick twp. #	1	51	6	5	8	15	-	8	2	-	2	6	4	36	13	12	3	-	1
Dover twp. #	2	58	7	9	9	26	3	15	4	-	1	5	2	46	18	10	5	2	1
Lakewood twp. #	-	50	3	5	11	12	2	7	4	-	1	1	3	34	7	2	9	2	-
Point Pleasant	1	32	2	1	3	4	1	1	-	-	-	3	-	17	5	7	3	-	-
Balance of county	6	189	19	21	42	70	4	34	15	-	6	10	12	117	42	24	17	4	-
Passaic	11	293	32	28	130	103	16	78	27	-	22	44	30	268	64	118	20	46	3
Clifton	1	67	9	8	20	22	2	12	5	-	-	3	3	49	10	21	8	4	-
Hawthorne	-	19	2	5	8	5	-	3	1	-	3	-	1	12	4	3	2	1	-
Little Falls twp. #	-	5	-	-	3	10	-	4	2	-	-	1	-	4	4	2	2	1	-
Passaic	2	42	3	4	15	8	1	16	3	-	2	7	4	33	3	9	3	5	-
Paterson	4	81	10	7	46	29	10	25	11	-	8	25	16	99	19	55	3	33	1
Pompton Lakes	-	6	1	-	-	3	-	2	-	-	1	-	-	7	1	2	1	-	-
Ringwood	-	2	-	-	-	-	-	-	-	-	1	-	2	2	3	4	-	-	-
Totowa	-	6	-	1	8	3	1	2	-	-	2	1	1	10	-	3	-	-	-
Wayne twp. #	2	20	1	1	13	5	-	3	1	-	1	2	1	21	5	9	-	-	1
West Paterson	-	3	2	-	2	1	-	3	-	-	-	2	1	7	2	1	-	-	-
Balance of county	2	42	4	2	15	17	2	8	4	-	4	3	1	24	13	9	1	2	1
Salem	2	53	1	9	14	22	1	10	7	-	6	9	1	57	18	9	7	2	1
Somerset	3	109	10	14	45	32	3	18	8	-	7	11	7	101	34	38	12	4	-
Bound Brook	-	9	-	1	3	2	-	-	1	-	-	-	-	7	6	5	-	-	-
Bridgewater twp. #	1	20	-	-	3	2	-	2	-	-	1	1	1	8	3	2	3	-	-
Franklin twp. #	1	11	1	3	6	6	-	2	2	-	-	6	1	16	4	7	-	-	-
Manville	-	4	1	-	2	1	-	2	-	-	-	-	1	7	3	3	-	1	-
North Plainfield	-	6	-	2	4	5	1	5	1	-	1	-	-	13	2	5	-	-	-
Somerville	-	11	1	3	3	4	-	3	-	-	1	1	-	7	1	5	-	1	-
Balance of county	1	48	7	5	24	12	2	4	4	-	4	3	4	43	15	11	9	2	-
Sussex	1	55	5	16	18	35	4	9	6	-	4	7	-	54	27	7	10	1	1
Union	19	374	37	37	114	120	15	89	32	-	24	27	54	349	59	95	30	25	3
Berkeley Heights twp. #	2	6	1	-	3	2	1	-	-	-	1	-	-	5	2	3	1	-	-
Clark twp. #	-	9	1	-	1	1	-	2	-	-	-	-	1	10	2	2	2	-	-
Cranford twp. #	1	17	3	4	9	3	-	1	2	-	2	-	3	12	3	1	3	-	-
Elizabeth	2	72	5	13	18	29	4	33	9	-	8	8	20	76	11	29	4	14	1
Hillside twp. #	-	14	1	-	5	4	-	3	1	-	1	3	1	15	1	6	2	1	-
Linden	-	28	4	1	10	10	-	12	3	-	-	1	3	38	4	5	2	1	1
New Providence	1	6	-	-	1	-	-	-	-	-	-	-	2	4	-	1	-	-	-
Plainfield	6	37	3	1	12	11	2	7	2	-	3	5	12	24	7	13	4	6	-
Rahway	1	20	2	3	5	1	1	3	-	-	3	4	-	21	3	5	1	-	-
Roselle	-	17	3	-	6	6	2	6	1	-	2	-	2	16	2	3	-	1	-
Roselle Park	-	11	1	1	3	2	-	2	2	-	-	1	2	8	2	2	1	-	-
Scotch Plains twp. #	1	13	1	1	3	4	-	2	2	-	-	-	-	13	7	2	3	-	-
Springfield twp. #	-	12	-	1	4	3	-	2	3	-	-	-	-	11	3	1	1	-	-
Summit	1	14	2	1	8	6	2	1	1	-	-	-	2	17	1	2	2	-	-
Union twp. #	2	53	4	6	10	22	1	8	3	-	-	-	4	40	5	13	2	1	-
Westfield	1	21	4	2	9	8	-	5	2	-	-	2	1	22	3	1	2	1	-
Balance of county	1	24	2	3	7	8	2	2	1	-	4	3	1	17	3	6	-	-	1
Warren	3	61	4	10	33	23	3	6	6	-	4	5	2	35	24	13	5	3	-
Phillipsburg	1	17	-	3	9	4	1	2	2	-	2	1	2	7	8	2	2	-	-
Balance of county	2	44	4	7	24	19	2	4	4	-	2	4	-	28	16	11	3	3	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Mexico	8,678	15	-	73	1,644	481	355	150	164	72	71	351	170	2,869	2,106	43	36	1,513	514
Urban places	4,765	5	-	33	946	243	211	84	105	45	42	216	104	1,651	1,181	21	18	867	275
Balance of area	3,913	10	-	40	698	218	144	66	79	27	29	135	66	1,218	925	22	18	646	239
Metropolitan counties	3,257	4	-	32	654	181	139	61	67	26	31	149	66	1,048	780	20	9	555	196
Urban places	2,619	3	-	23	533	141	117	51	57	23	24	120	56	847	624	13	8	450	153
Balance of area	638	1	-	9	121	40	22	10	10	3	7	29	8	201	156	7	1	105	43
Nonmetropolitan counties	5,421	11	-	41	990	280	216	89	117	46	40	202	104	1,821	1,326	23	27	958	318
Urban places	2,146	2	-	10	413	102	94	33	48	22	18	96	46	804	557	8	10	417	122
Balance of area	3,275	9	-	31	577	178	122	56	69	24	22	106	58	1,017	769	15	17	541	196
Bernalillo	2,508	2	-	22	506	135	102	56	58	23	23	109	47	799	593	17	6	420	150
Albuquerque	2,303	2	-	20	461	121	96	49	53	21	22	99	47	735	544	12	6	389	137
Balance of county	205	-	-	2	45	14	6	7	5	2	1	10	-	64	49	5	-	31	13
Catron	28	1	-	-	5	4	-	-	1	-	-	-	-	8	8	-	-	6	2
Chaves	489	-	-	5	107	29	27	5	12	8	3	23	13	183	116	3	4	82	27
Roswell	423	-	-	3	92	27	22	3	11	7	3	19	13	163	101	2	4	72	23
Balance of county	66	-	-	2	15	2	5	2	1	1	-	4	-	20	15	1	-	10	4
Colfax	101	-	-	-	21	6	6	-	5	1	1	2	-	39	31	-	3	22	6
Curry	327	-	-	2	60	11	18	5	7	1	2	16	6	154	112	3	2	80	27
Clovis	282	-	-	1	55	10	14	5	7	1	2	16	4	136	96	2	2	69	23
Balance of county	45	-	-	1	5	1	4	-	-	-	-	-	2	18	16	1	-	11	4
De Baca	30	-	-	-	5	4	-	-	-	-	-	1	1	14	12	-	-	11	1
Dona Ana	525	1	-	6	115	32	28	5	9	2	7	32	14	185	137	1	2	99	35
Las Cruces	316	1	-	3	72	20	21	2	4	2	2	21	11	112	80	1	2	61	16
Balance of county	209	-	-	3	43	12	7	3	5	-	5	11	3	73	57	-	-	38	19
Eddy	403	1	-	2	75	12	22	5	13	5	1	17	9	180	134	-	-	116	18
Artesia	99	-	-	-	13	2	5	-	2	3	-	1	2	45	29	-	-	25	4
Carlsbad	239	1	-	1	46	7	14	5	7	1	1	11	6	109	82	-	-	70	12
Balance of county	65	-	-	1	16	3	3	-	4	1	-	5	1	26	23	-	-	21	2
Grant	187	2	-	1	42	11	11	7	3	2	4	4	3	51	33	-	1	31	1
Guadalupe	38	-	-	-	10	3	2	-	-	2	1	2	-	12	10	-	1	6	3
Harding	12	-	-	-	2	-	-	-	1	-	-	1	-	9	6	-	-	4	2
Hidalgo	47	-	-	-	12	4	3	2	2	1	-	-	-	15	12	-	-	8	4
Lea	431	-	-	3	73	18	21	9	6	1	3	15	7	155	106	-	1	81	24
Hobbs	246	-	-	2	41	11	9	5	4	1	2	9	4	96	65	-	1	55	9
Balance of county	185	-	-	1	32	7	12	4	2	-	1	6	3	59	41	-	-	26	15
Lincoln	80	-	-	1	13	3	2	-	3	1	-	4	-	24	18	-	-	14	4
Los Alamos	59	-	-	-	19	7	3	5	-	2	-	2	-	15	13	-	-	7	6
Luna	171	1	-	1	49	22	8	4	7	2	1	5	4	63	44	2	-	38	4
McKinley	320	3	-	3	37	15	1	3	4	-	2	12	4	46	31	-	-	20	11
Gallup	113	-	-	-	20	6	-	3	3	-	1	7	1	16	13	-	-	9	4
Balance of county	207	3	-	3	17	9	1	-	1	-	1	5	3	30	18	-	-	11	7
Mora	44	-	-	-	6	3	2	-	-	-	-	1	2	12	11	-	1	7	3
Otero	247	-	-	2	45	14	12	2	5	-	2	10	1	89	64	4	-	48	12
Alamogordo	145	-	-	-	30	8	9	1	4	-	1	7	-	56	40	2	-	32	6
Balance of county	102	-	-	2	15	6	3	1	1	-	1	3	1	33	24	2	-	16	6
Quay	126	-	-	-	18	4	4	2	-	-	1	7	1	62	54	-	1	39	14
Rio Arriba	213	-	-	3	28	8	2	3	6	1	2	6	7	58	43	1	-	27	15
Roosevelt	139	-	-	-	27	5	4	3	5	1	5	4	4	48	33	-	-	24	9
Portales	86	-	-	-	13	4	1	2	1	1	1	3	4	34	25	-	-	17	8
Balance of county	53	-	-	-	14	1	3	1	4	-	4	1	-	14	8	-	-	7	1
Sandoval	224	1	-	4	33	14	9	-	-	1	1	8	5	64	50	2	1	36	11
San Juan	424	-	-	4	67	14	14	6	9	5	4	15	6	109	74	1	1	48	24
Farmington	162	-	-	-	30	5	5	1	5	4	3	7	3	44	28	-	-	21	7
Balance of county	262	-	-	4	37	9	9	5	4	1	1	8	3	65	46	1	1	27	17
San Miguel	179	-	-	4	23	10	4	5	1	1	-	2	4	60	50	4	2	33	11
Santa Fe	467	1	-	5	96	33	17	10	6	5	4	21	10	136	99	2	5	63	29
Santa Fe	351	1	-	3	73	22	15	8	4	4	4	16	9	105	78	2	3	47	26
Balance of county	116	-	-	2	23	11	2	2	2	1	-	5	1	31	21	-	2	16	3
Sierra	151	-	-	1	25	6	6	3	3	1	1	5	2	62	51	1	-	42	8
Socorro	98	1	-	1	13	1	3	1	1	-	-	7	4	28	23	-	-	10	13
Taos	138	-	-	-	31	10	7	-	8	1	-	5	4	43	27	-	-	21	6
Torrance	55	-	-	1	12	4	4	1	1	-	-	2	1	18	10	-	2	7	1
Union	65	-	-	-	12	4	3	3	-	2	-	-	1	24	20	-	-	10	10
Valencia	352	1	-	2	57	15	10	5	8	3	3	13	10	104	81	2	3	53	23
New York	168,184	213	6	1,225	36,979	10,973	8,921	3,675	3,961	1,657	1,343	6,449	3,088	87,705	72,505	738	1,750	62,070	7,947
Urban places	109,062	178	4	781	23,058	7,018	5,446	2,329	2,460	983	811	4,011	2,035	57,304	48,212	418	1,124	42,021	4,649
Balance of area	59,122	35	2	444	13,921	3,955	3,475	1,346	1,501	674	532	2,438	1,053	30,401	24,293	320	626	20,049	3,298
Metropolitan counties	151,498	203	4	1,122	33,393	9,944	8,024	3,381	3,548	1,453	1,201	5,842	2,780	78,955	65,611	652	1,560	56,484	6,915
Urban places	105,083	175	3	752	22,224	6,767	5,257	2,253	2,350	926	786	3,885	1,950	55,152	46,561	400	1,067	40,685	4,409
Balance of area	46,415	28	1	370	11,169	3,177	2,767	1,128	1,198	527	415	1,957	830	23,803	19,050	252	493	15,799	2,506
Nonmetropolitan counties	16,686	10	2	103	3,586	1,029	897	294	413	204	142	607	308	8,750	6,894	86	190	5,586	1,032
Urban places	3,979	3	1	29	834	251	189	76	110	57	25	126	85	2,152	1,651	18	57	1,336	240
Balance of area	12,707	7	1	74	2,752	778	708	218	303	147	117	481	223	6,598	5,243	68	133	4,250	792
Albany	2,935	6	1	36	663	191	166	55	74	29	32	116	46	1,538	1,279	14	33	936	296
Albany	1,382	5	1	22	311	90	78	28	29	15	17	54	18	723	591	5	12	417	157
Cohoes	237	-	-	3	43	12	9	3	7	3	1	8	5	142	126	1	2	105	18
Watervliet	153	-	-	2	41	15	13	2	1	2	2	6	4	77	67	4	1	49	13
Balance of county	1,163	1	-	9	268	74	66	22	37	9	12	48	19	596	495	4	18	365	108
Allegany	451	-	-	3	96	27	32	7	9	3	7	11	8	229	172	5	1	125	41

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Mexico	66	534	91	72	245	363	25	181	72	1	72	104	774	886	436	320	239	156	33
Urban places	41	332	55	42	135	213	18	82	39	-	42	51	371	509	181	160	125	82	18
Balance of area	25	202	36	30	110	150	7	99	33	1	30	53	403	377	255	160	114	74	15
Metropolitan counties	26	182	37	23	82	148	14	58	26	1	29	40	280	355	128	120	92	64	16
Urban places	21	154	27	21	67	125	14	45	23	-	23	26	208	295	91	95	80	52	11
Balance of area	5	28	10	2	15	23	-	13	3	1	6	14	72	60	37	25	12	12	5
Nonmetropolitan counties	40	352	54	49	163	215	11	123	46	-	43	64	494	531	308	200	147	92	17
Urban places	20	178	28	21	68	88	4	37	16	-	19	25	163	214	90	65	45	30	7
Balance of area	20	174	26	28	95	127	7	86	30	-	24	39	331	317	218	135	102	62	10
Bernalillo	18	146	24	18	68	127	13	44	20	-	22	29	203	277	92	93	79	53	12
Albuquerque	18	136	19	18	63	118	13	40	19	-	21	23	186	260	78	84	74	49	10
Balance of county	-	10	5	-	5	9	-	4	1	-	1	6	17	17	14	9	5	4	2
Catron	-	-	-	-	2	-	-	-	-	-	-	2	4	3	2	-	1	-	-
Chaves	4	42	12	9	12	19	-	7	1	-	2	7	41	53	14	10	10	3	2
Roswell	4	38	11	9	12	18	-	6	1	-	2	6	35	45	9	5	8	3	2
Balance of county	-	4	1	-	-	1	-	1	-	-	-	1	6	8	5	5	2	-	-
Colfax	-	7	-	1	3	5	-	4	3	-	-	1	9	7	2	4	1	1	1
Curry	3	32	4	3	13	11	1	2	6	-	6	4	12	22	9	9	5	4	1
Clovis	3	31	4	2	11	9	1	1	6	-	6	2	10	16	9	6	4	4	1
Balance of county	-	1	-	1	2	2	-	1	-	-	-	2	2	6	-	3	1	-	-
De Baca	-	1	1	-	-	-	-	1	-	-	-	-	3	4	-	1	1	-	-
Dona Ana	4	29	12	3	8	12	1	7	5	1	3	7	44	55	26	17	9	7	2
Las Cruces	3	18	8	3	4	7	1	5	4	-	2	3	22	35	13	11	6	3	1
Balance of county	1	11	4	-	4	5	-	2	1	1	1	4	22	20	13	6	3	4	1
Eddy	3	32	5	6	12	19	1	4	4	-	1	4	16	42	11	14	5	3	-
Artesia	-	13	2	1	2	7	-	-	-	-	-	-	2	17	3	5	2	1	-
Carlsbad	2	18	2	5	9	8	1	3	4	-	1	3	12	19	6	7	1	2	-
Balance of county	1	1	1	-	1	4	-	1	-	-	-	1	2	6	2	2	2	-	-
Grant	2	13	-	3	9	13	1	14	3	-	-	-	18	14	9	3	2	2	-
Guadalupe	1	-	1	-	1	-	-	1	3	-	-	-	2	2	2	2	2	1	-
Harding	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Hidalgo	-	2	1	-	1	2	-	-	1	-	2	-	1	6	3	-	1	3	-
Lea	2	39	3	5	6	16	-	6	3	-	7	12	36	41	23	20	15	8	-
Hobbs	1	28	1	1	3	13	-	4	1	-	3	7	21	20	11	11	4	5	-
Balance of county	1	11	2	4	3	3	-	2	2	-	4	5	15	21	12	9	11	3	-
Lincoln	-	4	1	1	2	3	-	2	1	-	-	1	17	5	6	2	2	1	-
Los Alamos	-	1	1	-	-	3	-	3	-	-	-	1	5	2	4	3	2	1	1
Luna	-	16	-	3	4	10	1	2	-	-	-	3	5	15	5	1	3	3	1
McKinley	3	11	-	1	13	2	2	8	5	-	4	1	61	42	38	25	11	12	3
Gallup	1	1	-	1	6	2	2	3	1	-	2	-	23	12	12	3	6	2	2
Balance of county	2	10	-	-	7	-	-	5	4	-	2	1	38	30	26	22	5	10	1
Mora	-	1	-	-	3	3	-	2	-	-	-	-	5	5	1	1	-	4	-
Otero	4	15	3	3	7	7	-	8	1	-	3	5	16	22	18	8	6	9	-
Alamogordo	3	10	2	1	5	6	-	2	1	-	1	2	7	15	9	2	3	6	-
Balance of county	1	5	1	2	2	1	-	6	-	-	2	3	9	7	9	6	3	3	-
Quay	-	7	-	1	4	2	-	4	1	-	1	-	13	10	5	4	1	-	-
Rio Arriba	3	9	3	-	4	6	1	10	3	-	3	3	23	28	16	7	9	4	-
Roosevelt	-	8	5	2	5	3	-	1	1	-	2	2	19	11	7	6	1	2	-
Portales	-	5	3	1	4	2	-	1	1	-	2	1	4	10	5	5	-	-	-
Balance of county	-	3	2	1	1	1	-	-	-	-	-	1	15	1	2	1	1	2	-
Sandoval	4	7	1	2	6	9	-	7	1	-	4	4	33	23	10	10	4	4	2
San Juan	8	21	2	4	16	18	-	9	2	-	4	8	44	29	50	24	19	10	5
Farmington	4	10	2	-	5	7	-	3	-	-	1	3	21	12	11	11	8	3	-
Balance of county	4	11	-	4	11	11	-	6	2	-	3	5	23	17	39	13	11	7	5
San Miguel	-	8	1	1	9	8	-	5	-	-	1	-	22	25	6	5	4	2	-
Santa Fe	4	26	2	3	14	19	-	16	1	-	1	2	37	60	29	17	15	6	2
Santa Fe	2	24	1	-	11	16	-	14	1	-	1	1	28	48	15	10	9	4	2
Balance of county	2	4	1	3	3	3	-	2	-	-	-	1	9	12	14	7	6	2	-
Sierra	-	9	2	-	3	17	-	4	1	-	1	1	13	9	3	2	7	-	-
Socorro	-	3	1	1	2	2	-	-	1	-	-	1	11	13	9	7	4	1	-
Taos	-	14	-	2	6	2	1	4	2	-	-	2	8	16	11	2	4	2	-
Torrance	-	5	3	-	1	5	-	-	-	-	-	-	3	5	3	2	3	1	-
Union	1	3	-	-	5	4	1	-	-	-	-	-	5	10	1	2	-	-	-
Valencia	1	19	3	-	6	16	2	6	3	-	5	3	45	30	21	19	12	9	1
New York	638	11,249	1,759	1,554	5,164	4,046	655	3,327	1,159	29	983	1,591	1,312	10,549	2,709	3,058	1,557	2,233	596
Urban places	421	6,711	1,083	877	3,679	2,277	447	2,552	695	25	632	1,162	894	6,654	1,279	1,896	921	2,056	533
Balance of area	217	4,538	676	677	1,485	1,769	208	775	464	4	351	429	418	3,895	1,430	1,162	636	177	63
Metropolitan counties	558	9,903	1,510	1,373	4,660	3,468	588	3,129	1,021	27	893	1,460	1,249	9,371	2,315	2,685	1,381	2,205	589
Urban places	398	6,344	1,023	826	3,540	2,135	429	2,494	669	25	615	1,132	879	6,381	1,232	1,822	888	2,054	532
Balance of area	160	3,559	487	547	1,120	1,333	159	635	352	2	278	328	370	2,990	1,083	863	493	151	57
Nonmetropolitan counties	80	1,346	249	181	504	578	67	198	138	2	90	131	63	1,178	394	373	176	28	7
Urban places	23	367	60	51	139	142	18	58	26	-	17	30	15	273	47	74	33	2	1
Balance of area	57	979	189	130	365	436	49	140	112	2	73	101	48	905	347	299	143	26	6
Albany	8	188	31	32	78	88	5	35	22	-	17	34	28	205	39	48	30	15	1
Albany	6	95	13	18	42	37	3	16	15	-	7	17	15	97	9	20	10	13	1
Cohoes	-	10	4	2	3	5	-	6	2	-	4	3	-	14	1	3	3	-	-
Watervliet	2	7	1	-	4	3	-	2	1	-	-	1	-	15	-	2	1	-	-
Balance of county	-	76	13	12	29	43	2	11	4	-	6	13	13	79	29	23	16	2	-
Allegany	3	37	9	8	13	18	2	2	9	-	3	2	1	41	8	6	9	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con																			
Broome	2,041	1	-	17	473	126	119	50	61	22	21	74	42	1,063	797	9	22	682	84
Binghamton	750	1	-	9	170	48	45	13	17	6	9	32	17	391	293	4	7	249	33
Endicott	159	-	-	1	34	7	8	5	3	2	3	6	3	86	65	-	2	57	6
Johnson City	250	-	-	1	53	11	16	3	7	1	-	15	5	135	95	-	-	86	9
Balance of county	882	-	-	6	216	60	50	29	34	13	9	21	17	451	344	5	13	290	36
Cattaraugus	922	1	-	3	192	60	45	18	19	9	7	34	15	508	386	5	5	312	64
Olean	218	1	-	1	55	18	9	6	10	3	2	7	4	118	91	1	-	75	15
Balance of county	704	-	-	2	137	42	36	12	9	6	5	27	11	390	295	4	5	237	49
Cayuga	795	-	-	8	155	50	35	9	17	7	7	30	18	401	298	5	12	242	39
Auburn	404	-	-	5	77	23	18	4	10	1	4	17	11	222	159	3	8	125	23
Balance of county	391	-	-	3	78	27	17	5	7	6	3	13	7	179	139	2	4	117	16
Chautauqua	1,466	3	-	9	295	89	68	32	35	13	9	49	29	815	651	2	18	539	92
Dunkirk	166	-	-	-	32	9	7	5	5	-	2	4	3	108	93	-	6	77	10
Fredonia	64	-	-	1	11	3	1	2	1	1	-	3	2	34	27	-	-	24	3
Jamestown	498	1	-	2	105	34	20	14	12	6	4	15	6	265	209	1	7	171	30
Balance of county	738	2	-	6	147	43	40	11	17	6	3	27	18	408	322	1	5	267	49
Chemung	941	3	-	6	216	57	64	18	28	4	9	36	14	494	382	2	10	313	57
Elmira	384	1	-	3	92	23	30	6	10	2	3	18	6	202	158	-	3	136	19
Balance of county	557	2	-	3	124	34	34	12	18	2	6	18	8	292	224	2	7	177	38
Chenango	471	-	-	4	97	31	21	9	14	3	5	14	7	249	185	1	5	156	23
Clinton	564	-	-	8	116	32	28	9	10	8	2	27	12	261	204	-	6	169	29
Plattsburgh	191	-	-	3	36	10	6	3	4	5	1	7	3	97	74	-	1	58	15
Balance of county	373	-	-	5	80	22	22	6	6	3	1	20	9	164	130	-	5	111	14
Columbia	705	-	-	4	175	49	44	19	19	12	7	25	6	374	306	2	6	271	27
Cortland	443	1	1	-	96	27	20	8	12	7	7	15	6	226	184	3	7	149	25
Cortland	214	1	1	-	40	13	5	4	8	5	1	4	2	122	98	3	3	78	14
Balance of county	229	-	-	-	56	14	15	4	4	2	6	11	4	104	86	-	4	71	11
Delaware	506	-	-	3	104	33	22	6	13	3	2	25	9	265	209	2	14	140	53
Dutchess	2,112	4	-	10	474	139	111	44	54	23	19	84	41	1,099	883	6	12	760	105
Beacon	164	-	-	1	36	12	7	3	2	3	2	7	2	89	69	-	3	59	7
Poughkeepsie	450	1	-	5	90	23	22	9	11	3	4	18	7	237	186	1	4	164	17
Balance of county	1,498	3	-	4	348	104	82	32	41	17	13	59	32	773	628	5	5	537	81
Erie	10,326	6	1	72	2,258	621	630	226	221	123	73	364	219	5,552	4,267	43	102	3,634	508
Buffalo	4,728	5	1	39	978	288	296	94	85	44	32	139	108	2,499	1,922	17	37	1,621	247
Depew	151	-	-	2	35	7	7	2	2	6	2	9	2	82	71	-	2	62	7
Hamburg	120	-	-	-	36	12	9	4	2	3	1	5	-	61	49	-	7	36	6
Kenmore	230	-	-	1	64	13	18	8	9	2	3	11	6	116	88	1	1	74	12
Lackawanna	237	-	-	1	61	19	20	6	5	2	2	7	9	116	85	1	5	69	10
Lancaster	138	1	-	-	29	4	12	3	5	2	-	3	-	81	63	-	2	52	9
Tonawanda	207	-	-	1	45	10	17	4	1	1	2	10	7	111	83	-	2	70	11
Balance of county	4,515	-	-	28	1,010	268	251	105	112	63	31	180	87	2,486	1,926	24	46	1,650	206
Essex	389	-	-	3	93	24	33	2	7	5	7	15	3	219	186	1	-	152	33
Franklin	487	1	-	1	105	30	29	11	6	5	5	19	12	259	206	1	5	171	29
Fulton	607	-	-	4	134	42	41	14	15	5	4	13	13	307	247	3	11	191	42
Gloversville	254	-	-	1	47	16	17	2	6	1	1	4	8	133	99	-	4	81	14
Johnstown	133	-	-	-	33	9	8	3	3	3	2	5	1	71	61	1	3	46	11
Balance of county	220	-	-	3	54	17	16	9	6	1	1	4	4	103	87	2	4	64	17
Genesee	495	-	-	3	116	23	27	13	15	12	4	22	5	284	230	3	4	179	44
Batavia	195	-	-	-	50	13	11	5	7	5	2	7	2	119	95	1	1	75	18
Balance of county	300	-	-	3	66	10	16	8	8	7	2	15	3	165	135	2	3	104	26
Greene	471	-	-	2	116	37	28	6	12	5	6	22	13	268	230	5	5	184	36
Hamilton	85	-	-	2	20	5	8	-	4	-	3	-	-	40	34	1	1	28	4
Herkimer	719	-	-	2	150	51	34	4	28	7	5	21	17	404	308	6	11	223	68
Jefferson	898	1	-	5	191	54	57	16	23	13	6	22	19	488	371	2	9	342	18
Watertown	355	-	-	2	79	22	23	6	10	7	1	10	4	193	146	1	3	138	4
Balance of county	543	1	-	3	112	32	34	10	13	6	5	12	15	295	225	1	6	204	14
Lewis	237	-	-	-	50	14	8	2	12	2	3	9	6	125	101	1	3	81	16
Livingston	449	-	-	2	105	38	22	7	12	8	2	16	4	237	187	3	3	149	32
Madison	518	-	-	3	107	34	28	11	13	2	8	11	9	276	206	4	6	166	30
Oneida	125	-	-	-	17	5	6	3	1	-	-	2	3	85	71	-	3	56	12
Balance of county	393	-	-	3	90	29	22	8	12	2	8	9	6	191	135	4	3	110	18
Monroe	5,868	4	-	77	1,368	406	318	146	145	62	58	233	73	2,807	2,175	27	38	1,614	496
Rochester	2,802	2	-	36	569	167	132	66	57	31	25	91	40	1,334	1,029	14	20	736	259
Balance of county	3,066	2	-	41	799	239	186	80	88	31	33	142	33	1,473	1,146	13	18	878	237
Montgomery	619	1	-	1	128	47	23	7	15	12	3	21	20	342	257	1	3	226	27
Amsterdam	318	1	-	1	67	25	14	4	6	7	1	10	10	171	127	-	2	112	13
Balance of county	301	-	-	-	61	22	9	3	9	5	2	11	10	171	130	1	1	114	14
Nassau	11,350	7	-	119	2,756	792	662	290	268	128	106	510	186	5,974	5,048	62	104	4,446	436
East Rockaway	98	-	-	-	24	7	5	-	1	2	3	6	1	57	41	-	-	38	3
Floral Park	185	-	-	3	45	17	8	6	5	2	2	5	-	104	86	1	-	80	5
Freeport	332	-	-	4	72	20	21	6	8	3	4	10	5	159	127	3	3	107	14
Garden City	192	-	-	2	53	12	17	4	5	3	1	11	2	102	84	1	4	72	7
Glen Cove	241	1	-	4	44	11	13	4	7	1	2	6	6	143	115	1	6	97	11
Great Neck	154	-	-	3	46	21	5	5	1	1	1	12	1	76	68	1	2	57	8
Hempstead	384	2	-	6	77	18	20	4	9	6	2	18	7	189	155	1	2	138	14
Long Beach	551	-	-	1	92	33	20	6	7	2	5	19	7	336	282	2	6	257	17
Lynbrook	240	-	-	1	59	18	11	7	8	6	3	6	6	134	110	-	4	99	7
Malverne	94	-	-	-	23	4	2	4	2	-	2	9	4	48	37	-	2	33	2
Massapequa Park	153	-	-	1	32	10	10	3	1	-	-	8	2	89	82	-	2	70	10
Mineola	180	1	-	5	34	8	11	1	2	4	-	8	5	93	76	-	-	64	12
New Hyde Park	93	-	-	-	18	7	5	1	-	3	-	2	1	48	40	-	1	34	5
Rockville Centre	288	-	-	5	67	16	19	6	6	4	6	10	3	165	139	1	3	121	14
Valley Stream	387	-	-	1	109	24	35	8	16	4	4	18	7	194	168	-	1	147	20
Westbury	142	-	-	3	29	6	8	3	4	2	1	5	1	73	61	-	-	57	4
Balance of county	7,636	3	-	80	1,932	560	452	222	186	85	70	357	128	3,964	3,377	51	68	2,975	283

NEWARK PUBLIC LIBRARY

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Broome	7	185	33	41	53	65	10	28	19	-	6	9	20	132	33	40	22	5	3
Binghamton	3	73	10	12	18	22	1	15	9	-	1	4	10	55	9	10	4	3	1
Endicott	-	18	2	1	2	7	-	2	3	-	-	1	2	9	2	4	2	-	1
Johnson City	1	30	2	7	10	9	1	4	2	-	1	-	1	13	4	8	3	-	-
Balance of county	3	64	19	21	23	27	8	7	5	-	4	4	7	55	18	18	13	2	1
Cattaraugus	4	83	28	7	32	22	4	9	7	-	5	3	5	66	17	25	3	4	1
Olean	-	20	3	4	9	5	1	4	1	-	-	1	-	10	1	7	-	-	-
Balance of county	4	63	25	3	23	17	3	5	6	-	5	2	5	56	16	18	3	4	1
Cayuga	6	65	17	15	20	41	4	11	4	-	3	6	5	75	23	13	6	2	-
Auburn	4	38	8	13	14	16	4	4	1	-	1	1	1	33	4	5	4	1	-
Balance of county	2	27	9	2	6	25	-	7	3	-	2	5	4	42	19	8	2	1	-
Chautauqua	6	120	16	22	30	44	8	18	12	-	8	14	3	108	25	33	12	-	-
Dunkirk	-	9	1	5	2	3	-	5	1	-	-	2	-	6	1	3	-	-	-
Fredonia	-	6	-	1	3	1	-	2	1	-	-	-	-	8	1	-	-	-	-
Jamestown	2	43	6	5	10	16	3	6	3	-	4	5	2	43	11	10	6	-	-
Balance of county	4	62	9	11	15	24	5	5	7	-	4	7	1	51	12	20	6	-	-
Chemung	3	91	6	12	20	31	8	15	8	-	9	7	5	61	23	11	9	1	-
Elmira	1	35	5	3	9	10	3	6	4	-	6	4	1	22	5	6	4	-	-
Balance of county	2	56	1	9	11	21	5	9	4	-	3	3	4	39	18	5	5	1	-
Chenango	-	49	8	7	6	22	3	5	1	-	5	6	2	44	9	3	8	-	-
Clinton	1	43	7	6	32	19	2	5	3	-	4	10	6	44	20	17	4	1	-
Plattsburgh	-	19	2	2	15	4	1	2	2	-	1	4	2	15	2	4	-	-	-
Balance of county	1	24	5	4	17	15	1	3	1	-	3	6	4	29	18	13	4	1	-
Columbia	8	51	5	4	14	19	2	8	3	-	2	6	3	43	22	16	6	2	-
Cortland	3	31	4	4	22	18	1	7	1	1	4	3	-	34	7	9	6	-	-
Cortland	2	19	3	-	10	9	1	4	-	-	1	-	-	14	1	4	4	-	-
Balance of county	1	12	1	4	12	9	-	3	1	1	3	3	-	20	6	5	2	-	-
Delaware	2	42	6	6	14	18	3	1	10	-	1	3	1	37	20	13	4	-	-
Dutchess	8	156	24	28	58	51	6	37	23	-	14	16	7	131	62	37	27	7	7
Beacon	2	9	6	3	4	-	2	3	5	-	-	1	1	10	6	1	2	1	-
Poughkeepsie	1	41	3	8	11	14	-	11	6	-	2	4	1	33	8	7	7	4	2
Balance of county	5	106	15	19	44	37	4	23	12	-	12	11	5	88	48	29	18	2	5
Erie	36	965	149	115	273	299	24	174	70	-	56	87	77	674	141	173	68	50	52
Buffalo	15	438	81	43	136	135	8	92	34	-	29	50	51	327	39	97	27	41	32
Depew	1	8	-	2	3	5	-	5	1	-	-	1	-	9	3	3	-	-	-
Hamburg	-	11	-	1	-	1	1	4	2	-	1	2	2	10	-	-	-	-	-
Kenmore	1	20	5	2	7	7	2	3	-	-	-	1	2	13	1	5	1	-	1
Lackawanna	1	27	1	2	2	9	1	5	-	-	1	7	1	15	2	3	2	1	1
Lancaster	-	16	-	2	4	2	-	4	1	-	1	2	-	6	2	5	-	-	-
Tonawanda	-	21	1	6	3	7	-	-	1	-	1	1	1	19	8	2	-	-	-
Balance of county	18	424	61	57	118	133	12	61	31	-	23	23	20	275	86	58	38	8	18
Essex	-	26	3	4	8	14	-	3	1	-	1	4	1	21	4	10	3	-	1
Franklin	1	39	11	2	19	16	2	6	4	1	4	5	-	30	6	10	5	1	-
Fulton	3	44	7	8	19	27	2	9	7	-	2	7	5	41	10	12	7	1	-
Gloversville	1	23	6	4	9	10	1	6	2	-	1	3	3	21	1	6	1	1	-
Johnstown	2	7	-	1	4	8	-	-	2	-	-	1	2	7	1	-	3	-	-
Balance of county	-	14	1	1	6	9	1	3	3	-	1	3	-	13	8	6	3	-	-
Genesee	3	42	7	2	9	14	1	5	1	-	6	3	2	26	7	8	4	1	-
Batavia	1	19	3	1	3	4	1	2	-	-	3	1	-	6	2	-	2	-	-
Balance of county	2	23	4	1	6	10	-	3	1	-	3	2	2	20	5	8	2	1	-
Greene	1	32	4	1	4	7	1	7	3	-	2	3	-	24	8	10	3	-	-
Hamilton	-	4	1	1	-	3	-	1	3	-	-	-	-	6	4	3	3	-	-
Herkimer	6	62	20	8	17	30	1	8	7	-	4	5	5	35	16	14	3	1	-
Jefferson	7	92	6	12	19	33	3	7	9	-	3	7	2	62	11	23	14	1	-
Watertown	1	40	3	3	7	14	-	1	3	-	1	3	-	31	2	10	5	-	-
Balance of county	6	52	3	9	12	19	3	6	6	-	2	4	2	31	9	13	9	1	-
Lewis	1	16	7	-	4	9	2	2	3	-	1	1	1	19	10	4	-	-	-
Livingston	4	33	8	7	16	13	1	3	4	-	-	6	-	30	12	10	4	2	-
Madison	-	60	5	5	10	19	1	4	1	-	6	5	2	38	14	18	5	-	-
Oneida	-	14	-	-	3	3	1	-	1	-	-	-	-	4	2	5	1	-	-
Balance of county	-	46	5	5	7	16	-	4	-	-	6	5	2	34	12	13	4	-	-
Monroe	27	471	71	63	186	191	28	70	53	1	39	57	35	570	77	109	77	39	7
Rochester	12	236	28	29	115	93	15	37	24	1	19	33	24	303	24	66	32	32	3
Balance of county	15	235	43	34	71	98	13	33	29	-	20	24	11	267	53	43	45	7	4
Montgomery	4	55	15	11	15	15	3	13	6	-	1	1	2	36	9	17	7	2	-
Amsterdam	1	28	7	8	11	7	3	8	5	-	-	-	2	19	1	10	2	-	-
Balance of county	3	27	8	3	4	8	-	5	1	-	1	1	-	17	8	7	5	2	-
Nassau	30	714	65	117	313	216	37	147	91	2	55	83	153	709	171	151	103	63	14
East Rockaway	-	13	-	3	-	3	-	2	2	-	1	-	1	-	3	3	1	-	-
Floral Park	-	11	3	4	3	6	1	5	1	-	-	1	3	10	-	1	1	-	1
Freeport	1	24	3	4	7	9	1	11	5	-	3	9	8	23	4	4	5	2	1
Garden City	1	14	2	1	3	5	-	2	1	-	1	1	1	12	1	3	2	1	-
Glen Cove	1	21	3	3	8	4	-	5	1	-	-	2	2	14	3	2	2	-	-
Great Neck	-	4	2	2	7	2	1	-	2	-	-	-	-	9	1	4	2	-	-
Hempstead	1	28	2	3	17	3	-	8	4	1	2	9	10	27	4	7	4	7	-
Long Beach	2	44	2	6	13	10	6	4	9	-	3	5	8	37	3	7	5	5	-
Lynbrook	-	17	2	5	8	5	-	5	1	-	-	-	2	11	4	2	-	1	1
Malverne	-	6	2	3	1	4	-	1	-	-	1	-	-	5	1	3	2	-	1
Massapequa Park	1	6	-	-	5	3	2	2	1	-	1	1	3	4	3	2	2	-	-
Mineola	-	14	2	1	8	3	-	2	1	-	-	1	2	15	3	1	5	1	-
New Hyde Park	1	7	-	-	4	4	-	2	1	-	1	1	-	10	2	1	-	-	-
Rockville Centre	1	19	4	2	6	5	2	3	-	-	2	3	6	12	5	2	1	1	-
Valley Stream	2	19	2	3	5	12	4	5	2	1	3	1	3	24	8	3	3	2	-
Westbury	-	10	1	1	5	3	-	3	1	-	-	1	1	10	2	4	2	4	-
Balance of county	19	457	35	76	213	135	20	87	59	-	37	48	103	486	124	102	66	39	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con.																			
New York City	73,612	134	1	463	15,268	4,748	3,428	1,584	1,651	602	527	2,728	1,361	38,703	33,576	268	729	30,010	2,569
Bronx Bor., Bronx Co	12,610	19	1	91	2,438	766	550	247	266	91	72	446	277	6,608	5,797	47	117	5,136	497
Brooklyn Bor., Kings Co	22,467	44	-	152	4,612	1,469	1,001	491	483	197	161	810	430	11,869	10,429	88	218	9,361	762
Manhattan Bor., New York Co	15,904	48	-	108	3,320	1,008	719	346	375	130	127	615	301	7,681	6,449	43	149	5,617	640
Queens Bor., Queens Co	19,680	20	-	97	4,202	1,310	956	445	465	152	142	732	317	10,956	9,497	78	225	8,641	553
Richmond Bor., Richmond Co	2,951	3	-	15	696	195	202	55	62	32	25	125	36	1,589	1,404	12	20	1,255	117
Niagara	2,167	2	-	12	505	130	129	65	50	17	16	98	51	1,120	872	9	17	773	73
Lockport	279	-	-	2	59	16	15	10	6	1	2	9	12	151	111	1	6	95	9
Niagara Falls	884	1	-	6	214	67	50	17	21	7	6	46	11	446	339	2	7	303	27
North Tonawanda	328	1	-	1	71	16	20	10	6	1	5	13	6	180	139	2	1	127	9
Balance of county	676	-	-	3	161	31	44	28	17	8	3	30	22	343	283	4	3	248	28
Oneida	2,618	1	1	18	535	158	136	51	61	26	20	83	56	1,406	1,099	11	15	899	174
Rome	404	-	-	4	73	22	18	7	9	4	4	9	14	228	169	1	1	142	25
Utica	1,108	1	-	8	222	77	62	19	24	9	4	27	20	600	480	7	7	377	89
Balance of county	1,106	-	1	6	240	59	56	25	28	13	12	47	22	578	450	3	7	380	60
Onondaga	4,188	8	-	44	969	244	270	104	92	45	33	181	51	2,076	1,549	18	37	1,238	256
Syracuse	2,087	6	-	22	441	112	105	39	55	24	13	93	29	1,050	777	8	16	625	128
Balance of county	2,101	2	-	22	528	132	165	65	37	21	20	88	22	1,026	772	10	21	613	128
Ontario	773	-	-	5	153	38	44	13	13	6	9	30	10	410	316	4	8	246	58
Canandaigua	135	-	-	-	29	8	7	3	3	1	1	6	1	71	52	2	1	38	11
Geneva	167	-	-	-	31	7	7	4	1	2	2	8	6	93	75	1	2	57	15
Balance of county	471	-	-	5	93	23	30	6	9	3	6	16	3	246	189	1	5	151	32
Orange	2,297	5	-	16	507	157	123	46	52	17	18	94	42	1,191	970	9	20	814	127
Middletown	243	-	-	3	59	15	12	7	7	-	2	16	5	121	95	1	4	74	16
Newburgh	317	1	-	6	69	18	23	4	6	-	1	17	4	152	135	3	4	113	15
Balance of county	1,737	4	-	7	379	124	88	35	39	17	15	61	33	918	740	5	12	627	96
Orleans	378	-	-	1	76	23	14	8	7	2	-	22	4	199	156	1	6	127	22
Oswego	958	1	-	4	189	45	49	17	20	8	7	43	23	505	370	8	8	292	62
Fulton	145	1	-	-	25	7	5	3	2	-	2	6	3	71	55	1	3	39	12
Oswego	235	-	-	1	49	10	15	6	5	3	1	9	7	142	90	3	-	73	14
Balance of county	578	-	-	3	115	28	29	8	13	5	4	28	13	292	225	4	5	180	36
Otsego	575	-	-	4	112	27	32	13	14	7	5	14	9	302	239	1	6	171	61
Oneonta	129	-	-	1	25	4	7	4	3	4	2	1	6	78	59	1	4	41	13
Balance of county	446	-	-	3	87	23	25	9	11	3	3	13	3	224	180	-	2	130	48
Putnam	565	-	-	6	151	44	39	19	12	4	8	25	9	278	220	-	2	195	23
Rensselaer	1,614	1	-	15	340	101	84	29	38	17	20	51	30	910	736	6	13	623	94
Rensselaer	130	-	-	-	33	13	6	2	4	1	1	6	3	75	63	1	1	49	12
Troy	788	1	-	8	159	45	46	12	19	9	8	20	17	462	364	1	4	315	44
Balance of county	696	-	-	7	148	43	32	15	15	7	11	25	10	373	309	4	8	259	38
Rockland	1,840	-	-	15	435	127	98	53	34	21	16	86	37	918	745	11	14	641	79
Spring Valley	175	-	-	3	40	15	9	5	3	-	2	6	3	87	67	1	2	56	8
Balance of county	1,665	-	-	12	395	112	89	48	31	21	14	80	34	831	678	10	12	585	71
St. Lawrence	1,013	-	-	4	208	60	53	16	30	12	6	31	21	531	416	4	15	343	54
Massena	158	-	-	1	40	16	8	4	4	1	1	6	6	79	55	2	1	48	4
Ogdensburg	141	-	-	1	29	9	7	4	2	1	-	6	3	68	55	-	2	46	7
Balance of county	714	-	-	2	139	35	38	8	24	10	5	19	12	384	306	2	12	249	43
Saratoga	1,241	-	-	7	320	106	93	26	24	16	7	48	21	616	494	6	15	409	64
Saratoga Springs	267	-	-	1	68	22	22	2	7	5	2	8	6	139	104	1	3	93	7
Balance of county	974	-	-	6	252	84	71	24	17	11	5	40	15	477	390	5	12	316	57
Schenectady	1,540	1	-	9	343	97	86	30	38	20	11	61	34	822	674	5	16	572	81
Schenectady	909	1	-	7	187	44	52	20	24	6	4	37	22	493	399	3	10	332	54
Balance of county	631	-	-	2	156	53	34	10	14	14	7	24	12	329	275	2	6	240	27
Schoharie	318	-	-	4	72	20	20	9	8	4	-	11	9	162	125	2	1	97	25
Schuyler	157	-	-	1	26	7	7	1	3	1	5	2	5	81	61	-	-	48	13
Seneca	287	-	-	-	63	15	19	8	5	3	3	10	6	143	117	4	2	82	29
Steuben	1,005	-	-	9	216	51	58	15	25	16	7	44	23	530	399	8	14	328	49
Corning	165	-	-	2	37	5	12	4	6	6	1	3	5	85	56	1	1	44	10
Hornell	155	-	-	4	32	13	10	1	2	2	-	4	6	83	64	-	9	44	11
Balance of county	685	-	-	3	147	33	36	10	17	8	6	37	12	362	279	7	4	240	28
Suffolk	9,507	10	-	72	2,317	649	627	213	245	112	75	396	204	4,811	3,835	67	133	3,123	512
Babylon	126	-	-	1	30	8	7	2	4	2	2	5	1	68	57	2	1	46	8
Lindenhurst	229	1	-	2	51	16	15	3	2	3	3	9	4	119	102	3	-	91	8
Patchogue	134	-	-	1	34	13	12	2	1	1	1	4	1	67	53	2	2	42	7
Balance of county	9,018	9	-	68	2,202	612	593	206	238	106	69	378	198	4,557	3,623	60	130	2,944	489
Sullivan	728	-	-	4	170	48	34	20	18	15	3	32	9	378	316	5	5	274	32
Tioga	399	-	-	2	80	19	17	8	13	5	4	14	9	204	170	1	6	141	22
Tompkins	539	1	-	2	117	40	17	6	17	5	5	27	11	264	196	3	9	142	42
Ithaca	174	-	-	1	40	16	6	2	6	1	-	9	4	82	56	-	3	39	14
Balance of county	365	1	-	1	77	24	11	4	11	4	5	18	7	182	140	3	6	103	28
Ulster	1,484	2	1	8	334	104	79	15	36	23	10	67	25	741	603	11	17	501	74
Kingston	365	-	-	4	66	18	14	3	11	5	1	14	9	195	154	3	1	126	24
Balance of county	1,119	2	1	4	268	86	65	12	25	18	9	53	16	546	449	8	16	375	50
Warren	586	1	-	3	137	32	42	18	16	6	5	18	8	289	237	3	3	185	46
Glens Falls	229	1	-	-	48	12	11	9	5	3	3	5	5	106	95	2	1	74	18
Balance of county	357	-	-	3	89	20	31	9	11	3	2	13	3	183	142	1	2	111	28
Washington	534	-	-	3	112	33	25	9	13	9	5	18	3	302	250	5	11	187	47
Wayne	739	1	-	7	180	47	55	13	18	7	8	32	16	309	231	2	10	189	30
Newark	124	1	-	3	27	6	6	6	3	3	-	3	2	54	36	1	5	28	2
Balance of county	615	-	-	4	153	41	49	7	15	4	8	29	14	255	195	1	5	161	28

NEWARK PUBLIC LIBRARY

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York--Con.																			
New York City	270	3,710	647	500	2,654	1,268	311	1,947	422	19	441	821	620	4,168	850	1,229	630	1,835	467
Bronx Bor., Bronx Co	32	609	71	99	416	236	51	309	72	3	91	159	120	719	134	245	102	429	90
Brooklyn Bor., Kings Co	122	1,003	176	139	729	340	98	600	137	9	141	353	198	1,251	268	328	145	626	137
Manhattan Bor., New York Co	51	842	235	104	686	294	73	626	87	3	82	97	144	1,074	168	293	201	467	151
Queens Bor., Queens Co	59	1,119	145	136	729	315	79	372	105	4	105	178	146	975	231	327	157	287	78
Richmond Bor., Richmond Co	6	137	20	22	94	83	10	40	21	-	22	34	12	149	49	36	25	26	11
Niagara	13	201	12	22	35	84	13	31	16	-	10	16	15	134	51	35	24	10	3
Lockport	4	30	2	4	4	12	-	4	-	-	-	-	1	20	7	3	2	1	1
Niagara Falls	7	90	2	8	24	26	9	16	8	-	2	8	9	53	16	18	11	5	1
North Tonawanda	-	36	3	2	-	12	1	3	2	-	4	4	3	25	7	2	4	1	1
Balance of county	2	45	5	8	7	34	3	8	6	-	4	4	2	36	21	12	7	3	-
Oneida	9	236	31	31	72	96	12	43	30	-	21	16	16	144	47	67	25	8	4
Rome	1	49	5	4	9	15	2	9	3	-	5	1	3	16	8	10	3	1	-
Utica	4	100	8	8	40	34	3	22	15	-	7	7	9	68	10	25	9	5	3
Balance of county	4	87	18	19	23	47	7	12	12	-	9	8	4	60	29	32	13	2	1
Onondaga	20	394	67	46	105	127	14	65	22	-	26	58	29	377	74	70	43	26	4
Syracuse	11	200	38	24	63	65	8	29	9	-	9	33	20	206	25	36	16	18	2
Balance of county	9	194	29	22	42	62	6	36	13	-	17	25	9	171	49	34	27	8	2
Ontario	1	71	15	7	30	30	1	5	8	-	3	8	9	56	22	11	10	-	2
Canandaigua	-	16	2	1	7	2	-	2	2	-	-	2	-	9	6	2	1	-	1
Geneva	1	12	4	1	5	8	1	2	2	-	-	-	2	10	2	2	3	-	-
Balance of county	-	43	9	5	18	20	-	1	4	-	3	6	7	37	14	7	6	-	1
Orange	9	164	26	22	58	79	6	33	21	-	7	13	14	151	64	51	29	10	-
Middletown	2	15	7	2	4	7	-	7	1	-	1	3	2	16	5	3	5	1	-
Newburgh	1	14	-	2	9	8	2	3	5	-	1	4	3	32	2	10	1	5	-
Balance of county	6	135	19	18	45	64	4	23	15	-	5	6	9	103	57	38	23	4	-
Orleans	-	34	3	6	4	14	4	5	7	-	1	2	2	32	12	10	4	1	-
Oswego	3	89	28	15	17	33	1	17	8	-	5	11	6	66	33	28	10	1	-
Fulton	1	9	3	3	5	10	1	3	-	-	1	-	3	14	3	4	1	-	-
Oswego	1	33	13	5	4	8	-	1	2	-	-	1	-	9	4	6	1	-	-
Balance of county	1	47	12	7	8	15	-	13	6	-	4	10	3	43	26	18	8	1	-
Otsego	1	35	19	8	30	28	1	3	2	-	4	2	2	44	8	16	6	1	1
Oneonta	-	7	10	2	3	6	-	-	1	-	-	-	-	7	1	-	1	-	-
Balance of county	1	28	9	6	27	22	1	3	1	-	4	2	2	37	7	16	5	1	1
Putnam	2	42	4	10	17	16	1	4	6	-	2	5	5	33	14	13	4	1	-
Rensselaer	7	124	27	16	30	43	6	24	15	-	7	14	4	92	32	35	12	4	-
Rensselaer	-	8	2	2	2	4	-	1	-	-	-	-	-	8	2	2	-	-	-
Troy	5	68	18	7	15	18	2	12	6	-	5	10	1	44	9	11	5	3	-
Balance of county	2	48	7	7	13	21	4	11	9	-	2	4	3	40	21	22	7	1	-
Rockland	3	145	7	18	90	45	11	25	13	-	19	20	3	111	44	30	9	11	4
Spring Valley	-	19	1	-	8	3	-	2	1	-	5	6	-	6	2	3	1	4	1
Balance of county	3	126	6	18	82	42	11	23	12	-	14	14	3	105	42	27	8	7	3
St. Lawrence	8	84	15	8	37	31	4	11	10	-	5	14	4	64	26	25	15	2	1
Massena	3	18	2	1	3	2	-	2	2	-	1	3	-	7	3	5	3	-	1
Ogdensburg	-	10	2	1	7	7	1	3	-	-	-	-	3	10	4	3	2	-	-
Balance of county	5	56	11	6	27	22	3	6	8	-	4	11	1	47	19	17	10	2	-
Saratoga	5	89	16	12	32	35	4	27	7	-	9	13	5	71	31	29	13	-	1
Saratoga Springs	2	25	4	4	7	7	2	7	2	-	2	-	-	13	1	7	4	-	1
Balance of county	3	64	12	8	25	28	2	20	5	-	7	13	5	58	30	22	9	-	-
Schenectady	6	103	23	16	70	50	4	18	9	-	10	8	9	91	13	31	15	3	-
Schenectady	5	63	15	11	44	27	3	13	4	-	7	7	5	53	8	16	10	2	-
Balance of county	1	40	8	5	26	23	1	5	5	-	3	1	4	38	5	15	5	1	-
Schoharie	2	27	4	4	8	7	3	3	3	-	-	1	1	20	11	12	2	-	-
Schuyler	-	13	4	3	10	5	1	5	1	-		-	1	13	1	4	2	1	-
Seneca	-	19	3	4	9	11	-	5	1	-	1	2	1	23	11	8	2	-	1
Steuben	5	102	11	13	30	42	3	15	6	-	7	9	2	61	23	20	7	2	-
Corning	2	25	2	-	3	9	1	5	1	-	-	1	1	11	2	2	-	-	-
Hornell	-	15	-	4	6	10	-	-	2	-	1	2	-	6	1	2	-	-	-
Balance of county	3	62	9	9	21	23	2	10	3	-	6	6	1	44	20	16	7	2	-
Suffolk	31	752	82	111	176	244	35	161	69	1	70	59	118	569	237	206	92	48	8
Babylon	-	10	-	1	4	4	-	1	3	-	1	-	1	8	1	3	-	-	-
Lindenhurst	-	14	2	1	2	7	1	4	2	-	3	1	2	14	10	4	2	-	-
Patchogue	1	11	1	1	1	3	-	3	-	-	-	1	3	9	5	5	1	-	-
Balance of county	30	717	79	108	169	230	34	153	64	1	66	57	112	538	221	194	89	48	8
Sullivan	4	48	4	6	12	21	3	10	11	-	5	3	2	53	18	15	11	3	-
Tioga	3	25	3	3	4	25	1	5	4	-	2	3	6	26	11	13	4		
Tompkins	4	37	19	8	19	26	2	11	4	-	5	4	-	31	22	13	7		
Ithaca	3	15	7	1	10	8	1	5	1	-	2	2	-	7	3	8	-	-	-
Balance of county	1	22	12	7	9	18	1	6	3	-	3	2		24	19	5	7	-	
Ulster	5	109	9	15	52	42	5	22	12	-	8	10	11	107	48	33	17	5	1
Kingston	2	34	2	3	21	10	3	7	3	-	1	1	1	31	6	5	2	-	-
Balance of county	3	75	7	12	31	32	2	15	9	-	7	9	10	76	42	28	15	5	1
Warren	3	41	7	1	21	22	2	9	3	-	7	9	1	48	15	6	5	-	-
Glens Falls	-	9	2	-	11	11	-	6	2	-	5	6	-	20	3	4	1	-	-
Balance of county	3	32	5	1	10	11	2	3	1	-	2	3	1	28	12	2	4	-	-
Washington	1	34	10	7	7	21	1	6	5	1	2	2	1	30	12	20	6	-	-
Wayne	6	60	5	7	23	31	6	14	6	-	7	9	7	55	28	17	18	3	2
Newark	-	15	1	2	8	5	3	5	-	-	1	-	-	10	1	2	1	-	1
Balance of county	6	45	4	5	15	26	3	9	6	-	6	9	7	45	27	15	17	3	1

NEWARK PUBLIC LIBRARY

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New York—Con																			
Westchester	8,064	6	-	75	2,078	644	488	217	232	93	76	328	140	4,100	3,302	41	153	2,671	437
Dobbs Ferry	93	-	-	-	25	7	5	5	1	1	1	5	4	39	34	1	3	28	2
Mamaroneck	169	1	-	1	35	9	9	3	4	1	2	7	2	93	76	-	1	55	20
Mount Vernon	693	-	-	6	159	64	29	19	8	7	9	23	11	345	291	4	21	217	49
New Rochelle	731	-	-	3	173	46	45	23	21	11	3	24	8	403	306	1	16	256	33
Ossining	185	-	-	3	46	17	12	2	6	1	1	7	6	93	75	-	1	64	10
Peekskill	222	-	-	1	58	12	18	5	13	3	2	5	8	117	93	-	4	82	7
Port Chester	277	-	-	4	68	15	17	5	8	6	2	15	6	151	120	-	7	97	16
Rye	123	1	-	-	32	8	9	3	5	1	2	4	4	65	51	2	1	37	11
Scarsdale	172	-	-	-	47	13	10	3	5	2	2	12	8	89	74	-	-	66	8
Tarrytown	101	-	-	1	42	10	7	5	5	5	1	9	1	43	32	-	2	25	5
White Plains	531	-	-	7	124	46	29	10	14	2	3	20	8	256	201	2	7	156	36
Yonkers	2,032	2	-	17	533	180	145	60	50	21	17	60	31	1,032	866	14	43	722	87
Balance of county	2,735	2	-	32	736	217	153	74	92	32	31	137	43	1,374	1,083	17	47	866	153
Wyoming	352	-	-	4	73	21	19	7	7	4	5	10	3	181	129	5	3	100	21
Yates	236	-	-	1	44	9	13	3	8	2	2	7	6	119	93	1	6	69	17
North Carolina	49,236	65	2	463	9,899	2,373	2,676	802	1,239	361	394	2,054	798	24,237	18,253	152	815	13,112	4,174
Urban places	16,666	27	-	159	3,464	874	912	298	416	128	120	716	261	8,050	5,896	64	291	4,147	1,394
Balance of area	32,570	38	2	304	6,435	1,499	1,764	504	823	233	274	1,338	537	16,187	12,357	88	524	8,965	2,780
Metropolitan counties	23,724	29	-	236	4,938	1,174	1,350	412	584	191	189	1,038	338	11,393	8,577	89	361	6,231	1,896
Urban places	12,555	21	-	118	2,673	678	712	228	308	103	92	552	187	6,005	4,393	55	219	3,076	1,043
Balance of area	11,169	8	-	118	2,265	496	638	184	276	88	97	486	151	5,388	4,184	34	142	3,155	853
Nonmetropolitan counties	25,512	36	2	227	4,961	1,199	1,326	390	655	170	205	1,016	460	12,844	9,676	63	454	6,881	2,278
Urban places	4,111	6	-	41	791	196	200	70	108	25	28	164	74	2,045	1,503	9	72	1,071	351
Balance of area	21,401	30	2	186	4,170	1,003	1,126	320	547	145	177	852	386	10,799	8,173	54	382	5,810	1,927
Alamance	951	-	-	9	196	41	55	16	24	6	7	47	16	485	377	3	13	306	55
Burlington	390	-	-	2	88	15	27	11	7	3	4	21	4	195	151	2	4	121	24
Balance of county	561	-	-	7	108	26	28	5	17	3	3	26	12	290	226	1	9	185	31
Alexander	206	-	-	1	39	6	10	2	3	4	4	10	-	100	75	2	-	61	12
Alleghany	104	-	-	1	22	5	6	1	-	1	2	7	-	49	35	-	1	23	11
Anson	249	-	-	3	47	12	10	1	8	2	3	11	2	135	100	-	3	81	16
Ashe	214	1	-	4	32	6	9	2	7	2	2	4	3	123	99	1	14	68	16
Avery	119	-	-	-	22	1	8	2	3	-	3	5	-	62	50	1	-	37	12
Beaufort	412	2	-	4	76	20	23	6	7	2	2	16	17	214	147	2	3	100	42
Bertie	208	1	-	5	56	19	12	5	9	2	2	7	4	80	64	1	2	43	18
Bladen	292	1	-	-	52	13	21	2	5	1	3	7	4	157	101	-	2	73	26
Brunswick	314	-	-	4	55	6	18	4	7	1	1	18	1	165	127	-	8	90	29
Buncombe	1,586	2	-	11	351	90	93	25	48	12	15	68	24	773	587	9	18	431	129
Asheville	816	2	-	5	159	43	43	12	25	5	4	27	15	401	285	7	13	187	78
Balance of county	770	-	-	6	192	47	50	13	23	7	11	41	9	372	302	2	5	244	51
Burke	474	1	-	2	91	21	23	9	13	3	4	18	7	240	189	1	7	155	26
Hickory, part	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Morganton	130	-	-	-	27	7	8	1	3	-	2	6	2	64	46	-	-	42	4
Balance of county	343	1	-	2	63	14	15	8	9	3	2	12	5	176	143	1	7	113	22
Cabarrus	838	1	-	7	163	37	46	11	17	6	5	41	7	423	312	5	7	231	69
Concord	238	-	-	2	43	11	12	3	5	2	-	10	3	112	76	2	1	55	18
Balance of county	600	1	-	5	120	26	34	8	12	4	5	31	4	311	236	3	6	176	51
Caldwell	507	-	-	4	100	25	33	5	7	3	6	21	19	220	180	-	7	131	42
Lenoir	179	-	-	1	36	10	14	-	-	2	4	6	6	87	72	-	5	45	22
Balance of county	328	-	-	3	64	15	19	5	7	1	2	15	13	133	108	-	2	86	20
Camden	66	-	-	-	15	4	3	1	5	-	1	1	1	32	23	-	2	15	6
Carteret	402	-	-	5	85	11	33	8	13	2	-	18	6	189	159	2	6	103	48
Caswell	173	-	-	2	33	6	13	4	6	1	-	3	6	86	59	-	4	41	14
Catawba	801	-	-	9	164	45	37	17	17	4	8	36	11	395	296	4	15	209	68
Hickory, part	271	-	-	2	51	11	13	8	4	1	2	12	4	129	90	3	2	60	25
Hickory, total	272	-	-	2	52	11	13	8	5	1	2	12	4	129	90	3	2	60	25
Balance of county	530	-	-	7	113	34	24	9	13	3	6	24	7	266	206	1	13	149	43
Chatham	308	-	-	5	59	7	16	4	8	2	2	20	4	161	121	-	13	82	26
Cherokee	160	-	-	1	36	6	5	5	4	2	2	12	4	74	62	2	2	39	19
Chowan	131	-	-	1	32	11	9	3	3	-	3	3	3	56	31	-	1	18	12
Clay	71	-	-	1	15	4	4	4	-	1	-	2	1	39	32	2	-	19	11
Cleveland	778	-	-	4	144	44	31	11	17	4	6	31	18	430	354	2	14	207	131
Shelby	223	-	-	-	39	11	9	5	3	1	1	9	5	129	100	-	7	58	35
Balance of county	555	-	-	4	105	33	22	6	14	3	5	22	13	301	254	2	7	149	96
Columbus	491	-	-	3	78	18	24	2	10	2	7	15	10	275	207	-	7	163	37
Craven	515	2	-	8	105	18	37	7	17	3	5	18	6	245	182	-	8	116	58
New Bern	199	2	-	4	43	7	13	3	9	1	1	9	4	87	63	-	3	45	15
Balance of county	316	-	-	4	62	11	24	4	8	2	4	9	2	158	119	-	5	71	43
Cumberland	1,253	3	-	11	238	60	65	20	27	9	13	44	15	541	373	3	31	266	73
Fayetteville	591	1	-	5	116	32	24	13	14	5	6	22	7	283	189	-	18	132	39
Balance of county	662	2	-	6	122	28	41	7	13	4	7	22	8	258	184	3	13	134	34
Currituck	109	-	-	-	18	3	7	2	3	-	-	3	1	55	49	1	2	34	12
Dare	104	-	-	2	22	5	9	3	-	-	1	4	3	49	37	-	1	24	12
Davidson	854	-	-	10	176	49	42	19	21	8	4	33	19	427	331	3	13	242	73
High Point, part	3	-	-	-	2	1	1	-	-	-	-	-	-	1	1	-	-	1	-
Lexington	161	-	-	2	29	10	7	2	4	3	-	3	3	79	59	1	5	40	13
Thomasville	182	-	-	1	34	10	15	1	1	1	1	5	7	89	67	-	3	53	11
Balance of county	508	-	-	7	111	28	19	16	16	4	3	25	9	258	204	2	5	148	49
Davie	190	-	-	2	49	14	11	4	8	1	1	10	2	85	67	1	2	51	13

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Westchester	33	609	72	84	175	187	31	156	46	3	37	63	45	496	128	156	73	59	10
Dobbs Ferry	-	4	1	-	4	3	-	-	-	1	-	-	-	8	2	3	2	2	-
Mamaroneck	1	15	1	-	5	4	-	6	-	-	-	1	1	9	5	3	3	-	-
Mount Vernon	4	45	2	3	13	11	3	26	6	1	7	15	3	46	8	20	3	10	-
New Rochelle	4	77	9	7	19	15	4	14	3	-	2	4	3	46	6	16	2	10	-
Ossining	1	14	2	1	5	2	-	4	-	-	1	1	1	14	2	5	1	-	1
Peekskill	1	18	1	4	1	5	-	4	2	-	1	2	1	11	2	4	2	3	-
Port Chester	2	20	6	3	3	13	2	2	-	-	2	2	1	17	2	1	2	1	-
Rye	1	10	3	-	2	5	-	3	-	-	-	-	1	5	1	-	3	1	-
Scarsdale	-	8	4	3	3	3	-	-	1	-	1	1	2	9	2	2	4	-	-
Tarrytown	1	8	1	1	-	3	-	2	-	-	-	1	-	3	3	2	-	-	-
White Plains	2	41	8	4	21	9	1	11	6	1	2	8	1	43	10	15	5	3	-
Yonkers	7	134	6	19	47	41	12	37	12	-	8	15	14	123	29	38	11	24	6
Balance of county	9	215	28	39	52	73	9	47	16	-	13	13	17	162	56	47	35	5	3
Wyoming	1	37	11	3	17	17	3	5	4	-	1	2	1	16	12	5	7	-	1
Yates	1	19	4	2	15	4	2	2	3	-	-	1	1	25	3	7	3	-	-
North Carolina	242	4,720	582	440	1,415	1,299	158	651	511	7	337	583	388	3,970	1,533	1,471	756	623	70
Urban places	99	1,687	215	153	510	438	58	273	197	3	114	202	124	1,455	370	483	223	232	23
Balance of area	143	3,033	367	287	905	861	100	378	314	4	223	381	264	2,515	1,163	988	533	391	47
Metropolitan counties	115	2,208	274	219	680	613	86	339	241	3	176	290	189	1,980	713	729	407	314	30
Urban places	70	1,262	153	127	377	320	51	210	143	2	86	149	89	1,121	271	363	181	175	13
Balance of area	45	946	121	92	303	293	35	129	98	1	90	141	100	859	442	366	226	139	17
Nonmetropolitan counties	127	2,512	308	221	735	686	72	312	270	4	161	293	199	1,990	820	742	349	309	40
Urban places	29	425	62	26	133	118	7	63	54	1	28	53	35	334	99	120	42	57	10
Balance of area	98	2,087	246	195	602	568	65	249	216	3	133	240	164	1,656	721	622	307	252	30
Alamance	4	81	14	9	20	20	3	9	5	-	10	8	4	84	27	18	21	16	-
Burlington	3	28	7	6	4	7	1	3	4	-	5	4	3	38	6	8	11	7	-
Balance of county	1	53	7	3	16	13	2	6	1	-	5	4	1	46	21	10	10	9	-
Alexander	2	18	1	4	4	5	-	3	3	-	1	4	2	16	6	11	8	3	-
Alleghany	-	13	-	1	4	2	1	2	2	-	-	-	1	12	1	5	1	1	-
Anson	6	22	4	3	16	3	-	1	3	-	-	3	1	20	7	4	1	3	-
Ashe	-	21	1	2	5	5	4	-	1	-	-	2	-	17	5	7	3	1	1
Avery	1	9	1	1	5	5	1	2	2	-	1	3	1	9	3	2	-	1	-
Beaufort	6	50	5	6	11	3	1	7	3	-	1	2	4	37	9	10	4	6	1
Bertie	1	14	-	1	5	6	-	3	3	-	3	3	4	16	8	7	3	1	-
Bladen	1	51	2	2	9	5	-	-	3	-	2	-	6	18	8	15	1	8	3
Brunswick	3	22	11	2	5	4	-	4	1	-	3	1	4	25	18	13	7	2	2
Buncombe	8	148	18	12	63	52	5	21	10	-	3	10	6	142	32	43	18	16	4
Asheville	6	92	10	8	34	27	5	11	6	-	2	7	3	80	14	27	8	9	1
Balance of county	2	56	8	4	29	25	-	10	4	-	1	3	3	62	18	16	10	7	3
Burke	5	39	4	3	13	12	2	4	6	-	2	2	4	40	12	17	10	9	-
Hickory, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Morganton	3	11	2	2	8	2	1	1	1	-	1	1	-	11	1	4	4	2	-
Balance of county	2	28	2	1	5	10	1	3	5	-	1	1	4	29	11	13	6	7	-
Cabarrus	4	97	4	6	31	23	9	11	15	-	5	3	15	60	23	21	10	9	2
Concord	-	33	1	2	14	10	1	3	7	-	2	2	4	18	5	5	1	5	1
Balance of county	4	64	3	4	17	13	8	8	8	-	3	1	11	42	18	16	9	4	1
Caldwell	-	33	4	3	16	16	3	10	6	-	4	10	4	40	17	19	16	3	-
Lenoir	-	13	1	1	5	3	-	5	-	-	1	4	1	13	4	6	6	1	-
Balance of county	-	20	3	2	11	13	3	5	6	-	3	6	3	27	13	13	10	2	-
Camden	1	7	-	1	2	1	-	-	-	-	-	-	-	1	1	10	3	-	-
Carteret	2	22	2	4	13	14	3	7	8	-	2	6	1	32	13	11	4	3	-
Caswell	-	23	4	-	4	4	-	1	1	-	-	2	3	14	10	4	1	2	-
Catawba	4	77	8	10	10	20	3	16	2	-	5	8	8	68	29	28	11	12	2
Hickory, part	1	29	3	6	1	9	2	8	1	-	1	1	-	37	7	10	3	5	-
Hickory, total	1	29	3	6	1	9	2	8	1	-	1	1	-	37	7	10	3	5	-
Balance of county	3	48	5	4	9	11	1	8	1	-	4	7	8	31	22	18	8	7	2
Chatham	-	38	1	1	9	8	-	2	2	-	1	6	-	27	5	10	4	5	-
Cherokee	-	10	1	1	6	2	2	1	3	-	3	2	-	15	3	3	2	2	1
Chowan	1	20	3	1	6	3	-	2	5	-	-	-	4	8	4	4	-	3	-
Clay	-	5	2	-	3	1	1	-	-	-	-	1	-	7	1	1	-	-	-
Cleveland	-	53	17	6	21	10	3	9	7	-	5	10	8	49	25	16	10	9	-
Shelby	-	20	9	-	6	3	-	3	1	-	-	1	3	16	8	4	1	4	-
Balance of county	-	33	8	6	15	7	3	6	6	-	5	9	5	33	17	12	9	5	-
Columbus	3	59	4	2	18	6	-	3	9	-	5	5	5	25	18	16	9	5	1
Craven	2	46	10	5	15	21	-	5	5	-	5	8	3	38	15	15	12	5	2
New Bern	-	16	6	2	12	7	-	3	3	-	2	4	2	12	5	4	-	3	2
Balance of county	2	30	4	3	3	14	-	2	2	-	3	4	1	26	10	11	12	2	-
Cumberland	9	129	21	9	27	22	5	24	8	-	15	42	19	102	55	52	46	27	1
Fayetteville	3	73	13	5	10	13	2	11	4	-	4	15	7	52	19	19	12	11	-
Balance of county	6	56	8	4	17	9	3	13	4	-	11	27	12	50	36	33	34	16	1
Currituck	1	5	-	-	8	-	-	1	1	-	-	1	1	7	2	7	3	4	-
Dare	1	10	1	-	5	-	-	-	-	-	-	-	-	11	5	4	2	-	1
Davidson	6	79	7	4	24	15	2	8	13	-	6	7	7	56	29	38	10	7	-
High Point, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lexington	1	17	1	1	7	4	-	2	2	-	1	2	1	13	6	9	1	-	-
Thomasville	1	19	1	1	4	3	-	3	4	-	-	3	3	13	6	8	1	3	-
Balance of county	4	43	5	2	13	8	2	3	7	-	5	2	3	30	17	21	8	4	-
Davie	1	14	2	1	2	8	2	2	2	-	1	2	-	15	6	3	7	2	-

NEWARK PUBLIC LIBRARY

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Carolina—Con.																			
Duplin	414	1	-	1	87	17	26	7	13	2	4	18	14	203	145	1	3	104	37
Durham	1,280	5	-	16	298	62	78	29	36	13	8	72	23	579	450	6	16	321	107
Chapel Hill, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Durham	1,032	5	-	11	241	49	62	21	29	12	6	62	21	459	359	5	14	252	88
Balance of county	247	-	-	5	57	13	16	8	7	1	2	10	2	120	91	1	2	69	19
Edgecombe	544	1	-	11	101	23	30	5	17	2	5	19	14	263	188	1	4	132	51
Rocky Mount, part	178	-	-	4	31	7	7	1	6	2	1	7	4	90	65	-	1	45	19
Balance of county	386	1	-	7	70	16	23	4	11	-	4	12	10	173	123	1	3	87	32
Forsyth	2,006	3	-	26	412	119	105	38	47	19	14	70	19	1,007	770	6	21	555	188
Winston-Salem	1,331	2	-	18	278	91	73	21	30	12	8	43	15	654	489	5	17	332	135
Balance of county	675	1	-	8	134	28	32	17	17	7	6	27	4	353	281	1	4	223	53
Franklin	336	-	-	2	59	8	17	6	12	2	1	13	7	162	132	1	9	99	23
Gaston	1,348	1	-	14	267	72	73	22	28	10	9	53	18	673	541	5	21	411	104
Gastonia	543	1	-	6	107	34	27	8	11	5	5	17	8	280	227	1	10	162	54
Balance of county	805	-	-	8	160	38	46	14	17	5	4	36	10	393	314	4	11	249	50
Gates	80	-	-	1	13	3	9	-	-	-	-	1	-	47	34	-	4	26	4
Graham	55	-	-	2	12	6	5	-	1	-	-	-	1	27	20	-	-	14	6
Granville	337	1	-	3	77	22	18	8	17	1	4	7	5	155	113	1	14	66	32
Greene	109	-	-	4	23	3	8	1	3	2	1	5	-	61	41	-	-	31	10
Guilford	2,569	3	-	21	605	139	157	50	82	27	27	123	33	1,234	891	9	37	649	196
Greensboro	1,292	2	-	8	322	75	87	23	50	15	14	58	18	609	431	3	16	298	114
High Point, part	672	1	-	4	133	30	32	11	14	5	9	32	8	360	256	5	12	203	36
High Point, total	678	1	-	4	135	31	33	11	14	5	9	32	8	362	258	5	12	205	36
Balance of county	605	-	-	9	150	34	38	16	18	7	4	33	7	265	204	1	9	148	46
Halifax	599	7	-	3	103	25	26	10	13	2	3	24	12	315	235	-	15	181	39
Roanoke Rapids	167	-	-	1	36	9	9	3	5	1	1	8	-	89	70	-	3	57	10
Balance of county	432	7	-	2	67	16	17	7	8	1	2	16	12	226	165	-	12	124	29
Harnett	524	-	-	5	85	19	16	4	15	4	2	25	13	272	209	-	19	153	37
Haywood	443	-	-	3	72	19	19	9	8	1	8	8	3	256	195	1	-	145	49
Henderson	646	1	-	5	140	39	32	10	14	7	9	29	7	326	235	3	4	177	51
Hertford	241	2	-	5	48	11	11	5	11	1	2	7	5	127	103	-	5	66	32
Hoke	133	-	-	1	25	4	3	3	5	1	2	7	5	55	38	-	5	27	6
Hyde	79	-	-	-	14	1	6	-	4	-	-	3	1	36	28	-	-	23	5
Iredell	733	-	-	2	136	34	29	9	18	7	3	36	13	362	277	-	12	223	42
Statesville	234	-	-	-	49	10	12	4	7	3	1	12	2	101	83	-	4	68	11
Balance of county	499	-	-	2	87	24	17	5	11	4	2	24	11	261	194	-	8	155	31
Jackson	194	-	-	2	35	11	9	3	4	2	1	5	1	102	79	1	3	52	23
Johnston	695	1	-	5	122	27	36	10	13	6	5	25	8	369	306	1	21	204	80
Jones	65	-	-	1	8	3	-	-	2	-	-	3	-	36	21	-	-	15	6
Lee	332	-	-	2	70	16	21	2	7	6	2	16	8	170	126	1	7	95	23
Sanford	147	-	-	1	27	8	5	-	5	2	-	7	6	77	56	1	4	41	10
Balance of county	185	-	-	1	43	8	16	2	2	4	2	9	2	93	70	-	3	54	13
Lenoir	604	-	-	3	124	24	41	12	17	5	6	19	13	300	214	1	6	159	48
Kinston	348	-	-	3	71	19	20	8	11	1	3	9	6	168	119	1	4	82	32
Balance of county	256	-	-	-	53	5	21	4	6	4	3	10	7	132	95	-	2	77	16
Lincoln	316	-	-	2	70	19	21	5	8	3	1	13	4	175	137	2	3	107	25
McDowell	310	-	-	1	70	17	20	6	4	6	-	17	3	158	127	-	4	102	21
Macon	223	1	-	3	53	13	10	8	9	2	2	9	-	114	91	1	7	63	20
Madison	188	-	-	1	30	5	8	1	2	2	-	12	1	99	77	1	2	46	28
Martin	259	-	-	2	49	17	9	4	5	2	4	8	6	123	101	-	9	62	30
Mecklenburg	3,005	2	-	36	641	148	181	52	72	17	24	147	47	1,371	1,029	10	71	707	241
Charlotte	2,468	2	-	30	533	130	153	43	59	14	18	116	35	1,120	833	8	64	560	201
Balance of county	537	-	-	6	108	18	28	9	13	3	6	31	12	251	196	2	7	147	40
Mitchell	161	1	-	1	31	10	8	2	4	1	-	6	2	80	53	4	1	28	20
Montgomery	214	-	-	2	38	16	9	3	4	-	1	5	3	113	91	1	2	70	18
Moore	520	-	1	4	120	30	40	16	11	4	2	17	8	269	173	1	5	132	35
Nash	639	1	-	8	121	38	20	13	11	6	5	28	5	325	241	7	11	171	52
Rocky Mount, part	256	-	-	5	45	19	8	2	5	-	2	9	-	148	106	3	3	79	21
Rocky Mount, total	434	-	-	9	76	26	15	3	11	2	3	16	4	238	171	3	4	124	40
Balance of county	383	1	-	3	76	19	12	11	6	6	3	19	5	177	135	4	8	92	31
New Hanover	938	1	-	7	182	54	40	8	22	4	9	45	8	486	363	3	9	240	111
Wilmington	543	-	-	6	105	38	16	7	10	2	4	28	7	290	224	3	6	150	65
Balance of county	395	1	-	1	77	16	24	1	12	2	5	17	1	196	139	-	3	90	46
Northampton	252	-	-	4	48	13	16	1	8	-	2	8	5	135	104	2	3	82	17
Onslow	447	2	-	5	88	13	38	10	9	5	2	13	3	175	143	2	5	103	33
Jacksonville	131	2	-	-	30	5	12	6	3	-	-	4	-	56	46	2	3	31	10
Balance of county	316	-	-	5	58	8	24	4	6	5	2	9	3	119	97	-	2	72	23
Orange	486	3	-	8	97	20	41	5	11	4	2	14	11	200	154	-	7	109	38
Chapel Hill, part	170	2	-	1	40	7	17	2	4	-	1	9	4	64	43	-	3	28	12
Chapel Hill, total	171	2	-	1	40	7	17	2	4	-	1	9	4	64	43	-	3	28	12
Balance of county	316	1	-	7	57	13	24	3	7	4	1	5	7	136	111	-	4	81	26
Pamlico	98	-	-	-	25	7	5	1	5	-	-	7	-	49	36	-	4	26	6
Pasquotank	282	2	-	2	59	15	12	4	10	3	1	14	3	132	98	1	5	69	23
Elizabeth City	186	1	-	2	39	9	9	3	8	1	-	9	2	87	64	1	5	45	13
Balance of county	96	1	-	-	20	6	3	1	2	2	1	5	1	45	34	-	-	24	10
Pender	184	1	-	2	55	18	8	3	11	1	1	13	2	79	54	-	1	38	15
Perquimans	95	-	-	-	28	5	12	-	4	2	2	3	1	47	36	-	4	23	9
Person	266	-	-	2	64	16	18	3	8	1	3	15	4	133	102	1	9	46	46
Pitt	742	1	-	11	127	32	37	8	16	2	4	28	13	362	267	-	21	182	64
Greenville	268	-	-	7	50	16	12	3	6	-	2	11	1	134	95	-	8	65	22
Balance of county	474	1	-	4	77	16	25	5	10	2	2	17	12	228	172	-	13	117	42
Polk	157	-	-	1	31	9	9	2	5	-	2	4	1	79	54	-	4	41	9

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Carolina—Con.																			
Duplin	2	46	7	3	5	7	1	5	3	-	3	6	3	33	18	15	5	4	-
Durham	4	105	13	7	43	33	4	16	19	-	8	18	9	122	22	36	15	13	1
Chapel Hill, part	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Durham	3	82	11	4	37	25	4	14	15	-	7	15	9	105	15	27	10	11	1
Balance of county	1	23	2	3	6	7	-	2	4	-	1	3	-	17	7	9	5	2	-
Edgecombe	1	55	10	9	11	12	1	9	5	-	5	6	-	50	20	15	8	10	2
Rocky Mount, part	-	22	1	2	3	5	-	3	4	-	2	2	-	11	4	8	2	3	2
Balance of county	1	33	9	7	8	7	1	6	1	-	3	4	-	39	16	7	6	7	-
Forsyth	8	191	15	23	46	60	7	38	22	1	13	12	15	169	59	44	32	20	1
Winston-Salem	6	136	9	14	34	35	5	32	13	1	9	6	12	118	27	35	21	16	-
Balance of county	2	55	6	9	12	25	2	6	9	-	4	6	3	51	32	9	11	4	1
Franklin	3	23	1	3	6	6	1	6	8	-	1	1	3	37	16	12	3	4	2
Gaston	1	101	12	18	34	32	8	19	10	-	9	20	11	111	36	45	23	16	1
Gastonia	1	39	4	9	16	10	3	10	5	-	1	11	3	43	11	13	10	5	-
Balance of county	-	62	8	9	18	22	5	9	5	-	8	9	8	68	25	32	13	11	1
Gates	-	12	-	1	5	1	-	-	-	-	1	-	1	2	5	3	1	-	-
Graham	-	6	-	1	2	-	1	1	-	-	-	-	-	6	2	1	-	-	-
Granville	-	38	2	2	12	8	-	6	3	-	2	6	-	28	15	9	4	3	-
Greene	4	12	3	1	3	3	1	1	-	-	1	3	-	3	2	3	-	1	-
Guilford	16	266	36	25	67	58	11	31	21	-	24	26	20	203	64	77	43	25	3
Greensboro	10	133	23	12	35	26	6	19	13	-	12	13	9	96	25	44	21	12	2
High Point, part	4	81	8	11	20	14	4	8	6	-	5	4	3	59	15	10	10	7	1
High Point, total	4	81	8	11	20	15	4	8	6	-	5	4	3	59	15	10	11	7	1
Balance of county	2	52	5	2	12	18	1	4	2	-	7	9	8	48	24	23	12	6	-
Halifax	4	65	9	2	16	12	-	7	4	-	6	15	6	55	14	17	2	5	-
Roanoke Rapids	2	13	4	-	2	7	-	1	1	-	2	5	1	13	4	4	-	1	-
Balance of county	2	52	5	2	14	5	-	6	3	-	4	10	5	42	10	13	2	4	-
Harnett	5	45	2	11	9	11	2	11	6	-	3	4	1	44	25	15	5	13	-
Haywood	1	52	-	8	18	14	1	6	7	-	2	3	5	26	7	12	7	1	-
Henderson	6	60	14	11	18	23	2	8	2	-	2	5	4	58	17	18	3	5	2
Hertford	-	16	5	3	6	3	-	5	1	-	3	6	1	15	7	5	-	1	1
Hoke	2	13	1	1	3	6	2	5	2	-	1	2	-	7	6	7	3	3	-
Hyde	-	8	-	-	4	-	-	-	1	-	2	2	-	10	3	2	1	2	1
Iredell	3	63	11	8	18	26	1	18	9	-	5	7	2	67	25	21	11	8	2
Statesville	1	14	3	-	7	8	-	5	1	-	2	2	1	38	4	8	1	3	2
Balance of county	2	49	8	8	11	18	1	13	8	-	3	5	1	29	21	13	10	5	-
Jackson	-	16	2	5	9	10	1	2	-	-	1	-	2	16	1	5	3	4	-
Johnston	-	51	5	7	13	20	1	6	5	-	4	5	4	65	25	13	17	10	2
Jones	-	15	-	-	1	5	-	-	2	-	1	3	1	1	2	3	1	-	-
Lee	3	31	6	4	8	10	-	4	3	-	3	7	2	21	9	5	3	6	1
Sanford	2	14	2	3	4	4	-	3	2	-	2	2	-	8	3	2	1	4	1
Balance of county	1	17	4	1	4	6	-	1	1	-	1	5	2	13	6	3	2	2	-
Lenoir	3	78	4	1	19	16	1	8	6	-	3	7	4	47	21	14	8	9	1
Kinston	2	43	3	1	13	11	-	7	4	-	2	6	4	29	9	10	2	2	1
Balance of county	1	35	1	-	6	5	1	1	2	-	1	1	-	18	12	4	6	7	-
Lincoln	1	29	6	2	5	1	2	6	3	-	3	4	-	20	7	5	6	2	1
McDowell	1	25	2	3	12	9	-	3	4	-	-	2	2	22	6	13	1	2	2
Macon	2	19	1	1	10	5	-	3	3	-	-	1	-	14	8	5	3	-	-
Madison	-	18	1	3	5	5	1	2	2	-	-	5	-	21	3	6	2	5	-
Martin	1	19	-	2	4	8	2	2	3	-	6	5	1	27	8	10	2	1	-
Mecklenburg	19	268	25	30	86	71	13	50	38	-	23	41	20	268	94	98	46	58	2
Charlotte	16	229	19	23	72	61	12	46	33	-	20	37	15	219	62	79	39	51	2
Balance of county	3	39	6	7	14	10	1	4	5	-	3	4	5	49	32	19	7	7	-
Mitchell	-	22	2	3	8	5	-	1	3	-	3	-	1	12	5	3	3	1	1
Montgomery	-	19	2	1	8	6	1	2	4	-	3	1	1	12	7	6	4	3	-
Moore	3	75	14	4	9	23	2	12	5	-	-	5	5	33	6	11	3	4	-
Nash	4	70	5	5	20	25	-	12	8	-	5	8	1	44	23	15	8	10	-
Rocky Mount, part	3	34	3	2	6	9	-	4	4	-	1	5	-	18	4	4	1	2	-
Rocky Mount, total	3	56	4	4	9	14	-	7	8	-	3	7	-	29	8	12	3	5	2
Balance of county	1	36	2	3	14	16	-	8	4	-	4	3	1	26	19	11	7	8	-
New Hanover	4	93	17	9	29	31	3	17	6	-	6	9	8	70	19	25	16	13	2
Wilmington	3	50	9	4	19	17	1	6	6	-	4	4	6	35	7	12	6	10	2
Balance of county	1	43	8	5	10	14	2	11	-	-	2	5	2	35	12	13	10	3	-
Northampton	2	27	1	1	8	4	-	-	3	-	1	3	4	28	6	1	2	-	-
Onslow	1	26	2	3	13	11	-	8	6	-	10	17	9	33	15	26	12	11	3
Jacksonville	-	9	-	1	6	1	-	4	3	-	1	-	2	14	1	7	2	1	1
Balance of county	1	17	2	2	7	10	-	4	3	-	9	17	7	19	14	19	10	10	2
Orange	5	30	4	7	18	12	1	7	7	-	2	8	1	55	31	15	4	5	1
Chapel Hill, part	1	13	2	5	2	5	-	2	4	-	1	6	-	22	9	5	1	2	-
Chapel Hill, total	1	13	2	5	2	6	-	2	4	-	1	6	-	22	9	5	1	2	-
Balance of county	4	17	2	2	16	7	1	5	3	-	1	2	1	33	22	10	3	3	1
Pamlico	-	10	1	2	3	2	-	-	-	-	-	1	-	7	4	2	5	-	-
Pasquotank	2	29	3	-	14	8	-	2	7	1	1	2	1	22	7	13	3	3	-
Elizabeth City	2	19	2	-	9	4	-	2	4	1	1	1	1	14	5	9	3	1	-
Balance of county	-	10	1	-	5	4	-	-	3	-	-	1	-	8	2	4	-	2	-
Pender	-	22	3	-	5	8	-	5	1	-	-	1	-	8	10	3	3	-	1
Perquimans	-	9	1	1	2	3	-	1	1	-	-	-	-	8	2	1	-	1	-
Person	1	27	2	1	6	5	1	5	5	-	-	8	-	18	5	3	2	4	1
Pitt	7	67	12	9	31	16	-	5	5	1	4	10	7	78	30	21	9	9	2
Greenville	3	27	5	4	10	6	-	1	4	-	2	4	1	22	13	6	3	4	-
Balance of county	4	40	7	5	21	10	-	4	1	1	2	6	6	56	17	15	6	5	2
Polk	1	20	1	3	6	4	-	1	3	-	-	1	1	16	2	3	5	3	-

NEWARK PUBLIC LIBRARY

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Carolina—Con.																			
Randolph	632	-	-	9	116	28	33	9	10	8	6	21	9	349	253	4	11	189	49
Asheboro	158	-	-	-	35	9	10	2	1	3	1	9	4	87	56	2	2	42	10
High Point, part	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	471	-	-	9	81	20	23	7	9	5	5	12	5	261	196	2	9	146	39
Richmond	449	-	-	1	89	28	22	4	11	4	5	15	7	249	178	2	8	150	18
Robeson	828	1	-	10	143	29	30	8	16	4	6	41	23	405	278	3	13	221	41
Lumberton	197	-	-	-	40	10	10	6	3	-	1	10	7	94	62	-	3	49	10
Balance of county	631	1	-	10	103	19	29	2	13	4	5	31	16	311	216	3	10	172	31
Rockingham	763	-	-	4	138	29	29	12	15	6	7	40	16	382	276	4	7	195	70
Eden	172	-	-	-	35	7	5	3	3	1	4	12	2	81	59	1	2	38	18
Reidsville	165	-	-	2	29	5	8	2	8	-	1	5	5	87	56	2	-	42	12
Balance of county	426	-	-	2	74	17	16	7	4	5	2	23	9	214	161	1	5	115	40
Rowan	1,043	2	-	6	196	46	50	15	29	6	4	46	24	539	391	3	7	306	75
Salisbury	360	1	-	-	68	15	19	5	10	2	1	16	10	180	117	1	4	88	24
Balance of county	683	1	-	6	128	31	31	10	19	4	3	30	14	359	274	2	3	218	51
Rutherford	526	-	-	4	108	28	18	11	12	3	8	28	4	269	190	1	-	141	48
Sampson	513	2	-	4	93	22	30	8	14	2	2	15	11	262	221	-	20	142	59
Scotland	275	-	-	3	49	10	12	5	8	-	2	12	6	124	81	2	10	54	15
Stanly	427	-	-	2	87	23	16	7	11	3	3	24	11	220	164	1	5	126	32
Albemarle	139	-	-	-	27	5	5	3	2	3	-	9	2	76	58	-	-	43	15
Balance of county	288	-	-	2	60	18	11	4	9	-	3	15	9	144	106	1	5	83	17
Stokes	246	-	-	3	44	9	14	5	4	-	5	7	6	112	89	-	3	66	20
Surry	580	-	-	4	108	19	32	7	15	3	3	29	7	307	233	1	3	175	54
Swain	124	-	-	2	28	5	9	2	5	2	1	4	2	53	43	-	3	28	12
Transylvania	191	-	-	1	43	12	14	2	3	1	1	10	2	95	78	1	3	47	27
Tyrrell	39	-	-	-	12	3	2	1	3	1	-	2	1	17	17	-	-	11	6
Union	497	-	-	3	108	21	28	11	16	2	3	27	5	247	176	-	4	132	40
Monroe	148	-	-	2	27	5	7	3	2	-	-	10	1	87	59	-	1	45	13
Balance of county	349	-	-	1	81	16	21	8	14	2	3	17	4	160	117	-	3	87	27
Vance	403	1	-	1	73	20	21	7	10	1	3	11	10	199	157	-	15	88	54
Henderson	220	1	-	1	29	6	11	4	3	-	1	4	6	114	86	-	9	50	27
Balance of county	183	-	-	-	44	14	10	3	7	1	2	7	4	85	71	-	6	38	27
Wake	1,900	1	-	18	414	93	123	39	46	17	15	81	32	844	632	8	36	463	125
Raleigh	1,051	-	-	13	232	57	55	26	25	13	8	48	13	469	334	5	21	235	73
Balance of county	849	1	-	5	182	36	68	13	21	4	7	33	19	375	298	3	15	228	52
Warren	206	-	-	4	35	5	9	3	4	3	1	10	5	97	76	-	7	56	13
Washington	121	-	-	-	25	7	10	1	4	-	-	3	4	62	46	-	3	27	16
Watauga	173	-	-	2	40	8	8	-	8	2	4	10	4	72	55	1	-	41	13
Wayne	863	1	-	10	164	49	39	19	20	6	2	29	12	433	333	-	12	228	93
Goldsboro	348	-	-	7	69	23	15	9	5	5	-	12	6	171	140	-	5	107	28
Balance of county	515	1	-	3	95	26	24	10	15	1	2	17	6	262	193	-	7	121	65
Wilkes	448	-	-	4	77	15	18	7	5	7	7	18	8	235	206	-	11	162	33
Wilson	594	2	1	3	114	21	36	12	19	3	6	17	15	272	188	-	9	129	50
Wilson	354	2	-	3	68	8	20	10	15	2	3	10	8	161	103	-	6	70	27
Balance of county	240	-	1	-	46	13	16	2	4	1	3	7	7	111	85	-	3	59	23
Yadkin	227	-	-	1	40	7	10	2	3	7	4	7	5	114	91	2	4	64	21
Yancey	140	-	-	5	21	6	6	2	5	1	1	-	2	73	53	-	2	37	14
North Dakota	5,452	1	-	32	1,078	344	201	94	114	44	54	227	98	2,771	2,083	18	32	1,550	483
Urban places	1,649	-	-	8	353	118	70	25	25	17	19	79	22	801	587	8	9	454	116
Balance of area	3,803	1	-	24	725	226	131	69	89	27	35	148	76	1,970	1,496	10	23	1,096	367
Metropolitan counties	1,494	-	-	11	323	94	67	25	26	18	20	73	21	738	542	6	11	400	125
Urban places	1,035	-	-	7	225	65	48	20	14	13	14	51	11	503	363	6	4	280	73
Balance of area	459	-	-	4	98	29	19	5	12	5	6	22	10	235	179	-	7	120	52
Nonmetropolitan counties	3,958	1	-	21	755	250	134	69	88	26	34	154	77	2,033	1,541	12	21	1,150	358
Urban places	614	-	-	1	128	53	22	5	11	4	5	28	11	298	224	2	5	174	43
Balance of area	3,344	1	-	20	627	197	112	64	77	22	29	126	66	1,735	1,317	10	16	976	315
Adams	40	-	-	-	10	2	2	-	-	2	-	4	1	16	11	-	-	9	2
Barnes	157	-	-	1	32	12	1	2	5	1	3	8	-	76	60	-	3	30	27
Benson	78	-	-	2	8	1	2	-	1	1	-	3	1	39	28	-	-	23	5
Billings	4	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-
Bottineau	101	-	-	-	17	10	1	1	-	-	2	3	1	53	42	1	-	31	10
Bowman	52	-	-	-	11	3	3	1	2	-	-	2	1	28	18	-	-	16	2
Burke	38	-	-	-	5	2	2	-	-	-	1	-	1	25	23	-	-	16	7
Burleigh	302	-	-	1	74	21	16	3	6	4	9	15	2	144	98	3	1	77	17
Bismarck	261	-	-	1	64	19	14	2	5	4	7	13	2	129	87	3	1	67	16
Balance of county	41	-	-	-	10	2	2	1	1	-	2	2	-	15	11	-	-	10	1
Cass	625	-	-	4	130	34	29	14	9	7	7	30	8	330	235	-	3	177	55
Fargo	428	-	-	2	86	24	19	10	4	4	4	21	5	227	161	-	2	120	39
Balance of county	197	-	-	2	44	10	10	4	5	3	3	9	3	103	74	-	1	57	16
Cavalier	80	-	-	2	18	3	5	1	2	-	-	7	-	39	28	-	-	24	4
Dickey	85	-	-	1	22	7	4	2	2	1	1	5	-	48	34	-	1	28	5
Divide	46	-	-	-	9	2	1	1	3	-	1	1	2	21	14	-	-	11	3
Dunn	39	-	-	-	6	-	1	1	2	-	-	2	1	27	20	2	-	17	1
Eddy	44	-	-	-	12	4	5	1	-	-	-	2	-	21	14	-	-	12	2
Emmons	56	-	-	-	16	6	5	2	1	-	-	2	1	25	14	-	1	5	8
Foster	62	-	-	-	11	5	1	-	1	-	-	4	3	33	21	-	-	12	9
Golden Valley	18	-	-	1	4	2	-	-	1	-	-	1	3	9	7	-	-	4	3
Grand Forks	382	-	-	3	76	27	14	5	6	4	2	18	8	177	146	2	6	97	41
Grand Forks	249	-	-	2	54	18	10	5	4	4	2	11	3	106	86	2	-	70	14
Balance of county	133	-	-	1	22	9	4	-	2	-	-	7	5	71	60	-	6	27	27

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Carolina—Con.																			
Randolph	1	81	4	10	9	18	1	9	4	-	1	1	2	37	27	15	13	11	1
Asheboro	1	26	1	3	1	4	-	1	1	-	1	-	-	11	5	4	1	3	-
High Point, part	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Balance of county	-	55	3	7	8	13	1	8	3	-	-	1	2	26	22	11	11	8	1
Richmond	2	56	9	4	10	16	-	1	5	-	4	7	-	30	10	12	3	5	-
Robeson	8	94	20	5	18	22	2	7	4	-	6	17	13	63	44	24	8	18	-
Lumberton	2	23	6	1	6	8	1	2	3	-	-	2	1	19	2	7	1	4	-
Balance of county	6	71	14	4	12	14	1	5	1	-	6	15	12	44	42	17	7	14	-
Rockingham	5	84	10	7	21	20	3	14	8	1	4	3	12	52	30	35	10	10	-
Eden	3	14	5	-	6	6	1	5	1	-	-	-	4	14	5	7	3	2	-
Reidsville	1	28	1	1	5	5	1	3	5	-	-	-	2	10	5	3	-	3	-
Balance of county	1	42	4	6	10	9	1	6	2	1	4	3	6	28	20	25	7	5	-
Rowan	5	110	25	8	47	28	1	12	13	-	3	9	7	86	26	22	16	5	1
Salisbury	4	41	16	2	25	7	-	7	2	-	-	4	4	36	5	7	4	-	-
Balance of county	1	69	9	6	22	21	1	5	11	-	3	5	3	50	21	15	12	5	1
Rutherford	1	66	8	4	16	18	2	6	6	-	4	7	3	23	24	18	7	6	1
Sampson	-	39	-	2	11	17	-	4	4	1	2	3	9	37	18	22	5	8	-
Scotland	1	31	8	3	5	3	-	3	2	-	1	4	8	30	16	16	1	4	-
Stanly	-	43	9	4	10	12	1	4	7	-	2	3	4	26	13	10	10	4	1
Albemarle	-	14	2	2	2	3	1	2	4	-	1	1	-	5	6	4	3	1	1
Balance of county	-	29	7	2	8	9	-	2	3	-	1	2	4	21	7	6	7	3	-
Stokes	2	18	3	-	11	12	-	-	6	-	3	3	2	21	7	8	7	1	-
Surry	4	48	15	7	20	24	3	6	7	-	2	5	3	32	17	20	12	2	1
Swain	-	6	2	2	11	3	-	-	1	-	-	1	-	13	4	2	1	3	-
Transylvania	-	14	1	2	8	2	2	2	-	-	-	3	1	19	2	7	2	2	-
Tyrrell	-	-	-	-	-	2	-	-	-	-	2	-	-	2	-	3	-	-	-
Union	3	58	8	2	14	10	-	3	11	-	5	8	4	34	26	7	4	7	1
Monroe	2	23	3	-	5	1	-	2	4	-	-	2	1	6	3	1	2	4	-
Balance of county	1	35	5	2	9	9	-	1	7	-	5	6	3	28	23	6	2	3	1
Vance	5	36	1	-	11	10	1	6	3	-	3	10	7	28	12	17	4	7	-
Henderson	3	24	1	-	8	7	1	5	1	-	3	5	5	13	6	12	1	2	-
Balance of county	2	12	-	-	3	3	-	1	2	-	-	5	2	15	6	5	3	5	-
Wake	4	169	24	15	58	64	9	28	15	2	21	28	15	164	59	64	36	26	2
Raleigh	4	109	12	10	31	39	5	18	10	1	10	13	4	106	23	33	16	13	2
Balance of county	-	60	12	5	27	25	4	10	5	1	11	15	11	58	36	31	20	13	-
Warren	1	20	-	-	4	7	1	3	3	-	1	3	1	18	8	10	2	4	-
Washington	4	10	1	1	1	1	2	2	1	-	-	1	1	12	5	2	1	1	-
Watauga	1	12	-	4	4	6	1	2	2	-	-	3	2	21	6	2	6	-	-
Wayne	1	92	7	-	24	22	1	11	11	-	12	6	12	66	27	17	16	15	3
Goldsboro	1	30	-	-	8	10	-	5	6	-	4	4	4	28	5	7	4	10	-
Balance of county	-	62	7	-	16	12	1	6	5	-	8	2	8	38	22	10	12	5	3
Wilkes	-	20	4	5	13	18	2	4	4	-	3	2	2	32	15	13	11	5	-
Wilson	1	69	7	7	19	15	3	5	6	-	2	7	9	66	13	17	11	13	1
Wilson	1	46	6	5	13	10	1	3	5	-	2	4	5	40	6	11	6	5	1
Balance of county	-	23	1	2	6	5	2	2	1	-	-	3	4	26	7	6	5	8	-
Yadkin	1	18	1	3	8	7	-	2	3	-	-	1	-	26	4	10	4	2	-
Yancey	-	19	-	1	4	8	1	3	-	-	3	1	-	9	4	2	2	1	1
North Dakota	21	499	110	58	201	130	25	58	68	-	50	57	72	381	191	157	61	18	3
Urban places	6	162	28	18	53	39	8	19	11	-	24	26	28	132	50	48	20	6	1
Balance of area	15	337	82	40	148	91	17	39	57	-	26	31	44	249	141	109	41	12	2
Metropolitan counties	5	157	24	10	47	33	7	19	11	-	26	27	21	102	45	38	19	4	2
Urban places	3	116	13	8	36	25	6	13	6	-	21	20	13	77	26	26	15	4	1
Balance of area	2	41	11	2	11	8	1	6	5	-	5	7	8	25	19	12	4	-	1
Nonmetropolitan counties	16	342	86	48	154	97	18	39	57	-	24	30	51	279	146	119	42	14	1
Urban places	3	46	15	10	17	14	2	6	5	-	3	6	15	55	24	22	5	2	-
Balance of area	13	296	71	38	137	83	16	33	52	-	21	24	36	224	122	97	37	12	1
Adams	-	4	1	-	2	3	-	-	-	-	-	-	2	4	1	1	-	-	-
Barnes	-	12	2	2	10	3	1	-	5	-	1	-	-	19	5	1	2	1	-
Benson	1	8	1	1	4	3	-	1	1	-	1	2	-	1	9	2	3	1	-
Billings	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Bottineau	-	10	1	-	10	2	-	2	1	-	-	-	4	6	4	1	-	-	-
Bowman	-	9	1	-	1	1	-	-	1	-	-	1	-	4	2	2	-	-	-
Burke	-	1	-	1	-	-	1	1	-	-	-	-	1	4	-	-	-	-	-
Burleigh	1	38	4	3	9	8	3	4	-	-	5	6	3	19	7	11	6	-	-
Bismarck	1	35	3	3	8	5	2	3	-	-	4	6	2	15	6	8	6	-	-
Balance of county	-	3	1	-	1	3	1	1	-	-	1	-	1	4	1	3	-	-	-
Cass	2	77	13	3	19	12	1	7	5	-	11	9	9	43	15	10	10	1	1
Fargo	1	57	5	3	14	9	1	5	1	-	9	7	6	31	8	8	7	1	1
Balance of county	1	20	8	-	5	3	-	2	4	-	2	2	3	12	7	2	3	-	-
Cavalier	-	8	2	1	4	3	-	1	1	-	-	-	-	3	3	6	-	-	-
Dickey	1	6	4	3	1	2	-	-	-	-	-	-	-	4	-	4	3	-	-
Divide	-	6	-	1	-	2	-	-	1	-	1	-	2	4	3	1	-	-	-
Dunn	1	4	2	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-
Eddy	-	7	-	-	3	3	-	-	1	-	1	1	1	1	-	-	-	-	-
Emmons	-	2	8	1	2	2	1	1	2	-	1	-	-	3	1	1	-	-	-
Foster	-	6	5	1	2	1	-	-	4	-	-	-	2	3	1	2	-	-	-
Golden Valley	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Grand Forks	2	24	3	2	13	9	3	6	5	-	7	9	4	25	18	13	2	3	1
Grand Forks	1	16	2	1	11	7	3	4	4	-	6	5	2	21	10	7	1	3	-
Balance of county	1	8	1	1	2	2	-	2	1	-	1	4	2	4	8	6	1	-	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
North Dakota—Con.																			
Grant	21	-	-	-	5	2	2	-	1	-	-	-	1	12	9	-	-	7	2
Griggs	48	-	-	-	8	2	1	2	1	-	-	2	2	28	24	-	-	10	14
Hettinger	34	-	-	-	8	1	-	-	2	1	1	3	-	16	11	-	1	8	2
Kidder	31	-	-	-	9	5	4	-	-	-	-	-	1	15	13	-	-	7	6
La Moure	68	-	-	-	12	3	3	1	2	-	-	3	1	40	35	-	-	30	5
Logan	33	-	-	1	3	3	-	-	-	-	-	-	2	18	16	-	-	14	2
McHenry	73	-	-	-	24	7	3	3	3	-	1	7	2	38	27	1	-	17	9
McIntosh	62	-	-	3	13	5	1	1	1	2	1	2	1	33	24	-	-	11	13
McKenzie	55	-	-	-	9	2	1	2	1	1	1	1	3	26	21	-	-	13	8
McLean	125	-	-	1	23	4	8	1	4	2	1	3	3	63	52	-	1	45	6
Mercer	83	-	-	-	16	5	2	3	-	1	2	3	-	20	14	-	-	13	1
Morton	185	-	-	3	43	12	8	3	5	3	2	10	3	87	63	1	1	49	12
Mandan	97	-	-	2	21	4	5	3	1	1	1	6	1	41	29	1	1	23	4
Balance of county	88	-	-	1	22	8	3	-	4	2	1	4	2	46	34	-	-	26	8
Mountrail	99	-	-	-	20	5	6	1	3	-	-	5	3	42	24	-	1	19	4
Nelson	91	-	-	1	11	3	1	2	4	-	-	1	-	53	46	-	-	31	15
Oliver	14	-	-	-	1	1	-	-	-	-	-	-	-	4	4	-	-	4	-
Pembina	109	-	-	-	20	10	2	2	2	1	1	2	3	62	39	-	-	30	9
Pierce	54	-	-	1	12	5	2	2	1	-	1	1	3	23	19	-	-	14	5
Ramsey	157	-	-	1	31	10	6	4	4	2	-	5	-	85	66	1	1	54	10
Ransom	103	-	-	-	21	9	2	3	2	1	-	4	1	55	46	-	-	42	4
Renville	23	-	-	-	5	-	1	-	1	-	1	2	-	13	10	-	-	8	2
Richland	161	-	-	-	26	7	4	3	3	3	2	4	2	99	74	1	-	58	15
Rolette	116	-	-	-	16	8	3	-	-	1	1	3	8	55	47	1	-	31	15
Sargent	57	-	-	1	4	-	-	-	1	-	1	2	-	39	27	1	-	22	4
Sheridan	27	-	-	-	5	2	3	-	-	-	-	-	-	14	11	-	-	11	-
Sioux	43	-	-	-	7	1	1	2	1	-	-	2	1	14	13	-	-	4	9
Slope	5	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-
Stark	156	-	-	-	23	4	6	2	3	1	-	7	5	77	52	-	1	44	7
Dickinson	93	-	-	-	18	3	6	2	1	1	-	5	4	42	24	-	1	20	3
Balance of county	63	-	-	-	5	1	-	-	2	-	-	2	1	35	28	-	-	24	4
Steele	38	-	-	-	5	4	-	-	1	-	-	-	2	17	11	-	-	6	5
Stutsman	215	-	-	-	42	21	4	2	5	-	4	6	2	118	92	-	-	78	14
Jamestown	152	-	-	-	31	20	3	-	2	-	2	4	2	83	65	-	-	57	8
Balance of county	63	-	-	-	11	1	1	2	3	-	2	2	-	35	27	-	-	21	6
Towner	53	-	-	-	13	2	2	2	5	-	-	2	2	31	26	-	1	14	11
Traill	107	-	-	-	20	5	4	3	2	-	-	6	1	62	40	2	4	29	5
Walsh	182	1	-	2	29	13	5	4	2	-	1	4	1	93	78	-	1	66	11
Ward	344	-	-	2	77	25	15	5	10	3	1	18	8	156	121	2	5	82	32
Minot	250	-	-	1	58	19	10	2	8	3	1	15	4	114	89	2	4	60	23
Balance of county	94	-	-	1	19	6	5	3	2	-	-	3	4	42	32	-	1	22	9
Wells	95	-	-	-	24	5	4	4	2	2	3	4	2	54	38	-	-	26	12
Williams	196	-	-	1	32	12	5	3	1	-	3	8	2	93	74	-	-	61	13
Williston	119	-	-	-	21	11	3	1	-	-	2	4	1	59	46	-	-	37	9
Balance of county	77	-	-	1	11	1	2	2	1	-	1	4	1	34	28	-	-	24	4
Ohio	96,487	68	12	721	20,903	5,426	5,743	2,016	2,293	918	821	3,686	2,018	48,959	38,328	379	1,372	29,198	7,379
Urban places	57,800	47	8	466	12,576	3,323	3,476	1,254	1,368	521	497	2,137	1,224	28,992	22,680	232	922	17,077	4,449
Balance of area	38,687	21	4	255	8,327	2,103	2,267	762	925	397	324	1,549	794	19,967	15,648	147	450	12,121	2,930
Metropolitan counties	76,871	63	11	601	16,935	4,406	4,691	1,658	1,836	739	669	2,936	1,584	38,443	30,118	301	1,164	22,695	5,958
Urban places	51,522	47	7	433	11,307	2,988	3,148	1,124	1,215	476	450	1,906	1,065	25,599	20,046	208	848	14,994	3,996
Balance of area	25,349	16	4	168	5,628	1,418	1,543	534	621	263	219	1,030	519	12,844	10,072	93	316	7,701	1,962
Nonmetropolitan counties	19,616	5	1	120	3,968	1,020	1,052	358	457	179	152	750	434	10,516	8,210	78	208	6,503	1,421
Urban places	6,278	-	1	33	1,269	335	328	130	153	45	47	231	159	3,393	2,634	24	74	2,083	453
Balance of area	13,338	5	-	87	2,699	685	724	226	304	134	105	519	275	7,123	5,576	54	134	4,420	968
Adams	279	-	-	1	43	11	13	2	8	-	3	6	3	165	130	-	5	99	26
Allen	986	3	-	6	207	52	[illegible]	16	24	11	10	36	13	530	410	7	11	250	142
Lima	547	2	-	4	114	27	30	13	15	5	5	19	3	291	230	1	6	142	81
Balance of county	439	1	-	2	93	25	26	5	9	6	5	17	10	239	180	6	5	108	61
Ashland	381	1	-	1	79	23	19	6	9	5	1	16	10	201	163	5	4	103	51
Ashland	186	-	-	1	33	11	11	1	2	1	1	6	5	106	87	2	2	50	33
Balance of county	195	1	-	-	46	12	8	5	7	4	-	10	5	95	76	3	2	53	18
Ashtabula	954	-	-	11	221	69	57	20	27	6	5	37	21	500	414	4	4	324	82
Ashtabula	250	-	-	3	60	17	23	2	5	-	1	12	5	128	111	1	3	83	24
Conneaut	152	-	-	3	32	10	6	4	2	3	-	7	7	74	64	-	-	53	11
Balance of county	552	-	-	5	129	42	28	14	20	3	4	18	9	298	239	3	1	188	47
Athens	468	-	-	4	116	28	34	6	12	3	6	27	8	233	179	3	3	141	32
Athens	88	-	-	-	24	5	8	3	4	-	-	4	2	43	29	-	1	19	9
Balance of county	380	-	-	4	92	23	26	3	8	3	6	23	6	190	150	3	2	122	23
Auglaize	397	-	-	1	77	14	20	10	9	5	4	15	11	209	163	1	9	132	21
Belmont	906	-	-	5	214	55	64	24	22	7	7	35	26	464	365	1	5	317	42
Martins Ferry	131	-	-	1	31	7	9	5	3	1	-	6	-	68	54	-	-	44	10
Balance of county	775	-	-	4	183	48	55	19	19	6	7	29	26	396	311	1	5	273	32
Brown	298	-	-	2	56	11	12	8	5	4	2	14	4	168	134	1	10	102	21
Butler	1,990	1	-	12	424	107	135	36	32	22	16	76	39	995	773	6	47	565	155
Fairfield	162	1	-	2	32	5	12	3	-	4	1	7	8	74	58	-	3	43	12
Hamilton	675	-	-	3	145	38	46	15	16	6	6	18	10	354	281	1	23	214	43
Middletown	475	-	-	6	110	31	32	10	7	5	1	24	8	224	166	1	9	115	41
Oxford	54	-	-	1	8	2	-	2	2	-	1	1	2	25	19	1	-	15	3
Balance of county	624	-	-	-	129	31	45	6	7	7	7	26	11	318	249	3	12	178	56

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Dakota—Con.																			
Grant	-	2	-	1	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Griggs	-	4	-	-	1	-	-	-	2	-	-	-	-	4	-	3	-	-	-
Hettinger	-	4	-	1	1	2	-	-	1	-	-	-	1	2	3	-	-	-	-
Kidder	-	1	-	1	2	-	-	-	1	-	-	-	1	-	1	1	-	-	-
La Moure	-	1	2	2	1	3	1	-	1	-	-	3	-	3	1	2	-	-	-
Logan	-	1	-	1	1	-	-	1	-	-	-	1	-	3	1	2	-	-	-
McHenry	1	9	-	1	1	1	-	1	-	-	-	-	-	4	1	-	1	-	-
McIntosh	-	6	3	-	4	-	1	-	-	-	-	-	-	4	1	1	-	1	-
McKenzie	-	3	1	1	1	2	-	2	-	-	-	1	-	3	2	4	2	-	-
McLean	-	10	-	1	3	4	-	-	-	-	1	3	2	10	3	7	-	2	-
Mercer	1	2	1	2	6	1	1	3	-	-	1	1	1	5	3	4	1	-	-
Morton	-	18	4	2	6	4	-	2	1	-	3	3	5	15	5	4	1	-	-
Mandan	-	8	3	1	3	4	-	1	1	-	2	2	3	10	2	3	1	-	-
Balance of county	-	10	1	1	3	-	-	1	-	-	1	1	2	5	3	1	-	-	-
Mountrail	1	11	4	2	6	1	-	3	2	-	1	1	2	11	5	2	-	-	-
Nelson	-	5	2	-	4	4	-	1	-	-	1	-	-	7	5	2	1	1	-
Oliver	-	-	-	-	-	2	-	1	1	-	-	-	-	2	2	1	-	-	-
Pembina	-	18	4	1	3	3	-	-	2	-	1	-	1	8	5	1	-	-	-
Pierce	-	3	1	-	3	1	-	-	2	-	1	-	1	1	2	2	2	-	-
Ramsey	-	15	4	-	9	5	-	1	-	-	-	3	2	12	1	2	3	2	-
Ransom	-	8	1	-	3	1	3	-	2	-	1	1	1	6	1	5	2	-	-
Renville	-	3	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	-	-
Richland	1	18	2	4	6	3	4	1	4	-	1	-	-	7	5	2	1	-	-
Rolette	-	6	1	1	1	4	-	1	1	-	2	1	4	7	10	3	2	1	-
Sargent	2	7	2	1	1	2	1	-	3	-	-	-	1	4	-	1	-	-	-
Sheridan	-	2	-	1	-	1	-	-	-	-	-	-	-	3	3	1	-	-	-
Sioux	-	1	-	-	1	-	-	3	-	-	2	-	1	3	2	5	1	2	1
Slope	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Stark	1	17	5	2	2	4	-	2	1	-	2	2	-	14	14	4	4	2	-
Dickinson	1	10	5	2	1	1	-	1	1	-	2	1	-	11	8	2	-	1	-
Balance of county	-	7	-	-	1	3	-	1	-	-	-	1	-	3	6	2	4	1	-
Steele	-	6	-	-	3	1	-	1	2	-	-	-	-	5	2	-	-	-	-
Stutsman	-	16	7	3	8	6	-	2	3	-	-	1	4	16	8	4	1	-	-
Jamestown	-	12	4	2	6	4	-	1	2	-	-	1	3	12	4	3	-	-	-
Balance of county	-	4	3	1	2	2	-	1	1	-	-	-	1	4	4	1	1	-	-
Towner	-	4	1	-	1	1	1	1	-	-	1	-	-	1	1	-	-	-	-
Traill	-	17	5	-	9	-	-	1	1	-	-	-	-	7	2	3	1	-	-
Walsh	-	13	2	-	13	3	-	2	4	-	-	-	4	20	7	2	1	-	-
Ward	3	20	7	5	8	10	2	3	1	-	2	5	11	34	10	11	4	-	-
Minot	2	14	5	4	6	7	2	2	-	-	-	3	10	26	7	6	4	-	-
Balance of county	1	6	2	1	2	3	-	1	1	-	2	2	1	8	3	5	-	-	-
Wells	3	9	1	3	1	1	-	-	2	-	-	1	-	5	3	2	-	-	-
Williams	-	13	3	3	11	3	1	2	3	-	2	1	2	10	10	17	5	1	-
Williston	-	10	1	2	4	2	-	2	2	-	1	1	2	6	5	11	1	1	-
Balance of county	-	3	2	1	7	1	1	-	1	-	1	-	-	4	5	6	4	-	-
Ohio	359	7,794	1,441	1,037	2,258	2,869	294	1,221	899	17	669	1,079	1,635	6,907	1,854	1,914	1,317	796	77
Urban places	234	4,621	838	619	1,363	1,717	175	837	554	11	359	688	1,091	4,248	838	1,136	776	640	54
Balance of area	125	3,173	603	418	895	1,152	119	384	345	6	310	391	544	2,659	1,016	778	541	156	23
Metropolitan counties	285	6,146	1,069	825	1,804	2,267	244	1,053	709	13	525	892	1,399	5,578	1,402	1,475	1,075	735	63
Urban places	206	4,089	711	547	1,207	1,512	166	776	498	10	325	625	1,013	3,815	742	1,009	699	616	51
Balance of area	79	2,057	358	278	597	755	78	277	211	3	200	267	386	1,763	660	466	376	119	12
Nonmetropolitan counties	74	1,648	372	212	454	602	50	168	190	4	144	187	236	1,329	452	439	242	61	14
Urban places	28	532	127	72	156	205	9	61	56	1	34	63	78	433	96	127	77	24	3
Balance of area	46	1,116	245	140	298	397	41	107	134	3	110	124	158	896	356	312	165	37	11
Adams	-	27	5	3	8	4	-	3	5	1	1	4	2	17	5	12	5	-	-
Allen	3	73	25	19	21	32	3	7	8	1	11	11	6	63	17	15	22	10	-
Lima	1	36	14	10	15	17	1	3	3	1	8	4	5	36	10	7	13	10	-
Balance of county	2	37	11	9	6	15	2	4	5	-	3	7	1	27	7	8	9	-	-
Ashland	1	28	6	3	12	13	2	4	3	-	1	5	1	29	9	5	5	-	-
Ashland	-	14	3	2	7	9	2	-	1	-	-	2	-	16	3	-	1	-	-
Balance of county	1	14	3	1	5	4	-	4	2	-	1	3	1	13	6	5	4	-	-
Ashtabula	-	57	16	13	12	23	2	11	8	-	5	9	9	64	24	19	10	5	-
Ashtabula	-	9	5	3	2	6	1	3	2	-	-	6	4	17	5	2	3	3	-
Conneaut	-	5	3	2	2	3	-	2	-	-	1	1	1	15	2	4	4	1	-
Balance of county	-	43	8	8	8	14	1	6	6	-	4	2	4	32	17	13	3	1	-
Athens	2	29	17	6	12	16	1	4	3	-	-	5	15	26	7	14	4	-	-
Athens	1	8	4	1	3	2	1	-	-	-	-	1	2	7	2	1	-	-	-
Balance of county	1	21	13	5	9	14	-	4	3	-	-	4	13	19	5	13	4	-	-
Auglaize	-	32	13	1	7	13	2	3	-	-	7	4	3	36	12	5	4	2	1
Belmont	2	78	4	15	30	26	2	9	12	-	5	12	20	49	6	16	7	2	1
Martins Ferry	-	12	-	2	8	7	-	-	5	-	-	2	2	4	-	1	-	1	1
Balance of county	2	66	4	13	22	19	2	9	7	-	5	10	18	45	6	15	7	1	-
Brown	-	28	4	2	11	5	-	2	5	-	6	2	1	11	11	9	3	2	-
Butler	9	148	43	22	54	69	7	33	18	-	22	24	26	117	53	43	32	19	2
Fairfield	-	11	3	2	3	1	-	1	-	-	2	5	2	14	7	5	5	-	-
Hamilton	4	45	11	13	22	18	2	14	2	-	7	7	6	37	15	16	5	11	1
Middletown	3	36	15	4	10	19	3	11	8	-	4	5	11	30	3	13	7	3	-
Oxford	-	6	-	-	2	4	-	1	-	-	-	1	1	4	3	-	1	1	-
Balance of county	2	50	14	3	17	27	2	6	8	-	9	6	6	32	25	9	14	4	1

NEWARK PUBLIC LIBRARY

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con																			
Carroll	231	-	-	-	45	11	13	5	4	1	2	9	5	121	95	3	13	61	18
Champaign	298	-	-	1	61	15	15	3	12	-	-	16	2	166	134	2	2	115	15
Urbana	122	-	-	1	24	5	3	-	8	-	-	8	-	67	56	-	1	46	9
Balance of county	176	-	-	-	37	10	12	3	4	-	-	8	2	99	78	2	1	69	6
Clark	1,443	1	-	9	295	88	82	22	37	16	10	40	36	755	546	3	19	416	108
Springfield	912	1	-	5	197	55	60	11	29	11	5	26	23	458	344	2	12	254	66
Balance of county	531	-	-	4	98	33	22	11	8	5	5	14	13	297	202	1	7	152	42
Clermont	860	1	2	7	207	56	71	13	21	10	9	27	17	362	295	5	11	220	59
Clinton	359	-	1	4	80	26	16	6	10	4	2	16	3	175	128	3	10	88	27
Wilmington	125	-	1	-	31	12	6	2	7	2	-	2	1	58	43	1	2	30	10
Balance of county	234	-	-	4	49	14	10	4	3	2	2	14	2	117	85	2	8	58	17
Columbiana	1,170	-	-	9	233	52	66	27	27	14	9	38	26	640	517	2	14	459	42
East Liverpool	291	-	-	3	58	11	16	12	6	2	2	9	5	161	138	-	4	128	6
Salem	132	-	-	1	36	5	11	6	2	2	2	8	1	62	45	-	2	40	3
Balance of county	747	-	-	5	139	36	39	9	19	10	5	21	20	417	334	2	8	291	33
Coshocton	354	-	-	4	68	16	14	4	8	1	6	19	8	201	165	4	4	129	28
Coshocton	166	-	-	2	27	8	4	2	4	1	3	5	4	98	77	2	3	62	10
Balance of county	188	-	-	2	41	8	10	2	4	-	3	14	4	103	88	2	1	67	18
Crawford	475	-	-	1	102	33	22	8	14	4	3	18	13	255	189	3	10	144	32
Bucyrus	152	-	-	1	35	13	8	1	6	2	1	4	2	70	53	-	2	42	9
Galion	133	-	-	-	24	7	3	4	4	-	2	4	4	77	60	2	2	44	12
Balance of county	190	-	-	-	43	13	11	3	4	2	-	10	7	108	76	1	6	58	11
Cuyahoga	15,750	14	2	143	3,556	966	953	355	384	159	145	594	327	7,776	6,144	78	290	4,829	947
Bay Village	114	-	-	1	30	8	9	-	3	-	4	6	-	64	53	1	5	43	4
Bedford	166	-	-	1	35	8	8	5	3	3	-	8	3	87	70	2	-	63	5
Bedford Heights	113	-	-	1	23	6	5	4	4	1	-	3	2	68	52	2	3	40	7
Berea	187	1	-	1	36	6	10	8	3	1	1	7	4	101	79	1	3	65	10
Broadview Heights	62	-	-	-	20	7	5	3	1	-	1	3	1	32	27	1	1	20	5
Brooklyn	142	-	-	1	44	7	18	3	5	1	1	9	1	66	56	1	2	46	7
Brook Park	137	-	-	1	32	4	10	2	4	3	2	7	5	61	48	-	-	40	8
Cleveland	7,079	9	-	88	1,521	404	454	122	175	66	57	243	161	3,326	2,655	26	153	2,053	423
Cleveland Heights	564	1	-	4	110	40	23	9	14	1	2	21	9	295	236	1	6	180	49
East Cleveland	322	1	-	4	73	25	20	12	4	2	2	8	11	144	105	1	8	73	23
Euclid	693	-	-	5	160	48	40	9	19	7	5	32	14	342	279	2	11	215	51
Fairview Park	211	-	1	3	55	10	14	8	6	5	3	9	4	108	80	5	4	61	10
Garfield Heights	392	-	-	1	88	9	29	7	8	8	7	20	12	206	165	-	13	133	19
Lakewood	677	1	1	2	151	42	38	20	14	6	3	28	12	339	259	5	10	218	26
Lyndhurst	158	-	-	-	49	19	8	6	3	2	3	8	2	79	67	-	1	53	13
Maple Heights	307	-	-	-	64	17	12	6	6	8	5	10	4	179	140	3	5	100	32
Mayfield Heights	316	-	-	2	90	26	22	9	12	6	2	13	3	170	142	1	6	109	26
Middleburg Heights	107	-	-	-	28	8	6	4	3	-	1	6	3	58	55	-	-	48	7
North Olmsted	246	-	-	1	63	15	11	9	12	1	4	11	2	122	92	2	1	77	12
North Royalton	113	-	-	-	31	5	8	5	3	1	1	8	1	59	36	-	4	29	3
Parma	834	-	-	6	213	67	49	27	18	8	7	37	26	419	330	9	10	265	46
Parma Heights	275	-	-	3	63	22	17	7	5	1	2	9	4	153	111	1	5	88	17
Rocky River	275	-	-	2	71	20	21	6	8	3	2	11	1	141	104	1	6	86	11
Seven Hills	108	-	-	-	28	8	6	3	2	2	2	5	2	54	40	-	2	35	3
Shaker Heights	297	1	-	7	83	20	21	12	12	2	7	9	2	141	107	3	6	82	16
Solon	99	-	-	1	21	2	8	2	1	3	1	4	1	49	39	-	-	31	8
South Euclid	289	-	-	2	63	15	21	5	3	5	5	9	3	164	135	3	6	106	20
Strongsville	145	-	-	1	37	12	8	6	4	-	3	4	11	58	46	-	2	35	9
University Heights	124	-	-	-	23	6	2	6	1	2	2	4	2	62	50	-	2	46	2
Warrensville Heights	116	-	-	-	32	7	13	3	3	2	-	4	-	54	42	2	2	32	6
Westlake	179	-	-	2	34	11	8	4	3	1	2	5	6	102	71	-	2	58	11
Balance of county	903	-	-	3	185	62	29	23	22	8	8	33	15	473	373	5	11	299	58
Darke	488	-	-	4	94	29	18	16	12	4	1	14	5	283	226	-	2	193	31
Greenville	193	-	-	2	33	12	6	7	4	1	-	3	2	120	93	-	1	75	17
Balance of county	295	-	-	2	61	17	12	9	8	3	1	11	3	163	133	-	1	118	14
Defiance	288	1	-	1	56	11	14	9	7	1	2	12	9	152	116	-	3	89	24
Defiance	145	-	-	1	30	6	7	4	6	-	1	6	4	69	57	-	2	40	15
Balance of county	143	1	-	-	26	5	7	5	1	1	1	6	5	83	59	-	1	49	9
Delaware	387	1	-	2	67	19	12	8	8	3	1	16	6	204	148	1	3	102	42
Delaware	171	-	-	-	20	5	2	4	1	1	1	6	3	92	59	-	1	40	18
Westerville, part	9	-	-	-	3	2	-	-	-	-	-	1	1	4	4	-	-	3	1
Balance of county	207	1	-	2	44	12	10	4	7	2	-	9	2	108	85	1	2	59	23
Erie	719	-	-	5	153	40	36	16	14	6	5	36	14	317	234	1	7	168	58
Sandusky	369	-	-	2	78	17	22	7	6	2	5	19	9	170	126	1	6	85	34
Balance of county	350	-	-	3	75	23	14	9	8	4	-	17	5	147	108	-	1	83	24
Fairfield	745	1	1	9	157	41	41	14	13	7	6	35	15	377	285	2	11	204	68
Lancaster	349	1	1	4	72	21	20	6	3	5	2	15	5	190	141	-	5	97	39
Balance of county	396	-	-	5	85	20	21	8	10	2	4	20	10	187	144	2	6	107	29
Fayette	296	-	-	-	68	11	24	7	7	-	3	16	9	152	102	1	3	91	7
Washington	182	-	-	-	35	6	12	5	5	-	1	6	6	97	66	1	2	61	2
Balance of county	114	-	-	-	33	5	12	2	2	-	2	10	3	55	36	-	1	30	5
Franklin	6,860	1	-	85	1,528	374	449	143	155	56	66	285	123	3,169	2,442	17	94	1,622	709
Bexley	110	-	-	3	21	6	7	3	1	-	-	4	3	55	44	-	1	28	15
Columbus	4,788	1	-	55	1,057	269	320	96	100	38	38	196	94	2,167	1,669	10	79	1,059	521
Gahanna	93	-	-	-	28	5	6	5	4	1	4	3	1	42	35	-	-	27	8
Grove City	122	-	-	1	28	6	10	2	2	1	-	7	-	63	46	1	2	35	8
Reynoldsburg, part	119	-	-	3	21	3	4	3	1	2	5	3	2	60	48	-	1	34	13
Reynoldsburg, total	121	-	-	3	22	4	4	3	1	2	5	3	2	60	48	-	1	34	13
Upper Arlington	328	-	-	3	74	19	16	7	9	3	5	15	6	167	110	1	3	88	18
Westerville, part	135	-	-	2	26	3	6	4	6	-	2	5	-	75	62	1	-	48	13
Westerville, total	144	-	-	2	29	5	6	4	6	-	2	6	1	79	66	1	-	51	14
Whitehall	125	-	-	5	32	8	14	2	2	1	1	4	1	59	49	-	2	36	11
Worthington	109	-	-	1	21	6	4	3	3	-	-	5	1	57	41	1	2	30	8
Balance of county	931	-	-	12	220	49	62	18	27	10	11	43	15	424	338	3	4	237	94

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Carroll	-	20	4	2	8	7	-	4	6	-	2	2	1	14	11	4	1	-	-
Champaign	2	25	5	-	5	9	2	5	5	-	-	2	1	18	9	7	3	1	1
Urbana	1	8	2	-	2	6	1	3	4	-	-	1	1	7	1	3	-	-	1
Balance of county	1	17	3	-	3	3	1	2	1	-	-	1	-	11	8	4	3	1	-
Clark	6	163	28	12	35	52	9	15	14	-	12	12	8	105	34	21	20	9	1
Springfield	6	83	17	8	23	40	7	11	8	-	9	8	7	69	14	12	12	7	1
Balance of county	-	80	11	4	12	12	2	4	6	-	3	4	1	36	20	9	8	2	-
Clermont	3	51	4	9	40	38	5	8	8	-	6	14	2	69	36	18	14	5	1
Clinton	4	32	5	6	9	12	3	1	4	-	3	7	4	32	6	8	5	2	-
Wilmington	1	12	1	1	3	4	-	1	2	-	1	3	1	10	2	5	1	1	-
Balance of county	3	20	4	5	6	8	3	-	2	-	2	4	3	22	4	3	4	1	-
Columbiana	2	88	21	12	17	38	2	12	15	-	9	8	8	84	35	21	11	2	-
East Liverpool	-	17	3	3	6	13	-	1	2	-	-	3	3	25	3	6	1	1	-
Salem	1	13	1	2	2	3	1	5	1	-	2	1	2	10	-	4	1	-	-
Balance of county	1	58	17	7	9	22	1	6	12	-	7	4	3	49	32	11	9	1	-
Coshocton	1	27	4	4	7	16	-	3	1	-	3	2	2	18	4	12	2	2	1
Coshocton	1	15	1	4	3	10	-	2	-	-	1	-	-	10	2	4	1	1	1
Balance of county	-	12	3	-	4	6	-	1	1	-	2	2	2	8	2	8	1	1	-
Crawford	5	41	12	8	8	14	-	5	3	-	7	6	2	30	12	10	5	2	-
Bucyrus	-	10	6	1	3	7	-	4	1	-	4	5	-	15	2	2	1	-	-
Galion	2	12	2	1	4	2	-	1	1	-	1	-	-	7	4	5	2	1	-
Balance of county	3	19	4	6	1	5	-	-	1	-	2	1	2	8	6	3	2	1	-
Cuyahoga	70	1,207	191	164	320	415	50	269	181	3	93	206	67	1,251	203	359	240	261	14
Bay Village	-	9	-	2	2	2	-	2	1	-	-	-	-	4	2	5	1	-	-
Bedford	-	12	4	1	4	5	-	1	1	-	-	-	1	12	2	5	8	1	-
Bedford Heights	-	12	3	1	-	1	-	4	4	-	-	1	1	4	2	2	-	-	-
Berea	1	17	4	-	5	4	-	1	-	-	3	3	2	16	3	2	5	-	-
Broadview Heights	1	2	2	-	-	-	1	2	-	-	-	-	-	3	1	1	1	-	-
Brooklyn	-	6	-	4	3	4	-	3	-	-	-	4	1	8	1	1	2	3	-
Brook Park	-	8	4	1	2	5	-	-	-	-	2	1	1	16	3	3	3	2	-
Cleveland	43	489	75	64	124	185	25	160	84	2	52	135	29	573	92	186	113	204	10
Cleveland Heights	-	41	11	7	18	13	3	6	9	-	3	5	6	48	5	18	4	6	1
East Cleveland	-	23	11	5	6	11	-	3	4	-	1	7	1	35	4	4	3	9	1
Euclid	-	50	7	6	19	24	3	11	9	1	5	9	2	49	9	18	12	1	-
Fairview Park	-	20	2	6	8	5	1	2	1	-	-	2	1	11	5	2	1	1	-
Garfield Heights	-	32	4	5	9	10	-	6	6	-	3	4	-	22	4	9	7	5	-
Lakewood	2	64	7	7	17	27	5	15	5	-	3	3	-	56	9	15	14	2	-
Lyndhurst	-	10	1	1	3	4	-	2	1	-	-	1	1	13	-	2	1	-	-
Maple Heights	1	28	5	5	5	7	-	3	4	-	-	1	2	27	1	6	3	1	-
Mayfield Heights	-	27	-	1	6	6	3	2	2	-	2	-	2	21	2	2	3	-	-
Middleburg Heights	-	2	1	-	-	2	-	1	2	-	1	-	-	10	-	1	1	-	-
North Olmsted	3	21	3	3	6	13	-	2	2	-	3	6	1	18	1	2	3	1	-
North Royalton	-	13	7	3	3	3	-	-	-	-	-	-	1	7	5	-	2	1	-
Parma	5	66	8	10	13	17	3	12	10	-	4	5	4	64	12	18	7	1	-
Parma Heights	3	30	3	6	3	8	1	2	2	-	1	1	2	16	4	2	6	4	-
Rocky River	2	29	2	4	3	14	1	4	2	-	-	1	-	24	-	5	5	1	-
Seven Hills	1	6	3	4	3	3	-	1	2	-	-	1	1	8	1	2	-	2	-
Shaker Heights	-	28	4	2	8	4	-	1	3	-	-	1	1	26	5	5	4	5	-
Solon	2	7	1	-	4	2	-	2	2	-	2	2	-	7	2	2	1	1	-
South Euclid	1	25	3	-	9	2	-	2	4	-	-	1	-	24	3	6	6	-	-
Strongsville	1	10	1	-	1	3	1	6	2	-	2	1	1	6	2	5	5	3	-
University Heights	1	9	-	2	5	7	1	1	3	-	-	3	-	11	-	3	1	-	2
Warrensville Heights	-	9	1	2	-	3	-	6	-	-	2	1	-	10	2	3	2	1	-
Westlake	1	24	2	4	2	2	-	1	2	-	1	-	-	17	2	7	1	-	-
Balance of county	2	78	12	8	29	19	2	5	14	-	3	7	6	85	19	17	15	6	-
Darke	4	43	5	5	7	17	-	2	5	-	2	4	6	31	14	4	8	1	1
Greenville	3	19	2	3	5	4	-	-	1	-	-	2	2	18	-	2	2	-	-
Balance of county	1	24	3	2	2	13	-	2	4	-	2	2	4	13	14	2	6	1	1
Defiance	1	29	2	4	8	13	-	1	3	1	2	-	-	23	10	5	2	-	1
Defiance	-	9	1	2	5	9	-	-	2	1	-	-	-	11	7	3	2	-	1
Balance of county	1	20	1	2	3	4		1	1	-	2	-	-	12	3	2	-	-	-
Delaware	-	49	5	2	12	16	1	7	4	-	3	2	8	25	13	7	8	1	-
Delaware	-	29	3	1	9	8	1	6	1	-	3	-	4	9	7	4	4	-	-
Westerville, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of county	-	20	2	1	3	8	-	1	3	-	-	2	4	15	6	3	4	1	-
Erie	1	64	13	5	16	20	2	8	16	-	6	11	63	50	9	16	10	3	-
Sandusky	1	36	5	2	7	7	1	2	8	-	2	7	36	23	5	9	1	2	-
Balance of county	-	28	8	3	9	13	1	6	8	-	4	4	27	27	4	7	9	1	-
Fairfield	5	61	16	10	24	15	2	10	3	-	5	6	5	69	19	15	4	7	1
Lancaster	4	29	9	7	11	5	-	7	1	-	2	3	3	28	5	7	-	3	1
Balance of county	1	32	7	3	13	10	2	3	2	-	3	3	2	41	14	8	4	4	-
Fayette	2	42	2	4	8	9	2	2	1	-	2	3	2	20	6	6	3	3	-
Washington	2	24	1	4	5	6	-	1	-	-	1	1	-	15	6	4	2	3	-
Balance of county	-	18	1	-	3	3	2	1	1	-	1	2	2	5	-	2	1	-	-
Franklin	22	544	86	75	172	229	26	89	65	-	46	89	274	545	116	131	108	62	2
Bexley	-	9	1	1	4	3	1	2	-	-	-	-	2	12	-	3	1	-	-
Columbus	14	374	59	51	130	162	20	71	45	-	36	65	215	381	78	83	69	58	1
Gahanna	-	6	1	-	-	1	-	-	2	-	1	1	1	11	2	2	1	-	-
Grove City	-	14	2	1	3	4	2	1	2	-	-	2	2	5	3	3	3	-	-
Reynoldsburg, part	1	10	1	-	-	2	-	-	1	-	-	4	2	11	6	1	6	-	-
Reynoldsburg, total	1	10	1	-	-	3	-	-	1	-	-	4	2	11	6	1	6	-	-
Upper Arlington	2	37	11	7	9	10	1	3	1	-	-	2	6	31	1	9	5	-	-
Westerville, part	-	8	2	3	5	2	-	-	2	-	1	1	3	8	3	3	4	-	-
Westerville, total	-	8	2	3	5	2	-	-	2	-	1	1	3	9	3	3	4	-	-
Whitehall	1	6	-	3	2	3	-	2	-	-	-	1	6	8	2	3	1	-	-
Worthington	-	12	3	1	4	4	-	-	-	-	-	2	2	8	1	4	4	-	-
Balance of county	4	68	6	8	15	38	2	10	12	-	8	11	35	70	20	20	14	4	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Fulton	296	-	-	3	55	11	15	6	6	6	2	9	10	163	124	-	3	106	15
Gallia	282	-	-	1	55	7	17	7	6	5	1	12	4	154	130	-	2	108	20
Geauga	476	-	-	3	111	30	29	8	14	6	3	21	7	229	168	3	5	139	21
Greene	769	1	-	4	193	58	46	22	20	5	10	32	11	372	276	4	7	209	56
Fairborn	174	-	-	2	42	14	9	5	5	1	4	4	3	67	56	1	1	43	11
Xenia	209	-	-	1	47	12	15	8	3	2	4	3	4	114	78	1	2	56	19
Balance of county	386	1	-	1	104	32	22	9	12	2	2	25	4	191	142	2	4	110	26
Guernsey	442	-	-	4	91	24	24	6	12	6	4	15	13	231	192	2	6	160	24
Cambridge	190	-	-	-	29	10	5	3	2	1	1	7	11	100	83	-	1	69	13
Balance of county	252	-	-	4	62	14	19	3	10	5	3	8	2	131	109	2	5	91	11
Hamilton	8,375	9	3	79	1,997	515	563	221	219	103	64	312	134	4,134	3,389	26	212	2,498	653
Cheviot	127	-	-	1	24	8	5	5	1	2	-	3	5	71	59	1	3	48	7
Cincinnati	4,651	6	3	46	1,074	287	302	118	125	52	35	155	72	2,297	1,906	14	141	1,378	373
Forest Park	81	-	-	-	26	8	4	3	5	1	-	5	5	30	22	1	4	13	4
North College Hill	110	-	-	1	19	5	4	3	2	-	3	2	3	62	55	-	1	33	21
Norwood	319	-	-	3	71	18	19	9	9	-	1	15	5	160	133	1	3	111	18
Reading	94	1	-	1	23	7	6	2	2	2	1	3	3	36	29	-	1	19	9
Sharonville	55	-	-	2	19	6	3	4	1	-	1	4	-	18	16	-	1	13	2
Balance of county	2,938	2	-	25	741	176	220	77	74	46	23	125	41	1,460	1,169	9	58	883	219
Hancock	506	-	-	2	103	28	22	16	15	4	4	14	19	255	187	2	3	149	33
Findlay	338	-	-	2	67	17	11	12	11	4	4	8	12	173	123	2	1	103	17
Fostoria, part	25	-	-	-	4	1	1	1	1	-	-	-	2	15	13	-	1	10	2
Balance of county	143	-	-	-	32	10	10	3	3	-	-	6	5	67	51	-	1	36	14
Hardin	290	-	-	3	56	13	15	7	6	4	3	8	8	155	114	-	1	95	18
Harrison	178	-	-	-	38	6	12	3	4	3	-	10	3	100	83	-	2	72	9
Henry	297	-	-	-	62	16	15	7	5	5	2	12	5	156	109	1	3	81	24
Highland	312	-	-	2	57	15	13	4	12	2	3	8	6	182	143	1	4	103	35
Hocking	224	-	-	2	50	10	15	3	7	3	1	11	6	96	77	1	2	56	18
Holmes	192	-	-	-	30	4	9	6	1	2	2	6	6	104	93	1	2	69	21
Huron	457	-	-	4	102	28	30	7	6	6	4	21	12	242	194	1	4	137	52
Norwalk	128	-	-	1	22	5	8	2	2	1	-	4	4	75	54	1	1	42	10
Balance of county	329	-	-	3	80	23	22	5	4	5	4	17	8	167	140	-	3	95	42
Jackson	358	-	-	1	53	14	12	4	8	1	-	14	2	218	176	2	2	159	13
Jefferson	978	-	-	9	225	49	69	19	34	11	7	36	22	513	411	5	8	259	139
Steubenville	396	-	-	5	78	16	23	7	9	5	2	16	5	220	172	4	5	97	66
Balance of county	582	-	-	4	147	33	46	12	25	6	5	20	17	293	239	1	3	162	73
Knox	448	-	-	3	73	24	22	5	7	4	4	7	10	279	193	-	6	162	25
Mount Vernon	231	-	-	-	33	8	11	3	3	1	2	5	1	163	111	-	4	94	13
Balance of county	217	-	-	3	40	16	11	2	4	3	2	2	9	116	82	-	2	68	12
Lake	1,494	-	-	4	379	93	89	44	40	20	9	84	33	714	545	7	25	409	104
Eastlake	141	-	-	1	33	9	10	2	2	-	-	10	3	62	51	1	-	41	9
Mentor	256	-	-	1	63	12	15	14	9	4	-	9	5	127	94	4	4	68	18
Painesville	184	-	-	-	38	7	4	8	3	2	4	10	4	91	66	-	4	52	10
Wickliffe	149	-	-	-	34	10	5	5	5	1	1	7	3	84	66	-	2	51	13
Willoughby	159	-	-	1	37	11	13	1	1	2	1	8	9	77	62	-	8	40	14
Willowick	138	-	-	-	47	17	7	2	4	2	1	14	4	55	41	-	1	30	10
Balance of county	467	-	-	1	127	27	35	12	16	9	2	26	5	218	165	2	6	127	30
Lawrence	622	2	-	5	118	32	29	12	12	6	4	23	25	324	268	-	8	193	67
Ironton	193	-	-	1	38	10	7	6	6	3	-	6	11	110	90	-	2	67	21
Balance of county	429	2	-	4	80	22	22	6	6	3	4	17	14	214	178	-	6	126	46
Licking	1,030	-	-	5	246	58	73	33	24	8	3	47	12	540	409	2	7	330	70
Newark	513	-	-	1	121	34	34	22	10	6	-	15	6	274	202	1	3	161	37
Reynoldsburg, part	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	515	-	-	4	124	23	39	11	14	2	3	32	6	266	207	1	4	169	33
Logan	380	-	-	3	90	26	31	3	6	4	6	14	6	199	138	2	2	113	21
Bellefontaine	128	-	-	1	31	9	8	1	1	2	3	7	2	65	44	2	1	38	3
Balance of county	252	-	-	2	59	17	23	2	5	2	3	7	4	134	94	-	1	75	18
Lorain	1,878	-	-	13	414	114	115	36	49	19	16	65	34	897	723	10	16	602	95
Avon Lake	67	-	-	-	14	3	6	1	1	-	1	2	2	31	21	-	-	20	1
Elyria	438	-	-	4	93	29	18	4	18	4	5	15	10	200	162	2	4	128	28
Lorain	602	-	-	3	131	37	40	10	13	7	5	19	13	295	243	4	8	206	25
North Ridgeville	88	-	-	-	27	5	7	3	4	2	-	6	-	36	25	2	-	22	1
Balance of county	683	-	-	6	149	40	44	18	13	6	5	23	9	335	272	2	4	226	40
Lucas	4,794	7	-	34	1,018	270	297	86	110	40	43	172	120	2,528	1,945	19	60	1,542	324
Maumee	111	-	-	1	23	3	6	5	4	1	2	2	2	55	45	1	2	31	11
Oregon	167	1	-	1	39	13	11	1	2	1	1	10	-	94	76	1	3	65	7
Sylvania	115	-	-	3	23	8	4	3	1	-	3	4	1	61	47	-	-	42	5
Toledo	3,875	4	-	23	824	223	242	68	92	33	33	133	108	2,035	1,548	12	49	1,218	269
Balance of county	526	2	-	6	109	23	34	9	11	5	4	23	9	283	229	5	6	186	32
Madison	275	-	-	1	44	15	13	4	1	-	1	10	9	144	99	1	1	90	7
Mahoning	3,083	3	2	29	632	179	166	54	74	24	31	104	96	1,676	1,287	12	22	1,023	230
Alliance, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Campbell	122	1	-	-	30	11	8	1	-	-	3	7	5	67	51	1	-	43	7
Struthers	144	-	-	-	37	13	9	1	2	1	2	9	4	76	56	1	1	44	10
Youngstown, part	1,526	-	1	17	283	77	76	28	38	9	10	45	54	812	622	7	15	487	113
Youngstown, total	1,529	-	1	17	283	77	76	28	38	9	10	45	54	814	623	7	15	487	114
Balance of county	1,291	2	1	12	282	78	73	24	34	14	16	43	33	721	558	3	6	449	100
Marion	600	-	-	3	119	32	36	12	11	4	7	17	16	299	219	6	6	176	31
Marion	375	-	-	2	76	24	22	9	6	1	5	9	12	181	124	2	2	101	19
Balance of county	225	-	-	1	43	8	14	3	5	3	2	8	4	118	95	4	4	75	12

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Fulton	1	29	6	3	6	8	2	2	1	-	6	1	-	17	13	5	3	1	-
Gallia	2	17	3	2	9	8	-	2	-	-	1	-	2	21	8	11	2	3	1
Geauga	1	49	9	2	11	11	1	3	2	-	5	13	5	38	21	8	7	1	-
Greene	6	62	22	6	11	19	2	15	7	-	5	7	15	44	26	16	11	8	2
Fairborn	-	7	2	2	2	6	-	5	1	-	1	4	8	14	9	6	3	1	-
Xenia	1	22	11	2	2	4	2	4	-	-	1	-	2	13	8	2	4	1	-
Balance of county	5	33	9	2	7	9	-	6	6	-	3	3	5	17	9	8	4	6	2
Guernsey	3	27	6	3	16	21	2	4	5	-	5	6	6	24	4	5	5	-	-
Cambridge	2	13	2	-	9	10	1	1	4	-	2	1	3	11	1	4	3	-	-
Balance of county	1	14	4	3	7	11	1	3	1	-	3	5	3	13	3	1	2	-	-
Hamilton	16	570	79	80	248	231	32	106	56	2	58	83	27	670	134	170	124	65	13
Cheviot	-	8	4	-	1	4	-	2	-	-	-	1	-	13	2	2	1	-	-
Cincinnati	7	304	39	41	142	118	20	59	34	1	31	43	17	389	67	108	63	52	9
Forest Park	-	8	-	-	3	1	-	1	-	-	1	2	-	3	6	3	-	-	-
North College Hill	-	6	1	-	5	2	1	-	2	-	-	1	-	11	1	2	-	-	-
Norwood	-	20	3	4	9	15	1	3	2	-	-	5	2	22	4	7	8	-	2
Reading	-	4	-	3	3	1	-	2	1	-	1	3	1	10	1	2	3	2	-
Sharonville	-	1	1	-	1	3	-	1	-	-	1	-	-	4	2	-	1	2	1
Balance of county	9	219	31	32	84	87	10	38	17	1	24	28	7	218	51	46	48	9	1
Hancock	2	53	11	2	12	17	2	6	8	-	2	8	5	36	7	18	5	1	-
Findlay	2	39	7	2	6	12	-	5	5	-	2	7	3	22	6	11	5	-	-
Fostoria, part	-	2	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
Balance of county	-	12	4	-	6	5	2	1	3	-	-	1	1	12	-	7	-	1	-
Hardin	1	34	4	2	3	5	2	1	8	-	2	6	1	26	7	3	4	-	-
Harrison	-	14	2	1	3	9	-	-	2	-	1	4	1	9	2	3	2	1	-
Henry	-	38	8	1	4	13	3	5	3	-	1	2	1	15	13	7	6	1	-
Highland	2	23	12	2	6	13	-	2	-	1	4	4	1	19	7	5	1	1	1
Hocking	-	15	1	3	4	10	-	1	1	-	1	1	12	24	4	7	5	-	-
Holmes	-	11	-	-	8	6	3	1	2	-	2	2	4	14	7	2	1	-	-
Huron	2	29	13	4	7	12	-	1	4	-	1	7	5	25	14	13	4	3	1
Norwalk	1	15	4	1	2	2	-	1	1	-	-	2	2	9	2	2	1	1	1
Bajance of county	1	14	9	3	5	10	-	-	3	-	1	5	3	16	12	11	3	2	-
Jackson	-	28	8	6	12	9	1	2	3	1	1	4	3	34	4	6	3	1	-
Jefferson	4	87	5	6	15	30	4	14	10	-	3	8	7	71	10	20	10	5	2
Steubenville	3	39	2	4	10	12	1	8	5	-	2	4	3	27	3	7	3	2	1
Balance of county	1	48	3	2	5	18	3	6	5	-	1	4	4	44	7	13	7	3	1
Knox	2	57	18	9	11	7	-	4	3	-	1	2	1	32	4	11	7	-	-
Mount Vernon	1	36	10	5	7	5	-	3	1	-	-	1	-	13	-	2	2	-	-
Balance of county	1	21	8	4	4	2	-	1	2	-	1	1	1	19	4	9	5	-	-
Lake	7	122	24	16	28	33	6	28	14	-	15	28	28	88	38	24	24	9	1
Eastlake	-	9	2	-	1	2	-	3	1	-	4	2	6	7	6	2	3	5	-
Mentor	4	22	3	4	2	7	-	6	4	-	4	3	3	17	8	3	2	1	-
Painesville	-	20	2	3	4	4	-	2	3	-	1	5	5	12	4	6	4	1	-
Wickliffe	-	11	4	3	1	4	-	5	2	-	2	3	1	6	1	-	3	-	-
Willoughby	-	9	4	2	3	4	2	1	2	-	2	4	1	10	1	2	3	-	-
Willowick	1	11	-	2	4	6	1	3	1	-	-	2	1	4	2	3	2	2	1
Balance of county	2	40	9	2	13	6	3	8	1	-	2	9	11	32	16	8	7	-	-
Lawrence	2	39	9	6	7	24	2	5	7	-	9	4	5	43	11	13	12	6	-
Ironton	2	10	4	4	2	5	-	1	1	-	1	2	1	9	2	4	3	2	-
Balance of county	-	29	5	2	5	19	2	4	6	-	8	2	4	34	9	9	9	4	-
Licking	2	97	18	14	21	45	1	13	3	-	8	6	7	72	26	13	11	1	-
Newark	1	56	8	7	11	17	1	7	2	-	3	1	2	39	14	7	7	-	-
Reynoldsburg, part	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	41	10	7	10	27	-	6	1	-	5	5	5	33	12	6	4	1	-
Logan	1	43	8	9	8	16	-	2	3	-	1	3	-	27	6	12	3	1	-
Bellefontaine	-	17	2	2	1	7	-	-	1	-	1	-	-	13	-	4	2	-	-
Balance of county	1	26	6	7	7	9	-	2	2	-	-	3	-	14	6	8	1	1	-
Lorain	8	126	16	24	37	59	1	35	24	-	10	47	40	124	51	39	41	9	3
Avon Lake	-	7	2	1	2	4	-	-	1	-	-	-	2	8	2	-	1	-	-
Elyria	2	28	4	4	17	18	-	11	6	-	2	14	9	17	12	10	10	5	-
Lorain	2	38	5	7	8	18	-	11	6	-	3	12	14	42	11	17	14	2	2
North Ridgeville	2	6	1	2	-	3	-	1	2	-	2	3	1	5	5	1	-	1	1
Balance of county	2	47	4	10	10	16	1	12	9	-	3	18	14	52	21	11	16	1	-
Lucas	16	451	59	57	109	150	19	79	45	1	28	36	20	318	57	93	68	62	2
Maumee	-	8	1	1	4	1	-	-	3	-	-	1	-	10	5	-	4	2	-
Oregon	-	16	2	-	2	9	1	1	1	-	-	-	-	12	3	2	1	-	-
Sylvania	-	13	-	1	9	3	-	3	-	-	-	2	-	5	1	-	2	2	-
Toledo	14	371	55	47	80	116	15	67	35	1	25	31	18	256	43	82	56	54	2
Balance of county	2	43	1	8	14	21	3	8	6	-	3	2	2	35	5	9	5	4	-
Madison	-	39	5	1	3	6	-	4	4	1	-	3	2	21	14	15	4	-	-
Mahoning	5	292	68	24	56	66	11	38	23	-	18	36	19	209	48	47	30	41	3
Alliance, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Campbell	-	10	4	2	1	2	-	1	-	-	-	1	1	8	-	1	2	1	1
Struthers	-	15	5	-	1	3	-	1	3	-	1	-	1	13	1	1	2	-	-
Youngstown, part	4	143	32	11	32	32	4	18	13	-	8	25	8	116	20	31	13	37	2
Youngstown, total	4	144	32	11	32	32	4	18	13	-	8	25	8	116	21	31	13	37	2
Balance of county	1	124	27	11	22	29	7	18	7	-	9	10	9	72	27	14	13	3	-
Marion	2	61	13	4	17	24	2	7	8	-	4	4	5	51	15	14	8	4	-
Marion	1	41	11	4	11	19	1	5	5	-	3	4	2	32	8	7	4	3	-
Balance of county	1	20	2	-	6	5	1	2	3	-	1	-	3	19	7	7	4	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con																			
Medina	706	-	-	2	147	39	42	16	11	7	4	28	13	372	294	6	7	196	85
Brunswick	122	-	-	-	34	12	12	4	1	1	1	3	4	54	43	-	1	31	11
Medina	135	-	-	-	21	7	5	2	-	2	-	5	3	76	59	2	1	42	14
Wadsworth	154	-	-	2	35	11	7	3	4	1	2	7	4	76	60	1	-	34	25
Balance of county	295	-	-	-	57	9	18	7	6	3	1	13	2	166	132	3	5	89	35
Meigs	245	-	-	1	45	9	15	8	7	-	-	6	1	143	109	1	1	88	19
Mercer	304	1	-	1	57	19	15	7	4	2	2	8	8	166	122	4	2	101	15
Miami	755	-	-	1	180	48	40	18	25	8	10	31	21	376	295	3	10	214	68
Piqua	215	-	-	-	53	15	7	5	6	4	5	11	10	103	80	1	4	60	15
Troy	186	-	-	1	47	11	14	6	5	2	1	8	3	93	72	-	4	45	23
Balance of county	354	-	-	-	80	22	19	7	14	2	4	12	8	180	143	2	2	109	30
Monroe	162	-	-	-	27	6	7	-	4	4	1	5	-	92	74	-	-	59	15
Montgomery	4,820	3	-	35	1,079	281	320	112	97	42	45	182	76	2,391	1,885	21	66	1,262	536
Centerville	94	-	-	-	21	4	5	-	4	1	1	6	4	48	31	2	-	19	10
Dayton	2,168	3	-	17	461	129	148	45	37	15	21	66	33	1,067	843	9	36	540	258
Kettering	491	-	-	3	124	22	38	18	11	8	2	25	7	243	195	1	4	143	47
Miamisburg	113	-	-	-	28	8	8	4	4	-	2	2	1	59	43	-	1	29	13
Oakwood	99	-	-	-	27	4	10	2	4	1	2	4	2	50	36	-	2	22	12
Vandalia	74	-	-	2	18	8	6	-	2	-	-	2	3	31	27	-	1	14	12
West Carrollton	62	-	-	-	14	1	4	3	-	1	2	3	-	30	25	1	-	17	7
Balance of county	1,719	-	-	13	386	105	101	40	35	16	15	74	26	863	685	8	22	478	177
Morgan	152	-	-	1	32	9	8	3	4	3	2	3	1	86	66	1	2	54	9
Morrow	196	-	-	-	44	14	16	-	3	1	2	8	8	100	82	-	1	70	11
Muskingum	815	-	-	8	174	36	64	14	22	4	3	31	14	446	337	3	10	261	63
Zanesville	442	-	-	3	98	21	33	7	17	1	-	19	8	236	186	1	6	140	39
Balance of county	373	-	-	5	76	15	31	7	5	3	3	12	6	210	151	2	4	121	24
Noble	129	-	-	-	26	6	2	3	3	3	-	9	3	69	54	-	-	48	6
Ottawa	384	-	-	2	82	21	21	11	13	3	1	12	10	199	163	3	7	129	24
Paulding	168	-	-	2	35	6	16	1	4	1	2	5	4	78	63	-	2	51	10
Perry	295	-	-	2	57	11	18	6	5	5	2	10	7	159	125	3	3	99	20
Pickaway	348	2	-	1	62	15	15	8	9	3	3	9	9	197	150	-	3	105	42
Circleville	148	2	-	-	22	4	7	2	3	1	1	4	2	91	69	-	2	49	18
Balance of county	200	-	-	1	40	11	8	6	6	2	2	5	7	106	81	-	1	56	24
Pike	241	1	-	1	35	6	10	1	5	-	1	12	5	118	99	1	3	82	13
Portage	876	-	-	3	184	40	51	14	25	7	9	38	14	442	348	2	11	275	60
Kent	155	-	-	-	29	10	9	3	1	1	-	5	1	93	63	1	3	50	9
Ravenna	138	-	-	1	33	6	10	2	4	2	-	9	-	70	50	-	-	45	5
Balance of county	583	-	-	2	122	24	32	9	20	4	9	24	13	279	235	1	8	180	46
Preble	290	-	-	4	57	15	14	6	7	2	2	11	7	154	116	-	3	94	19
Putnam	265	-	-	1	57	17	16	8	2	3	1	10	10	138	105	1	3	81	20
Richland	1,065	2	-	5	205	47	69	21	18	7	11	32	29	572	427	2	13	356	56
Mansfield	575	1	-	4	109	19	37	13	14	1	8	17	17	303	225	2	7	195	21
Balance of county	490	1	-	1	96	28	32	8	4	6	3	15	12	269	202	-	6	161	35
Ross	613	1	-	4	130	32	33	9	20	6	5	25	18	331	261	1	6	204	50
Chillicothe	293	-	-	1	70	19	18	4	9	4	3	13	10	158	130	1	5	100	24
Balance of county	320	1	-	3	60	13	15	5	11	2	2	12	8	173	131	-	1	104	26
Sandusky	564	-	-	2	110	37	25	6	13	3	6	20	14	319	270	1	4	218	47
Fremont	205	-	-	-	39	9	14	2	4	-	1	9	7	121	107	-	1	88	18
Balance of county	359	-	-	2	71	28	11	4	9	3	5	11	7	198	163	1	3	130	29
Scioto	955	-	-	1	195	44	41	18	30	11	14	37	30	508	438	4	6	345	83
Portsmouth	410	-	-	-	83	19	12	10	16	6	4	16	10	225	188	3	1	150	34
Balance of county	545	-	-	1	112	25	29	8	14	5	10	21	20	283	250	1	5	195	49
Seneca	568	-	-	-	111	30	18	14	12	8	4	25	8	332	270	2	8	221	39
Fostoria, part	149	-	-	-	23	5	3	3	2	4	1	5	5	83	68	1	1	57	9
Fostoria, total	182	-	-	-	28	6	4	4	3	4	1	6	9	101	83	1	2	68	12
Tiffin	190	-	-	-	43	15	10	4	4	2	1	7	-	118	93	-	4	73	16
Balance of county	229	-	-	-	45	10	5	7	6	2	2	13	3	131	109	1	3	91	14
Shelby	324	-	-	3	59	15	22	3	3	-	5	11	6	179	122	-	2	103	17
Sidney	157	-	-	1	31	11	11	1	1	-	2	5	5	81	55	-	-	47	8
Balance of county	167	-	-	2	28	4	11	2	2	-	3	6	1	98	67	-	2	56	9
Stark	3,388	2	-	12	704	169	193	70	74	24	31	143	83	1,757	1,397	9	59	1,114	215
Alliance, part	287	-	-	1	57	15	16	7	7	-	1	11	15	155	116	-	3	94	19
Alliance, total	287	-	-	1	57	15	16	7	7	-	1	11	15	155	116	-	3	94	19
Canton	1,109	1	-	2	224	49	64	19	25	9	10	48	28	585	465	2	21	371	71
Massillon	339	-	-	1	70	21	18	10	6	-	2	13	2	187	152	3	6	116	27
North Canton	120	-	-	-	24	9	4	1	1	1	1	7	1	68	55	1	1	43	10
Balance of county	1,533	1	-	8	329	75	91	33	35	14	17	64	37	762	609	3	28	490	88
Summit	4,747	6	1	42	988	242	261	97	123	38	43	184	94	2,181	1,680	27	51	1,255	347
Akron	2,517	5	-	25	487	116	123	54	65	21	22	86	40	1,141	873	17	28	634	194
Barberton	320	-	-	2	83	23	31	7	4	2	2	14	8	152	125	2	2	94	27
Cuyahoga Falls	396	-	-	5	79	23	17	3	12	4	5	15	7	200	160	3	5	131	21
Norton	95	-	-	-	23	2	8	2	4	1	3	3	3	47	38	-	-	32	6
Stow	131	-	-	2	33	9	10	1	2	-	1	10	3	53	32	2	1	22	7
Tallmadge	107	-	-	-	25	9	5	2	6	-	-	3	1	50	42	-	2	29	11
Balance of county	1,181	1	1	8	258	60	67	28	30	10	10	53	32	538	410	3	13	313	81
Trumbull	2,075	2	-	13	482	130	117	52	53	26	21	83	42	1,097	887	7	13	683	184
Girard	136	-	-	-	39	8	13	8	3	3	1	3	4	65	48	1	1	40	6
Niles	222	1	-	-	45	14	9	4	4	4	2	8	3	120	103	-	-	77	26
Warren	660	-	-	5	161	54	38	15	17	7	10	20	13	349	292	3	7	228	54
Youngstown, part	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1
Balance of county	1,054	1	-	8	237	54	57	25	29	12	8	52	22	561	443	3	5	338	97
Tuscarawas	831	-	-	8	166	48	43	8	24	6	3	34	24	459	353	1	11	292	49
Dover	112	-	-	-	19	6	5	1	3	1	-	3	4	64	50	-	2	43	5
New Philadelphia	168	-	-	3	34	7	10	2	4	-	-	11	7	99	76	-	5	60	11
Balance of county	551	-	-	5	113	35	28	5	17	5	3	20	13	296	227	1	4	189	33
Union	251	-	-	4	49	12	9	5	5	3	4	11	4	131	87	-	3	73	11

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con																			
Medina	1	52	11	14	19	11	-	9	13	-	3	10	22	29	15	19	19	3	-
Brunswick	-	9	1	1	5	1	-	2	1	-	-	4	3	6	1	4	3	-	-
Medina	1	11	4	1	3	1	-	1	4	-	2	1	3	9	1	2	6	2	-
Wadsworth	-	13	-	3	7	2	-	3	4	-	-	-	7	5	3	4	2	-	-
Balance of county	-	19	6	9	4	7	-	3	4	-	1	5	9	9	10	9	8	1	-
Meigs	1	24	9	-	6	5	3	4	1	-	1	2	1	21	3	6	2	-	-
Mercer	1	34	6	3	6	10	1	2	1	-	5	4	2	25	2	7	4	1	1
Miami	2	64	11	4	20	19	3	12	12	1	2	8	3	47	18	20	8	3	1
Piqua	1	20	2	-	3	6	-	5	5	1	2	2	1	13	6	5	-	-	-
Troy	1	13	6	1	5	7	1	2	2	-	-	3	1	9	3	5	2	1	1
Balance of county	-	31	3	3	12	6	2	5	5	-	-	3	1	25	9	10	6	2	-
Monroe	1	14	2	1	3	2	1	1	3	-	-	2	1	18	3	2	5	-	2
Montgomery	21	368	63	54	124	159	12	66	39	1	29	63	121	338	80	65	59	78	2
Centerville	1	10	3	3	-	5	-	1	2	-	-	1	2	5	4	1	-	-	-
Dayton	9	164	28	23	65	71	6	30	23	1	10	24	60	162	23	37	18	56	1
Kettering	2	32	8	6	8	24	2	9	4	-	3	4	9	35	3	4	6	3	-
Miamisburg	-	15	1	-	3	-	-	2	2	-	-	-	3	8	3	2	-	1	1
Oakwood	-	13	-	1	6	3	-	1	1	-	-	-	-	6	1	-	2	-	-
Vandalia	-	2	2	-	1	3	-	-	-	-	-	2	2	8	2	-	2	-	-
West Carrollton	-	3	1	1	2	2	-	-	-	-	-	1	3	4	3	-	2	1	-
Balance of county	9	129	20	20	39	51	4	23	7	-	16	31	42	110	41	21	29	17	-
Morgan	-	15	4	1	10	3	-	-	-	-	-	1	2	7	5	2	2	-	-
Morrow	2	12	3	1	5	3	-	1	4	-	3	1	1	11	5	7	2	1	-
Muskingum	5	72	21	11	27	22	3	6	6	-	7	6	4	48	12	18	14	-	-
Zanesville	3	33	9	5	17	14	1	4	5	-	3	3	3	26	5	10	6	-	-
Balance of county	2	39	12	6	10	8	2	2	1	-	4	3	1	22	7	8	8	-	-
Noble	1	13	-	1	6	-	-	1	1	-	-	1	2	3	10	4	3	-	-
Ottawa	1	27	1	7	9	10	2	5	1	-	3	3	8	19	12	12	4	3	-
Paulding	1	10	2	2	3	7	1	2	2	-	3	3	3	11	9	3	1	1	-
Perry	4	22	6	2	9	9	-	3	1	-	2	4	3	20	6	7	4	1	1
Pickaway	1	36	6	4	3	12	1	3	2	-	1	2	8	27	4	8	5	1	-
Circleville	1	17	3	1	2	3	1	-	2	-	-	1	2	13	1	5	1	-	-
Balance of county	-	19	3	3	1	9	-	3	-	-	1	1	6	14	3	3	4	1	-
Pike	-	16	2	1	5	5	1	1	1	-	3	4	2	39	5	11	4	-	-
Portage	3	65	16	10	17	20	3	8	6	-	9	8	18	65	23	28	17	10	1
Kent	1	21	6	2	5	1	1	-	-	-	-	1	2	11	1	6	3	1	-
Ravenna	1	17	1	1	2	6	1	1	-	-	2	3	4	5	3	6	1	-	-
Balance of county	1	27	9	7	10	13	1	7	6	-	7	4	12	49	19	16	13	9	1
Preble	1	23	9	5	5	12	1	1	2	-	1	-	1	26	10	4	3	2	-
Putnam	1	21	7	4	12	6	-	1	3	-	-	3	-	20	4	7	3	-	-
Richland	2	97	32	14	20	30	4	14	3	2	9	10	7	81	29	18	15	9	1
Mansfield	1	49	22	6	10	17	3	10	2	1	4	5	2	54	9	9	9	6	-
Balance of county	1	48	10	8	10	13	1	4	1	1	5	5	5	27	20	9	6	3	1
Ross	2	49	12	7	13	18	2	13	3	-	4	8	6	34	12	9	6	1	-
Chillicothe	-	20	8	-	7	8	-	7	1	-	3	2	2	16	2	1	4	1	-
Balance of county	2	29	4	7	6	10	2	6	2	-	1	6	4	18	10	8	2	-	-
Sandusky	2	34	5	8	9	12	1	2	3	-	5	5	3	45	15	10	6	2	1
Fremont	1	8	1	4	4	3	-	1	-	-	-	1	1	18	3	3	3	1	-
Balance of county	1	26	4	4	5	9	1	1	3	-	5	4	2	27	12	7	3	1	1
Scioto	-	49	10	11	23	35	2	10	7	-	7	3	9	57	21	27	11	8	1
Portsmouth	-	26	7	4	14	16	-	4	4	-	1	2	3	26	5	7	6	4	-
Balance of county	-	23	3	7	9	19	2	6	3	-	6	1	6	31	16	20	5	4	1
Seneca	4	40	9	9	12	16	-	4	2	-	4	6	2	31	18	17	4	1	-
Fostoria, part	2	10	3	-	5	6	-	-	1	-	1	4	2	7	6	3	2	1	-
Fostoria, total	2	12	3	1	5	6	-	-	1	-	1	4	3	9	7	4	2	1	1
Tiffin	-	14	5	6	5	5	-	2	-	-	1	2	-	4	1	9	-	-	-
Balance of county	2	16	1	3	2	5	-	2	1	-	2	-	-	20	11	5	2	-	-
Shelby	1	33	20	3	7	5	1	1	4	-	5	2	3	25	12	4	8	-	-
Sidney	1	17	7	1	3	2	-	-	3	-	2	1	2	13	5	3	5	-	-
Balance of county	-	16	13	2	4	3	1	1	1	-	3	1	1	12	7	1	3	-	-
Stark	14	271	33	42	88	136	10	32	23	1	23	31	20	255	77	65	53	15	1
Alliance, part	4	21	7	7	2	10	1	3	1	-	1	6	-	18	8	4	4	1	-
Alliance, total	4	21	7	7	2	10	1	3	1	-	1	6	-	18	8	4	4	1	-
Canton	2	104	6	8	30	53	4	12	3	1	5	8	6	81	26	18	15	6	1
Massillon	3	25	4	3	8	14	1	1	3	-	3	2	1	24	9	7	5	1	-
North Canton	1	11	1	-	2	4	-	2	1	-	-	2	-	11	2	3	-	-	-
Balance of county	4	110	15	24	46	55	4	14	15	-	14	13	13	121	32	33	29	7	-
Summit	32	366	59	44	106	135	10	57	42	-	34	63	576	311	28	40	25	6	2
Akron	19	202	30	17	62	71	4	27	28	-	20	40	336	180	6	22	18	4	1
Barberton	-	20	2	5	3	7	1	4	2	-	1	2	31	20	-	4	-	-	-
Cuyahoga Falls	4	25	7	4	10	11	1	5	5	-	2	2	44	20	2	1	2	-	-
Norton	-	7	-	2	3	1	-	2	-	-	-	-	9	3	-	3	1	-	-
Stow	1	17	1	2	1	4	-	3	1	-	2	3	19	5	1	1	-	-	-
Tallmadge	2	6	-	-	3	3	1	2	-	-	-	3	8	7	3	-	-	-	1
Balance of county	6	89	19	14	24	38	3	14	6	-	9	13	129	76	16	9	4	2	-
Trumbull	10	145	35	20	34	43	3	23	20	-	14	19	10	141	57	45	17	11	2
Girard	-	11	4	2	1	2	-	3	1	-	-	1	1	13	4	-	2	-	-
Niles	1	13	2	1	5	9	-	2	6	-	-	3	1	17	3	3	3	1	-
Warren	2	35	13	7	14	13	2	11	5	-	3	8	4	36	12	13	4	6	1
Youngstown, part	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Balance of county	7	85	16	10	14	19	1	7	8	-	11	7	4	75	37	29	8	4	1
Tuscarawas	2	73	16	15	15	22	1	9	9	-	2	7	8	48	13	22	17	1	-
Dover	1	10	1	2	3	1	-	1	-	-	-	-	1	7	1	6	5	-	-
New Philadelphia	1	13	6	3	3	2	-	3	1	-	-	1	-	6	3	2	4	-	-
Balance of county	-	50	9	10	9	19	1	5	8	-	2	6	7	35	9	14	8	1	-
Union	2	36	4	2	10	11	2	2	6	-	2	1	1	12	5	7	2	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Ohio—Con.																			
Van Wert	278	1	-	-	43	18	12	3	2	-	2	6	10	155	108	1	2	92	13
Van Wert	116	1	-	-	16	6	6	1	1	-	-	2	4	61	39	-	-	33	6
Balance of county	162	-	-	-	27	12	6	2	1	-	2	4	6	94	69	1	2	59	7
Vinton	99	-	-	-	22	3	7	2	4	3	1	2	4	51	41	-	-	34	7
Warren	663	-	-	5	154	41	39	11	23	9	5	26	15	342	274	2	11	190	71
Franklin	99	-	-	-	19	4	6	2	1	2	-	4	1	56	45	-	2	30	13
Balance of county	564	-	-	5	135	37	33	9	22	7	5	22	14	286	229	2	9	160	58
Washington	573	-	-	3	103	27	34	8	11	4	5	14	7	325	249	1	8	180	60
Marietta	208	-	-	-	32	9	13	1	3	1	2	3	3	125	92	1	6	60	25
Balance of county	365	-	-	3	71	18	21	7	8	3	3	11	4	200	157	-	2	120	35
Wayne	691	-	-	4	135	35	30	16	13	7	4	30	8	372	291	9	16	177	89
Wooster	173	-	-	-	31	9	3	5	4	1	1	8	2	103	80	1	6	56	17
Balance of county	518	-	-	4	104	26	27	11	9	6	3	22	6	269	211	8	10	121	72
Williams	305	-	-	2	66	21	23	5	4	2	2	9	15	159	114	1	1	93	19
Wood	715	-	-	3	138	34	32	7	19	11	7	28	11	383	296	1	8	236	51
Bowling Green	131	-	-	1	19	5	3	-	3	2	3	3	1	81	64	-	-	59	5
Fostoria, part	8	-	-	-	1	-	-	-	-	-	-	1	2	3	2	-	-	1	1
Balance of county	576	-	-	2	118	29	29	7	16	9	4	24	8	299	230	1	8	176	45
Wyandot	213	-	-	1	45	14	12	4	2	2	-	11	3	106	87	-	3	60	24
Oklahoma	28,617	32	2	236	5,688	1,418	1,662	460	607	246	252	1,043	488	14,004	10,630	65	291	8,055	2,219
Urban places	14,101	12	2	123	2,836	697	827	247	313	113	115	524	225	6,788	5,035	42	170	3,792	1,031
Balance of area	14,516	20	-	113	2,852	721	835	213	294	133	137	519	263	7,216	5,595	23	121	4,263	1,188
Metropolitan counties	14,512	12	2	119	3,021	730	916	253	322	111	127	562	239	6,853	5,226	41	157	3,899	1,129
Urban places	10,622	9	2	84	2,193	525	667	193	235	84	89	400	170	4,970	3,727	32	128	2,787	780
Balance of area	3,890	3	-	35	828	205	249	60	87	27	38	162	69	1,883	1,499	9	29	1,112	349
Nonmetropolitan counties	14,105	20	-	117	2,667	688	746	207	285	135	125	481	249	7,151	5,404	24	134	4,156	1,090
Urban places	3,479	3	-	39	643	172	160	54	78	29	26	124	55	1,818	1,308	10	42	1,005	251
Balance of area	10,626	17	-	78	2,024	516	586	153	207	106	99	357	194	5,333	4,096	14	92	3,151	839
Adair	171	1	-	2	23	4	6	2	2	3	-	6	4	82	63	1	2	37	23
Alfalfa	120	-	-	-	20	7	3	2	2	1	1	4	1	67	49	-	-	39	10
Atoka	127	-	-	1	24	6	5	3	1	-	1	8	1	57	43	-	1	23	19
Beaver	58	-	-	1	8	2	3	1	-	-	2	-	1	34	25	-	-	22	3
Beckham	267	-	-	1	52	13	9	6	4	3	4	13	1	116	93	-	-	75	18
Blaine	206	-	-	2	34	9	7	2	6	3	2	5	5	93	75	-	1	56	18
Bryan	380	-	-	2	61	15	12	4	12	2	1	15	9	202	135	1	7	105	22
Durant	185	-	-	1	26	7	4	3	5	1	-	6	6	107	65	1	5	51	8
Balance of county	175	-	-	1	35	8	8	1	7	1	1	9	3	95	70	-	2	54	14
Caddo	402	1	-	1	83	24	21	6	9	4	9	10	14	170	124	1	4	107	12
Canadian	385	-	-	7	76	18	31	3	4	3	4	13	6	189	149	1	1	112	35
El Reno	158	-	-	-	25	7	11	1	1	-	2	3	3	86	66	-	-	51	15
Oklahoma City, part	4	-	-	-	1	-	1	-	-	-	-	-	-	2	2	-	-	2	-
Balance of county	223	-	-	7	50	11	19	2	3	3	2	10	3	101	81	1	1	59	20
Carter	529	2	-	3	91	23	36	2	11	4	3	12	5	284	219	4	8	170	37
Ardmore	353	2	-	2	59	16	19	2	9	1	2	10	1	197	146	1	5	118	22
Balance of county	176	-	-	1	32	7	17	-	2	3	1	2	4	87	73	3	3	52	15
Cherokee	277	2	-	6	44	11	18	2	2	3	-	8	4	128	96	1	2	74	19
Choctaw	227	1	-	1	41	8	14	5	5	2	2	5	6	118	105	1	1	80	23
Cimarron	43	-	-	-	15	5	3	1	4	-	1	1	1	19	15	-	-	10	5
Cleveland	588	-	-	2	112	24	35	10	13	3	3	24	11	295	232	2	2	188	40
Moore	120	-	-	-	23	4	11	2	1	-	-	5	2	53	41	-	1	36	4
Norman	353	-	-	2	67	15	21	5	9	3	2	12	8	187	149	2	1	118	28
Oklahoma City, part	13	-	-	-	3	1	-	2	-	-	-	-	-	5	5	-	-	4	1
Balance of county	102	-	-	-	19	4	3	1	3	-	1	7	1	50	37	-	-	30	7
Coal	88	-	-	2	22	9	10	1	-	1	-	1	1	35	25	-	2	16	7
Comanche	691	1	-	11	141	37	40	15	11	12	6	20	13	288	227	1	8	171	47
Lawton	561	1	-	10	121	34	32	11	11	11	6	16	6	237	181	1	5	138	37
Balance of county	130	-	-	1	20	3	8	4	-	1	-	4	7	51	46	-	3	33	10
Cotton	91	-	-	-	15	6	-	2	-	2	-	5	1	48	35	-	1	24	10
Craig	183	-	-	-	43	14	8	3	5	1	2	10	2	98	64	-	2	58	4
Creek	564	-	-	5	92	24	33	3	12	2	2	16	23	282	228	2	13	182	31
Sapulpa	213	-	-	-	27	6	12	1	2	-	1	5	10	120	90	1	6	75	8
Balance of county	351	-	-	5	65	18	21	2	10	2	1	11	13	162	138	1	7	107	23
Custer	286	-	-	1	45	13	11	7	5	2	3	4	7	118	94	1	3	80	10
Delaware	277	-	-	1	58	13	23	-	4	2	6	10	6	140	104	-	-	69	35
Dewey	80	1	-	-	8	3	1	1	-	1	-	2	3	45	32	-	1	24	7
Ellis	65	-	-	-	12	4	2	1	2	2	-	1	-	28	17	-	-	12	5
Garfield	581	-	-	6	93	22	27	9	15	1	5	14	10	274	206	-	6	157	43
Enid	495	-	-	5	83	20	24	7	15	1	4	12	9	228	170	-	4	128	38
Balance of county	86	-	-	1	10	2	3	2	-	-	1	2	1	46	36	-	2	29	5
Garvin	372	-	-	1	70	19	24	4	2	4	2	15	4	186	143	3	1	101	38
Grady	384	-	-	3	72	16	19	7	8	4	2	16	3	186	132	-	4	103	25
Chickasha	229	-	-	3	43	11	12	3	5	3	2	7	1	117	87	-	2	69	16
Balance of county	155	-	-	-	29	5	7	4	3	1	-	9	2	69	45	-	2	34	9
Grant	88	-	-	1	22	6	5	2	2	-	2	5	3	40	25	-	-	24	1
Greer	136	-	-	7	29	12	6	3	1	2	1	4	3	68	46	-	4	36	6
Harmon	60	-	-	1	8	1	2	1	-	1	2	1	-	35	26	-	-	23	3
Harper	52	-	-	-	13	3	1	3	5	1	-	-	-	22	19	-	-	16	3
Haskell	121	-	-	-	19	5	9	1	1	1	1	1	2	64	52	-	-	40	12
Hughes	212	1	-	3	39	14	14	2	6	-	1	2	6	116	92	-	1	74	17

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Van Wert	-	36	9	2	9	6	4	1	3	-	3	-	1	25	8	4	3	1	1
Van Wert	-	17	3	2	4	5	-	1	1	-	2	-	-	15	4	-	1	-	1
Balance of county	-	19	6	-	5	1	4	-	2	-	1	-	1	10	4	4	2	1	-
Vinton	-	6	3	1	2	5	-	-	2	-	2	1	2	4	1	2	1	-	-
Warren	2	57	5	4	14	25	1	9	6	-	5	3	2	38	20	9	11	3	1
Franklin	-	8	2	1	4	3	-	1	1	-	3	1	-	7	2	-	-	1	-
Balance of county	2	49	3	3	10	22	1	8	5	-	2	2	2	31	18	9	11	2	1
Washington	-	50	11	15	23	17	-	5	6	-	3	5	4	30	18	13	10	1	-
Marietta	-	25	2	6	8	9	-	2	3	-	-	3	-	14	3	4	2	-	-
Balance of county	-	25	9	9	15	8	-	3	3	-	3	2	4	16	15	9	8	1	-
Wayne	-	60	14	7	17	25	2	7	7	-	6	6	13	41	22	10	12	4	-
Wooster	-	15	6	2	2	8	-	2	3	-	2	-	2	9	4	2	3	-	-
Balance of county	-	45	8	5	15	17	2	5	4	-	4	6	11	32	18	8	9	4	-
Williams	5	35	3	2	4	7	-	1	4	-	6	1	4	17	13	3	2	-	1
Wood	4	54	17	12	21	23	-	6	8	-	9	8	2	50	21	14	15	2	1
Bowling Green	-	10	5	2	5	4	-	1	2	-	1	2	-	9	-	3	1	1	-
Fostoria, part	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Balance of county	4	44	12	9	16	19	-	5	6	-	8	6	2	41	21	10	14	1	-
Wyandot	-	16	2	1	7	10	-	2	1	-	3	-	2	20	6	3	3	-	1
Oklahoma	99	2,603	420	252	867	802	89	378	318	8	187	294	362	2,160	1,048	825	471	319	39
Urban places	53	1,363	199	138	405	427	49	202	128	3	115	175	153	1,110	439	389	295	204	21
Balance of area	46	1,240	221	114	462	375	40	176	190	5	72	119	209	1,050	609	436	176	115	18
Metropolitan counties	45	1,294	162	126	421	409	54	217	122	5	115	180	161	1,110	539	412	290	209	22
Urban places	36	982	126	99	303	312	41	164	89	3	98	142	115	847	351	302	241	167	19
Balance of area	9	312	36	27	118	97	13	53	33	2	17	38	46	263	188	110	49	42	3
Nonmetropolitan counties	54	1,309	258	126	446	393	35	161	196	3	72	114	201	1,050	509	413	181	110	17
Urban places	17	381	73	39	102	115	8	38	39	-	17	33	38	263	88	87	54	37	2
Balance of area	37	928	185	87	344	278	27	123	157	3	55	81	163	787	421	326	127	73	15
Adair	1	14	3	1	8	3	-	1	3	-	2	1	7	17	7	7	1	2	-
Alfalfa	-	11	7	-	3	3	2	2	3	-	-	-	1	8	3	4	1	1	1
Atoka	-	11	3	-	8	8	2	2	-	-	-	-	5	4	5	4	4	2	-
Beaver	-	8	1	-	4	2	-	-	-	-	1	-	-	2	1	3	1	-	-
Beckham	-	21	1	1	11	5	-	4	4	-	2	5	28	11	7	15	5	-	-
Blaine	-	16	-	2	10	4	1	5	3	-	1	-	1	27	11	6	3	-	-
Bryan	2	48	13	4	7	10	1	9	6	-	2	-	3	23	4	15	5	1	-
Durant	1	29	9	3	3	4	1	7	3	-	-	-	1	11	1	10	3	1	-
Balance of county	1	19	4	1	4	6	-	2	3	-	2	-	2	12	3	5	2	-	-
Caddo	3	36	5	2	12	14	-	12	7	-	1	3	4	33	19	14	5	9	-
Canadian	-	35	1	4	16	8	-	8	1	-	2	1	2	27	24	10	4	3	1
El Reno	-	18	1	1	8	4	-	3	-	-	1	-	-	15	9	4	-	-	-
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Balance of county	-	17	-	3	8	4	-	5	1	-	1	1	2	12	15	6	4	2	1
Carter	7	45	11	2	24	16	-	6	8	-	3	6	7	27	19	13	10	4	1
Ardmore	4	36	9	2	14	12	-	4	4	-	1	5	4	20	10	8	5	4	1
Balance of county	3	9	2	-	10	4	-	2	4	-	2	1	3	7	9	5	5	-	-
Cherokee	-	25	4	3	10	10	3	3	5	-	-	2	3	30	13	5	5	2	2
Choctaw	-	8	3	2	1	6	-	3	11	-	1	1	3	20	8	2	-	4	-
Cimarron	-	4	-	-	1	-	-	-	-	-	-	1	-	4	1	1	-	-	-
Cleveland	2	51	9	1	15	22	2	6	7	-	4	11	5	30	29	17	10	9	1
Moore	-	9	3	-	-	4	-	1	-	-	2	5	2	5	11	4	5	3	-
Norman	1	33	4	-	10	14	2	3	6	-	1	4	3	17	13	5	5	5	1
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-
Balance of county	1	9	2	1	5	4	-	2	1	-	1	2	-	7	3	6	-	1	-
Coal	1	7	1	1	4	2	-	2	1	-	-	-	2	10	6	1	-	-	-
Comanche	6	47	5	3	22	22	4	18	4	-	8	15	11	62	23	17	22	9	-
Lawton	4	46	4	2	20	18	1	17	3	-	7	9	8	51	17	10	17	8	-
Balance of county	2	1	1	1	2	4	3	1	1	-	1	6	3	11	6	7	5	1	-
Cotton	-	12	-	1	3	1	-	3	-	-	-	-	3	9	3	1	3	-	1
Craig	-	21	11	2	4	1	-	2	3	-	1	2	2	11	4	7	2	1	-
Creek	1	47	1	5	15	18	1	9	5	1	8	5	9	45	20	11	9	6	-
Sapulpa	-	28	-	2	4	9	1	2	1	1	2	2	1	18	3	5	5	2	-
Balance of county	1	19	1	3	11	9	-	7	4	-	6	3	8	27	17	6	4	4	-
Custer	2	15	7		13	7	-	8	4	-	1	2	9	24	13	6	2	6	-
Delaware	-	26	7	3	10	8	1	5	5	-	2	1	3	21	6	5	4	1	-
Dewey	-	12	-	1	7	3	-	-	-	-	-	2	1	5	4	1	-	-	-
Ellis	-	11	-	-	3	1	1	-	-	-	1	1	-	8	8	1	1	-	-
Garfield	2	51	6	9	12	21	2	7	7	-	3	5	3	62	30	30	10	5	1
Enid	2	43	4	9	10	20	1	6	6	-	3	5	3	54	25	24	9	3	1
Balance of county	-	8	2	-	2	1	1	1	1	-	-	-	-	8	5	6	1	2	-
Garvin	1	38	2	4	12	11	2	2	3	-	1	2	8	23	22	15	4	3	1
Grady	-	40	11	3	8	16	1	3	3	-	1	5	4	33	19	17	8	1	1
Chickasha	-	22	5	3	7	8	-	2	2	-	1	5	2	16	6	10	4	1	1
Balance of county	-	18	6	-	1	8	1	1	1	-	-	-	2	17	13	7	4	-	-
Grant	1	8	5	1	1	2	1	-	1	-	-	-	2	7	4	3	1	-	-
Greer	1	10	9	2	5	3	-	3	4	-	-	1	3	9	-	1	-	-	-
Harmon	-	7	2	-	7	-	1	-	-	-	-	-	-	3	2	2	-	1	-
Harper	-	3	-	-	3	1	-	-	1	-	1	-	-	4	4	2	1	-	-
Haskell	-	12	-	-	3	4	-	2	3	-	2	-	5	9	4	2	2	-	-
Hughes	2	20	-	2	2	4	-	5	3	-	3	1	1	17	3	5	2	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oklahoma—Con.																			
Jackson	221	-	-	1	50	16	9	4	8	3	3	7	2	115	75	1	6	48	20
Altus	164	-	-	1	31	11	6	2	4	2	-	6	1	85	53	1	3	34	15
Balance of county	57	-	-	-	19	5	3	2	4	1	3	1	1	30	22	-	3	14	5
Jefferson	111	1	-	-	18	2	9	2	1	1	1	2	2	68	55	-	1	37	17
Johnston	109	-	-	-	20	3	6	-	-	3	2	6	1	61	46	-	1	23	22
Kay	548	-	-	7	106	26	34	12	13	1	7	13	13	295	223	-	1	181	41
Ponca City	269	-	-	5	52	16	15	8	5	-	1	7	6	143	107	-	-	87	20
Balance of county	279	-	-	2	54	10	19	4	8	1	6	6	7	152	116	-	1	94	21
Kingfisher	157	1	-	-	24	2	4	5	6	2	-	5	3	78	45	-	-	37	8
Kiowa	186	1	-	4	37	10	9	2	4	1	3	8	-	85	63	-	1	44	18
Latimer	120	-	-	-	27	10	8	1	1	2	-	5	1	65	55	-	1	42	12
Le Flore	436	-	-	2	99	27	29	5	9	6	5	18	15	224	182	1	3	146	32
Lincoln	298	1	-	4	43	10	11	4	5	4	1	8	2	170	134	-	2	120	12
Logan	257	-	-	1	52	11	13	2	9	4	3	10	5	122	88	-	-	78	10
Love	73	1	-	1	18	2	8	1	3	-	1	3	3	29	21	-	-	16	5
McClain	164	-	-	-	38	10	8	1	4	4	1	10	6	77	51	-	-	42	9
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	164	-	-	-	38	10	8	1	4	4	1	10	6	77	51	-	-	42	9
McCurtain	401	-	-	2	81	22	23	4	9	5	1	17	13	203	155	1	2	122	30
McIntosh	218	-	-	-	39	7	18	2	2	3	3	4	5	119	91	1	4	68	18
Major	96	-	-	-	22	9	5	-	2	1	-	5	3	46	31	-	-	22	9
Marshall	141	-	-	-	33	12	8	3	4	1	-	5	1	69	56	-	-	33	23
Mayes	335	-	-	3	72	20	26	4	6	2	1	13	1	182	134	1	1	103	29
Murray	139	-	-	-	36	8	12	1	4	1	2	8	2	58	44	-	2	29	13
Muskogee	799	-	-	9	155	40	46	16	15	9	4	25	12	401	292	1	9	238	44
Muskogee	571	-	-	7	98	25	25	9	12	9	3	15	9	300	212	1	8	172	31
Balance of county	228	-	-	2	57	15	21	7	3	-	1	10	3	101	80	-	1	66	13
Noble	104	-	-	1	20	5	8	2	1	1	-	3	2	50	40	-	-	22	18
Nowata	138	-	-	1	34	9	10	1	4	2	4	4	4	73	58	-	-	36	22
Okfuskee	147	-	-	2	28	8	6	1	6	2	-	5	2	88	82	-	1	70	11
Oklahoma	5,018	4	2	43	1,082	275	312	85	120	39	44	207	71	2,261	1,688	17	54	1,225	392
Bethany	152	-	-	2	31	9	10	2	3	2	-	5	2	88	66	1	2	45	18
Del City	144	-	-	1	37	18	11	2	2	-	-	4	3	68	47	-	-	37	10
Edmond	201	-	1	1	49	13	10	2	7	4	4	9	2	92	76	-	5	40	31
Midwest City	323	-	-	3	56	8	17	4	8	3	1	15	5	154	116	1	1	87	27
Oklahoma City, part	3,919	3	1	34	840	214	245	72	91	29	35	154	56	1,752	1,296	15	42	949	290
Oklahoma City, total	3,936	3	1	34	844	215	246	74	91	29	35	154	56	1,759	1,303	15	42	955	291
The Village	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-
Balance of county	276	1	-	2	69	13	19	3	9	1	4	20	3	105	86	-	4	66	16
Okmulgee	494	1	-	4	100	37	21	7	10	2	3	20	9	271	234	-	8	206	20
Okmulgee	227	-	-	3	48	19	8	2	5	1	1	12	4	118	95	-	1	85	9
Balance of county	267	1	-	1	52	18	13	5	5	1	2	8	5	153	139	-	7	121	11
Osage	327	1	-	1	68	18	19	5	11	2	1	12	5	158	132	2	1	90	39
Bartlesville, part	3	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-
Tulsa, part	5	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	2
Balance of county	319	1	-	1	68	18	19	5	11	2	1	12	5	154	128	2	1	88	37
Ottawa	341	-	-	5	67	16	24	3	4	1	2	17	8	164	130	-	5	87	38
Miami	161	-	-	3	29	7	7	2	1	1	1	10	4	80	64	-	4	40	20
Balance of county	180	-	-	2	38	9	17	1	3	-	1	7	4	84	66	-	1	47	18
Pawnee	199	-	-	3	36	8	11	4	3	4	2	4	2	96	83	-	2	64	17
Payne	478	-	-	4	86	17	16	10	20	2	5	16	8	250	169	3	-	139	27
Stillwater	235	-	-	2	43	9	5	6	11	1	5	6	5	124	80	3	-	56	21
Balance of county	243	-	-	2	43	8	11	4	9	1	-	10	3	126	89	-	-	83	6
Pittsburg	467	2	-	6	95	26	32	2	6	8	5	16	6	251	200	-	3	139	58
McAlester	253	1	-	4	49	11	16	1	4	4	3	10	4	133	98	-	1	67	30
Balance c' county	214	1	-	2	46	15	16	1	2	4	2	6	2	118	102	-	2	72	28
Pontotoc	358	-	-	2	78	22	16	5	6	6	5	18	6	181	122	-	1	98	23
Ada	207	-	-	1	48	15	7	5	2	2	5	12	3	107	71	-	-	59	12
Balance of county	151	-	-	1	30	7	9	-	4	4	-	6	3	74	51	-	1	39	11
Pottawatomie	629	1	-	5	135	28	45	12	13	5	6	26	9	314	232	2	2	195	33
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shawnee	392	1	-	4	75	14	25	6	7	5	3	15	9	204	143	1	2	120	20
Balance of county	237	-	-	1	60	14	20	6	6	-	3	11	-	110	89	1	-	75	13
Pushmataha	148	1	-	1	27	2	8	3	4	1	3	6	3	79	57	-	3	43	11
Roger Mills	66	-	-	-	8	3	2	-	1	-	1	1	-	39	29	-	-	22	7
Rogers	338	-	-	5	72	23	20	5	6	2	2	14	2	169	129	-	2	99	28
Seminole	340	-	-	5	55	14	19	6	5	2	2	7	6	181	147	1	9	125	12
Sequoyah	284	-	-	2	57	12	19	5	6	2	4	9	4	153	130	1	-	67	62
Stephens	484	2	-	9	87	22	25	4	10	4	5	17	5	250	195	2	10	143	40
Duncan	289	-	-	6	53	13	16	4	6	1	1	12	5	140	107	2	1	79	25
Balance of county	195	2	-	3	34	9	9	-	4	3	4	5	-	110	88	-	9	64	15
Texas	142	-	-	2	32	7	7	6	2	-	3	7	4	57	48	-	-	41	7
Tillman	150	-	-	-	24	5	7	1	1	1	1	8	5	73	51	-	1	40	10

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oklahoma—Con.																			
Jackson	2	37	-	1	5	8	-	2	1	-	-	2	4	15	4	5	4	3	-
Altus	2	29	-	1	5	7	-	1	-	-	-	2	3	12	4	5	4	3	-
Balance of county	-	8	-	-	-	1	-	1	1	-	-	-	1	3	-	-	-	-	-
Jefferson	-	10	1	2	5	5	-	1	2	-	-	2	-	3	3	-	-	1	-
Johnston	-	12	1	2	2	1	-	1	2	-	-	-	-	12	3	4	-	2	-
Kay	2	58	5	7	15	23	1	4	2	-	1	3	4	29	21	10	10	3	1
Ponca City	1	27	4	4	4	18	1	3	1	-	1	-	2	13	9	3	6	2	-
Balance of county	1	31	1	3	11	5	-	1	1	-	-	3	2	16	12	7	4	1	1
Kingfisher	1	19	12	1	9	7	-	-	3	-	2	4	-	6	11	7	2	-	-
Kiowa	-	18	2	2	2	11	-	2	7	-	2	2	-	15	10	6	1	1	-
Latimer	-	9	-	1	2	6	-	-	1	-	2	-	4	6	4	-	1	-	1
Le Flore	-	36	4	2	16	9	-	5	1	1	-	1	5	30	15	9	3	1	-
Lincoln	2	28	5	1	12	5	-	2	2	-	-	4	4	17	14	13	3	1	1
Logan	1	30	1	2	6	7	3	1	3	-	2	1	2	25	9	13	3	1	1
Love	-	7	1	-	4	2	-	-	1	-	1	3	-	1	3	3	3	-	-
McClain	-	21	4	1	2	5	-	-	4	-	-	1	1	11	10	6	1	2	-
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	21	4	1	2	5	-	-	4	-	-	1	1	11	10	6	1	2	-
McCurtain	4	31	12	1	9	5	-	5	6	1	4	5	8	24	11	12	7	5	-
McIntosh	2	18	3	5	9	6	1	4	3	-	-	-	5	18	5	3	-	1	-
Major	-	11	3	1	3	1	-	2	1	-	-	1	1	8	1	4	3	-	-
Marshall	-	10	2	1	5	6	1	1	4	-	1	1	-	10	6	3	-	-	-
Mayes	1	41	3	3	16	6	1	5	3	-	1	2	3	17	12	8	2	1	-
Murray	-	9	3	2	6	4	-	2	2	-	-	1	-	14	5	5	3	-	1
Muskogee	2	86	9	12	18	21	4	7	15	-	2	5	7	69	34	18	9	13	-
Muskogee	2	70	6	10	15	17	3	6	12	-	1	5	4	54	17	8	5	10	-
Balance of county	-	16	3	2	3	4	1	1	3	-	1	-	3	15	17	10	4	3	-
Noble	-	8	1	1	1	1	-	1	2	-	1	2	-	13	4	3	2	1	-
Nowata	-	11	4	-	5	2	-	-	1	-	-	-	-	10	4	3	1	-	-
Okfuskee	-	3	2	1	2	3	-	-	2	-	-	-	1	6	2	9	-	1	1
Oklahoma	21	444	59	49	138	143	17	89	53	1	42	78	57	405	170	159	117	79	7
Bethany	-	17	4	1	1	4	-	2	-	-	3	2	1	7	3	3	3	-	-
Del City	2	14	3	2	2	3	-	-	-	-	2	4	1	8	7	3	5	-	-
Edmond	1	13	1	1	6	1	1	1	4	-	1	1	2	8	14	8	7	2	-
Midwest City	-	28	4	6	5	13	1	7	4	-	2	3	5	19	14	16	13	2	1
Oklahoma City, part	17	357	45	37	117	113	15	78	44	1	32	61	45	340	108	121	84	68	6
Oklahoma City, total	17	357	45	37	117	113	15	78	44	1	32	61	45	341	110	123	84	69	6
The Village	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of county	1	14	2	2	7	9	-	1	1	-	2	7	3	22	24	8	5	7	-
Okmulgee	1	30	2	4	9	10	2	8	4		2	3	4	27	12	13	7	8	-
Okmulgee	1	20	-	2	4	3	1	4	3	-	2	1	2	18	3	8	2	3	-
Balance of county	-	10	2	2	5	7	1	4	1	-		2	2	9	9	5	5	5	
Osage	-	22	1	3	9	10	2	8	6	-		2	7	29	14	3	3	1	-
Bartlesville, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Tulsa, part	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
Balance of county	-	22	1	3	9	10	2	8	6	-	-	2	6	26	14	3	3	1	-
Ottawa	1	19	9	5	11	9	-	-	3	-	-	4	7	41	6	12	4	-	-
Miami	-	11	3	2	6	3	-	-	1	-	-	2	4	19	2	6	2	-	-
Balance of county	1	8	6	3	5	6	-	-	2	-	-	2	3	22	4	6	2	-	-
Pawnee	-	9	3	1	8	3	2	3	2	-	2	-	2	19	9	8	2	1	1
Payne	4	61	9	7	12	11	1	6	5	-	6	7	5	36	16	13	6	4	2
Stillwater	3	29	7	5	6	5	-	1	-	-	4	6	2	16	9	5	4	3	-
Balance of county	1	32	2	2	6	6	1	5	5	-	2	1	3	20	7	8	2	1	2
Pittsburg	2	38	7	4	11	16	-	2	7	-	-	1	2	38	8	9	8	5	-
McAlester	2	23	7	3	7	7	-	2	3	-	-	1	-	23	3	6	6	4	-
Balance of county	-	15	-	1	4	9	-	-	4	-	-	-	2	15	5	3	2	1	-
Pontotoc	-	50	4	5	16	12	1	5	2	-	4	4	1	20	6	14	3	3	-
Ada	-	34	2	-	11	10	1	3	2	-	1	-	1	8	3	5	3	-	-
Balance of county	-	16	2	5	5	2	-	2	-	-	3	4	-	12	3	9	-	3	-
Pottawatomie	1	66	12	3	33	12	1	8	1	-	3	5	9	38	24	11	14	6	
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shawnee	-	51	7	3	26	6	1	5	-	-	1	3	5	28	6	4	9	5	-
Balance of county	1	15	5	-	7	6	-	3	1	-	2	2	4	10	18	7	5	1	-
Pushmataha	3	17	2	-	4	5	-	2	-	-	-	-	2	11	5	6	2		-
Roger Mills	-	6	2	2	4	1	-	1	1	-	-	1	1	2	4	2	-	2	-
Rogers	1	34	5	-	7	14	1	5	2	-	2	3	4	22	15	10	3	2	-
Seminole	1	28	1	4	12	8	-	1	8	-	2	2	3	21	16	14	4	2	-
Sequoyah	-	19	2	2	7	5	1	3	4	-	-	2	2	17	6	10	3	7	1
Stephens	2	35	14	4	15	14	-	6	7	1	2	3	6	31	20	12	8	6	-
Duncan	1	21	9	2	13	10	-	3	4	-	1	2	6	21	8	8	4	5	-
Balance of county	1	14	5	2	2	4	-	3	3	1	1	1	-	10	12	4	4	1	-
Texas	-	8	1	-	2	7	-	-	1	1	-	3	2	10	9	6	2	3	1
Tillman	1	15	4	2	9	2	1	1	1	-	2	1	3	17	5	6		-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402, 404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oklahoma—Con.																			
Tulsa	3,947	4	-	27	840	181	259	84	89	27	41	159	60	1,871	1,408	10	63	1,049	286
Broken Arrow	181	-	-	1	34	7	8	5	4	1	3	6	3	72	56	-	-	48	8
Sand Springs	134	-	-	1	22	3	11	1	4	-	1	2	1	74	53	1	3	37	12
Tulsa, part	3,248	4	-	20	699	152	218	70	70	25	27	137	51	1,542	1,165	9	56	869	231
Tulsa, total	3,253	4	-	20	699	152	218	70	70	25	27	137	51	1,544	1,167	9	56	869	233
Balance of county	384	-	-	5	85	19	22	8	11	1	10	14	5	183	134	-	4	95	35
Wagoner	225	1	-	-	44	11	13	7	3	1	2	7	3	116	98	1	1	73	23
Washington	455	-	-	1	88	15	26	10	11	4	3	19	6	229	167	1	13	118	35
Bartlesville, part	336	-	-	1	64	12	20	7	9	3	2	11	6	167	123	1	12	88	22
Bartlesville, total	339	-	-	1	64	12	20	7	9	3	2	11	6	169	125	1	12	90	22
Balance of county	119	-	-	-	24	3	6	3	2	1	1	8	-	62	44	-	1	30	13
Washita	154	-	-	2	24	6	4	4	1	2	1	6	1	88	63	-	-	50	13
Woods	132	-	-	-	23	6	5	2	1	2	1	6	2	68	51	-	2	33	16
Woodward	172	-	-	-	23	5	4	3	4	1	-	6	9	78	56	-	1	44	11
Oregon	21,843	15	2	139	4,756	1,179	1,306	424	507	214	217	909	301	10,429	7,675	106	202	6,012	1,355
Urban places	9,961	9	1	64	2,110	558	554	195	222	84	97	400	126	4,786	3,510	56	111	2,744	599
Balance of area	11,882	6	1	75	2,646	621	752	229	285	130	120	509	175	5,643	4,165	50	91	3,268	756
Metropolitan counties	13,926	10	1	95	3,039	752	797	282	327	134	139	608	179	6,666	4,874	69	126	3,870	809
Urban places	8,055	9	1	50	1,724	448	445	168	185	70	75	333	103	3,846	2,827	44	80	2,237	466
Balance of area	5,871	1	-	45	1,315	304	352	114	142	64	64	275	76	2,820	2,047	25	46	1,633	343
Nonmetropolitan counties	7,917	5	1	44	1,717	427	509	142	180	80	78	301	122	3,763	2,801	37	76	2,142	546
Urban places	1,906	-	-	14	386	110	109	27	37	14	22	67	23	940	683	12	31	507	133
Balance of area	6,011	5	1	30	1,331	317	400	115	143	66	56	234	99	2,823	2,118	25	45	1,635	413
Baker	196	-	-	-	31	8	12	2	4	-	1	4	2	101	88	-	5	66	17
Benton	341	-	-	-	66	18	11	6	11	4	5	11	9	177	119	3	8	89	19
Albany, part	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Corvallis	222	-	-	-	44	14	6	4	6	1	3	10	4	121	83	3	5	62	13
Balance of county	115	-	-	-	22	4	5	2	5	3	2	1	5	55	35	-	3	26	6
Clackamas	1,710	-	-	22	374	95	85	25	26	28	18	97	21	843	609	9	12	492	96
Lake Oswego, part	150	-	-	4	44	16	7	2	1	5	1	12	1	66	51	1	1	44	5
Lake Oswego, total	155	-	-	4	46	16	8	3	1	5	1	12	1	68	52	1	1	45	5
Milwaukee, part	329	-	-	2	74	18	16	7	4	6	3	20	4	172	124	-	2	101	21
Milwaukee, total	329	-	-	2	74	18	16	7	4	6	3	20	4	172	124	-	2	101	21
Portland, part	16	-	-	-	3	1	1	-	-	-	-	1	1	9	8	-	-	8	-
Balance of county	1,215	-	-	16	253	60	61	16	21	17	14	64	15	596	426	8	9	339	70
Clatsop	333	-	-	5	72	22	16	8	4	1	5	16	-	157	109	-	5	65	39
Astoria	112	-	-	2	20	6	5	2	1	-	1	5	-	57	42	-	4	24	14
Balance of county	221	-	-	3	52	16	11	6	3	1	4	11	-	100	67	-	1	41	25
Columbia	270	-	-	2	53	14	9	8	5	4	3	10	5	141	105	4	3	70	28
Coos	563	-	1	3	139	40	40	3	21	6	5	24	10	253	197	1	7	159	30
Coos Bay	135	-	-	1	31	7	8	1	5	2	3	5	1	54	43	1	5	33	4
Balance of county	428	-	1	2	108	33	32	2	16	4	2	19	9	199	154	-	2	126	26
Crook	112	-	-	-	24	7	8	3	1	-	-	5	-	57	41	-	1	36	4
Curry	181	-	-	-	41	8	13	3	6	4	2	5	4	81	55	1	-	37	17
Deschutes	437	-	-	1	99	21	32	9	14	4	3	16	6	212	161	2	6	115	38
Bend	149	-	-	1	28	4	12	1	3	1	1	6	4	77	60	-	3	42	15
Balance of county	288	-	-	-	71	17	20	8	11	3	2	10	2	135	101	2	3	73	23
Douglas	781	1	-	4	188	45	65	13	15	10	5	35	11	342	259	6	3	201	49
Roseburg	235	-	-	-	49	19	17	4	2	3	-	4	4	113	81	1	2	64	14
Balance of county	546	1	-	4	139	26	48	9	13	7	5	31	7	229	178	5	1	137	35
Gilliam	8	-	-	-	3	-	1	-	-	-	-	2	-	3	3	-	-	3	-
Grant	76	-	-	-	14	4	4	1	2	-	-	3	-	46	40	1	-	36	3
Harney	70	-	-	-	11	2	5	-	1	-	1	2	6	28	19	-	-	11	8
Hood River	153	2	-	3	37	12	13	7	1	-	1	3	2	68	45	2	2	30	11
Jackson	1,119	-	-	7	264	49	80	31	33	9	12	50	22	521	387	4	7	292	84
Ashland	100	-	-	-	17	4	5	6	1	-	-	1	3	54	37	1	-	23	13
Medford	411	-	-	1	86	26	23	5	9	3	4	16	8	210	166	-	5	131	30
Balance of county	608	-	-	6	161	19	52	20	23	6	8	33	11	257	184	3	2	138	41
Jefferson	106	-	-	1	23	7	6	4	-	2	1	3	1	40	23	-	-	21	2
Josephine	604	-	-	3	120	23	35	14	14	9	6	19	7	313	227	2	7	181	37
Grants Pass	224	-	-	3	45	10	16	5	6	3	1	4	3	117	80	1	4	62	13
Balance of county	380	-	-	-	75	13	19	9	8	6	5	15	4	196	147	1	3	119	24
Klamath	515	1	-	4	113	29	27	5	13	2	8	29	11	230	187	2	1	149	35
Klamath Falls	197	-	-	2	48	12	10	2	5	-	6	13	-	89	70	1	1	53	15
Balance of county	318	1	-	2	65	17	17	3	8	2	2	16	11	141	117	1	-	96	20
Lake	67	-	-	1	17	2	2	3	3	1	-	6	-	27	20	-	-	13	7
Lane	1,902	1	-	13	428	98	120	39	54	16	17	84	22	901	651	8	18	537	88
Eugene	788	1	-	6	152	32	37	14	27	6	4	32	11	407	303	5	8	251	39
Springfield	312	-	-	1	69	14	18	8	9	2	4	14	4	136	95	-	5	76	14
Balance of county	802	-	-	6	207	52	65	17	18	8	9	38	7	358	253	3	5	210	35
Lincoln	351	-	-	2	86	18	27	12	10	4	4	11	4	159	124	1	1	103	19
Linn	709	-	-	5	150	44	46	8	11	6	4	31	7	356	264	1	6	202	55
Albany, part	207	-	-	2	31	10	11	1	1	-	2	6	4	112	81	1	2	62	16
Albany, total	211	-	-	2	31	10	11	1	1	-	2	6	4	113	82	1	2	63	16
Balance of county	502	-	-	3	119	34	35	7	10	6	2	25	3	244	183	-	4	140	39
Malheur	229	-	-	-	43	11	11	4	4	2	1	10	13	98	68	-	4	52	12
Marion	1,823	-	1	6	400	94	93	44	59	15	20	75	29	872	660	8	19	521	112
Salem, part	919	-	1	2	178	39	40	19	27	7	7	39	14	436	335	5	13	258	59
Salem, total	1,018	-	1	3	197	43	48	21	28	7	9	41	15	494	376	5	15	290	66
Balance of county	904	-	-	4	222	55	53	25	32	8	13	36	15	436	325	3	6	263	53
Morrow	61	-	-		15	3	6	-	1	2	1	2	1	22	19	-	-	14	5

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oklahoma—Con.																			
Tulsa	9	364	50	40	106	111	21	42	23	2	42	49	41	298	137	102	85	75	11
Broken Arrow	-	12	2	2	8	4	2	1	-	-	2	10	5	18	13	2	5	1	-
Sand Springs	2	14	2	3	2	2	-	-	1	-	3	2	-	9	8	6	-	2	1
Tulsa, part	7	298	42	30	84	97	16	38	20	1	36	31	33	245	98	85	74	65	9
Tulsa, total	7	298	42	30	84	97	16	38	20	1	36	31	34	247	98	85	74	65	9
Balance of county	-	40	4	5	12	8	3	3	2	1	1	6	3	26	18	9	6	7	1
Wagoner	1	16	-	1	7	3	1	4	1	-	-	-	2	17	10	9	4	3	-
Washington	-	43	16	3	12	13	1	5	5	-	7	5	9	41	17	8	7	1	-
Bartlesville, part	-	30	12	2	7	11	1	2	4	-	5	4	7	32	13	5	6	1	-
Bartlesville, total	-	30	12	2	7	11	1	2	4	-	5	4	7	33	13	5	6	1	-
Balance of county	-	13	4	1	5	2	-	3	1	-	2	1	2	9	4	3	1	-	-
Washita	2	19	3	1	4	1	-	3	5	-	-	2	5	9	7	1	2	-	-
Woods	-	9	4	4	7	2	1	-	1	-	-	3	1	13	5	5	1	-	-
Woodward	-	18	4	-	6	10	-	1	3	-	1	3	3	14	10	5	3	3	-
Oregon	56	1,973	460	245	617	845	55	353	154	-	131	210	401	1,565	703	609	395	117	46
Urban places	26	937	207	106	296	393	27	200	76	-	60	95	184	732	261	272	178	66	25
Balance of area	30	1,036	273	139	321	452	28	153	78	-	71	115	217	833	442	337	217	51	21
Metropolitan counties	34	1,285	312	161	397	531	34	244	106	-	62	135	279	1,003	405	355	248	82	35
Urban places	18	752	162	87	224	304	21	179	63	-	46	77	161	591	197	223	154	60	22
Balance of area	16	533	150	74	173	227	13	65	43	-	36	58	118	412	208	132	94	22	13
Nonmetropolitan counties	22	688	168	84	220	314	21	109	48	-	49	75	122	562	298	254	147	35	11
Urban places	8	185	45	19	72	89	6	21	13	-	14	18	23	141	64	49	24	6	3
Balance of area	14	503	123	65	148	225	15	88	35	-	35	57	99	421	234	205	123	29	8
Baker	1	7	3	2	7	8	-	5	-	-	-	1	2	22	6	7	3	-	1
Benton	1	41	11	5	10	9	1	5	1	-	4	6	4	20	15	11	1	2	-
Albany, part	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-
Corvallis	1	29	7	1	9	6	1	1	1	-	2	2	1	14	11	4	-	1	-
Balance of county	-	12	4	4	1	2	-	4	-	-	2	4	3	6	3	7	1	-	-
Clackamas	3	163	47	21	64	48	7	20	16	-	10	14	20	111	61	36	35	6	2
Lake Oswego, part	-	12	3	-	10	3	-	4	1	-	-	1	-	6	2	2	4	2	-
Lake Oswego, total	-	13	3	-	10	3	-	4	1	-	-	1	-	7	2	2	4	2	-
Milwaukee, part	2	38	5	3	14	6	1	3	4	-	3	3	2	20	4	7	10	-	-
Milwaukee, total	2	38	5	3	14	6	1	3	4	-	3	3	2	20	4	7	10	-	-
Portland, part	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	112	39	18	40	39	4	12	11	-	7	10	18	85	55	27	21	4	2
Clatsop	4	32	8	4	9	12	1	6	2	-	1	1	6	33	12	11	3	1	1
Astoria	-	10	3	2	3	6	1	4	-	-	-	-	-	10	4	3	1	-	1
Balance of county	4	22	5	2	6	6	-	2	2	-	1	1	6	23	8	8	2	1	-
Columbia	-	22	12	2	6	10	1	3	-	-	2	5	3	22	7	6	3	-	1
Coos	-	41	10	5	21	21	-	8	2	-	2	5	15	36	13	22	12	-	-
Coos Bay	-	9	1	1	11	5	-	2	1	-	-	2	6	7	2	8	4	-	-
Balance of county	-	32	9	4	10	16	-	6	1	-	2	3	9	29	11	14	8	-	-
Crook	-	9	6	1	4	3	-	3	-	-	2	2	-	8	4	4	1	-	-
Curry	-	18	6	2	3	11	-	5	3	-	2	-	5	6	6	7	3	4	-
Deschutes	-	34	12	5	6	14	1	4	2	-	3	4	11	29	18	11	12	3	1
Bend	-	13	4	-	3	7	-	1	-	-	2	1	5	11	5	1	3	-	-
Balance of county	-	21	8	5	3	7	1	3	2	-	1	3	6	18	13	10	9	3	1
Douglas	2	62	9	10	19	36	3	13	7	-	5	10	10	62	29	26	12	1	2
Roseburg	-	23	4	5	6	13	1	1	4	-	3	3	1	25	3	7	1	-	1
Balance of county	2	39	5	5	13	23	2	12	3	-	2	7	9	37	26	19	11	1	1
Gilliam	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Grant	-	5	-	1	1	1	-	-	2	-	-	-	1	4	5	1	1	-	-
Harney	-	7	-	2	-	5	-	3	-	-	-	-	3	5	4	5	-	-	-
Hood River	-	11	11	1	4	2	-	2	2	-	2	2	3	7	7	4	6	-	-
Jackson	3	100	17	14	26	53	1	13	10	-	4	8	37	73	26	29	19	2	4
Ashland	-	14	1	2	2	5	-	-	1	-	1	-	1	7	1	4	1	1	2
Medford	1	29	8	6	8	20	1	8	2	-	-	2	14	24	8	11	6	1	1
Balance of county	2	57	8	6	16	28	-	5	7	-	3	6	22	42	17	14	12	-	1
Jefferson	-	11	3	3	2	5	-	4	2	-	-	-	4	7	9	4	2	2	-
Josephine	4	58	19	5	25	22	1	5	4	-	3	5	7	40	20	14	13	1	1
Grants Pass	3	23	10	1	13	12	-	1	2	-	-	2	-	12	6	3	4	1	-
Balance of county	1	35	9	4	12	10	1	4	2	-	3	3	7	28	14	11	9	-	1
Klamath	1	30	8	4	10	23	2	13	4	-	7	3	4	35	18	19	14	2	2
Klamath Falls	1	12	6	-	4	7	1	7	2	-	3	1	-	16	4	6	6	-	1
Balance of county	-	18	2	4	6	16	1	6	2	-	4	2	4	19	14	13	8	2	1
Lake	-	5	1	1	-	2	1	1	-	-	-	1	1	4	1	6	4	1	-
Lane	8	175	52	15	53	86	6	20	8	-	9	17	30	143	57	56	44	7	1
Eugene	2	78	16	8	26	30	2	8	3	-	5	3	10	69	16	15	23	1	-
Springfield	2	30	9	-	8	17	-	5	2	-	3	8	6	20	9	8	12	4	-
Balance of county	4	67	27	7	19	39	4	7	3	-	1	6	14	54	32	33	9	2	1
Lincoln	3	18	11	3	10	10	1	4	1	-	1	3	5	26	15	15	6	2	1
Linn	1	79	8	4	16	25	2	4	5	-	5	6	9	43	38	26	12	-	-
Albany, part	1	27	3	-	2	7	1	1	1	-	2	4	4	11	15	7	3	-	-
Albany, total	1	27	3	-	2	8	1	1	1	-	2	4	4	11	16	7	3	1	-
Balance of county	-	52	5	4	14	18	1	3	4	-	3	2	5	32	23	19	9	-	-
Malheur	1	26	2	1	7	14	-	-	1	-	2	1	1	23	14	5	6	1	-
Marion	5	160	28	19	52	81	4	19	15	-	22	24	29	105	68	43	34	17	2
Salem, part	1	79	11	10	26	48	2	13	8	-	13	13	12	60	30	33	17	11	2
Salem, total	1	87	18	12	27	49	2	14	9	-	13	16	14	62	32	36	20	12	2
Balance of county	4	81	17	9	26	33	2	6	7	-	9	11	17	45	38	10	17	6	-
Morrow	-	3	-	-	1	3	1	1	-	-	1	-	1	3	2	7	2	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Oregon—Con.																			
Multnomah	5,634	8	-	37	1,211	326	322	109	118	55	51	230	56	2,701	1,960	32	54	1,542	332
Lake Oswego, part	3	-	-	-	1	-	-	1	-	-	-	-	-	2	1	-	-	1	-
Milwaukee, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	4,427	8	-	30	962	266	256	90	91	37	43	179	42	2,093	1,514	27	38	1,194	255
Portland, total	4,504	8	-	31	982	269	263	91	95	38	43	183	43	2,132	1,543	27	39	1,217	260
Balance of county	1,204	-	-	7	248	60	66	18	27	18	8	51	14	606	445	5	16	347	77
Polk	372	1	-	2	64	20	19	4	2	1	5	13	4	219	169	-	3	141	25
Salem, part	99	-	-	1	19	4	8	2	1	-	2	2	1	58	41	-	2	32	7
Balance of county	273	1	-	1	45	16	11	2	1	1	3	11	3	161	128	-	1	109	18
Sherman	19	-	-	-	6	2	3	1	-	-	-	-	-	8	6	-	-	5	1
Tillamook	247	-	-	3	50	7	18	3	6	3	4	9	-	133	93	-	4	78	11
Umatilla	515	1	-	4	102	23	35	4	13	6	7	14	13	238	172	3	7	127	35
Pendleton	140	-	-	2	27	9	6	-	2	2	3	5	2	59	43	-	3	27	13
Balance of county	375	1	-	2	75	14	29	4	11	4	4	9	11	179	129	3	4	100	22
Union	152	-	-	-	36	8	9	4	5	2	2	6	2	71	58	1	1	46	10
Wallowa	65	-	-	-	5	3	1	1	-	-	-	-	1	34	32	-	-	25	7
Wasco	205	-	-	1	45	10	19	2	5	1	3	5	1	100	78	1	2	63	12
City of the Dalles	136	-	-	1	25	6	9	2	4	-	2	2	-	78	59	1	2	45	11
Balance of county	69	-	-	-	20	4	10	-	1	1	1	3	1	22	19	-	-	18	1
Washington	1,366	-	-	8	298	70	78	30	35	10	16	59	25	609	438	8	13	345	72
Beaverton	250	-	-	1	63	18	18	7	4	1	4	11	3	100	71	5	3	55	8
Hillsboro	188	-	-	1	38	8	9	6	7	2	3	3	11	73	60	-	2	48	10
Lake Oswego, part	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	61	-	-	1	17	2	6	1	4	1	-	3	-	30	21	-	1	15	5
Balance of county	865	-	-	5	179	42	44	16	20	6	9	42	11	406	286	3	7	227	49
Wheeler	11	-	-	-	1	-	-	1	-	-	-	-	-	6	5	-	-	3	2
Yamhill	540	-	-	2	127	36	35	13	10	7	6	20	6	262	184	6	3	142	33
McMinnville	145	-	-	-	38	13	9	5	2	2	-	7	1	62	40	3	-	32	5
Balance of county	395	-	-	2	89	23	26	8	8	5	6	13	5	200	144	3	3	110	28
Pennsylvania	120,089	96	6	1,131	26,149	7,154	6,460	2,392	2,703	1,141	941	5,358	2,494	61,177	48,977	591	1,259	34,235	12,892
Urban places	61,789	62	6	720	13,781	3,817	3,558	1,239	1,400	575	454	2,738	1,217	30,301	24,298	319	650	16,612	6,717
Balance of area	58,300	34	-	411	12,368	3,337	2,902	1,153	1,303	566	487	2,620	1,277	30,876	24,679	272	609	17,623	6,175
Metropolitan counties	98,365	79	6	1,003	21,836	5,950	5,529	2,009	2,225	931	765	4,427	1,938	49,449	39,694	507	1,059	27,432	10,696
Urban places	57,855	56	6	690	12,990	3,582	3,397	1,170	1,311	528	428	2,574	1,120	28,139	22,580	295	609	15,339	6,337
Balance of area	40,510	23	-	313	8,846	2,368	2,132	839	914	403	337	1,853	818	21,310	17,114	212	450	12,093	4,359
Nonmetropolitan counties	21,724	17	-	128	4,313	1,204	931	383	478	210	176	931	556	11,728	9,283	84	200	6,803	2,196
Urban places	3,934	6	-	30	791	235	161	69	89	47	26	164	97	2,162	1,718	24	41	1,273	380
Balance of area	17,790	11	-	98	3,522	969	770	314	389	163	150	767	459	9,566	7,565	60	159	5,530	1,816
Adams	558	-	-	1	115	29	22	8	17	6	4	29	14	307	249	1	15	134	99
Allegheny	15,803	9	-	154	3,739	996	1,054	341	323	146	133	746	337	8,227	6,752	93	152	4,810	1,697
Baldwin	192	-	-	-	43	12	16	6	2	-	-	7	3	100	82	1	1	67	13
Bellevue	132	-	-	-	27	5	7	1	3	2	3	6	4	78	64	1	5	47	11
Bethel Park	263	-	-	2	80	19	27	7	4	4	1	18	7	132	108	1	-	87	20
Brentwood	157	-	-	1	41	8	16	2	5	3	-	7	2	85	67	-	3	49	15
Carnegie	129	1	-	3	28	8	11	2	-	1	1	5	3	67	60	1	-	48	11
Castle Shannon	92	-	-	1	24	5	4	3	2	1	1	8	4	46	35	-	2	26	7
Clairton	166	-	-	-	42	11	13	5	6	2	1	4	6	80	70	-	-	62	8
Dormont	104	-	-	2	29	11	6	1	3	-	2	6	4	53	45	-	-	35	10
Duquesne	166	1	-	1	48	13	13	2	6	2	1	11	6	73	61	-	1	45	15
Harrison twp. #	165	-	-	-	35	8	9	4	2	2	1	9	-	100	86	-	-	74	12
McKees Rocks	133	-	-	-	29	10	6	1	2	2	-	8	2	68	56	-	2	32	22
McKeesport	445	1	-	2	99	26	31	8	6	1	3	24	13	234	194	3	5	134	52
Monroeville	174	-	-	3	44	12	16	2	1	2	2	9	3	87	68	1	3	55	9
Mount Lebanon twp. #	392	-	-	3	94	30	27	6	7	4	6	14	6	210	180	2	2	139	37
Munhall	183	-	-	6	44	10	12	6	3	2	1	10	6	95	77	-	5	62	10
North Braddock	129	-	-	-	24	6	7	-	4	1	1	5	1	75	61	1	-	40	20
North Versaille twp. #	123	-	-	1	28	8	7	2	3	3	2	3	7	62	51	3	-	36	12
Penn Hills twp. #	450	-	-	2	116	34	30	10	5	3	7	27	8	222	171	2	4	127	38
Pittsburgh	5,771	5	-	68	1,348	357	372	122	136	55	35	271	125	2,928	2,411	39	47	1,589	736
Pleasant Hills	55	-	-	-	17	5	4	1	2	1	1	3	-	24	21	1	-	15	5
Plum	123	-	-	-	24	4	6	3	2	1	1	7	4	70	60	-	-	42	18
Ross twp. #	306	-	-	4	66	16	17	9	6	5	2	11	10	178	147	-	4	113	30
Scott twp. #	239	-	-	2	31	7	9	3	3	3	1	5	3	145	115	-	6	86	23
Shaler twp. #	257	-	-	1	59	11	24	4	5	2	2	11	4	141	113	3	3	75	32
Stowe twp. #	115	-	-	-	25	10	4	4	2	1	2	2	2	64	54	1	3	37	13
Swissvale	179	-	-	2	38	6	13	8	-	3	2	6	4	101	80	-	-	57	23
Upper St. Clair twp. #	75	-	-	3	19	5	5	2	3	1	-	3	-	33	28	1	-	23	4
West Mifflin	244	-	-	1	64	19	16	6	6	-	4	13	2	140	112	-	1	86	25
Whitehall	147	-	-	2	37	9	3	7	5	1	2	10	1	74	59	-	2	45	12
Wilkinsburg	270	-	-	1	56	14	17	4	5	2	5	9	8	153	119	-	3	82	34
Balance of county	4,427	1	-	43	1,080	297	306	100	84	36	43	214	89	2,309	1,897	32	50	1,395	420
Armstrong	781	-	-	4	153	51	33	10	22	5	7	25	14	443	372	3	7	298	66
Beaver	1,950	-	-	9	415	130	97	33	43	14	19	79	43	1,027	804	15	31	603	155
Aliquippa	247	-	-	1	48	12	13	5	6	2	1	9	7	128	98	1	5	76	16
Ambridge	131	-	-	1	20	6	3	-	3	2	-	6	6	78	64	1	4	48	11
Beaver Falls	160	-	-	-	32	7	10	2	4	-	1	8	3	81	66	-	4	48	14
Ellwood City, part	4	-	-	-	1	-	1	-	-	-	-	-	-	2	2	-	-	1	1
Balance of county	1,408	-	-	7	314	105	70	26	30	10	17	56	27	738	574	13	18	430	113
Bedford	404	-	-	1	77	19	15	9	13	3	4	14	9	235	179	1	7	133	38
Berks	3,174	2	-	21	730	199	169	84	70	36	22	150	68	1,665	1,304	14	43	936	311
Reading	1,118	-	-	4	269	84	65	33	25	10	8	44	25	581	456	5	14	333	104
Balance of county	2,056	2	-	17	461	115	104	51	45	26	14	106	43	1,084	848	9	29	603	207
Blair	1,497	1	-	14	304	90	72	32	31	8	11	60	39	842	636	5	16	515	100
Altoona	710	1	-	11	143	40	33	15	12	4	6	33	21	390	300	3	7	237	53
Balance of county	787	-	-	3	161	50	39	17	19	4	5	27	18	452	336	2	9	278	47

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oregon—Con																			
Multnomah	12	543	120	66	148	204	11	151	44	-	25	45	129	420	143	150	90	40	21
Lake Oswego, part	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Milwaukee, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	10	427	90	52	113	160	10	127	38	-	18	35	105	333	108	124	70	36	15
Portland, total	10	434	91	54	114	160	12	130	39	-	19	35	107	335	108	125	73	36	15
Balance of county	2	115	30	14	35	44	1	24	6	-	7	10	24	87	35	26	20	4	6
Polk	-	34	12	4	6	8	-	3	4	-	1	8	5	20	14	6	5	1	1
Salem, part	-	8	7	2	1	1	-	1	1	-	-	3	2	2	2	3	3	1	-
Balance of county	-	26	5	2	5	7	-	2	3	-	1	5	3	18	12	3	2	-	1
Sherman	-	2	-	-	1	-	1	-	-	-	-	-	-	1	2	-	-	-	-
Tillamook	-	33	6	1	8	12	-	7	1	-	-	4	-	10	8	5	3	2	1
Umatilla	1	50	4	11	14	22	-	6	5	-	5	7	11	43	20	8	10	6	-
Pendleton	-	10	1	5	10	8	-	2	2	-	2	3	4	11	6	1	-	1	-
Balance of county	1	40	3	6	4	14	-	4	3	-	3	4	7	32	14	7	10	5	-
Union	-	11	1	1	3	7	1	2	1	-	-	2	5	11	5	4	1	1	-
Wallowa	-	1	-	1	4	2	1	1	1	-	-	-	1	2	2	6	5	-	-
Wasco	-	16	4	2	7	15	1	2	-	-	-	-	2	20	7	2	1	1	-
City of the Dalles	-	13	4	2	5	9	1	1	-	-	-	-	1	9	2	2	1	1	-
Balance of county	-	3	-	-	2	6	-	1	-	-	-	-	1	11	5	-	-	-	-
Washington	3	110	36	22	48	51	5	18	9	-	11	19	29	131	36	35	21	9	4
Beaverton	-	22	6	1	7	10	1	5	1	-	2	5	4	25	11	8	1	1	2
Hillsboro	-	7	5	1	8	4	2	2	1	-	-	4	3	22	6	7	4	2	-
Lake Oswego, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Portland, part	-	6	1	2	1	-	-	2	1	-	1	-	2	2	-	1	3	-	-
Balance of county	3	75	24	18	32	37	2	9	6	-	8	10	20	81	19	19	13	6	2
Wheeler	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-
Yamhill	3	55	13	7	21	19	2	2	2	-	2	7	8	38	10	18	10	4	-
McMinnville	2	16	2	2	6	8	-	-	-	-	-	-	1	15	5	7	1	1	-
Balance of county	1	39	11	5	15	11	2	2	2	-	2	7	7	23	5	11	9	3	-
Pennsylvania	406	8,949	1,597	1,248	2,691	3,173	331	1,536	1,204	7	615	1,049	2,604	9,062	2,122	2,296	1,312	777	257
Urban places	196	4,517	669	621	1,402	1,597	176	908	671	2	295	651	2,124	4,604	688	1,141	640	621	182
Balance of area	210	4,432	928	627	1,289	1,576	155	628	533	5	320	398	480	4,458	1,434	1,155	672	156	75
Metropolitan counties	334	7,218	1,190	1,013	2,220	2,554	275	1,313	996	6	515	894	2,439	7,372	1,555	1,859	1,077	733	246
Urban places	184	4,196	604	575	1,326	1,484	162	861	633	2	281	615	2,090	4,313	634	1,066	599	607	181
Balance of area	150	3,022	586	438	894	1,070	113	452	363	4	234	279	349	3,059	921	793	478	126	65
Nonmetropolitan counties	72	1,731	407	235	471	619	56	223	208	1	100	155	165	1,690	567	437	235	44	11
Urban places	12	321	65	46	76	113	14	47	38	-	14	36	34	291	54	75	41	14	1
Balance of area	60	1,410	342	189	395	506	42	176	170	1	86	119	131	1,399	513	362	194	30	10
Adams	1	31	17	9	11	18	3	3	4	1	2	7	1	27	17	14	8	4	1
Allegheny	32	1,097	163	183	339	390	34	271	162	-	77	144	80	1,071	172	274	153	81	89
Baldwin	-	14	1	3	4	4	-	5	1	-	1	-	1	20	1	4	3	-	2
Bellevue	-	12	1	1	3	2	-	2	1	-	2	1	-	8	2	2	-	-	-
Bethel Park	-	18	1	5	4	3	2	1	1	-	2	2	2	16	4	3	2	-	-
Brentwood	-	13	-	5	-	1	-	4	4	-	2	2	2	8	3	1	-	1	-
Carnegie	-	7	-	-	3	2	-	1	1	-	-	3	1	11	1	1	1	2	-
Castle Shannon	-	8	-	3	-	3	-	2	-	-	-	2	2	7	1	-	-	-	-
Clairton	-	6	4	-	1	5	-	4	-	-	-	2	1	15	3	6	1	-	-
Dormont	-	6	1	1	2	-	1	2	2	-	-	-	-	6	-	1	-	-	2
Duquesne	-	7	2	3	5	4	-	3	3	-	1	4	1	10	-	-	-	5	1
Harrison twp. ⌗	-	10	3	1	3	3	1	2	1	-	1	2	-	8	3	4	2	-	-
McKees Rocks	1	8	1	2	3	2	1	1	1	-	2	1	3	9	-	9	2	-	-
McKeesport	1	33	2	4	15	8	1	8	5	-	2	1	2	32	4	10	3	1	4
Monroeville	-	13	3	3	3	6	1	3	-	-	1	1	-	11	3	2	1	2	3
Mount Lebanon twp. ⌗	-	23	2	5	12	15	-	4	5	-	5	-	-	27	5	5	1	-	-
Munhall	1	11	2	4	2	6	-	2	2	-	1	1	-	11	-	3	2	-	2
North Braddock	-	11	1	2	-	5	-	2	1	-	-	2	1	7	4	4	1	2	-
North Versaille twp. ⌗	-	10	1	-	2	1	1	3	3	-	-	1	1	8	2	1	1	-	1
Penn Hills twp. ⌗	2	33	6	10	11	13	2	5	3	-	3	1	3	34	4	11	5	4	3
Pittsburgh	14	396	53	54	141	137	14	122	64	-	27	66	31	400	54	100	55	49	37
Pleasant Hills	-	2	-	1	1	1	-	1	-	-	-	-	-	7	2	1	1	-	-
Plum	1	6	-	3	2	3	-	-	3	-	-	3	1	3	4	3	2	-	1
Ross twp. ⌗	1	24	3	3	6	9	-	5	1	-	2	1	-	17	1	3	1	-	2
Scott twp. ⌗	-	18	6	6	10	5	-	4	7	-	-	2	2	22	1	3	1	-	1
Shaler twp. ⌗	-	18	3	7	5	9	-	-	2	-	1	1	1	22	1	4	1	1	4
Stowe twp. ⌗	1	7	1	1	1	3	-	3	2	-	1	-	1	9	-	1	3	-	-
Swissvale	-	19	2	-	5	6	-	5	1	-	-	2	-	11	-	1	1	-	2
Upper St. Clair twp. ⌗	-	3	-	2	1	-	-	4	1	-	-	4	-	5	1	2	2	-	-
West Mifflin	-	22	3	3	6	4	1	4	1	-	-	1	-	11	2	5	1	-	1
Whitehall	-	10	2	3	3	7	-	3	4	-	-	2	-	7	3	-	4	-	-
Wilkinsburg	2	22	7	3	4	11	2	3	1	-	1	6	2	14	1	4	1	2	-
Balance of county	8	307	52	45	81	112	7	63	41	-	22	30	22	295	62	80	55	12	23
Armstrong	3	51	12	5	13	21	3	9	5	-	4	5	5	54	22	15	9	1	1
Beaver	12	162	25	24	32	51	4	36	19	-	10	14	53	120	30	54	21	9	3
Aliquippa	-	26	1	3	5	3	-	9	4	-	-	2	9	16	3	8	3	-	1
Ambridge	1	6	3	4	2	2	1	4	-	-	-	2	3	7	1	1	-	2	1
Beaver Falls	1	14	-	-	3	9	1	2	2	-	2	3	4	11	3	3	1	-	-
Ellwood City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Balance of county	10	116	21	17	22	37	2	21	13	-	8	7	37	86	23	41	17	7	1
Bedford	1	41	8	6	7	13	1	4	4	-	1	1	2	28	7	5	8	1	-
Berks	13	265	51	32	86	86	9	29	30	-	12	10	19	227	58	57	46	17	2
Reading	6	91	16	12	29	31	2	14	9	-	4	4	10	73	12	23	15	13	-
Balance of county	7	174	35	20	57	55	7	15	21	-	8	6	9	154	46	34	31	4	2
Blair	13	138	32	23	27	49	5	12	14	-	8	13	3	99	25	27	11	4	-
Altoona	6	61	13	10	16	27	3	7	9	-	2	7	2	48	6	11	4	2	-
Balance of county	7	77	19	13	11	22	2	5	5	-	6	6	1	51	19	16	7	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Bradford	583	-	-	7	108	30	26	14	13	5	2	18	14	293	213	2	10	144	57
Bucks	3,480	1	-	39	779	201	210	59	85	35	39	150	65	1,624	1,284	16	17	862	389
Bensalem twp. #	302	-	-	6	63	12	19	4	5	2	3	18	5	127	105	3	1	62	39
Bristol	125	-	-	1	23	7	1	2	3	1	2	7	2	63	54	-	1	35	18
Bristol twp. #	386	-	-	2	99	21	37	9	12	2	5	13	8	164	144	1	3	92	48
Falls twp. #	201	-	-	7	46	8	14	5	6	1	1	11	6	88	72	1	2	49	20
Lower Southampton twp. #	120	-	-	1	34	9	12	2	2	1	1	7	-	56	46	-	2	31	13
Middletown twp. #	181	-	-	1	36	9	11	2	2	3	2	7	2	93	74	1	1	52	20
Morrisville	122	-	-	1	36	12	4	3	4	2	2	9	2	50	42	-	-	31	11
Upper Southampton twp. #	118	-	-	1	24	5	6	6	1	3	1	2	2	56	43	-	-	31	12
Warminster twp. #	208	-	-	4	64	16	24	6	4	2	1	11	1	93	71	1	1	51	18
Balance of county	1,717	1	-	15	354	102	82	20	46	18	21	65	37	834	633	9	6	428	190
Butler	1,266	-	-	8	273	77	67	16	28	15	15	55	27	665	531	4	5	436	86
Butler	241	-	-	2	59	15	19	3	6	6	3	7	6	120	95	-	1	79	15
Balance of county	1,025	-	-	6	214	62	48	13	22	9	12	48	21	545	436	4	4	357	71
Cambria	1,937	1	-	11	401	97	96	38	50	14	10	96	64	1,022	794	14	28	622	130
Johnstown	576	-	-	4	128	31	36	10	15	4	3	29	20	311	235	3	8	177	47
Balance of county	1,361	1	-	7	273	66	60	28	35	10	7	67	44	711	559	11	20	445	83
Cameron	83	-	-	-	18	5	3	4	3	-	-	3	1	39	25	-	2	21	2
Carbon	610	-	-	5	131	43	32	6	15	6	2	27	13	330	268	1	7	188	72
Centre	660	-	1	8	146	39	37	11	13	8	5	33	17	339	272	5	4	193	70
State College	143	-	1	3	32	14	6	2	2	2	-	6	8	64	53	1	1	35	16
Balance of county	517	-	-	5	114	25	31	9	11	6	5	27	9	275	219	4	3	158	54
Chester	2,416	2	-	20	578	159	149	54	62	22	20	112	40	1,177	986	7	30	678	271
Coatesville	177	1	-	1	41	11	11	4	3	3	2	7	2	90	76	2	1	58	15
Phoenixville	146	-	-	2	24	6	9	-	6	-	2	1	1	81	71	-	2	44	25
West Chester	205	-	-	-	38	9	7	4	4	1	2	11	5	105	81	-	4	45	32
Balance of county	1,888	1	-	17	475	133	122	46	49	18	14	93	32	901	758	5	23	531	199
Clarion	408	-	-	3	87	19	17	6	18	5	4	18	7	216	160	3	-	125	32
Clearfield	855	-	-	2	168	46	45	17	14	7	4	35	21	458	355	7	10	271	67
Du Bois	105	-	-	1	24	7	3	1	1	2	1	9	1	57	45	1	1	29	14
Balance of county	750	-	-	1	144	39	42	16	13	5	3	26	20	401	310	6	9	242	53
Clinton	367	-	-	3	65	13	11	8	8	2	3	20	14	201	167	1	3	108	55
Lock Haven	127	-	-	1	21	4	4	4	2	-	-	7	6	74	64	-	-	45	19
Balance of county	240	-	-	2	44	9	7	4	6	2	3	13	8	127	103	1	3	63	36
Columbia	656	-	-	4	121	39	21	9	20	4	3	25	17	366	277	4	6	188	79
Berwick	162	-	-	-	34	11	7	2	5	-	2	7	6	89	68	3	2	50	13
Bloomsburg	118	-	-	3	21	9	5	-	-	2	-	5	3	67	45	-	1	30	14
Balance of county	376	-	-	1	66	19	9	7	15	2	1	13	8	210	164	1	3	108	52
Crawford	871	1	-	5	176	54	33	20	12	11	4	42	13	471	369	4	9	284	72
Meadville	212	-	-	2	43	11	5	5	3	4	-	15	4	115	89	1	4	72	12
Balance of county	659	1	-	3	133	43	28	15	9	7	4	27	9	356	280	3	5	212	60
Cumberland	1,465	-	-	8	348	93	77	40	34	12	16	76	25	768	581	9	12	433	127
Carlisle	194	-	-	2	41	11	6	8	7	1	1	7	5	107	71	4	2	50	15
Balance of county	1,271	-	-	6	307	82	71	32	27	11	15	69	20	661	510	5	10	383	112
Dauphin	2,286	3	-	29	425	123	102	37	40	19	14	90	51	1,246	1,012	10	19	513	470
Harrisburg	738	3	-	12	134	43	35	10	9	5	3	29	17	369	293	7	6	126	154
Lower Paxton twp. #	230	-	-	2	50	14	11	6	4	5	2	8	5	116	92	-	4	46	42
Balance of county	1,318	-	-	15	241	66	56	21	27	9	9	53	29	761	627	3	9	341	274
Delaware	5,645	-	1	62	1,325	361	347	131	140	48	48	250	71	2,892	2,279	28	92	1,445	714
Aston twp. #	123	-	-	1	33	5	11	4	3	3	1	6	2	68	59	1	4	44	10
Chester	618	-	1	10	161	41	53	15	17	3	1	31	7	279	216	2	14	131	69
Collingdale	98	-	-	2	26	10	6	1	3	1	-	5	2	46	40	-	2	25	13
Darby	186	-	-	4	35	6	12	2	4	1	2	8	3	103	87	2	4	47	34
Darby twp. #	43	-	-	1	13	2	4	1	2	1	1	2	-	16	11	1	1	5	4
Haverford twp. #	757	-	-	2	183	46	43	18	23	7	7	39	9	405	313	4	13	195	101
Lansdowne	121	-	-	3	36	10	5	6	4	2	4	5	2	54	45	-	4	29	12
Marple twp. #	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nether Providence twp. #	115	-	-	-	29	9	6	3	2	-	-	9	2	57	47	1	2	23	21
Radnor twp. #	205	-	-	1	55	19	12	10	4	-	3	7	2	102	73	3	2	46	22
Ridley twp. #	222	-	-	2	42	13	11	4	5	3	2	4	3	118	98	2	6	65	25
Springfield twp. #	226	-	-	4	59	25	12	5	4	-	4	9	1	112	90	-	-	60	30
Upper Chichester twp. #	97	-	-	-	22	5	5	1	4	2	-	5	1	50	43	1	1	28	13
Upper Darby twp. #	949	-	-	12	219	72	51	18	23	3	9	43	10	507	400	5	17	251	127
Yeadon	158	-	-	2	29	6	9	2	6	2	1	3	4	81	65	-	2	42	21
Balance of county	1,727	-	-	18	383	92	107	41	36	20	13	74	23	894	692	6	20	454	212
Elk	353	-	-	-	69	21	11	6	12	3	5	11	9	199	159	2	5	129	23
Erie	2,577	1	1	17	504	122	123	49	53	29	20	108	61	1,374	1,071	7	20	852	192
Erie	1,371	1	1	10	282	70	65	27	29	14	12	65	26	715	560	4	14	435	107
Millcreek twp. #	319	-	-	4	63	14	17	7	9	4	4	8	8	176	137	2	1	107	27
Balance of county	887	-	-	3	159	38	41	15	15	11	4	35	27	483	374	1	5	310	58
Fayette	1,791	1	-	8	362	86	83	32	43	20	10	88	35	979	797	3	20	535	239
Connellsville	142	1	-	-	38	10	10	2	4	5	-	7	6	80	65	-	2	46	17
Uniontown	232	-	-	1	39	15	8	3	3	3	1	6	4	133	103	-	6	63	34
Balance of county	1,417	-	-	7	285	61	65	27	36	12	9	75	25	766	629	3	12	426	188
Forest	55	-	-	-	13	5	4	-	3	-	-	1	-	31	24	1	-	17	6
Franklin	989	2	-	3	214	55	53	22	27	7	11	39	26	546	437	2	12	316	107
Chambersburg	246	1	-	1	49	14	15	2	10	-	-	8	5	141	113	2	4	87	20
Waynesboro	84	-	-	-	22	4	6	2	3	2	3	2	-	46	36	-	1	20	15
Balance of county	659	1	-	2	143	37	32	18	14	5	8	29	21	359	288	-	7	209	72
Fulton	94	-	-	-	18	5	3	1	2	2	1	4	3	52	41	-	-	30	11
Greene	438	-	-	2	75	28	15	5	5	3	1	18	14	271	220	-	3	162	55

NEWARK PUBLIC LIBRARY

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Bradford	2	45	28	5	16	22	2	9	6	1	3	2	16	35	22	13	13	1	-
Bucks	17	246	43	34	92	109	8	35	31	1	21	29	170	272	81	55	44	20	4
Bensalem twp. #	2	18	-	2	4	9	1	1	4	-	4	9	27	19	6	8	4	5	-
Bristol	-	7	2	-	4	5	-	-	1	-	1	1	10	5	3	2	1	3	-
Bristol twp. #	-	17	2	1	9	16	-	6	3	-	4	3	20	28	15	2	5	2	-
Falls twp. #	-	13	1	2	2	7	-	4	1	1	-	-	12	17	2	1	6	1	-
Lower Southampton twp. #	-	6	3	1	5	6	2	1	1	-	-	1	3	6	-	3	1	-	-
Middletown twp. #	2	15	-	2	5	3	1	2	3	-	-	2	9	17	2	3	2	-	-
Morrisville	1	5	1	1	5	4	-	2	1	-	-	-	5	8	2	4	1	1	-
Upper Southampton twp. #	-	9	2	2	6	4	-	1	2	-	-	2	4	9	-	4	3	-	-
Warminster twp. #	1	9	7	5	1	6	-	2	2	-	2	1	5	15	6	1	4	-	1
Balance of county	11	147	25	18	51	49	4	16	13	-	10	10	75	148	45	27	17	8	3
Butler	-	98	29	7	39	40	5	16	10	-	8	8	7	69	33	37	17	4	-
Butler	-	21	4	-	4	9	2	3	4	-	2	1	1	11	8	6	1	2	-
Balance of county	-	77	25	7	35	31	3	13	6	-	6	7	6	58	25	31	16	2	-
Cambria	9	164	34	21	38	57	3	23	17	-	17	14	9	173	28	31	19	6	3
Johnstown	4	52	10	10	5	17	1	9	4	-	5	6	2	45	7	5	4	2	1
Balance of county	5	112	24	11	33	40	2	14	13	-	12	8	7	128	21	26	15	4	2
Cameron	-	12	1	1	4	6	-	1	1	-	-	1	1	4	2	4	1	-	-
Carbon	1	48	10	3	8	14	1	2	5	-	3	6	2	62	12	11	5	-	-
Centre	2	53	10	2	11	15	2	5	7	-	5	9	4	47	10	19	13	2	-
State College	1	8	2	-	3	4	2	1	-	-	1	3	1	16	1	2	-	1	-
Balance of county	1	45	8	2	8	11	-	4	7	-	4	6	3	31	9	17	13	1	-
Chester	6	135	20	30	52	71	9	28	22	-	25	25	33	167	79	42	27	12	7
Coatesville	-	9	2	3	4	4	1	2	2	-	3	4	2	7	7	1	5	-	-
Phoenixville	-	7	3	-	5	4	-	2	2	-	-	1	3	11	4	3	-	1	2
West Chester	2	15	3	4	6	7	-	2	3	-	1	7	4	15	6	2	2	1	1
Balance of county	4	104	12	23	37	56	8	22	15	-	21	13	24	134	62	36	20	10	4
Clarion	1	44	7	4	14	11	-	4	6	-	1	5	1	34	7	6	4	-	2
Clearfield	3	78	11	11	17	35	-	12	8	-	3	16	7	63	26	10	8	1	-
Du Bois	-	8	2	2	4	2	-	1	1	-	-	7	-	5	-	-	1	1	-
Balance of county	3	70	9	9	13	33	-	11	7	-	3	9	7	58	26	10	7	-	-
Clinton	1	26	5	2	3	9	1	1	5	-	-	6	3	28	14	10	4	-	-
Lock Haven	1	7	2	-	1	1	-	-	1	-	-	3	1	10	2	6	-	-	-
Balance of county	-	19	3	2	2	8	1	1	4	-	-	3	2	18	12	4	4	-	-
Columbia	7	64	12	6	11	18	1	8	2	-	-	4	4	60	19	11	10	-	-
Berwick	-	16	4	1	2	4	-	5	-	-	-	3	1	14	1	1	2	-	-
Bloomsburg	3	13	3	3	3	4	1	-	2	-	-	-	-	7	1	4	2	-	-
Balance of county	4	35	5	2	6	10	-	3	-	-	-	1	3	39	17	6	6	-	-
Crawford	5	72	15	10	22	36	1	8	9	-	1	4	4	64	24	24	6	2	-
Meadville	1	14	5	6	5	5	-	2	2	-	1	1	1	18	3	9	1	-	-
Balance of county	4	58	10	4	17	31	1	6	7	-	-	3	3	46	21	15	5	2	-
Cumberland	4	144	23	16	42	48	3	17	12	-	7	13	7	90	28	28	16	5	-
Carlisle	3	24	5	4	11	4	-	1	1	-	-	3	-	10	2	4	2	1	-
Balance of county	1	120	18	12	31	44	3	16	11	-	7	10	7	80	26	24	14	4	-
Dauphin	12	174	23	25	62	58	7	19	30	-	18	33	8	158	47	34	28	26	4
Harrisburg	3	63	6	4	18	24	3	7	7	-	5	23	4	48	17	15	10	18	4
Lower Paxton twp. #	1	17	2	4	7	8	-	2	7	-	2	-	-	21	2	3	3	2	-
Balance of county	8	94	15	17	37	26	4	10	16	-	11	10	4	89	28	16	15	6	-
Delaware	22	426	93	72	125	198	17	80	37	1	25	37	78	385	66	107	77	45	16
Aston twp. #	1	7	-	1	2	2	1	1	2	-	-	2	1	3	3	1	1	-	-
Chester	2	49	5	7	7	22	1	7	6	-	2	7	16	45	4	14	9	17	3
Collingdale	-	5	1	-	1	3	-	4	-	-	1	-	-	7	2	1	2	-	1
Darby	-	15	1	-	4	6	-	2	2	-	1	1	2	12	2	5	-	3	1
Darby twp. #	1	4	-	-	2	2	-	-	1	-	-	-	2	3	-	2	-	1	-
Haverford twp. #	1	62	22	7	16	21	2	8	6	-	7	3	11	57	3	11	9	4	-
Lansdowne	-	5	1	3	1	4	-	2	-	-	1	3	4	6	1	2	2	-	-
Marple twp. #	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nether Providence twp. #	-	8	1	1	4	4	1	-	-	-	-	-	1	10	-	5	2	-	-
Radnor twp. #	2	20	5	2	6	12	-	3	-	-	1	1	1	11	3	3	3	-	1
Ridley twp. #	-	15	3	2	5	8	1	2	4	-	1	3	2	16	5	3	6	1	-
Springfield twp. #	-	16	3	3	8	11	1	3	1	-	-	1	2	18	2	2	1	-	-
Upper Chichester twp. #	-	5	1	1	1	1	-	1	1	-	2	-	-	6	2	5	2	3	-
Upper Darby twp. #	3	71	14	19	14	32	4	19	1	-	3	4	13	68	7	17	9	7	3
Yeadon	-	6	6	4	7	3	-	2	2	-	1	2	4	12	1	2	5	1	-
Balance of county	12	138	30	22	47	67	6	26	11	1	5	10	19	111	31	34	26	8	7
Elk	-	31	3	6	6	10	1	5	2	-	3	2	1	23	11	8	2	1	1
Erie	9	225	38	31	50	76	15	49	21	-	14	35	20	184	59	44	39	12	1
Erie	6	118	13	18	24	45	9	32	14	-	6	24	11	99	20	24	19	8	1
Millcreek twp. #	2	30	2	5	6	5	1	4	1	-	1	1	3	24	10	7	4	1	-
Balance of county	1	77	23	8	20	26	5	13	6	-	7	10	6	61	29	13	16	3	-
Fayette	8	142	16	16	42	31	6	22	15	-	8	20	14	142	38	42	17	8	1
Connellsville	1	9	4	1	1	3	-	1	2	-	-	-	1	6	-	2	1	-	-
Uniontown	-	25	3	2	3	6	-	4	3	-	-	6	2	19	3	4	3	2	-
Balance of county	7	108	9	13	38	22	6	17	10	-	8	14	11	117	35	36	13	6	1
Forest	-	3	1	3	1	2	-	2	-	-	1	-	-	2	-	3	-	-	-
Franklin	3	69	27	10	23	32	3	11	8	-	1	5	4	51	29	13	12	6	-
Chambersburg	-	18	5	5	8	4	2	4	2	-	-	1	1	13	3	5	4	2	-
Waynesboro	-	8	1	1	1	5	-	-	-	-	-	1	1	5	3	-	-	-	-
Balance of county	3	43	21	4	14	23	1	7	6	-	1	3	2	33	23	8	8	4	-
Fulton	-	3	5	3	3	6	-	-	2	-	-	-	-	4	4	1	-	1	-
Greene	1	40	5	5	7	10	-	3	5	-	1	2	1	25	9	8	3	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Huntingdon	377	1	-	4	71	27	16	4	6	5	4	9	10	209	171	1	3	130	37
Indiana	766	1	-	4	157	42	37	17	13	6	6	36	20	411	316	4	5	239	68
Indiana	107	-	-	2	22	5	4	3	3	1	2	4	2	58	47	2	1	33	11
Balance of county	659	1	-	2	135	37	33	14	10	5	4	32	18	353	269	2	4	206	57
Jefferson	513	-	-	2	99	30	20	9	8	4	8	20	9	298	216	2	3	159	52
Juniata	190	-	-	2	42	10	7	5	6	1	1	12	6	91	66	1	-	52	13
Lackawanna	2,864	4	-	23	600	190	117	64	57	24	22	126	59	1,596	1,325	15	53	875	382
Carbondale	173	-	-	-	39	11	7	4	4	2	2	9	1	93	83	-	6	48	29
Dunmore	198	-	-	1	37	11	7	4	5	1	2	7	4	106	83	-	4	58	21
Scranton	1,346	2	-	14	285	91	59	28	27	12	10	58	38	752	636	11	23	411	191
Balance of county	1,147	2	-	8	239	77	44	28	21	9	8	52	16	645	523	4	20	358	141
Lancaster	3,153	1	1	22	724	184	166	65	96	32	24	157	63	1,669	1,338	14	43	865	416
Columbia	152	-	-	-	37	9	15	5	3	1	1	3	4	75	58	-	-	43	15
Lancaster	665	-	-	6	147	41	46	9	14	3	3	31	10	353	282	1	14	174	93
Lancaster twp. #	137	-	1	1	37	10	9	3	7	-	1	7	3	66	54	1	4	33	16
Balance of county	2,199	1	-	15	503	124	96	48	72	28	19	116	46	1,175	944	12	25	615	292
Lawrence	1,098	2	-	8	220	62	46	26	18	13	10	45	28	606	489	10	8	399	72
Ellwood City, part	116	-	-	2	27	14	3	2	1	3	-	4	4	64	53	1	-	42	10
Ellwood City, total	120	-	-	2	28	14	4	2	1	3	-	4	4	66	55	1	-	43	11
New Castle	475	2	-	4	91	26	19	12	9	6	4	15	13	268	217	5	5	178	29
Balance of county	507	-	-	2	102	22	24	12	8	4	6	26	11	274	219	4	3	179	33
Lebanon	1,081	-	-	7	215	64	27	32	30	12	11	39	42	593	495	5	12	352	126
Lebanon	321	-	-	2	67	22	9	8	10	3	3	12	11	176	145	2	3	102	38
Balance of county	760	-	-	5	148	42	18	24	20	9	8	27	31	417	350	3	9	250	88
Lehigh	2,597	-	-	27	535	146	129	47	55	25	21	112	56	1,440	1,184	8	26	880	270
Allentown	1,201	-	-	12	251	68	70	18	30	11	8	46	29	651	542	5	12	382	143
Bethlehem, part	219	-	-	4	52	16	13	5	3	2	2	11	4	120	94	1	2	75	16
Emmaus	109	-	-	1	24	12	3	1	3	-	1	4	-	66	58	-	1	40	17
Balance of county	1,068	-	-	10	208	50	43	23	19	12	10	51	23	603	490	2	11	383	94
Luzerne	4,242	7	-	24	849	262	195	71	87	27	22	185	91	2,284	1,874	33	48	1,261	532
Hazleton	387	1	-	-	75	18	17	6	11	1	3	19	8	205	158	5	7	108	38
Kingston	231	-		1	39	14	8	3	4	1	2	7	6	145	128	2	2	84	40
Nanticoke	185	-	-	-	34	8	8	5	3	-	-	10	2	100	87	-	1	62	24
Pittston	139	1	-	2	28	4	9	2	2	1	2	8	2	78	68	4	-	47	17
Wilkes-Barre	812	1	-	8	152	63	31	8	16	2	3	29	17	471	385	6	9	250	120
Balance of county	2,488	4	-	13	521	155	122	47	51	22	12	112	56	1,285	1,048	16	29	710	293
Lycoming	1,143	-	-	8	254	73	53	27	24	17	5	55	22	606	475	6	11	293	165
Williamsport	344	-	-	1	72	20	13	7	5	7	2	18	12	185	142	3	2	93	44
Balance of county	799	-	-	7	182	53	40	20	19	10	3	37	10	421	333	3	9	200	121
McKean	559	-	-	1	121	32	29	3	16	1	9	31	4	326	278	1	8	158	111
Bradford	164	-	-	1	35	12	7	1	4	-	1	10	1	100	89	1	4	39	45
Balance of county	395	-	-	-	86	20	22	2	12	1	8	21	3	226	189	-	4	119	66
Mercer	1,269	-	-	9	234	63	62	22	27	11	11	38	34	682	574	10	16	448	100
Farrell	107	-	-	2	25	9	6	3	2	2	1	2	4	46	40	-	2	30	8
Sharon	232	-	-	2	46	12	13	6	6	4	-	5	10	118	98	1	1	73	23
Balance of county	930	-	-	5	163	42	43	13	19	5	10	31	20	518	436	9	13	345	69
Mifflin	479	1	-	8	92	23	24	6	9	2	5	23	4	254	212	3	3	178	28
Lewistown	153	1	-	3	25	4	5	3	3	1	1	8	-	77	68	3	-	57	8
Balance of county	326	-	-	5	67	19	19	3	6	1	4	15	4	177	144	-	3	121	20
Monroe	716	1	-	6	139	36	26	10	16	7	8	36	11	384	315	6	3	196	110
Montgomery	5,921	4	-	66	1,336	351	336	153	131	59	45	261	94	3,084	2,425	30	72	1,671	652
Abington twp. #	588	1	-	8	154	44	38	15	15	5	7	30	5	293	227	4	5	157	61
Cheltenham twp. #	408	-	-	9	88	26	13	14	9	7	5	14	7	232	177	-	5	132	40
Conshohocken	127	-	-	-	38	7	15	3	5	3	-	5	3	56	43	1	3	29	10
East Norriton twp. #	95	-	-	2	20	4	6	2	3	-	-	5	1	49	39	1	-	32	6
Lansdale	199	1	-	1	39	9	10	2	7	3	2	6	2	105	80	2	2	57	19
Lower Merion twp. #	667	1	-	10	154	51	36	18	11	6	5	27	6	357	280	4	14	174	88
Lower Moreland twp. #	72	-	-	2	19	6	4	3	-	4	-	2	2	32	23	-	-	20	3
Norristown	438	-	-	2	90	22	29	7	9	3	3	17	4	228	187	2	5	133	47
Plymouth twp. #	123	-	-	-	27	7	7	2	2	2	2	5	3	60	53	-	2	36	15
Pottstown	272	-	-	1	53	12	15	7	3	2	1	13	5	153	125	1	3	81	40
Springfield twp. #	276	-	-	1	58	16	16	9	5	3	2	7	7	145	110	-	2	72	36
Upper Moreland twp. #	200	-	-	1	54	15	11	4	8	2	-	14	6	90	65	2	1	42	20
West Norriton twp. #	82	-	-	1	16	2	7	1	2	-	-	4	3	50	39	1	1	22	15
Balance of county	2,374	1	-	28	526	130	129	66	52	19	18	112	40	1,234	977	12	29	684	252
Montour	192	-	-	3	40	11	9	7	1	4	-	8	6	101	72	1	2	39	30
Northampton	2,028	2	-	15	500	140	130	34	56	28	19	93	40	1,060	893	10	17	573	293
Bethlehem, part	542	-	-	6	133	35	36	8	20	8	3	23	15	275	229	5	3	159	62
Bethlehem, total	761	-	-	10	185	51	49	13	23	10	5	34	19	395	323	6	5	234	78
Easton	342	-	-	2	80	27	21	4	6	1	2	19	2	187	164	2	7	86	69
Balance of county	1,144	2	-	7	287	78	73	22	30	19	14	51	23	598	500	3	7	328	162
Northumberland	1,198	1	-	9	258	82	57	18	26	16	8	51	34	614	463	2	8	335	118
Shamokin	180	-	-	-	41	12	9	3	4	3	1	9	9	89	69	-	2	57	10
Sunbury	163	-	-	3	38	11	5	3	5	3	2	9	3	83	59	1	-	48	10
Balance of county	855	1	-	6	179	59	43	12	17	10	5	33	22	442	335	1	6	230	98
Perry	337	-	-	8	69	20	20	4	8	5	1	11	9	159	120	2	1	85	32
Philadelphia, coext. with Philadelphia city	20,329	32	2	334	4,577	1,278	1,199	391	474	188	129	918	358	8,562	6,737	92	180	4,498	1,967
Pike	262	-	-	1	58	20	16	6	2	6	-	8	4	148	125	-	3	89	33
Potter	186	-	-	2	39	8	7	6	4	6	2	6	5	95	74	-	1	45	28
Schuylkill	2,076	6	-	9	395	104	78	37	36	15	15	110	68	1,024	836	7	15	605	209
Pottsville	236	1	-	-	48	16	9	7	4	2	1	9	5	129	100	1	-	89	10
Balance of county	1,840	5	-	9	347	88	69	30	32	13	14	101	63	895	736	6	15	516	199
Snyder	262	-	-	1	51	10	14	2	4	-	4	17	6	144	123	1	2	91	29
Somerset	802	2	-	4	139	34	28	13	16	7	5	36	15	452	358	8	28	251	71

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Huntingdon	-	25	10	3	6	10	2	1	3	-	3	3	1	22	17	11	2	-	1
Indiana	1	54	28	12	5	17	3	5	6	-	8	7	4	62	26	18	11	-	1
Indiana	-	5	5	1	-	2	-	-	2	-	3	-	-	9	1	2	4	-	-
Balance of county	1	49	23	11	5	15	3	5	4	-	5	7	4	53	25	16	7	-	1
Jefferson	2	44	27	9	12	8	2	4	3	-	2	3	3	34	12	15	7	-	-
Juniata	1	19	3	2	5	5	-	3	2	-	2	2	-	22	2	3	3	-	-
Lackawanna	8	200	41	22	35	65	5	42	14	-	12	13	13	270	41	49	15	7	1
Carbondale	-	7	2	1	2	4	-	3	1	-	2	1	1	21	2	1	2	-	-
Dunmore	1	19	1	2	5	8	-	2	3	-	1	2	1	21	1	6	-	-	-
Scranton	5	80	20	11	17	33	3	25	5	-	5	8	9	104	16	20	6	4	-
Balance of county	2	94	18	8	11	20	2	12	5	-	4	2	2	124	22	22	7	3	1
Lancaster	12	225	57	37	76	84	13	32	28	1	31	30	15	187	68	64	34	8	2
Columbia	1	14	1	1	4	8	1	3	-	-	2	2	1	6	4	3	1	1	-
Lancaster	1	51	11	8	18	16	2	9	8	-	9	11	5	40	9	13	7	2	-
Lancaster twp. #	1	9	2	-	2	5	-	-	1	-	-	-	1	13	1	4	2	-	-
Balance of county	9	151	43	28	52	55	10	20	19	1	20	17	8	128	54	44	24	5	2
Lawrence	2	87	14	14	23	24	3	11	11	-	8	7	23	72	21	19	7	5	-
Ellwood City, part	-	9	2	-	-	5	-	1	1	-	-	1	1	5	3	2	-	-	-
Ellwood City, total	-	9	2	-	-	5	-	1	1	-	-	1	1	5	3	3	-	-	-
New Castle	2	38	4	7	13	13	1	5	4	-	3	1	8	35	6	4	2	2	-
Balance of county	-	40	8	7	10	6	2	5	6	-	5	5	14	32	12	13	5	3	-
Lebanon	2	81	5	10	30	30	3	10	7	-	5	4	9	60	25	20	20	1	-
Lebanon	-	25	1	5	9	10	-	3	2	-	3	2	2	14	6	6	8	-	-
Balance of county	2	56	4	5	21	20	3	7	5	-	2	2	7	46	19	14	12	1	-
Lehigh	6	177	37	36	56	55	8	27	20	-	10	24	14	188	46	42	42	5	2
Allentown	3	80	13	13	21	27	6	15	10	-	7	14	9	90	15	18	20	4	2
Bethlehem, part	-	17	7	2	9	5	1	3	2	-	-	1	2	12	1	3	-	-	-
Emmaus	1	5	1	1	-	2	-	-	-	-	-	2	-	6	2	3	3	-	-
Balance of county	2	75	16	20	26	21	1	9	8	-	3	7	3	80	28	18	19	1	-
Luzerne	14	276	79	41	69	86	11	61	34	-	18	16	10	524	57	52	36	10	5
Hazleton	3	37	1	6	9	10	2	8	6	-	2	-	2	49	3	2	1	3	1
Kingston	-	12	4	1	5	7	-	2	1	-	-	1	1	17	-	4	1	1	-
Nanticoke	-	9	2	2	2	6	2	3	-	-	2	-	-	32	-	-	2	-	-
Pittston	-	5	4	1	-	2	-	2	-	-	1	1	-	20	2	-	-	-	-
Wilkes-Barre	1	61	16	8	17	17	1	13	6	-	1	8	2	70	5	11	9	1	2
Balance of county	10	152	52	23	36	44	6	33	21	-	12	6	5	336	47	35	23	5	-
Lycoming	2	97	14	18	24	46	2	9	17	-	7	13	6	66	30	22	10	-	1
Williamsport	-	33	5	5	5	16	-	3	5	-	1	5	1	22	6	5	4	-	1
Balance of county	2	64	9	13	19	30	2	6	12	-	6	8	5	44	24	17	6	-	-
McKean	1	34	7	6	13	18	1	6	4	-	3	1	10	25	14	7	4	1	-
Bradford	-	11	-	-	-	3	1	2	1	-	1	-	6	9	-	2	1	1	-
Balance of county	1	23	7	6	13	15	-	4	3	-	2	1	4	16	14	5	3	-	-
Mercer	5	82	12	9	48	35	9	24	7	-	6	8	6	93	18	36	17	3	-
Farrell	-	5	-	1	4	1	1	2	1	-	-	2	1	8	2	3	4	1	-
Sharon	-	19	1	-	10	9	-	8	-	-	3	1	1	14	2	6	1	1	-
Balance of county	5	58	11	8	34	25	8	14	6	-	3	5	4	71	14	27	12	1	-
Mifflin	-	36	2	4	11	14	1	3	10	-	1	5	7	39	17	10	2	-	-
Lewistown	-	8	1	-	3	8	1	3	5	-	-	3	3	14	3	3	1	-	-
Balance of county	-	28	1	4	8	6	-	-	5	-	1	2	4	25	14	7	1	-	-
Monroe	3	55	5	6	17	22	2	10	6	-	2	4	3	41	28	18	11	9	2
Montgomery	21	502	65	71	155	162	21	69	49	-	30	36	65	447	110	85	73	19	16
Abington twp. #	1	49	9	7	23	14	1	5	5	-	1	1	8	47	4	9	7	-	2
Cheltenham twp. #	-	45	5	5	14	12	1	3	6	-	2	1	5	22	-	2	3	-	1
Conshohocken	-	8	4	1	4	6	2	3	-	-	-	-	2	7	1	1	-	4	-
East Norriton twp. #	-	8	1	1	3	4	-	2	1	-	2	-	-	8	2	-	1	-	-
Lansdale	1	20	2	2	3	11	-	2	1	-	2	2	2	22	-	4	2	-	-
Lower Merion twp. #	4	61	4	8	15	14	3	5	4	-	-	7	6	51	15	5	13	1	-
Lower Moreland twp. #	1	5	1	2	3	1	-	-	1	-	1	-	-	9	-	2	-	-	-
Norristown	3	29	4	5	9	21	1	7	6	-	2	6	4	36	5	9	3	2	3
Plymouth twp. #	-	4	2	1	3	3	-	2	-	-	-	-	3	12	-	6	3	1	-
Pottstown	-	20	4	4	6	12	1	1	3	-	2	1	4	17	3	1	4	2	3
Springfield twp. #	-	29	4	2	10	5	2	4		-	1	-	1	28	6	5	3	-	-
Upper Moreland twp. #	-	17	5	3	6	3	-	3	5	-	1	3	1	14	4	2	4	2	1
West Norriton twp. #	-	7	3	1	-	1	-	1	-	-	-	-	-	3	2	2	3	-	-
Balance of county	11	200	17	29	56	55	10	31	17	-	16	15	29	171	68	37	27	7	6
Montour	-	21	3	5	7	5	-	-	4	-	1	4	-	12	8	1	-	-	-
Northampton	7	121	17	22	52	58	3	24	20	-	13	11	11	112	39	36	27	4	1
Bethlehem, part	2	33	6	5	11	12	1	6	6	-	3	6	3	28	10	12	12	3	-
Bethlehem, total	2	50	13	7	20	17	2	9	8	-	3	7	5	40	11	15	12	3	-
Easton	1	17	1	4	12	14	-	8	5	-	3	1	2	15	4	5	2	-	-
Balance of county	4	71	10	13	29	32	2	10	9	-	7	4	6	69	25	19	13	1	1
Northumberland	4	115	23	9	25	31	1	12	15	-	7	7	4	119	33	14	13	-	1
Shamokin	1	18	1	-	6	5	-	4	1	-	-	3	-	15	2	3	2	-	-
Sunbury	1	14	6	3	3	3	1	3	3	-	-	-	2	15	4	1	1	-	-
Balance of county	2	83	16	6	16	23	-	5	11	-	7	4	2	89	27	10	10	-	1
Perry	4	24	6	5	6	8	1	3	4	-	-	5	2	32	17	9	4	1	-
Philadelphia, coext. with Philadelphia city	73	1,447	150	155	482	424	50	292	285	1	97	253	1,691	1,612	186	430	197	392	72
Pike	1	16	3	3	7	7	1	2	1	-	1	2	4	9	9	5	3	-	-
Potter	-	17	2	2	4	10	-	1	1	-	1	2	1	12	6	5	2	-	-
Schuylkill	10	133	22	23	33	30	6	31	27	-	12	10	18	317	33	37	16	4	-
Pottsville	-	24	2	3	3	2	1	4	1	-	-	1	1	29	3	4	2	2	-
Balance of county	10	109	20	20	30	28	5	27	26	-	12	9	17	288	30	33	14	2	-
Snyder	1	17	3	-	5	10	2	2	8	-	2	1	2	17	5	2	3	-	1
Somerset	2	71	14	7	17	25	2	10	6	-	3	7	6	69	20	16	7	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Pennsylvania—Con.																			
Sullivan	78	–	–	1	10	3	–	–	–	3	–	4	2	47	35	–	1	26	8
Susquehanna	361	1	–	1	83	21	17	8	9	5	2	21	12	172	134	3	9	96	26
Tioga	384	–	–	3	68	22	17	4	6	4	2	13	12	208	168	1	1	114	52
Union	273	–	–	1	48	17	10	–	3	1	3	14	8	160	123	1	6	87	29
Venango	699	1	–	4	132	33	33	10	18	6	7	25	23	373	290	3	8	223	56
Oil City	186	–	–	1	22	4	6	2	4	–	1	5	6	108	81	–	3	62	16
Balance of county	513	1	–	3	110	29	27	8	14	6	6	20	17	265	209	3	5	161	40
Warren	471	–	–	2	96	26	19	6	11	6	3	25	15	237	176	2	1	129	44
Warren	164	–	–	1	25	9	3	1	5	1	–	6	2	88	67	1	1	45	20
Balance of county	307	–	–	1	71	17	16	5	6	5	3	19	13	149	109	1	–	84	24
Washington	2,193	–	–	13	464	114	131	43	61	21	23	71	46	1,167	958	9	8	759	182
Canonsburg	124	–	–	1	32	7	13	2	5	1	1	3	1	71	58	–	–	48	10
Washington	265	–	–	1	51	10	12	6	10	2	3	8	5	142	110	1	2	91	16
Balance of county	1,804	–	–	11	381	97	106	35	46	18	19	60	40	954	790	8	6	620	156
Wayne	374	–	–	6	73	18	20	4	9	6	3	13	19	198	151	1	10	103	37
Westmoreland	3,757	2	–	30	798	197	205	84	74	45	39	154	83	1,933	1,588	27	26	1,194	341
Greensburg	251	–	–	2	48	10	9	7	7	2	4	9	1	129	110	2	–	75	33
Hempfield twp. #	329	–	–	–	54	13	16	4	5	3	1	12	5	189	160	2	3	119	36
Jeannette	179	–	–	–	38	6	8	8	1	3	4	8	6	94	79	1	2	57	19
Latrobe	138	–	–	1	25	6	7	2	3	–	–	7	3	76	67	–	–	45	22
Lower Burrell	124	–	–	2	24	7	7	2	1	–	1	6	3	66	55	2	–	41	12
Monessen	168	–	–	2	42	10	13	6	3	3	–	7	6	79	63	–	–	50	13
New Kensington	237	–	–	3	51	17	11	3	6	–	6	8	5	107	80	1	2	58	19
North Huntington twp. #	247	1	–	2	61	20	15	6	6	4	3	7	8	129	108	2	4	85	17
Balance of county	2,084	1	–	18	455	108	110	48	42	30	20	90	46	1,064	866	17	15	664	170
Wyoming	212	–	–	–	31	7	5	2	9	1	1	6	7	126	78	1	1	55	21
York	2,595	3	–	15	595	159	128	50	58	27	26	147	37	1,359	1,104	9	32	703	360
Hanover	187	–	–	–	41	12	5	5	5	3	4	7	6	98	80	2	5	36	37
Spring Garden twp. #	127	–	–	1	31	9	7	4	2	–	4	5	–	70	54	–	–	33	21
York	556	1	–	4	140	38	33	5	13	8	3	40	5	285	234	2	6	154	72
Balance of county	1,725	2	–	10	383	100	83	36	38	16	15	95	26	906	736	5	21	480	230
Rhode Island	9,174	8	1	94	2,127	627	557	182	200	94	65	402	182	4,710	3,831	40	80	3,109	602
Urban places	7,178	7	1	77	1,647	491	431	142	161	76	46	300	144	3,670	2,974	29	67	2,388	490
Balance of area	1,996	1	–	17	480	136	126	40	39	18	19	102	38	1,040	857	11	13	721	112
Metropolitan counties	8,500	8	1	89	1,985	589	521	169	183	90	62	371	173	4,344	3,536	34	76	2,853	573
Urban places	6,787	7	1	75	1,571	469	412	133	151	75	46	285	142	3,456	2,803	26	64	2,242	471
Balance of area	1,713	1	–	14	414	120	109	36	32	15	16	86	31	888	733	8	12	611	102
Nonmetropolitan counties	674	–	–	5	142	38	36	13	17	4	3	31	9	366	295	6	4	256	29
Urban places	391	–	–	2	76	22	19	9	10	1	–	15	2	214	171	3	3	146	19
Balance of area	283	–	–	3	66	16	17	4	7	3	3	16	7	152	124	3	1	110	10
Bristol	385	–	–	6	71	24	15	5	6	4	1	16	10	192	145	3	8	111	23
Barrington town #	99	–	–	2	22	5	5	1	2	2	–	7	–	49	36	1	2	27	6
Bristol town #	178	–	–	2	36	11	9	4	2	2	–	8	8	82	65	1	3	52	9
Warren town #	108	–	–	2	13	8	1	–	2	–	1	1	2	61	44	1	3	32	8
Balance of county	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kent	1,354	1	–	7	334	91	91	32	31	13	12	64	26	710	601	4	11	493	93
Warwick	806	–	–	5	196	47	59	20	16	11	6	37	15	428	355	3	7	285	60
West Warwick town #	265	1	–	1	58	21	14	6	6	–	–	11	4	141	122	1	–	107	14
Balance of county	283	–	–	1	80	23	18	6	9	2	6	16	7	141	124	–	4	101	19
Newport	674	–	–	5	142	38	36	13	17	4	3	31	9	366	295	6	4	256	29
Middletown town #	98	–	–	–	15	4	2	3	1	–	–	5	2	57	45	2	1	37	5
Newport	293	–	–	2	61	18	17	6	9	1	–	10	–	157	126	1	2	109	14
Balance of county	283	–	–	3	66	16	17	4	7	3	3	16	7	152	124	3	1	110	10
Providence	6,053	7	1	74	1,415	428	369	114	133	65	46	260	130	3,083	2,496	23	54	1,998	421
Central Falls	214	–	–	1	55	15	14	5	7	5	–	9	5	94	77	–	3	61	13
Cranston	762	–	–	8	187	59	49	14	14	9	10	32	12	395	322	2	8	267	45
Cumberland town #	225	–	–	1	63	16	22	5	4	5	–	11	4	120	96	2	5	77	12
East Providence	534	–	1	9	128	40	31	9	12	5	6	25	8	270	217	2	1	178	36
North Providence town #	256	–	–	4	82	18	15	8	8	2	1	12	8	136	111	–	5	81	25
Pawtucket	857	2	–	8	204	66	50	12	15	7	10	44	25	433	347	2	8	272	65
Providence	1,826	4	–	30	404	122	103	35	50	21	10	63	42	887	708	4	10	556	138
Woonsocket	524	–	–	2	109	34	34	10	8	4	2	17	11	299	252	6	8	205	33
Balance of county	855	1	–	11	203	58	51	16	17	7	7	47	17	449	366	5	6	301	54
Washington	708	–	–	2	165	46	46	18	13	8	3	31	7	359	294	4	3	251	36
North Kingstown town #	133	–	–	–	34	7	6	4	7	2	–	8	–	61	51	1	1	42	7
Balance of county	575	–	–	2	131	39	40	14	6	6	3	23	7	298	243	3	2	209	29
South Carolina	25,428	44	4	264	4,906	1,172	1,459	408	599	185	158	925	500	12,164	9,155	60	393	5,982	2,720
Urban places	6,464	10	–	63	1,281	295	377	115	159	48	35	252	134	3,231	2,343	15	125	1,481	722
Balance of area	18,964	34	4	201	3,625	877	1,082	293	440	137	123	673	366	8,933	6,812	45	268	4,501	1,998
Metropolitan counties	14,117	24	–	161	2,826	674	867	226	338	120	90	511	271	6,678	5,117	36	229	3,783	1,469
Urban places	5,049	9	–	57	999	230	292	89	132	38	29	189	99	2,477	1,825	13	98	1,138	576
Balance of area	9,068	15	–	104	1,827	444	575	137	206	82	61	322	172	4,201	3,292	23	131	2,245	893
Nonmetropolitan counties	11,311	20	4	103	2,080	498	592	182	261	65	68	414	229	5,486	4,038	24	164	2,599	1,251
Urban places	1,415	1	–	6	282	65	85	26	27	10	6	63	35	754	518	2	27	343	146
Balance of area	9,896	19	4	97	1,798	433	507	156	234	55	62	351	194	4,732	3,520	22	137	2,256	1,105
Abbeville	209	–	–	2	44	11	12	5	5	4	–	7	1	78	56	–	3	44	9
Aiken	873	1	–	11	199	42	70	9	24	11	8	35	14	428	332	5	18	170	139
Aiken	224	–	–	–	51	9	15	3	8	4	5	7	3	124	96	2	3	51	40
North Augusta	137	–	–	4	32	6	11	3	2	1	1	8	1	63	47	1	5	27	14
Balance of county	512	1	–	7	116	27	44	3	14	6	2	20	10	241	189	2	10	92	85
Allendale	117	–	–	–	20	1	11	–	5	1	–	2	–	54	43	2	3	31	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con																			
Sullivan	-	7	2	3	2	1	1	-	1	-	-	-	-	9	2	-	2	-	-
Susquehanna	1	27	8	2	9	8	-	3	-	-	-	3	6	24	17	16	3	2	1
Tioga	-	33	5	2	4	14	-	1	8	-	2	4	3	28	17	7	5	-	-
Union	-	24	8	5	6	8	-	3	1	-	1	1	-	24	5	4	2	1	-
Venango	2	56	16	9	17	25	4	5	4	-	1	6	2	58	12	22	8	2	-
Oil City	1	16	6	4	3	9	3	2	1	-	-	2	1	16	1	6	4	1	-
Balance of county	1	40	10	5	14	16	1	3	3	-	1	4	1	42	11	16	4	1	-
Warren	4	38	11	7	16	20	2	3	2	-	1	3	3	37	14	13	4	1	2
Warren	1	14	4	2	4	10	1	-	-	-	1	-	1	22	1	5	1	1	1
Balance of county	3	25	7	5	12	10	1	3	2	-	-	3	2	15	13	8	3	-	1
Washington	6	167	22	14	52	57	7	27	30	-	10	22	10	172	38	49	20	7	2
Canonsburg	1	11	1	-	2	3	-	-	1	-	-	1	-	9	2	-	1	-	-
Washington	-	28	2	2	5	12	3	6	2	-	1	2	1	22	2	5	3	1	1
Balance of county	5	128	19	12	45	42	4	21	27	-	9	19	9	141	34	44	16	6	1
Wayne	3	33	8	3	9	21	-	4	1	-	2	1	-	16	12	7	5	-	-
Westmoreland	10	255	52	28	94	107	11	44	33	1	18	35	86	269	64	95	38	8	8
Greensburg	-	12	5	2	9	12	2	4	2	-	-	1	6	21	3	8	3	-	-
Hempfield twp. #	-	19	8	2	12	7	1	2	1	-	2	3	7	25	8	9	3	-	1
Jeannette	-	13	1	1	4	4	1	4	1	-	1	3	8	6	4	3	2	-	-
Latrobe	-	6	2	1	3	3	-	-	3	-	-	-	5	11	1	5	1	1	-
Lower Burrell	-	8	2	1	1	1	1	2	1	-	1	1	5	7	4	3	2	-	-
Monessen	1	13	1	1	3	1	-	6	-	-	1	1	3	12	-	8	4	-	-
New Kensington	1	18	5	3	5	11	2	2	3	-	-	3	8	25	2	5	3	1	1
North Huntington twp. #	2	16	2	1	5	7	1	2	2	-	-	-	5	14	1	3	4	1	1
Balance of county	6	150	26	16	52	61	3	22	20	1	13	23	39	148	41	51	16	5	5
Wyoming	3	21	20	4	3	9	-	1	1	-	2	1	1	10	10	7	2	1	-
York	7	184	29	35	53	72	10	27	32	-	14	25	8	184	64	43	36	13	5
Hanover	-	13	2	3	5	9	1	3	1	-	1	4	1	9	3	2	2	1	-
Spring Garden twp. #	-	14	2	-	4	5	-	1	1	-	-	-	-	9	1	3	1	-	-
York	-	45	2	4	13	13	3	5	8	-	3	6	2	42	8	7	2	7	2
Balance of county	7	112	23	28	31	45	6	18	22	-	10	15	5	124	52	31	31	5	3
Rhode Island	32	621	116	110	236	267	19	132	94	-	55	79	34	680	117	176	104	50	9
Urban places	26	487	92	91	198	208	16	108	82	-	40	58	25	551	80	134	81	45	6
Balance of area	6	134	24	19	38	59	3	24	12	-	15	21	9	129	37	42	23	5	3
Metropolitan counties	28	573	108	101	218	251	17	121	90	-	53	74	31	624	108	162	96	49	8
Urban places	23	459	85	86	186	198	14	100	78	-	39	56	25	515	77	122	75	44	6
Balance of area	5	114	21	15	32	53	3	21	12	-	14	18	6	109	29	40	21	5	2
Nonmetropolitan counties	4	48	10	9	18	16	2	11	4	-	2	5	3	56	11	14	8	1	1
Urban places	3	28	7	5	12	10	2	8	4	-	1	2	-	36	3	12	6	1	-
Balance of area	1	20	3	4	6	6	-	3	-	-	1	3	3	20	8	2	2	-	1
Bristol	-	28	10	9	17	12	1	3	4	-	3	4	2	42	4	10	4	-	-
Barrington town #	-	10	3	-	2	2	-	1	1	-	1	1	1	10	2	3	2	-	-
Bristol town #	-	8	5	4	11	6	1	2	2	-	2	1	1	16	2	5	1	-	-
Warren town #	-	10	2	5	4	4	-	-	1	-	-	2	-	16	-	2	1	-	-
Balance of county	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent	2	75	18	14	24	36	-	24	15	-	9	15	2	75	25	24	14	10	3
Warwick	1	50	12	10	11	23	-	17	8	-	7	3	1	48	14	13	8	6	3
West Warwick town #	-	13	4	2	8	6	-	5	2	-	2	4	1	13	6	6	5	2	-
Balance of county	1	12	2	2	5	7	-	2	5	-	-	8	-	14	5	5	1	2	-
Newport	4	48	10	9	18	16	2	11	4	-	2	5	3	56	11	14	8	1	1
Middletown town #	1	6	3	2	2	1	1	2	1	-	1	1	-	11	1	1	2	-	-
Newport	2	22	4	3	10	9	1	6	3	-	-	1	-	25	2	11	4	1	-
Balance of county	1	20	3	4	6	6	-	3	-	-	1	3	3	20	8	2	2	-	1
Providence	25	420	70	72	162	175	15	81	68	-	32	47	20	457	62	115	68	37	4
Central Falls	-	12	4	1	4	9	-	2	3	-	2	2	1	28	1	1	3	3	-
Cranston	3	58	6	6	22	16	1	13	12	-	3	5	1	53	9	14	8	3	-
Cumberland town #	3	15	4	2	3	7	1	1	-	-	-	1	-	7	4	7	4	2	-
East Providence	2	34	5	12	16	19	2	5	4	-	4	3	1	47	7	6	4	2	-
North Providence town #	4	18	1	2	10	5	-	3	3	-	1	1	2	12	4	4	-	-	1
Pawtucket	5	58	14	9	26	34	4	10	9	-	5	11	4	57	7	11	4	2	1
Providence	3	131	19	26	46	50	5	30	24	-	8	14	9	167	16	39	26	24	1
Woonsocket	1	35	6	5	18	12	-	6	8	-	2	6	2	33	2	8	6	-	-
Balance of county	4	59	11	9	17	23	2	11	5	-	7	4	-	53	12	25	13	1	1
Washington	1	50	8	6	15	28	1	13	3	-	9	8	7	50	15	13	10	2	1
North Kingstown town #	1	7	-	2	5	5	-	5	1	-	2	2	1	8	3	3	3	-	-
Balance of county	-	43	8	4	10	23	1	8	2	-	7	6	6	42	12	10	7	2	1
South Carolina	107	2,387	271	244	647	662	59	311	266	3	214	453	547	1,961	850	848	350	356	19
Urban places	32	706	86	64	170	152	23	93	83	2	58	85	102	518	116	189	60	90	4
Balance of area	75	1,681	185	180	477	510	36	218	183	1	156	368	445	1,443	734	659	290	266	15
Metropolitan counties	49	1,215	155	142	385	396	36	180	145	3	119	240	181	1,113	462	444	232	211	10
Urban places	22	516	61	53	140	127	17	76	64	2	42	68	79	420	89	152	52	76	4
Balance of area	27	699	94	89	245	269	19	104	81	1	77	172	102	693	373	292	180	135	6
Nonmetropolitan counties	58	1,172	116	102	262	266	23	131	121	-	95	213	366	848	388	404	118	145	9
Urban places	10	190	25	11	30	25	6	17	19	-	16	17	23	98	27	37	8	14	-
Balance of area	48	982	91	91	232	241	17	114	102	-	79	196	343	750	361	367	110	131	9
Abbeville	-	16	3	3	1	4	-	2	1	-	-	6	34	18	7	9	2	-	
Aiken	1	79	8	8	14	32	1	9	7	-	4	11	1	54	26	28	20	13	
Aiken	-	26	2	-	2	8	-	3	2	-	-	2	-	15	4	6	4	-	
North Augusta	-	11	3	2	3	7	-	2	1	-	1	3	-	10	1	6	1	2	-
Balance of county	1	42	3	6	9	17	1	4	4	-	3	6	1	29	21	16	15	11	-
Allendale	-	11	-	-	2	1	-	2	5	-	2	5	2	9	2	8	3	1	1

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Carolina—Con																			
Anderson	1,126	3	-	16	231	58	49	27	32	10	14	41	14	467	352	3	7	261	81
Anderson	403	2	-	7	70	19	14	11	11	2	1	12	4	177	126	-	3	85	38
Balance of county	723	1	-	9	161	39	35	16	21	8	13	29	10	290	226	3	4	176	43
Bamberg	160	-	-	1	29	7	9	2	4	2	1	4	3	82	62	1	5	40	16
Barnwell	178	-	1	3	26	6	6	4	4	-	-	6	3	79	60	-	4	44	12
Beaufort	441	-	1	8	100	28	22	8	9	2	4	27	12	190	134	3	-	97	34
Berkeley	486	1	-	4	85	12	31	9	10	3	4	16	7	212	180	1	2	125	52
Calhoun	102	-	-	1	14	4	3	2	1	-	-	4	2	42	24	-	3	15	6
Charleston	1,886	4	-	25	401	121	128	31	37	20	11	53	30	821	627	7	38	407	175
Charleston	771	1	-	6	153	46	50	15	10	7	4	21	10	363	273	4	18	186	65
Balance of county	1,115	3	-	19	248	75	78	16	27	13	7	32	20	458	354	3	20	221	110
Cherokee	372	-	-	2	74	26	14	5	5	4	7	13	20	172	127	1	2	90	34
Gaffney	184	-	-	2	35	16	4	3	2	2	2	6	8	83	60	1	2	41	16
Balance of county	188	-	-	-	39	10	10	2	3	2	5	7	12	89	67	-	-	49	18
Chester	326	1	-	3	65	12	17	8	8	4	3	13	3	175	129	3	6	73	47
Chesterfield	347	-	-	2	59	10	19	5	8	1	4	12	-	157	121	-	-	85	36
Clarendon	264	1	-	2	44	10	17	2	5	2	2	6	3	151	105	-	2	69	34
Colleton	318	1	1	-	51	9	24	2	2	1	4	9	10	134	90	-	3	62	25
Darlington	565	2	-	4	80	19	20	10	14	3	3	11	15	298	240	-	18	169	53
Dillon	277	3	-	3	45	9	15	1	6	1	2	11	5	108	72	1	1	46	24
Dorchester	375	1	-	3	81	21	25	5	7	3	6	14	7	156	118	1	6	81	30
Edgefield	152	-	-	4	27	9	6	5	4	-	-	3	2	75	61	-	2	44	15
Fairfield	203	1	-	3	33	5	13	5	2	2	2	4	4	111	86	-	2	26	58
Florence	963	5	-	11	152	27	56	9	22	2	4	32	19	554	428	1	17	202	208
Florence	350	3	-	3	59	13	17	4	9	1	1	14	9	193	146	1	4	70	71
Balance of county	613	2	-	8	93	14	39	5	13	1	3	18	10	361	282	0	13	132	137
Georgetown	380	1	-	4	81	26	22	5	11	2	3	12	10	171	112	-	10	61	41
Georgetown	146	1	-	1	32	10	12	1	3	1	1	4	4	69	38	-	3	23	12
Balance of county	234	-	-	3	49	16	10	4	8	1	2	8	6	102	74	-	7	38	29
Greenville	2,270	-	-	35	476	113	140	44	56	20	7	96	37	1,040	799	5	23	575	196
Greenville	664	-	-	15	148	40	41	13	19	6	2	27	12	290	219	2	9	138	70
Greer, part	152	-	-	2	35	8	8	3	7	1	-	8	5	83	63	1	1	43	18
Greer, total	187	-	-	3	37	9	8	3	7	1	-	9	7	101	76	1	1	53	21
Balance of county	1,454	-	-	18	293	65	91	28	30	13	5	61	20	667	517	2	13	394	108
Greenwood	533	1	-	3	120	28	42	10	9	1	3	27	12	251	173	2	13	121	37
Greenwood	281	-	-	2	54	9	20	9	3	-	-	13	6	147	99	1	9	68	21
Balance of county	252	1	-	1	66	19	22	1	6	1	3	14	6	104	74	1	4	53	16
Hampton	185	-	-	5	32	7	9	3	7	1	-	5	6	80	60	-	4	48	8
Horry	842	2	-	7	144	35	37	16	18	4	6	28	15	438	334	3	4	186	141
Jasper	146	-	-	1	23	6	5	7	2	-	-	3	2	71	51	-	4	34	13
Kershaw	367	-	-	4	57	15	18	3	5	3	2	11	12	174	114	-	1	92	21
Lancaster	424	-	-	8	88	20	26	11	11	1	3	16	7	188	159	-	4	106	49
Laurens	554	-	-	5	105	25	29	10	15	4	4	18	12	271	198	1	5	138	54
Laurens	154	-	-	-	29	6	9	3	3	1	-	7	2	84	53	-	1	38	14
Balance of county	400	-	-	5	76	19	20	7	12	3	4	11	10	187	145	1	4	100	40
Lee	136	-	-	1	22	7	6	-	8	-		1	4	63	53	-	4	35	14
Lexington	871	1	-	9	176	41	65	13	18	10	3	26	18	426	353	-	18	265	70
McCormick	66	-	-	1	12	-	6	1	-	-	-	5	1	27	16	-	-	16	-
Marion	325	1	-	4	60	16	11	3	9	3	2	16	6	145	99	-	1	63	35
Marlboro	321	1	-	2	52	13	16	5	7	2	-	9	3	166	116	-	1	100	15
Newberry	371	-	-	2	82	28	22	5	6	2	2	17	3	179	131	2	3	80	46
Oconee	464	-	1	6	91	21	27	8	14	2	1	18	7	237	177	1	14	103	59
Orangeburg	738	2	-	3	118	33	31	8	16	5	2	23	20	379	277	1	7	179	90
Orangeburg	187	-	-	-	30	6	8	1	7	2	1	5	4	112	77	-	3	59	15
Balance of county	551	2	-	3	88	27	23	7	9	3	1	18	16	267	200	1	4	120	75
Pickens	511	1	-	4	107	32	29	7	18	2	6	13	11	245	182	1	6	141	34
Easley	150	-	-	1	30	8	9	2	4	-	3	4	4	71	54	-	1	40	13
Balance of county	361	1	-	3	77	24	20	5	14	2	3	9	7	174	128	1	5	101	21
Richland	2,161	5	-	17	419	87	144	29	53	17	13	76	55	1,000	754	3	49	469	233
Columbia	1,218	3	-	11	251	46	89	16	33	11	7	49	23	577	424	1	30	257	136
Balance of county	943	2	-	6	168	41	55	13	20	6	6	27	32	423	330	2	19	212	97
Saluda	147	1	-	1	27	3	3	5	7	1	3	5	1	82	53	-	2	39	12
Spartanburg	1,745	1	-	21	341	81	85	29	47	15	12	72	39	876	661	7	35	466	173
Greer, part	35	-	-	1	2	1	-	-	-	-	-	1	2	18	13	-	-	10	3
Spartanburg	565	-	-	5	102	19	24	8	23	3	5	20	14	307	226	-	20	132	74
Balance of county	1,145	1	-	15	237	61	61	21	24	12	7	51	23	551	442	7	15	324	96
Sumter	682	1	-	4	146	23	43	10	18	5	2	45	11	352	266	1	8	115	142
Sumter	370	-	-	1	86	14	28	9	5	4	1	25	9	202	143	-	5	81	57
Balance of county	312	1	-	3	60	9	15	1	13	1	1	20	2	150	123	1	3	34	65
Union	284	-	-	-	58	12	19	6	9	1	1	10	9	158	121	2	12	77	30
Union	93	-	-	-	16	4	4	-	4	-	1	3	2	57	48	-	4	33	11
Balance of county	191	-	-	-	42	8	15	6	5	1	-	7	7	101	73	2	8	44	19
Williamsburg	315	1	-	4	51	14	12	2	7	1	2	13	5	148	118	-	13	71	34
York	850	1	-	5	158	39	45	14	14	7	2	37	20	453	311	2	10	221	78
Rock Hill	380	-	-	2	66	15	14	11	6	2	-	18	12	211	138	1	4	99	34
Balance of county	470	1	-	3	92	24	31	3	8	5	2	19	8	242	173	1	6	122	44

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Carolina—Con.																			
Anderson	3	94	2	16	40	29	4	10	9	-	6	21	92	77	34	41	12	16	-
Anderson	2	44	1	4	20	8	2	4	4	-	-	3	36	34	7	15	3	7	-
Balance of county	1	50	1	12	20	21	2	6	5	-	6	18	56	43	27	26	9	11	-
Bamberg	1	16	1	2	4	5	-	2	3	-	-	4	1	11	6	8	-	1	-
Barnwell	1	16	-	2	4	4	-	-	5	-	1	4	19	9	3	8	2	6	1
Beaufort	3	42	3	8	13	7	1	2	5	-	1	7	1	45	24	14	5	3	2
Berkeley	-	30	2	-	4	13	-	9	4	-	8	23	9	32	38	14	16	7	-
Calhoun	1	15	-	2	4	1	2	1	2	-	1	3	2	12	4	6	2	3	-
Charleston	9	153	18	14	45	35	9	23	24	1	21	40	21	174	78	72	36	25	1
Charleston	6	72	8	4	17	11	4	11	9	1	10	18	14	80	19	25	8	11	-
Balance of county	3	81	10	10	28	24	5	12	15	-	11	22	7	94	59	47	28	14	1
Cherokee	1	36	6	2	6	6	1	2	6	-	5	5	8	24	15	18	2	6	-
Gaffney	-	19	3	1	4	5	1	2	3	-	3	2	3	12	6	9	2	4	-
Balance of county	1	17	3	1	2	1	-	-	3	-	2	3	5	12	9	9	-	2	-
Chester	3	29	11	3	6	11	1	6	2	-	-	1	3	25	5	11	4	2	-
Chesterfield	-	33	-	3	11	4	-	5	2	-	6	7	25	28	18	8	7	8	-
Clarendon	2	37	3	4	1	8	1	-	5	-	-	3	2	18	11	8	2	3	1
Colleton	3	37	3	1	8	10	2	1	2	-	1	2	43	16	16	12	3	5	-
Darlington	-	52	3	3	17	21	2	4	6	-	8	13	5	47	12	20	2	9	-
Dillon	-	31	3	2	11	5	-	5	3	-	3	7	41	18	12	4	2	2	-
Dorchester	-	34	1	3	6	13	-	4	6	-	8	14	2	25	20	19	3	5	2
Edgefield	-	12	1	1	9	2	-	1	-	-	-	3	-	15	4	8	1	1	-
Fairfield	2	18	3	2	3	6	-	2	2	-	1	5	2	10	9	4	3	4	-
Florence	4	99	6	17	15	19	2	12	9	1	3	17	3	57	27	34	9	14	-
Florence	1	38	1	7	5	5	-	8	5	-	1	7	1	22	5	15	3	6	-
Balance of county	3	61	5	10	10	14	2	4	4	1	2	10	2	35	22	19	6	8	-
Georgetown	1	50	7	1	5	8	1	4	12	-	7	13	1	26	10	18	2	6	-
Georgetown	1	25	5	-	1	1	-	2	8	-	3	3	1	10	4	3	-	3	-
Balance of county	-	25	2	1	4	7	1	2	4	-	4	10	-	16	6	15	2	3	-
Greenville	5	190	32	14	61	83	4	33	23	-	24	40	14	185	57	63	35	40	-
Greenville	-	59	10	2	25	23	2	12	9	-	7	10	7	60	10	17	7	10	-
Greer, part	1	18	1	-	3	1	1	2	2	-	2	-	1	10	3	1	-	1	-
Greer, total	1	20	2	2	3	3	1	2	2	-	3	-	1	12	6	1	2	2	1
Balance of county	4	113	21	12	53	59	1	19	12	-	15	30	6	115	44	45	28	29	-
Greenwood	4	58	10	6	13	10	1	8	2	-	9	10	10	39	15	13	7	9	-
Greenwood	1	37	10	-	8	3	1	4	-	-	4	5	7	20	4	8	3	5	-
Balance of county	3	21	-	6	5	7	-	4	2	-	5	5	3	19	11	5	4	4	-
Hampton	-	14	5	1	8	8	-	3	2	-	-	4	4	16	3	6	4	4	-
Horry	3	83	9	9	13	17	2	7	3	-	4	9	17	77	32	33	11	11	-
Jasper	1	18	-	1	5	3	-	4	1	-	2	2	2	8	5	12	3	1	1
Kershaw	2	46	9	3	11	12	1	4	3	-	4	4	31	20	15	5	5	5	-
Lancaster	5	18	2	4	16	12	2	7	2	-	3	8	5	32	23	12	7	4	-
Laurens	3	57	5	8	14	18	1	9	3	-	6	12	5	40	23	21	4	4	1
Laurens	1	26	1	3	7	3	1	3	1	-	1	-	2	15	4	2	-	-	-
Balance of county	2	31	4	5	7	15	-	6	2	-	5	12	3	25	19	19	4	4	1
Lee	-	10	-	-	1	3	-	2	6	-	1	6	2	9	4	7	1	4	-
Lexington	3	58	6	6	15	29	4	10	5	-	4	12	6	58	35	30	22	10	1
McCormick	-	10	-	1	1	2	-	-	-	-	-	5	2	10	3	1	-	1	-
Marion	2	40	2	2	8	9	-	5	3	-	-	6	21	25	11	8	6	7	-
Marlboro	3	44	1	2	4	9	-	4	7	-	4	10	5	27	9	12	3	3	-
Newberry	-	36	6	6	4	8	-	3	5	-	4	5	20	29	7	17	-	3	-
Oconee	3	47	5	5	11	13	-	4	3	-	3	6	1	33	18	15	8	6	1
Orangeburg	6	85	7	4	6	20	2	11	7	-	4	10	30	62	19	35	4	5	1
Orangeburg	1	28	5	1	1	5	1	1	3	-	3	3	5	10	2	5	1	1	-
Balance of county	5	57	2	3	5	15	1	10	4	-	1	7	25	52	17	30	3	4	1
Pickens	1	49	6	7	11	10	-	5	6	-	7	7	2	42	24	16	10	3	-
Easley	-	12	3	2	3	2	-	1	1	-	5	-	1	12	9	7	-	3	-
Balance of county	1	37	3	5	8	8	-	4	5	-	2	7	1	30	15	9	10	-	-
Richland	12	194	22	18	89	62	3	43	23	-	18	28	17	198	46	55	35	45	3
Columbia	7	128	7	11	34	31	3	27	16	-	11	15	13	102	14	36	19	29	1
Balance of county	5	66	15	7	55	31	-	16	7	-	7	13	4	96	32	19	16	16	-
Saluda	-	23	5	1	3	1	-	2	1	-	1	4	1	12	5	3	2	-	-
Spartanburg	7	148	15	25	42	55	6	15	21	1	10	15	11	156	44	46	22	21	2
Greer, part	-	2	1	2	-	2	-	-	-	-	1	-	-	2	3	-	2	1	1
Spartanburg	3	65	1	12	14	21	4	4	11	1	2	5	4	50	4	10	4	3	-
Balance of county	4	81	13	11	28	32	2	11	10	-	7	10	7	104	37	36	16	17	1
Sumter	5	72	2	7	18	11	2	6	6	-	7	15	11	43	16	20	5	8	-
Sumter	5	48	1	5	8	6	1	2	3	-	1	4	5	26	5	8	2	1	-
Balance of county	-	24	1	2	10	5	1	4	3	-	6	11	6	17	11	12	3	7	-
Union	2	33	1	1	4	4	1	8	2	-	3	4	-	17	7	6	1	2	-
Union	1	7	-	1	1	2	1	3	1	-	1	-	-	5	2	2	-	-	-
Balance of county	1	26	1	-	3	2	-	5	1	-	2	4	-	12	5	4	1	2	-
Williamsburg	1	27	-	2	15	3	-	5	4	-	4	5	10	18	15	14	5	8	-
York	4	87	37	14	23	16	3	7	8	-	4	12	3	55	33	26	12	10	1
Rock Hill	2	41	23	7	14	8	1	2	4	-	2	5	2	23	10	14	1	3	-
Balance of county	2	46	14	7	9	8	2	5	4	-	2	7	1	32	23	12	11	7	1

NEWARK PUBLIC LIBRARY

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Dakota	6,451	8	–	50	1,249	369	291	112	140	52	73	212	77	3,316	2,546	33	41	1,918	554
Urban places	1,903	–	–	16	382	121	88	40	36	17	21	59	22	978	757	5	6	615	131
Balance of area	4,548	8	–	34	867	248	203	72	104	35	52	153	55	2,338	1,789	28	35	1,303	423
Metropolitan counties	834	1	–	7	191	58	41	22	17	9	11	33	7	406	313	2	1	268	42
Urban places	663	–	–	7	145	46	32	15	13	7	9	23	6	326	255	1	1	216	37
Balance of area	171	1	–	–	46	12	9	7	4	2	2	10	1	80	58	1	–	52	5
Nonmetropolitan counties	5,617	7	–	43	1,058	311	250	90	123	43	62	179	70	2,910	2,233	31	40	1,650	512
Urban places	1,240	–	–	9	237	75	56	25	23	10	12	36	16	652	502	4	5	399	94
Balance of area	4,377	7	–	34	821	236	194	65	100	33	50	143	54	2,258	1,731	27	35	1,251	418
Aurora	41	–	–	–	5	1	2	–	1	–	–	1	–	29	23	–	–	13	10
Beadle	195	–	–	1	48	15	10	5	5	2	1	10	4	94	58	1	–	49	8
Huron	141	–	–	1	36	11	6	5	3	2	–	9	2	66	42	1	–	35	6
Balance of county	54	–	–	–	12	4	4	–	2	–	1	1	2	28	16	–	–	14	2
Bennett	18	–	–	–	3	–	–	–	1	–	2	–	1	8	7	–	–	5	2
Bon Homme	103	–	–	1	26	6	8	2	2	2	1	5	1	62	39	1	1	29	8
Brookings	157	–	–	1	29	7	7	2	3	1	2	7	1	91	72	–	–	64	8
Brookings	80	–	–	1	15	6	3	1	1	1	–	3	1	51	43	–	–	40	3
Balance of county	77	–	–	–	14	1	4	1	2	–	2	4	–	40	29	–	–	24	5
Brown	322	–	–	3	55	21	12	7	3	1	3	8	5	189	136	1	1	111	23
Aberdeen	227	–	–	3	40	15	10	4	3	1	2	5	3	128	91	–	1	75	15
Balance of county	95	–	–	–	15	6	2	3	–	–	1	3	2	61	45	1	–	36	8
Brule	47	–	–	1	9	2	3	1	–	–	1	2	–	25	19	–	–	15	4
Buffalo	25	–	–	–	2	–	2	–	–	–	–	–	1	4	3	–	–	1	2
Butte	94	–	–	2	20	3	7	1	4	1	–	4	1	43	36	1	–	30	5
Campbell	16	–	–	–	4	–	1	–	2	–	–	1	–	8	6	–	1	3	2
Charles Mix	119	–	–	–	23	7	4	–	6	–	3	3	3	55	42	–	6	17	19
Clark	51	–	–	–	12	1	2	–	6	1	1	1	–	25	18	1	–	14	3
Clay	79	–	–	1	15	5	1	2	3	1	1	2	3	47	42	1	–	28	13
Codington	203	–	–	–	41	10	13	5	4	2	1	6	2	104	95	1	–	77	17
Watertown	161	–	–	–	30	7	10	4	3	–	1	5	1	85	76	–	–	63	13
Balance of county	42	–	–	–	11	3	3	1	1	2	–	1	1	19	19	1	–	14	4
Corson	49	–	–	–	12	1	3	4	1	1	1	1	1	17	11	–	–	9	2
Custer	54	–	–	–	10	1	4	–	3	–	–	2	–	26	21	–	–	9	12
Davison	168	–	–	–	32	10	8	3	1	3	4	3	2	100	80	1	2	60	17
Mitchell	146	–	–	–	29	9	7	3	1	3	3	3	2	87	67	1	2	49	15
Balance of county	22	–	–	–	3	1	1	–	–	–	1	–	–	13	13	–	–	11	2
Day	111	–	–	1	19	7	7	1	–	1	2	1	–	72	61	1	1	46	13
Deuel	60	–	–	1	11	6	2	1	–	–	–	2	–	40	31	–	–	29	2
Dewey	62	–	–	–	9	1	2	–	3	–	–	3	–	20	16	–	–	11	5
Douglas	44	–	–	1	10	1	1	2	2	–	1	3	–	21	17	–	–	14	3
Edmunds	55	–	–	–	10	3	3	–	1	–	–	3	–	34	23	–	–	22	1
Fall River	126	–	–	–	24	4	8	3	5	2	1	1	4	51	44	–	4	28	12
Faulk	44	–	–	–	3	–	1	–	–	–	2	–	1	26	21	2	–	14	5
Grant	82	–	–	1	17	7	3	1	1	–	–	5	1	48	40	–	1	17	22
Gregory	69	–	–	–	8	4	3	–	–	–	1	–	1	47	38	–	–	24	14
Haakon	22	1	–	–	5	1	2	1	–	–	–	1	–	8	7	–	1	5	1
Hamlin	79	–	–	1	15	7	2	2	1	–	–	3	2	41	33	–	–	31	2
Hand	42	–	–	1	10	3	2	1	–	–	1	3	–	26	11	–	–	11	–
Hanson	28	–	–	–	2	–	–	–	–	1	1	–	1	17	12	–	–	8	4
Harding	14	–	–	–	3	1	–	–	–	–	–	2	–	10	9	–	–	7	2
Hughes	125	–	–	1	22	9	3	1	2	3	2	2	1	63	41	1	1	31	8
Hutchinson	141	–	–	1	25	11	6	2	2	1	–	3	–	80	58	1	1	43	13
Hyde	23	–	–	–	4	2	–	2	–	–	–	–	–	15	11	–	–	8	3
Jackson	16	–	–	–	5	2	1	1	–	–	–	1	–	6	5	–	–	5	–
Jerauld	30	–	–	–	2	1	1	–	–	–	–	–	–	22	16	–	1	8	7
Jones	12	–	–	–	4	3	–	–	–	–	1	–	–	5	2	–	–	1	1
Kingsbury	100	1	–	–	13	3	5	–	2	–	2	1	3	60	47	–	3	37	7
Lake	106	–	–	2	20	6	5	–	4	–	3	2	1	46	35	2	–	28	5
Lawrence	190	–	–	3	38	6	11	4	3	2	1	11	1	91	70	2	1	38	29
Lincoln	126	–	–	2	21	13	4	–	2	–	–	2	2	70	58	1	1	41	15
Sioux Falls, part	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–
Balance of county	125	–	–	2	21	13	4	–	2	–	–	2	2	69	57	1	1	40	15
Lyman	46	–	–	–	4	–	1	–	2	–	–	1	–	26	18	–	–	16	2
McCook	77	–	–	–	14	4	6	2	1	1	–	–	2	44	31	–	–	22	9
McPherson	53	–	–	–	10	3	–	1	3	1	–	2	–	38	29	1	–	26	2
Marshall	69	–	–	1	18	4	4	1	3	1	2	3	2	34	29	–	1	23	5
Meade	139	–	–	1	33	9	9	1	3	–	2	9	1	70	51	–	2	44	5
Mellette	22	1	–	–	3	–	–	–	1	–	1	1	2	6	5	–	–	4	1
Miner	73	–	–	–	17	7	2	–	2	1	1	4	1	34	21	–	1	16	4
Minnehaha	834	1	–	7	191	58	41	22	17	9	11	33	7	406	313	2	1	268	42
Sioux Falls, part	663	–	–	7	145	46	32	15	13	7	9	23	6	326	255	1	1	216	37
Sioux Falls, total	664	–	–	7	145	46	32	15	13	7	9	23	6	327	256	1	1	217	37
Balance of county	171	1	–	–	46	12	9	7	4	2	2	10	1	80	58	1	–	52	5
Moody	73	–	–	–	15	5	3	2	1	1	1	2	–	45	38	–	5	23	10
Pennington	492	–	–	1	95	26	26	9	11	3	5	15	6	219	167	3	2	115	47
Rapid City	376	–	–	1	69	19	17	6	10	3	4	10	5	173	132	1	1	96	34
Balance of county	116	–	–	–	26	7	9	3	1	–	1	5	1	46	35	2	1	19	13
Perkins	41	–	–	–	7	3	1	1	1	–	–	1	2	20	12	–	–	10	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Dakota	28	556	117	69	236	199	19	71	66	1	35	83	79	462	199	160	85	35	21
Urban places	13	154	37	17	68	73	7	27	25	1	13	35	6	144	35	38	23	4	6
Balance of area	15	402	80	52	168	126	12	44	41	-	22	48	73	318	164	122	62	31	15
Metropolitan counties	8	66	12	7	29	34	5	8	7	-	7	18	3	65	16	12	13	1	4
Urban places	5	50	10	6	27	30	4	6	7	-	6	14	3	47	12	8	10	1	4
Balance of area	3	16	2	1	2	4	1	2	-	-	1	4	-	18	4	4	3	-	-
Nonmetropolitan counties	20	490	105	62	207	165	14	63	59	1	28	65	76	397	183	148	72	34	17
Urban places	8	104	27	11	41	43	3	21	18	1	7	21	3	97	23	30	13	3	2
Balance of area	12	386	78	51	166	122	11	42	41	-	21	44	73	300	160	118	59	31	15
Aurora	-	3	1	2	-	1	-	-	-	-	-	1	-	4	1	-	-	-	-
Beadle	1	28	4	3	7	8	1	1	3	-	2	1	1	11	4	9	-	-	-
Huron	1	18	4	1	4	7	1	1	3	-	2	1	1	10	3	3	-	-	-
Balance of county	-	10	-	2	3	1	-	-	-	-	-	-	-	1	1	6	-	-	-
Bennett	-	1	-	-	1	-	-	-	-	-	-	-	-	1	3	-	-	1	-
Bon Homme	-	17	6	-	2	3	-	-	-	-	1	-	1	2	1	3	-	-	-
Brookings	-	17	-	2	4	6	-	3	-	-	2	1	-	11	2	5	1	-	-
Brookings	-	7	-	1	2	3	-	2	-	-	1	1	-	3	-	-	-	-	-
Balance of county	-	10	-	1	2	3	-	1	-	-	1	-	-	8	2	5	1	-	-
Brown	4	35	13	1	8	11	1	2	2	-	1	6	1	24	6	7	-	-	1
Aberdeen	3	26	8	-	4	11	1	2	2	-	1	5	-	16	5	5	-	-	1
Balance of county	1	9	5	1	4	-	-	-	-	-	-	1	1	8	1	2	-	-	-
Brule	-	4	2	-	-	-	-	-	1	-	1	1	1	4	2	2	-	-	-
Buffalo	-	1	-	-	1	2	-	-	-	-	-	3	1	2	6	1	1	1	-
Butte	-	4	2	1	3	2	-	-	3	-	-	1	-	8	6	2	3	-	-
Campbell	-	2	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Charles Mix	-	9	2	2	6	1	-	1	2	-	-	3	3	9	4	5	2	-	2
Clark	-	4	2	1	4	2	1	1	-	-	-	-	-	3	2	-	1	-	-
Clay	-	3	2	-	1	2	-	-	1	-	1	-	1	4	-	2	-	-	1
Codington	-	6	1	2	9	5	-	3	5	-	-	-	1	16	6	7	1	3	-
Watertown	-	6	1	2	8	3	-	3	5	-	-	-	-	14	2	6	1	3	-
Balance of county	-	-	-	-	1	2	-	-	-	-	-	-	1	2	4	1	-	-	-
Corson	-	4	1	1	3	-	-	-	-	-	1	1	2	2	5	1	-	3	1
Custer	1	4	-	-	2	1	-	1	-	-	-	-	-	6	4	1	1	1	1
Davison	-	12	6	2	3	6	1	2	1	-	1	1	-	9	2	4	1	3	-
Mitchell	-	12	6	2	2	5	1	2	1	-	1	1	-	9	1	4	1	-	-
Balance of county	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	3	-
Day	1	9	-	1	2	-	-	2	1	-	-	-	1	10	2	1	-	-	-
Deuel	-	8	-	1	-	2	-	-	-	-	1	-	-	4	-	1	-	-	-
Dewey	-	4	-	-	1	1	-	3	2	-	-	2	2	3	6	10	1	2	-
Douglas	-	3	-	1	2	2	-	-	1	-	-	-	1	6	-	-	-	-	-
Edmunds	-	10	-	1	1	1	-	-	-	-	-	-	-	5	2	2	-	-	-
Fall River	-	4	1	2	6	9	1	2	1	-	-	1	-	14	3	5	2	2	1
Faulk	-	5	-	-	-	1	-	-	1	-	-	-	6	4	2	-	-	-	-
Grant	-	7	1	-	4	1	-	-	2	-	1	1	2	2	1	1	-	-	-
Gregory	-	5	2	2	-	2	1	1	-	-	1	-	-	4	1	2	1	-	-
Haakon	-	1	-	-	-	2	-	-	1	-	1	-	1	-	2	1	-	-	-
Hamlin	-	4	2	2	5	1	-	-	1	-	1	-	-	9	1	2	-	-	-
Hand	-	10	5	-	1	1	-	-	-	-	-	-	-	1	1	1	-	-	-
Hanson	-	4	1	-	-	-	-	-	-	-	1	-	-	1	3	1	2	-	-
Harding	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Hughes	1	15	3	3	3	6	-	1	1	-	-	4	1	12	3	1	6	-	-
Hutchinson	1	17	3	1	10	5	1	1	1	-	2	-	-	9	4	2	-	-	-
Hyde	-	2	2	-	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Jackson	-	1	-	-	2	1	-	-	-	-	-	-	-	1	1	-	-	-	-
Jerauld	-	6	-	-	2	1	-	-	-	-	-	-	-	2	-	1	-	-	-
Jones	-	2	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
Kingsbury	-	10	-	3	10	2	-	2	-	-	-	-	-	6	-	3	-	-	-
Lake	1	7	1	2	6	4	1	-	1	-	1	-	7	10	1	6	-	-	-
Lawrence	2	13	3	3	3	9	1	-	3	-	2	3	1	15	10	3	5	1	1
Lincoln	1	10	1	-	8	3	-	1	4	-	-	-	2	8	2	2	1	-	-
Sioux Falls, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	10	1	-	8	3	-	1	4	-	-	-	2	8	2	2	1	-	-
Lyman	-	4	2	2	2	-	-	3	1	-	1	-	-	6	-	1	-	1	1
McCook	-	12	1	-	4	2	-	-	-	-	1	1	-	6	2	1	-	-	-
McPherson	-	9	-	-	-	1	-	-	1	-	-	1	-	-	-	2	-	-	-
Marshall	-	4	1	-	2	1	-	-	4	-	-	-	-	5	2	-	-	-	-
Meade	-	10	4	5	5	5	-	-	-	-	-	5	2	3	1	4	1	-	2
Mellette	-	-	1	-	1	-	1	3	-	-	-	-	2	1	-	-	2	-	-
Miner	-	10	2	1	3	4	1	-	-	-	-	-	6	4	1	2	-	-	-
Minnehaha	8	66	12	7	29	34	5	8	7	-	7	18	3	65	16	12	13	1	4
Sioux Falls, part	5	50	10	6	27	30	4	6	7	-	6	14	3	47	12	8	10	1	4
Sioux Falls, total	5	50	10	6	27	30	4	6	7	-	6	14	3	47	12	8	10	1	4
Balance of county	3	16	2	1	2	4	1	2	-	-	1	4	-	18	4	4	3	-	-
Moody	-	6	-	1	1	-	-	1	-	-	-	-	-	8	2	1	-	-	-
Pennington	4	38	7	3	18	19	-	10	5	1	1	19	6	46	19	13	13	-	1
Rapid City	4	28	6	3	14	14	-	8	5	1	1	12	2	40	11	9	10	-	1
Balance of county	-	10	1	-	4	5	-	2	-	-	-	7	4	6	8	4	3	-	-
Perkins	-	4	2	2	-	2	1	-	-	-	-	-	-	1	6	2	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
South Dakota—Con.																			
Potter	45	-	-	2	6	1	1	3	1	-	-	-	1	24	18	1	-	10	7
Roberts	138	-	-	-	23	6	2	1	2	3	1	8	1	76	65	2	-	49	14
Sanborn	44	-	-	-	12	2	2	-	3	-	1	4	-	24	19	-	-	12	7
Shannon	95	3	-	1	6	3	1	1	-	-	-	1	-	24	19	2	-	12	5
Spink	104	-	-	-	21	7	4	2	1	2	2	3	1	67	45	-	1	36	8
Stanley	18	-	-	-	4	1	1	-	1	-	-	1	-	7	6	-	-	4	2
Sully	13	-	-	-	2	1	-	1	-	-	-	-	-	6	6	-	-	5	1
Todd	67	1	-	1	8	3	2	-	1	-	-	2	2	11	9	-	-	7	2
Tripp	75	-	-	-	14	3	4	2	1	3	1	-	-	41	36	1	-	28	7
Turner	101	-	-	3	17	10	3	-	2	-	-	2	2	57	46	-	-	35	11
Union	122	-	-	1	32	7	8	3	4	1	3	6	1	62	45	1	-	38	6
Walworth	89	-	-	1	21	4	5	2	3	-	1	6	1	40	34	-	1	20	13
Washabaugh	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Yankton	158	-	-	6	29	11	5	4	3	1	2	3	2	81	63	2	1	50	10
Yankton	108	-	-	3	18	8	3	2	2	-	2	1	2	61	50	1	1	40	8
Balance of county	50	-	-	3	11	3	2	2	1	1	-	2	-	20	13	1	-	10	2
Ziebach	13	-	-	-	1	-	1	-	-	-	-	-	-	8	7	-	-	4	3
Tennessee	40,509	60	2	283	8,344	2,011	2,403	659	947	341	320	1,663	616	20,137	14,943	95	553	11,130	3,165
Urban places	19,441	24	1	132	4,120	989	1,217	338	457	164	142	813	301	9,510	6,947	57	332	4,882	1,676
Balance of area	21,068	36	1	151	4,224	1,022	1,186	321	490	177	178	850	315	10,627	7,996	38	221	6,248	1,489
Metropolitan counties	24,291	31	1	173	5,210	1,266	1,519	421	579	202	192	1,031	364	11,734	8,774	68	390	6,255	2,061
Urban places	16,785	19	-	111	3,617	872	1,076	298	398	141	124	708	261	8,116	5,985	53	309	4,122	1,501
Balance of area	7,506	12	1	62	1,593	394	443	123	181	61	68	323	103	3,618	2,789	15	81	2,133	560
Nonmetropolitan counties	16,218	29	1	110	3,134	745	884	238	368	139	128	632	252	8,403	6,169	27	163	4,875	1,104
Urban places	2,656	5	1	21	503	117	141	40	59	23	18	105	40	1,394	962	4	23	760	175
Balance of area	13,562	24	-	89	2,631	628	743	198	309	116	110	527	212	7,009	5,207	23	140	4,115	929
Anderson	570	1	-	3	122	28	34	11	11	5	5	28	9	233	158	3	-	121	34
Oak Ridge, part	197	1	-	2	44	10	14	6	3	2	1	8	3	78	53	2	-	38	13
Oak Ridge, total	202	1	-	2	46	11	14	6	3	3	1	8	3	79	54	2	-	38	14
Balance of county	373	-	-	1	78	18	20	5	8	3	4	20	6	155	105	1	-	83	21
Bedford	254	-	-	-	51	13	15	3	3	3	1	13	1	131	90	1	3	69	17
Shelbyville	142	-	-	-	28	6	8	2	1	3	1	7	1	71	45	1	2	32	10
Balance of county	112	-	-	-	23	7	7	1	2	-	-	6	-	60	45	-	1	37	7
Benton	172	1	-	-	27	2	7	3	4	2	4	5	2	103	90	-	3	63	24
Bledsoe	70	-	-	-	8	2	4	1	-	1	-	-	3	36	33	-	-	28	5
Blount	646	2	-	5	150	46	39	7	14	5	6	33	7	310	209	2	11	160	36
Maryville	201	-	-	1	45	16	8	3	3	3	3	9	4	91	54	-	4	44	6
Balance of county	445	2	-	4	105	30	31	4	11	2	3	24	3	219	155	2	7	116	30
Bradley	462	-	-	4	85	17	27	3	9	3	4	22	3	235	163	-	5	139	19
Cleveland	292	-	-	2	54	11	18	2	6	1	4	12	2	151	103	-	3	86	14
Balance of county	170	-	-	2	31	6	9	1	3	2	-	10	1	84	60	-	2	53	5
Campbell	345	1	-	2	78	20	18	10	8	4	3	15	4	158	123	1	2	98	22
Cannon	101	-	-	1	21	9	5	-	3	1	1	2	3	45	38	1	3	28	6
Carroll	354	-	-	3	69	15	24	4	10	1	4	11	2	201	139	-	3	115	21
Carter	418	-	-	4	74	17	22	8	5	7	2	13	8	203	156	-	2	112	42
Elizabethton	137	-	-	2	32	7	11	4	1	3	-	6	3	61	46	-	-	37	9
Balance of county	281	-	-	2	42	10	11	4	4	4	2	7	5	142	110	-	2	75	33
Cheatham	133	-	-	1	19	4	7	-	2	1	-	5	-	65	51	-	2	40	9
Chester	98	-	-	-	15	4	4	-	3	-	3	1	1	63	43	-	-	41	2
Claiborne	229	-	-	-	30	8	11	1	1	1	2	6	-	117	90	1	1	78	10
Clay	51	-	-	1	15	3	6	1	3	1	-	1	1	18	16	-	1	15	-
Cocke	282	-	-	2	57	17	10	2	7	2	-	19	11	134	99	1	-	91	7
Coffee	334	-	-	3	77	17	20	7	10	5	2	16	3	166	116	1	1	94	20
Tullahoma, part	147	-	-	1	37	4	11	2	6	3	-	11	3	69	48	1	-	38	9
Tullahoma, total	148	-	-	1	37	4	11	2	6	3	-	11	3	70	49	1	-	39	9
Balance of county	187	-	-	2	40	13	9	5	4	2	2	5	-	97	68	-	1	56	11
Crockett	128	-	-	-	21	7	4	1	5	1	1	2	4	78	57	-	1	50	6
Cumberland	253	-	-	1	51	9	16	10	3	1	4	8	-	137	105	1	2	89	13
Davidson, coext. with Nashville city	4,101	2	-	25	905	220	256	75	98	28	34	194	68	1,977	1,455	17	100	1,082	256
Decatur	111	-	-	1	16	3	3	-	1	1	1	7	1	58	45	-	1	29	15
De Kalb	156	-	-	-	25	4	7	3	6	1	-	4	1	98	84	-	2	65	17
Dickson	273	1	-	2	47	18	14	1	4	1	4	5	4	154	134	-	2	111	21
Dyer	341	-	-	6	60	12	21	5	3	4	1	14	3	157	107	1	3	91	12
Dyersburg	193	-	-	3	32	7	9	5	1	1	1	8	1	79	54	-	2	44	8
Balance of county	148	-	-	3	28	5	12	-	2	3	-	6	2	78	53	1	1	47	4
Fayette	200	-	-	1	43	14	4	2	7	-	4	12	3	89	52	1	2	43	6
Fentress	133	-	-	-	28	11	6	2	2	2	1	4	2	60	40	-	-	36	4
Franklin	288	1	-	4	50	10	13	5	9	2	2	9	12	142	103	1	10	72	20
Tullahoma, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	287	1	-	4	50	10	13	5	9	2	2	9	12	141	102	1	10	71	20
Gibson	611	-	-	4	112	20	31	10	20	3	6	22	16	342	251	2	6	207	36
Humboldt	129	-	-	3	19	2	6	1	4	1	2	3	4	73	53	-	-	44	9
Balance of county	482	-	-	1	93	18	25	9	16	2	4	19	12	269	198	2	6	163	27
Giles	225	2	-	2	38	12	9	1	3	2	5	6	2	124	88	-	3	55	30
Grainger	152	1	-	2	23	4	8	1	4	1	1	4	2	66	44	1	-	38	5
Greene	469	1	-	1	86	18	29	4	14	3	-	18	12	249	215	2	8	141	64
Greenville	163	-	-	-	30	5	9	-	5	2	-	9	7	90	79	-	3	59	17
Balance of county	306	1	-	1	56	13	20	4	9	1	-	9	5	159	136	2	5	82	47

NEWARK PUBLIC LIBRARY

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Dakota—Con.																			
Potter	-	5	1	-	2	2	-	1	-	-	-	1	3	2	-	-	1	-	-
Roberts	1	8	2	-	5	3	-	1	-	-	1	2	1	8	7	3	3	3	1
Sanborn	1	3	1	-	1	3	-	-	-	-	-	-	-	3	-	-	1	-	-
Shannon	-	5	-	-	6	2	-	4	1	-	-	2	6	6	14	4	7	6	3
Spink	-	18	4	-	5	-	1	1	2	-	-	-	-	5	1	-	-	-	-
Stanley	-	1	-	-	1	-	-	1	1	-	-	-	-	1	1	1	1	-	-
Sully	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-
Todd	-	1	-	1	2	1	-	3	1	-	-	1	10	6	8	2	3	6	1
Tripp	-	4	1	-	3	1	-	1	1	-	-	-	2	8	2	1	1	-	-
Turner	1	6	2	2	4	5	-	2	1	-	-	1	-	4	-	3	2	-	-
Union	-	12	4	1	3	5	-	-	1	-	-	1	2	7	4	2	1	-	-
Walworth	-	5	1	-	7	2	1	-	-	-	-	-	-	10	-	4	2	-	-
Washabaugh	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Yankton	-	13	2	3	8	1	-	3	2	-	1	1	-	9	4	5	5	1	-
Yankton	-	7	2	2	7	-	-	3	2	-	1	1	-	5	1	3	1	-	-
Balance of county	-	6	-	1	1	1	-	-	-	-	-	-	-	4	3	2	4	1	-
Ziebach	-	1	-	-	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-
Tennessee	160	4,067	620	347	1,165	1,290	132	403	371	11	257	449	717	2,904	1,134	1,073	571	507	83
Urban places	90	1,986	304	183	539	643	63	221	170	3	118	284	298	1,504	403	478	267	330	32
Balance of area	70	2,081	316	164	626	647	69	182	201	8	139	165	419	1,400	731	595	304	177	51
Metropolitan counties	97	2,301	345	217	654	780	77	267	199	7	164	339	400	1,846	645	619	357	371	53
Urban places	79	1,648	252	152	455	550	55	187	141	3	110	262	246	1,320	336	422	240	304	30
Balance of area	18	653	93	65	199	230	22	80	58	4	54	77	154	526	309	197	117	67	23
Nonmetropolitan counties	63	1,766	275	130	511	510	55	136	172	4	93	110	317	1,058	489	454	214	136	30
Urban places	11	338	52	31	84	93	8	34	29	-	8	22	52	184	67	56	27	26	2
Balance of area	52	1,428	223	99	427	417	47	102	143	4	85	88	265	874	422	398	187	110	28
Anderson	1	59	8	7	10	21	3	7	4	-	3	4	45	45	25	15	13	6	1
Oak Ridge, part	1	19	2	3	1	5	2	2	2	-	1	1	14	19	10	5	5	1	1
Oak Ridge, total	1	19	2	3	1	6	2	2	2	-	1	1	14	19	10	5	6	1	1
Balance of county	-	40	6	4	9	16	1	5	2	-	2	3	31	26	15	10	8	5	-
Bedford	2	34	1	4	4	5	1	3	3	-	-	3	2	25	12	3	10	-	-
Shelbyville	2	22	1	1	2	1	1	3	2	-	-	3	2	13	6	3	6	-	-
Balance of county	-	12	-	3	2	4	-	-	1	-	-	-	-	12	6	-	4	-	-
Benton	-	10	1	2	5	3	1	1	-	-	1	3	1	12	5	4	3	-	-
Bledsoe	-	2	-	1	2	2	-	1	1	-	-	2	-	3	2	8	-	2	-
Blount	4	77	12	8	26	23	2	8	2	-	9	8	8	49	15	7	12	3	-
Maryville	1	27	7	2	7	8	-	1	-	-	5	2	6	15	5	5	3	3	-
Balance of county	3	50	5	6	19	15	2	7	2	-	4	6	2	34	10	2	9	-	-
Bradley	1	63	2	6	11	18	2	3	4	-	3	2	9	32	19	18	7	7	-
Cleveland	1	42	1	4	8	10	-	1	4	-	3	1	7	22	12	8	3	4	-
Balance of county	-	21	1	2	3	8	2	2	-	-	-	1	2	10	7	10	4	3	-
Campbell	1	29	2	3	13	15	3	2	7	1	4	2	7	19	10	10	4	5	-
Cannon	-	6	1	-	1	4	-	-	1	-	1	2	-	9	8	1	1	3	-
Carroll	3	51	6	2	9	10	2	2	8	-	2	1	1	21	7	9	5	2	-
Carter	1	36	4	6	17	11	1	7	6	-	1	3	13	44	6	8	5	5	2
Elizabethton	1	10	2	2	3	3	-	5	3	-	-	-	4	17	-	1	2	-	1
Balance of county	-	26	2	4	14	8	1	2	3	-	1	3	9	27	6	7	3	5	1
Cheatham	-	11	2	1	3	9	2	2	1	-	-	1	-	5	15	2	2	6	-
Chester	1	16	3	-	3	2	1	-	1	-	-	-	1	5	2	3	-	1	-
Claiborne	-	22	1	4	31	12	-	-	2	-	1	-	1	12	8	10	4	1	-
Clay	-	2	-	-	1	2	1	-	-	-	1	-	-	6	1	2	1	-	1
Cocke	-	31	2	2	8	7	-	1	2	-	3	4	4	12	19	8	6	3	1
Coffee	3	34	7	6	8	21	1	9	5	-	1	3	2	18	4	7	3	2	1
Tullahoma, part	-	13	5	3	2	12	1	4	3	-	-	1	-	11	1	-	2	-	-
Tullahoma, total	-	13	5	3	2	12	1	4	3	-	-	1	-	11	1	-	2	-	-
Balance of county	3	21	2	3	6	9	-	5	2	-	1	2	2	7	3	7	1	2	1
Crockett	1	18	2	-	4	4	-	1	-	-	1	-	2	8	3	2	-	-	-
Cumberland	1	22	6	3	5	10	-	1	2	-	2	-	2	19	11	7	3	-	2
Davidson, coext. with Nashville city	13	404	66	39	100	147	15	53	38	1	24	56	10	342	91	98	54	81	14
Decatur	-	10	1	2	7	6	-	1	1	-	-	-	-	10	2	7	-	-	1
De Kalb	-	13	-	1	3	7	-	-	-	1	1	1	2	7	6	1	-	2	1
Dickson	-	18	-	2	8	7	1	2	1	-	2	3	-	17	13	6	3	1	1
Dyer	2	43	2	3	13	6	1	3	5	-	1	5	37	26	7	6	4	1	-
Dyersburg	1	22	1	1	9	5	-	2	4	-	1	2	24	18	6	5	1	1	-
Balance of county	1	21	1	2	4	1	1	1	1	-	-	3	13	8	1	1	3	-	-
Fayette	3	33	-	1	5	9	1	1	4	-	1	2	11	12	9	4	3	2	-
Fentress	-	16	3	1	9	4	3	1	-	-	-	1	2	10	3	6	4	-	-
Franklin	-	34	3	2	7	9	1	2	7	-	2	1	5	25	7	7	4	1	1
Tullahoma, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	34	3	2	7	9	1	2	7	-	2	1	5	25	7	7	4	1	1
Gibson	1	64	21	5	16	15	1	6	5	-	3	6	5	42	16	15	7	-	-
Humboldt	1	16	3	-	4	6	-	3	-	-	-	2	2	5	2	5	1	-	-
Balance of county	-	48	18	5	12	9	1	3	5	-	3	4	3	37	14	10	6	-	-
Giles	1	31	2	2	5	5	1	-	3	-	1	1	1	13	4	18	5	-	-
Grainger	-	18	4	-	5	5	1	-	2	-	1	1	22	6	1	11	3	-	-
Greene	1	27	3	3	17	16	-	7	10	-	3	3	3	32	12	7	7	2	1
Greenville	1	8	1	1	7	6	-	6	1	-	-	1	1	9	-	1	2	1	1
Balance of county	-	19	2	2	10	10	-	1	9	-	3	2	2	23	12	6	5	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Tennessee—Con																			
Grundy	147	-	-	1	22	6	5	1	1	-	1	8	4	64	56	-	3	34	19
Hamblen	418	2	-	2	74	21	17	6	7	5	2	16	10	232	158	-	3	139	16
Morristown	237	2	-	2	44	13	10	4	3	4	1	9	3	139	90	-	2	79	9
Balance of county	181	-	-	-	30	8	7	2	4	1	1	7	7	93	68	-	1	60	7
Hamilton	2,597	8	-	20	586	139	185	49	67	28	22	96	41	1,268	999	7	25	843	124
Chattanooga	1,735	8	-	15	372	91	119	30	44	17	11	60	28	859	672	7	18	567	80
East Ridge	174	-	-	-	34	6	13	2	3	1	2	7	3	94	70	-	3	65	2
Red Bank	96	-	-	-	24	7	6	3	1	-	1	6	1	52	41	-	1	36	4
Balance of county	592	-	-	5	156	35	47	14	19	10	8	23	9	263	216	-	3	175	38
Hancock	70	-	-	-	11	3	4	-	2	1	-	1	-	45	42	-	1	38	3
Hardeman	216	1	-	1	34	13	5	2	5	1	1	7	-	111	87	-	-	74	13
Hardin	206	-	-	4	38	6	12	4	4	-	2	8	1	113	80	-	1	59	20
Hawkins	369	1	-	1	75	19	24	6	6	4	1	15	7	191	151	-	5	122	24
Kingsport, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	368	1	-	1	75	19	24	6	6	4	1	15	7	191	151	-	5	122	24
Haywood	190	-	-	2	32	9	8	1	5	4	1	4	1	109	88	-	9	69	10
Henderson	235	-	-	2	46	8	19	3	6	1	2	7	6	133	73	-	2	59	12
Henry	345	-	-	4	66	22	9	7	8	1	2	19	9	179	126	-	4	99	23
Hickman	153	1	-	3	41	6	14	2	5	6	1	7	2	68	57	-	-	38	19
Houston	85	-	-	-	11	1	3	-	1	1	2	3	2	46	34	-	1	24	9
Humphreys	153	1	-	1	29	6	12	1	1	1	1	7	2	77	70	-	-	43	27
Jackson	92	1	-	-	11	1	3	2	1	-	1	3	1	60	43	-	-	42	1
Jefferson	264	2	-	3	57	18	16	7	4	-	2	10	5	118	84	1	2	72	9
Johnson	133	-	-	1	22	5	8	1	-	-	1	7	-	69	59	1	-	43	15
Knox	2,874	-	-	14	585	127	185	52	66	16	25	114	40	1,424	1,075	5	36	794	240
Knoxville	1,904	-	-	6	373	74	128	29	47	12	13	70	26	956	693	2	31	503	157
Balance of county	970	-	-	8	212	53	57	23	19	4	12	44	14	468	382	3	5	291	83
Lake	95	-	-	1	17	2	3	1	1	1	-	9	1	37	21	-	1	18	2
Lauderdale	281	-	-	1	63	17	20	5	4	2	2	13	3	140	104	-	12	82	10
Lawrence	349	-	-	1	90	20	27	7	10	3	3	20	4	177	147	-	-	119	28
Lewis	73	-	-	-	30	6	6	4	5	3	1	5	-	30	22	-	1	18	3
Lincoln	295	2	-	4	62	17	15	5	8	5	4	8	5	143	102	-	1	71	30
Loudon	318	2	-	-	70	14	16	8	7	4	3	18	7	170	132	-	12	108	12
McMinn	410	1	-	6	80	19	25	6	11	3	1	15	3	223	171	1	4	149	17
Athens	137	-	-	2	24	8	7	1	2	2	1	3	-	79	61	-	1	51	9
Balance of county	273	1	-	4	56	11	18	5	9	1	-	12	3	144	110	1	3	98	8
McNairy	214	-	-	-	43	11	7	7	7	1	1	9	1	122	93	-	1	85	7
Macon	149	-	-	-	28	4	11	-	6	-	1	4	4	69	57	-	2	38	17
Madison	698	2	-	7	145	41	47	11	18	4	4	20	9	351	218	1	6	169	42
Jackson	524	2	-	4	111	33	33	10	14	1	4	16	8	263	168	1	4	130	33
Balance of county	174	-	-	3	34	8	14	1	4	3	-	4	1	88	50	-	2	39	9
Marion	232	-	1	5	38	15	8	-	4	5	1	5	3	107	87	1	2	68	16
Marshall	223	1	-	1	49	17	9	2	5	2	4	10	6	111	83	-	2	69	12
Maury	524	1	-	2	90	14	24	10	16	3	2	21	9	270	199	2	8	150	39
Columbia	283	1	-	1	55	9	10	5	12	2	1	16	6	140	101	1	5	72	23
Balance of county	241	-	-	1	35	5	14	5	4	1	1	5	3	130	98	1	3	78	16
Meigs	65	-	-	2	15	4	3	1	3	1	-	3	2	29	23	-	-	17	6
Monroe	258	-	-	2	44	14	5	3	6	3	2	11	4	122	85	-	1	68	16
Montgomery	504	1	-	6	97	28	21	11	11	6	4	16	6	213	160	1	3	121	35
Clarksville	298	-	-	4	62	12	15	8	8	6	2	11	4	120	92	-	1	75	16
Balance of county	206	1	-	2	35	16	6	3	3	-	2	5	2	93	68	1	2	46	19
Moore	34	-	-	-	5	-	3	-	-	-	-	2	2	13	10	-	-	7	3
Morgan	153	-	-	3	30	4	10	1	6	1	1	7	4	68	47	-	-	29	18
Obion	373	-	-	4	80	22	22	9	8	3	4	12	3	218	114	1	6	99	8
Union City	134	-	-	2	22	7	3	2	3	-	2	5	-	83	42	-	-	40	2
Balance of county	239	-	-	2	58	15	19	7	5	3	2	7	3	135	72	1	6	59	6
Overton	159	-	-	1	42	6	18	3	3	3	2	7	2	78	62	1	1	49	11
Perry	89	-	-	-	12	2	2	-	3	1	-	4	1	44	35	-	-	25	10
Pickett	37	-	-	-	14	3	4	1	2	2	-	2	-	15	15	-	-	11	4
Polk	127	-	-	-	26	6	9	2	3	2	-	4	1	69	47	-	1	42	4
Putnam	363	-	1	3	62	16	20	3	3	2	3	15	6	203	148	-	1	118	29
Cookeville	144	-	1	1	26	7	11	2	-	1	1	4	3	83	62	-	-	50	12
Balance of county	219	-	-	2	36	9	9	1	3	1	2	11	3	120	86	-	1	68	17
Rhea	202	1	-	1	43	13	13	1	1	2	-	13	5	106	89	-	1	76	12
Roane	408	-	-	2	84	24	26	5	4	3	3	19	6	187	136	1	3	93	39
Oak Ridge, part	5	-	-	-	2	1	-	-	-	1	-	-	-	1	1	-	-	-	1
Balance of county	403	-	-	2	82	23	26	5	4	2	3	19	6	186	135	1	3	93	38
Robertson	334	2	-	3	63	18	14	9	6	3	1	12	11	173	135	-	8	111	16
Rutherford	556	2	-	3	108	31	27	6	17	3	9	15	6	288	199	1	5	159	34
Murfreesboro	252	2	-	-	50	12	13	5	8	2	3	7	4	124	89	-	5	67	17
Balance of county	304	-	-	3	58	19	14	1	9	1	6	8	2	164	110	1	-	92	17
Scott	180	-	-	1	32	6	9	2	5	2	-	8	4	97	73	1	-	54	18
Sequatchie	76	-	-	-	13	2	2	1	5	-	2	1	-	42	38	-	2	26	10
Sevier	305	1	-	2	61	11	24	4	4	4	3	11	1	160	129	-	-	103	26
Shelby	6,660	5	-	54	1,497	378	433	128	164	58	47	289	97	3,183	2,330	15	139	1,327	849
Memphis	6,214	5	-	52	1,391	353	401	116	157	54	45	265	92	2,975	2,181	14	129	1,238	800
Millington	73	-	-	-	11	1	6	1	-	1	-	2	1	33	25	1	1	11	12
Balance of county	373	-	-	2	95	24	26	11	7	3	2	22	4	175	124	-	9	78	37

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Tennessee—Con.																			
Grundy	-	5	3	-	5	7	-	-	3	-	3	-	7	10	6	11	1	2	1
Hamblen	-	69	3	2	11	12	1	8	2	-	4	6	3	18	15	7	7	4	-
Morristown	-	45	3	1	5	3	-	6	1	-	2	5	-	9	8	5	1	2	-
Balance of county	-	24	-	1	6	9	1	2	1	-	2	1	3	9	7	2	6	2	-
Hamilton	9	208	23	29	85	71	10	26	28	1	16	30	14	183	68	69	36	33	4
Chattanooga	7	141	18	21	61	44	8	17	21	-	10	23	9	129	33	46	24	25	3
East Ridge	1	20	1	2	5	5	1	3	2	-	-	1	1	8	4	9	3	1	-
Red Bank	-	8	1	2	1	6	-	2	-	-	-	-	-	6	1	1	-	2	-
Balance of county	1	39	3	4	18	16	1	4	5	1	6	6	4	40	30	13	9	5	1
Hancock	-	2	-	1	3	1	1	-	1	-	2	-	-	3	1	2	-	-	-
Hardeman	2	18	3	1	11	5	-	-	3	-	-	1	14	14	5	6	4	5	1
Hardin	3	29	1	-	3	8	-	1	-	-	1	-	3	16	3	6	5	5	1
Hawkins	-	27	8	5	7	14	3	5	5	-	1	4	2	27	9	8	5	4	-
Kingsport, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of county	-	27	8	5	7	14	3	5	5	-	1	4	2	26	9	8	5	4	-
Haywood	2	17	1	1	3	3	2	-	4	-	1	2	1	18	4	5	2	1	-
Henderson	3	52	3	2	5	2	-	1	3	-	2	2	1	12	9	4	4	3	-
Henry	1	44	5	3	14	10	-	4	-	-	1	1	2	28	7	9	9	-	-
Hickman	1	8	1	1	6	2	-	1	2	-	2	-	3	13	3	2	1	3	-
Houston	-	11	1	-	5	5	-	1	-	-	1	-	-	6	7	1	-	-	-
Humphreys	-	6	1	-	2	5	1	3	2	1	1	1	-	9	8	4	3	1	2
Jackson	-	11	5	1	3	5	-	-	1	-	-	1	-	4	2	2	1	-	-
Jefferson	1	25	6	2	9	7	1	2	2	-	-	-	13	23	9	7	3	3	-
Johnson	-	10	-	-	10	5	-	1	2	-	-	1	-	14	1	4	2	1	-
Knox	13	272	38	26	70	98	9	31	15	1	18	24	161	191	65	57	36	33	2
Knoxville	12	206	26	19	48	69	6	20	10	-	12	20	119	132	27	36	21	22	1
Balance of county	1	66	12	7	22	29	3	11	5	1	6	4	42	59	38	21	15	11	1
Lake	1	11	2	2	3	2	-	2	1	-	1	-	19	6	2	1	1	1	-
Lauderdale	1	31	4	-	6	11	-	5	4	1	-	5	5	18	5	10	3	1	-
Lawrence	3	26	-	1	14	10	-	1	3	-	1	-	1	18	9	7	8	5	-
Lewis	-	6	1	1	-	6	-	-	-	-	-	-	-	3	2	2	-	-	-
Lincoln	-	39	1	1	13	4	2	4	6	-	2	1	14	11	10	8	2	1	1
Loudon	4	30	3	1	6	6	1	2	1	-	4	4	1	16	10	9	6	3	-
McMinn	2	41	5	4	6	8	-	7	5	-	1	6	9	28	11	8	6	2	-
Athens	1	11	3	3	2	5	-	1	1	-	1	1	6	7	5	2	1	-	-
Balance of county	1	30	2	1	4	3	-	6	4	-	-	5	3	21	6	6	5	2	-
McNairy	1	24	2	2	4	3	2	1	-	-	2	1	-	15	11	5	1	3	-
Macon	1	10	-	1	11	2	-	-	2	-	1	1	6	11	3	8	4	-	1
Madison	3	105	16	9	19	21	4	4	10	-	1	6	7	56	22	21	2	11	-
Jackson	2	73	12	8	15	16	1	4	7	-	-	3	4	46	15	14	1	10	-
Balance of county	1	32	4	1	4	5	3	-	3	-	1	3	3	10	7	7	1	1	-
Marion	-	19	1	-	6	4	1	1	3	-	3	-	6	15	9	18	5	3	4
Marshall	-	25	3	-	9	4	2	2	5	-	1	-	1	12	8	9	1	1	-
Maury	-	62	3	6	27	19	3	4	8	-	-	3	9	38	17	8	8	6	2
Columbia	-	37	1	1	14	10	2	3	3	-	-	1	5	21	7	4	6	4	-
Balance of county	-	25	2	5	13	9	1	1	5	-	-	2	4	17	10	4	2	2	2
Meigs	1	5	-	-	2	2	-	-	-	-	-	-	1	2	5	3	-	1	1
Monroe	1	31	4	1	10	12	2	2	3	-	3	5	15	18	6	6	1	2	1
Montgomery	2	43	4	4	10	17	2	3	4	1	-	10	16	50	27	20	11	6	4
Clarksville	2	22	1	3	8	10	2	2	4	1	-	8	5	30	12	12	6	6	2
Balance of county	-	21	3	1	2	7	-	1	-	-	-	2	11	20	15	8	5		2
Moore	-	1	1	1	3	-	-	1	1	-	-	-	1	5	3	-	-	-	-
Morgan	1	16	2	2	3	4	1	-	2	-	-	-	11	15	4	4	1	3	-
Obion	3	44	54	3	13	11	2	1	1	-	-	4	4	16	7	5	2	2	-
Union City	1	20	18	2	7	6	2	-	-	-	-	1	1	4	2	3	-	1	-
Balance of county	2	24	36	1	6	5	-	1	1	-	-	3	3	12	5	2	2	1	-
Overton	-	13	2	1	9	1	1	1	1	-	-	1	2	8	4	6	-	2	-
Perry	1	2	5	1	9	3	-	-	-	-	-	-	2	7	1	5	2	2	1
Pickett	-	-	-	-	-	4	-	-	-	-	-	-		2	2	-	-	-	-
Polk	-	16	5	1	1	2	-	1	-	-	1	-	-	11	9	2	-	2	2
Putnam	-	42	8	5	8	10	4	5	2	-	2	1	2	25	7	12	8	1	1
Cookeville	-	16	2	3	4	4	1	1	1	-	-	-	-	10	3	3	1	1	1
Balance of county	-	26	6	2	4	6	3	4	1	-	2	1	2	15	4	9	7	-	-
Rhea	2	13	1	1	2	8	-	-	2	-	2	-	1	17	6	3	3	2	-
Roane	-	41	6	4	2	25	-	8	7	-	2	3	16	32	19	7	4	2	2
Oak Ridge, part	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Balance of county	-	41	6	4	2	24	-	8	7	-	2	3	16	32	19	7	3	2	2
Robertson	1	25	11	1	5	6	-	7	3	-	3	5	2	13	17	12	7	2	-
Rutherford	5	75	6	3	17	21	-	6	1	-	8	10	-	40	17	18	6	4	1
Murfreesboro	4	27	3	1	11	12	-	-	-	-	4	5	-	19	5	9	3	3	1
Balance of county	1	48	3	2	6	9	-	6	1	-	4	5	-	21	12	9	3	1	-
Scott	-	20	3	1	4	3	-	1	3	-	1	1	1	11	9	5	2	3	2
Sequatchie	-	2	1	1	1	4	-	1	-	-	1	2	1	6	1	3	-	1	-
Sevier	1	28	-	2	14	14	2	3	1	-	1	3	3	11	7	15	3	2	1
Shelby	30	660	111	52	168	204	17	67	54	1	51	137	43	531	129	162	101	154	5
Memphis	27	614	105	48	157	190	17	65	51	1	46	127	42	495	112	153	92	146	5
Millington	1	7	-	-	2	3	-	-	1	-	-	4	-	8	4	1	4	1	-
Balance of county	2	39	6	4	9	11	-	2	2	-	5	6	1	28	13	8	5	7	-

NEWARK PUBLIC LIBRARY

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Tennessee—Con.																			
Smith	130	1	-	-	28	6	6	4	2	3	3	4	-	69	52	-	2	49	1
Stewart	95	-	-	1	16	4	5	3	2	-	1	1	2	49	33	-	-	19	14
Sullivan	1,190	-	-	6	258	53	89	17	28	7	6	58	23	577	439	3	22	334	80
Bristol ⁴	251	-	-	1	58	17	19	1	6	3	2	10	7	129	98	-	4	70	22
Kingsport, part	359	-	-	1	69	13	23	4	5	2	2	20	8	177	136	2	5	107	22
Kingsport, total	360	-	-	1	69	13	23	4	5	2	2	20	8	177	136	2	5	107	22
Balance of county	580	-	-	4	131	23	47	12	17	2	2	28	8	271	207	1	13	157	36
Sumner	634	3	-	6	132	28	33	10	17	3	5	36	3	294	220	3	3	160	54
Gallatin	200	-	-	-	42	7	8	4	6	2	2	13	1	93	66	1	1	42	22
Balance of county	434	3	-	6	90	21	25	6	11	1	3	23	2	201	154	2	2	118	32
Tipton	301	-	-	4	65	10	28	5	5	2	5	12	5	152	110	-	3	88	19
Trousdale	61	1	-	-	14	2	5	-	1	1	1	4	2	29	18	-	-	16	2
Unicoi	163	1	-	3	39	11	12	2	4	4	2	4	3	61	48	-	-	33	15
Union	100	-	-	1	23	3	9	1	3	-	1	6	1	55	45	-	2	40	3
Van Buren	36	-	-	-	6	3	2	-	-	1	-	-	1	19	14	-	-	11	3
Warren	289	1	-	2	52	16	13	5	6	2	2	8	5	162	123	2	3	76	42
McMinnville	125	-	-	-	19	4	6	4	2	1	-	2	2	72	54	-	1	34	19
Balance of county	164	1	-	2	33	12	7	1	4	1	2	6	3	90	69	2	2	42	23
Washington	768	-	-	2	138	35	41	9	10	8	3	32	10	373	288	4	11	180	93
Johnson City	431	-	-	1	78	20	25	6	6	4	2	15	5	213	158	4	6	97	51
Balance of county	337	-	-	1	60	15	16	3	4	4	1	17	5	160	130	-	5	83	42
Wayne	155	-	-	-	28	1	10	3	4	2	2	6	1	85	65	-	2	49	14
Weakley	333	-	-	1	57	16	19	2	9	-	5	6	5	189	138	-	4	118	16
White	211	-	-	-	38	8	9	4	7	4	1	5	8	118	76	-	2	62	12
Williamson	387	1	-	3	88	18	15	6	19	4	2	24	6	189	146	2	3	120	21
Wilson	405	1	-	2	88	18	23	7	13	4	5	18	6	202	141	4	4	103	30
Lebanon	161	1	-	1	27	6	11	1	2	1	1	5	3	84	58	3	-	43	12
Balance of county	244	-	-	1	61	12	12	6	11	3	4	13	3	118	83	1	4	60	18
Texas	110,548	134	13	1,009	21,710	5,257	6,099	1,633	2,450	820	926	4,525	1,860	50,814	38,484	232	1,261	24,706	12,285
Urban places	68,712	93	12	685	13,536	3,373	3,777	1,074	1,506	493	529	2,784	1,194	31,162	23,612	159	935	14,806	7,712
Balance of area	41,836	41	1	324	8,174	1,884	2,322	559	944	327	397	1,741	666	19,652	14,872	73	326	9,900	4,573
Metropolitan counties	80,207	105	13	782	16,039	3,901	4,559	1,244	1,732	614	649	3,340	1,301	36,012	27,551	186	1,001	17,323	9,041
Urban places	62,687	88	12	639	12,459	3,090	3,496	989	1,373	456	491	2,564	1,058	28,297	21,536	148	875	13,370	7,143
Balance of area	17,520	17	1	143	3,580	811	1,063	255	359	158	158	778	243	7,715	6,015	38	126	3,953	1,898
Nonmetropolitan counties	30,341	29	-	227	5,671	1,356	1,540	389	718	206	277	1,185	559	14,802	10,933	46	260	7,383	3,244
Urban places	6,025	5	-	46	1,077	283	281	85	133	37	38	220	136	2,865	2,076	11	60	1,436	569
Balance of area	24,316	24	-	181	4,594	1,073	1,259	304	585	169	239	965	423	11,937	8,857	35	200	5,947	2,675
Anderson	384	-	-	3	69	16	19	2	15	2	3	12	8	203	155	1	5	97	52
Palestine	213	-	-	2	37	7	11	2	8	1	1	7	4	112	80	1	3	48	28
Balance of county	171	-	-	1	32	9	8	-	7	1	2	5	4	91	75	-	2	49	24
Andrews	111	-	-	1	24	9	6	2	1	-	-	6	-	55	40	-	1	31	8
Angelina	525	-	-	4	103	23	27	2	18	3	8	22	11	280	193	-	4	82	107
Lufkin	271	-	-	2	46	14	9	2	10	1	2	8	7	151	100	-	4	41	55
Balance of county	254	-	-	2	57	9	18	-	8	2	6	14	4	129	93	-	-	41	52
Aransas	137	2	-	2	40	7	15	2	3	-	1	12	-	55	43	-	-	27	16
Archer	75	-	-	-	14	1	3	-	3	1	2	4	-	44	28	-	1	21	6
Armstrong	24	-	-	-	3	2	-	-	-	-	-	1	1	12	11	-	-	10	1
Atascosa	237	-	-	4	43	9	17	1	2	-	3	11	6	114	95	2	4	48	41
Austin	225	-	-	-	40	6	12	2	8	1	1	10	4	112	86	-	-	49	37
Bailey	65	-	-	1	9	1	4	1	-	-	1	2	-	32	18	-	-	14	4
Bandera	98	-	-	1	23	3	8	1	3	1	1	6	1	47	32	1	-	15	16
Bastrop	312	2	-	7	54	12	12	2	8	4	5	11	9	135	113	1	2	73	37
Baylor	71	-	-	1	17	5	4	-	1	1	1	5	1	31	20	-	1	14	5
Bee	167	-	-	-	38	8	13	1	3	1	1	11	7	77	44	-	-	32	12
Beeville	108	-	-	-	25	6	9	1	3	-	-	6	6	45	25	-	-	23	2
Balance of county	59	-	-	-	13	2	4	-	-	1	1	5	1	32	19	-	-	9	10
Bell	1,103	-	-	6	177	40	41	17	12	4	10	53	9	573	486	4	4	292	186
Killeen	214	-	-	2	39	10	7	5	1	-	2	14	4	76	62	-	2	36	24
Temple	491	-	-	3	83	18	17	9	5	2	5	27	2	302	258	1	-	156	99
Balance of county	398	-	-	1	55	12	17	3	6	2	3	12	3	195	166	3	2	98	63
Bexar	7,322	8	-	104	1,472	388	374	120	160	47	69	314	185	3,316	2,575	15	86	1,544	930
San Antonio	6,279	8	-	94	1,222	319	308	99	139	41	55	261	166	2,878	2,237	12	77	1,329	819
Balance of county	1,043	-	-	10	250	69	66	21	21	6	14	53	19	438	338	3	9	215	111
Blanco	69	-	-	-	17	4	6	-	3	-	2	2	-	33	25	-	-	12	13
Borden	10	-	-	-	3	-	1	-	-	-	-	2	-	3	2	-	-	2	-
Bosque	246	-	-	-	43	8	9	3	8	-	3	12	3	148	112	1	1	88	22
Bowie	653	-	-	4	150	36	38	13	17	8	4	34	7	331	258	3	12	178	65
Texarkana ⁵	382	-	-	1	86	18	21	10	10	4	3	20	4	205	163	1	6	118	38
Balance of county	271	-	-	3	64	18	17	3	7	4	1	14	3	126	95	2	6	60	27
Brazoria	922	3	-	12	195	36	66	8	16	8	7	54	8	372	311	-	5	158	148
Alvin	121	-	-	4	17	3	7	1	1	1	1	3	1	56	49	-	1	30	18
Freeport	90	1	-	1	17	7	6	-	1	-	-	3	-	45	36	-	2	11	23
Lake Jackson	91	-	-	1	22	5	5	2	1	1	-	8	-	35	27	-	-	16	11
Balance of county	620	2	-	6	139	21	48	5	13	6	6	40	7	236	199	-	2	101	96
Brazos	526	1	1	5	93	21	24	3	14	5	2	24	9	228	154	-	3	110	41
Bryan	390	1	1	4	63	17	17	1	9	4	2	13	4	177	121	-	3	83	35
College Station	78	-	-	1	17	2	4	2	3	1	-	5	4	27	17	-	-	14	3
Balance of county	60	-	-	-	13	2	3	-	2	-	-	6	1	24	16	-	-	13	3
Brewster	56	-	-	1	10	3	3	-	2	-	-	2	-	21	14	1	-	8	5
Briscoe	30	-	-	-	8	3	-	1	2	-	-	2	1	15	12	-	-	8	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Tennessee—Con.																			
Smith	-	12	3	2	5	2	-	2	1	-	2	-	1	6	4	4	4	1	-
Stewart	-	14	1	1	1	5	-	2	-	-	-	-	5	6	6	2	-	-	-
Sullivan	7	113	8	10	38	43	4	17	7	1	10	13	5	86	38	33	16	9	4
Bristol [4]	2	27	2	2	7	6	-	5	1	-	1	3	2	13	7	6	3	2	-
Kingsport, part	4	32	4	1	16	17	1	3	2	-	3	4	-	29	7	12	6	3	1
Kingsport, total	4	32	4	1	16	17	1	3	2	-	3	4	-	30	7	12	6	3	1
Balance of county	1	54	2	7	15	20	3	9	4	1	6	6	3	46	24	15	7	4	3
Sumner	3	54	13	4	22	14	2	3	7	-	4	5	14	49	28	23	15	8	2
Gallatin	1	20	4	2	6	3	-	1	-	-	-	2	4	21	7	11	6	3	-
Balance of county	2	34	9	2	16	11	2	2	7	-	4	3	10	28	21	12	9	5	2
Tipton	3	33	5	1	8	3	-	1	6	-	1	4	2	23	16	5	2	3	1
Trousdale	1	8	2	-	-	2	1	-	-	-	1	-	-	6	1	1	2	1	-
Unicoi	-	12	1	-	4	9	-	4	-	-	-	2	2	18	5	4	6	2	-
Union	-	8	1	1	2	2	-	1	1	-	1	1	1	6	3	1	1	-	-
Van Buren	-	5	-	-	1	-	-	-	-	-	-	2	1	3	1	1	-	1	-
Warren	1	32	3	3	8	10	-	-	4	-	3	1	-	17	4	14	4	2	-
McMinnville	1	13	1	3	5	8	-	-	2	-	1	1	-	9	-	3	1	2	-
Balance of county	-	19	2	-	3	2	-	-	2	-	2	-	-	8	4	11	3	-	-
Washington	3	60	13	9	22	29	3	8	4	-	2	10	51	51	24	26	7	3	5
Johnson City	2	43	7	3	13	19	3	6	2	-	1	5	29	28	9	13	3	2	1
Balance of county	1	17	6	6	9	10	-	2	2	-	1	5	22	23	15	13	4	1	4
Wayne	-	10	9	1	5	4	-	4	-	-	3	1	4	4	7	7	1	1	-
Weakley	1	30	16	4	8	16	-	3	-	-	5	2	5	22	5	6	4	5	-
White	-	37	4	1	3	2	1	3	1	-	2	1	3	10	4	6	5	5	1
Williamson	-	36	4	3	11	10	2	2	3	-	2	2	2	29	15	15	5	-	2
Wilson	2	49	5	5	14	13	-	5	6	1	4	5	2	24	9	9	9	4	1
Lebanon	-	21	3	2	9	3	-	2	4	-	3	1	1	8	2	4	5	3	-
Balance of county	2	28	2	3	5	10	-	3	2	1	1	4	1	16	7	5	4	1	1
Texas	386	9,482	1,515	947	2,690	3,166	318	1,367	1,202	32	874	1,620	3,501	7,914	4,533	3,307	1,839	2,507	138
Urban places	262	5,775	937	576	1,633	1,957	212	974	739	19	617	1,203	1,721	5,061	2,530	1,991	1,263	2,019	91
Balance of area	124	3,707	578	371	1,057	1,209	106	393	463	13	257	417	1,780	2,853	2,003	1,316	576	488	47
Metropolitan counties	287	6,464	1,072	638	1,840	2,295	231	1,104	877	21	734	1,343	2,063	5,829	3,368	2,401	1,517	2,230	102
Urban places	239	5,173	847	502	1,461	1,784	194	909	687	17	579	1,118	1,375	4,627	2,340	1,812	1,197	1,952	82
Balance of area	48	1,291	225	136	379	511	37	195	190	4	155	225	688	1,202	1,028	589	320	278	20
Nonmetropolitan counties	99	3,018	443	309	850	871	87	263	325	11	140	277	1,438	2,085	1,165	906	322	277	36
Urban places	23	602	90	74	172	173	18	65	52	2	38	85	346	434	190	179	66	67	9
Balance of area	76	2,416	353	235	678	698	69	198	273	9	102	192	1,092	1,651	975	727	256	210	27
Anderson	1	36	8	3	10	14	-	4	-	-	-	7	3	21	18	12	4	8	-
Palestine	1	24	5	2	7	4	-	2	-	-	-	6	1	15	9	6	3	5	-
Balance of county	-	12	3	1	3	10	-	2	-	-	-	1	2	6	9	6	1	3	-
Andrews	-	10	3	2	1	-	-	-	1	-	1	3	1	14	8	2	-	-	-
Angelina	-	80	5	2	10	21	5	7	2	-	4	5	8	26	16	20	2	-	1
Lufkin	-	48	1	2	6	9	4	6	2	-	2	4	3	13	7	9	-	-	-
Balance of county	-	32	4	-	4	12	1	1	-	-	2	1	5	13	9	11	2	-	1
Aransas	-	12	-	-	4	5	-	-	1	-	-	-	3	9	8	5	3	-	-
Archer	-	11	3	2	-	3	-	-	-	-	-	-	-	7	3	3	1	-	-
Armstrong	-	-	1	-	-	1	1	-	-	-	1	-	-	1	2	1	1	-	-
Atascosa	-	16	2	1	6	5	-	2	6	-	1	4	5	18	9	8	1	4	1
Austin	1	21	2	2	15	6	2	1	-	-	1	-	3	13	16	11	-	1	-
Bailey	-	11	1	2	3	2	1	-	1	-	-	1	5	4	1	3	-	2	-
Bandera	1	9	5	-	4	1	1	2	-	-	1	-	1	6	5	2	3	-	-
Bastrop	1	19	1	1	8	14	-	4	13	-	-	3	1	22	19	14	3	4	-
Baylor	1	7	1	2	3	2	-	2	2	-	-	-	-	7	2	2	1	-	-
Bee	-	29	-	4	2	5	-	1	1	-	3	1	4	10	9	3	2	3	1
Beeville	-	18	-	2	1	4	-	-	1	-	2	1	2	9	5	2	2	2	1
Balance of county	-	11	-	2	1	1	-	1	-	-	1	-	2	1	4	1	-	1	-
Bell	6	61	11	9	27	22	3	7	11	-	9	27	34	62	49	47	19	21	-
Killeen	-	10	4	-	2	4	1	-	1	-	2	16	6	18	15	6	8	14	-
Temple	2	33	3	6	17	8	2	5	3	-	3	4	9	27	3	11	6	3	-
Balance of county	4	18	4	3	8	10	-	2	7	-	4	7	19	17	31	30	5	4	-
Bexar	38	563	77	63	181	157	19	109	113	-	81	93	156	580	270	153	102	218	5
San Antonio	33	488	67	53	155	128	15	95	102	-	70	81	133	508	208	131	81	200	4
Balance of county	5	75	10	10	26	29	4	14	11	-	11	12	23	72	62	22	21	18	1
Blanco	-	4	4	-	3	3	-	1	1	-	1	-	-	1	5	3	-	1	-
Borden	-	1	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-
Bosque	2	24	6	4	1	4	-	3	2	-	-	1	1	20	4	11	4	1	-
Bowie	2	63	2	6	12	19	3	4	5	-	3	7	27	42	13	13	8	5	-
Texarkana [5]	1	36	1	4	7	8	2	2	1	-	3	5	18	18	7	8	5	2	-
Balance of county	1	27	1	2	5	11	1	2	4	-	-	2	9	24	6	5	3	3	-
Brazoria	1	44	7	9	17	39	1	11	14	-	6	11	23	71	57	49	16	15	2
Alvin	-	5	1	1	4	7	-	2	2	-	-	2	-	10	7	7	2	-	-
Freeport	-	5	1	3	1	3	-	3	-	-	-	-	3	5	2	4	3	2	-
Lake Jackson	1	5	1	1	-	5	-	-	2	-	2	1	3	6	2	9	2	1	-
Balance of county	-	29	4	4	12	24	1	6	10	-	4	8	17	50	46	29	9	12	2
Brazos	-	62	9	3	14	7	1	1	3	-	4	9	54	40	23	15	9	9	-
Bryan	-	47	6	3	8	5	1	-	2	-	4	8	41	28	17	12	6	8	-
College Station	-	9	1	-	5	2	-	-	1	-	-	1	3	8	4	1	1	1	-
Balance of county	-	6	2	-	1	-	-	1	-	-	-	-	10	4	2	2	2	-	-
Brewster	-	7	-	-	1	3	-	-	1	-	-	-	3	6	8	2	-	-	-
Briscoe	-	3	-	-	-	1	1	-	-	-	-	-	1	1	1	-	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402, 404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Brooks	61	1	-	1	13	5	2	-	2	-	-	4	2	29	22	-	2	15	5
Brown	415	-	-	2	89	24	23	6	13	2	2	19	6	186	131	-	3	86	42
Brownwood	267	-	-	1	67	17	18	5	11	2	1	13	3	120	83	-	1	56	26
Balance of county	148	-	-	1	22	7	5	1	2	-	1	6	3	66	48	-	2	30	16
Burleson	175	-	-	3	30	10	9	-	2	-	-	9	6	72	51	-	1	31	19
Burnet	224	-	-	4	49	6	20	6	7	1	-	9	3	84	51	1	-	35	15
Caldwell	217	-	-	1	58	8	20	8	8	1	5	8	5	85	70	-	9	37	24
Calhoun	132	1	-	-	25	6	5	1	3	3	2	5	-	56	42	-	2	31	9
Port Lavaca	62	1	-	-	6	-	2	-	1	1	1	1	-	24	20	-	2	14	4
Balance of county	70	-	-	-	19	6	3	1	2	2	1	4	-	32	22	-	-	17	5
Callahan	144	-	-	-	24	5	6	1	4	-	2	6	-	79	64	1	1	54	8
Cameron	1,272	3	-	7	213	67	43	15	28	8	8	44	36	483	358	5	7	265	81
Brownsville	477	1	-	3	69	23	12	6	14	2	2	10	15	178	122	1	-	96	25
Harlingen	328	1	-	1	66	17	15	6	7	2	3	16	6	131	107	2	3	82	20
San Benito	120	-	-	1	19	8	3	2	3	-	-	3	4	51	35	-	1	20	14
Balance of county	347	1	-	2	59	19	13	1	4	4	3	15	11	123	94	2	3	67	22
Camp	100	-	-	-	18	4	7	2	2	-	1	2	4	41	29	-	2	21	6
Carson	57	-	-	-	13	1	2	1	-	2	3	4	2	26	24	-	1	16	7
Cass	322	-	-	3	61	15	16	6	10	1	2	11	8	143	101	-	1	75	25
Castro	79	-	-	1	13	4	4	-	2	1	-	2	-	42	16	-	-	14	2
Chambers	169	-	-	-	36	11	14	1	5	1	-	4	3	76	49	-	1	37	11
Cherokee	461	1	-	2	80	15	21	4	12	2	2	24	2	243	160	-	2	114	44
Childress	93	-	-	-	16	4	4	2	3	-	2	1	1	42	28	-	-	26	2
Clay	101	-	-	-	14	3	2	2	1	-	-	6	2	53	40	-	-	29	11
Cochran	41	-	-	1	5	1	1	-	-	1	1	1	2	16	13	-	-	11	2
Coke	46	-	-	-	11	3	2	1	-	1	1	3	-	19	14	-	-	10	4
Coleman	188	-	-	-	35	10	10	1	5	3	2	4	3	101	73	-	-	63	10
Collin	751	-	-	5	138	32	35	8	15	6	9	33	14	367	274	-	8	188	78
McKinney	208	-	-	2	30	3	10	2	3	2	2	8	3	108	76	-	2	46	28
Plano	208	-	-	-	45	10	12	3	6	1	3	10	7	83	60	-	2	40	18
Richardson, part	12	-	-	-	-	-	-	-	-	-	-	-	1	4	4	-	-	3	1
Balance of county	323	-	-	3	63	19	13	3	6	3	4	15	3	172	134	-	4	99	31
Collingsworth	55	1	-	-	6	1	-	2	-	1	1	1	3	37	22	-	-	21	1
Colorado	244	-	-	5	46	11	7	2	10	2	3	11	6	119	83	-	3	49	31
Comal	323	-	-	4	62	15	16	6	5	3	4	13	6	162	124	-	5	90	29
New Braunfels	233	-	-	4	39	9	9	5	4	1	3	8	5	124	94	-	4	67	23
Balance of county	90	-	-	-	23	6	7	1	1	2	1	5	1	38	30	-	1	23	6
Comanche	196	-	-	-	36	7	7	4	3	1	3	11	3	103	79	-	1	38	40
Concho	45	-	-	-	10	4	-	-	1	-	-	5	-	23	17	-	2	13	2
Cooke	289	-	-	2	49	13	16	5	4	2	2	7	5	161	121	-	1	87	33
Gainesville	194	-	-	1	33	10	10	5	2	2	-	4	2	114	80	-	1	60	19
Balance of county	95	-	-	1	16	3	6	-	2	-	2	3	3	47	41	-	-	27	14
Coryell	228	-	-	-	45	10	13	3	5	-	1	13	-	111	81	-	-	48	33
Copperas Cove	62	-	-	-	9	2	4	2	-	-	-	1	-	27	20	-	-	13	7
Balance of county	166	-	-	-	36	8	9	1	5	-	1	12	-	84	61	-	-	35	26
Cottle	48	-	-	1	6	2	2	-	1	1	-	-	3	26	17	-	2	15	-
Crane	34	-	-	-	8	5	-	1	1	-	-	1	-	18	11	-	-	9	2
Crockett	36	-	-	-	5	1	2	1	-	-	-	1	1	17	11	-	1	6	4
Crosby	88	1	-	-	17	7	3	1	3	-	-	3	1	51	39	1	-	33	5
Culberson	27	-	-	-	4	1	2	-	1	-	-	-	1	9	8	-	1	7	-
Dallam	81	-	-	-	12	2	4	1	1	-	1	3	-	48	40	-	-	33	7
Dallas	11,147	15	3	101	2,260	576	679	178	212	84	82	449	133	5,061	3,927	25	263	2,221	1,418
Balch Springs	84	1	-	-	14	3	7	-	3	-	-	1	1	34	28	-	-	17	11
Carrollton, part	127	-	-	-	26	5	12	2	3	-	-	4	2	47	35	-	3	28	4
Carrollton, total	146	-	-	-	30	5	14	2	3	-	-	6	2	56	41	-	3	31	7
Dallas	7,669	13	2	76	1,524	409	457	118	143	50	54	293	93	3,497	2,736	15	208	1,461	1,052
Duncanville	129	-	-	-	24	6	6	1	1	1	1	8	-	65	52	-	3	28	21
Farmers Branch	106	-	-	2	28	6	5	3	4	1	3	6	-	44	35	-	3	21	11
Garland	664	-	-	6	142	28	43	13	11	10	5	32	6	286	231	2	6	158	65
Grand Prairie, part	358	-	-	3	68	20	20	3	9	4	2	10	5	164	120	4	8	66	42
Grand Prairie, total	394	-	-	4	75	22	22	3	11	4	2	11	7	177	128	4	9	71	44
Highland Park	100	-	-	-	25	9	4	1	1	1	1	8	1	49	33	-	-	24	9
Irving	551	-	-	6	111	16	39	11	12	7	5	21	10	244	172	2	9	102	59
Lancaster	125	-	-	-	28	3	12	2	4	-	-	7	-	74	50	1	1	32	16
Mesquite	365	-	-	2	81	13	27	5	4	4	3	25	5	165	126	-	6	76	44
Richardson, part	306	-	-	3	62	19	13	8	6	2	3	11	2	144	115	-	5	83	27
Richardson, total	318	-	-	3	62	19	13	8	6	2	3	11	3	148	119	-	5	86	28
University Park	188	-	-	1	54	16	12	5	5	2	4	10	3	84	70	-	5	41	24
Balance of county	375	1	1	2	73	23	22	6	6	2	1	13	5	164	124	1	6	84	33
Dawson	154	-	-	-	25	4	7	4	2	1	1	6	3	74	43	-	1	33	9
Lamesa	134	-	-	-	18	4	5	3	1	1	1	3	3	69	41	-	1	31	9
Balance of county	20	-	-	-	7	-	2	1	1	-	-	3	-	5	2	-	-	2	-
Deaf Smith	134	-	-	-	32	8	12	1	1	2	-	8	2	57	43	-	-	39	4
Hereford	115	-	-	-	26	6	9	-	1	2	-	8	2	50	36	-	-	32	4
Balance of county	19	-	-	-	6	2	3	1	-	-	-	-	-	7	7	-	-	7	-
Delta	64	-	-	1	10	1	3	-	-	1	2	3	1	34	28	-	1	16	11
Denton	708	-	-	4	160	39	34	8	17	12	3	47	8	312	254	1	5	187	61
Carrollton, part	19	-	-	-	4	-	2	-	-	-	-	2	-	9	6	-	-	3	3
Denton	293	-	-	1	66	16	13	3	9	6	1	18	3	137	110	-	4	84	22
Balance of county	396	-	-	3	90	23	19	5	8	6	2	27	5	166	138	1	1	100	36
De Witt	322	-	-	3	57	16	11	3	11	1	5	10	2	200	127	1	6	79	41
Dickens	48	-	-	-	11	3	4	-	2	-	1	1	-	19	15	-	1	6	8
Dimmit	58	1	-	-	16	2	7	1	1	-	2	3	3	21	17	-	-	13	4

NEWARK PUBLIC LIBRARY

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Brooks	-	7	-	-	-	-	-	2	2	-	-	-	4	2	-	1	1	3	-
Brown	-	38	9	8	11	10	1	2	2	-	4	4	48	23	12	7	3	5	-
Brownwood	-	28	6	3	9	4	-	1	1	-	2	3	27	16	4	5	1	3	-
Balance of county	-	10	3	5	2	6	1	1	1	-	2	1	21	7	8	2	2	2	-
Burleson	4	16	1	-	3	5	-	-	6	-	2	-	2	23	15	4	1	2	1
Burnet	3	23	3	4	5	11	-	1	1	-	-	-	35	14	8	6	3	-	-
Caldwell	-	15	-	-	7	6	1	3	2	1	1	1	9	16	10	4	4	2	1
Calhoun	-	11	3	-	3	6	-	1	2	-	2	3	1	14	5	5	5	3	-
Port Lavaca	-	3	1	-	2	5	-	-	1	-	1	2	-	11	2	2	2	3	-
Balance of county	-	8	2	-	1	1	-	1	1	-	1	1	1	3	3	3	3	-	-
Callahan	-	13	2	-	3	5	-	2	4	-	-	-	4	10	7	4	1	1	-
Cameron	3	93	18	11	32	36	7	16	15	1	16	18	158	99	47	41	15	24	5
Brownsville	1	43	5	7	15	8	3	5	7	1	8	6	74	41	17	15	6	5	-
Harlingen	-	17	5	2	10	13	2	3	4	-	4	1	32	26	7	10	3	8	-
San Benito	1	9	5	1	2	4	1	3	3	-	-	6	15	7	1	2	-	1	-
Balance of county	1	24	3	1	5	11	1	5	1	-	4	5	37	25	22	14	6	10	5
Camp	-	11	1	-	3	1	-	-	1	-	1	-	11	13	4	2	1	-	-
Carson	-	1	1	-	2	3	-	-	-	-	-	1	1	2	3	2	1	1	-
Cass	1	29	6	6	8	8	-	1	2	-	-	1	27	22	21	9	6	1	1
Castro	1	23	-	2	3	2	-	-	-	-	2	3	7	4	-	-	1	1	-
Chambers	-	21	6	-	2	5	1	4	-	-	1	1	2	11	14	7	2	4	-
Cherokee	3	61	12	7	7	11	-	5	14	1	-	1	25	25	17	19	4	3	1
Childress	-	11	2	1	8	6	-	-	2	-	1	-	-	12	2	2	1	-	-
Clay	-	12	-	1	3	5	-	-	5	-	-	-	5	6	3	5	-	-	-
Cochran	1	2	-	-	2	-	-	-	-	-	-	1	5	7	-	2	-	-	-
Coke	-	5	-	-	-	1	-	-	-	-	-	-	10	2	1	2	-	-	-
Coleman	-	26	-	2	8	6	1	1	1	-	-	2	3	15	4	5	2	1	-
Collin	1	74	12	6	24	19	1	3	8	-	9	7	9	59	43	28	8	9	-
McKinney	-	28	3	1	5	6	-	1	8	-	1	2	2	20	5	11	2	2	-
Plano	1	18	-	4	14	8	1	1	-	-	3	3	2	14	18	6	3	-	-
Richardson, part	-	-	-	-	-	1	-	-	-	-	1	-	-	2	1	-	-	2	-
Balance of county	-	28	9	1	5	4	-	1	-	-	4	2	5	23	19	11	3	5	-
Collingsworth	1	14	-	-	2	1	1	-	2	-	-	-	-	1	-	-	-	1	-
Colorado	-	35	1	-	4	4	2	2	2	-	-	1	10	25	10	3	3	2	-
Comal	3	24	6	5	13	8	-	3	1	-	2	6	7	21	18	4	3	3	-
New Braunfels	2	18	5	5	10	7	-	1	-	-	1	4	6	17	8	3	3	1	-
Balance of county	1	6	1	-	3	1	-	2	1	-	1	2	1	4	10	1	-	2	-
Comanche	-	19	3	2	1	9	-	2	1	-	-	4	1	23	4	6	1	2	-
Concho	-	6	-	-	6	-	-	-	-	-	-	1	-	1	2	1	1	-	-
Cooke	1	32	3	4	7	11	-	2	-	-	2	-	8	15	9	12	3	2	1
Gainesville	1	27	2	4	6	7	-	1	-	-	-	-	4	10	7	5	2	2	-
Balance of county	-	5	1	-	1	4	-	1	-	-	2	-	4	5	2	7	1	-	1
Coryell	-	27	2	1	4	6	1	5	3	-	2	5	7	21	8	6	3	1	-
Copperas Cove	-	7	-	-	1	2	-	3	-	-	2	4	4	2	3	2	3	-	-
Balance of county	-	20	2	1	3	4	1	2	3	-	-	1	3	19	5	4	-	1	-
Cottle	1	4	2	2	2	1	1	1	-	-	-	-	2	5	-	-	-	-	-
Crane	-	6	1	-	2	-	-	1	-	-	1	-	1	3	-	-	-	-	-
Crockett	2	3	-	1	2	-	-	-	-	-	-	1	3	2	3	1	-	1	-
Crosby	-	12	-	-	8	3	1	-	-	-	-	1	1	1	1	1	-	1	-
Culberson	-	1	-	-	2	2	-	-	1	-	1	1	-	1	5	-	-	-	-
Dallam	-	5	2	1	5	1	-	1	-	-	-	2	1	3	2	3	2	1	-
Dallas	40	861	157	76	291	354	38	147	94	3	95	224	283	792	402	264	235	347	5
Balch Springs	-	6	-	-	1	4	-	1	2	-	1	3	4	6	2	1	6	3	-
Carrollton, part	-	9	-	3	3	4	-	4	2	-	1	5	3	6	10	5	8	1	-
Carrollton, total	-	11	1	3	4	4	-	4	2	-	1	6	5	6	11	5	9	1	-
Dallas	35	591	82	53	182	242	30	103	67	2	60	146	193	549	262	191	142	290	5
Duncanville	1	8	4	-	8	3	-	1	-	-	1	2	3	9	4	4	3	2	-
Farmers Branch	-	7	2	-	2	6	-	-	-	-	1	-	4	7	3	5	2	2	-
Garland	1	44	5	5	22	17	3	8	3	-	8	22	21	52	22	17	18	11	-
Grand Prairie, part	1	25	17	1	8	23	3	5	2	-	3	7	6	27	14	9	7	4	-
Grand Prairie, total	1	27	20	1	9	24	3	8	2	-	3	7	6	31	18	9	7	4	-
Highland Park	-	12	2	2	6	3	-	2	2	-	-	-	3	6	-	1	2	-	-
Irving	-	57	15	-	13	13	1	13	6	-	9	13	11	34	31	11	12	13	-
Lancaster	-	17	5	2	2	3	-	-	-	-	1	3	2	8	2	1	-	1	-
Mesquite	-	23	11	5	14	10	-	5	4	-	1	5	15	25	13	6	7	7	-
Richardson, part	-	21	8	-	11	7	1	2	2	1	1	7	7	23	15	5	12	1	-
Richardson, total	-	21	8	-	11	8	1	2	2	1	2	7	7	25	16	5	12	3	-
University Park	-	9	2	3	11	9	-	1	1	-	-	1	1	13	1	2	5	1	-
Balance of county	2	32	4	2	8	10	-	2	3	-	8	10	10	27	23	6	11	11	-
Dawson	2	26	2	1	6	1	1	3	1	-	1	3	9	13	4	9	-	1	-
Lamesa	2	23	2	1	5	1	1	2	1	-	1	3	7	12	2	8	-	1	-
Balance of county	-	3	-	-	1	-	-	1	-	-	-	-	2	1	2	1	-	-	-
Deaf Smith	-	12	-	2	4	4	-	1	1	-	2	3	1	10	12	4	1	-	-
Hereford	-	12	-	2	3	4	-	1	1	-	1	3	1	9	9	4	1	-	-
Balance of county	-	-	-	-	1	-	-	-	-	-	1	-	-	1	3	-	-	-	-
Delta	-	4	2	-	2	3	1	-	1	-	-	-	5	6	-	-	-	-	-
Denton	-	46	7	5	20	21	2	12	9	-	5	7	16	51	41	17	14	7	2
Carrollton, part	-	2	1	-	1	-	-	-	-	-	-	1	2	-	1	-	1	-	-
Denton	-	23	2	2	8	7	2	6	6	-	2	3	4	22	12	5	4	4	1
Balance of county	-	21	4	3	11	14	-	6	3	-	3	3	10	29	28	12	9	3	1
De Witt	-	56	13	4	6	5	-	2	9	-	1	-	7	15	6	3	4	2	-
Dickens	-	4	-	-	5	4	-	-	-	-	-	-	3	3	3	-	-	-	-
Dimmit	-	4	-	-	2	1	1	1	1	-	-	2	2	5	1	-	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402, 404, 410-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con																			
Donley	54	-	-	-	13	3	6	2	-	-	1	1	1	27	23	-	1	15	7
Duval	142	-	-	1	26	6	10	3	1	-	2	4	5	56	42	-	-	34	8
Eastland	329	-	-	4	47	9	16	3	9	3	3	4	3	186	120	-	2	86	32
Ector	765	-	-	5	133	27	47	13	11	8	3	24	11	237	168	1	3	119	45
Odessa	677	-	-	4	116	24	44	9	10	6	3	20	11	221	155	1	2	112	40
Balance of county	88	-	-	1	17	3	3	4	1	2	-	4	-	16	13	-	1	7	5
Edwards	22	-	-	-	9	2	4	-	1	-	-	2	1	5	3	-	-	1	2
Ellis	566	-	1	5	98	23	30	5	10	2	2	26	9	252	184	1	11	119	53
Ennis	151	-	1	1	19	5	7	1	-	1	-	5	4	72	56	-	9	35	12
Waxahachie	147	-	-	1	27	8	6	2	3	1	-	7	1	67	42	-	-	30	12
Balance of county	268	-	-	3	52	10	17	2	7	-	2	14	4	113	86	1	2	54	29
El Paso	2,504	8	-	27	525	133	127	48	65	26	21	105	53	1,020	781	14	26	573	168
El Paso	2,360	8	-	27	492	126	118	46	61	24	19	98	52	976	744	14	24	547	159
Balance of county	144	-	-	-	33	7	9	2	4	2	2	7	1	44	37	-	2	26	9
Erath	261	-	-	4	57	11	17	4	8	1	4	12	7	131	103	2	-	74	27
Falls	284	-	-	3	55	12	16	1	10	2	4	10	5	148	91	-	-	75	16
Fannin	347	-	-	5	71	15	15	3	21	4	5	8	8	154	118	1	2	94	21
Fayette	288	-	-	2	65	22	10	5	8	4	2	14	4	154	118	-	5	64	49
Fisher	81	-	-	-	18	5	4	1	4	-	-	4	2	43	31	-	-	28	3
Floyd	112	-	-	2	16	2	4	2	3	-	1	4	1	60	46	-	-	32	14
Foard	30	-	-	-	8	4	1	-	1	1	-	1	-	14	12	-	-	12	-
Fort Bend	635	1	-	6	142	30	38	15	15	5	6	33	11	273	228	-	8	158	62
Houston, part	8	-	-	-	2	1	1	-	-	-	-	-	-	1	1	-	-	1	-
Rosenburg	135	-	-	1	31	8	6	4	3	-	2	8	2	65	55	-	1	43	11
Balance of county	492	1	-	5	109	21	31	11	12	5	4	25	9	207	172	-	7	114	51
Franklin	94	-	-	1	12	4	4	-	4	-	-	-	-	58	43	-	4	34	5
Freestone	189	-	-	2	27	7	7	2	4	-	2	5	4	107	89	1	1	58	29
Frio	109	-	-	-	20	6	4	1	2	2	1	4	3	50	39	-	1	25	13
Gaines	104	1	-	1	14	3	2	-	1	1	2	5	-	47	40	-	-	23	17
Galveston	1,654	3	1	14	391	92	131	26	43	10	23	66	22	734	608	3	21	414	170
Galveston	730	3	1	9	178	44	56	12	23	5	8	30	9	328	267	2	11	181	73
La Marque	120	-	-	2	33	13	7	1	6	-	2	4	1	60	51	1	3	36	11
League City	68	-	-	1	17	3	5	2	2	-	1	4	-	28	24	-	-	15	9
Texas City	305	-	-	1	74	15	24	5	5	3	6	16	6	135	108	-	7	72	29
Balance of county	431	-	-	1	89	17	39	6	7	2	6	12	6	183	158	-	-	110	48
Garza	50	-	-	-	10	-	2	-	3	1	1	3	2	25	22	-	-	12	10
Gillespie	196	-	-	1	38	10	8	4	2	-	4	10	4	116	89	1	1	56	31
Glasscock	5	-	-	-	1	-	-	-	-	-	-	1	-	3	2	-	-	2	-
Goliad	73	-	-	-	13	7	2	-	3	-	-	1	-	34	30	-	-	21	9
Gonzales	197	-	-	6	42	10	12	3	7	1	2	7	1	83	56	-	3	36	17
Gray	283	-	-	1	52	13	18	2	4	2	4	9	6	157	131	-	3	90	38
Pampa	228	-	-	-	41	7	14	1	4	2	4	9	6	125	102	-	2	69	31
Balance of county	55	-	-	1	11	6	4	1	-	-	-	-	-	32	29	-	1	21	7
Grayson	1,078	-	-	3	197	43	49	18	21	12	8	46	15	598	438	1	9	292	136
Denison	320	-	-	-	58	14	12	5	6	3	2	16	6	171	124	-	3	65	56
Sherman	352	-	-	2	62	15	17	6	3	4	2	15	6	198	153	1	5	120	27
Balance of county	406	-	-	1	77	14	20	7	12	5	4	15	3	229	161	-	1	107	53
Gregg	952	-	-	13	180	41	53	16	20	7	4	39	15	415	289	1	9	211	68
Longview	581	-	-	3	107	18	37	10	13	2	2	25	12	268	187	1	7	140	39
Balance of county	371	-	-	10	73	23	16	6	7	5	2	14	3	147	102	-	2	71	29
Grimes	176	-	-	-	29	10	7	1	1	-	2	8	6	89	62	-	-	43	19
Guadalupe	346	1	-	5	89	23	28	10	9	1	5	13	3	150	107	1	1	78	27
Seguin	166	1	-	2	43	14	10	6	4	1	2	6	2	63	45	-	-	30	15
Balance of county	180	-	-	3	46	9	18	4	5	-	3	7	1	87	62	1	1	48	12
Hale	280	-	-	5	50	10	14	5	5	3	1	12	6	136	95	1	5	68	21
Plainview	185	-	-	3	32	7	9	3	4	2	-	7	6	90	57	1	2	43	11
Balance of county	95	-	-	2	18	3	5	2	1	1	1	5	-	46	38	-	3	25	10
Hall	88	-	-	-	14	3	3	2	2	-	-	4	-	58	40	1	-	30	9
Hamilton	115	-	-	1	24	5	6	2	2	3	1	5	2	68	56	-	-	45	11
Hansford	56	-	-	-	8	4	-	-	1	-	-	3	-	29	22	-	1	18	3
Hardeman	114	-	-	-	20	8	8	1	-	1	-	2	5	66	35	-	-	33	2
Hardin	364	-	-	4	71	19	19	7	8	1	-	17	6	137	106	-	4	67	35
Harris	15,113	30	4	172	3,017	701	908	250	332	110	136	580	196	6,323	4,978	32	193	2,823	1,930
Baytown	419	1	1	7	76	22	24	6	5	3	3	13	4	204	166	-	4	108	54
Bellaire	133	-	-	1	26	6	8	3	1	2	-	6	2	77	59	-	3	36	20
Deer Park	66	-	-	-	10	3	4	1	-	1	-	1	-	30	22	-	-	16	6
Galena Park	82	-	-	2	19	2	10	-	-	-	3	4	2	33	24	-	-	18	6
Houston, part	11,707	23	3	135	2,363	565	690	198	262	78	107	463	157	4,876	3,821	25	160	2,116	1,520
Houston, total	11,715	23	3	135	2,365	566	691	198	262	78	107	463	157	4,877	3,822	25	160	2,117	1,520
Pasadena	643	2	-	4	104	23	32	5	13	6	3	22	9	282	211	3	6	126	76
South Houston	90	1	-	-	18	4	4	1	2	1	2	4	-	37	30	-	3	16	11
West University Place	30	-	-	-	7	1	2	-	1	-	-	3	-	10	9	-	-	7	2
Balance of county	1,943	3	-	23	394	75	134	36	48	19	18	64	22	774	636	4	17	380	235
Harrison	526	-	-	2	109	28	26	7	17	5	7	19	7	254	184	1	5	124	54
Marshall	311	-	-	-	60	15	17	4	10	2	2	10	5	154	103	-	3	73	27
Balance of county	215	-	-	2	49	13	9	3	7	3	5	9	2	100	81	1	2	51	27
Hartley	29	-	-	-	3	1	1	1	-	-	-	-	-	16	13	-	-	8	5
Haskell	130	-	-	1	29	7	8	1	2	2	-	9	3	64	39	-	-	31	8
Hays	198	-	-	2	34	10	5	3	6	2	1	7	6	92	74	1	-	54	19
San Marcos	121	-	-	1	16	6	2	2	2	1	-	3	3	60	47	1	-	36	10
Balance of county	77	-	-	1	18	4	3	1	4	1	1	4	3	32	27	-	-	18	9
Hemphill	29	-	-	1	6	-	6	-	-	-	-	-	2	12	9	-	-	6	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con																			
Donley	-	2	-	2	3	3	-	-	1	-	-	-	1	4	-	-	1	-	-
Duval	-	11	3	-	1	4	1	2	4	-	1	1	5	9	8	8	4	6	-
Eastland	-	59	2	5	14	14	1	2	3	-	-	3	16	18	9	8	-	1	-
Ector	2	54	11	2	11	32	-	6	6	-	8	9	85	60	71	41	22	27	1
Odessa	2	53	9	2	10	27	-	6	5	-	7	9	67	53	63	33	21	23	1
Balance of county	-	1	2	-	1	5	-	-	1	-	1	-	18	7	8	8	1	4	-
Edwards	-	2	-	-	2	-	-	-	1	-	-	1	-	-	2	-	1	-	-
Ellis	-	57	8	3	12	20	3	5	7	-	1	6	55	44	20	20	6	2	-
Ennis	-	15	-	1	3	10	-	-	1	-	1	-	12	13	7	4	2	1	-
Waxahachie	-	20	4	1	6	4	1	2	3	-	-	2	16	9	2	4	2	-	-
Balance of county	-	22	4	1	3	6	2	3	3	-	-	4	27	22	11	12	2	1	-
El Paso	13	183	26	17	49	76	11	77	33	4	22	57	53	208	115	74	44	36	12
El Paso	13	177	26	16	45	69	10	75	28	4	22	50	49	199	104	68	38	33	11
Balance of county	-	6	-	1	4	7	1	2	5	-	-	7	4	9	11	6	6	3	1
Erath	1	23	1	3	7	5	-	-	2	-	2	-	15	16	4	6	4	1	-
Falls	2	46	7	2	11	11	1	3	2	-	1	-	1	19	9	11	1	3	-
Fannin	-	28	5	3	12	12	3	3	3	-	1	1	28	27	10	9	-	-	-
Fayette	-	33	3	-	14	2	1	2	3	-	2	-	2	18	10	6	-	3	-
Fisher	-	5	4	3	2	1	1	-	4	-	-	-	-	8	2	-	-	-	-
Floyd	-	12	2	-	4	3	-	2	-	-	-	1	12	5	2	3	-	1	-
Foard	-	2	-	-	-	1	-	1	-	-	-	-	1	2	3	-	-	-	-
Fort Bend	-	33	10	2	10	14	-	11	7	-	10	8	4	35	46	23	10	24	-
Houston, part	-	-	-	-	1	1	-	-	1	-	1	-	-	-	1	-	-	-	-
Rosenburg	-	6	3	1	1	1	-	3	1	-	3	1	1	6	6	6	2	5	-
Balance of county	-	27	7	1	8	12	-	8	5	-	6	7	3	29	39	17	8	19	-
Franklin	-	11	4	-	5	2	-	-	1	-	-	1	-	7	2	3	-	1	1
Freestone	1	14	1	2	5	4	1	-	2	-	-	-	5	10	6	11	3	1	1
Frio	-	6	5	-	3	4	-	-	2	-	-	5	3	12	-	3	2	2	-
Gaines	-	4	1	2	4	5	1	-	1	-	3	1	8	6	7	2	1	2	-
Galveston	1	96	13	16	27	44	2	24	27	-	9	21	17	115	67	67	31	33	5
Galveston	-	49	6	6	15	13	-	14	13	-	5	7	6	61	18	19	11	16	4
La Marque	-	6	2	1	3	2	-	-	-	-	-	-	-	5	3	5	3	3	-
League City	-	4	-	-	-	5	-	-	-	-	-	-	1	3	6	4	2	1	-
Texas City	-	23	1	3	4	8	1	5	5	-	1	6	4	18	12	18	2	5	-
Balance of county	1	14	4	6	5	16	1	5	9	-	3	8	6	28	28	21	13	8	1
Garza	-	2	-	1	-	2	-	1	-	-	-	-	4	4	1	1	-	-	-
Gillespie	-	19	8	-	6	5	1	-	-	-	-	1	2	15	3	3	1	-	-
Glasscock	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Goliad	-	4	-	-	2	2	-	-	-	-	-	2	2	6	9	-	1	1	1
Gonzales	2	23	1	1	4	5	-	1	1	-	2	1	27	9	4	7	1	1	2
Gray	1	16	8	1	6	6	-	6	1	-	1	2	2	18	10	9	6	-	-
Pampa	1	14	7	1	5	5	-	5	1	-	1	2	2	15	8	7	5	-	-
Balance of county	-	2	1	-	1	1	-	1	-	-	-	-	-	3	2	2	1	-	-
Grayson	2	121	20	17	29	43	1	11	14	-	6	5	20	70	28	20	12	6	-
Denison	-	40	4	3	5	14	-	6	8	-	3	1	3	23	6	7	5	4	-
Sherman	1	35	4	5	10	16	1	3	1	-	1	4	9	15	12	5	5	2	-
Balance of county	1	46	12	9	14	13	-	2	5	-	2	-	8	32	10	8	2	-	-
Gregg	6	99	10	11	25	39	2	10	7	-	4	9	63	64	48	25	12	21	-
Longview	5	66	5	5	19	24	2	6	5	-	2	7	28	35	26	17	9	11	-
Balance of county	1	33	5	6	6	15	-	4	2	-	2	2	35	29	22	8	3	10	-
Grimes	4	16	3	4	3	2	-	1	1	-	1	7	5	18	4	6	1	3	-
Guadalupe	2	35	4	2	12	16	-	3	2	-	2	7	4	22	11	11	4	4	-
Seguin	-	16	2	-	8	9	-	1	1	-	1	4	2	13	5	6	1	4	-
Balance of county	2	19	2	2	4	7	-	2	1	-	1	3	2	9	6	5	3	-	-
Hale	-	38	2	1	5	4	1	2	1	-	3	6	19	26	4	2	5	4	1
Plainview	-	32	1	-	5	4	1	2	1	-	2	4	10	15	2	1	2	4	1
Balance of county	-	6	1	1	-	-	-	-	-	-	1	2	9	11	2	1	3	-	-
Hall	-	14	3	1	3	4	-	-	2	-	-	-	-	6	-	-	-	1	-
Hamilton	-	9	3	-	1	1	-	-	-	-	-	-	-	8	6	3	1	-	-
Hansford	-	4	2	1	1	3	-	-	3	-	1	-	-	6	4	-	1	-	-
Hardeman	-	29	-	2	6	-	1	1	-	-	1	-	1	4	3	5	1	-	-
Hardin	1	24	3	3	11	5	1	4	7	-	3	3	42	30	20	10	3	7	-
Harris	48	1,056	126	115	272	384	37	228	151	5	161	347	167	1,062	771	548	374	854	10
Baytown	-	31	5	2	8	24	2	4	4	-	4	6	6	24	16	11	6	11	-
Bellaire	-	14	2	2	4	4	-	1	-	-	-	1	1	9	2	2	2	1	-
Deer Park	-	3	4	1	2	3	1	2	-	-	1	2	1	5	2	3	1	3	-
Galena Park	-	8	1	-	3	5	-	-	1	-	-	3	-	5	2	4	2	1	-
Houston, part	38	834	90	93	210	273	28	190	134	5	117	270	122	832	527	404	278	750	10
Houston, total	38	834	90	93	211	274	28	190	135	5	118	270	122	832	528	404	278	750	10
Pasadena	3	57	4	7	9	17	1	11	6	-	12	26	11	45	45	22	17	20	-
South Houston	1	5	1	-	1	1	-	2	-	-	1	1	2	8	8	4	-	6	-
West University Place	1	-	-	-	-	3	-	-	-	-	-	-	-	4	-	2	2	2	-
Balance of county	5	104	19	10	35	54	5	18	6	-	26	38	24	130	169	96	66	60	-
Harrison	2	60	3	5	8	14	-	6	12	-	3	5	32	30	12	15	6	11	-
Marshall	2	41	3	5	3	8	-	4	5	-	3	4	19	21	6	10	1	8	-
Balance of county	-	19	-	-	5	6	-	2	7	-	-	1	13	9	6	5	5	3	-
Hartley	-	2	1	-	3	1	-	1	1	-	-	-	-	-	2	1	1	-	-
Haskell	-	19	5	1	4	4	-	4	1	-	-	1	2	11	4	2	-	-	-
Hays	1	15	1	1	4	7	-	2	2	-	1	2	3	25	8	3	3	4	-
San Marcos	1	10	1	1	2	3	-	1	2	-	1	-	2	17	5	3	1	4	-
Balance of county	-	5	-	-	2	4	-	1	-	-	-	2	1	6	3	-	2	-	-
Hemphill	-	3	-	-	-	2	-	-	-	-	-	-	-	2	2	1	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas--Con.																			
Henderson	492	1	–	1	108	23	26	11	14	4	5	25	10	219	176	1	7	95	73
Hidalgo	1,598	6	–	18	277	66	73	23	32	16	9	58	41	677	516	–	10	355	151
Edinburg	182	–	–	1	33	6	5	3	7	–	3	9	7	70	46	–	2	26	18
McAllen	420	3	–	7	80	18	22	5	9	7	3	16	8	179	127	–	2	93	32
Mission	138	–	–	–	19	5	5	2	2	2	–	3	3	67	60	–	1	34	25
Pharr	107	–	–	–	17	3	9	1	1	–	1	2	2	40	31	–	–	20	11
Weslaco	165	–	–	5	31	9	9	3	3	1	–	6	6	69	53	–	2	41	10
Balance of county	586	3	–	5	97	25	23	9	10	6	2	22	15	252	199	–	3	141	55
Hill	358	3	–	2	71	18	21	4	8	5	2	13	9	191	130	1	1	100	28
Hockley	165	1	–	2	30	11	8	3	2	–	–	6	3	58	47	–	4	29	14
Levelland	99	1	–	1	16	5	5	2	1	–	–	3	2	37	33	–	2	18	13
Balance of county	66	–	–	1	14	6	3	1	1	–	–	3	1	21	14	–	2	11	1
Hood	180	–	–	2	45	8	19	3	6	1	–	8	2	79	56	1	–	39	16
Hopkins	341	–	–	1	57	16	20	4	4	2	1	10	10	178	123	–	4	75	44
Sulphur Springs	210	–	–	1	31	10	11	1	2	1	–	6	7	116	79	–	2	47	30
Balance of county	131	–	–	–	26	6	9	3	2	1	1	4	3	62	44	–	2	28	14
Houston	244	–	–	1	44	7	13	4	7	4	2	7	5	127	103	–	2	65	36
Howard	387	–	–	4	63	13	17	8	10	–	1	14	4	144	93	1	6	73	13
Big Spring	314	–	–	4	53	12	16	6	6	–	1	12	2	119	81	1	5	64	11
Balance of county	73	–	–	–	10	1	1	2	4	–	–	2	2	25	12	–	1	9	2
Hudspeth	14	–	–	–	3	–	2	–	–	–	1	–	–	6	6	–	–	4	2
Hunt	575	–	–	6	121	27	26	8	14	2	5	39	8	224	171	1	2	125	43
Greenville	258	–	–	1	54	16	9	4	7	1	2	15	8	113	90	1	2	69	18
Balance of county	317	–	–	5	67	11	17	4	7	1	3	24	–	111	81	–	–	56	25
Hutchinson	272	–	–	5	57	13	14	4	5	4	2	15	6	126	101	–	1	69	31
Borger	174	–	–	2	33	9	7	–	4	3	2	8	3	87	67	–	1	43	23
Balance of county	98	–	–	3	24	4	7	4	1	1	–	7	3	39	34	–	–	26	8
Irion	12	–	–	–	2	1	–	–	–	–	1	–	–	3	3	–	–	3	–
Jack	89	–	–	3	15	4	4	–	–	1	–	6	–	55	34	–	–	17	17
Jackson	125	–	–	–	27	6	6	2	1	1	–	11	2	53	46	–	–	32	14
Jasper	299	–	–	–	61	14	20	4	7	2	6	8	7	132	101	1	2	79	19
Jeff Davis	12	–	–	–	2	1	–	–	–	–	–	1	–	6	5	–	–	4	1
Jefferson	2,348	4	1	19	514	137	153	42	48	7	16	111	43	1,122	851	6	16	549	280
Beaumont	1,187	3	1	12	271	79	77	21	28	4	10	52	22	551	419	2	11	270	136
Groves	154	–	–	1	31	9	9	–	4	2	1	6	4	78	59	–	1	46	12
Nederland	121	–	–	1	31	9	14	4	1	–	–	3	1	57	41	2	–	29	10
Port Arthur	670	1	–	4	128	30	36	12	11	–	5	34	16	344	261	2	4	151	104
Port Neches	97	–	–	–	25	7	7	2	1	1	–	7	–	43	32	–	–	23	9
Balance of county	119	–	–	1	28	3	10	3	3	–	–	9	–	49	39	–	–	30	9
Jim Hogg	33	–	–	2	8	4	1	–	–	1	–	2	–	14	12	–	–	8	4
Jim Wells	316	–	–	1	61	15	17	8	7	2	1	11	10	151	111	1	1	93	16
Alice	209	–	–	–	38	10	13	5	3	–	1	6	9	102	76	–	1	69	6
Balance of county	107	–	–	1	23	5	4	3	4	2	–	5	1	49	35	1	–	24	10
Johnson	601	–	–	3	106	32	26	6	13	7	4	18	8	335	268	2	15	191	60
Cleburne	256	–	–	1	36	12	7	–	9	1	–	7	5	153	122	–	7	88	27
Fort Worth, part	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Balance of county	345	–	–	2	70	20	19	6	4	6	4	11	3	182	146	2	8	103	33
Jones	251	–	–	–	30	8	12	1	–	1	2	6	6	142	102	–	–	48	54
Abilene, part	4	–	–	–	1	–	–	–	–	–	–	1	–	1	1	–	–	1	–
Balance of county	247	–	–	–	29	8	12	1	–	1	2	5	6	141	101	–	–	47	54
Karnes	133	–	–	1	25	10	3	2	4	–	2	4	4	72	53	–	2	32	19
Kaufman	441	–	–	3	83	15	31	6	8	1	1	21	11	195	150	–	1	114	35
Terrell	155	–	–	1	30	6	10	2	4	–	–	8	4	64	51	–	–	42	9
Balance of county	286	–	–	2	53	9	21	4	4	1	1	13	7	131	99	–	1	72	26
Kendall	102	–	–	–	15	5	3	1	2	–	2	2	1	65	53	–	–	44	9
Kenedy	6	–	–	–	1	–	1	–	–	–	–	–	–	3	1	–	–	1	–
Kent	24	–	–	–	3	1	1	1	–	–	–	–	–	9	6	–	–	4	2
Kerr	416	–	–	3	84	23	23	3	12	4	1	18	5	217	168	1	4	115	48
Kerrville	287	–	–	2	54	16	14	2	8	2	1	11	3	159	118	1	3	79	35
Balance of county	129	–	–	1	30	7	9	1	4	2	–	7	2	58	50	–	1	36	13
Kimble	51	–	–	1	11	4	2	2	–	–	1	2	2	28	27	–	1	21	5
King	3	–	–	–	1	–	1	–	–	–	–	–	–	2	2	–	–	2	–
Kinney	25	–	–	–	6	–	3	1	1	–	–	1	1	6	6	–	–	5	1
Kleberg	214	1	–	–	30	11	5	2	3	2	1	6	4	93	68	1	2	43	22
Kingsville	178	1	–	–	25	9	2	2	3	2	1	6	4	78	57	1	2	35	19
Balance of county	36	–	–	–	5	2	3	–	–	–	–	–	–	15	11	–	–	8	3
Knox	84	–	–	–	15	3	3	2	3	–	–	4	–	44	24	–	–	21	3
Lamar	481	–	–	3	83	26	16	8	9	7	4	13	15	187	133	–	7	93	33
Paris	340	–	–	3	59	18	13	7	5	5	2	9	13	131	92	–	3	64	25
Balance of county	141	–	–	–	24	8	3	1	4	2	2	4	2	56	41	–	4	29	8
Lamb	183	–	–	2	36	6	4	4	5	2	4	11	2	86	56	1	1	38	16
Lampasas	108	–	–	1	17	7	3	2	3	–	1	1	2	51	28	–	–	23	5
La Salle	57	–	–	–	4	–	1	–	1	–	–	2	3	34	29	–	1	16	12
Lavaca	286	1	–	2	48	18	10	3	3	5	1	8	5	166	129	–	2	61	66
Lee	145	–	–	1	28	8	5	2	3	3	2	5	3	74	60	–	3	36	21
Leon	142	1	–	1	24	7	8	1	–	–	4	4	–	63	56	–	2	30	24
Liberty	513	–	–	3	106	22	36	3	7	7	7	24	8	206	147	–	2	81	64
Limestone	311	–	–	3	53	8	17	7	8	2	4	7	2	174	144	–	13	102	29
Lipscomb	36	–	–	–	6	2	–	–	1	–	1	2	–	16	12	–	–	10	2
Live Oak	65	–	–	–	8	1	4	–	1	1	–	1	–	30	21	–	–	14	7
Llano	174	–	–	1	43	13	12	2	5	2	–	9	2	75	56	–	1	45	10
Loving	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Henderson	1	37	1	4	13	18	-	5	6	-	3	2	24	40	22	12	3	5	-
Hidalgo	6	122	21	12	44	34	3	29	26	1	23	33	107	112	72	41	27	26	1
Edinburg	1	18	3	2	8	5	-	3	5	-	3	3	8	14	9	5	6	2	-
McAllen	-	41	9	2	9	8	1	6	6	1	8	10	24	27	13	15	10	5	-
Mission	-	6	-	1	3	5	-	5	1	-	2	1	6	10	8	3	1	4	-
Pharr	1	8	-	-	1	2	-	5	-	-	2	2	14	9	6	2	1	4	-
Weslaco	2	8	5	1	6	4	-	3	2	-	2	2	11	7	6	5	3	3	-
Balance of county	2	41	4	6	17	10	2	7	12	-	6	15	44	45	30	11	6	8	1
Hill	-	44	14	3	4	7	2	2	2	-	1	-	15	18	11	12	2	6	-
Hockley	1	5	4	1	5	5	1	-	1	1	5	2	20	9	9	5	4	4	-
Levelland	1	1	2	-	2	3	1	-	1	1	3	1	12	5	5	2	3	3	-
Balance of county	-	4	2	1	3	2	-	-	-	-	2	1	8	4	4	3	1	1	-
Hood	-	22	1	-	7	3	-	1	4	-	-	-	13	9	7	4	3	1	-
Hopkins	2	40	6	7	10	16	1	1	3	-	2	3	14	22	8	8	5	2	-
Sulphur Springs	2	27	4	4	6	15	-	-	1	-	1	-	11	11	3	5	2	-	-
Balance of county	-	13	2	3	4	1	1	1	2	-	1	3	3	11	5	3	3	2	-
Houston	1	20	1	2	7	7	1	1	5	-	-	-	12	15	2	12	-	4	1
Howard	1	31	9	10	4	12	3	6	-	-	3	11	55	34	20	13	3	8	-
Big Spring	1	20	7	10	4	11	3	4	-	-	2	7	44	28	12	11	3	7	-
Balance of county	-	11	2	-	-	1	-	2	-	-	1	4	11	6	8	2	-	1	-
Hudspeth	-	-	-	-	-	1	-	-	-	1	-	1	-	2	-	-	-	-	-
Hunt	4	35	5	9	22	17	1	5	4	1	5	7	55	49	22	11	7	5	5
Greenville	1	16	2	4	9	4	-	2	1	-	2	3	24	20	6	5	2	1	3
Balance of county	3	19	3	5	13	13	1	3	3	1	3	4	31	29	16	6	5	4	2
Hutchinson	-	16	2	7	6	11	2	3	4	-	1	4	1	17	9	16	4	-	-
Borger	-	13	2	5	3	8	1	3	2	-	1	3	1	10	4	11	2	-	-
Balance of county	-	3	-	2	3	3	1	-	2	-	-	1	-	7	5	5	2	-	-
Irion	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	2	-	1	-
Jack	5	10	4	2	1	1	-	1	-	-	-	-	2	6	3	1	1	-	-
Jackson	-	5	2	-	1	3	1	2	2	-	1	3	9	6	5	5	2	3	-
Jasper	-	26	2	3	7	11	-	3	3	1	2	5	20	19	11	10	2	4	1
Jeff Davis	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
Jefferson	9	215	30	17	50	53	6	26	36	-	16	38	22	163	78	72	43	40	2
Beaumont	5	104	17	6	28	24	1	14	24	-	7	18	11	85	36	33	23	23	-
Groves	1	15	3	-	4	6	1	1	1	-	-	1	-	13	4	5	4	-	-
Nederland	-	13	-	3	1	4	2	1	2	-	-	-	4	5	5	4	2	1	-
Port Arthur	3	69	7	4	12	12	2	8	8	-	4	15	5	46	20	22	8	14	1
Port Neches	-	6	3	2	2	5	-	1	1	-	3	-	1	8	2	4	1	1	-
Balance of county	-	8	-	2	3	2	-	1	-	-	2	4	1	6	11	4	5	1	1
Jim Hogg	-	2	-	-	-	2	-	-	-	1	-	1	2	-	-	3	-	-	-
Jim Wells	1	22	11	6	4	7	-	1	4	-	6	5	5	28	21	4	6	1	1
Alice	-	14	9	3	3	5	-	1	3	-	5	5	2	17	10	3	4	1	1
Balance of county	1	8	2	3	1	2	-	-	1	-	1	-	3	11	11	1	2	-	-
Johnson	1	52	10	4	14	22	2	5	3	1	7	7	6	33	23	14	8	4	-
Cleburne	-	25	3	3	5	12	1	4	1	1	3	3	1	16	3	4	4	3	-
Fort Worth, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	27	7	1	9	10	1	1	2	-	4	4	5	17	20	10	4	1	-
Jones	1	32	5	2	6	8	-	4	12	-	-	-	5	18	4	12	2	2	-
Abilene, part	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Balance of county	1	32	5	2	6	8	-	4	12	-	-	-	3	18	4	12	2	2	-
Karnes	-	13	4	2	4	3	1	2	-	-	1	1	1	10	3	4	-	1	-
Kaufman	3	36	4	2	12	18	-	6	9	-	2	2	33	32	10	14	8	3	-
Terrell	2	10	1	-	5	7	-	4	5	-	1	-	3	13	4	9	2	3	-
Balance of county	1	26	3	2	7	11	-	2	4	-	1	2	30	19	6	5	6	-	-
Kendall	-	9	2	1	2	3	1	-	-	-	-	-	1	5	4	3	2	-	-
Kenedy	-	1	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Kent	-	3	-	-	-	-	-	-	-	-	-	-	10	2	-	-	-	-	-
Kerr	1	31	9	8	17	19	-	2	3	-	1	1	6	31	12	8	5	2	-
Kerrville	1	25	9	6	15	11	-	-	1	-	-	-	5	23	5	5	3	1	-
Balance of county	-	6	-	2	2	8	-	2	2	-	1	1	1	8	7	3	2	1	-
Kimble	-	1	-	-	-	-	-	-	2	-	-	-	1	2	-	2	-	1	1
King	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kinney	-	-	-	-	-	1	-	-	-	-	-	-	5	4	1	1	-	-	-
Kleberg	-	19	5	1	5	6	1	5	4	-	3	12	14	20	7	6	1	1	1
Kingsville	-	16	4	1	4	3	1	4	3	-	2	11	9	18	7	5	1	1	1
Balance of county	-	3	1	-	1	3	-	1	1	-	1	1	5	2	-	1	-	-	-
Knox	-	9	10	1	3	4	-	-	1	-	1	2	6	7	-	-	-	1	-
Lamar	1	42	9	2	17	19	-	7	9	-	1	3	84	26	9	12	3	3	-
Paris	1	31	6	1	10	11	-	5	6	-	1	3	62	19	7	6	2	2	-
Balance of county	-	11	3	1	7	8	-	2	3	-	-	-	22	7	2	6	1	1	-
Lamb	-	25	2	3	2	3	-	3	1	-	4	4	6	18	6	7	2	1	-
Lampasas	-	23	-	-	3	4	-	3	1	-	-	-	9	8	5	1	2	1	-
La Salle	-	2	2	1	-	2	1	-	-	-	-	-	2	7	2	-	-	2	-
Lavaca	-	28	6	3	7	7	4	2	2	1	-	1	7	16	7	6	4	-	-
Lee	-	12	2	-	3	4	-	-	1	-	1	-	-	10	14	3	3	-	-
Leon	-	4	1	2	3	5	1	-	-	-	-	1	15	10	9	4	3	2	-
Liberty	-	34	19	6	14	20	4	8	5	-	3	4	44	36	20	14	9	9	-
Limestone	1	24	2	3	10	6	1	3	5	-	-	2	15	17	9	6	4	1	-
Lipscomb	-	4	-	-	1	2	-	-	1	-	-	1	2	1	3	2	1	-	-
Live Oak	-	7	1	1	1	4	-	-	-	-	-	3	2	4	8	2	3	-	-
Llano	-	13	2	4	6	7	-	6	3	-	-	-	10	13	4	1	2	1	-
Loving	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Lubbock	1,296	-	-	13	220	58	44	16	24	7	14	57	22	633	481	5	12	253	211
Lubbock	1,086	-	-	10	189	52	40	15	17	6	13	46	14	529	403	4	9	217	173
Balance of county	210	-	-	3	31	6	4	1	7	1	1	11	8	104	78	1	3	36	38
Lynn	66	-	-	-	11	3	1	2	1	-	-	4	-	24	17	-	1	12	4
McCulloch	118	-	-	1	28	10	5	1	3	-	3	4	2	63	47	1	-	35	11
McLennan	1,717	-	-	16	352	91	98	22	42	15	17	67	25	863	634	-	13	484	137
Waco	1,252	-	-	15	257	72	75	14	30	11	10	45	15	665	462	-	9	347	106
Balance of county	465	-	-	1	95	19	23	8	12	4	7	22	10	218	172	-	4	137	31
McMullen	5	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	1	1	-
Madison	89	-	-	2	15	4	7	-	2	1	-	1	1	30	26	-	1	16	9
Marion	152	-	-	-	28	8	10	3	3	-	-	4	4	71	54	-	4	30	20
Martin	59	-	-	-	13	3	4	1	2	-	-	3	1	31	22	-	-	16	6
Mason	56	-	-	-	9	2	2	-	3	-	-	2	-	35	31	-	-	16	15
Matagorda	335	-	-	2	59	10	18	6	6	2	5	12	4	174	131	-	7	63	61
Bay City	176	-	-	1	30	5	12	2	3	-	2	6	2	93	68	-	7	38	25
Balance of county	159	-	-	1	29	5	6	4	3	2	3	6	2	81	63	-	-	27	36
Maverick	145	-	-	1	26	10	4	1	5	-	2	4	10	61	49	1	-	26	22
Eagle Pass	129	-	-	1	24	9	4	1	4	-	2	4	9	55	44	1	-	23	20
Balance of county	16	-	-	-	2	1	-	-	1	-	-	-	1	6	5	-	-	3	2
Medina	221	1	-	2	54	18	17	4	4	1	4	6	1	99	72	-	-	39	33
Menard	41	-	-	-	7	3	2	-	-	-	1	1	3	22	14	-	1	9	4
Midland	578	1	-	7	100	16	31	11	15	4	-	23	15	247	199	4	6	148	41
Midland	532	1	-	7	91	15	30	11	15	2	-	18	14	230	184	4	5	136	39
Balance of county	46	-	-	-	9	1	1	-	-	2	-	5	1	17	15	-	1	12	2
Milam	277	-	-	3	53	7	17	6	8	2	6	7	1	157	126	-	3	81	42
Mills	88	-	-	1	13	4	2	1	1	1	2	2	-	47	41	1	1	31	8
Mitchell	120	-	-	3	25	5	6	2	3	3	3	3	3	46	32	2	1	18	11
Montague	275	-	-	1	34	10	10	2	4	3	1	4	2	165	105	1	-	80	24
Montgomery	834	-	-	4	184	37	58	9	17	8	9	46	10	316	253	2	2	133	116
Conroe	194	-	-	1	44	10	15	3	5	1	1	9	2	67	48	-	1	26	21
Houston, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	640	-	-	3	140	27	43	6	12	7	8	37	8	249	205	2	1	107	95
Moore	129	-	-	1	29	7	8	1	3	2	-	8	1	59	48	-	1	28	19
Morris	150	-	-	-	32	12	7	1	3	-	1	8	4	74	63	-	4	45	14
Motley	26	-	-	-	7	2	-	1	3	-	-	1	-	15	.9	-	-	6	3
Nacogdoches	399	1	-	3	85	25	14	6	10	2	7	21	4	193	131	-	2	107	22
Nacogdoches	212	1	-	1	45	17	4	4	4	1	3	12	1	100	66	-	2	57	7
Balance of county	187	-	-	2	40	8	10	2	6	1	4	9	3	93	65	-	-	50	15
Navarro	435	1	-	3	84	18	23	5	16	2	3	17	6	186	123	-	3	101	19
Corsicana	270	1	-	3	53	13	14	4	10	-	1	11	5	127	81	-	3	65	13
Balance of county	165	-	-	-	31	5	9	1	6	2	2	6	1	59	42		-	36	6
Newton	119	-	-	-	23	6	4	2	3	-	1	7	1	50	30	1	1	16	12
Nolan	177	-	-	2	34	9	10	1	2	3	-	9	3	77	56	-	-	38	18
Sweetwater	131	-	-	1	28	7	8	-	2	2	-	9	3	54	38	-	-	22	16
Balance of county	46	-	-	1	6	2	2	1	-	1	-	-	-	23	18	-	-	16	2
Nueces	1,956	3	-	16	414	102	125	33	46	12	18	78	49	826	652	5	12	402	233
Corpus Christi	1,697	2	-	16	358	85	110	28	40	11	16	68	41	730	575	4	10	353	208
Robstown	127	1	-	-	25	9	2	3	3	1	-	7	6	46	35	1	1	22	11
Balance of county	132	-	-	-	31	8	13	2	3	-	2	3	2	50	42	-	1	27	14
Ochiltree	73	-	-	2	12	5	2	2	1	-	-	2	2	34	26	-	-	16	10
Oldham	14	-	-	-	4	2	1	-	-	-	-	1	-	5	4	-	-	4	-
Orange	630	4	-	7	126	24	53	6	11	4	1	27	6	242	196	-	4	124	68
Orange	220	2	-	5	48	11	16	3	7	-	1	10	-	89	65	-	1	41	23
Balance of county	410	2	-	2	78	13	37	3	4	4	-	17	6	153	131	-	3	83	45
Palo Pinto	274	-	-	1	44	10	11	4	6	-	5	8	4	107	75	-	2	55	18
Mineral Wells, part	182	-	-	1	28	7	5	3	5	-	5	3	1	76	54	-	2	39	13
Mineral Wells, total	183	-	-	1	28	7	5	3	5	-	5	3	1	77	55	-	2	40	13
Balance of county	92	-	-	-	16	3	6	1	1	-	-	5	3	31	21	-	-	16	5
Panola	195	-	-	2	40	12	8	5	7	-	1	7	5	97	66	-	-	56	10
Parker	365	-	-	3	77	17	26	8	5	-	4	17	3	155	116	3	3	85	25
Mineral Wells, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Weatherford	185	-	-	1	35	9	11	3	2	-	3	7	1	86	59	1	1	48	9
Balance of county	179	-	-	2	42	8	15	5	3	-	1	10	2	68	56	2	2	36	16
Parmer	79	-	-	-	13	4	2	1	1	-	2	3	1	36	32	-	1	28	3
Pecos	98	-	-	1	19	6	6	2	2	-	-	3	1	38	33	-	-	22	11
Polk	312	1	-	1	69	13	22	2	7	4	5	16	8	146	116	-	6	68	42
Potter	995	-	-	7	158	41	44	9	22	11	6	25	14	518	395	3	3	286	103
Amarillo, part	974	-	-	7	151	38	43	9	21	11	6	23	14	512	390	3	3	282	102
Amarillo, total	1,285	-	1	9	222	56	66	14	25	13	9	39	15	672	515	3	6	381	125
Balance of county	21	-	-	-	7	3	1	-	1	-	-	2	-	6	5	-	-	4	1
Presidio	43	-	-	-	6	1	1	1	1	-	-	2	1	20	11	-	-	3	8
Rains	44	-	-	-	6	1	2	-	2	1	-	-	1	26	18	-	-	11	7
Randall	406	-	1	2	90	24	27	8	5	3	6	17	2	202	162	-	3	122	37
Amarillo, part	311	-	1	2	71	18	23	5	4	2	3	16	1	160	125	-	3	99	23
Balance of county	95	-	-	-	19	6	4	3	1	1	3	1	1	42	37	-	-	23	14
Reagan	19	-	-	-	8	2	3	-	-	-	1	2	-	5	4	-	-	2	2
Real	33	-	-	-	6	1	3	1	1	-	-	-	1	18	12	-	-	5	7
Red River	217	-	-	2	33	3	12	5	8	1	-	4	2	118	85	1	2	68	14
Reeves	111	-	-	-	20	6	7	1	-	2	2	2	2	56	45	1	-	35	9
Pecos	91	-	-	-	14	5	5	1	-	1	1	1	2	50	43	1	-	34	8
Balance of county	20	-	-	-	6	1	2	-	-	1	1	1	-	6	2	-	-	1	1
Refugio	96	-	-	3	12	3	4	1	1	-	1	2	1	46	33	-	-	18	15

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Lubbock	5	120	12	15	35	35	6	10	7	-	12	15	17	103	57	44	32	33	2
Lubbock	5	97	10	14	28	32	6	10	4	-	8	12	15	87	44	38	30	28	2
Balance of county	-	23	2	1	7	3	-	-	3	-	4	3	2	16	13	6	2	5	-
Lynn	-	6	-	1	3	-	1	2	1	-	-	1	13	3	2	4	-	-	1
McCulloch	1	12	-	3	2	2	1	2	2	-	-	-	1	7	3	4	1	1	-
McLennan	5	208	24	12	47	46	7	15	25	1	11	18	22	134	51	35	11	18	-
Waco	5	170	19	9	31	33	6	7	19	-	8	13	13	104	24	18	8	16	-
Balance of county	-	38	5	3	16	13	1	8	6	1	3	5	9	30	27	17	3	2	-
McMullen	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Madison	1	3	-	-	2	2	-	1	-	-	2	1	9	8	8	4	1	3	-
Marion	1	10	3	3	3	2	-	-	4	-	-	2	16	6	5	7	2	2	-
Martin	1	5	2	1	1	1	1	2	1	-	-	-	-	6	1	1	-	-	-
Mason	-	4	-	-	1	3	-	-	2	-	-	-	1	2	1	-	2	-	-
Matagorda	1	36	2	4	8	7	-	3	3	-	3	6	2	18	19	15	4	7	1
Bay City	1	20	1	3	5	4	-	-	2	-	2	4	-	9	9	7	3	5	-
Balance of county	-	16	1	1	3	3	-	3	1	-	1	2	2	9	10	8	1	2	1
Maverick	1	9	1	1	3	5	-	2	2	-	-	3	11	14	2	3	-	-	2
Eagle Pass	1	8	1	1	3	3	-	2	1	-	-	3	8	14	2	3	-	-	1
Balance of county	-	1	-	-	-	2	-	-	1	-	-	-	3	-	-	-	-	-	1
Medina	-	22	1	4	7	7	-	2	1	-	-	5	4	19	7	10	2	-	-
Menard	-	6	1	1	1	1	-	-	1	-	-	-	-	2	3	1	-	-	-
Midland	3	33	5	7	13	16	3	8	7	-	8	13	13	42	28	30	10	16	1
Midland	2	32	5	7	13	15	3	8	7	-	8	13	12	41	20	25	8	15	1
Balance of county	1	1	-	-	-	1	-	-	-	-	-	-	1	1	8	5	2	1	-
Milam	1	22	4	4	5	6	-	1	6	-	-	4	2	16	10	9	4	-	-
Mills	1	3	2	-	5	2	-	-	-	-	-	2	2	10	3	3	-	-	-
Mitchell	-	12	2	-	10	8	-	1	3	-	-	3	9	7	-	1	-	1	-
Montague	1	48	6	5	7	6	-	1	5	-	2	2	7	22	12	7	1	-	1
Montgomery	3	46	9	5	23	21	4	11	9	-	10	11	43	61	50	36	20	20	1
Conroe	1	14	4	-	10	4	1	3	4	-	4	2	9	14	7	12	5	5	-
Houston, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	32	5	5	13	17	3	8	5	-	6	9	34	47	43	24	15	15	1
Moore	-	9	2	-	3	2	-	-	3	-	1	3	1	7	6	10	2	-	1
Morris	2	8	-	1	6	6	1	5	2	-	-	-	4	6	4	3	1	2	-
Motley	-	5	-	1	1	-	-	-	-	-	-	-	3	-	-	-	-	-	-
Nacogdoches	2	45	4	11	18	8	-	1	5	-	1	1	9	29	17	9	7	7	1
Nacogdoches	1	23	3	7	12	3	-	1	3	-	-	-	5	14	9	6	5	6	-
Balance of county	1	22	1	4	6	5	-	-	2	-	1	1	4	15	8	3	2	1	1
Navarro	4	56	2	1	14	9	-	3	9	-	1	2	53	30	8	14	5	7	-
Corsicana	3	40	2	1	8	7	-	2	4	-	1	1	24	17	3	10	-	4	-
Balance of county	1	16	-	-	6	2	-	1	5	-	-	1	29	13	5	4	5	3	-
Newton	-	17	3	-	2	6	-	1	1	-	1	-	9	9	5	6	3	2	-
Nolan	-	21	-	-	6	4	2	2	2	-	-	5	13	11	3	9	2	1	1
Sweetwater	-	16	-	-	4	4	2	2	2	-	-	5	8	5	2	8	1	1	1
Balance of county	-	5	-	-	2	-	-	-	-	-	-	-	5	6	1	1	1	-	-
Nueces	3	139	15	17	41	45	5	32	16	-	19	50	18	163	88	56	41	62	12
Corpus Christi	3	126	9	17	38	37	3	25	13	-	15	40	14	144	75	46	35	53	12
Robstown	-	9	2	-	1	4	1	4	1	-	3	8	1	9	5	5	2	5	-
Balance of county	-	4	4	-	2	4	1	3	2	-	1	2	3	10	8	5	4	4	-
Ochiltree	-	8	-	-	3	2	-	-	-	-	-	-	4	7	2	5	-	-	-
Oldham	-	1	-	-	1	1	-	-	-	-	-	-	-	2	1	-	-	-	-
Orange	2	30	10	4	20	12	2	14	6	-	5	6	62	34	34	30	10	9	1
Orange	1	17	5	1	9	4	1	2	3	-	1	3	18	12	8	7	4	4	-
Balance of county	1	13	5	3	11	8	1	12	3	-	4	3	44	22	26	23	6	5	1
Palo Pinto	-	25	5	2	16	11	1	2	6	-	1	2	28	23	15	5	3	5	-
Mineral Wells, part	-	18	4	-	12	5	-	1	4	-	-	2	18	17	8	4	1	4	-
Mineral Wells, total	-	18	4	-	12	5	-	1	4	-	-	2	18	17	8	4	1	4	-
Balance of county	-	7	1	2	4	6	1	1	2	-	1	-	10	6	7	1	2	1	-
Panola	-	24	4	3	1	9	1	-	1	-	-	1	8	13	6	9	3	1	-
Parker	1	28	7	3	13	18	-	5	1	2	4	1	24	26	13	13	4	2	1
Mineral Wells, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weatherford	-	20	5	2	9	8	-	1	1	1	1	1	12	15	6	4	2	-	1
Balance of county	1	8	2	1	4	10	-	4	-	1	3	-	12	11	7	9	2	2	-
Parmer	-	4	-	-	1	2	-	3	1	-	-	-	9	3	6	2	2	-	-
Pecos	-	3	1	1	4	2	1	2	-	-	1	4	3	5	8	8	1	-	-
Polk	1	25	1	3	9	10	-	4	2	-	1	1	15	19	10	4	6	6	-
Potter	1	78	30	14	26	38	-	19	6	-	7	16	6	69	41	35	22	13	-
Amarillo, part	1	77	30	14	26	38	-	18	6	-	7	14	6	66	39	35	22	13	-
Amarillo, total	2	101	38	16	30	54	1	18	9	-	9	17	8	86	45	41	32	16	-
Balance of county	-	1	-	-	-	-	-	1	-	-	-	2	-	3	2	-	-	-	-
Presidio	1	8	-	-	1	1	-	-	1	-	-	-	2	6	2	1	2	-	-
Rains	-	4	2	2	1	2	-	-	1	-	-	-	2	-	2	3	-	-	-
Randall	1	27	10	2	7	21	2	-	5	-	5	3	3	25	9	12	12	4	1
Amarillo, part	1	24	8	2	4	16	1	-	3	-	2	3	2	20	6	6	10	3	-
Balance of county	-	3	2	-	3	5	1	-	2	-	3	-	1	5	3	6	2	1	1
Reagan	-	1	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-
Real	-	4	2	-	2	4	-	-	-	-	-	2	-	-	-	-	-	-	-
Red River	-	30	2	1	4	3	-	1	3	-	-	-	30	9	4	3	3	2	-
Reeves	1	9	-	1	1	1	1	3	2	-	-	1	1	10	4	6	2	1	-
Pecos	1	6	-	-	1	1	-	3	2	-	-	1	-	8	3	5	-	1	-
Balance of county	-	3	-	1	-	-	1	-	-	-	-	-	1	2	1	1	2	-	-
Refugio	-	8	4	1	-	2	-	3	3	-	-	-	11	7	4	1	3	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Roberts	4	-	-	-	3	1	1	1	-	-	-	-	-	1	1	-	-	1	-
Robertson	202	-	-	-	38	6	15	4	5	-	1	7	3	102	72	1	3	44	24
Rockwall	109	-	-	-	24	7	4	1	4	2	1	5	1	56	47	-	-	34	13
Runnels	170	-	-	-	19	4	5	3	1	-	1	5	2	97	54	-	-	45	9
Rusk	506	-	-	1	77	16	31	3	7	2	3	15	12	247	192	3	6	137	46
Henderson	154	-	-	-	20	3	8	1	3	1	1	3	2	77	62	3	1	46	12
Balance of county	352	-	-	1	57	13	23	2	4	1	2	12	10	170	130	-	5	91	34
Sabine	118	-	-	1	16	4	5	-	1	1	1	4	3	55	46	-	-	35	11
San Augustine	103	-	-	-	15	4	4	-	3	2	-	2	3	62	50	1	6	37	6
San Jacinto	97	-	-	3	18	4	7	2	-	-	1	4	1	47	38	-	-	19	19
San Patricio	417	1	-	3	91	17	38	2	9	3	4	18	8	168	131	1	1	89	40
San Saba	90	-	-	-	25	5	7	-	6	3	1	3	1	38	29	-	2	18	9
Schleicher	31	-	-	-	6	-	1	1	-	-	-	4	2	9	6	-	-	5	1
Scurry	175	-	-	3	25	6	8	1	3	2	2	3	3	70	61	-	-	45	16
Snyder	140	-	-	3	19	6	5	1	2	-	2	3	3	56	47	-	-	33	14
Balance of county	35	-	-	-	6	-	3	-	1	2	-	-	-	14	14	-	-	12	2
Shackelford	43	-	-	-	2	1	-	-	-	1	-	-	2	27	20	-	5	11	4
Shelby	294	-	-	1	54	9	16	3	10	3	4	9	6	152	118	-	1	85	32
Sherman	25	-	-	-	6	-	1	-	1	-	-	4	-	15	10	-	-	9	1
Smith	1,162	2	-	5	234	56	67	25	28	5	11	42	21	588	458	1	14	306	137
Tyler	678	-	-	3	131	31	37	13	20	1	6	23	15	338	256	-	12	173	71
Balance of county	484	2	-	2	103	25	30	12	8	4	5	19	6	250	202	1	2	133	66
Somervell	40	-	-	-	4	1	2	1	-	-	-	-	-	23	16	1	1	10	4
Starr	168	-	-	1	24	6	4	1	4	1	3	5	12	81	67	1	-	33	33
Stephens	138	1	-	-	32	10	11	2	3	1	1	4	-	69	41	-	2	33	6
Sterling	13	-	-	-	2	1	1	-	-	-	-	-	-	8	8	-	-	1	7
Stonewall	39	-	-	1	8	2	2	1	1	-	1	1	2	12	9	-	-	8	1
Sutton	44	-	-	1	5	-	1	1	-	1	-	2	1	19	11	-	1	8	2
Swisher	70	-	-	-	10	3	2	1	3	-	1	-	3	32	16	1	-	11	4
Tarrant	6,475	4	-	67	1,354	316	385	97	171	53	46	286	109	3,000	2,211	21	111	1,416	663
Arlington	773	-	-	5	165	37	46	11	15	8	9	39	11	321	233	2	8	164	59
Bedford	92	-	-	1	18	7	2	4	2	-	1	2	3	43	34	-	3	20	11
Euless	96	-	-	1	18	4	6	1	3	-	1	3	1	45	38	-	1	23	14
Fort Worth, part	3,942	4	-	44	828	189	230	58	117	33	23	178	72	1,829	1,332	13	76	815	428
Fort Worth, total	3,942	4	-	44	828	189	230	58	117	33	23	178	72	1,829	1,332	13	76	815	428
Grand Prairie, part	36	-	-	1	7	2	2	-	2	-	-	1	2	13	8	-	1	5	2
Haltom City	211	-	-	1	51	13	14	5	3	3	2	11	1	97	72	2	8	43	19
Hurst	186	-	-	2	39	13	9	3	5	1	1	7	4	83	65	-	1	49	15
North Richland Hills	120	-	-	1	26	4	7	3	2	2	2	6	1	62	53	1	1	44	7
White Settlement	120	-	-	2	18	2	10	1	2	1	-	2	3	72	49	1	1	30	17
Balance of county	899	-	-	9	184	45	59	11	20	5	7	37	11	435	327	2	11	223	91
Taylor	1,006	1	-	9	173	47	45	10	17	10	8	36	9	509	348	1	12	255	80
Abilene, part	868	1	-	6	154	41	41	8	13	10	8	33	7	443	299	1	7	222	69
Abilene, total	872	1	-	6	155	41	41	8	13	10	8	34	7	444	300	1	7	223	69
Balance of county	138	-	-	3	19	6	4	2	4	-	-	3	2	66	49	-	5	33	11
Terrell	19	-	-	1	3	-	2	-	-	-	-	1	-	7	3	-	-	2	1
Terry	129	-	-	1	25	5	9	2	1	-	1	7	3	66	49	1	-	28	20
Throckmorton	27	-	-	1	4	-	2	-	1	-	-	1	-	14	8	-	-	8	-
Titus	250	2	-	1	43	15	14	-	5	-	1	8	4	132	91	-	2	58	31
Tom Green	787	1	1	14	157	40	48	14	16	6	2	31	16	363	241	2	3	164	72
San Angelo	709	1	1	12	138	35	43	13	16	3	1	27	16	334	222	2	3	146	71
Balance of county	78	-	-	2	19	5	5	1	-	3	1	4	-	29	19	-	-	18	1
Travis	2,449	2	-	28	498	115	134	36	50	22	16	125	53	1,068	757	10	39	450	258
Austin	2,183	2	-	26	432	101	117	29	47	17	10	111	49	957	671	7	38	398	228
Balance of county	266	-	-	2	66	14	17	7	3	5	6	14	4	111	86	3	1	52	30
Trinity	131	-	-	-	29	6	9	-	3	2	-	9	-	74	56	-	-	34	22
Tyler	182	-	-	4	33	8	7	4	2	-	2	10	1	94	69	-	-	39	30
Upshur	268	-	-	1	52	8	13	3	7	3	2	16	6	132	96	-	1	66	29
Upton	29	-	-	-	3	1	-	-	1	1	-	-	3	13	9	-	-	7	2
Uvalde	207	-	-	3	37	6	10	4	7	1	3	6	10	74	60	-	3	30	27
Uvalde	136	-	-	3	18	3	7	2	3	-	-	3	8	52	41	-	2	19	20
Balance of county	71	-	-	-	19	3	3	2	4	1	3	3	2	22	19	-	1	11	7
Val Verde	231	-	-	5	42	10	9	8	3	1	-	11	5	110	85	-	5	64	16
Del Rio	214	-	-	5	38	9	8	8	3	1	-	9	5	103	79	-	5	58	16
Balance of county	17	-	-	-	4	1	1	-	-	-	-	2	-	7	6	-	-	6	-
Van Zandt	372	-	-	3	62	7	20	2	8	1	2	22	7	204	163	-	4	94	65
Victoria	536	-	-	5	111	32	32	9	10	6	6	16	7	275	199	3	6	153	37
Victoria	426	-	-	4	90	26	25	7	8	3	6	15	5	220	157	3	6	115	33
Balance of county	110	-	-	1	21	6	7	2	2	3	-	1	2	55	42	-	-	38	4
Walker	252	-	-	5	51	10	15	5	10	-	2	9	-	122	93	-	2	67	24
Huntsville	132	-	-	3	26	7	6	3	5	-	1	4	-	67	45	-	1	32	12
Balance of county	120	-	-	2	25	3	9	2	5	-	1	5	-	55	48	-	1	35	12
Waller	175	1	-	6	42	10	12	3	4	1	1	11	3	69	51	1	-	27	23
Ward	127	-	-	1	14	4	4	1	2	1	-	2	1	58	46	1	1	30	14
Washington	292	1	-	1	57	12	11	2	9	3	5	15	5	172	133	-	2	85	46
Webb	622	2	-	2	120	37	19	11	13	10	6	24	19	239	186	-	5	124	57
Laredo	604	2	-	1	118	37	19	11	13	10	5	23	19	232	181	-	5	120	56
Balance of county	18	-	-	1	2	-	-	-	-	-	1	1	-	7	5	-	-	4	1
Wharton	337	1	-	5	56	15	20	3	5	2	1	10	8	149	109	1	4	75	29
Wheeler	95	-	-	-	24	2	9	3	5	-	1	4	2	39	31	-	2	22	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con																			
Roberts	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Robertson	-	21	9	-	9	2	2	2	2	-	-	1	11	13	5	5	1	6	-
Rockwall	1	6	1	1	3	3	-	-	-	-	1	-	-	7	4	7	1	1	1
Runnels	-	41	2	-	4	3	-	1	1	-	-	4	9	12	7	8	2	1	-
Rusk	4	41	5	5	11	7	1	4	5	-	-	6	42	43	23	12	5	10	-
Henderson	2	11	1	1	6	3	1	2	1	-	-	2	6	19	7	4	2	2	-
Balance of county	2	30	4	4	5	4	-	2	4	-	-	4	36	24	16	8	3	8	-
Sabine	-	9	-	-	2	6	-	1	-	-	1	-	4	9	8	8	1	1	-
San Augustine	-	10	1	1	-	-	-	1	1	-	-	1	1	10	5	2	1	1	-
San Jacinto	1	8	-	-	2	5	-	-	-	-	-	-	1	8	4	7	1	-	-
San Patricio	-	28	1	6	7	8	-	9	-	-	6	12	34	29	18	7	7	7	2
San Saba	1	3	3	2	2	-	-	2	-	-	-	1	3	3	7	5	3	-	-
Schleicher	-	3	-	-	1	-	-	-	-	-	-	-	4	3	4	2	-	-	-
Scurry	-	6	2	1	5	11	1	4	4	-	1	1	11	13	10	7	5	1	-
Snyder	-	6	2	1	3	9	1	4	3	-	1	1	10	12	5	5	4	1	-
Balance of county	-	-	-	-	2	2	-	-	1	-	-	-	1	1	5	2	1	-	-
Shackelford	-	5	1	1	1	2	1	-	-	-	-	1	2	4	-	1	-	-	-
Shelby	1	30	3	-	7	3	-	5	1	-	3	2	19	18	9	5	3	6	-
Sherman	-	4	-	1	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-
Smith	8	97	13	12	25	28	2	8	7	-	8	17	19	82	53	22	21	20	-
Tyler	4	64	6	8	17	17	2	4	5	-	6	15	11	55	22	11	12	14	-
Balance of county	4	33	7	4	8	11	-	4	2	-	2	2	8	27	31	11	9	6	-
Somervell	-	7	-	-	3	-	-	-	1	-	-	-	2	5	1	1	-	-	-
Starr	-	10	4	-	2	3	-	3	4	1	2	3	4	10	5	6	3	4	-
Stephens	-	28	-	-	-	6	-	-	-	-	-	2	4	12	3	6	2	1	-
Sterling	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
Stonewall	-	1	-	2	2	2	-	2	-	-	-	1	1	2	2	3	-	1	-
Sutton	-	7	1	-	-	1	1	-	-	-	1	1	1	3	5	4	1	-	-
Swisher	-	12	1	3	1	4	-	-	-	-	-	-	4	7	4	2	-	3	-
Tarrant	31	592	119	47	150	231	25	83	57	-	55	101	60	499	220	182	122	141	15
Arlington	3	61	17	7	18	28	3	15	3	-	8	22	3	71	34	22	26	15	3
Bedford	-	7	1	1	-	5	1	-	-	-	3	4	-	4	6	2	2	-	-
Euless	-	3	1	3	1	3	-	1	-	-	3	6	1	5	2	3	4	2	-
Fort Worth, part	23	385	64	25	94	140	15	48	37	-	27	51	39	312	113	116	57	107	9
Fort Worth, total	23	385	64	25	94	140	15	48	37	-	27	51	39	312	113	116	57	107	9
Grand Prairie, part	-	2	3	-	1	1	-	3	-	-	-	-	-	4	4	-	-	-	-
Haltom City	-	19	6	-	4	8	3	2	1	-	1	1	5	19	6	7	1	2	1
Hurst	-	13	4	1	8	6	-	1	2	-	1	2	2	13	7	7	6	2	1
North Richland Hills	-	7	1	1	3	3	-	1	1	-	2	1	1	5	8	2	2	-	1
White Settlement	-	14	8	1	2	4	1	2	2	-	1	-	1	3	2	-	2	5	-
Balance of county	5	81	14	8	19	33	2	10	11	-	9	14	8	63	38	23	22	8	-
Taylor	5	127	17	12	26	35	1	8	5	-	8	13	46	65	34	35	15	11	3
Abilene, part	5	113	15	11	24	31	1	8	4	-	8	10	31	56	27	33	13	8	3
Abilene, total	5	113	15	11	24	31	1	8	4	-	8	10	33	56	27	33	13	8	3
Balance of county	-	14	2	1	2	4	-	-	1	-	-	3	15	9	7	2	2	3	-
Terrell	-	3	-	1	1	1	-	-	-	-	-	-	2	2	1	1	-	-	-
Terry	1	12	1	3	6	3	-	1	1	-	-	-	2	11	8	-	1	1	-
Throckmorton	-	5	1	-	-	2	-	-	-	-	-	-	-	4	1	1	-	-	-
Titus	-	32	7	2	10	6	1	3	4	-	2	-	4	17	7	6	5	3	-
Tom Green	2	94	14	12	11	45	2	15	7	-	6	7	16	50	28	24	15	9	-
San Angelo	2	86	13	11	9	37	2	14	7	-	6	7	16	44	24	18	15	8	-
Balance of county	-	8	1	1	2	8	-	1	-	-	-	-	-	6	4	6	-	1	-
Travis	9	172	115	15	61	71	15	39	32	1	29	35	35	192	90	77	68	50	5
Austin	9	157	107	13	58	60	15	38	28	1	26	34	29	168	76	72	61	46	5
Balance of county	-	15	8	2	3	11	-	1	4	-	3	1	6	24	14	5	7	4	-
Trinity	1	16	-	1	-	9	-	1	1	-	-	-	5	5	3	4	-	-	-
Tyler	-	20	1	4	15	2	-	-	-	-	1	2	2	10	7	9	1	1	-
Upshur	-	25	5	6	8	7	1	-	2	-	-	3	4	23	18	5	1	5	-
Upton	-	3	1	-	-	1	-	-	-	-	-	-	-	3	4	1	1	-	-
Uvalde	-	13	-	1	5	5	-	4	2	-	2	-	20	21	12	7	2	3	-
Uvalde	-	10	-	1	3	2	-	4	1	-	1	-	13	13	8	5	2	3	-
Balance of county	-	3	-	-	2	3	-	-	1	-	1	-	7	8	4	2	-	-	-
Val Verde	1	20	2	2	1	2	2	4	2	1	3	4	17	11	6	10	6	-	-
Del Rio	-	20	2	2	1	2	2	4	1	1	3	3	15	11	5	9	6	-	-
Balance of county	1	-	-	-	-	-	-	-	1	-	-	1	2	-	1	1	-	-	-
Van Zandt	1	35	4	1	15	8	1	4	1	-	2	3	7	18	20	12	3	-	2
Victoria	6	65	4	1	8	9	3	7	5	-	4	1	7	33	32	17	7	5	-
Victoria	6	54	2	1	8	6	3	7	5	-	3	1	5	24	20	14	6	5	-
Balance of county	-	11	2	-	-	3	-	-	-	-	1	-	2	9	12	3	1	-	-
Walker	2	20	3	4	5	10	-	3	1	-	1	4	7	16	14	6	1	6	-
Huntsville	1	15	3	3	3	8	-	-	1	-	-	2	4	6	6	2	-	4	-
Balance of county	1	5	-	1	2	2	-	3	-	-	1	2	3	10	8	4	1	2	-
Waller	1	11	4	2	1	3	2	3	1	2	1	1	6	15	13	2	3	1	-
Ward	-	8	2	2	3	4	1	2	1	-	1	-	4	7	13	9	6	1	1
Washington	-	33	3	3	10	7	-	3	1	-	-	-	3	12	9	6	2	3	-
Webb	2	45	4	2	23	9	1	13	7	-	11	18	40	48	20	20	10	17	3
Laredo	2	44	4	1	23	9	1	13	7	-	10	18	39	45	18	19	10	17	3
Balance of county	-	1	-	1	-	-	-	-	-	-	1	-	1	3	2	1	-	-	-
Wharton	3	31	3	3	4	13	1	1	2	-	1	3	37	19	14	15	5	3	-
Wheeler	-	5	1	2	4	3	1	-	3	-	-	1	2	6	6	2	1	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Texas—Con.																			
Wichita	1,024	-	-	7	210	49	56	17	31	10	11	36	12	511	376	3	18	258	97
Wichita Falls	820	-	-	6	166	41	41	14	24	7	8	31	12	411	305	3	16	202	84
Balance of county	204	-	-	1	44	8	15	3	7	3	3	5	-	100	71	-	2	56	13
Wilbarger	237	-	-	1	44	9	9	5	6	3	1	11	5	127	101	-	-	73	28
Vernon	212	-	-	1	40	9	9	4	5	3	-	10	5	113	91	-	-	67	24
Balance of county	25	-	-	-	4	-	-	1	1	-	1	1	-	14	10	-	-	6	4
Willacy	119	-	-	-	10	1	5	-	2	-	-	2	4	60	52	-	-	33	19
Williamson	574	-	-	3	111	24	21	13	11	5	4	33	5	313	218	2	-	167	49
Wilson	132	1	-	-	25	13	2	1	3	-	-	6	2	72	60	-	1	36	23
Winkler	93	-	-	-	20	2	7	2	1	3	1	4	3	47	37	-	1	26	10
Wise	261	-	-	-	43	15	10	-	4	3	2	9	2	142	99	-	1	70	28
Wood	318	-	-	-	67	11	19	3	9	2	3	20	1	177	137	-	1	91	45
Yoakum	53	-	-	-	14	5	3	-	2	-	-	4	1	18	14	-	-	11	3
Young	265	-	-	1	50	9	16	4	6	1	3	11	8	120	90	-	1	50	39
Zapata	51	-	-	-	10	-	4	1	-	2	-	3	2	20	16	-	-	9	7
Zavala	71	-	-	1	19	9	1	3	1	1	-	4	3	27	20	-	-	14	6
Utah	8,343	2	-	54	1,422	355	242	157	195	52	80	341	155	3,826	2,976	73	77	1,946	880
Urban places	3,725	-	-	25	626	168	124	71	86	16	31	130	60	1,841	1,426	41	45	940	400
Balance of area	4,618	2	-	29	796	187	118	86	109	36	49	211	95	1,985	1,550	32	32	1,006	480
Metropolitan counties	6,278	1	-	41	1,097	276	185	127	150	40	62	257	117	2,932	2,310	61	65	1,518	666
Urban places	3,455	-	-	24	583	154	113	67	81	14	30	124	54	1,716	1,344	38	44	883	379
Balance of area	2,823	1	-	17	514	122	72	60	69	26	32	133	63	1,216	966	23	21	635	287
Nonmetropolitan counties	2,065	1	-	13	325	79	57	30	45	12	18	84	38	894	666	12	12	428	214
Urban places	270	-	-	1	43	14	11	4	5	2	1	6	6	125	82	3	1	57	21
Balance of area	1,795	1	-	12	282	65	46	26	40	10	17	78	32	769	584	9	11	371	193
Beaver	42	-	-	2	7	2	1	1	2	-	-	1	-	19	15	1	-	10	4
Box Elder	230	-	-	3	41	9	9	3	8	3	1	8	4	104	71	1	1	47	22
Brigham City	116	-	-	1	17	4	8	1	1	1	-	2	4	56	40	1	1	26	12
Balance of county	114	-	-	2	24	5	1	2	7	2	1	6	-	48	31	-	-	21	10
Cache	287	-	-	1	49	16	4	6	6	2	3	12	8	128	86	3	-	61	22
Logan	154	-	-	-	26	10	3	3	4	1	1	4	2	69	42	2	-	31	9
Balance of county	133	-	-	1	23	6	1	3	2	1	2	8	6	59	44	1	-	30	13
Carbon	164	-	-	1	22	9	1	4	1	1	1	5	1	61	50	-	2	34	14
Daggett	7	-	-	-	1	-	-	1	-	-	-	-	-	3	2	-	-	2	-
Davis	543	-	-	2	73	18	14	7	9	-	4	21	8	261	197	3	2	141	51
Bountiful	171	-	-	-	24	7	6	5	4	-	-	2	3	93	71	-	1	54	16
Clearfield	65	-	-	-	9	2	3	-	1	-	-	3	2	30	25	-	1	15	9
Layton	80	-	-	1	10	4	-	1	1	-	2	2	1	38	28	1	-	18	9
Balance of county	227	-	-	1	30	5	5	1	3	-	2	14	2	100	73	2	-	54	17
Duchesne	81	-	-	-	8	3	-	1	-	-	-	4	2	37	33	1	-	14	18
Emery	73	-	-	1	12	2	5	1	1	2	1	-	3	23	19	-	-	8	11
Garfield	37	-	-	-	5	1	-	-	1	-	-	3	1	19	15	-	-	7	8
Grand	52	-	-	-	13	1	6	1	1	1	1	2	-	21	12	-	-	7	5
Iron	106	-	-	-	16	5	4	4	1	-	-	2	1	63	47	1	1	28	17
Juab	40	-	-	-	5	2	-	-	1	-	-	2	1	20	14	1	1	8	4
Kane	27	-	-	-	4	1	-	-	2	-	-	1	-	14	9	-	-	7	2
Millard	78	-	-	-	9	-	3	-	3	-	1	2	-	37	23	-	1	14	8
Morgan	29	-	-	2	6	2	-	-	1	-	-	3	2	13	7	-	-	5	2
Piute	11	-	-	-	1	-	-	-	-	-	-	1	-	8	7	-	1	5	1
Rich	9	-	-	-	-	-	-	-	-	-	-	-	-	5	5	-	-	4	1
Salt Lake	3,665	1	-	24	673	180	107	75	90	31	31	159	73	1,692	1,343	36	49	851	407
Murray	144	-	-	-	32	6	8	3	9	-	2	4	5	60	53	4	3	34	12
Salt Lake City	1,741	-	-	12	298	87	50	29	33	10	13	76	29	878	685	17	31	423	214
Balance of county	1,780	1	-	12	343	87	49	43	48	21	16	79	39	754	605	15	15	394	181
San Juan	57	-	-	-	6	2	3	-	-	-	-	1	1	14	9	-	-	9	-
Sanpete	128	-	-	-	19	5	2	2	3	1	1	5	1	62	50	-	-	36	14
Sevier	126	-	-	-	23	4	3	1	6	-	6	3	5	59	42	-	2	21	19
Summit	68	-	-	1	10	1	2	-	3	-	-	4	1	27	20	-	-	15	5
Tooele	142	-	-	1	24	4	7	2	1	1	3	6	4	51	38	2	-	27	9
Tooele	90	-	-	1	13	3	5	1	1	-	-	3	2	38	27	2	-	19	6
Balance of county	52	-	-	-	11	1	2	1	-	1	3	3	2	13	11	-	-	8	3
Uintah	131	-	-	1	13	2	2	1	2	1	1	4	2	41	38	1	1	21	15
Utah	911	-	-	3	147	33	22	22	20	3	15	32	19	433	346	5	11	220	110
Orem	160	-	-	-	28	8	9	5	3	1	2	-	2	69	57	-	2	34	21
Provo	272	-	-	1	38	7	2	9	6	-	6	8	3	143	110	3	3	75	29
Balance of county	479	-	-	2	81	18	11	8	11	2	7	24	14	221	179	2	6	111	60
Wasatch	61	-	-	-	10	1	3	1	-	-	-	5	1	24	21	1	-	11	9
Washington	206	1	-	1	45	11	9	3	3	1	2	16	3	82	63	2	1	48	12
Wayne	15	-	-	-	-	-	-	-	-	-	-	-	1	10	8	-	1	6	1
Weber	1,017	-	-	11	180	41	35	21	30	5	9	39	13	495	386	15	3	279	89
Ogden	643	-	-	9	110	25	25	12	20	3	5	20	7	317	249	11	3	178	57
Roy	89	-	-	-	21	5	5	2	3	-	-	6	-	50	39	-	-	33	6
Balance of county	285	-	-	2	49	11	5	7	7	2	4	13	6	128	98	4	-	68	26

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Wichita	4	115	7	9	26	29	2	9	13	-	4	22	9	77	32	27	18	13	3
Wichita Falls	4	90	6	6	18	27	2	8	11	-	3	16	8	67	20	17	13	12	3
Balance of county	-	25	1	3	8	2	-	1	2	-	1	6	1	10	12	10	5	1	-
Wilbarger	1	21	1	3	7	6	-	1	-	-	1	-	8	14	10	10	3	-	-
Vernon	1	17	1	3	6	4	-	1	-	-	1	-	8	13	9	9	2	-	-
Balance of county	-	4	-	-	1	2	-	-	-	-	-	-	-	1	1	1	1	-	-
Willacy	-	6	1	1	5	1	3	-	6	-	2	2	8	5	3	5	2	2	1
Williamson	1	79	12	3	9	15	1	7	3	-	3	5	12	37	27	11	8	3	1
Wilson	1	10	1	-	6	3	-	1	2	-	2	1	4	6	3	3	-	1	-
Winkler	-	7	2	1	2	1	2	1	1	-	-	2	4	4	2	1	1	2	-
Wise	1	35	4	3	7	7	-	3	3	-	4	1	13	16	14	5	-	1	-
Wood	-	38	2	-	13	10	-	1	1	-	1	-	3	25	8	6	1	4	-
Yoakum	-	3	-	1	3	3	-	-	-	1	-	1	3	2	4	2	-	1	-
Young	3	17	7	3	12	11	-	1	9	-	1	1	9	23	5	10	2	2	-
Zapata	-	4	-	-	2	2	-	1	1	-	2	1	2	2	2	4	-	-	-
Zavala	1	6	-	-	1	3	-	1	-	-	-	2	1	9	3	-	-	1	-
Utah	23	636	92	99	203	267	28	102	78	-	128	177	152	790	358	300	197	62	42
Urban places	14	298	45	58	94	110	10	53	36	-	53	69	58	338	117	108	80	30	17
Balance of area	9	338	47	41	109	157	18	49	42	-	75	108	94	452	241	192	117	32	25
Metropolitan counties	18	461	69	74	139	200	24	77	54	-	106	121	104	592	227	208	158	46	34
Urban places	12	267	41	52	82	104	9	52	36	-	47	60	52	317	103	98	73	28	17
Balance of area	6	194	28	22	57	96	15	25	18	-	59	61	52	275	124	110	85	18	17
Nonmetropolitan counties	5	175	23	25	64	67	4	25	24	-	22	56	48	198	131	92	39	16	8
Urban places	2	31	4	6	12	6	1	1	-	-	6	9	6	21	14	10	7	2	-
Balance of area	3	144	19	19	52	61	3	24	24	-	16	47	42	177	117	82	32	14	8
Beaver	-	2	1	1	-	1	-	3	1	-	-	-	2	4	1	-	1	1	-
Box Elder	-	23	5	5	12	7	-	1	3	-	2	3	-	16	15	16	2	1	-
Brigham City	-	8	4	4	8	3	-	1	-	-	2	-	-	7	7	9	-	1	-
Balance of county	-	15	1	1	4	4	-	-	3	-	-	3	-	9	8	7	2	-	-
Cache	3	36	1	2	12	5	1	1	1	-	6	14	7	26	13	5	9	1	-
Logan	2	23	-	2	4	3	1	-	-	-	4	9	6	14	7	1	7	1	-
Balance of county	1	13	1	-	8	2	-	1	1	-	2	5	1	12	6	4	2	-	-
Carbon	-	10	1	-	3	8	-	5	-	-	2	7	2	20	13	12	3	2	2
Daggett	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-
Davis	1	49	6	8	20	11	3	7	3	-	12	11	6	54	26	22	17	3	4
Bountiful	1	18	-	3	6	3	-	4	-	-	2	3	1	17	4	7	4	-	-
Clearfield	-	4	-	1	2	1	1	1	-	-	1	2	1	8	2	1	1	1	2
Layton	-	6	2	2	5	-	-	-	1	-	3	1	1	2	8	3	5	-	1
Balance of county	-	21	4	2	7	7	2	2	2	-	6	5	3	27	12	11	7	2	1
Duchesne	-	3	1	-	3	5	-	2	-	-	-	1	1	9	7	3	1	2	-
Emery	-	3	-	1	3	1	-	2	-	-	-	7	1	6	9	3	1	1	-
Garfield	-	4	-	-	-	-	-	-	-	-	-	2	2	5	1	1	-	-	1
Grand	1	5	2	1	2	1	-	1	-	-	1	2	2	5	3	-	-	-	1
Iron	-	11	4	1	3	3	-	-	-	-	-	3	1	6	5	3	2	-	-
Juab	-	3	2	1	-	1	-	-	-	-	-	-	1	5	4	2	-	-	1
Kane	-	5	-	-	2	-	-	-	1	-	-	-	-	3	-	1	2	-	-
Millard	-	11	-	3	5	1	1	1	-	-	-	2	3	6	6	4	3	-	-
Morgan	-	6	-	-	-	1	-	1	-	-	-	-	-	2	-	1	-	1	-
Piute	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Rich	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-
Salt Lake	14	262	42	31	71	127	11	46	35	-	52	51	53	357	133	123	92	33	18
Murray	-	6	1	-	1	7	-	3	2	-	2	2	4	16	3	2	3	-	2
Salt Lake City	9	140	25	19	34	54	2	27	23	-	14	17	18	166	55	56	33	19	6
Balance of county	5	116	16	12	36	66	9	16	10	-	36	32	31	175	75	65	56	14	10
San Juan	-	4	-	1	3	-	-	1	1	-	2	2	2	6	7	7	2	3	-
Sanpete	1	7	1	3	3	5	-	-	-	-	1	1	7	17	4	5	1	1	1
Sevier	-	14	1	2	3	4	-	1	2	-	2	2	3	12	5	4	-	-	1
Summit	-	4	2	1	1	3	1	1	4	-	1	1	3	4	3	5	1	-	1
Tooele	-	11	1	1	8	3	-	3	3	-	-	2	4	17	6	10	6	-	-
Tooele	-	9	1	1	6	2	-	3	2	-	-	1	3	10	3	4	2	-	-
Balance of county	-	2	-	-	2	1	-	-	1	-	-	1	1	7	3	6	4	-	-
Uintah	-	3	-	-	3	6	1	1	10	-	-	3	3	12	20	8	4	3	-
Utah	2	67	8	10	21	29	6	10	4	-	27	34	24	77	23	24	20	5	5
Orem	-	6	2	4	2	3	-	1	2	-	13	10	8	8	5	4	3	1	1
Provo	2	26	1	4	11	10	3	3	-	-	6	9	5	24	4	2	7	2	1
Balance of county	-	35	5	2	8	16	3	6	2	-	8	15	11	45	14	18	10	2	3
Wasatch	-	3	-	-	-	3	-	-	-	-	2	3	2	7	3	6	-	-	-
Washington	-	15	2	2	4	12	-	3	-	-	2	3	6	26	9	3	6	-	-
Wayne	-	2	-	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Weber	1	72	12	24	19	30	4	11	9	-	15	23	17	87	39	29	23	5	7
Ogden	-	44	9	15	13	23	3	10	5	-	5	15	10	61	19	16	12	5	3
Roy	-	8	-	3	2	1	-	-	1	-	1	-	1	5	-	3	3	-	1
Balance of county	1	20	3	6	4	6	1	1	3	-	9	8	6	21	20	10	8	-	3

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Vermont	4,322	-	-	29	956	263	230	82	114	43	31	193	60	2,112	1,657	12	35	1,148	462
Urban places	690	-	-	2	134	35	37	12	11	6	2	31	11	370	296	-	8	188	100
Balance of area	3,632	-	-	27	822	228	193	70	103	37	29	162	49	1,742	1,361	12	27	960	362
Nonmetropolitan counties	3,627	-	-	26	793	236	180	67	100	32	24	154	48	1,786	1,379	12	29	966	372
Urban places	374	-	-	2	62	18	10	8	6	2	1	17	5	223	170	-	5	113	52
Balance of area	3,253	-	-	26	731	218	170	59	94	30	23	137	43	1,563	1,209	12	24	853	320
Addison	223	-	-	3	39	12	11	5	6	1	-	4	4	107	88	1	-	54	33
Bennington	329	-	-	3	85	19	23	10	8	3	3	19	1	158	122	1	3	93	25
Caledonia	242	-	-	-	53	17	7	4	6	2	2	15	8	119	96	-	-	69	27
Chittenden	695	-	-	1	163	27	50	15	14	11	7	39	12	326	278	-	6	182	90
Burlington	316	-	-	-	72	17	27	4	5	4	1	14	6	147	126	-	3	75	48
Balance of county	379	-	-	1	91	10	23	11	9	7	6	25	6	179	152	-	3	107	42
Essex	67	-	-	1	19	7	1	1	2	2	1	5	1	31	23	-	-	17	6
Franklin	301	-	-	2	61	22	14	5	6	-	3	11	2	141	117	1	2	70	44
Grand Isle	45	-	-	2	13	6	3	-	1	-	1	2	2	19	16	2	-	12	2
Lamoille	125	-	-	2	33	11	10	2	6	1	1	2	1	61	46	-	-	27	19
Orange	203	-	-	-	51	14	10	4	10	1	3	9	2	95	76	1	-	60	15
Orleans	211	-	-	2	48	15	14	4	6	1	2	6	1	97	76	-	-	56	18
Rutland	596	-	-	3	114	29	29	14	11	6	2	23	11	318	243	1	7	163	72
Rutland	243	-	-	2	40	11	8	6	2	2	1	10	4	140	112	-	3	72	37
Balance of county	353	-	-	1	74	18	21	8	9	4	1	13	7	178	131	1	4	91	35
Washington	481	-	-	4	100	28	21	6	12	7	1	25	6	243	176	2	6	131	37
Barre	131	-	-	-	22	7	2	2	4	-	-	7	1	83	58	-	2	41	15
Balance of county	350	-	-	4	78	21	19	4	8	7	1	18	5	160	118	2	4	90	22
Windham	334	-	-	2	68	20	17	4	7	2	2	16	4	175	131	2	5	97	27
Windsor	470	-	-	4	109	36	20	8	19	6	3	17	5	222	169	1	6	115	47
Virginia	42,237	43	-	490	9,095	2,168	2,598	746	960	374	315	1,934	634	20,404	15,455	121	487	10,860	3,987
Urban places	17,659	23	-	234	3,869	903	1,144	308	385	158	124	847	257	8,427	6,387	46	217	4,464	1,660
Balance of area	24,578	20	-	256	5,226	1,265	1,454	438	575	216	191	1,087	377	11,977	9,068	75	270	6,396	2,327
Metropolitan counties	27,042	27	-	332	6,047	1,412	1,752	525	606	246	206	1,300	391	12,842	9,742	81	307	6,826	2,528
Urban places	16,185	20	-	220	3,557	822	1,065	279	349	145	117	780	233	7,706	5,853	43	207	4,081	1,522
Balance of area	10,857	7	-	112	2,490	590	687	246	257	101	89	520	158	5,136	3,889	38	100	2,745	1,006
Nonmetropolitan counties	15,195	16	-	158	3,048	756	846	221	354	128	109	634	243	7,562	5,713	40	180	4,034	1,459
Urban places	1,474	3	-	14	312	81	79	29	36	13	7	67	24	721	534	3	10	383	138
Balance of area	13,721	13	-	144	2,736	675	767	192	318	115	102	567	219	6,841	5,179	37	170	3,651	1,321
Accomack	393	-	-	3	97	26	28	8	6	5	8	16	7	197	139	1	5	102	31
Albemarle	381	1	-	6	91	21	33	8	7	2	2	18	7	168	127	1	2	99	25
Alleghany	109	-	-	3	22	6	5	1	1	-	1	8	1	61	49	-	-	41	8
Amelia	88	-	-	1	14	5	6	-	1	-	1	1	3	54	34	-	3	24	7
Amherst	230	-	-	5	41	9	14	5	4	-	-	9	7	119	82	1	4	52	25
Appomattox	110	-	-	3	31	8	10	1	7	1	-	4	1	49	35	-	2	24	9
Arlington #	1,070	3	-	11	266	55	82	29	26	13	3	58	15	510	373	7	7	286	73
Augusta	451	1	-	3	75	21	17	5	9	2	3	18	6	241	176	1	2	139	34
Bath	63	1	-	1	9	4	2	-	-	-	-	3	-	33	29	1	1	17	10
Bedford	278	-	-	2	53	6	18	1	2	7	2	17	3	128	91	-	2	60	29
Bland	60	-	-	-	12	4	4	1	1	-	-	2	2	34	26	-	-	21	5
Botetourt	204	-	-	1	42	6	11	7	4	3	-	11	2	105	79	-	2	48	29
Brunswick	184	-	-	1	26	5	9	2	2	1	-	7	2	107	88	-	7	59	22
Buchanan	266	-	-	2	37	6	10	4	4	3	-	10	4	148	117	-	6	91	20
Buckingham	114	-	-	2	15	3	2	3	3	-	-	4	1	73	54	-	3	35	16
Campbell	335	-	-	6	68	22	18	4	6	2	-	16	2	169	140	2	4	89	45
Caroline	174	-	-	1	46	15	15	1	6	1	-	8	5	69	54	-	1	33	20
Carroll	260	1	-	3	49	11	17	4	7	1	1	8	5	134	94	2	2	65	25
Charles City	42	1	-	1	8	2	3	-	2	-	1	-	1	16	14	-	-	13	1
Charlotte	133	-	-	3	25	4	10	2	3	1	2	3	2	68	51	-	1	37	13
Chesterfield	694	1	-	13	157	33	48	16	14	6	4	36	8	302	235	2	4	165	64
Clarke	110	-	-	-	25	8	6	2	2	-	1	6	-	57	40	1	1	25	13
Craig	51	-	-	-	12	3	4	1	2	-	1	1	-	29	25	-	-	19	6
Culpeper	231	-	-	2	52	12	11	3	8	3	3	12	2	112	87	-	-	57	30
Cumberland	74	-	-	3	14	1	3	1	2	1	-	6	-	33	25	-	3	16	6
Dickenson	174	-	-	2	34	13	11	-	4	-	-	6	2	74	63	-	1	52	10
Dinwiddie	179	-	-	1	39	11	8	4	6	2	1	7	2	89	62	1	5	47	9
Essex	101	-	-	1	27	7	6	-	4	3	1	6	2	46	38	-	-	29	9
Fairfax	2,429	-	-	22	664	158	171	91	61	24	22	137	32	1,090	814	18	17	591	188
Vienna	83	-	-	-	27	7	5	7	1	2	-	5	2	36	28	-	2	19	7
Balance of county	2,346	-	-	22	637	151	166	84	60	22	22	132	30	1,054	786	18	15	572	181
Fauquier	265	-	-	3	54	19	14	5	5	6	1	4	10	124	93	2	3	61	27
Floyd	97	-	-	-	11	2	3	1	-	2	-	3	2	55	40	-	2	26	12
Fluvanna	84	-	-	1	14	5	3	1	-	3	-	2	-	44	30	-	-	21	9
Franklin	294	-	-	6	57	16	15	4	10	3	-	9	3	136	103	-	-	82	21
Frederick	245	-	-	2	51	16	16	2	5	3	2	7	-	120	91	1	6	62	22
Giles	153	-	-	3	38	5	12	5	5	2	2	7	1	70	58	-	2	33	23
Gloucester	194	-	-	1	52	8	17	6	4	3	2	12	2	85	68	-	4	36	28
Goochland	116	-	-	2	28	7	5	3	5	2	3	3	3	45	29	-	1	22	6
Grayson	181	-	-	2	30	4	14	3	4	2	1	2	1	93	66	2	1	43	20
Greene	64	-	-	2	10	5	1	1	1	-	-	2	-	26	20	-	-	12	8
Greensville	87	-	-	-	16	4	1	2	3	-	-	6	-	51	44	1	2	35	6

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Vermont	12	314	59	70	134	172	25	70	36	-	26	27	20	353	100	99	85	17	1
Urban places	2	55	8	9	17	25	3	13	4	-	5	9	5	64	9	8	8	3	-
Balance of area	10	259	51	61	117	147	22	57	32	-	21	18	15	289	91	91	77	14	1
Nonmetropolitan counties	12	275	57	63	109	141	22	56	33	-	23	20	18	293	87	85	73	11	1
Urban places	2	38	7	6	8	10	-	4	3	-	2	6	3	33	5	4	4	-	-
Balance of area	10	237	50	57	101	131	22	52	30	-	21	14	15	260	82	81	69	11	1
Addison	-	13	-	6	10	11	-	2	1	-	3	1	1	19	12	7	3	-	-
Bennington	-	27	2	7	11	15	2	5	2	-	1	2	-	29	8	3	4	-	-
Caledonia	-	19	1	3	3	9	2	4	-	-	1	-	2	22	5	8	6	-	-
Chittenden	-	39	2	7	25	31	3	14	3	-	3	7	2	60	13	14	12	6	-
Burlington	-	17	1	3	9	15	3	9	1	-	3	3	2	31	4	4	4	3	-
Balance of county	-	22	1	4	16	16	-	5	2	-	-	4	-	29	9	10	8	3	-
Essex	-	7	1	-	2	1	-	3	-	-	-	-	-	6	-	-	3	-	-
Franklin	-	12	6	6	11	17	2	5	3	-	2	-	2	27	7	12	7	-	-
Grand Isle	-	2	-	1	3	1	-	-	-	-	-	-	-	4	-	1	-	-	-
Lamoille	1	9	2	3	1	7	1	-	-	-	-	-	1	7	-	6	3	2	-
Orange	-	13	3	3	6	8	-	1	-	-	2	-	1	13	11	8	2	-	-
Orleans	1	16	3	1	10	6	3	4	2	-	2	-	-	22	4	6	3	1	-
Rutland	2	46	12	15	9	24	1	9	3	-	4	5	5	55	15	9	8	3	-
Rutland	-	19	5	4	5	8	-	3	2	-	1	4	3	23	5	2	1	-	-
Balance of county	2	27	7	11	4	16	1	6	1	-	3	1	2	32	10	7	7	3	-
Washington	6	47	7	7	13	18	5	8	7	-	3	6	2	36	6	7	15	1	1
Barre	2	19	2	2	3	2	-	1	1	-	1	2	-	10	-	2	3	-	-
Balance of county	4	28	5	5	10	16	5	7	6	-	2	4	2	26	6	5	12	1	1
Windham	2	23	15	4	14	8	2	2	8	-	1	2	1	16	9	8	11	3	-
Windsor	-	41	5	7	16	16	4	10	7	-	4	4	3	37	10	10	8	1	-
Virginia	171	3,819	541	418	1,253	1,244	120	558	344	6	287	556	320	3,370	1,055	1,217	712	500	29
Urban places	78	1,601	195	166	532	506	50	279	143	4	123	294	132	1,451	307	489	264	260	15
Balance of area	93	2,218	346	252	721	738	70	279	201	2	164	262	188	1,919	748	728	448	240	14
Metropolitan counties	114	2,376	337	273	753	792	83	406	211	4	198	422	197	2,166	612	724	467	348	20
Urban places	67	1,456	177	153	474	452	47	262	134	4	115	282	121	1,325	277	447	245	249	15
Balance of area	47	920	160	120	279	340	36	144	77	-	83	140	76	841	335	277	222	99	5
Nonmetropolitan counties	57	1,443	204	145	500	452	37	152	133	2	89	134	123	1,204	443	493	245	152	9
Urban places	11	145	18	13	58	54	3	17	9	-	8	12	11	126	30	42	19	11	-
Balance of area	46	1,298	186	132	442	398	34	135	124	2	81	122	112	1,078	413	451	226	141	9
Accomack	-	43	7	8	7	11	-	3	1	-	5	3	3	34	4	11	2	5	-
Albemarle	-	33	5	3	6	8	-	4	1	-	6	2	5	27	13	14	15	6	1
Alleghany	-	10	2	-	-	5	-	1	1	-	-	1	-	6	1	3	1	3	-
Amelia	-	14	3	3	-	1	-	1	-	1	1	1	-	5	4	2	-	-	-
Amherst	1	29	5	2	9	5	2	2	2	-	4	1	3	12	9	5	3	1	-
Appomattox	-	13	1	-	4	4	-	2	-	-	-	1	1	6	5	3	-	-	-
Arlington #	4	105	17	11	25	26	6	22	9	-	9	10	5	76	20	29	14	11	3
Augusta	3	44	13	5	16	17	1	2	5	-	1	-	-	35	16	22	7	3	-
Bath	-	4	-	-	3	4	-	1	-	-	1	-	1	3	5	1	-	-	-
Bedford	1	26	9	1	8	14	3	-	1	-	1	4	6	20	8	14	8	5	-
Bland	1	7	-	-	1	1	-	2	-	-	-	-	-	4	1	1	2	-	-
Botetourt	-	20	2	4	9	10	-	1	2	-	1	1	-	15	3	5	5	2	-
Brunswick	-	16	1	2	3	6	-	2	2	-	-	3	2	13	7	5	2	3	-
Buchanan	-	29	1	1	6	5	-	2	1	-	1	4	3	15	8	14	7	8	1
Buckingham	-	13	6	-	2	-	1	1	-	-	-	1	2	7	2	3	-	4	-
Campbell	-	21	2	6	7	4	1	3	3	-	2	6	1	33	12	11	4	3	-
Caroline	1	13	-	1	5	3	-	5	1	-	1	3	1	15	8	5	3	3	-
Carroll	1	32	7	-	13	9	-	2	4	-	1	3	1	21	4	5	4	1	-
Charles City	-	2	-	-	2	1	-	1	-	-	-	-	1	5	2	2	-	1	-
Charlotte	-	15	2	-	5	3	1	-	2	-	2	-	1	9	5	6	-	1	-
Chesterfield	3	49	8	7	20	29	2	10	4	-	6	12	4	46	25	22	19	14	-
Clarke	-	16	1	-	5	5	-	2	1	-	1	-	-	8	2	4	-	-	-
Craig	-	4	-	-	1	1	-	-	-	-	-	-	-	3	-	2	3	-	-
Culpeper	1	20	3	1	7	1	-	1	2	-	2	5	3	13	8	14	6	1	-
Cumberland	-	5	3	-	4	1	-	-	-	-	-	-	-	11	4	3	-	1	-
Dickenson	-	9	-	2	6	8	1	1	1	-	1	5	2	19	4	7	7	-	-
Dinwiddie	-	25	1	1	7	3	-	3	1	-	-	2	-	18	5	8	-	1	-
Essex	1	6	-	1	4	3	-	-	3	-	2	-	1	4	5	1	1	1	-
Fairfax	12	184	41	39	36	72	6	41	13	-	22	35	17	167	73	53	67	17	2
Vienna	-	7	-	1	-	1	2	3	1	-	3	-	1	4	1	1	1	-	-
Balance of county	12	177	41	38	36	71	4	38	12	-	19	35	16	163	72	52	66	17	2
Fauquier	-	20	7	4	8	11	1	5	-	-	2	2	1	16	10	8	3	4	3
Floyd	-	10	1	4	2	-	-	1	1	-	2	1	-	10	2	8	2	-	-
Fluvanna	-	12	1	1	1	3	-	-	1	-	1	-	2	11	2	1	2	1	-
Franklin	-	29	3	1	18	7	1	3	3	-	-	7	7	20	7	6	9	4	-
Frederick	1	23	2	3	7	8	-	4	2	-	1	1	5	21	11	6	3	3	-
Giles	-	10	2	-	4	8	-	4	-	-	2	1	-	9	4	5	3	1	-
Gloucester	3	11	1	2	9	6	-	3	3	-	2	1	2	13	10	3	1	1	-
Goochland	2	9	1	4	2	3	-	1	1	-	-	3	1	13	6	5	2	1	-
Grayson	-	19	5	3	6	8	-	2	3	-	-	1	1	14	7	4	9	-	-
Greene	-	5	1	-	8	3	-	1	3	-	-	-	-	7	-	2	-	2	-
Greensville	-	4	2	1	1	1	-	-	2	-	1	1	2	6	3	1	-	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Virginia—Con.																			
Halifax	306	1	-	4	56	10	17	7	7	2	2	11	5	158	121	-	15	89	17
Hanover	377	-	-	4	95	21	24	7	8	3	2	30	2	182	137	-	5	90	42
Henrico	1,578	2	-	15	337	79	97	35	34	15	16	61	19	810	612	3	19	440	150
Henry	427	-	-	4	91	19	22	16	8	5	5	16	8	206	151	1	5	107	38
Highland	35	-	-	-	5	2	2	-	-	-	-	1	-	18	12	-	-	10	2
Isle of Wight	196	1	-	4	53	17	26	1	3	-	1	5	7	82	60	-	1	40	19
James City	139	-	-	1	28	7	7	1	-	2	2	9	2	55	39	-	1	29	9
King and Queen	81	-	-	3	21	3	7	-	6	2	2	1	1	31	21	-	-	13	8
King George	83	-	-	-	18	3	7	3	1	1	-	3	1	41	31	2	2	22	5
King William	87	-	-	1	14	4	4	-	2	-	1	3	3	48	32	1	1	19	11
Lancaster	165	-	-	1	35	9	12	2	2	4	-	6	1	100	65	-	-	54	11
Lee	264	1	-	3	47	8	14	5	5	2	4	9	3	138	108	-	2	89	17
Loudoun	319	-	-	-	77	21	20	6	4	3	5	18	2	149	124	2	2	96	24
Louisa	194	-	-	4	44	13	13	4	5	1	1	7	5	91	71	-	2	50	19
Lunenburg	152	1	-	4	26	8	5	1	5	-	-	7	2	78	62	-	4	40	18
Madison	95	-	-	-	26	6	7	2	2	-	2	7	-	44	32	-	1	24	7
Mathews	124	-	-	-	31	6	9	2	2	-	1	11	2	63	47	-	1	38	8
Mecklenburg	350	-	-	5	52	19	8	2	6	2	2	13	13	182	135	1	7	84	43
Middlesex	94	-	-	1	21	8	4	2	4	1	-	2	2	43	33	-	3	21	9
Montgomery	333	-	-	1	57	12	8	8	7	2	-	20	6	168	145	1	3	97	44
Nelson	148	-	-	7	24	3	9	-	2	-	1	9	3	82	61	-	3	44	14
New Kent	54	-	-	1	17	1	7	1	2	1	-	5	1	21	17	-	-	13	4
Northampton	206	1	-	4	54	12	14	4	10	-	2	12	3	89	59	1	1	43	14
Northumberland	132	-	-	2	33	6	11	1	8	-	2	5	2	68	43	-	1	34	8
Nottoway	179	-	-	5	32	9	8	3	3	3	2	4	1	86	67	1	1	43	22
Orange	176	-	-	2	32	10	6	3	2	2	1	8	2	86	63	-	4	37	22
Page	213	-	-	1	47	16	13	1	5	1	2	9	4	94	75	1	3	49	22
Patrick	155	1	-	2	37	12	11	3	4	1	1	5	2	71	46	-	-	35	11
Pittsylvania	567	-	-	4	119	28	32	5	23	2	9	20	14	276	207	-	3	143	61
Powhatan	79	-	-	1	17	3	8	1	1	-	-	4	2	36	25	-	-	18	7
Prince Edward	171	-	-	3	36	3	9	2	2	5	1	14	3	74	42	-	-	28	14
Prince George	98	-	-	1	21	4	3	3	4	1	1	5	1	40	30	-	-	26	4
Prince William	584	-	-	6	125	21	34	14	11	6	7	32	16	235	193	2	4	122	65
Pulaski	315	-	-	4	72	17	18	7	8	1	3	18	3	136	100	1	-	81	18
Pulaski	115	-	-	2	27	7	9	2	3	-	1	5	3	50	36	-	-	31	5
Balance of county	200	-	-	2	45	10	9	5	5	1	2	13	-	86	64	1	-	50	13
Rappahannock	63	-	-	-	13	2	7	-	1	-	-	3	1	33	25	-	-	16	9
Richmond	90	1	-	2	24	6	7	-	6	1	1	3	4	35	25	1	-	21	3
Roanoke	551	2	-	3	99	27	27	9	10	4	2	20	8	303	218	1	5	148	64
Rockbridge	171	-	-	-	34	7	7	5	3	-	1	11	5	87	68	1	2	50	15
Rockingham	443	-	-	3	74	18	12	7	11	2	4	20	7	245	186	1	5	120	60
Russell	235	1	-	-	38	8	12	4	4	-	2	8	2	118	81	1	2	59	19
Scott	243	-	-	1	56	10	20	2	9	5	1	9	1	121	90	1	1	71	17
Shenandoah	286	1	-	1	60	13	18	3	6	3	3	14	1	147	115	-	3	69	43
Smyth	348	-	-	1	74	22	27	3	5	2	2	13	6	200	172	2	6	111	53
Southampton	171	-	-	1	38	10	9	1	3	5	1	9	2	85	67	1	8	47	11
Spotsylvania	200	-	-	3	47	10	19	1	2	2	5	8	1	88	63	1	1	42	19
Stafford	208	-	-	2	48	10	15	6	2	3	1	11	1	89	70	1	2	54	13
Surry	58	-	-	-	14	2	3	2	2	-	1	4	1	26	18	-	-	13	5
Sussex	109	-	-	2	22	5	8	1	4	-	-	4	3	51	40	-	-	32	8
Tazewell	457	1	-	4	81	17	24	8	8	1	3	20	9	230	176	1	7	123	45
Warren	185	-	-	3	37	11	6	3	10	1	1	5	1	96	78	1	5	54	18
Washington	404	-	-	1	91	27	23	7	8	7	2	17	12	200	153	3	7	111	32
Westmoreland	168	-	-	2	33	11	12	2	1	1	-	6	3	87	74	-	-	57	17
Wise	407	-	-	1	84	22	23	4	12	5	4	14	11	187	153	1	4	113	35
Wythe	275	-	-	1	50	12	11	2	13	2	2	8	2	129	93	-	2	63	28
York	245	-	-	3	68	14	18	7	6	5	4	14	3	105	87	1	1	67	18
Independent Cities [7]																			
Alexandria	796	-	-	9	191	40	57	20	20	5	9	40	11	351	269	2	11	183	73
Bedford	120	-	-	2	26	6	3	2	9	3	-	3	5	65	47	-	1	33	13
Bristol [8]	219	-	-	1	45	9	16	2	5	2	1	10	2	117	84	-	5	65	14
Buena Vista	70	-	-	-	14	2	7	-	-	-	1	4	2	29	23	-	1	13	9
Charlottesville	350	-	-	3	71	15	19	4	4	3	4	22	9	169	120	2	-	87	31
Chesapeake	826	-	-	12	188	45	62	14	19	11	6	31	13	378	304	-	17	216	71
Clifton Forge	78	-	-	-	14	8	1	-	2	-	1	2	-	45	36	-	-	26	10
Colonial Heights	152	-	-	2	33	10	7	6	1	3	1	5	2	86	62	-	1	49	12
Covington	107	-	-	1	16	5	6	1	2	-	-	2	2	64	49	1	2	35	11
Danville	562	1	-	5	105	25	34	7	14	4	6	15	20	298	213	2	7	166	38
Emporia	72	-	-	1	18	6	2	1	3	1	1	4	1	41	34	-	-	30	4
Fairfax	132	-	-	2	41	13	10	2	1	1	1	13	4	50	33	-	-	23	10
Falls Church	88	-	-	2	26	5	6	3	2	1	1	8	-	29	20	-	3	12	5
Franklin	81	-	-	2	29	5	14	-	3	-	2	5	1	33	26	-	2	20	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Virginia—Con.																			
Halifax	1	27	5	4	17	6	1	2	3	-	1	2	1	17	11	12	4	5	-
Hanover	3	32	7	3	7	9	3	6	-	-	5	4	1	25	13	7	9	5	-
Henrico	5	146	30	17	44	51	5	21	12	-	9	14	7	140	27	28	23	14	-
Henry	2	46	2	5	14	6	3	7	3	-	5	5	5	27	15	11	8	9	-
Highland	-	6	-	-	-	-	-	2	1	-	-	1	1	5	-	2	-	-	-
Isle of Wight	-	18	2	2	6	7	-	2	1	-	1	-	2	17	4	4	4	-	1
James City	1	10	1	4	7	6	-	2	2	-	-	4	1	14	9	5	1	2	-
King and Queen	-	10	-	-	3	1	1	-	1	-	2	-	-	10	2	3	2	-	-
King George	-	9	1	-	3	4	-	1	-	-	1	1	-	5	4	3	1	-	-
King William	-	14	1	1	3	2	-	-	-	-	-	1	-	7	2	5	-	1	-
Lancaster	1	28	5	1	5	1	1	1	1	-	-	-	2	8	4	2	2	1	-
Lee	-	25	3	2	13	4	-	4	2	-	-	2	1	22	8	7	7	2	-
Loudoun	-	20	4	1	6	8	2	5	4	-	2	3	3	27	13	11	4	3	-
Louisa	1	18	-	1	6	7	-	1	2	-	1	1	-	15	5	6	4	2	-
Lunenburg	-	13	2	1	4	5	-	-	2	-	1	1	-	13	7	4	2	2	-
Madison	-	10	2	-	2	2	-	2	-	-	2	-	-	12	1	3	1	-	-
Mathews	1	7	6	2	4	2	-	-	-	-	1	-	1	12	4	1	2	1	-
Mecklenburg	2	37	4	4	6	8	-	5	6	-	1	2	2	22	9	24	6	7	-
Middlesex	-	8	-	2	5	2	-	2	1	-	-	-	2	5	3	2	4	1	-
Montgomery	1	17	3	2	9	8	1	6	3	-	3	3	3	29	8	12	11	5	-
Nelson	2	17	1	1	6	4	-	-	2	-	-	1	2	12	1	2	2	-	-
New Kent	-	3	-	1	1	1	-	-	-	-	-	-	1	3	3	2	1	2	-
Northampton	-	27	1	2	5	4	-	-	2	-	-	2	2	22	10	5	-	2	1
Northumberland	1	15	3	6	3	3	1	1	3	-	-	-	-	9	3	2	1	1	-
Nottoway	3	14	2	-	7	4	-	1	2	-	2	2	2	17	5	8	4	1	-
Orange	-	21	1	1	9	3	1	-	2	-	2	1	1	19	5	6	4	1	-
Page	1	14	2	2	8	9	-	1	4	-	1	-	2	17	7	9	6	3	-
Patrick	-	20	3	2	3	6	-	3	2	-	-	1	2	11	6	5	3	-	-
Pittsylvania	2	53	10	4	14	13	2	5	2	-	3	7	2	49	24	14	10	8	1
Powhatan	3	4	4	-	1	2	2	1	-	-	-	-	-	9	6	2	-	-	-
Prince Edward	1	20	9	2	7	5	-	4	3	-	4	1	1	19	1	8	2	-	-
Prince George	-	10	-	-	2	1	-	1	1	-	1	4	-	11	7	2	4	1	-
Prince William	-	33	6	3	6	25	1	10	5	-	10	16	6	39	37	14	24	9	-
Pulaski	1	29	3	3	12	19	1	2	5	-	-	2	2	37	5	9	2	4	-
Pulaski	-	11	1	2	2	5	-	-	1	-	-	-	1	18	1	2	1	2	-
Balance of county	1	18	2	1	10	14	1	2	4	-	-	2	1	19	4	7	1	2	-
Rappahannock	-	7	1	-	3	2	-	2	-	-	-	-	1	3	2	3	-	-	-
Richmond	-	10	-	-	4	-	1	1	2	-	-	-	-	6	1	6	2	1	-
Roanoke	1	64	12	8	25	17	3	6	5	-	1	1	2	48	7	10	10	1	-
Rockbridge	-	16	2	1	4	6	-	3	2	-	-	1	1	17	6	3	1	1	-
Rockingham	-	54	1	4	19	10	3	3	1	-	2	7	1	27	15	11	7	7	1
Russell	1	30	2	4	8	5	-	3	5	-	2	3	4	22	9	5	4	2	-
Scott	2	25	1	3	14	11	3	3	-	-	2	-	1	13	2	9	5	1	-
Shenandoah	1	28	2	1	7	9	1	2	5	-	1	3	5	24	7	3	6	2	1
Smyth	1	20	3	4	6	10	1	5	5	-	1	2	2	21	3	9	-	2	-
Southampton	2	14	2	-	4	2	-	-	3	-	2	-	3	17	7	4	1	2	-
Spotsylvania	-	17	6	2	2	5	-	2	3	-	3	3	1	13	13	8	3	5	-
Stafford	1	13	3	2	7	3	1	-	-	-	2	3	2	18	20	8	3	1	-
Surry	-	8	-	-	2	3	-	-	-	-	1	-	-	3	4	4	-	-	-
Sussex	1	8	2	-	2	4	-	-	-	-	1	3	-	9	2	5	3	2	-
Tazewell	4	37	6	7	15	18	-	4	1	-	3	7	5	31	19	19	7	3	-
Warren	-	15	-	3	8	10	-	-	-	-	1	1	1	15	4	4	4	-	-
Washington	2	37	5	3	15	11	4	2	4	-	1	2	3	31	7	18	2	-	-
Westmoreland	1	8	3	1	8	4	2	1	1	-	-	2	-	14	2	3	4	2	-
Wise	-	26	4	4	12	13	2	6	3	-	3	7	5	44	9	15	2	3	-
Wythe	2	27	1	6	16	9	-	3	1	1	2	1	5	24	7	12	9	3	-
York	1	16	-	1	5	13	-	3	1	-	4	4	1	17	5	9	4	-	-
Independent Cities[7]																			
Alexandria	2	59	10	11	19	29	1	23	10	-	2	21	9	54	21	15	16	12	2
Bedford	2	13	3	-	-	3	2	-	2	-	-	-	-	6	1	2	3	2	1
Bristol[8]	-	29	1	3	12	11	2	6	1	-	-	-	-	15	2	-	3	2	-
Buena Vista	-	5	-	1	5	3	-	1	1	-	-	-	-	6	3	2	3	1	-
Charlottesville	-	44	5	-	14	7	-	9	2	-	3	-	4	23	9	16	7	4	-
Chesapeake	2	59	4	9	25	23	-	7	6	1	7	19	7	67	23	24	10	15	1
Clifton Forge	-	6	-	3	6	2	-	2	-	-	-	-	-	6	1	1	1	-	-
Colonial Heights	1	19	1	3	2	3	3	-	-	-	-	3	3	6	1	4	3	1	-
Covington	-	15		-	3	2	-	2	1	-	2	1	-	5	1	5	2	-	-
Danville	4	69	6	6	23	14	1	7	4	-	-	5	3	39	12	14	7	4	-
Emporia	-	6	1	-	-	-	-	1	1	-	-	-	1	5	-	1	1	1	-
Fairfax	-	11	3	3	1	3	-	5	2	-	1	3	-	6	9	2	2	1	-
Falls Church	-	7	1	1	3	3	1	5	-	-	2	3	1	7	2	2	1	-	1
Franklin	2	5	-	-	1	2	-	3	-	-	-	2	-	7	-	-	1	-	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Virginia—Con.																			
Fredericksburg	170	1	-	1	47	8	8	4	6	3	3	15	4	74	60	-	-	43	17
Galax	81	-	-	-	9	3	3	-	1	-	1	1	-	51	40	1	-	34	5
Hampton	858	1	-	24	196	35	82	16	12	8	5	38	13	387	317	1	8	213	95
Harrisonburg	140	-	-	2	22	6	4	6	2	1	-	3	4	72	49	-	1	31	17
Hopewell	219	-	-	4	51	11	19	3	2	3	3	10	2	107	86	-	2	61	23
Lexington	59	-	-	-	11	5	3	-	-	1	-	2	1	28	19	-	-	11	8
Lynchburg	762	-	-	3	140	34	37	10	14	9	5	31	6	442	327	-	15	230	82
Martinsville	187	-	-	-	41	9	11	4	5	1	-	11	5	96	73	-	-	54	19
Newport News	1,099	2	-	18	245	64	77	14	22	7	10	51	12	494	402	4	7	270	121
Norfolk	2,242	4	-	24	492	109	154	30	48	14	20	117	24	1,073	829	5	52	518	254
Norton	46	-	-	-	9	1	2	-	3	-	-	3	2	22	19	-	-	13	6
Petersburg	460	-	-	6	96	33	23	10	7	1	5	17	6	215	154	-	4	126	24
Portsmouth	984	4	-	12	224	61	55	17	26	10	4	51	11	480	371	2	19	250	100
Radford	91	-	-	-	20	6	5	1	2	1	-	5	-	48	38	-	-	26	12
Richmond	2,562	4	-	42	513	108	150	35	58	22	18	122	39	1,225	890	6	29	611	244
Roanoke	1,202	1	-	16	252	65	63	21	30	11	7	55	15	593	457	3	9	327	118
Salem	225	-	-	2	38	7	8	4	5	4	-	8	3	128	93	2	1	69	21
South Boston	89	-	-	1	9	2	2	-	1	1	1	2	4	49	35	2	5	22	6
Staunton	251	-	-	4	44	13	11	2	4	4	-	10	4	128	89	-	3	69	17
Suffolk ⁴	513	-	-	7	94	29	22	7	14	1	2	19	10	268	200	-	9	136	55
Virginia Beach	1,294	-	-	22	319	71	99	25	32	11	8	73	24	538	421	7	8	300	106
Waynesboro	155	-	-	1	32	8	9	2	5	2	1	5	-	71	52	2	2	44	4
Williamsburg	76	-	-	-	16	7	4	-	1	-	-	4	-	35	25	-	-	16	9
Winchester	258	2	-	3	63	19	16	7	7	1	2	11	2	118	88	-	2	50	36
Washington	32,031	17	2	197	7,008	1,769	1,982	580	804	321	290	1,262	559	15,111	11,278	140	302	8,001	2,835
Urban places	16,985	12	-	121	3,636	976	966	308	450	157	151	628	300	8,186	5,993	88	174	4,150	1,581
Balance of area	15,046	5	2	76	3,372	793	1,016	272	354	164	139	634	259	6,925	5,285	52	128	3,851	1,254
Metropolitan counties	25,078	12	1	160	5,519	1,404	1,537	480	649	240	220	990	435	11,765	8,784	119	248	6,170	2,247
Urban places	15,174	10	-	108	3,259	884	866	281	403	136	130	559	264	7,285	5,361	79	153	3,698	1,431
Balance of area	9,904	2	1	52	2,260	520	671	199	245	104	90	431	171	4,480	3,423	40	95	2,472	816
Nonmetropolitan counties	6,953	5	1	37	1,489	365	445	100	156	81	70	272	124	3,346	2,494	21	54	1,831	588
Urban places	1,811	2	-	13	377	92	100	27	47	21	21	69	36	901	632	9	21	452	150
Balance of area	5,142	3	1	24	1,112	273	345	73	109	60	49	203	88	2,445	1,862	12	33	1,379	438
Adams	72	-	-	-	18	5	3	2	-	1	1	6	4	29	22	-	1	13	8
Asotin	149	-	-	-	29	11	2	1	6	-	1	8	1	80	49	-	2	36	11
Benton	539	-	-	2	123	40	37	8	13	1	7	17	12	213	159	1	8	126	24
Kennewick	185	-	-	1	31	9	8	-	6	1	1	6	6	78	63	1	3	55	4
Richland	192	-	-	1	44	15	15	4	3	-	2	1	3	78	56	-	3	41	12
Balance of county	162	-	-	-	48	12	14	4	4	-	4	10	3	57	40	-	2	30	6
Chelan	482	2	-	1	105	24	37	5	10	11	5	13	7	239	165	-	8	130	27
Wenatchee	248	1	-	1	53	13	17	3	6	7	3	4	6	127	86	-	8	60	18
Balance of county	234	1	-	-	52	11	20	2	4	4	2	9	1	112	79	-	-	75	9
Clallam	509	1	-	6	110	31	32	9	6	5	5	22	9	248	192	1	6	124	61
Port Angeles	200	1	-	3	39	10	12	2	2	2	2	9	2	103	71	-	5	37	29
Balance of county	309	-	-	3	71	21	20	7	4	3	3	13	7	145	121	1	1	87	32
Clark	1,410	-	-	10	306	80	86	27	32	13	12	56	30	672	522	8	20	423	71
Vancouver	691	-	-	3	142	43	39	12	17	7	3	21	13	348	265	3	12	221	29
Balance of county	719	-	-	7	164	37	47	15	15	6	9	35	17	324	257	5	8	202	42
Columbia	47	-	-	-	10	3	3	-	-	2	-	2	-	27	20	-	-	17	3
Cowlitz	588	-	-	1	123	34	28	11	13	3	5	29	9	289	228	4	5	176	43
Kelso	104	-	-	-	25	4	4	2	4	1	-	10	2	53	38	2	1	27	8
Longview	264	-	-	1	55	18	14	8	3	2	3	7	6	129	103	1	3	83	16
Balance of county	220	-	-	-	43	12	10	1	6	-	2	12	1	107	87	1	1	66	19
Douglas	158	-	-	-	38	5	10	1	4	6	3	8	2	82	58	-	1	48	9
Ferry	37	-	-	-	2	-	1	-	1	-	-	-	1	15	13	-	-	10	3
Franklin	239	-	-	-	48	16	15	3	4	-	3	7	7	104	86	5	3	65	13
Pasco	181	-	-	-	39	13	13	3	3	-	1	6	6	81	67	4	2	51	10
Balance of county	58	-	-	-	9	3	2	-	1	-	2	1	1	23	19	1	1	14	3
Garfield	23	-	-	-	3	-	1	-	2	-	-	-	-	12	9	-	-	5	4
Grant	316	-	-	3	69	7	24	6	3	6	1	22	13	131	105	-	2	84	19
Moses Lake	70	-	-	2	16	5	2	3	-	2	1	3	5	34	24	-	1	19	4
Balance of county	246	-	-	1	53	2	22	3	3	4	-	19	8	97	81	-	1	65	15
Grays Harbor	642	-	-	7	148	36	41	9	22	5	8	27	7	323	240	4	3	178	55
Aberdeen	203	-	-	3	54	14	13	1	9	3	2	12	1	93	67	1	-	57	9
Hoquiam	98	-	-	-	23	5	8	1	5	2	1	1	2	50	37	1	-	23	13
Balance of county	341	-	-	4	71	17	20	7	8	-	5	14	4	182	136	2	3	98	33
Island	296	-	-	-	74	22	27	5	6	-	4	10	7	125	96	-	2	67	27
Jefferson	144	-	-	-	45	12	15	4	1	6	3	4	4	58	45	-	1	27	17
King	9,653	7	-	78	2,134	564	542	197	247	90	87	407	157	4,429	3,273	47	93	2,096	1,037
Auburn	207	-	-	1	38	9	9	4	5	2	1	8	5	101	71	1	1	50	19
Bellevue	437	-	-	3	110	21	27	16	13	4	5	24	8	167	121	3	4	83	31
Kent	153	-	-	1	32	5	8	2	6	3	1	6	-	65	52	3	-	34	15
Kirkland	103	-	-	1	42	11	8	2	7	2	3	9	1	84	58	1	-	43	14
Mercer Island City	116	-	-	1	27	9	6	2	4	-	1	5	1	50	38	2	2	27	7
Redmond	137	-	-	-	32	5	5	3	4	1	4	10	4	55	41	1	1	33	6
Renton	289	-	-	1	72	14	25	5	10	2	3	13	4	133	105	3	1	64	37
Seattle	5,538	7	-	50	1,202	344	308	102	136	50	48	214	99	2,649	1,963	24	64	1,202	673
Balance of county	2,583	-	-	17	579	146	145	61	62	26	21	118	35	1,125	824	9	20	560	235

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Virginia—Con																			
Fredericksburg	3	10	1	-	8	4	-	-	-	-	1	3	1	14	6	1	2	3	-
Galax	-	9	1	1	1	6	-	-	-	-	-	-	-	11	1	1	1	-	-
Hampton	4	54	6	6	21	14	6	16	5	-	14	21	9	66	11	19	17	18	-
Harrisonburg	1	18	3	1	6	5	1	2	1	-	-	2	1	9	4	6	2	1	-
Hopewell	-	16	4	1	6	5	-	3	-	-	1	2	3	16	6	6	4	3	-
Lexington	-	7	1	1	1	3	1	-	1	-	-	-	-	7	5	1	-	-	-
Lynchburg	4	93	12	6	17	19	2	13	5	-	2	8	3	63	4	14	12	9	-
Martinsville	1	21	-	1	4	5	-	2	1	-	1	2	2	15	3	6	2	2	-
Newport News	1	66	6	19	38	32	2	17	9	1	8	18	7	105	28	29	13	19	2
Norfolk	15	202	13	14	62	59	5	32	25	1	19	52	17	177	37	66	27	42	4
Norton	-	1	1	1	1	2	1	-	-	-	-	-	-	5	1	2	-	1	-
Petersburg	1	54	3	3	12	9	6	5	6	-	5	7	4	48	8	16	5	6	-
Portsmouth	3	97	5	4	35	16	1	12	9	-	10	23	7	78	15	21	9	17	-
Radford	-	9	1	-	8	6	-	2	-	-	-	-	-	6	1	-	-	-	-
Richmond	18	238	52	27	74	76	4	36	20	1	13	48	19	239	23	96	37	51	2
Roanoke	4	108	14	10	36	38	2	23	9	-	4	6	11	114	11	39	17	15	-
Salem	1	29	1	4	15	7	1	1	2	-	-	1	-	22	2	3	2	-	-
South Boston	-	12	1	1	1	3	-	1	1	-	1	1	-	8	2	7	-	1	-
Staunton	2	28	5	4	9	7	-	2	2	-	3	3	2	23	4	10	4	2	-
Suffolk *	6	48	11	3	10	20	2	9	8	-	2	16	10	33	10	8	2	3	1
Virginia Beach	3	90	13	11	34	57	2	17	9	-	12	32	8	100	32	31	38	19	-
Waynesboro	4	11	4	-	11	7	1	4	1	-	-	1	-	18	4	2	2	-	-
Williamsburg	-	9	-	1	1	1	-	1	-	-	2	1	2	10	1	3	3	-	-
Winchester	-	22	3	5	7	13	1	3	2	-	1	-	4	18	6	10	4	1	-
Washington	122	2,830	547	334	893	1,290	107	481	229	4	263	305	272	2,486	901	984	631	242	49
Urban places	67	1,612	323	191	514	678	51	265	125	2	121	155	145	1,379	348	466	321	142	18
Balance of area	55	1,218	224	143	379	612	56	216	104	2	142	150	127	1,107	553	518	310	100	31
Metropolitan counties	104	2,202	416	259	705	1,011	83	393	179	4	210	257	210	1,948	668	759	517	209	33
Urban places	59	1,417	278	170	463	605	48	243	111	2	109	139	126	1,217	318	421	296	133	17
Balance of area	45	785	138	89	242	406	35	150	68	2	101	118	84	731	350	338	221	76	16
Nonmetropolitan counties	18	628	131	75	188	279	24	88	50	-	53	48	62	538	233	225	114	33	16
Urban places	8	195	45	21	51	73	3	22	14	-	12	16	19	162	30	45	25	9	1
Balance of area	10	433	86	54	137	206	21	66	36	-	41	32	43	376	203	180	89	24	15
Adams	-	4	3	-	1	3	1	-	-	-	1	1	-	3	4	4	1	1	1
Asotin	1	19	5	6	2	9	1	2	1	-	-	1	2	10	4	3	2	1	1
Benton	1	44	2	7	11	29	2	11	2	-	7	7	2	64	20	17	11	5	1
Kennewick	-	11	1	3	3	8	1	6	1	-	2	2	-	23	9	7	3	4	-
Richland	-	19	1	2	6	9	1	4	1	-	4	2	1	26	2	5	4	-	1
Balance of county	1	14	-	2	2	12	-	1	-	-	1	3	1	15	9	5	4	1	-
Chelan	2	55	13	4	9	16	4	3	2	-	1	2	4	44	15	19	6	3	-
Wenatchee	2	27	9	3	6	9	1	1	1	-	1	1	2	22	3	8	4	1	-
Balance of county	-	28	4	1	3	7	3	2	1	-	-	1	2	22	12	11	2	2	-
Clallam	-	44	10	2	15	22	-	3	5	-	-	3	1	51	12	10	9	3	1
Port Angeles	-	26	5	1	7	9	-	1	1	-	-	3	-	24	3	4	-	-	-
Balance of county	-	18	5	1	8	13	-	2	4	-	-	-	1	27	9	6	9	3	1
Clark	10	98	22	20	37	58	5	16	4	-	12	18	14	96	41	48	24	15	4
Vancouver	5	51	13	14	21	31	3	6	2	-	5	8	8	47	21	15	10	6	2
Balance of county	5	47	9	6	16	27	2	10	2	-	7	10	6	49	20	33	14	9	2
Columbia	-	6	-	1	-	3	-	-	-	-	-	-	-	5	1	1	-	-	-
Cowlitz	-	44	10	7	23	28	1	12	5	-	6	3	2	45	16	12	11	2	1
Kelso	-	12	1	2	2	4	-	3	1	-	-	-	1	7	1	2	2	-	1
Longview	-	18	6	2	12	11	-	4	2	-	3	2	1	22	6	3	6	1	-
Balance of county	-	14	3	3	9	13	1	5	2	-	2	1	-	16	9	7	3	1	-
Douglas	2	18	3	1	2	3	-	1	-	-	2	1	-	4	6	10	6	1	-
Ferry	-	1	1	-	-	1	-	1	-	-	-	-	1	-	5	4	4	-	3
Franklin	2	14	2	-	4	13	-	8	1	-	4	2	-	22	9	14	1	2	-
Pasco	1	11	2	-	3	12	-	5	1	-	4	2	-	16	5	4	1	2	-
Balance of county	1	3	-	-	1	1	-	3	-	-	-	-	-	6	4	10	-	-	-
Garfield	-	2	1	-	-	1	1	-	-	-	-	-	-	3	1	2	-	-	-
Grant	-	18	5	3	7	11	1	5	2	-	3	4	7	26	16	12	3	3	-
Moses Lake	-	5	4	1	2	2	-	-	1	-	-	-	-	4	-	1	1	2	-
Balance of county	-	13	1	2	5	9	1	5	1	-	3	4	7	22	16	11	2	1	-
Grays Harbor	1	66	9	9	9	26	3	7	8	-	5	6	8	33	16	18	10	3	1
Aberdeen	1	22	2	1	6	5	-	3	3	-	2	5	5	11	4	5	3	1	-
Hoquiam	-	12	1	-	1	8	-	1	1	-	-	1	-	7	1	3	-	-	-
Balance of county	-	32	6	8	3	13	3	3	4	-	3	2	3	15	11	10	7	2	1
Island	-	24	3	2	12	12	1	6	3	-	5	3	-	23	13	7	3	1	1
Jefferson	1	8	3	2	5	9	-	1	-	-	-	-	-	12	2	5	1	1	-
King	44	873	131	108	313	354	36	169	81	1	62	93	70	818	233	294	218	100	9
Auburn	1	24	4	1	5	7	1	3	4	-	2	3	1	12	12	3	5	4	-
Bellevue	1	37	7	1	14	28	4	5	3	-	6	2	4	41	16	17	8	1	-
Kent	-	10	1	2	2	10	-	2	4	-	3	2	-	11	10	4	6	1	-
Kirkland	1	15	7	3	10	6	-	2	1	-	-	4	2	26	4	5	4	1	-
Mercer Island City	1	9	-	2	7	1	1	1	2	-	-	-	1	10	6	3	5	-	-
Redmond	3	8	2	1	1	7	-	3	-	-	5	2	1	15	3	8	1	-	-
Renton	1	20	6	1	10	7	1	7	3	-	1	4	2	21	8	8	6	1	-
Seattle	22	530	62	72	181	185	17	109	40	1	22	44	39	450	92	164	105	66	7
Balance of county	14	220	42	25	83	103	12	37	24	-	23	32	20	223	82	82	78	26	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Washington—Con																			
Kitsap	1,076	-	-	2	241	53	62	23	35	18	11	39	20	498	409	1	10	311	87
Bremerton	393	-	-	1	87	25	18	7	15	6	1	15	7	181	144	-	1	121	22
Balance of county	683	-	-	1	154	28	44	16	20	12	10	24	13	317	265	1	9	190	65
Kittitas	217	-	-	2	51	13	8	3	11	3	2	11	2	101	73	1	-	43	29
Ellensburg	87	-	-	-	20	1	5	1	5	-	1	7	1	40	25	-	-	12	13
Balance of county	130	-	-	2	31	12	3	2	6	3	1	4	1	61	48	1	-	31	16
Klickitat	142	-	-	-	34	7	9	4	1	2	1	10	-	63	44	1	2	29	12
Lewis	520	-	-	1	120	32	31	2	13	10	9	23	10	259	188	1	-	161	26
Centralia	172	-	-	1	37	8	8	1	5	2	4	9	1	91	63	1	-	50	12
Balance of county	348	-	-	-	83	24	23	1	8	8	5	14	9	168	125	-	-	111	14
Lincoln	103	-	-	1	19	2	8	1	2	1	1	4	-	60	50	1	1	33	15
Mason	268	2	-	1	63	16	22	5	6	2	4	8	3	124	97	-	1	80	16
Okanogan	285	-	-	1	68	14	26	4	6	4	3	11	7	131	105	1	-	67	37
Pacific	248	-	-	4	52	12	22	2	4	1	2	9	6	108	86	-	2	61	23
Pend Oreille	63	-	-	-	9	1	3	1	2	-	1	1	1	31	20	-	-	17	3
Pierce	3,703	1	-	18	816	196	250	81	97	40	32	120	63	1,745	1,270	12	37	969	252
Puyallup	205	-	-	-	45	9	14	5	7	1	1	8	6	106	86	1	3	59	23
Tacoma	1,818	1	-	9	386	111	102	34	53	19	17	50	27	883	606	6	20	459	121
Balance of county	1,680	-	-	9	385	76	134	42	37	20	14	62	30	756	578	5	14	451	108
San Juan	64	-	-	-	10	3	5	-	-	2	-	-	1	34	23	1	-	11	11
Skagit	614	-	-	2	116	32	39	10	11	6	3	15	10	317	242	-	8	193	41
Skamania	38	-	-	-	7	2	2	-	2	1	-	-	1	20	17	2	-	8	7
Snohomish	2,243	1	-	13	502	120	154	32	52	23	11	110	37	1,057	779	14	15	533	217
Edmonds	232	-	-	1	50	11	14	2	6	-	2	15	2	102	83	1	1	57	24
Everett	639	-	-	6	136	34	41	12	15	9	1	24	8	316	199	4	4	129	62
Lynnwood	140	-	-	1	32	3	10	2	2	1	2	12	4	59	50	-	-	34	16
Mountlake Terrace	60	-	-	-	12	1	5	-	3	-	-	3	1	26	19	2	-	11	6
Balance of county	1,172	1	-	5	272	71	84	16	26	13	6	56	22	554	428	7	10	302	109
Spokane	2,899	-	-	21	621	151	180	55	79	27	27	102	52	1,423	1,051	16	27	733	275
Spokane	1,924	-	-	17	402	100	115	34	55	19	17	62	36	964	700	13	16	497	174
Balance of county	975	-	-	4	219	51	65	21	24	8	10	40	16	459	351	3	11	236	101
Stevens	225	-	1	2	45	10	15	4	10	1	1	4	2	88	61	1	-	43	17
Thurston	939	1	-	3	240	57	65	23	35	5	15	40	17	443	356	3	18	235	100
Olympia	316	1	-	-	73	26	12	9	12	1	3	10	4	161	133	2	8	83	40
Balance of county	623	-	-	3	167	31	53	14	23	4	12	30	13	282	223	1	10	152	60
Wahkiakum	38	-	-	-	6	4	1	-	-	-	-	1	-	21	14	-	3	10	1
Walla Walla	464	-	-	1	70	16	19	7	8	3	5	12	13	233	163	1	4	113	45
Walla Walla	324	-	-	1	47	13	15	4	7	-	4	4	10	165	106	1	3	75	27
Balance of county	140	-	-	-	23	3	4	3	1	3	1	8	3	68	57	-	1	38	18
Whatcom	791	-	1	6	176	53	34	18	22	12	5	32	18	391	289	3	10	229	47
Bellingham	435	-	-	4	91	27	18	12	7	6	5	16	9	230	170	2	3	139	26
Balance of county	356	-	1	2	85	26	16	6	15	6	-	16	9	161	119	1	7	90	21
Whitman	201	-	-	4	45	11	11	4	6	-	2	11	4	95	69	2	2	47	18
Pullman	41	-	-	1	8	1	2	1	1	-	-	3	-	16	12	2	-	9	1
Balance of county	160	-	-	3	37	10	9	3	5	-	2	8	4	79	57	-	2	38	17
Yakima	1,586	2	-	10	312	74	112	13	32	11	10	60	22	790	590	9	7	450	124
Yakima	693	1	-	6	134	35	45	9	14	2	8	21	10	368	271	2	4	205	60
Balance of county	893	1	-	4	178	39	67	4	18	9	2	39	12	422	319	7	3	245	64
West Virginia	19,053	20	1	127	3,723	856	1,083	296	363	176	170	779	357	9,886	7,959	63	228	5,591	2,077
Urban places	5,506	7	1	36	1,132	272	316	109	113	54	42	226	109	2,931	2,331	18	83	1,570	660
Balance of area	13,547	13	-	91	2,591	584	767	187	250	122	128	553	248	6,955	5,628	45	145	4,021	1,417
Metropolitan counties	7,139	11	1	46	1,489	335	447	137	149	68	53	300	130	3,729	2,998	26	99	2,005	868
Urban places	3,769	7	1	25	784	186	216	79	87	36	21	159	69	2,024	1,616	10	62	1,076	468
Balance of area	3,370	4	-	21	705	149	231	58	62	32	32	141	61	1,705	1,382	16	37	929	400
Nonmetropolitan counties	11,914	9	-	81	2,234	521	636	159	214	108	117	479	227	6,157	4,961	37	129	3,586	1,209
Urban places	1,737	-	-	11	348	86	100	30	26	18	21	67	40	907	715	8	21	494	192
Balance of area	10,177	9	-	70	1,886	435	536	129	188	90	96	412	187	5,250	4,246	29	108	3,092	1,017
Barbour	173	-	-	-	22	6	9	1	1	1	-	4	1	105	82	2	1	62	17
Berkeley	405	-	-	7	82	15	25	5	8	4	8	17	15	192	141	2	3	94	42
Martinsburg	202	-	-	5	42	8	13	4	4	1	4	8	9	92	65	1	-	42	22
Balance of county	203	-	-	2	40	7	12	1	4	3	4	9	6	100	76	1	3	52	20
Boone	276	1	-	1	47	8	19	2	4	2	2	10	5	128	94	-	1	59	34
Braxton	176	-	-	1	45	13	9	7	2	1	6	7	5	96	68	-	-	54	14
Brooke	320	-	-	-	75	18	25	9	5	4	1	13	6	156	132	1	1	103	27
Weirton, part	43	-	-	-	12	3	3	3	1	-	-	2	1	21	17	-	-	16	1
Balance of county	277	-	-	-	63	15	22	6	4	4	1	11	5	135	115	1	1	87	26
Cabell	1,165	1	1	8	254	66	69	22	28	14	6	49	24	622	493	2	12	343	136
Huntington, part	831	1	1	6	178	51	49	16	17	10	3	32	14	456	362	1	11	255	95
Huntington, total	892	1	1	6	194	52	55	20	18	11	3	35	15	485	386	1	13	270	102
Balance of county	334	-	-	2	76	15	20	6	11	4	3	17	10	166	131	1	1	88	41
Calhoun	99	1	-	-	20	6	4	1	2	2	1	4	4	47	33	-	-	22	11
Clay	119	-	-	-	10	3	3	-	1	-	-	3	-	64	58	-	2	43	13
Doddridge	90	-	-	4	18	4	5	2	1	2	-	4	-	43	39	-	1	32	6
Fayette	630	1	-	6	105	16	35	7	7	8	4	28	10	323	268	1	6	192	69
Gilmer	76	-	-	1	13	1	5	-	1	1	-	5	2	38	33	-	-	25	8
Grant	92	-	-	-	14	4	2	-	4	-	1	3	5	51	40	1	1	31	7
Greenbrier	407	-	-	1	70	20	16	7	6	3	2	16	6	219	169	1	2	118	48
Hampshire	141	-	-	1	37	8	12	2	4	2	1	8	-	64	50	1	4	36	9
Hancock	377	-	-	2	78	14	23	10	7	3	2	19	6	206	162	2	8	130	22
Weirton, part	199	-	-	1	43	11	9	6	4	2	2	9	5	109	86	2	2	67	15
Weirton, total	242	-	-	1	55	14	12	9	5	2	2	11	6	130	103	2	2	83	16
Balance of county	178	-	-	1	35	3	14	4	3	1	-	10	1	97	76	-	6	63	7

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Washington—Con.																			
Kitsap	2	66	12	9	36	50	7	19	4	1	12	13	12	75	24	33	19	6	4
Bremerton	1	26	5	5	17	18	1	3	1	1	3	4	5	32	5	12	10	4	1
Balance of county	1	40	7	4	19	32	6	16	3	-	9	9	7	43	19	21	9	2	3
Kittitas	2	16	6	4	6	10	-	6	-	-	1	-	2	19	10	4	2	1	-
Ellensburg	2	7	2	4	4	3	-	3	-	-	-	-	2	8	2	1	2	1	-
Balance of county	-	9	4	-	2	7	-	3	-	-	1	-	-	11	8	3	-	-	-
Klickitat	2	13	3	1	7	5	1	1	1	-	2	2	4	16	3	2	1	-	-
Lewis	1	55	10	5	16	17	1	4	4	-	5	7	4	35	18	13	6	-	-
Centralia	1	21	4	2	3	5	1	1	2	-	3	1	1	19	2	3	1	-	-
Balance of county	-	34	6	3	13	12	-	3	2	-	2	6	3	16	16	10	5	-	-
Lincoln	-	8	2	-	3	5	-	2	1	-	2	-	1	5	-	4	-	-	-
Mason	-	23	3	1	9	9	-	6	3	-	2	-	4	16	10	12	4	-	-
Okanogan	-	21	3	2	7	10	-	3	1	-	4	2	3	20	14	4	8	1	1
Pacific	2	14	2	4	4	10	-	6	2	-	2	-	2	23	5	18	4	1	1
Pend Oreille	-	10	-	1	3	4	-	-	-	-	-	1	-	8	-	5	1	-	-
Pierce	17	366	62	30	88	154	12	57	26	-	38	55	27	260	110	105	92	33	3
Puyallup	-	18	1	1	7	4	-	-	1	-	5	2	-	11	3	4	10	1	-
Tacoma	9	216	36	16	50	70	8	30	14	-	16	27	14	130	40	51	40	21	1
Balance of county	8	132	25	13	31	80	4	27	11	-	17	26	13	119	67	50	42	11	2
San Juan	-	7	1	3	4	3	-	-	-	-	1	-	-	6	-	2	3	-	-
Skagit	1	57	14	3	19	24	5	6	4	-	3	4	2	47	20	15	12	5	3
Skamania	-	3	-	-	1	1	-	-	-	-	-	-	-	3	3	-	2	-	-
Snohomish	8	184	63	23	51	90	6	35	12	1	26	20	24	165	66	79	46	9	3
Edmonds	-	14	3	2	14	6	-	2	4	-	3	2	1	21	6	11	7	-	-
Everett	4	66	40	7	14	20	3	13	2	-	5	4	9	61	11	19	9	2	1
Lynnwood	1	4	2	2	3	6	-	2	-	-	4	3	-	14	5	5	2	-	-
Mountlake Terrace	-	6	1	-	2	4	-	2	2	-	1	1	1	2	3	1	2	-	-
Balance of county	3	94	17	12	18	54	3	16	4	1	13	10	13	67	41	43	26	7	2
Spokane	10	266	71	25	68	139	7	31	26	-	25	24	29	218	65	70	61	17	2
Spokane	5	187	52	20	45	100	4	23	18	-	11	15	20	146	30	36	43	12	2
Balance of county	5	79	19	5	23	39	3	8	8	-	14	9	9	72	35	34	18	5	-
Stevens	-	19	5	3	6	9	3	6	3	-	2	3	5	17	17	11	4	-	1
Thurston	4	66	4	13	18	32	3	16	5	-	7	9	6	63	24	26	16	9	1
Olympia	1	24	-	3	9	10	2	4	2	-	2	-	3	20	7	10	4	3	1
Balance of county	3	42	4	10	9	22	1	12	3	-	5	9	3	43	17	16	12	6	-
Wahkiakum	-	4	2	1	-	4	-	1	-	-	-	-	1	2	1	1	-	1	-
Walla Walla	2	49	13	6	14	21	-	5	1	-	5	-	6	47	13	21	9	4	1
Walla Walla	2	41	11	5	8	16	-	5	1	-	3	-	5	34	7	14	5	3	-
Balance of county	-	8	2	1	6	5	-	-	-	-	2	-	1	13	6	7	4	1	1
Whatcom	2	73	22	5	22	28	2	7	7	-	7	4	8	57	19	22	10	4	2
Bellingham	-	40	18	2	11	17	1	3	3	-	3	4	3	32	5	11	5	2	1
Balance of county	2	33	4	3	11	11	1	4	4	-	4	-	5	25	14	11	5	2	1
Whitman	1	20	1	4	4	3	1	1	4	-	2	3	3	15	8	6	2	1	-
Pullman	-	4	-	-	1	1	1	-	1	-	-	3	2	4	1	1	1	-	-
Balance of county	1	16	1	4	3	2	-	1	3	-	2	-	1	11	7	5	1	1	-
Yakima	4	152	25	19	57	64	3	24	11	1	10	12	18	110	57	51	19	9	4
Yakima	2	71	14	10	28	39	-	8	2	-	2	2	11	41	15	18	6	2	-
Balance of county	2	81	11	9	29	25	3	16	9	1	8	10	7	69	42	33	13	7	4
West Virginia	59	1,463	239	166	474	741	54	239	171	2	124	178	175	1,439	438	514	236	127	27
Urban places	13	463	73	51	138	178	20	77	51	1	23	44	59	401	86	118	53	35	6
Balance of area	46	1,000	166	115	336	563	34	162	120	1	101	134	116	1,038	352	396	183	92	21
Metropolitan counties	24	548	87	72	167	228	24	92	73	1	36	69	65	515	145	182	78	49	9
Urban places	11	316	49	32	85	107	13	57	33	1	14	30	42	275	57	83	37	22	3
Balance of area	13	232	38	40	82	121	11	35	40	-	22	39	23	240	88	99	41	27	6
Nonmetropolitan counties	35	915	152	94	307	513	30	147	98	1	88	109	110	924	293	332	158	78	18
Urban places	2	147	24	19	53	71	7	20	18	-	9	14	17	126	29	35	16	13	3
Balance of area	33	768	128	75	254	442	23	127	80	1	79	95	93	798	264	297	142	65	15
Barbour	-	17	5	1	5	7	1	-	1	-	2	2	2	18	3	4	-	-	-
Berkeley	-	36	13	2	12	18	1	9	1	-	4	4	1	31	7	9	6	5	1
Martinsburg	-	17	8	2	5	8	-	6	1	-	2	3	1	18	2	3	2	3	-
Balance of county	-	19	5	-	7	10	1	3	-	-	2	1	-	13	5	6	4	2	1
Boone	2	26	5	1	6	14	-	4	-	-	1	7	3	23	13	13	9	1	-
Braxton	-	25	2	1	4	3	1	1	-	-	-	1	3	6	3	4	3	-	-
Brooke	-	20	3	1	13	10	1	4	6	-	3	4	-	20	9	7	3	3	-
Weirton, part	-	3	-	1	1	-	-	1	1	-	-	-	-	6	-	-	-	-	-
Balance of county	-	17	3	-	12	10	1	3	5	-	3	4	-	14	9	7	3	3	-
Cabell	1	104	13	11	17	32	4	12	6	-	5	4	9	95	19	30	9	11	2
Huntington, part	1	76	10	7	11	22	3	9	4	-	2	3	9	65	9	22	8	7	1
Huntington, total	1	79	12	7	12	25	3	10	5	-	2	3	9	71	9	23	9	8	1
Balance of county	-	28	3	4	6	10	1	3	2	-	3	1	-	30	10	8	1	4	1
Calhoun	-	10	3	1	2	3	-	-	1	-	-	2	-	9	7	2	-	1	-
Clay	1	5	-	-	2	7	-	4	-	-	1	2	2	10	3	9	5	-	-
Doddridge	-	3	-	1	1	1	1	-	-	-	1	3	-	10	1	4	3	-	-
Fayette	4	44	2	5	13	31	-	11	7	-	7	6	6	49	22	17	7	5	1
Gilmer	1	3	-	1	3	4	-	1	1	-	1	-	1	8	2	1	-	-	-
Grant	-	10	1	-	2	2	-	-	-	-	1	1	-	3	5	8	-	-	-
Greenbrier	2	39	8	1	7	20	-	3	5	-	3	4	1	42	7	12	3	4	-
Hampshire	-	12	1	1	5	5	-	-	3	-	4	2	-	6	5	8	1	-	-
Hancock	2	36	4	2	3	13	1	5	3	-	3	3	5	27	8	7	3	4	-
Weirton, part	1	19	2	1	2	5	-	3	1	-	1	3	2	16	3	3	-	2	-
Weirton, total	1	22	2	2	3	5	-	4	2	-	1	3	2	22	3	3	-	2	-
Balance of county	1	17	2	1	1	8	1	2	2	-	2	-	3	11	5	4	3	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402, 404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
West Virginia—Con.																			
Hardy	99	-	-	-	15	3	4	-	3	1	-	4	3	57	47	-	-	38	9
Harrison	875	-	-	3	200	60	51	17	19	10	12	31	14	478	383	3	11	285	84
Clarksburg	351	-	-	-	74	22	21	6	6	5	3	11	4	195	153	-	4	114	35
Balance of county	524	-	-	3	126	38	30	11	13	5	9	20	10	283	230	3	7	171	49
Jackson	220	-	-	1	51	17	14	5	4	1	2	8	6	108	86	-	6	68	12
Jefferson	286	-	-	2	57	7	24	4	4	5	1	12	3	151	123	-	1	104	18
Kanawha	2,332	5	-	17	489	92	158	33	49	25	24	108	40	1,177	943	9	36	534	364
Charleston	892	2	-	6	173	36	46	14	22	4	6	45	14	463	361	1	16	192	152
St. Albans	178	-	-	-	35	7	9	2	4	5	1	7	3	94	73	-	6	41	26
South Charleston	160	-	-	2	42	9	12	2	4	5	2	8	4	80	62	-	1	36	25
Balance of county	1,102	3	-	9	239	40	91	15	19	11	15	48	19	540	447	8	13	265	161
Lewis	221	-	-	-	39	16	7	3	2	2	-	9	2	111	88	1	2	43	42
Lincoln	210	-	-	1	29	5	12	1	2	1	1	7	5	109	83	1	3	52	27
Logan	471	-	-	2	86	18	27	6	7	3	4	20	13	225	197	1	6	143	47
McDowell	469	3	-	9	86	18	26	3	13	2	5	19	9	215	178	2	2	135	39
Marion	722	-	-	4	141	32	32	12	14	4	9	38	18	400	317	7	2	224	84
Fairmont	338	-	-	2	67	16	22	4	6	1	5	13	10	188	150	3	1	105	41
Balance of county	384	-	-	2	74	16	10	8	8	3	4	25	8	212	167	4	1	119	43
Marshall	333	-	-	2	70	21	16	5	8	2	1	17	10	191	157	1	4	120	32
Moundsville	149	-	-	2	29	6	8	2	5	-	-	8	6	87	75	-	2	55	18
Balance of county	184	-	-	-	41	15	8	3	3	2	1	9	4	104	82	1	2	65	14
Mason	236	-	-	3	43	9	16	1	5	5	-	7	3	121	88	1	2	68	17
Mercer	771	-	-	6	134	34	42	14	10	4	5	25	23	401	322	5	19	232	66
Bluefield *	238	-	-	2	38	10	11	7	3	1	-	7	7	121	93	2	3	66	22
Balance of county	533	-	-	4	96	24	31	7	7	3	5	18	16	280	229	3	16	166	44
Mineral	252	-	-	-	49	6	15	4	7	2	4	11	6	136	111	1	2	72	36
Mingo	369	1	-	1	76	21	22	2	8	3	7	13	2	167	155	-	2	93	60
Monongalia	538	-	-	2	128	19	29	15	6	10	10	39	10	271	214	2	7	134	71
Morgantown	268	-	-	2	59	9	14	7	1	5	6	17	5	138	113	2	6	65	40
Balance of county	270	-	-	-	69	10	15	8	5	5	4	22	5	133	101	-	1	69	31
Monroe	135	-	-	1	18	3	4	-	-	2	4	5	1	72	57	-	-	45	12
Morgan	82	-	-	4	14	4	5	1	1	-	2	1	2	37	30	-	-	21	9
Nicholas	246	1	-	1	34	5	9	1	3	-	2	14	5	114	90	-	1	60	29
Ohio	741	2	-	6	148	32	38	17	17	7	7	30	5	430	338	3	13	255	67
Wheeling	621	2	-	5	129	26	34	13	17	5	7	27	4	360	284	2	12	219	51
Balance of county	120	-	-	1	19	6	4	4	-	2	-	3	1	70	54	1	1	36	16
Pendleton	70	-	-	-	7	4	-	1	-	-	2	-	3	35	26	-	-	22	4
Pleasants	73	-	-	1	11	1	1	-	3	2	-	4	1	34	29	-	-	25	4
Pocahontas	109	-	-	2	27	8	7	4	3	-	1	4	1	54	46	-	4	37	5
Preston	261	-	-	3	50	8	19	4	5	1	2	11	3	139	110	3	3	68	36
Putnam	298	1	-	3	67	15	20	6	4	1	3	18	6	133	111	-	3	68	40
Raleigh	838	1	-	2	149	43	50	6	17	7	10	16	17	433	368	1	22	269	76
Beckley	340	-	-	-	67	21	19	2	6	5	3	11	5	173	141	-	7	102	32
Balance of county	498	1	-	2	82	22	31	4	11	2	7	5	12	260	227	1	15	167	44
Randolph	279	-	-	2	57	13	12	3	7	3	1	18	2	142	97	-	2	73	22
Ritchie	148	-	-	-	31	15	5	3	1	2	1	4	1	80	66	-	-	53	13
Roane	179	-	-	-	35	5	8	4	7	1	4	6	-	108	90	-	-	77	13
Summers	179	-	-	1	34	4	11	2	5	3	-	9	3	100	86	-	1	68	17
Taylor	185	-	-	1	31	5	9	2	4	2	4	5	3	96	76	-	1	60	25
Tucker	90	-	-	-	18	5	8	2	-	1	-	2	5	48	37	-	2	26	9
Tyler	108	-	-	-	14	1	8	2	-	1	-	2	3	61	49	1	-	41	7
Upshur	208	-	-	1	38	8	9	2	3	1	2	13	1	120	93	-	4	62	27
Wayne	420	-	-	4	75	15	30	7	9	3	2	9	4	220	181	2	8	133	38
Huntington, part	61	-	-	-	16	1	6	4	1	1	-	3	1	29	24	-	2	15	7
Balance of county	359	-	-	4	59	14	24	3	8	2	2	6	3	191	157	2	6	118	31
Webster	110	-	-	1	17	4	3	-	3	2	-	5	3	53	44	1	1	24	18
Wetzel	202	-	-	3	38	7	8	4	6	1	-	12	4	114	93	-	2	76	15
Wirt	40	-	-	-	4	3	1	-	-	-	-	-	1	24	20	-	-	14	6
Wood	861	2	-	4	180	53	52	24	15	7	3	26	22	434	350	5	12	233	100
Parkersburg	542	2	-	2	99	28	29	14	9	3	-	16	15	282	237	4	9	155	69
Vienna	93	-	-	1	28	8	11	3	3	1	-	2	2	43	35	-	1	25	9
Balance of county	226	-	-	1	53	17	12	7	3	3	3	8	5	109	78	1	2	53	22
Wyoming	273	-	-	2	44	15	10	1	8	2	1	7	5	133	118	-	2	102	14
Wisconsin	40,560	26	2	275	8,816	2,448	1,888	802	1,120	426	383	1,749	740	21,040	16,329	161	412	12,512	3,244
Urban places	19,905	18	2	137	4,343	1,197	1,005	412	528	208	180	813	359	10,293	7,970	84	251	6,149	1,486
Balance of area	20,655	8	-	138	4,473	1,251	883	390	592	218	203	936	381	10,747	8,359	77	161	6,363	1,758
Metropolitan counties	25,006	18	2	169	5,503	1,517	1,243	517	675	278	228	1,045	435	12,805	9,912	115	299	7,656	1,842
Urban places	17,795	17	2	126	3,897	1,062	926	372	467	188	165	717	308	9,133	7,079	82	233	5,450	1,314
Balance of area	7,211	1	-	43	1,606	455	317	145	208	90	63	328	127	3,672	2,833	33	66	2,206	528
Nonmetropolitan counties	15,554	8	-	106	3,313	931	645	285	445	148	155	704	305	8,235	6,417	46	113	4,856	1,402
Urban places	2,110	1	-	11	446	135	79	40	61	20	15	96	51	1,160	891	2	18	699	172
Balance of area	13,444	7	-	95	2,867	796	566	245	384	128	140	608	254	7,075	5,526	44	95	4,157	1,230
Adams	138	-	-	-	28	11	7	2	1	2	-	5	1	79	50	-	2	33	15
Ashland	207	-	-	2	38	7	13	6	2	2	2	4	5	115	85	-	3	48	34
Barron	429	-	-	3	92	25	22	8	14	6	2	15	7	219	158	-	1	114	43

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
West Virginia—Con.																			
Hardy	-	7	3	-	-	6	1	1	-	-	-	2	-	7	4	1	1	1	-
Harrison	-	78	10	7	14	28	-	9	10	-	4	6	2	56	18	18	12	3	-
Clarksburg	-	33	6	3	5	15	-	6	5	-	2	4	-	25	5	7	3	1	-
Balance of county	-	45	4	4	9	13	-	3	5	-	2	2	2	31	13	11	9	2	-
Jackson	1	18	3	-	7	10	-	1	1	-	-	2	3	16	5	4	4	1	-
Jefferson	1	19	4	4	6	8	-	3	1	-	1	2	1	17	7	5	2	-	-
Kanawha	12	171	30	21	63	74	9	47	33	1	12	26	21	165	58	50	26	17	2
Charleston	4	76	14	8	23	25	7	24	19	1	4	8	8	65	18	19	5	7	1
St. Albans	-	18	1	2	10	6	-	3	-	-	1	1	4	13	2	4	2	-	-
South Charleston	-	14	2	2	9	4	-	3	2	-	1	1	-	8	1	1	2	-	-
Balance of county	8	63	13	9	21	39	2	17	12	-	6	16	9	79	37	26	17	10	1
Lewis	-	20	1	2	13	9	2	3	-	-	2	-	1	20	5	8	6	-	-
Lincoln	1	19	5	1	9	12	-	3	3	-	-	3	2	24	3	5	2	-	-
Logan	2	21	5	-	11	26	1	7	8	-	1	4	8	38	11	19	5	7	-
McDowell	1	26	1	9	8	27	-	6	3	-	4	6	8	40	12	19	5	8	1
Marion	-	62	11	10	20	21	4	9	2	-	3	4	7	54	10	14	8	2	1
Fairmont	-	28	5	5	11	10	2	3	1	-	1	2	4	19	6	9	1	1	1
Balance of county	-	34	6	5	9	11	2	6	1	-	2	2	3	35	4	5	7	1	-
Marshall	-	21	6	7	7	7	-	3	3	-	1	5	4	19	2	5	1	1	2
Moundsville	-	7	3	2	1	3	-	2	1	-	-	2	2	10	2	1	1	-	-
Balance of county	-	14	3	5	6	4	-	1	2	-	1	3	2	9	-	4	-	1	2
Mason	-	27	3	3	5	13	1	4	2	-	4	1	1	16	8	8	1	1	1
Mercer	1	65	7	6	16	32	3	15	10	-	4	7	14	54	15	15	7	12	3
Bluefield •	1	22	1	4	7	11	3	3	5	-	1	1	7	19	6	2	1	2	1
Balance of county	-	43	6	2	9	21	-	12	5	-	3	6	7	35	9	13	6	10	2
Mineral	1	18	3	3	7	9	-	1	3	-	2	4	3	16	3	8	4	1	-
Mingo	-	10	1	1	7	17	-	4	2	-	4	3	2	35	14	19	3	1	1
Monongalia	3	40	8	6	17	22	-	4	3	-	2	4	4	38	11	9	11	1	1
Morgantown	1	17	3	4	10	10	-	2	2	-	-	3	2	18	6	4	5	1	1
Balance of county	2	23	5	2	7	12	-	2	1	-	2	1	2	20	5	5	6	-	-
Monroe	1	11	1	2	2	10	1	6	1	-	1	-	1	9	5	-	7	-	-
Morgan	-	7	-	-	3	1	-	-	1	-	-	1	3	9	3	4	-	-	-
Nicholas	1	18	2	3	9	12	1	2	3	1	3	3	4	24	13	11	4	-	1
Ohio	3	74	9	6	20	18	1	4	4	-	4	5	-	54	4	22	8	5	1
Wheeling	3	60	8	5	16	17	-	4	2	-	3	5	-	41	3	17	7	5	1
Balance of county	-	14	1	1	4	1	1	-	2	-	1	-	-	13	1	5	1	-	-
Pendleton	-	8	1	-	2	2	1	-	-	-	1	-	-	13	2	4	-	-	-
Pleasants	-	3	2	-	4	4	-	-	3	-	-	2	1	6	1	4	-	-	1
Pocahontas	-	6	2	-	3	2	2	1	1	-	1	-	-	8	1	3	1	2	-
Preston	1	20	6	2	5	14	-	-	2	-	3	7	4	17	5	4	3	1	-
Putnam	3	14	2	3	9	19	2	3	4	-	1	6	2	18	5	12	3	2	2
Raleigh	5	55	1	4	29	41	4	5	8	-	6	7	5	70	18	21	9	12	1
Beckley	-	30	1	1	15	17	2	-	4	-	3	1	3	27	4	10	4	5	-
Balance of county	5	25	-	3	14	24	2	5	4	-	3	6	2	43	14	11	5	7	1
Randolph	2	31	8	4	7	18	-	4	1	-	2	2	6	22	3	5	3	3	-
Ritchie	-	9	4	1	3	3	1	2	2	-	1	-	1	12	4	3	4	-	-
Roane	-	15	1	2	6	3	1	4	1	-	-	1	2	7	5	3	2	1	-
Summers	2	9	-	3	2	8	-	3	-	-	4	-	2	14	2	5	-	1	-
Taylor	-	14	5	1	12	10	1	3	2	-	1	1	2	12	2	5	2	1	-
Tucker	-	3	6	2	2	4	-	-	1	-	-	2	-	8	1	-	1	-	-
Tyler	1	9	1	1	5	3	-	2	-	-	1	-	-	9	-	6	1	-	1
Upshur	2	16	8	1	4	5	-	-	2	-	-	2	2	18	6	4	3	1	1
Wayne	-	27	7	5	9	17	3	5	6	-	2	3	2	33	12	16	4	5	-
Huntington, part	-	3	2	-	1	3	-	1	1	-	-	-	-	6	-	1	1	1	-
Balance of county	-	24	5	5	8	14	3	4	5	-	2	3	2	27	12	15	3	4	-
Webster	-	8	1	-	3	7	1	2	2	-	2	-	1	4	6	5	3	-	-
Wetzel	-	17	1	3	2	4	-	2	-	-	3	2	1	16	4	3	5	1	-
Wirt	-	4	-	-	3	1	-	-	-	-	-	-	-	6	1	-	-	-	-
Wood	2	59	10	13	16	28	3	8	5	-	3	9	19	62	24	25	17	-	-
Parkersburg	2	33	7	3	11	18	3	7	2	-	2	7	15	38	15	14	10	-	-
Vienna	-	7	-	1	-	4	-	-	-	-	-	-	2	7	4	1	1	-	-
Balance of county	-	19	3	9	5	6	-	1	3	-	1	2	2	17	5	10	6	-	-
Wyoming	-	14	-	1	9	16	1	9	3	-	5	1	3	16	11	7	6	2	-
Wisconsin	155	3,443	649	464	1,203	996	145	488	303	3	258	381	260	3,047	949	816	587	166	59
Urban places	81	1,721	282	239	579	478	73	293	153	3	127	197	121	1,648	300	328	302	112	39
Balance of area	74	1,722	367	225	624	518	72	195	150	-	131	184	139	1,399	649	488	285	54	20
Metropolitan counties	104	2,141	357	291	710	606	86	348	185	3	165	255	156	1,990	545	443	405	130	47
Urban places	76	1,533	237	208	527	440	63	265	136	3	113	182	110	1,481	274	286	284	109	39
Balance of area	28	608	120	83	183	166	23	83	49	-	52	73	46	509	271	157	121	21	8
Nonmetropolitan counties	51	1,302	292	173	493	390	59	140	118	-	93	126	104	1,057	404	373	182	36	12
Urban places	5	188	45	31	52	38	10	28	17	-	14	15	11	167	26	42	18	3	-
Balance of area	46	1,114	247	142	441	352	49	112	101	-	79	111	93	890	378	331	164	33	12
Adams	1	17	9	2	3	7	1	1	1	-	-	-	3	2	4	6	-	1	1
Ashland	2	18	4	6	6	9	1	2	-	-	-	1	2	14	1	9	4	-	-
Barron	-	44	12	5	19	12	2	3	3	-	-	4	6	32	9	12	4	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wisconsin—Con.																			
Bayfield	161	-	-	2	33	7	6	5	4	-	3	8	3	93	68	1	3	46	18
Brown	1,287	1	-	8	288	79	54	27	46	9	18	55	23	680	516	7	7	397	105
De Pere	90	-	-	-	12	2	1	4	2	-	1	2	3	50	39	-	1	29	9
Green Bay	801	-	-	6	178	52	31	13	23	5	15	39	14	436	327	6	2	251	68
Balance of county	396	1	-	2	98	25	22	10	21	4	2	14	6	194	150	1	4	117	28
Buffalo	139	-	-	-	30	11	5	-	4	-	-	10	2	68	56	-	-	42	14
Burnett	150	-	-	2	30	12	5	4	3	-	2	4	3	79	58	1	2	41	15
Calumet	215	-	-	2	43	10	6	9	8	3	2	5	4	128	95	2	1	82	10
Appleton, part	19	-	-	-	6	2	4	-	-	-	-	-	-	9	7	1	-	4	2
Balance of county	196	-	-	2	37	8	2	9	8	3	2	5	4	119	88	1	1	78	8
Chippewa	489	-	-	2	107	27	24	7	14	8	3	24	4	255	199	4	4	144	47
Chippewa Falls	145	-	-	1	30	7	7	3	5	1	-	7	2	74	56	1	1	36	18
Eau Claire, part	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	-
Balance of county	342	-	-	1	77	20	17	4	9	7	3	17	2	179	141	3	2	107	29
Clark	325	-	-	1	76	13	24	5	9	4	4	17	10	165	135	1	-	105	29
Columbia	422	-	-	2	96	28	17	11	13	5	4	18	5	217	178	1	4	118	55
Crawford	176	-	-	6	31	6	6	2	7	4	1	5	2	87	65	-	-	43	22
Dane	2,002	1	-	7	452	121	98	49	54	21	25	84	32	927	686	12	18	527	129
Madison	1,129	1	-	3	251	66	53	33	31	12	14	42	15	517	370	6	12	290	62
Monona	53	-	-	-	10	2	4	2	2	-	-	-	-	25	21	-	1	14	6
Balance of county	820	-	-	4	191	53	41	14	21	9	11	42	17	385	295	6	5	223	61
Dodge	717	1	-	5	160	54	24	16	21	6	5	34	9	396	317	1	6	224	86
Beaver Dam	185	-	-	1	52	19	7	4	6	3	1	12	3	98	76	-	3	57	16
Watertown, part	83	-	-	-	14	5	-	3	2	-	-	4	1	51	37	-	1	21	15
Balance of county	449	1	-	4	94	30	17	9	13	3	4	18	5	247	204	1	2	146	55
Door	246	1	-	2	62	17	12	2	12	3	4	12	2	122	82	-	-	57	25
Douglas	456	-	-	3	105	25	28	6	15	5	3	23	7	257	221	4	4	179	34
Superior	329	-	-	2	78	16	20	3	14	5	1	19	6	182	159	1	3	130	25
Balance of county	127	-	-	1	27	9	8	3	1	-	2	4	1	75	62	3	1	49	9
Dunn	248	1	-	1	48	13	7	6	9	2	4	7	4	143	118	1	4	92	21
Menomonie	126	1	-	1	28	8	3	3	5	1	2	6	2	74	63	-	2	51	10
Balance of county	122	-	-	-	20	5	4	3	4	1	2	1	2	69	55	1	2	41	11
Eau Claire	630	-	-	4	145	52	27	13	10	5	5	33	4	331	255	3	13	176	63
Eau Claire, part	431	-	-	3	112	45	17	8	7	3	5	27	2	220	166	1	12	114	39
Eau Claire, total	433	-	-	3	112	45	17	8	7	3	5	27	2	222	168	1	13	115	39
Balance of county	199	-	-	1	33	7	10	5	3	2	-	6	2	111	89	2	1	62	24
Florence	49	-	-	-	15	4	5	-	3	-	-	3	-	23	13	-	-	9	4
Fond du Lac	774	-	-	3	184	55	32	25	21	7	6	38	15	409	322	2	9	248	63
Fond du Lac	380	-	-	-	76	21	14	9	10	4	3	15	8	210	163	-	6	120	37
Balance of county	394	-	-	3	108	34	18	16	11	3	3	23	7	199	159	2	3	128	26
Forest	123	-	-	1	24	5	8	1	4	1	1	4	1	58	47	1	-	37	9
Grant	481	-	-	1	97	29	12	5	12	7	5	27	11	254	175	1	1	133	40
Green	301	-	-	1	59	16	8	8	9	1	2	15	5	159	125	-	1	73	51
Green Lake	214	-	-	1	52	14	8	8	7	2	1	12	7	100	77	1	2	58	16
Iowa	223	1	-	4	40	15	3	8	3	2	3	6	5	112	70	-	-	63	7
Iron	96	-	-	2	23	3	7	3	3	-	2	5	-	50	40	1	4	30	5
Jackson	166	-	-	1	34	7	8	4	4	2	2	7	2	86	67	-	3	48	16
Jefferson	504	-	-	8	107	34	13	14	12	6	7	21	14	256	204	1	4	151	48
Watertown, part	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-
Watertown, total	88	-	-	-	14	5	-	3	2	-	-	4	1	53	38	-	1	22	15
Whitewater, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	499	-	-	8	107	34	13	14	12	6	7	21	14	254	203	1	4	150	48
Juneau	248	-	-	1	56	16	15	4	8	1	3	9	3	126	97	2	1	77	17
Kenosha	1,024	2	-	5	219	63	51	20	27	8	10	40	22	545	438	3	7	362	66
Kenosha	716	2	-	4	145	48	33	15	14	6	7	22	17	394	312	3	2	256	51
Balance of county	308	-	-	1	74	15	18	5	13	2	3	18	5	151	126	-	5	106	15
Kewaunee	192	-	-	-	42	7	10	4	6	3	1	11	9	101	84	-	2	58	24
La Crosse	748	-	-	6	144	44	33	9	19	5	3	31	10	363	254	5	-	203	46
La Crosse	505	-	-	5	98	32	26	5	14	3	2	16	6	251	175	4	-	140	31
Balance of county	243	-	-	1	46	12	7	4	5	2	1	15	4	112	79	1	-	63	15
Lafayette	205	-	-	1	45	16	3	3	10	3	1	9	1	108	82	2	-	59	21
Langlade	240	-	-	-	41	8	17	2	3	3	2	6	3	142	120	3	-	104	13
Lincoln	293	1	-	2	71	27	10	8	9	2	1	14	14	147	122	-	-	88	34
Manitowoc	754	-	-	4	147	38	27	13	20	9	6	34	25	410	329	1	7	273	48
Manitowoc	379	-	-	4	67	19	10	5	9	4	3	17	15	203	160	-	1	134	25
Two Rivers	145	-	-	-	32	6	10	4	6	2	1	3	5	85	67	-	2	54	11
Balance of county	230	-	-	-	48	13	7	4	5	3	2	14	5	122	102	1	4	85	12
Marathon	788	-	1	1	162	51	20	14	29	10	7	31	14	404	325	3	3	264	55
Marshfield, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wausau	349	-	1	-	74	28	10	6	12	3	3	12	5	186	148	1	-	127	20
Balance of county	419	-	-	1	88	23	10	8	17	7	4	19	9	218	177	2	3	137	35
Marinette	472	1	-	2	95	27	19	8	7	7	3	24	17	259	183	1	1	145	36
Marinette	171	-	-	-	29	9	5	3	1	-	1	10	8	103	71	-	-	62	9
Balance of county	301	1	-	2	66	18	14	5	6	7	2	14	9	156	112	1	1	83	27
Marquette	135	-	-	-	31	6	8	-	5	2	1	9	3	76	63	1	-	49	13
Menominee	38	-	-	2	5	1	1	-	-	1	-	2	1	14	11	-	-	9	2
Milwaukee	8,987	11	1	78	1,992	528	512	181	224	96	80	371	160	4,565	3,624	40	166	2,727	691
Brown Deer	71	-	-	-	26	4	8	1	2	3	1	7	-	31	25	-	1	19	5
Cudahy	152	-	-	-	38	13	13	5	4	-	1	2	8	75	62	-	3	48	11
Franklin	68	-	-	-	15	3	2	1	2	1	2	4	1	34	28	-	-	22	6
Glendale	228	-	-	2	[illegible]	14	10	5	5	3	1	5	6	122	100	-	6	70	24
Greendale	103	-	-	-	26	12	6	1	3	-	2	4	1	53	39	-	3	34	2

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wisconsin—Con.																			
Bayfield	2	18	-	5	3	4	3	-	-	-	-	1	-	10	1	5	3	-	-
Brown	5	119	25	15	42	24	4	14	6	-	14	18	9	79	28	21	24	3	1
De Pere	-	9	1	1	1	2	-	3	-	-	2	1	-	5	3	2	6	-	-
Green Bay	4	79	14	12	30	10	2	8	4	-	7	11	5	53	12	9	12	3	1
Balance of county	1	31	10	2	11	12	2	3	2	-	5	6	4	21	13	10	6	-	-
Buffalo	1	6	4	1	6	2	1	-	1	-	2	-	-	13	4	7	3	-	-
Burnett	1	13	5	1	6	4	-	2	-	-	1	2	-	13	1	2	5	-	-
Calumet	2	19	5	7	1	2	1	4	-	-	1	1	4	13	4	3	3	1	-
Appleton, part	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-
Balance of county	2	17	5	7	1	2	1	4	-	-	1	1	3	12	4	3	1	1	-
Chippewa	-	39	9	8	12	14	2	6	6	-	3	5	-	40	12	9	7	5	-
Chippewa Falls	-	12	3	3	6	4	-	2	1	-	2	1	-	13	6	2	1	-	-
Eau Claire, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	27	6	5	6	10	2	4	5	-	1	4	-	27	6	7	6	5	-
Clark	-	22	7	1	10	7	3	3	2	-	2	5	3	15	13	9	1	-	-
Columbia	-	25	8	6	8	13	-	3	4	-	4	6	5	24	18	13	3	-	1
Crawford	-	17	2	3	9	6	-	-	1	-	3	1	-	17	3	7	3	-	-
Dane	8	179	27	27	50	55	6	27	13	1	19	37	10	205	59	41	46	13	1
Madison	5	110	13	19	29	37	3	20	9	1	13	[illegible]	5	126	27	19	23	10	1
Monona	-	4	-	-	4	-	1	-	-	-	-	1	-	9	1	1	1	-	-
Balance of county	3	65	14	8	17	18	2	7	4	-	6	17	5	70	31	21	22	3	-
Dodge	1	61	12	5	18	10	1	7	4	-	5	2	2	59	22	12	4	-	-
Beaver Dam	-	17	2	3	5	1	-	3	1	-	1	-	-	18	1	1	-	-	-
Watertown, part	-	8	5	1	1	1	-	-	1	-	2	-	-	7	4	1	-	-	-
Balance of county	1	36	5	1	12	8	1	4	2	-	2	2	2	34	17	10	4	-	-
Door	3	26	8	3	5	8	2	1	2	-	-	4	4	15	4	7	4	1	-
Douglas	-	29	4	3	5	6	3	7	6	-	1	3	-	21	9	13	9	1	-
Superior	-	19	3	1	3	5	3	2	6	-	-	2	-	17	4	11	8	-	-
Balance of county	-	10	1	2	2	1	-	5	-	-	1	1	-	4	5	2	1	1	-
Dunn	-	20	1	4	10	4	1	-	2	-	1	-	7	14	8	2	2	-	-
Menomonie	-	9	-	2	3	2	1	-	1	-	-	-	1	10	2	-	-	-	-
Balance of county	-	11	1	2	7	2	-	-	1	-	1	-	6	4	6	2	2	-	-
Eau Claire	-	49	13	14	16	19	2	5	4	-	4	7	4	37	13	21	12	1	1
Eau Claire, part	-	33	10	11	11	15	2	4	3	-	1	5	2	23	5	14	9	-	-
Eau Claire, total	-	33	10	11	11	15	2	4	3	-	1	5	2	23	5	14	9	-	-
Balance of county	-	16	3	3	5	4	-	1	1	-	3	2	2	14	8	7	3	1	1
Florence	-	5	3	2	2	2	-	1	-	-	-	-	-	2	2	1	-	1	-
Fond du Lac	3	56	14	14	19	23	-	11	7	-	10	8	5	52	8	16	4	-	-
Fond du Lac	2	29	8	8	10	12	-	7	5	-	4	6	1	27	4	8	2	-	-
Balance of county	1	27	6	6	9	11	-	4	2	-	6	2	4	25	4	8	2	-	-
Forest	-	9	-	2	4	6	1	1	2	-	-	1	1	12	5	3	1	2	-
Grant	1	58	15	5	20	15	2	5	2	-	1	2	4	28	12	18	6	2	1
Green	3	28	2	1	6	11	3	5	-	-	1	5	-	24	7	8	4	1	2
Green Lake	-	18	5	-	9	3	1	2	6	-	2	4	-	13	5	6	2	-	1
Iowa	-	29	8	5	8	4	1	3	2	-	1	3	3	21	9	1	3	2	-
Iron	2	7	-	1	2	3	-	3	1	-	-	-	-	6	1	5	-	-	-
Jackson	1	16	1	1	9	5	-	1	1	-	-	3	1	12	3	5	3	-	-
Jefferson	-	39	9	4	13	14	3	1	-	-	4	-	5	39	25	9	4	1	1
Watertown, part	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
Watertown, total	-	9	5	1	1	1	-	-	1	-	2	-	1	7	6	1	-	-	-
Whitewater, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	38	9	4	13	14	3	1	-	-	4	-	4	39	23	9	4	1	1
Juneau	-	24	-	5	9	6	1	2	3	-	2	2	1	21	4	10	-	1	-
Kenosha	1	81	13	12	28	16	1	19	9	1	4	8	6	59	37	18	14	9	2
Kenosha	1	66	8	7	21	8	1	14	7	1	2	6	5	42	15	14	9	8	1
Balance of county	-	15	5	5	7	8	-	5	2	-	2	2	1	17	22	4	5	1	1
Kewaunee	1	11	2	3	3	4	-	2	2	-	3	1	1	11	5	6	2	-	-
La Crosse	1	88	9	11	32	28	5	10	3	-	6	8	5	79	19	19	8	1	2
La Crosse	-	62	8	6	21	22	5	3	1	-	2	5	3	62	6	10	3	-	2
Balance of county	1	26	1	5	11	6	-	7	2	-	4	3	2	17	13	9	5	1	-
Lafayette	-	15	6	5	8	8	2	-	2	-	1	3	2	12	5	4	3	-	-
Langlade	3	14	2	3	10	3	1	2	2	-	-	-	-	15	13	4	4	-	-
Lincoln	2	13	8	2	12	11	1	2	2	-	1	3	2	12	5	4	2	-	1
Manitowoc	3	63	8	7	22	14	3	10	3	-	2	7	5	62	11	14	11	4	-
Manitowoc	-	34	4	5	14	10	2	7	-	-	2	3	4	34	2	4	7	1	-
Two Rivers	2	15	-	1	1	-	-	1	2	-	-	1	1	8	2	5	1	1	-
Balance of county	1	14	4	1	7	4	1	2	1	-	-	3	-	20	7	5	3	2	-
Marathon	5	58	10	6	13	25	1	8	6	-	9	8	9	46	26	17	16	2	-
Marshfield, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wausau	3	27	6	2	7	14	1	5	2	-	3	-	3	28	6	7	6	1	-
Balance of county	2	31	4	4	6	11	-	3	4	-	6	8	6	18	20	10	10	1	-
Marinette	2	42	28	4	10	10	3	5	5	-	1	1	2	34	8	8	10	1	-
Marinette	-	16	13	3	2	1	2	2	2	-	-	1	-	15	-	2	3	1	-
Balance of county	2	26	15	1	8	9	1	3	3	-	1	-	2	19	8	6	7	-	-
Marquette	-	12	1	-	4	2	-	4	-	-	1	-	-	11	3	-	-	-	-
Menominee	-	1	1	1	-	3	-	1	-	-	-	1	1	3	5	-	2	-	-
Milwaukee	36	712	97	96	247	231	31	147	73	1	58	78	66	773	108	132	133	76	26
Brown Deer	-	5	-	1	2	2	-	-	-	-	1	1	-	6	1	-	1	-	-
Cudahy	-	8	2	3	1	2	1	-	2	-	1	-	-	17	2	-	5	-	-
Franklin	-	6	-	-	1	-	-	2	-	-	1	-	-	5	4	1	4	-	-
Glendale	-	18	3	1	18	5	1	2	4	-	-	-	-	22	2	1	-	-	-
Greendale	-	8	5	1	3	-	-	3	-	-	3	2	-	5	1	1	1	2	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wisconsin—Con.																			
Greenfield	262	-	-	4	50	8	16	3	6	3	-	14	4	138	111	-	2	79	30
Milwaukee, part	6,098	11	-	56	1,334	348	357	114	145	69	51	250	111	3,020	2,422	29	116	1,802	475
Milwaukee, total	6,099	11	-	56	1,334	348	357	114	145	69	51	250	111	3,020	2,422	29	116	1,802	475
Oak Creek	82	-	-	2	20	5	5	4	1	1	2	2	2	39	32	-	3	25	4
St. Francis	75	-	-	1	23	8	4	4	4	-	-	3	2	34	27	-	2	22	3
Shorewood	176	-	1	2	38	12	15	3	1	1	1	5	2	105	80	2	2	58	18
South Milwaukee	167	-	-	3	37	11	7	6	4	1	1	7	-	98	78	2	3	60	13
Wauwatosa	506	-	-	7	94	22	21	10	14	6	3	18	7	301	222	3	7	176	36
West Allis	685	-	-	-	159	48	31	15	21	6	9	29	14	367	281	2	16	220	43
Whitefish Bay	101	-	-	-	34	6	8	4	6	-	4	6	2	37	32	1	-	25	6
Balance of county	213	-	-	1	53	14	9	5	6	2	2	15	-	111	85	1	2	67	15
Monroe	352	-	-	3	62	16	12	3	8	2	5	16	11	167	134	-	2	108	24
Oconto	335	-	-	4	66	21	10	6	13	2	4	10	2	173	118	-	-	100	18
Oneida	289	-	-	2	67	16	21	4	6	2	2	16	2	159	136	2	1	106	27
Outagamie	945	1	-	3	195	48	46	23	22	11	7	38	16	507	380	3	5	299	73
Appleton, part	439	-	-	1	86	19	22	11	12	3	4	15	8	235	169	1	3	132	33
Appleton, total	458	-	-	1	92	21	26	11	12	3	4	15	8	244	176	2	3	136	35
Kaukauna	94	1	-	-	22	4	7	3	1	1	-	6	-	53	41	1	2	26	12
Balance of county	412	-	-	2	87	25	17	9	9	7	3	17	8	219	170	1	-	141	28
Ozaukee	422	-	-	2	96	28	23	4	13	3	4	21	6	225	175	2	11	131	31
Mequon	107	-	-	-	23	7	6	1	3	-	1	5	1	56	45	2	2	30	11
Balance of county	315	-	-	2	73	21	17	3	10	3	3	16	5	169	130	-	9	101	20
Pepin	92	-	-	-	18	1	3	2	3	2	-	7	3	47	35	-	2	22	11
Pierce	231	1	-	3	48	11	5	5	12	2	3	10	3	110	91	1	3	61	26
Polk	339	-	-	2	75	17	18	5	10	4	7	14	4	184	145	2	-	100	43
Portage	400	-	-	5	94	21	21	10	18	5	5	14	2	211	168	2	4	127	35
Stevens Point	204	-	-	1	47	11	11	6	9	4	1	5	1	114	90	1	1	66	22
Balance of county	196	-	-	4	47	10	10	4	9	1	4	9	1	97	78	1	3	61	13
Price	198	-	-	2	40	11	7	3	6	-	2	11	-	114	85	1	2	48	34
Racine	1,389	-	-	13	269	86	61	30	33	14	16	49	29	724	563	5	9	473	76
Racine	817	-	-	9	166	40	34	20	22	9	10	31	17	425	335	4	2	291	38
Balance of county	572	-	-	4	123	46	27	10	11	5	6	18	12	299	228	1	7	182	38
Richland	174	-	-	-	44	16	6	1	6	4	4	7	4	79	59	-	-	52	7
Rock	1,139	1	-	7	250	73	59	22	30	21	6	39	13	604	444	4	9	366	65
Beloit	312	-	-	2	71	23	19	7	6	5	2	9	6	156	110	1	2	97	10
Janesville	387	1	-	-	84	21	17	7	12	8	4	15	5	210	159	-	2	128	29
Balance of county	440	-	-	5	95	29	23	8	12	8	-	15	2	238	175	3	5	141	26
Rusk	153	-	-	-	29	9	4	5	2	2	-	7	-	85	72	1	1	58	12
St. Croix	318	-	-	2	56	16	12	7	5	3	4	9	11	141	105	2	1	81	21
Sauk	441	-	-	1	104	32	17	6	16	3	9	21	10	238	184	3	5	145	31
Sawyer	165	-	-	4	30	8	9	1	1	-	2	9	4	82	71	-	-	41	30
Shawano	394	1	-	2	93	30	19	9	10	4	2	19	6	207	159	1	6	126	26
Sheboygan	895	-	-	3	202	62	30	20	34	11	7	38	23	475	340	4	18	259	59
Sheboygan	520	-	-	2	115	36	20	16	18	7	3	15	9	283	195	2	9	147	37
Balance of county	375	-	-	1	87	26	10	4	16	4	4	23	14	192	145	2	9	112	22
Taylor	186	-	-	-	41	14	7	3	7	-	1	9	5	85	69	1	4	53	11
Trempealeau	298	-	-	3	68	15	17	2	11	5	3	15	8	160	124	1	-	80	43
Vernon	289	-	-	1	51	11	7	3	10	3	4	13	7	162	123	2	3	89	29
Vilas	186	-	-	3	37	14	8	2	2	1	4	6	4	105	74	-	2	56	16
Walworth	623	-	-	-	141	38	28	9	20	2	4	40	7	349	293	1	3	246	43
Whitewater, part	78	-	-	-	19	8	4	-	3	-	-	4	-	39	30	1	-	20	9
Whitewater, total	78	-	-	-	19	8	4	-	3	-	-	4	-	39	30	1	-	20	9
Balance of county	545	-	-	-	122	30	24	9	17	2	4	36	7	310	263	-	3	226	34
Washburn	122	-	-	1	29	8	7	3	1	1	1	8	3	61	56	1	4	42	9
Washington	534	-	-	6	117	31	24	13	14	6	5	24	13	273	218	-	5	170	43
Milwaukee, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Bend	158	-	-	3	28	5	5	1	4	1	2	10	3	86	74	-	4	53	17
Balance of county	375	-	-	3	89	26	19	12	10	5	3	14	10	187	144	-	1	117	26
Waukesha	1,680	1	-	9	393	112	93	39	39	19	13	78	18	844	664	8	11	512	133
Brookfield	233	-	-	-	68	18	18	7	9	3	1	12	3	103	81	2	1	69	9
Menomonee Falls	153	-	-	-	40	11	12	4	3	2	2	6	1	79	62	-	3	52	7
Muskego	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Berlin	110	-	-	-	20	6	5	3	1	1	1	3	1	51	39	1	-	32	6
Waukesha	353	1	-	2	69	15	18	6	10	2	3	15	5	195	156	2	1	121	32
Balance of county	831	-	-	7	196	62	40	19	16	11	6	42	8	416	326	3	6	238	79
Waupaca	620	-	-	4	108	33	23	8	11	5	7	21	15	368	286	2	8	235	41
Waushara	203	-	-	1	46	13	11	4	8	2	-	8	3	111	92	-	1	84	7
Winnebago	1,078	-	-	8	248	61	42	24	39	20	10	52	26	557	410	4	7	304	95
Menasha	106	-	-	-	32	9	7	3	5	3	-	5	2	48	40	-	-	32	8
Neenah	181	-	-	2	35	9	8	3	4	4	2	5	9	90	67	-	-	51	16
Oshkosh	481	-	-	4	105	25	19	12	15	7	4	23	8	263	185	3	3	137	42
Balance of county	310	-	-	2	76	18	8	6	15	6	4	19	7	156	118	1	4	84	29

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wisconsin—Con.																			
Greenfield	2	22	-	3	11	11	1	2	-	-	-	1	-	27	6	3	3	-	1
Milwaukee, part	25	454	58	61	157	163	22	110	50	1	39	70	57	547	67	102	94	66	21
Milwaukee, total	25	454	58	61	157	163	22	110	50	1	39	70	57	548	67	102	94	66	21
Oak Creek	-	5	1	1	1	4	-	-	1	-	-	-	-	5	5	-	2	1	-
St. Francis	-	7	-	-	2	2	-	-	-	-	3	-	-	6	2	-	-	-	-
Shorewood	1	17	3	4	5	1	1	-	-	-	-	-	1	14	1	4	1	-	-
South Milwaukee	-	14	3	3	2	2	-	4	1	-	2	-	-	10	4	2	2	-	-
Wauwatosa	4	61	10	4	14	9	1	6	8	-	3	3	2	33	7	4	4	2	1
West Ellis	2	62	11	11	18	22	3	13	3	-	4	-	4	47	4	8	12	4	3
Whitefish Bay	-	4	-	1	1	3	-	1	3	-	-	-	1	15	1	1	2	-	-
Balance of county	2	21	1	2	11	5	1	4	1	-	1	1	1	14	1	5	2	1	-
Monroe	-	26	3	4	19	17	-	1	7	-	-	5	3	31	4	12	8	2	-
Oconto	1	47	7	-	9	7	2	4	5	-	1	4	1	27	15	10	4	1	-
Oneida	-	19	2	2	7	2	-	5	1	-	7	5	1	17	7	3	4	-	-
Outagamie	6	94	15	10	34	22	2	7	4	-	9	11	8	71	26	12	14	2	1
Appleton, part	4	48	10	4	14	11	2	4	1	-	4	7	1	41	9	5	9	-	1
Appleton, total	4	50	10	4	14	11	2	4	1	-	4	7	2	42	9	5	11	-	1
Kaukauna	-	11	-	1	4	1	-	1	1	-	-	2	2	4	3	-	-	-	-
Balance of county	4	35	5	5	16	10	-	2	2	-	5	2	5	26	14	7	5	2	-
Ozaukee	-	41	7	2	11	9	1	3	3	-	3	8	4	28	9	8	6	-	-
Mequon	-	8	2	1	6	1	-	1	-	-	-	2	1	10	3	2	1	-	-
Balance of county	-	33	5	1	5	8	1	2	3	-	3	6	3	18	6	6	5	-	-
Pepin	1	5	4	2	7	3	1	-	-	-	-	-	1	3	3	5	-	1	-
Pierce	-	17	1	1	8	7	1	-	-	-	-	3	2	19	16	7	3	-	-
Polk	1	26	7	5	10	9	-	4	3	-	1	2	2	17	9	9	7	-	1
Portage	1	32	5	5	10	7	-	8	2	-	3	5	3	21	8	12	7	2	-
Stevens Point	-	15	5	4	8	2	-	3	2	-	1	2	-	12	3	5	3	-	-
Balance of county	1	17	-	1	2	5	-	5	-	-	2	3	3	9	5	7	4	2	-
Price	1	22	3	3	3	5	2	-	4	-	2	-	1	13	7	3	1	1	-
Racine	12	112	20	17	28	32	6	23	9	-	7	15	8	111	39	26	22	5	3
Racine	8	61	9	12	21	18	5	15	6	-	6	12	6	65	13	16	10	4	3
Balance of county	4	51	11	5	7	14	1	8	3	-	1	3	2	46	26	10	12	1	-
Richland	1	13	1	5	8	5	1	-	3	-	1	3	-	12	4	9	1	-	-
Rock	5	117	23	15	40	34	2	13	12	-	5	8	7	72	33	17	16	4	1
Beloit	2	31	8	5	14	8	-	4	3	-	2	4	3	18	9	7	3	2	-
Janesville	2	38	6	5	14	15	1	6	1	-	1	3	3	23	8	3	6	2	1
Balance of county	1	48	9	5	12	11	1	3	8	-	2	1	1	31	16	7	7	-	-
Rusk	-	11	1	1	5	3	-	1	3	-	1	2	1	10	3	5	5	-	-
St. Croix	2	26	4	4	23	9	-	2	3	-	-	1	4	42	13	6	5	-	-
Sauk	-	37	8	9	9	10	2	4	4	-	3	3	3	32	7	4	4	3	-
Sawyer	-	9	1	1	12	4	3	1	1	-	2	-	2	10	2	6	1	1	-
Shawano	-	27	17	4	20	4	2	1	2	-	-	4	5	23	12	7	4	1	-
Sheboygan	2	102	24	7	39	16	3	11	6	-	5	8	1	65	10	23	4	1	-
Sheboygan	2	65	17	4	34	5	-	5	3	-	2	4	-	41	2	12	2	1	-
Balance of county	-	37	7	3	5	11	3	6	3	-	3	4	1	24	8	11	2	-	-
Taylor	3	10	3	-	8	3	-	5	1	-	3	1	-	20	5	6	3	-	-
Trempealeau	1	23	10	2	7	3	-	2	4	-	3	1	3	20	7	3	4	-	-
Vernon	1	31	2	5	15	10	-	-	1	-	1	1	2	17	8	7	5	1	-
Vilas	-	19	9	3	5	5	-	2	1	-	1	1	-	11	6	2	3	-	-
Walworth	2	42	8	4	14	13	2	9	5	-	4	3	1	34	14	15	9	2	1
Whitewater, part	-	6	1	2	4	1	-	1	1	-	1	-	-	4	3	5	-	-	-
Whitewater, total	-	6	1	2	4	1	-	1	1	-	1	-	-	4	3	5	-	-	-
Balance of county	2	36	7	2	10	12	2	8	4	-	3	3	1	30	11	10	9	2	1
Washburn	1	3	-	1	1	1	-	3	2	-	1	1	-	11	3	5	-	-	-
Washington	2	41	7	5	12	15	3	5	4	-	5	2	5	30	24	9	7	2	2
Milwaukee, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
West Bend	-	9	1	2	1	5	1	2	2	-	2	2	2	10	5	3	1	1	1
Balance of county	2	32	6	3	11	10	2	3	2	-	3	-	3	19	19	6	6	1	1
Waukesha	5	132	28	15	48	35	6	21	12	-	6	13	2	134	54	33	41	3	7
Brookfield	-	16	4	2	8	8	1	1	3	-	-	1	-	21	5	2	8	1	-
Menomonee Falls	-	17	-	-	3	1	-	3	3	-	1	1	-	12	3	3	1	1	1
Muskego	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Berlin	-	10	1	1	5	4	-	-	-	-	-	-	-	11	3	3	12	-	-
Waukesha	2	29	6	2	13	8	2	4	3	-	1	5	-	26	5	6	7	-	1
Balance of county	3	60	17	10	19	14	3	13	3	-	4	6	2	64	38	19	13	1	5
Waupaca	3	68	6	5	26	15	1	2	7	-	4	3	3	31	15	10	6	1	1
Waushara	1	17	-	1	7	6	-	1	-	-	1	2	-	14	5	5	-	-	1
Winnebago	10	103	17	17	29	14	7	16	6	-	6	16	4	85	22	15	18	1	-
Menasha	-	1	2	5	2	1	2	3	-	-	-	3	-	7	3	-	3	-	-
Neenah	1	19	2	1	7	-	-	4	2	-	3	3	2	15	5	2	2	-	-
Oshkosh	8	56	7	7	12	11	1	8	3	-	2	5	1	38	6	6	8	-	-
Balance of county	1	27	6	4	8	2	4	1	1	-	1	5	1	25	8	7	5	1	-

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Total	Tuberculosis (010-018)	Syphilis (090-097)	Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory and intrathoracic organs (160-165)	Malignant neoplasm of breast (174-175)	Malignant neoplasms of genital organs (179-187)	Malignant neoplasms of urinary organs (188-189)	Leukemia (204-208)	Other malignant neoplasms (140-149, 170-173, 190-203)	Diabetes mellitus (250)	Major cardiovascular diseases (390-448)	Disease of heart (390-398, 402,404-429)	Rheumatic fever and rheumatic heart disease (390-398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
Wisconsin—Con.																			
Wood	600	-	-	5	132	44	23	6	19	4	8	28	13	306	241	2	2	202	35
Marshfield, part	164	-	-	4	40	13	4	2	5	-	1	15	5	73	59	-	1	48	10
Marshfield, total	164	-	-	4	40	13	4	2	5	-	1	15	5	73	59	-	1	48	10
Wisconsin Rapids	190	-	-	-	42	16	11	1	5	2	2	5	3	108	74	-	1	65	8
Balance of county	246	-	-	1	50	15	8	3	9	2	5	8	5	124	108	2	-	89	17
Wyoming	3,165	3	1	24	582	153	128	58	71	30	23	119	50	1,309	1,020	13	21	713	273
Urban places	1,172	-	1	8	222	65	48	21	20	10	13	45	18	506	390	5	9	261	115
Balance of area	1,993	3	-	16	360	88	80	37	51	20	10	74	32	803	630	8	12	452	158
Metropolitan counties	429	-	1	4	84	22	21	5	6	5	5	20	6	155	122	1	2	80	39
Urban places	336	-	1	3	62	18	14	5	4	1	4	16	6	126	95	1	2	63	29
Balance of area	93	-	-	1	22	4	7	-	2	4	1	4	-	29	27	-	-	17	10
Nonmetropolitan counties	2,736	3	-	20	498	131	107	53	65	25	18	99	44	1,154	898	12	19	633	234
Urban places	836	-	-	5	160	47	34	16	16	9	9	29	12	360	295	4	7	198	86
Balance of area	1,900	3	-	15	338	84	73	37	49	16	9	70	32	774	603	8	12	435	148
Albany	154	-	-	-	30	8	4	3	6	1	4	4	1	77	55	1	1	42	11
Laramie	129	-	-	-	25	5	4	3	5	1	3	4	1	66	47	1	1	36	9
Balance of county	25	-	-	-	5	3	-	-	1	-	1	-	-	11	8	-	-	6	2
Big Horn	109	-	-	-	26	10	4	-	4	1	-	7	3	38	24	-	1	17	6
Campbell	119	-	-	-	15	1	6	2	-	2	-	4	3	33	30	-	-	20	10
Carbon	154	1	-	2	22	5	10	1	1	-	-	5	2	57	43	-	1	31	11
Converse	78	-	-	1	8	-	3	2	-	-	-	3	1	34	29	-	-	19	10
Crook	41	-	-	-	9	4	1	-	1	-	-	3	1	14	13	-	-	8	5
Fremont	278	1	-	3	44	8	12	3	7	2	1	11	8	99	80	1	1	60	18
Goshen	130	-	-	-	26	6	6	3	4	2	-	5	4	61	46	-	-	37	9
Hot Springs	75	-	-	-	8	1	1	2	1	1	1	1	1	40	32	-	-	21	11
Johnson	65	-	-	-	10	5	2	-	1	1	1	-	-	39	34	-	-	24	10
Laramie	478	-	-	6	98	31	24	11	6	4	4	18	8	212	163	3	5	98	57
Cheyenne	403	-	-	4	79	24	20	9	5	4	3	14	7	181	141	2	5	85	49
Balance of county	75	-	-	2	19	7	4	2	1	-	1	4	1	31	22	1	-	13	8
Lincoln	94	-	-	1	14	5	2	2	3	1	-	1	4	44	27	1	1	19	6
Natrona	429	-	1	4	84	22	21	5	6	5	5	20	6	155	122	1	2	80	39
Casper	336	-	1	3	62	18	14	5	4	1	4	16	6	126	95	1	2	63	29
Balance of county	93	-	-	1	22	4	7	-	2	4	1	4	-	29	27	-	-	17	10
Niobrara	35	-	-	-	4	-	2	1	1	-	-	-	-	17	14	-	-	11	3
Park	138	-	-	-	24	7	1	4	6	-	1	5	1	64	48	1	6	32	9
Platte	75	-	-	-	12	2	2	1	1	2	-	4	-	37	23	-	-	18	5
Sheridan	214	-	-	2	48	13	7	2	9	4	1	12	3	91	71	-	-	52	19
Sheridan	158	-	-	1	33	11	6	1	3	3	1	8	3	70	56	-	-	40	16
Balance of county	56	-	-	1	15	2	1	1	6	1	-	4		21	15	-	-	12	3
Sublette	23	-	-	-	7	1	1	4	-	-	1	-	-	8	7	-	-	6	1
Sweetwater	244	1	-	3	45	13	10	6	5	2	4	5	2	93	77	3	2	54	18
Rock Springs	146	-	-	-	23	7	4	3	3	1	2	3	1	63	51	1	1	37	12
Balance of county	98	1	-	3	22	6	6	3	2	1	2	2	1	30	26	2	1	17	6
Teton	37	-	-	-	11	2	1	3	1	1	-	3	-	15	12	-	-	8	4
Uinta	66	-	-	-	16	5	3	2	3	-	-	3	1	21	19	1	-	16	2
Washakie	75	-	-	-	15	3	4	1	3	1	-	4	1	32	28	-	-	23	5
Weston	54	-	-	2	5	1	1	-	2	-	-	1	-	28	23	1	1	17	4

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1970. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wisconsin—Con.																			
Wood	1	51	9	3	10	18	5	4	2	-	6	7	5	46	20	15	6	1	-
Marshfield, part	-	12	2	-	1	2	3	3	2	-	2	1	-	20	2	5	1	-	-
Marshfield, total	-	12	2	-	1	2	3	3	2	-	2	1	-	20	2	5	1	-	-
Wisconsin Rapids	1	26	5	2	3	6	2	1	-	-	1	1	3	12	1	6	1	-	-
Balance of county	-	13	2	1	6	10	-	-	-	-	3	5	2	14	17	4	4	1	-
Wyoming	7	218	36	28	71	136	11	45	24	1	27	62	44	252	241	164	84	28	6
Urban places	3	87	11	15	32	54	4	16	11	-	6	17	17	98	65	56	32	6	3
Balance of area	4	131	25	13	39	82	7	29	13	1	21	45	27	154	176	108	52	22	3
Metropolitan counties	2	22	3	6	8	21	2	3	1	-	3	8	13	35	38	22	18	4	3
Urban places	2	20	3	6	8	19	1	2	1	-	2	6	12	28	21	16	17	3	2
Balance of area	-	2	-	-	-	2	1	1	-	-	1	2	1	7	17	6	1	1	1
Nonmetropolitan counties	5	196	33	22	63	115	9	42	23	1	24	54	31	217	203	142	66	24	3
Urban places	1	67	8	9	24	35	3	14	10	-	4	11	5	70	44	40	15	3	1
Balance of area	4	129	25	13	39	80	6	28	13	1	20	43	26	147	159	102	51	21	2
Albany	1	15	4	2	3	7	1	-	3	-	2	-	2	11	6	6	3	1	1
Laramie	-	13	4	2	3	6	-	-	2	-	1	-	2	8	5	5	3	1	1
Balance of county	1	2	-	-	-	1	1	-	1	-	1	-	-	3	1	1	-	-	-
Big Horn	-	12	1	1	5	6	1	1	1	1	2	5	2	5	3	4	5	1	-
Campbell	1	1	-	1	2	4	-	-	1	-	1	8	6	13	18	8	3	4	-
Carbon	-	7	5	2	4	5	-	5	1	-	1	3	2	14	19	10	4	2	-
Converse	-	4	1	-	5	3	1	2	-	-	1	3	2	4	5	8	-	-	-
Crook	1	-	-	-	1	2	-	-	-	-	1	3	1	2	5	1	1	-	-
Fremont	1	15	3	-	3	12	-	9	5	-	4	3	5	25	26	12	13	6	-
Goshen	-	11	1	3	1	6	-	1	-	-	1	5	-	12	2	6	4	1	-
Hot Springs	-	6	-	2	5	6	-	1	2	-	-	1	-	8	1	-	1	1	-
Johnson	-	3	2	-	2	1	1	-	-	-	-	-	-	4	4	2	2	-	-
Laramie	1	37	4	7	18	22	1	9	7	-	2	6	1	38	23	19	6	1	1
Cheyenne	1	31	3	5	17	18	1	8	7	-	2	6	1	32	20	15	5	-	-
Balance of county	-	6	1	2	1	4	-	1	-	-	-	-	-	6	3	4	1	1	1
Lincoln	-	14	3	-	-	-	1	1	-	-	1	3	2	4	12	5	2	-	-
Natrona	2	22	3	6	8	21	2	3	1	-	3	8	13	35	38	22	18	4	3
Casper	2	20	3	6	8	19	1	2	1	-	2	6	12	28	21	16	17	3	2
Balance of county	-	2	-	-	-	2	1	1	-	-	1	2	1	7	17	6	1	1	1
Niobrara	-	1	2	-	-	2	-	1	-	-	-	1	1	1	4	3	-	1	-
Park	-	14	2	-	4	5	-	1	-	-	1	1	1	14	13	4	4	1	-
Platte	-	11	1	2	-	6	-	1	-	-	2	-	2	5	7	1	2	-	-
Sheridan	-	20	-	-	5	8	1	3	1	-	-	3	-	17	7	18	6	1	-
Sheridan	-	14	-	-	4	6	1	2	1	-	-	3	-	14	3	13	3	1	-
Balance of county	-	6	-	-	1	2	-	1	-	-	-	-	-	3	4	5	3	-	-
Sublette	-	1	-	-	1	2	-	-	-	-	-	-	-	1	1	3	-	-	-
Sweetwater	-	13	1	2	-	7	1	4	1	-	2	3	4	24	34	14	5	1	-
Rock Springs	-	9	1	2	-	5	1	4	-	-	1	2	2	16	16	7	4	1	-
Balance of county	-	4	-	-	-	2	-	-	1	-	1	1	2	8	18	7	1	-	-
Teton	-	3	-	-	-	3	-	-	-	-	1	1	-	1	1	3	1	-	-
Uinta	-	2	-	-	2	3	-	3	-	-	-	3	-	3	8	3	2	1	-
Washakie	-	4	-	-	2	3	1	-	-	-	1	2	-	6	2	5	2	1	1
Weston	-	2	3	-	-	2	-	-	1	-	1	-	-	5	2	7	-	1	-

---

[1] "Districts" shown are election districts, the nearest equivalent to counties.
[2] Includes data for Texarkana, Ark., only.
[3] The cities of Honolulu and Hilo have legally established limits and, therefore, are treated as incorporated places.
[4] Includes data for Bristol, Tenn., only.
[5] Includes data for Texarkana, Tex., only.
[6] On January 1, 1974, Nansemond merged with the independent city of Suffolk.
[7] Independent cities having populations of less than 10,000 according to the 1970 census are Bedford, Buena Vista, Clifton Forge, Emporia, Franklin, Galax, Lexington, Norton, South Boston, Suffolk, and Williamsburg.
[8] Includes data for Bristol, Va., only.
[9] Includes data for Bluefield, W. Va., only.
[10] Classified as urban under special rule; see Technical Appendix.

NEWARK PUBLIC LIBRARY

Section 9. Puerto Rico, Virgin Islands (U.S.), and Guam

Table Page

9-1. Deaths and death rates: Puerto Rico, Virgin Islands, and Guam, 1940-81 ---------- 1

9-2. Deaths by month and sex for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1981 ---------- 2

9-3. Deaths by 10-year age groups, race, and sex: Virgin Islands and Guam, 1981 ---------- 3

9-4. Deaths from 72 selected causes, by 10-year age groups and sex: Puerto Rico, 1981 ---------- 4

9-5. Deaths from 72 selected causes, by 10-year age groups, race, and sex: Virgin Islands, 1981 ---------- 8

9-6. Deaths from 72 selected causes, by 10-year age groups and sex: Guam, 1981 ---------- 15

9-7. Deaths from motor vehicle accidents, by person injured and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1981 ---------- 19

9-8. Deaths from nontransport accidents, by place of accident and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1981 ---------- 20

9-9. Total, infant, neonatal, and fetal deaths: Puerto Rico and each municipio, 1981 ---------- 21

9-10. Total, infant, and neonatal deaths, by race: Virgin Islands and specified urban place and Guam, 1981 ---------- 22

9-11. Deaths under 1 year and under 28 days, by month, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1981 ---------- 23

9-12. Deaths under 1 year, by age and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1981 ---------- 24

9-13. Deaths under 1 year, under 28 days, and 28 days-11 months, from 61 selected causes, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1981 ---------- 26

NOTES

Occurrence and residence allocation

In contrast with the method of allocating deaths to place of residence for each of the 50 States and the District of Columbia, residence data for the Commonwealth of Puerto Rico include only those deaths to residents of Puerto Rico occurring in Puerto Rico. Deaths to nonresidents occurring in the Commonwealth are included in occurrence mortality statistics, but are excluded from residence mortality statistics. Deaths to residents of Puerto Rico occurring elsewhere are excluded. The same qualification applies to resident deaths in the Virgin Islands and Guam. Exclusion of these nonresident deaths from resident mortality statistics began in 1970. Before 1970 resident mortality statistics for Puerto Rico included all deaths occurring in Puerto Rico, with deaths of nonresidents of Puerto Rico assigned to place of death.

Data are shown by both place of occurrence and place of residence in Puerto Rico for the primary geographic subdivision, the "municipio," and in the Virgin Islands for St. Croix Island and for St. John and St. Thomas Islands. Deaths by place of residence are shown for municipios only and not for urban places for Puerto Rico; however, for the Virgin Islands they are shown for Charlotte Amalie, the only urban area having a population of 10,000 or more.

Race

Deaths are not shown by race for Puerto Rico and Guam; they are classified as white and all other for the Virgin Islands.

Fetal deaths

Fetal deaths for Puerto Rico were published in the *Vital Statistics of the United States, Volume II, Mortality, Part B,* for the first time, beginning with 1976. Puerto Rico requires the reporting of fetal deaths with gestation period of over 5 months. All tables showing fetal deaths include only those with stated or presumed gestational age of 20 weeks or more.

Symbols used in tables

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

The Technical Appendix–Section 7 in Part A of Volume II, *Vital Statistics of the United States, 1981*–discusses other factors concerning these mortality statistics.

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 1

Table 9-1. Deaths and Death Rates: Puerto Rico, Virgin Islands, and Guam, 1940-81

[Rates per 1,000 population in each area]

Year	Puerto Rico		Virgin Islands		Guam	
	Number	Rate	Number	Rate	Number	Rate
1981	21,085	6.5	547	5.5	385	3.5
1980	20,413	6.4	504	5.2	393	3.7
1979[1]	20,271	6.4	476	4.9	354	3.4
1978[1]	19,812	6.4	461	4.8	398	3.9
1977[1]	19,778	6.4	380	4.1	361	3.6
1976[1]	19,286	6.4	447	4.6	446	4.4
1975[1]	17,805	6.1	477	5.0	427	4.2
1974[1]	18,948	6.6	482	5.1	423	4.2
1973[1]	19,479	6.8	459	5.5	416	3.9
1972[1]	19,011	6.7	---	---	409	4.2
1971[1]	17,499	6.3	498	7.0	338	3.7
1970	17,830	6.6	441	7.1	338	4.0
1969	17,667	6.4	477	8.5	421	4.1
1968	17,481	6.4	474	8.5	356	3.6
1967	16,677	6.2	373	6.7	340	3.7
1966	16,891	6.3	387	7.8	327	4.1
1965	17,686	6.7	416	9.6	336	4.4
1964	18,566	7.2	343	8.4	363	5.3
1963	17,350	6.9	383	9.6	344	5.0
1962	16,548	6.7	321	9.2	315	4.7
1961	16,364	6.8	326	9.5	265	4.1
1960	15,791	6.7	332	10.3	351	5.3
1959	15,818	6.8	320	10.3	285	4.2
1958	16,074	7.0	340	11.3	254	3.8
1957	15,978	7.1	324	11.0	277	4.2
1956	16,566	7.4	354	12.5	246	3.6
1955	16,221	7.2	311	11.3	292	4.3
1954	16,783	7.6	301	11.1	291	4.3
1953	17,972	8.2	279	10.4	390	5.7
1952	20,480	9.2	346	12.4	278	4.4
1951	22,374	10.0	375	13.5	196	3.1
1950	21,895	9.9	374	14.0	230	3.9
1949	23,389	10.6	362	13.6	---	---
1948	26,209	12.0	340	12.6	---	---
1947	25,407	11.8	394	14.5	---	---
1946	27,517	12.9	408	15.1	---	---
1945	28,837	13.7	401	15.0	---	---
1944	29,795	14.4	402	14.8	---	---
1943	29,019	14.3	389	14.2	---	---
1942	32,220	16.2	483	18.5	---	---
1941	35,492	18.3	468	18.1	---	---
1940	34,468	18.4	553	22.2	---	---

[1] Rates are revised and, therefore, may differ from those published in "Vital Statistics of the United States," Vol. II, Mortality, for 1979 and earlier years, see Technical Appendix.

Table 9-2. Deaths by Month and Sex for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1981

Area, race, and sex	Total	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec
Puerto Rico	21,085	1,968	1,664	1,864	1,676	1,747	1,653	1,814	1,716	1,689	1,725	1,701	1,868
Male	12,301	1,174	960	1,095	1,019	1,016	944	1,034	985	927	973	1,014	1,160
Female	8,784	794	704	769	657	731	709	780	731	762	752	687	708
Virgin Islands	547	58	48	50	49	34	44	45	57	39	37	47	39
Male	311	36	28	26	35	19	21	26	30	22	21	28	19
Female	236	22	20	24	14	15	23	19	27	17	16	19	20
White	130	7	16	9	9	7	6	11	17	12	8	14	14
Male	78	4	11	4	8	5	1	9	13	8	2	8	5
Female	52	3	5	5	1	2	5	2	4	4	6	6	9
All other	417	51	32	41	40	27	38	34	40	27	29	33	25
Male	233	32	17	22	27	14	20	17	17	14	19	20	14
Female	184	19	15	19	13	13	18	17	23	13	10	13	11
Black	366	45	27	34	31	22	34	34	37	23	27	29	23
Male	196	26	14	17	20	11	18	17	15	11	17	17	13
Female	170	19	13	17	11	11	16	17	22	12	10	12	10
Guam	385	38	30	34	33	29	30	28	32	32	30	36	33
Male	225	21	22	16	19	20	17	14	17	18	13	25	23
Female	160	17	8	18	14	9	13	14	15	14	17	11	10
White	48	6	5	6	2	3	5	2	2	3	2	5	7
Male	39	4	5	3	2	3	5	1	1	2	2	5	6
Female	9	2	-	3	-	-	-	1	1	1	-	-	1
All other	337	32	25	28	31	26	25	26	30	29	28	31	26
Male	186	17	17	13	17	17	12	13	16	16	11	20	17
Female	151	15	8	15	14	9	13	13	14	13	17	11	9
Guamanian	251	24	17	21	19	18	22	23	27	17	21	22	20
Male	129	13	10	10	9	12	9	10	14	7	8	15	12
Female	122	11	7	11	10	6	13	13	13	10	13	7	8

Table 9-3. Deaths by 10-Year Age Groups, Race, and Sex: Virgin Islands and Guam, 1981

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Virgin Islands	547	55	9	5	26	19	37	53	93	112	77	59	2
Male	311	32	6	4	22	16	22	34	55	54	38	28	-
Female	236	23	3	1	4	3	15	19	38	58	39	31	2
White	130	7	-	-	6	6	6	19	31	27	16	11	1
Male	78	4	-	-	6	6	3	13	20	14	9	3	-
Female	52	3	-	-	-	-	3	6	11	13	7	8	1
All other	417	48	9	5	20	13	31	34	62	85	61	48	1
Male	233	28	6	4	16	10	19	21	35	40	29	25	-
Female	184	20	3	1	4	3	12	13	27	45	32	23	1
Black	366	42	7	5	16	11	25	28	55	78	52	46	1
Male	196	25	4	4	12	8	13	16	31	37	21	25	-
Female	170	17	3	1	4	3	12	12	24	41	31	21	1
Guam	385	30	3	4	22	23	19	39	78	93	46	25	3
Male	225	12	1	2	18	15	12	30	49	54	23	7	2
Female	160	18	2	2	4	8	7	9	29	39	23	18	1
White	48	7	-	-	5	6	5	3	8	7	3	1	3
Male	39	2	-	-	5	5	5	3	7	6	3	1	2
Female	9	5	-	-	-	1	-	-	1	1	-	-	1
All other	337	23	3	4	17	17	14	36	70	86	43	24	-
Male	186	10	1	2	13	10	7	27	42	48	20	6	-
Female	151	13	2	2	4	7	7	9	28	38	23	18	-
Guamanian	251	16	2	2	12	11	9	28	52	62	34	23	-
Male	129	7	1	1	9	7	4	20	30	30	14	6	-
Female	122	9	1	1	3	4	5	8	22	32	20	17	-

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1981

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	21,085	1,318	151	188	578	777	856	1,535	2,742	4,381	4,554	3,953	52
Male	12,301	765	97	112	458	591	590	1,027	1,774	2,673	2,425	1,747	42
Female	8,784	553	54	76	120	186	266	508	968	1,708	2,129	2,206	10
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	6	1	-	-	-	-	-	-	-	-	-	5	-
Male	3	1	-	-	-	-	-	-	-	-	-	2	-
Female	3	-	-	-	-	-	-	-	-	-	-	3	-
Tuberculosis (010-018)	89	-	-	1	3	2	5	7	24	22	16	8	1
Male	55	-	-	-	2	1	3	5	18	12	11	2	1
Female	34	-	-	1	1	1	2	2	6	10	5	6	-
Tuberculosis of respiratory system (010-012)	83	-	-	1	3	2	3	7	22	21	15	8	1
Male	51	-	-	-	2	1	2	5	17	11	10	2	1
Female	32	-	-	1	1	1	1	2	5	10	5	6	-
Other tuberculosis (013-018)	6	-	-	-	-	-	2	-	2	1	1	-	-
Male	4	-	-	-	-	-	1	-	1	1	1	-	-
Female	2	-	-	-	-	-	1	-	1	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	4	-	-	1	1	-	1	-	-	1	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	3	-	-	1	1	-	-	-	-	1	-	-	-
Septicemia (038)	165	12	2	2	6	3	3	11	24	30	44	27	1
Male	100	8	1	2	4	2	3	9	14	17	24	16	-
Female	65	4	1	-	2	1	-	2	10	13	20	11	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	1	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	14	-	-	2	1	1	-	2	1	5	1	1	-
Male	11	-	-	2	1	1	-	2	1	3	-	1	-
Female	3	-	-	-	-	-	-	-	-	2	1	-	-
Syphilis (090-097)	3	2	-	-	-	-	-	-	-	-	1	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	2	-	-	-	-	-	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	51	9	-	1	4	2	3	4	7	9	7	5	-
Male	23	7	-	-	1	1	2	2	4	2	2	2	-
Female	28	2	-	1	3	1	1	2	3	7	5	3	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,315	4	15	30	37	52	116	330	621	912	792	405	1
Male	1,975	2	4	22	21	29	51	173	369	565	491	247	1
Female	1,340	2	11	8	16	23	65	157	252	347	301	158	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	170	-	-	-	-	-	8	16	47	47	31	21	-
Male	139	-	-	-	-	-	7	13	39	39	28	13	-
Female	31	-	-	-	-	-	1	3	8	8	3	8	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,254	-	1	-	6	9	29	116	234	384	328	147	-
Male	782	-	-	-	4	6	15	75	149	256	195	82	-
Female	472	-	1	-	2	3	14	41	85	128	133	65	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	446	-	1	-	2	5	12	46	117	123	97	42	1
Male	310	-	-	-	1	4	7	35	83	86	66	27	1
Female	136	-	1	-	1	1	5	11	34	37	31	15	-
Malignant neoplasm of breast (174-175)	176	-	-	-	-	9	22	34	42	39	20	10	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	175	-	-	-	-	9	22	34	42	38	20	10	-
Malignant neoplasms of genital organs (179-187)	475	-	-	1	2	4	16	35	52	116	151	98	-
Male	295	-	-	-	1	1	-	3	18	78	112	82	-
Female	180	-	-	1	1	3	16	32	34	38	39	16	-
Malignant neoplasms of urinary organs (188-189)	90	-	-	-	-	1	2	5	13	28	22	19	-
Male	61	-	-	-	-	1	2	3	8	18	17	12	-
Female	29	-	-	-	-	-	-	2	5	10	5	7	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	406	3	6	10	9	11	17	49	68	102	84	47	-
Male	222	2	3	8	4	7	10	29	45	52	41	21	-
Female	184	1	3	2	5	4	7	20	23	50	43	26	-
Leukemia (204-208)	129	1	7	15	15	6	5	11	15	21	22	11	-
Male	71	-	1	11	8	4	5	7	6	9	14	6	-
Female	58	1	6	4	7	2	-	4	9	12	8	5	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	169	-	-	4	3	7	5	18	33	52	37	10	-
Male	94	-	-	3	3	6	5	8	21	26	18	4	-
Female	75	-	-	1	-	1	-	10	12	26	19	6	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	106	3	1	2	3	6	6	16	18	18	21	12	-
Male	57	2	-	-	3	3	1	7	15	10	11	5	-
Female	49	1	1	2	-	3	5	9	3	8	10	7	-

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Diabetes mellitus (250)	958	-	1	-	3	11	15	68	166	275	273	146	-
Male	417	-	1	-	1	8	9	40	81	129	101	47	-
Female	541	-	-	-	2	3	6	28	85	146	172	99	-
Nutritional deficiencies (260-269)	38	1	-	-	1	-	-	1	2	7	12	14	-
Male	17	1	-	-	1	-	-	1	1	4	2	7	-
Female	21	-	-	-	-	-	-	-	1	3	10	7	-
Anemias (280-285)	91	1	-	1	-	2	1	6	11	18	26	25	-
Male	44	-	-	-	-	2	1	4	6	9	12	10	-
Female	47	1	-	1	-	-	-	2	5	9	14	15	-
Meningitis (320-322)	26	10	4	1	-	1	6	-	1	1	2	-	-
Male	14	3	3	-	-	-	6	-	1	1	-	-	-
Female	12	7	1	1	-	1	-	-	-	-	2	-	-
Major cardiovascular diseases (390-448)	8,363	34	11	15	27	76	170	399	1,006	1,973	2,323	2,311	18
Male	4,423	18	6	8	20	46	108	263	636	1,168	1,180	958	12
Female	3,940	16	5	7	7	30	62	136	370	805	1,143	1,353	6
Diseases of heart (390-398,402,404-429)	5,902	25	8	12	17	54	124	296	765	1,466	1,640	1,483	12
Male	3,216	13	6	7	13	34	79	201	490	874	835	655	9
Female	2,686	12	2	5	4	20	45	95	275	592	805	828	3
Rheumatic fever and rheumatic heart disease (390-398)	43	-	-	1	2	7	7	6	8	5	6	1	-
Male	14	-	-	1	1	1	1	3	2	1	3	1	-
Female	29	-	-	-	1	6	6	3	6	4	3	-	-
Hypertensive heart disease (402)	286	-	-	-	-	2	4	11	34	81	82	72	-
Male	119	-	-	-	-	1	1	7	15	43	38	14	-
Female	167	-	-	-	-	1	3	4	19	38	44	58	-
Hypertensive heart and renal disease (404)	14	-	-	-	-	-	1	1	3	2	6	1	-
Male	6	-	-	-	-	-	1	-	1	-	3	1	-
Female	8	-	-	-	-	-	-	1	2	2	3	-	-
Ischemic heart disease (410-414)	3,966	-	-	2	4	14	66	203	547	1,052	1,132	936	10
Male	2,263	-	-	1	3	10	51	150	382	641	586	431	8
Female	1,703	-	-	1	1	4	15	53	165	411	546	505	2
Acute myocardial infarction (410)	2,379	-	-	2	3	12	54	152	409	718	643	381	5
Male	1,447	-	-	1	2	8	41	115	290	440	352	193	5
Female	932	-	-	1	1	4	13	37	119	278	291	188	-
Other acute and subacute forms of ischemic heart disease (411)	93	-	-	-	-	1	1	5	12	23	18	30	3
Male	55	-	-	-	-	1	1	3	9	16	12	12	1
Female	38	-	-	-	-	-	-	2	3	7	6	18	2
Angina pectoris (413)	17	-	-	-	-	-	-	-	6	9	2	-	-
Male	9	-	-	-	-	-	-	-	3	6	-	-	-
Female	8	-	-	-	-	-	-	-	3	3	2	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,477	-	-	-	1	1	11	46	120	302	469	525	2
Male	752	-	-	-	1	1	9	32	80	179	222	226	2
Female	725	-	-	-	-	-	2	14	40	123	247	299	-
Other diseases of endocardium (424)	37	-	-	1	1	5	2	2	7	11	7	1	-
Male	22	-	-	-	1	2	2	1	4	7	4	1	-
Female	15	-	-	1	-	3	-	1	3	4	3	-	-
All other forms of heart disease (415-423,425-429)	1,556	25	8	8	10	26	44	73	166	315	407	472	2
Male	792	13	6	5	8	20	23	40	86	182	201	207	1
Female	764	12	2	3	2	6	21	33	80	133	206	265	1
Hypertension with or without renal disease (401,403)	222	-	-	1	1	2	7	16	47	54	43	51	-
Male	112	-	-	-	1	1	4	12	33	26	16	19	-
Female	110	-	-	1	-	1	3	4	14	28	27	32	-
Cerebrovascular diseases (430-438)	1,715	9	2	2	7	19	36	82	176	370	472	535	5
Male	861	5	-	1	5	11	23	46	103	216	244	205	2
Female	854	4	2	1	2	8	13	36	73	154	228	330	3
Intracerebral and other intracranial hemorrhage (431,432)	310	2	1	1	2	11	21	29	52	66	64	61	-
Male	166	-	-	-	1	6	18	17	28	48	29	19	-
Female	144	2	1	1	1	5	3	12	24	18	35	42	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	342	2	-	-	1	2	2	10	31	68	98	128	-
Male	162	1	-	-	1	1	-	6	21	28	52	52	-
Female	180	1	-	-	-	1	2	4	10	40	46	76	-
Cerebral embolism (434.1)	12	-	-	-	-	-	-	2	1	4	2	3	-
Male	5	-	-	-	-	-	-	1	-	2	2	-	-
Female	7	-	-	-	-	-	-	1	1	2	-	3	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,051	5	1	1	4	6	13	41	92	232	308	343	5
Male	528	4	-	1	3	4	5	22	54	138	161	134	2
Female	523	1	1	-	1	2	8	19	38	94	147	209	3
Atherosclerosis (440)	427	-	-	-	-	-	-	1	12	51	139	224	-
Male	174	-	-	-	-	-	-	1	6	31	67	69	-
Female	253	-	-	-	-	-	-	-	6	20	72	155	-
Other diseases of arteries, arterioles, and capillaries (441-448)	97	-	1	-	2	1	3	4	6	32	29	18	1
Male	60	-	-	-	1	-	2	3	4	21	18	10	1
Female	37	-	1	-	1	1	1	1	2	11	11	8	-
Acute bronchitis and bronchiolitis (466)	8	1	-	-	-	-	1	-	-	1	4	1	-
Male	3	1	-	-	-	-	1	-	-	-	1	-	-
Female	5	-	-	-	-	-	-	-	-	1	3	1	-

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Pneumonia and influenza (480-487)	1,068	101	17	8	19	24	28	40	91	154	239	344	3
Male	624	61	14	4	9	14	23	26	68	110	128	165	2
Female	444	40	3	4	10	10	5	14	23	44	111	179	1
Pneumonia (480-486)	1,051	101	17	8	19	23	27	40	91	154	233	335	3
Male	616	61	14	4	9	14	22	26	68	110	125	161	2
Female	435	40	3	4	10	9	5	14	23	44	108	174	1
Influenza (487)	17	-	-	-	-	1	1	-	-	-	6	9	-
Male	8	-	-	-	-	-	1	-	-	-	3	4	-
Female	9	-	-	-	-	1	-	-	-	-	3	5	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	551	5	5	3	5	14	14	23	69	130	165	118	-
Male	303	5	4	1	4	9	7	14	46	78	85	50	-
Female	248	-	1	2	1	5	7	9	23	52	80	68	-
Bronchitis, chronic and unspecified (490-491)	45	1	-	-	-	-	-	3	3	12	10	16	-
Male	23	1	-	-	-	-	-	-	1	7	6	8	-
Female	22	-	-	-	-	-	-	3	2	5	4	8	-
Emphysema (492)	105	-	-	-	-	1	2	4	8	23	39	28	-
Male	61	-	-	-	-	1	2	2	5	16	21	14	-
Female	44	-	-	-	-	-	-	2	3	7	18	14	-
Asthma (493)	162	3	5	3	5	12	7	7	30	33	36	21	-
Male	89	3	4	1	4	7	1	4	19	17	22	7	-
Female	73	-	1	2	1	5	6	3	11	16	14	14	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	239	1	-	-	-	1	5	9	28	62	80	53	-
Male	130	1	-	-	-	1	4	8	21	38	36	21	-
Female	109	-	-	-	-	-	1	1	7	24	44	32	-
Ulcer of stomach and duodenum (531-533)	67	4	-	-	-	1	2	1	12	21	11	15	-
Male	45	4	-	-	-	1	1	1	10	14	7	7	-
Female	22	-	-	-	-	-	1	-	2	7	4	8	-
Appendicitis (540-543)	10	-	-	2	1	1	1	-	3	-	-	2	-
Male	7	-	-	1	1	1	1	-	3	-	-	-	-
Female	3	-	-	1	-	-	-	-	-	-	-	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	78	5	1	2	2	-	2	3	7	23	17	16	-
Male	48	3	-	1	2	-	2	2	5	20	11	2	-
Female	30	2	1	1	-	-	-	1	2	3	6	14	-
Chronic liver disease and cirrhosis (571)	785	1	-	1	3	40	72	168	210	183	82	20	5
Male	597	1	-	-	1	29	59	139	160	145	48	10	5
Female	188	-	-	1	2	11	13	29	50	38	34	10	-
Cholelithiasis and other disorders of gallbladder (574-575)	23	-	-	-	-	1	1	-	4	5	3	9	-
Male	10	-	-	-	-	1	1	-	2	3	1	2	-
Female	13	-	-	-	-	-	-	-	2	2	2	7	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	215	1	3	1	5	5	12	16	26	56	56	34	-
Male	132	-	3	1	3	2	8	9	16	36	36	18	-
Female	83	1	-	-	2	3	4	7	10	20	20	16	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	12	1	1	1	1	-	1	-	3	1	2	1	-
Male	8	-	1	1	1	-	-	-	2	1	2	-	-
Female	4	1	-	-	-	-	1	-	1	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	39	-	-	-	-	3	3	3	5	14	7	4	-
Male	25	-	-	-	-	2	2	1	3	11	4	2	-
Female	14	-	-	-	-	1	1	2	2	3	3	2	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	164	-	2	-	4	2	8	13	18	41	47	29	-
Male	99	-	2	-	2	-	6	8	11	24	30	16	-
Female	65	-	-	-	2	2	2	5	7	17	17	13	-
Infections of kidney (590)	21	-	-	-	-	1	-	5	2	2	4	7	-
Male	10	-	-	-	-	1	-	-	1	1	3	4	-
Female	11	-	-	-	-	-	-	5	1	1	1	3	-
Hyperplasia of prostate (600)	9	-	-	-	-	-	-	-	-	3	3	3	-
Male	9	-	-	-	-	-	-	-	-	3	3	3	-
Female													
Complications of pregnancy, childbirth, and the puerperium (630-676)	13	-	-	-	2	7	4	-	-	-	-	-	-
Male													
Female	13	-	-	-	2	7	4	-	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	3	-	-	-	1	1	1	-	-	-	-	-	-
Male													
Female	3	-	-	-	1	1	1	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	10	-	-	-	1	6	3	-	-	-	-	-	-
Male													
Female	10	-	-	-	1	6	3	-	-	-	-	-	-
Congenital anomalies (740-759)	276	198	20	18	10	9	6	2	6	3	4	-	-
Male	146	98	16	12	6	3	1	1	6	-	3	-	-
Female	130	100	4	6	4	6	5	1	-	3	1	-	-
Certain conditions originating in the perinatal period (760-779)	788	788	-	-	-	-	-	-	-	-	-	-	-
Male	472	472	-	-	-	-	-	-	-	-	-	-	-
Female	316	316	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	383	383	-	-	-	-	-	-	-	-	-	-	-
Male	234	234	-	-	-	-	-	-	-	-	-	-	-
Female	149	149	-	-	-	-	-	-	-	-	-	-	-

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Certain conditions originating in the perinatal period-Con.													
Other conditions originating in the perinatal period (760-766,770-779)	405	405	-	-	-	-	-	-	-	-	-	-	-
Male	238	238	-	-	-	-	-	-	-	-	-	-	-
Female	167	167	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	201	17	3	2	4	8	11	7	25	21	31	68	4
Male	117	8	2	1	3	6	8	6	17	8	21	33	4
Female	84	9	1	1	1	2	3	1	8	13	10	35	-
All other diseases (Residual)	1,792	92	28	25	46	71	109	203	243	358	324	287	6
Male	1,044	53	17	12	27	49	71	129	159	217	179	125	6
Female	748	39	11	13	19	22	38	74	84	141	145	162	-
Accidents and adverse effects (E800-E949)	1,132	27	36	64	200	196	133	136	101	103	63	63	10
Male	884	17	24	44	173	172	109	115	82	75	40	25	8
Female	248	10	12	20	27	24	24	21	19	28	23	38	2
Motor vehicle accidents (E810-E825)	491	2	12	25	124	93	65	73	40	32	18	3	4
Male	398	-	7	17	104	83	51	62	36	22	12	1	3
Female	93	2	5	8	20	10	14	11	4	10	6	2	1
All other accidents and adverse effects (E800-E807,E826-E949)	641	25	24	39	76	103	68	63	61	71	45	60	6
Male	486	17	17	27	69	89	58	53	46	53	28	24	5
Female	155	8	7	12	7	14	10	10	15	18	17	36	1
Suicide (E950-E959)	280			-	27	61	56	46	30	32	22	6	-
Male	244			-	22	54	45	42	26	30	19	6	-
Female	36			-	5	7	11	4	4	2	3	-	-
Homicide and legal intervention (E960-E978)	526	1	3	6	167	177	75	41	30	15	8	1	2
Male	455	-	1	1	153	152	65	37	25	13	6	-	2
Female	71	1	2	5	14	25	10	4	5	2	2	1	-
All other external causes (E980-E999)	12	-	-	-	1	5	3	-	2	-	-	-	1
Male	10	-	-	-	-	4	3	-	2	-	-	-	1
Female	2	-	-	-	1	1	-	-	-	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1981

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	547	55	9	5	26	19	37	53	93	112	77	59	2
White, male	78	4	-	-	6	6	3	13	20	14	9	3	-
White, female	52	3	-	-	-	-	3	6	11	13	7	8	1
All other, male	233	28	6	4	16	10	19	21	35	40	29	25	-
All other, female	184	20	3	1	4	3	12	13	27	45	32	23	1
Black, male	196	25	4	4	12	8	13	16	31	37	21	25	-
Black, female	170	17	3	1	4	3	12	12	24	41	31	21	1
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	-	-	-	-	-	1	-	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis of respiratory system (010-012)	2	-	-	-	-	-	-	1	-	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	4	-	-	-	1	-	-	-	-	1	-	2	-
White, male	1	-	-	-	1	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	-	-	1	-	1	-
All other, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, male	2	-	-	-	-	-	-	-	-	1	-	1	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	-	-	-	-	-	1	-	-	-	-	-	-
White, male	1	-	-	-	-	-	1	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	1	-	-	-	-	-	1	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	1	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	87	-	2	1	3	-	4	13	24	30	8	2	-
White, male	11	-	-	-	-	-	-	-	6	4	1	-	-
White, female	11	-	-	-	-	-	1	1	4	4	1	-	-
All other, male	34	-	2	-	1	-	1	8	7	10	3	2	-
All other, female	31	-	-	1	2	-	2	4	7	12	3	-	-
Black, male	30	-	1	-	1	-	1	7	7	9	2	2	-
Black, female	29	-	-	1	2	-	2	4	7	11	2	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	-	-	-	-	-	-	3	-	-	1	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, male	4	-	-	-	-	-	-	2	-	-	1	1	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	4	-	-	-	-	-	-	2	-	-	1	1	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	23	-	-	-	-	-	-	4	5	12	1	1	-
White, male	3	-	-	-	-	-	-	-	1	2	-	-	-
White, female	5	-	-	-	-	-	-	-	1	3	1	-	-
All other, male	8	-	-	-	-	-	-	2	2	3	-	1	-
All other, female	7	-	-	-	-	-	-	2	1	4	-	-	-
Black, male	7	-	-	-	-	-	-	2	2	2	-	1	-
Black, female	6	-	-	-	-	-	-	2	1	3	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	15	-	-	-	-	-	-	2	7	4	2	-	-
White, male	4	-	-	-	-	-	-	-	3	1	-	-	-
White, female	2	-	-	-	-	-	-	-	1	1	-	-	-
All other, male	5	-	-	-	-	-	-	2	1	2	-	-	-
All other, female	4	-	-	-	-	-	-	-	2	-	2	-	-
Black, male	4	-	-	-	-	-	-	1	1	2	-	-	-
Black, female	3	-	-	-	-	-	-	-	2	-	1	-	-
Malignant neoplasm of breast (174-175)	9	-	-	-	-	-	-	1	1	6	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	9	-	-	-	-	-	-	1	1	6	1	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	9	-	-	-	-	-	-	1	1	6	1	-	-
Malignant neoplasms of genital organs (179-187)	17	-	-	1	1	-	2	1	6	3	3	-	-
White, male	1	-	-	-	-	-	-	-	-	-	1	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	6	-	-	-	-	-	-	-	2	2	2	-	-
All other, female	9	-	-	1	1	-	2	1	3	1	-	-	-
Black, male	5	-	-	-	-	-	-	-	2	2	1	-	-
Black, female	9	-	-	1	1	-	2	1	3	1	-	-	-
Malignant neoplasms of urinary organs (188-189)	4	-	1	-	-	-	-	-	1	2	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	2	-	1	-	-	-	-	-	-	1	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, male	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	9	-	1	-	2	-	1	-	3	2	-	-	-
White, male	3	-	-	-	-	-	-	-	2	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	5	-	1	-	1	-	1	-	1	1	-	-	-
All other, female	1	-	-	-	1	-	-	-	-	-	-	-	-
Black, male	5	-	1	-	1	-	1	-	1	1	-	-	-
Black, female	1	-	-	-	1	-	-	-	-	-	-	-	-
Leukemia (204-208)	2	-	-	-	-	-	-	1	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	1	-	1	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	2	-	-	-	-	-	-	1	-	1	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	3	-	-	-	-	-	1	1	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	1	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	1	1	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	2	-	-	-	-	-	-	1	1	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	1	-	-	-	-	-	1	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	1	-	-	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Diabetes mellitus (250)	21	-	-	-	1	-	1	2	2	10	3	2	-
White, male	1	-	-	-	-	-	-	-	-	-	-	1	-
White, female	2	-	-	-	-	-	-	1	-	1	-	-	-
All other, male	6	-	-	-	1	-	-	-	2	2	-	1	-
All other, female	12	-	-	-	-	-	1	1	-	7	3	-	-
Black, male	6	-	-	-	1	-	-	-	2	2	-	1	-
Black, female	11	-	-	-	-	-	1	1	-	6	3	-	-
Nutritional deficiencies (260-269)	2	-	-	-	-	-	-	-	-	-	-	2	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	-	1	-
All other, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, male	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Anemias (280-285)	3	-	1	-	-	-	1	-	-	-	-	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	1	-	-	-	1	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, male	1	-	1	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	192	-	-	-	-	2	2	10	44	52	44	38	-
White, male	32	-	-	-	-	-	1	3	11	10	5	2	-
White, female	24	-	-	-	-	-	-	1	5	6	5	7	-
All other, male	72	-	-	-	-	2	-	5	16	19	15	15	-
All other, female	64	-	-	-	-	-	1	1	12	17	19	14	-
Black, male	64	-	-	-	-	2	-	5	14	17	11	15	-
Black, female	60	-	-	-	-	-	1	1	11	16	19	12	-
Diseases of heart (390-398,402,404-429)	142	-	-	-	-	2	2	10	35	40	30	23	-
White, male	27	-	-	-	-	-	1	3	8	10	4	1	-
White, female	14	-	-	-	-	-	-	1	4	3	3	3	-
All other, male	54	-	-	-	-	2	-	5	14	14	10	9	-
All other, female	47	-	-	-	-	-	1	1	9	13	13	10	-
Black, male	47	-	-	-	-	2	-	5	12	13	6	9	-
Black, female	44	-	-	-	-	-	1	1	8	13	13	8	-
Rheumatic fever and rheumatic heart disease (390-398)	5	-	-	-	-	-	-	4	1	-	-	-	-
White, male	1	-	-	-	-	-	-	1	-	-	-	-	-
White, female	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, male	3	-	-	-	-	-	-	2	1	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	3	-	-	-	-	-	-	2	1	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	7	-	-	-	-	-	-	-	4	1	1	1	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	-	-	-	-	-	1	1	-	1	-
All other, female	3	-	-	-	-	-	-	-	2	-	1	-	-
Black, male	3	-	-	-	-	-	-	-	1	1	-	1	-
Black, female	3	-	-	-	-	-	-	-	2	-	1	-	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	112	-	-	-	-	2	1	4	29	33	26	17	-
White, male	24	-	-	-	-	-	1	2	7	9	4	1	-
White, female	12	-	-	-	-	-	-	-	3	3	3	3	-
All other, male	39	-	-	-	-	2	-	1	12	12	8	4	-
All other, female	37	-	-	-	-	-	-	1	7	9	11	9	-
Black, male	33	-	-	-	-	2	-	1	10	11	5	4	-
Black, female	34	-	-	-	-	-	-	1	6	9	11	7	-
Acute myocardial infarction (410)	49	-	-	-	-	-	1	3	19	11	10	5	-
White, male	14	-	-	-	-	-	1	2	6	3	2	-	-
White, female	4	-	-	-	-	-	-	-	-	1	2	1	-
All other, male	14	-	-	-	-	-	-	-	7	5	2	-	-
All other, female	17	-	-	-	-	-	-	1	6	2	4	4	-
Black, male	11	-	-	-	-	-	-	-	5	5	1	-	-
Black, female	17	-	-	-	-	-	-	1	6	2	4	4	-
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ischemic heart disease-Con.													
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	63	-	-	-	-	2	-	1	10	22	16	12	-
White, male	10	-	-	-	-	-	-	-	1	6	2	1	-
White, female	8	-	-	-	-	-	-	-	3	2	1	2	-
All other, male	25	-	-	-	-	2	-	1	5	7	6	4	-
All other, female	20	-	-	-	-	-	-	-	1	7	7	5	-
Black, male	22	-	-	-	-	2	-	1	5	6	4	4	-
Black, female	17	-	-	-	-	-	-	-	-	7	7	3	-
Other diseases of endocardium (424)	2	-	-	-	-	-	-	-	1	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other forms of heart disease (415-423,425-429)	16	-	-	-	-	-	1	2	-	5	3	5	-
White, male	1	-	-	-	-	-	-	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	9	-	-	-	-	-	-	2	-	1	2	4	-
All other, female	6	-	-	-	-	-	1	-	-	3	1	1	-
Black, male	8	-	-	-	-	-	-	2	-	1	1	4	-
Black, female	6	-	-	-	-	-	1	-	-	3	1	1	-
Hypertension with or without renal disease (401,403)	1	-	-	-	-	-	-	-	-	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Cerebrovascular diseases (430-438)	42	-	-	-	-	-	-	-	8	10	12	12	-
White, male	4	-	-	-	-	-	-	-	2	-	1	1	-
White, female	8	-	-	-	-	-	-	-	1	2	2	3	-
All other, male	15	-	-	-	-	-	-	-	2	5	4	4	-
All other, female	15	-	-	-	-	-	-	-	3	3	5	4	-
Black, male	14	-	-	-	-	-	-	-	2	4	4	4	-
Black, female	14	-	-	-	-	-	-	-	3	2	5	4	-
Intracerebral and other intracranial hemorrhage (431-432)	6	-	-	-	-	-	-	-	-	3	1	2	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, male	3	-	-	-	-	-	-	-	-	-	1	2	-
All other, female	2	-	-	-	-	-	-	-	-	2	-	-	-
Black, male	3	-	-	-	-	-	-	-	-	-	1	2	-
Black, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	7	-	-	-	-	-	-	-	3	1	-	3	-
White, male	2	-	-	-	-	-	-	-	1	-	-	1	-
White, female	1	-	-	-	-	-	-	-	-	-	-	1	-
All other, male	3	-	-	-	-	-	-	-	1	1	-	1	-
All other, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, male	3	-	-	-	-	-	-	-	1	1	-	1	-
Black, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	29	-	-	-	-	-	-	-	5	6	11	7	-
White, male	2	-	-	-	-	-	-	-	1	-	1	-	-
White, female	6	-	-	-	-	-	-	-	1	1	2	2	-
All other, male	9	-	-	-	-	-	-	-	1	4	3	1	-
All other, female	12	-	-	-	-	-	-	-	2	1	5	4	-
Black, male	8	-	-	-	-	-	-	-	1	3	3	1	-
Black, female	11	-	-	-	-	-	-	-	2	1	5	4	-
Atherosclerosis (440)	3	-	-	-	-	-	-	-	-	1	-	2	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	2	-	-	-	-	-	-	-	-	1	-	1	-
All other, male	1	-	-	-	-	-	-	-	-	-	-	1	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	3	-	-	-	-	-	-	-	1	1	1	-	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, male	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Pneumonia and influenza (480-487)	7	1	-	-	-	-	-	-	1	2	1	2	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	4	-	-	-	-	-	-	-	1	-	1	2	-
All other, female	3	1	-	-	-	-	-	-	-	2	-	-	-
Black, male	2	-	-	-	-	-	-	-	-	-	-	2	-
Black, female	2	1	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (480-486)	7	1	-	-	-	-	-	-	1	2	1	2	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	4	-	-	-	-	-	-	-	1	-	1	2	-
All other, female	3	1	-	-	-	-	-	-	-	2	-	-	-
Black, male	2	-	-	-	-	-	-	-	-	-	-	2	-
Black, female	2	1	-	-	-	-	-	-	-	1	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	5	-	-	-	-	1	-	-	-	1	2	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	-	-	1	-	-	-	-	2	-	-
All other, female	2	-	-	-	-	-	-	-	-	1	-	1	-
Black, male	3	-	-	-	-	1	-	-	-	-	2	-	-
Black, female	2	-	-	-	-	-	-	-	-	1	-	1	-
Bronchitis, chronic and unspecified (490-491)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	1	-	-	-	-	-	-	-	-	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (493)	2	-	-	-	-	1	-	-	-	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	1	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black, male	1	-	-	-	-	1	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2	-	-	-	-	-	-	-	-	-	1	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, male	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	-	-	-	-	-	-	-	-	-	1	1	-
White, male	1	-	-	-	-	-	-	-	-	-	-	1	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Chronic liver disease and cirrhosis (571)	10	-	-	-	-	1	-	4	[illegible]	1	[illegible]	2	-
White, male	3	-	-	-	-	[illegible]	-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-
White, female	4	-	-	-	-	[illegible]	-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-
All other, male	6	-	-	-	-	[illegible]	-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-
All other, female	4	-	-	-	-	[illegible]	-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-
Black, male	5	-	-	-	-	[illegible]	-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-
Black, female	3	-	-	-	-	[illegible]	-	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	-
Cholelithiasis and other disorders of gallbladder (574-575)	1	-	-	-	-	-	-	-	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	1	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Nephritis, nephrotic syndrome, and nephrosis (580-589)	11	-	-	-	-	-	1	2	1	3	4	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	9	-	-	-	-	-	1	2	-	3	3	-	-
All other, female	2	-	-	-	-	-	-	-	1	-	1	-	-
Black, male	7	-	-	-	-	-	1	1	-	3	2	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	-	-	1	-	2	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	-	-	-	-	1	-	2	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	3	-	-	-	-	-	-	1	-	2	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	8	-	-	-	-	-	1	1	1	1	4	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	6	-	-	-	-	-	1	1	-	1	3	-	-
All other, female	2	-	-	-	-	-	-	-	1	-	1	-	-
Black, male	4	-	-	-	-	-	1	-	-	1	2	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Infections of kidney (590)	2	-	-	-	-	-	-	-	1	1	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	2	-	-	-	-	-	-	-	1	1	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	2	-	-	-	-	-	-	-	1	1	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	1	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	-	-	1	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	13	8	3	-	-	-	1	-	-	-	-	-	1
White, male	1	1	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	-	-	1
All other, male	7	6	1	-	-	-	-	-	-	-	-	-	-
All other, female	4	1	2	-	-	-	1	-	-	-	-	-	-
Black, male	7	6	1	-	-	-	-	-	-	-	-	-	-
Black, female	4	1	2	-	-	-	1	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	39	39	-	-	-	-	-	-	-	-	-	-	-
White, male	2	2	-	-	-	-	-	-	-	-	-	-	-
White, female	3	3	-	-	-	-	-	-	-	-	-	-	-
All other, male	18	18	-	-	-	-	-	-	-	-	-	-	-
All other, female	16	16	-	-	-	-	-	-	-	-	-	-	-
Black, male	15	15	-	-	-	-	-	-	-	-	-	-	-
Black, female	13	13	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	18	18	-	-	-	-	-	-	-	-	-	-	-
White, male	2	2	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	8	8	-	-	-	-	-	-	-	-	-	-	-
All other, female	8	8	-	-	-	-	-	-	-	-	-	-	-
Black, male	7	7	-	-	-	-	-	-	-	-	-	-	-
Black, female	5	5	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	21	21	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	3	3	-	-	-	-	-	-	-	-	-	-	-
All other, male	10	10	-	-	-	-	-	-	-	-	-	-	-
All other, female	8	8	-	-	-	-	-	-	-	-	-	-	-
Black, male	8	8	-	-	-	-	-	-	-	-	-	-	-
Black, female	8	8	-	-	-	-	-	-	-	-	-	-	-

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Symptoms, signs, and ill-defined conditions (780-799)	2	-	-	-	-	-	-	-	-	1	-	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	2	-	-	-	-	-	-	-	-	1	-	1	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	2	-	-	-	-	-	-	-	-	1	-	1	-
All other diseases (Residual)	60	4	1	2	1	2	8	9	10	6	11	6	-
White, male	6	-	-	-	-	1	1	2	-	-	2	-	-
White, female	5	-	-	-	-	-	-	1	2	-	1	1	-
All other, male	20	2	-	2	1	-	3	1	3	3	4	1	-
All other, female	29	2	1	-	-	1	4	5	5	3	4	4	-
Black, male	19	2	-	2	1	-	2	1	3	3	4	1	-
Black, female	28	2	1	-	-	1	4	5	4	3	4	4	-
Accidents and adverse effects (E800-E949)	40	3	1	2	14	6	6	5	2	-	-	-	1
White, male	11	1	-	-	3	3	1	3	-	-	-	-	-
White, female	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, male	26	2	1	2	11	2	5	1	2	-	-	-	-
All other, female	2	-	-	-	-	1	-	-	-	-	-	-	1
Black, male	18	2	-	2	8	-	3	1	2	-	-	-	-
Black, female	2	-	-	-	-	1	-	-	-	-	-	-	1
Motor vehicle accidents (E810-E825)	16	1	-	-	10	-	3	1	1	-	-	-	-
White, male	5	1	-	-	3	-	-	1	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	11	-	-	-	7	-	3	-	1	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	7	-	-	-	4	-	2	-	1	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807,E826-E949)	24	2	1	2	4	6	3	4	1	-	-	-	1
White, male	6	-	-	-	-	3	1	2	-	-	-	-	-
White, female	1	-	-	-	-	-	-	1	-	-	-	-	-
All other, male	15	2	1	2	4	2	2	1	1	-	-	-	-
All other, female	2	-	-	-	-	1	-	-	-	-	-	-	1
Black, male	11	2	-	2	4	-	1	1	1	-	-	-	-
Black, female	2	-	-	-	-	1	-	-	-	-	-	-	1
Suicide (E950-E959)	3			-	-	1	1	1	-	-	-	-	-
White, male	1			-	-	-	-	1	-	-	-	-	-
White, female	1			-	-	-	1	-	-	-	-	-	-
All other, male	1			-	-	1	-	-	-	-	-	-	-
All other, female	-			-	-	-	-	-	-	-	-	-	-
Black, male	1			-	-	1	-	-	-	-	-	-	-
Black, female	-			-	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	24	-	1	-	5	5	5	3	3	-	-	2	-
White, male	6	-	-	-	2	1	-	1	2	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	14	-	1	-	2	3	3	2	1	-	-	2	-
All other, female	4	-	-	-	1	1	2	-	-	-	-	-	-
Black, male	12	-	1	-	1	3	3	1	1	-	-	2	-
Black, female	4	-	-	-	1	1	2	-	-	-	-	-	-
All other external causes (E980-E999)	3	-	-	-	-	1	1	1	-	-	-	-	-
White, male	1	-	-	-	-	-	-	1	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	1	1	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	2	-	-	-	-	1	1	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1981

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	385	30	3	4	22	23	19	39	78	93	46	25	3
Male	225	12	1	2	18	15	12	30	49	54	23	7	2
Female	160	18	2	2	4	8	7	9	29	39	23	18	1
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	5	-	-	-	-	-	-	1	1	3	-	-	-
Male	2	-	-	-	-	-	-	1	-	1	-	-	-
Female	3	-	-	-	-	-	-	-	1	2	-	-	-
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	-	1	1	2	-	-	-
Male	2	-	-	-	-	-	-	1	-	1	-	-	-
Female	2	-	-	-	-	-	-	-	1	1	-	-	-
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	4	-	-	-	-	-	-	-	1	-	1	2	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	3	-	-	-	-	-	-	-	1	-	1	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	54	-	-	-	2	1	4	8	12	17	10	-	-
Male	36	-	-	-	1	-	2	6	10	14	3	-	-
Female	18	-	-	-	1	1	2	2	2	3	7	-	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	-	-	-	-	-	1	1	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	18	-	-	-	1	-	2	3	3	5	4	-	-
Male	11	-	-	-	-	-	-	2	3	4	2	-	-
Female	7	-	-	-	1	-	2	1	-	1	2	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	15	-	-	-	-	-	1	3	5	5	1	-	-
Male	14	-	-	-	-	-	1	3	5	5	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of genital organs (179-187)	7	-	-	-	-	-	-	-	2	3	2	-	-
Male	3	-	-	-	-	-	-	-	-	2	1	-	-
Female	4	-	-	-	-	-	-	-	2	1	1	-	-
Malignant neoplasms of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	6	-	-	-	-	-	-	1	1	1	3	-	-
Male	3	-	-	-	-	-	-	1	1	1	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	3	-	-
Leukemia (204-208)	4	-	-	-	-	1	-	-	1	2	-	-	-
Male	3	-	-	-	-	-	-	-	1	2	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	-	-	-	1	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	-	1	-	-	-	-

READEX FICHE

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Diabetes mellitus (250)	9	-	-	-	-	-	-	-	2	5	1	1	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	8	-	-	-	-	-	-	-	1	5	1	1	-
Nutritional deficiencies (260-269)	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	127	-	-	-	-	2	4	17	29	36	24	14	1
Male	76	-	-	-	-	2	4	13	19	19	15	4	-
Female	51	-	-	-	-	-	-	4	10	17	9	10	1
Diseases of heart (390-398,402,404-429)	90	-	-	-	-	2	4	12	20	24	17	11	-
Male	56	-	-	-	-	2	4	11	14	12	11	2	-
Female	34	-	-	-	-	-	-	1	6	12	6	9	-
Rheumatic fever and rheumatic heart disease (390-398)	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	6	-	-	-	-	-	-	1	-	3	2	-	-
Male	3	-	-	-	-	-	-	1	-	-	2	-	-
Female	3	-	-	-	-	-	-	-	-	3	-	-	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	57	-	-	-	-	-	2	11	18	12	11	3	-
Male	38	-	-	-	-	-	2	10	13	7	6	-	-
Female	19	-	-	-	-	-	-	1	5	5	5	3	-
Acute myocardial infarction (410)	23	-	-	-	-	-	2	5	6	4	6	-	-
Male	15	-	-	-	-	-	2	4	3	3	3	-	-
Female	8	-	-	-	-	-	-	1	3	1	3	-	-
Other acute and subacute forms of ischemic heart disease (411)	13	-	-	-	-	-	-	2	3	5	3	-	-
Male	9	-	-	-	-	-	-	2	3	3	1	-	-
Female	4	-	-	-	-	-	-	-	-	2	2	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	21	-	-	-	-	-	-	4	9	3	2	3	-
Male	14	-	-	-	-	-	-	4	7	1	2	-	-
Female	7	-	-	-	-	-	-	-	2	2	-	3	-
Other diseases of endocardium (424)	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	25	-	-	-	-	1	1	-	2	9	4	8	-
Male	13	-	-	-	-	1	1	-	1	5	3	2	-
Female	12	-	-	-	-	-	-	-	1	4	1	6	-
Hypertension with or without renal disease (401,403)	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	31	-	-	-	-	-	-	4	8	10	7	1	1
Male	15	-	-	-	-	-	-	1	4	5	4	1	-
Female	16	-	-	-	-	-	-	3	4	5	3	-	1
Intracerebral and other intracranial hemorrhage (431-432)	9	-	-	-	-	-	-	-	4	1	4	-	-
Male	3	-	-	-	-	-	-	-	1	-	2	-	-
Female	6	-	-	-	-	-	-	-	3	1	2	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	8	-	-	-	-	-	-	1	1	5	1	-	-
Male	2	-	-	-	-	-	-	-	-	2	-	-	-
Female	6	-	-	-	-	-	-	1	1	3	1	-	-
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	-	-	1
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	13	-	-	-	-	-	-	3	3	4	2	1	-
Male	10	-	-	-	-	-	-	1	3	3	2	1	-
Female	3	-	-	-	-	-	-	2	-	1	-	-	-
Atherosclerosis (440)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	5	-	-	-	-	-	-	1	-	2	-	2	-
Male	4	-	-	-	-	-	-	1	-	2	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Pneumonia and influenza (480-487)	10	-	1	-	-	-	-	-	1	4	1	3	-
Male	4	-	1	-	-	-	-	-	-	2	-	1	-
Female	6	-	-	-	-	-	-	-	1	2	1	2	-
Pneumonia (480-486)	9	-	1	-	-	-	-	-	1	3	1	3	-
Male	4	-	1	-	-	-	-	-	-	2	-	1	-
Female	5	-	-	-	-	-	-	-	1	1	1	2	-
Influenza (487)	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	9	-	-	-	-	-	-	-	5	4	-	-	-
Male	6	-	-	-	-	-	-	-	3	3	-	-	-
Female	3	-	-	-	-	-	-	-	2	1	-	-	-
Bronchitis, chronic and unspecified (490-491)	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
Asthma (493)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	7	-	-	-	-	-	-	-	4	3	-	-	-
Male	5	-	-	-	-	-	-	-	3	2	-	-	-
Female	2	-	-	-	-	-	-	-	1	1	-	-	-
Ulcer of stomach and duodenum (531-533)	3	-	-	-	-	-	-	-	-	1	2	-	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	-	-	-	-	-	-	-	-	2	-	-	-
Male	2	-	-	-	-	-	-	-	-	2	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	14	-	-	-	-	-	2	3	5	3	1	-	-
Male	12	-	-	-	-	-	2	3	5	1	1	-	-
Female	2	-	-	-	-	-	-	-	-	2	-	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	-	-	-	-	-	1	-	2	2	-	-	-
Male	3	-	-	-	-	-	-	-	2	1	-	-	-
Female	2	-	-	-	-	-	1	-	-	1	-	-	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	1	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	-	-	-	-	-	-	-	2	2	-	-	-
Male	3	-	-	-	-	-	-	-	2	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Infections of kidney (590)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female													
Complications of pregnancy, childbirth, and the puerperium (630-676)	-			-	-	-	-	-					-
Male													
Female	-			-	-	-	-	-					-
Pregnancy with abortive outcome (630-638)	-			-	-	-	-	-					-
Male													
Female	-			-	-	-	-	-					-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-			-	-	-	-	-					-
Male													
Female	-			-	-	-	-	-					-
Congenital anomalies (740-759)	9	7	1	-	-	-	-	1	-	-	-	-	-
Male	4	3	-	-	-	-	-	1	-	-	-	-	-
Female	5	4	1	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	22	22	-	-	-	-	-	-	-	-	-	-	-
Male	9	9	-	-	-	-	-	-	-	-	-	-	-
Female	13	13	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	7	7	-	-	-	-	-	-	-	-	-	-	-
Male	2	2	-	-	-	-	-	-	-	-	-	-	-
Female	5	5	-	-	-	-	-	-	-	-	-	-	-

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Guam, 1981—Con.

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Certain conditions originating in the perinatal period-Con.													
Other conditions originating in the perinatal period (760-766,770-779)	15	15	-	-	-	-	-	-	-	-	-	-	-
Male	7	7	-	-	-	-	-	-	-	-	-	-	-
Female	8	8	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	2	-	-	-	1	1	-	-	-	-	-	-	-
Male	1	-	-	-	1	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
All other diseases (Residual)	45	-	1	-	-	3	4	4	14	10	5	4	-
Male	20	-	-	-	-	2	1	2	6	6	2	1	-
Female	25	-	1	-	-	1	3	2	8	4	3	3	-
Accidents and adverse effects (E800-E949)	40	-	-	4	11	10	2	2	3	5	-	1	2
Male	30	-	-	2	10	6	2	2	2	4	-	-	2
Female	10	-	-	2	1	4	-	-	1	1	-	1	-
Motor vehicle accidents (E810-E825)	21	-	-	1	7	7	1	1	1	3	-	-	-
Male	15	-	-	-	6	4	1	1	-	3	-	-	-
Female	6	-	-	1	1	3	-	-	1	-	-	-	-
All other accidents and adverse effects (E800-E807,E826-E949)	19	-	-	3	4	3	1	1	2	2	-	1	2
Male	15	-	-	2	4	2	1	1	2	1	-	-	2
Female	4	-	-	1	-	1	-	-	-	1	-	1	-
Suicide (E950-E959)	9	...	...	-	3	2	2	1	1	-	-	-	-
Male	7	...	...	-	3	2	1	1	-	-	-	-	-
Female	2	...	...	-	-	-	1	-	1	-	-	-	-
Homicide and legal intervention (E960-E978)	11	-	-	-	4	4	-	2	-	-	1	-	-
Male	8	-	-	-	3	3	-	1	-	-	1	-	-
Female	3	-	-	-	1	1	-	1	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-7. Deaths From Motor Vehicle Accidents, by Person Injured and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1981

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975. Numbers after person injured are fourth-digit subcategory numbers]

Area, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle (.0)	Passenger in motor vehicle other than motorcycle (.1)	Motorcyclist (.2)	Passenger on motorcycle (.3)	Occupant of streetcar (.4)	Rider of animal; occupant of animal-drawn vehicle (.5)	Pedal cyclist (.6)	Pedestrian (.7)	Other specified person (.8)	Unspecified person (.9)
Puerto Rico	491	110	55	25	3	-	1	8	168	-	121
Male	398	95	33	25	2	-	1	8	131	-	103
Female	93	15	22	-	1	-	-	-	37	-	18
Virgin Islands	16	-	3	-	-	-	-	2	1	-	10
White, male	5	-	2	-	-	-	-	-	1	-	2
White, female	-	-	-	-	-	-	-	-	-	-	-
All other, male	11	-	1	-	-	-	-	2	-	-	8
All other, female	-	-	-	-	-	-	-	-	-	-	-
Black, male	7	-	1	-	-	-	-	2	-	-	4
Black, female	-	-	-	-	-	-	-	-	-	-	-
Guam	21	-	-	-	-	-	-	-	2	-	19
White, male	6	-	-	-	-	-	-	-	1	-	5
White, female	1	-	-	-	-	-	-	-	-	-	1
All other, male	9	-	-	-	-	-	-	-	-	-	9
All other, female	5	-	-	-	-	-	-	-	1	-	4
Guamanian, male	5	-	-	-	-	-	-	-	-	-	5
Guamanian, female	2	-	-	-	-	-	-	-	-	-	2

Table 9-8. Deaths From Nontransport Accidents, by Place of Accident and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1981

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975. Numbers after place of accident are special fifth-digit subcategory codes]

Area, race, and sex	Total deaths	Place of accident									
		Home [1] (0)	Farm [2] (1)	Mine and quarry (2)	Industrial place and premises (3)	Place for recreation and sport (4)	Street and highway (5)	Public building (6)	Residential institution (7)	Other specified places (8)	Unspecified place (9)
Puerto Rico	565	157	5	-	7	3	26	3	14	131	219
Male	430	118	5	-	7	2	26	3	9	117	143
Female	135	39	-	-	-	1	-	-	5	14	76
Virgin Islands	21	1	-	-	1	-	-	-	-	6	13
White, male	5	-	-	-	1	-	-	-	-	1	3
White, female	-	-	-	-	-	-	-	-	-	-	-
All other, male	14	1	-	-	-	-	-	-	-	5	8
All other, female	2	-	-	-	-	-	-	-	-	-	2
Black, male	11	-	-	-	-	-	-	-	-	3	8
Black, female	2	-	-	-	-	-	-	-	-	-	2
Guam	18	3	-	-	1	-	-	1	-	11	2
White, male	4	-	-	-	-	-	-	-	-	2	2
White, female	-	-	-	-	-	-	-	-	-	-	-
All other, male	11	1	-	-	1	-	-	1	-	8	-
All other, female	3	2	-	-	-	-	-	-	-	1	-
Guamanian, male	8	1	-	-	1	-	-	-	-	6	-
Guamanian, female	2	2	-	-	-	-	-	-	-	-	-

[1] Including home premises and any noninstitutional place of residence

[2] Including buildings and land under cultivation, but excluding farm home and home premises

Table 9-9. Total, Infant, Neonatal, and Fetal Deaths: Puerto Rico and Each Municipio, 1981

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than Puerto Rico; however, data by place of occurrence include deaths of nonresidents of Puerto Rico. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area	Total deaths by municipio of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Puerto Rico	21,203	21,085	1,318	1,042	609
Adjuntas	61	131	10	7	2
Aguada	84	154	6	5	6
Aguadilla	418	359	25	21	20
Aguas Buenas	61	127	7	5	5
Aibonito	117	150	6	4	6
Anasco	72	139	11	10	12
Arecibo	1,070	706	22	18	16
Arroyo	86	136	9	5	4
Barceloneta	115	202	15	12	6
Barranquitas	68	126	12	9	3
Bayamon	1,532	1,084	63	50	44
Cabo Rojo	107	240	11	10	7
Caguas	1,115	727	29	21	22
Camuy	89	164	8	7	5
Carolina	358	766	62	52	26
Catano	90	205	15	13	9
Cayey	195	324	20	13	15
Ceiba	62	87	4	2	2
Ciales	63	109	8	5	1
Cidra	76	167	13	9	6
Coamo	113	192	17	12	11
Comerio	52	104	4	3	11
Corozal	55	147	8	7	6
Culebra	3	7	-	-	-
Dorado	67	129	11	7	5
Fajardo	332	231	9	6	10
Guanica	67	130	9	9	7
Guayama	339	275	24	20	11
Guayanilla	66	129	10	8	11
Guaynabo	188	435	26	22	16
Gurabo	72	141	4	3	4
Hatillo	115	208	4	3	1
Hormigueros	52	95	6	5	3
Humacao	528	316	25	23	16
Isabela	133	231	14	13	13
Jayuya	50	104	6	1	5
Juana Diaz	114	267	24	19	27
Juncos	64	177	10	9	5
Lajas	55	140	11	8	13
Lares	124	194	8	5	10
Las Marias	25	44	2	2	4
Las Piedras	54	155	11	9	7
Loiza	148	271	26	18	7
Luquillo	40	102	6	4	5
Manati	169	274	20	14	13
Maricao	22	48	4	3	1
Maunabo	23	68	3	2	3
Mayaguez	1,314	727	55	44	20
Moca	87	156	15	12	13
Morovis	64	100	7	4	6
Naguabo	72	161	3	3	4
Naranjito	57	103	9	8	4
Orocovis	59	101	6	5	6
Patillas	63	136	10	9	4
Penuelas	55	113	16	14	9
Ponce	2,046	1,245	106	81	58
Quebradillas	64	115	3	3	-
Rincon	47	76	5	4	3
Rio Grande	116	200	13	11	3
Sabana Grande	47	159	9	5	7
Salinas	106	211	14	10	12
San German	367	247	15	13	10
San Juan	6,309	3,810	203	172	97
San Lorenzo	89	191	10	6	5
San Sebastian	141	260	10	6	11
Santa Isabel	59	141	16	13	6
Toa Alta	73	171	16	13	8
Toa Baja	136	367	32	25	14
Trujillo Alto	113	233	20	16	12
Utuado	167	239	12	9	12
Vega Alta	67	148	5	5	4
Vega Baja	130	284	14	11	11
Vieques	45	67	3	2	2
Villalba	58	117	7	5	6
Yabucoa	102	221	14	12	6
Yauco	241	269	12	8	12

Table 9-10. Total, Infant, Neonatal, and Fetal Deaths, by Race: Virgin Islands by Island and Specified Urban Place, and Guam, 1981

[Data by place of residence exclude deaths to nonresidents and deaths to residents occurring elsewhere than the Virgin Islands; however, data by place of occurrence include deaths to nonresidents of the Virgin Islands. The same qualifications apply to resident and nonresident deaths in Guam. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Charlotte Amalie is the only specified urban place with a population of 10,000 or more in 1970]

Area and race	Total deaths by place of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
Virgin Islands	593	547	55	44	29
White	166	130	7	5	-
All other	427	417	48	39	29
Black	373	366	42	33	29
St. Croix Island	325	307	30	24	4
White	90	76	4	2	-
All other	235	231	26	22	4
Black	184	182	21	17	4
St. John Island	4	4	-	-	1
White	3	2	-	-	-
All other	1	2	-	-	1
Black	1	2	-	-	1
St. Thomas Island	264	236	25	20	24
White	73	52	3	3	-
All other	191	184	22	17	24
Black	188	182	21	16	24
Charlotte Amalie	---	177	23	19	3
White	---	32	2	2	-
All other	---	145	21	17	3
Black	---	143	20	16	3
Balance of area	---	59	2	1	21
White	---	20	1	1	-
All other	---	39	1	-	21
Black	---	39	1	-	21
Guam	407	385	30	27	32
White	48	48	7	6	1
All other	359	337	23	21	31
Guamanian	251	251	16	15	16

Table 9-11. Deaths Under 1 Year and Under 28 Days, by Month, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1981

Area, age, and race	Total	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec
PUERTO RICO													
Under 1 year	1,318	113	99	97	102	117	94	121	141	119	110	82	123
Under 28 days	1,042	89	77	66	75	92	80	97	119	100	89	62	96
VIRGIN ISLANDS													
Under 1 year	55	6	5	4	2	5	7	1	5	3	6	5	6
White	7	1	1	-	1	-	-	-	-	1	-	1	2
All other	48	5	4	4	1	5	7	1	5	2	6	4	4
Black	42	5	3	4	1	4	5	1	4	2	6	3	4
Under 28 days	44	6	5	4	2	4	6	-	4	2	5	2	4
White	5	1	1	-	1	-	-	-	-	1	-	-	1
All other	39	5	4	4	1	4	6	-	4	1	5	2	3
Black	33	5	3	4	1	3	4	-	3	1	5	1	3
GUAM													
Under 1 year	30	5	2	2	3	-	2	2	4	2	4	1	3
White	7	3	-	1	-	-	-	1	-	2	-	-	-
All other	23	2	2	1	3	-	2	1	4	-	4	1	3
Guamanian	16	1	2	1	1	-	2	1	4	-	2	-	2
Under 28 days	27	5	2	2	3	-	1	2	4	1	3	1	3
White	6	3	-	1	-	-	-	1	-	1	-	-	-
All other	21	2	2	1	3	-	1	1	4	-	3	1	3
Guamanian	15	1	2	1	1	-	1	1	4	-	2	-	2

Table 9-12. Deaths Under 1 Year, by Age and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1981

Age	Puerto Rico			Virgin Islands											
				All races			White			All other					
										Total			Black		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	1,318	765	553	55	32	23	7	4	3	48	28	20	42	25	17
Under 28 days	1,042	606	436	44	26	18	5	2	3	39	24	15	33	21	12
Under 7 days	905	529	376	39	22	17	5	2	3	34	20	14	28	17	11
Under 1 hour	139	79	60	9	7	2	-	-	-	9	7	2	7	5	2
1-23 hours	354	208	146	14	8	6	2	1	1	12	7	5	11	7	4
1 day	110	65	45	10	5	5	1	-	1	9	5	4	6	4	2
2 days	137	82	55	4	1	3	2	1	1	2	-	2	2	-	2
3 days	82	53	29	1	-	1	-	-	-	1	-	1	1	-	1
4 days	42	25	17	1	1	-	-	-	-	1	1	-	1	1	-
5 days	27	12	15	-	-	-	-	-	-	-	-	-	-	-	-
6 days	14	5	9	-	-	-	-	-	-	-	-	-	-	-	-
7-13 days	77	43	34	3	2	1	-	-	-	3	2	1	3	2	1
14-20 days	38	25	13	1	1	-	-	-	-	1	1	-	1	1	-
21-27 days	22	9	13	1	1	-	-	-	-	1	1	-	1	1	-
28-59 days	83	51	32	1	-	1	-	-	-	1	-	1	1	-	1
2 months	50	28	22	-	-	-	-	-	-	-	-	-	-	-	-
3 months	39	23	16	2	2	-	1	1	-	1	1	-	1	1	-
4 months	25	11	14	-	-	-	-	-	-	-	-	-	-	-	-
5 months	13	7	6	1	1	-	-	-	-	1	1	-	1	1	-
6 months	12	9	3	1	-	1	-	-	-	1	-	1	1	-	1
7 months	11	5	6	2	2	-	-	-	-	2	2	-	2	2	-
8 months	15	12	3	2	1	1	1	1	-	1	-	1	1	-	1
9 months	13	6	7	-	-	-	-	-	-	-	-	-	-	-	-
10 months	9	4	5	2	-	2	-	-	-	2	-	2	2	-	2
11 months	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-12. Deaths Under 1 Year, by Age and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1981—Con.

Age	Guam											
	All races			White			All other					
							Total			Guamanian		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	30	12	18	7	2	5	23	10	13	16	7	9
Under 28 days	27	12	15	6	2	4	21	10	11	15	7	8
Under 7 days	21	10	11	5	1	4	16	9	7	10	6	4
Under 1 hour	4	4	-	-	-	-	4	4	-	3	3	-
1-23 hours	15	6	9	4	1	3	11	5	6	7	3	4
1 day	1	-	1	-	-	-	1	-	1	-	-	-
2 days	-	-	-	-	-	-	-	-	-	-	-	-
3 days	-	-	-	-	-	-	-	-	-	-	-	-
4 days	-	-	-	-	-	-	-	-	-	-	-	-
5 days	1	-	1	1	-	1	-	-	-	-	-	-
6 days	-	-	-	-	-	-	-	-	-	-	-	-
7-13 days	3	1	2	-	-	-	3	1	2	3	1	2
14-20 days	3	1	2	1	1	-	2	-	2	2	-	2
21-27 days	-	-	-	-	-	-	-	-	-	-	-	-
28-59 days	2	-	2	1	-	1	1	-	1	-	-	-
2 months	-	-	-	-	-	-	-	-	-	-	-	-
3 months	-	-	-	-	-	-	-	-	-	-	-	-
4 months	-	-	-	-	-	-	-	-	-	-	-	-
5 months	-	-	-	-	-	-	-	-	-	-	-	-
6 months	1	-	1	-	-	-	1	-	1	1	-	1
7 months	-	-	-	-	-	-	-	-	-	-	-	-
8 months	-	-	-	-	-	-	-	-	-	-	-	-
9 months	-	-	-	-	-	-	-	-	-	-	-	-
10 months	-	-	-	-	-	-	-	-	-	-	-	-
11 months	-	-	-	-	-	-	-	-	-	-	-	-

Table 9-13. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1981

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975]

Cause of death	Puerto Rico			Virgin Islands							Guam						
	Total, under 1 year	Under 28 days	28 days-11 months	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
					White	All other		White	All other			White	All other		White	All other	
						Total	Black		Total	Black			Total	Guamanian		Total	Guamanian
All causes	1,318	1,042	276	55	5	39	33	2	9	9	30	6	21	15	1	2	1
Certain intestinal infections (008-009)	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	12	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral diseases (045-079)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital syphilis (090)	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,080-088, 091-139)	8	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	6	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	10	3	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system and sense organs (323-389)	12	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute upper respiratory infections (460-465)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis and bronchiolitis (466,490-491)	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	101	46	55	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Pneumonia (480-486)	101	46	55	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	32	4	28	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	23	6	17	2	-	1	1	-	1	1	-	-	-	-	-	-	-
Remainder of diseases of digestive system (520-534,536-543,562-579)	11	6	5	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Congenital anomalies (740-759)	198	146	52	8	-	4	4	1	3	3	7	1	5	4	-	1	1
Anencephalus and similar anomalies (740)	16	16	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Spina bifida (741)	12	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital hydrocephalus (742.3)	9	5	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of heart (745-746)	55	29	26	7	-	4	4	-	3	3	3	-	3	3	-	-	-
Other congenital anomalies of circulatory system (747)	17	15	2	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Congenital anomalies of respiratory system (748)	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of digestive system (749-751)	9	2	7	-	-	-	-	-	-	-	1	-	1	1	-	-	-
Congenital anomalies of genitourinary system (752-753)	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Down's syndrome (758.0)	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chromosomal anomalies (758.1-758.9)	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
All other and unspecified congenital anomalies (744,757,759)	47	46	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	788	780	8	39	5	33	27	-	1	1	22	5	16	11	1	-	-
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	12	12	-	2	-	2	2	-	-	-	1	1	-	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	21	21	-	1	-	1	1	-	-	-	1	-	1	1	-	-	-
Newborn affected by other complications of labor and delivery (763)	4	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	63	62	1	6	1	5	4	-	-	-	8	1	6	5	1	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	29	29	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	49	49	-	1	-	1	-	-	-	-	2	1	1	-	-	-	-
Fetal distress in liveborn infant (768.2-768.4)	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth asphyxia (768.5-768.9)	28	28	-	1	-	1	-	-	-	-	2	1	1	-	-	-	-
Respiratory distress syndrome (769)	305	304	1	16	2	14	11	-	-	-	5	2	3	1	-	-	-
Other respiratory conditions of newborn (770)	131	129	2	3	1	2	2	-	-	-	3	-	3	3	-	-	-
Infections specific to the perinatal period (771)	51	49	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal hemorrhage (772)	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	87	85	2	8	1	6	6	-	1	1	2	-	2	1	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	17	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden infant death syndrome (798.0)	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	15	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidents and adverse effects (E800-E949)	27	-	27	3	-	-	-	1	2	2	-	-	-	-	-	-	-
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	12	-	12	2	-	-	-	-	2	2	-	-	-	-	-	-	-
Accidental mechanical suffocation (E913)	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	13	-	13	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Homicide (E960-E969)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other homicide (E960-E966,E968-E969)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other causes (Residual)	53	24	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-

☆ U.S. GOVERNMENT PRINTING OFFICE : 1986 O - 154-625

Statistics Case

THE PUBLIC LIBRARY
NEWARK, N.J.

Fines are charged on overdue items to encourage prompt return so that they may be available to others.

Your library card may be used at the Main Library and any neighborhood branch library.

Do not remove date card from pocket

AUG 13 1986